Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Assumptions

Cmet: Meteorological correction

Calculation Results

Noise sensitive area: A Me ž gali

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 827	11 828	-7,15	97,4	-	0,00
10	8 973	8 975	-4,47	97,4	-	0,00
11	6 801	6 803	-1,82	97,4	-	0,00
12	6 984	6 987	-2,07	97,4	-	0,00
13	6 275	6 277	-1,06	97,4	-	0,00
14	5 877	5 880	-0,45	97,4	-	0,00
15	5 358	5 361	0,42	97,4	-	0,00
16	5 008	5 011	1,04	97,4	-	0,00
17	4 564	4 568	1,90	97,4	-	0,00
18	4 617	4 620	1,80	97,4	-	0,00
19	4 179	4 182	2,72	97,4	-	0,00
2	11 281	11 283	-6,69	97,4	-	0,00
20	4 032	4 036	3,04	97,4	-	0,00
21	3 757	3 761	3,69	97,4	-	0,00
22	3 530	3 535	4,26	97,4	-	0,00
23	3 009	3 014	5,71	97,4	-	0,00
24	3 189	3 194	5,18	97,4	-	0,00
25	4 776	4 779	1,48	97,4	-	0,00
26	4 916	4 919	1,21	97,4	-	0,00
27	3 802	3 806	3,58	97,4	-	0,00
28	4 317	4 321	2,42	97,4	-	0,00
29	4 530	4 534	1,97	97,4	-	0,00
3	10 517	10 518	-6,00	97,4	-	0,00
30	3 890	3 894	3,37	97,4	-	0,00
31	3 354	3 359	4,72	97,4	-	0,00
32	4 320	4 323	2,41	97,4	-	0,00
33	3 976	3 980	3,17	97,4	-	0,00
34	3 412	3 416	4,57	97,4	-	0,00
35	3 584	3 589	4,12	97,4	-	0,00
36	3 032	3 037	5,64	97,4	-	0,00
37	2 447	2 453	7,57	97,4	-	0,00
38	1 763	1 772	10,49	97,4	-	0,00
39	2 738	2 744	6,56	97,4	-	0,00
4	10 394	10 395	-5,89	97,4	-	0,00
40	1 488	1 497	11,99	97,4	-	0,00
41	963	979	15,76	97,4	-	0,00
5	9 924	9 925	-5,44	97,4	-	0,00
6	10 436	10 438	-5,93	97,4	-	0,00
7	10 870	10 871	-6,32	97,4	-	0,00
8	8 453	8 455	-3,89	97,4	-	0,00
9	7 874	7 876	-3,21	97,4	-	0,00
Sum			21,09			

- Data undefined due to calculation with octave data

Noise sensitive area: A Me ž gali

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 827	11 828	-7,15	97,4	-	0,00
10	8 973	8 975	-4,47	97,4	-	0,00
11	6 801	6 803	-1,82	97,4	-	0,00
12	6 984	6 987	-2,07	97,4	-	0,00
13	6 275	6 277	-1,06	97,4	-	0,00
14	5 877	5 880	-0,45	97,4	-	0,00
15	5 358	5 361	0,42	97,4	-	0,00
16	5 008	5 011	1,04	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
17	4 564	4 568	1,90	97,4	-	0,00
18	4 617	4 620	1,80	97,4	-	0,00
19	4 179	4 182	2,72	97,4	-	0,00
2	11 281	11 283	-6,69	97,4	-	0,00
20	4 032	4 036	3,04	97,4	-	0,00
21	3 757	3 761	3,69	97,4	-	0,00
22	3 530	3 535	4,26	97,4	-	0,00
23	3 009	3 014	5,71	97,4	-	0,00
24	3 189	3 194	5,18	97,4	-	0,00
25	4 776	4 779	1,48	97,4	-	0,00
26	4 916	4 919	1,21	97,4	-	0,00
27	3 802	3 806	3,58	97,4	-	0,00
28	4 317	4 321	2,42	97,4	-	0,00
29	4 530	4 534	1,97	97,4	-	0,00
3	10 517	10 518	-6,00	97,4	-	0,00
30	3 890	3 894	3,37	97,4	-	0,00
31	3 354	3 359	4,72	97,4	-	0,00
32	4 320	4 323	2,41	97,4	-	0,00
33	3 976	3 980	3,17	97,4	-	0,00
34	3 412	3 416	4,57	97,4	-	0,00
35	3 584	3 589	4,12	97,4	-	0,00
36	3 032	3 037	5,64	97,4	-	0,00
37	2 447	2 453	7,57	97,4	-	0,00
38	1 763	1 772	10,49	97,4	-	0,00
39	2 738	2 744	6,56	97,4	-	0,00
4	10 394	10 395	-5,89	97,4	-	0,00
40	1 488	1 497	11,99	97,4	-	0,00
41	963	979	15,76	97,4	-	0,00
5	9 924	9 925	-5,44	97,4	-	0,00
6	10 436	10 438	-5,93	97,4	-	0,00
7	10 870	10 871	-6,32	97,4	-	0,00
8	8 453	8 455	-3,89	97,4	-	0,00
9	7 874	7 876	-3,21	97,4	-	0,00
Sum			21,09			

- Data undefined due to calculation with octave data

Noise sensitive area: B Klingerites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 235	11 236	-6,65	97,4	-	0,00
10	8 885	8 886	-4,37	97,4	-	0,00
11	6 919	6 921	-1,98	97,4	-	0,00
12	7 241	7 243	-2,42	97,4	-	0,00
13	6 429	6 431	-1,29	97,4	-	0,00
14	5 895	5 897	-0,48	97,4	-	0,00
15	5 454	5 456	0,25	97,4	-	0,00
16	5 179	5 182	0,73	97,4	-	0,00
17	4 824	4 827	1,39	97,4	-	0,00
18	4 345	4 348	2,36	97,4	-	0,00
19	3 852	3 856	3,46	97,4	-	0,00
2	10 670	10 671	-6,14	97,4	-	0,00
20	4 086	4 090	2,92	97,4	-	0,00
21	3 549	3 553	4,21	97,4	-	0,00
22	3 578	3 582	4,14	97,4	-	0,00
23	3 082	3 086	5,50	97,4	-	0,00
24	2 941	2 946	5,92	97,4	-	0,00
25	4 199	4 203	2,67	97,4	-	0,00
26	4 152	4 156	2,77	97,4	-	0,00
27	3 306	3 311	4,86	97,4	-	0,00
28	3 657	3 661	3,94	97,4	-	0,00
29	3 701	3 705	3,83	97,4	-	0,00
3	9 932	9 934	-5,45	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
30	3 151	3 155	5,30	97,4	-	0,00
31	2 761	2 766	6,49	97,4	-	0,00
32	3 392	3 396	4,62	97,4	-	0,00
33	2 932	2 937	5,95	97,4	-	0,00
34	2 403	2 408	7,74	97,4	-	0,00
35	2 726	2 732	6,60	97,4	-	0,00
36	2 261	2 267	8,28	97,4	-	0,00
37	1 947	1 954	9,62	97,4	-	0,00
38	1 595	1 605	11,38	97,4	-	0,00
39	2 506	2 513	7,36	97,4	-	0,00
4	9 883	9 884	-5,40	97,4	-	0,00
40	1 868	1 875	9,99	97,4	-	0,00
41	1 644	1 653	11,11	97,4	-	0,00
5	9 377	9 378	-4,89	97,4	-	0,00
6	10 000	10 002	-5,51	97,4	-	0,00
7	10 460	10 462	-5,95	97,4	-	0,00
8	8 322	8 323	-3,74	97,4	-	0,00
9	7 774	7 776	-3,09	97,4	-	0,00
Sum			20,90			

- Data undefined due to calculation with octave data

Noise sensitive area: B Klingerites

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 235	11 236	-6,65	97,4	-	0,00
10	8 885	8 886	-4,37	97,4	-	0,00
11	6 919	6 921	-1,98	97,4	-	0,00
12	7 241	7 243	-2,42	97,4	-	0,00
13	6 429	6 431	-1,29	97,4	-	0,00
14	5 895	5 897	-0,48	97,4	-	0,00
15	5 454	5 456	0,25	97,4	-	0,00
16	5 179	5 182	0,73	97,4	-	0,00
17	4 824	4 827	1,39	97,4	-	0,00
18	4 345	4 348	2,36	97,4	-	0,00
19	3 852	3 856	3,46	97,4	-	0,00
2	10 670	10 671	-6,14	97,4	-	0,00
20	4 086	4 090	2,92	97,4	-	0,00
21	3 549	3 553	4,21	97,4	-	0,00
22	3 578	3 582	4,14	97,4	-	0,00
23	3 082	3 086	5,50	97,4	-	0,00
24	2 941	2 946	5,92	97,4	-	0,00
25	4 199	4 203	2,67	97,4	-	0,00
26	4 152	4 156	2,77	97,4	-	0,00
27	3 306	3 311	4,86	97,4	-	0,00
28	3 657	3 661	3,94	97,4	-	0,00
29	3 701	3 705	3,83	97,4	-	0,00
3	9 932	9 934	-5,45	97,4	-	0,00
30	3 151	3 155	5,30	97,4	-	0,00
31	2 761	2 766	6,49	97,4	-	0,00
32	3 392	3 396	4,62	97,4	-	0,00
33	2 932	2 937	5,95	97,4	-	0,00
34	2 403	2 408	7,74	97,4	-	0,00
35	2 726	2 732	6,60	97,4	-	0,00
36	2 261	2 267	8,28	97,4	-	0,00
37	1 947	1 954	9,62	97,4	-	0,00
38	1 595	1 605	11,38	97,4	-	0,00
39	2 506	2 513	7,36	97,4	-	0,00
4	9 883	9 884	-5,40	97,4	-	0,00
40	1 868	1 875	9,99	97,4	-	0,00
41	1 644	1 653	11,11	97,4	-	0,00
5	9 377	9 378	-4,89	97,4	-	0,00
6	10 000	10 002	-5,51	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
7	10 460	10 462	-5,95	97,4	-	0,00
8	8 322	8 323	-3,74	97,4	-	0,00
9	7 774	7 776	-3,09	97,4	-	0,00
Sum			20,90			

- Data undefined due to calculation with octave data

Noise sensitive area: C Kokani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 279	11 280	-6,68	97,4	-	0,00
10	9 188	9 190	-4,69	97,4	-	0,00
11	7 317	7 319	-2,52	97,4	-	0,00
12	7 685	7 687	-2,98	97,4	-	0,00
13	6 844	6 846	-1,88	97,4	-	0,00
14	6 266	6 268	-1,05	97,4	-	0,00
15	5 859	5 862	-0,42	97,4	-	0,00
16	5 614	5 617	-0,02	97,4	-	0,00
17	5 292	5 295	0,53	97,4	-	0,00
18	4 624	4 627	1,78	97,4	-	0,00
19	4 120	4 123	2,85	97,4	-	0,00
2	10 705	10 707	-6,17	97,4	-	0,00
20	4 501	4 504	2,03	97,4	-	0,00
21	3 878	3 882	3,40	97,4	-	0,00
22	4 003	4 007	3,11	97,4	-	0,00
23	3 530	3 534	4,26	97,4	-	0,00
24	3 278	3 283	4,93	97,4	-	0,00
25	4 327	4 331	2,39	97,4	-	0,00
26	4 166	4 170	2,74	97,4	-	0,00
27	3 509	3 514	4,31	97,4	-	0,00
28	3 754	3 757	3,70	97,4	-	0,00
29	3 682	3 687	3,87	97,4	-	0,00
3	9 987	9 988	-5,50	97,4	-	0,00
30	3 217	3 221	5,11	97,4	-	0,00
31	2 938	2 943	5,93	97,4	-	0,00
32	3 308	3 313	4,85	97,4	-	0,00
33	2 761	2 767	6,49	97,4	-	0,00
34	2 296	2 302	8,15	97,4	-	0,00
35	2 730	2 735	6,59	97,4	-	0,00
36	2 362	2 368	7,89	97,4	-	0,00
37	2 240	2 246	8,37	97,4	-	0,00
38	2 062	2 069	9,10	97,4	-	0,00
39	2 874	2 879	6,13	97,4	-	0,00
4	9 978	9 980	-5,49	97,4	-	0,00
40	2 441	2 447	7,60	97,4	-	0,00
41	2 256	2 262	8,30	97,4	-	0,00
5	9 456	9 457	-4,97	97,4	-	0,00
6	10 134	10 136	-5,64	97,4	-	0,00
7	10 606	10 607	-6,08	97,4	-	0,00
8	8 610	8 612	-4,07	97,4	-	0,00
9	8 080	8 082	-3,46	97,4	-	0,00
Sum			19,92			

- Data undefined due to calculation with octave data

Noise sensitive area: C Kokani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 279	11 280	-6,68	97,4	-	0,00
10	9 188	9 190	-4,69	97,4	-	0,00
11	7 317	7 319	-2,52	97,4	-	0,00
12	7 685	7 687	-2,98	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
13	6 844	6 846	-1,88	97,4	-	0,00
14	6 266	6 268	-1,05	97,4	-	0,00
15	5 859	5 862	-0,42	97,4	-	0,00
16	5 614	5 617	-0,02	97,4	-	0,00
17	5 292	5 295	0,53	97,4	-	0,00
18	4 624	4 627	1,78	97,4	-	0,00
19	4 120	4 123	2,85	97,4	-	0,00
2	10 705	10 707	-6,17	97,4	-	0,00
20	4 501	4 504	2,03	97,4	-	0,00
21	3 878	3 882	3,40	97,4	-	0,00
22	4 003	4 007	3,11	97,4	-	0,00
23	3 530	3 534	4,26	97,4	-	0,00
24	3 278	3 283	4,93	97,4	-	0,00
25	4 327	4 331	2,39	97,4	-	0,00
26	4 166	4 170	2,74	97,4	-	0,00
27	3 509	3 514	4,31	97,4	-	0,00
28	3 754	3 757	3,70	97,4	-	0,00
29	3 682	3 687	3,87	97,4	-	0,00
3	9 987	9 988	-5,50	97,4	-	0,00
30	3 217	3 221	5,11	97,4	-	0,00
31	2 938	2 943	5,93	97,4	-	0,00
32	3 308	3 313	4,85	97,4	-	0,00
33	2 761	2 767	6,49	97,4	-	0,00
34	2 296	2 302	8,15	97,4	-	0,00
35	2 730	2 735	6,59	97,4	-	0,00
36	2 362	2 368	7,89	97,4	-	0,00
37	2 240	2 246	8,37	97,4	-	0,00
38	2 062	2 069	9,10	97,4	-	0,00
39	2 874	2 879	6,13	97,4	-	0,00
4	9 978	9 980	-5,49	97,4	-	0,00
40	2 441	2 447	7,60	97,4	-	0,00
41	2 256	2 262	8,30	97,4	-	0,00
5	9 456	9 457	-4,97	97,4	-	0,00
6	10 134	10 136	-5,64	97,4	-	0,00
7	10 606	10 607	-6,08	97,4	-	0,00
8	8 610	8 612	-4,07	97,4	-	0,00
9	8 080	8 082	-3,46	97,4	-	0,00
Sum			19,92			

- Data undefined due to calculation with octave data

Noise sensitive area: D Baltackalns

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 023	9 025	-4,52	97,4	-	0,00
10	8 320	8 322	-3,74	97,4	-	0,00
11	7 198	7 200	-2,36	97,4	-	0,00
12	7 837	7 839	-3,17	97,4	-	0,00
13	6 892	6 895	-1,95	97,4	-	0,00
14	6 113	6 115	-0,82	97,4	-	0,00
15	5 984	5 986	-0,62	97,4	-	0,00
16	5 968	5 970	-0,59	97,4	-	0,00
17	5 920	5 923	-0,52	97,4	-	0,00
18	4 284	4 288	2,49	97,4	-	0,00
19	3 884	3 888	3,39	97,4	-	0,00
2	8 434	8 436	-3,87	97,4	-	0,00
20	4 957	4 960	1,14	97,4	-	0,00
21	4 055	4 059	2,99	97,4	-	0,00
22	4 659	4 662	1,71	97,4	-	0,00
23	4 469	4 472	2,10	97,4	-	0,00
24	3 746	3 750	3,72	97,4	-	0,00
25	3 291	3 296	4,90	97,4	-	0,00
26	2 603	2 609	7,02	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
27	3 214	3 219	5,11	97,4	-	0,00
28	2 801	2 806	6,36	97,4	-	0,00
29	2 185	2 192	8,59	97,4	-	0,00
3	7 821	7 823	-3,15	97,4	-	0,00
30	2 436	2 442	7,61	97,4	-	0,00
31	2 864	2 870	6,16	97,4	-	0,00
32	1 717	1 726	10,73	97,4	-	0,00
33	1 257	1 271	13,45	97,4	-	0,00
34	1 678	1 687	10,93	97,4	-	0,00
35	2 059	2 067	9,11	97,4	-	0,00
36	2 454	2 461	7,55	97,4	-	0,00
37	3 151	3 156	5,29	97,4	-	0,00
38	3 737	3 742	3,74	97,4	-	0,00
39	3 684	3 689	3,87	97,4	-	0,00
4	7 992	7 994	-3,36	97,4	-	0,00
40	4 463	4 467	2,11	97,4	-	0,00
41	4 665	4 669	1,70	97,4	-	0,00
5	7 420	7 422	-2,65	97,4	-	0,00
6	8 320	8 322	-3,74	97,4	-	0,00
7	8 823	8 825	-4,30	97,4	-	0,00
8	7 701	7 703	-3,00	97,4	-	0,00
9	7 317	7 319	-2,52	97,4	-	0,00
Sum			21,03			

- Data undefined due to calculation with octave data

Noise sensitive area: D Baltackalns

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 023	9 025	-4,52	97,4	-	0,00
10	8 320	8 322	-3,74	97,4	-	0,00
11	7 198	7 200	-2,36	97,4	-	0,00
12	7 837	7 839	-3,17	97,4	-	0,00
13	6 892	6 895	-1,95	97,4	-	0,00
14	6 113	6 115	-0,82	97,4	-	0,00
15	5 984	5 986	-0,62	97,4	-	0,00
16	5 968	5 970	-0,59	97,4	-	0,00
17	5 920	5 923	-0,52	97,4	-	0,00
18	4 284	4 288	2,49	97,4	-	0,00
19	3 884	3 888	3,39	97,4	-	0,00
2	8 434	8 436	-3,87	97,4	-	0,00
20	4 957	4 960	1,14	97,4	-	0,00
21	4 055	4 059	2,99	97,4	-	0,00
22	4 659	4 662	1,71	97,4	-	0,00
23	4 469	4 472	2,10	97,4	-	0,00
24	3 746	3 750	3,72	97,4	-	0,00
25	3 291	3 296	4,90	97,4	-	0,00
26	2 603	2 609	7,02	97,4	-	0,00
27	3 214	3 219	5,11	97,4	-	0,00
28	2 801	2 806	6,36	97,4	-	0,00
29	2 185	2 192	8,59	97,4	-	0,00
3	7 821	7 823	-3,15	97,4	-	0,00
30	2 436	2 442	7,61	97,4	-	0,00
31	2 864	2 870	6,16	97,4	-	0,00
32	1 717	1 726	10,73	97,4	-	0,00
33	1 257	1 271	13,45	97,4	-	0,00
34	1 678	1 687	10,93	97,4	-	0,00
35	2 059	2 067	9,11	97,4	-	0,00
36	2 454	2 461	7,55	97,4	-	0,00
37	3 151	3 156	5,29	97,4	-	0,00
38	3 737	3 742	3,74	97,4	-	0,00
39	3 684	3 689	3,87	97,4	-	0,00
4	7 992	7 994	-3,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
40	4 463	4 467	2,11	97,4	-	0,00
41	4 665	4 669	1,70	97,4	-	0,00
5	7 420	7 422	-2,65	97,4	-	0,00
6	8 320	8 322	-3,74	97,4	-	0,00
7	8 823	8 825	-4,30	97,4	-	0,00
8	7 701	7 703	-3,00	97,4	-	0,00
9	7 317	7 319	-2,52	97,4	-	0,00
Sum			21,03			

- Data undefined due to calculation with octave data

Noise sensitive area: E Galenieki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 945	9 946	-5,46	97,4	-	0,00
10	8 560	8 562	-4,01	97,4	-	0,00
11	7 070	7 072	-2,19	97,4	-	0,00
12	7 602	7 604	-2,88	97,4	-	0,00
13	6 681	6 683	-1,65	97,4	-	0,00
14	5 968	5 971	-0,59	97,4	-	0,00
15	5 709	5 711	-0,18	97,4	-	0,00
16	5 590	5 593	0,02	97,4	-	0,00
17	5 422	5 425	0,30	97,4	-	0,00
18	4 139	4 143	2,80	97,4	-	0,00
19	3 657	3 661	3,94	97,4	-	0,00
2	9 360	9 362	-4,87	97,4	-	0,00
20	4 486	4 490	2,06	97,4	-	0,00
21	3 645	3 649	3,97	97,4	-	0,00
22	4 083	4 087	2,93	97,4	-	0,00
23	3 761	3 764	3,68	97,4	-	0,00
24	3 172	3 177	5,23	97,4	-	0,00
25	3 429	3 434	4,52	97,4	-	0,00
26	2 982	2 987	5,79	97,4	-	0,00
27	2 945	2 950	5,91	97,4	-	0,00
28	2 839	2 844	6,24	97,4	-	0,00
29	2 472	2 478	7,48	97,4	-	0,00
3	8 689	8 690	-4,16	97,4	-	0,00
30	2 313	2 320	8,08	97,4	-	0,00
31	2 423	2 429	7,66	97,4	-	0,00
32	1 986	1 993	9,44	97,4	-	0,00
33	1 315	1 327	13,06	97,4	-	0,00
34	1 180	1 191	14,02	97,4	-	0,00
35	1 771	1 780	10,45	97,4	-	0,00
36	1 821	1 829	10,21	97,4	-	0,00
37	2 293	2 299	8,16	97,4	-	0,00
38	2 682	2 688	6,75	97,4	-	0,00
39	2 953	2 958	5,88	97,4	-	0,00
4	8 771	8 773	-4,25	97,4	-	0,00
40	3 358	3 363	4,71	97,4	-	0,00
41	3 455	3 460	4,45	97,4	-	0,00
5	8 218	8 220	-3,62	97,4	-	0,00
6	9 017	9 019	-4,51	97,4	-	0,00
7	9 510	9 511	-5,03	97,4	-	0,00
8	7 951	7 952	-3,31	97,4	-	0,00
9	7 490	7 492	-2,74	97,4	-	0,00
Sum			21,90			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: E Galenieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 945	9 946	-5,46	97,4	-	0,00
10	8 560	8 562	-4,01	97,4	-	0,00
11	7 070	7 072	-2,19	97,4	-	0,00
12	7 602	7 604	-2,88	97,4	-	0,00
13	6 681	6 683	-1,65	97,4	-	0,00
14	5 968	5 971	-0,59	97,4	-	0,00
15	5 709	5 711	-0,18	97,4	-	0,00
16	5 590	5 593	0,02	97,4	-	0,00
17	5 422	5 425	0,30	97,4	-	0,00
18	4 139	4 143	2,80	97,4	-	0,00
19	3 657	3 661	3,94	97,4	-	0,00
2	9 360	9 362	-4,87	97,4	-	0,00
20	4 486	4 490	2,06	97,4	-	0,00
21	3 645	3 649	3,97	97,4	-	0,00
22	4 083	4 087	2,93	97,4	-	0,00
23	3 761	3 764	3,68	97,4	-	0,00
24	3 172	3 177	5,23	97,4	-	0,00
25	3 429	3 434	4,52	97,4	-	0,00
26	2 982	2 987	5,79	97,4	-	0,00
27	2 945	2 950	5,91	97,4	-	0,00
28	2 839	2 844	6,24	97,4	-	0,00
29	2 472	2 478	7,48	97,4	-	0,00
3	8 689	8 690	-4,16	97,4	-	0,00
30	2 313	2 320	8,08	97,4	-	0,00
31	2 423	2 429	7,66	97,4	-	0,00
32	1 986	1 993	9,44	97,4	-	0,00
33	1 315	1 327	13,06	97,4	-	0,00
34	1 180	1 191	14,02	97,4	-	0,00
35	1 771	1 780	10,45	97,4	-	0,00
36	1 821	1 829	10,21	97,4	-	0,00
37	2 293	2 299	8,16	97,4	-	0,00
38	2 682	2 688	6,75	97,4	-	0,00
39	2 953	2 958	5,88	97,4	-	0,00
4	8 771	8 773	-4,25	97,4	-	0,00
40	3 358	3 363	4,71	97,4	-	0,00
41	3 455	3 460	4,45	97,4	-	0,00
5	8 218	8 220	-3,62	97,4	-	0,00
6	9 017	9 019	-4,51	97,4	-	0,00
7	9 510	9 511	-5,03	97,4	-	0,00
8	7 951	7 952	-3,31	97,4	-	0,00
9	7 490	7 492	-2,74	97,4	-	0,00
Sum			21,90			

- Data undefined due to calculation with octave data

Noise sensitive area: F Bites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 409	9 410	-4,92	97,4	-	0,00
10	8 555	8 557	-4,01	97,4	-	0,00
11	7 330	7 332	-2,53	97,4	-	0,00
12	7 940	7 942	-3,29	97,4	-	0,00
13	6 999	7 001	-2,09	97,4	-	0,00
14	6 235	6 237	-1,00	97,4	-	0,00
15	6 067	6 069	-0,75	97,4	-	0,00
16	6 020	6 023	-0,67	97,4	-	0,00
17	5 936	5 939	-0,54	97,4	-	0,00
18	4 392	4 395	2,26	97,4	-	0,00
19	3 963	3 967	3,20	97,4	-	0,00
2	8 820	8 822	-4,30	97,4	-	0,00
20	4 974	4 977	1,11	97,4	-	0,00
21	4 081	4 085	2,93	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 641	4 644	1,75	97,4	-	0,00
23	4 407	4 410	2,23	97,4	-	0,00
24	3 718	3 722	3,79	97,4	-	0,00
25	3 465	3 470	4,43	97,4	-	0,00
26	2 830	2 836	6,26	97,4	-	0,00
27	3 269	3 274	4,96	97,4	-	0,00
28	2 936	2 941	5,93	97,4	-	0,00
29	2 374	2 381	7,84	97,4	-	0,00
3	8 196	8 198	-3,60	97,4	-	0,00
30	2 512	2 519	7,34	97,4	-	0,00
31	2 859	2 865	6,17	97,4	-	0,00
32	1 877	1 886	9,93	97,4	-	0,00
33	1 303	1 316	13,14	97,4	-	0,00
34	1 595	1 604	11,38	97,4	-	0,00
35	2 069	2 077	9,07	97,4	-	0,00
36	2 377	2 384	7,83	97,4	-	0,00
37	3 022	3 028	5,67	97,4	-	0,00
38	3 549	3 554	4,21	97,4	-	0,00
39	3 605	3 610	4,07	97,4	-	0,00
4	8 350	8 352	-3,77	97,4	-	0,00
40	4 262	4 266	2,53	97,4	-	0,00
41	4 422	4 426	2,19	97,4	-	0,00
5	7 781	7 783	-3,10	97,4	-	0,00
6	8 662	8 664	-4,13	97,4	-	0,00
7	9 164	9 165	-4,67	97,4	-	0,00
8	7 937	7 939	-3,29	97,4	-	0,00
9	7 531	7 534	-2,79	97,4	-	0,00
Sum			20,87			

- Data undefined due to calculation with octave data

Noise sensitive area: F Bites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 409	9 410	-4,92	97,4	-	0,00
10	8 555	8 557	-4,01	97,4	-	0,00
11	7 330	7 332	-2,53	97,4	-	0,00
12	7 940	7 942	-3,29	97,4	-	0,00
13	6 999	7 001	-2,09	97,4	-	0,00
14	6 235	6 237	-1,00	97,4	-	0,00
15	6 067	6 069	-0,75	97,4	-	0,00
16	6 020	6 023	-0,67	97,4	-	0,00
17	5 936	5 939	-0,54	97,4	-	0,00
18	4 392	4 395	2,26	97,4	-	0,00
19	3 963	3 967	3,20	97,4	-	0,00
2	8 820	8 822	-4,30	97,4	-	0,00
20	4 974	4 977	1,11	97,4	-	0,00
21	4 081	4 085	2,93	97,4	-	0,00
22	4 641	4 644	1,75	97,4	-	0,00
23	4 407	4 410	2,23	97,4	-	0,00
24	3 718	3 722	3,79	97,4	-	0,00
25	3 465	3 470	4,43	97,4	-	0,00
26	2 830	2 836	6,26	97,4	-	0,00
27	3 269	3 274	4,96	97,4	-	0,00
28	2 936	2 941	5,93	97,4	-	0,00
29	2 374	2 381	7,84	97,4	-	0,00
3	8 196	8 198	-3,60	97,4	-	0,00
30	2 512	2 519	7,34	97,4	-	0,00
31	2 859	2 865	6,17	97,4	-	0,00
32	1 877	1 886	9,93	97,4	-	0,00
33	1 303	1 316	13,14	97,4	-	0,00
34	1 595	1 604	11,38	97,4	-	0,00
35	2 069	2 077	9,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 377	2 384	7,83	97,4	-	0,00
37	3 022	3 028	5,67	97,4	-	0,00
38	3 549	3 554	4,21	97,4	-	0,00
39	3 605	3 610	4,07	97,4	-	0,00
4	8 350	8 352	-3,77	97,4	-	0,00
40	4 262	4 266	2,53	97,4	-	0,00
41	4 422	4 426	2,19	97,4	-	0,00
5	7 781	7 783	-3,10	97,4	-	0,00
6	8 662	8 664	-4,13	97,4	-	0,00
7	9 164	9 165	-4,67	97,4	-	0,00
8	7 937	7 939	-3,29	97,4	-	0,00
9	7 531	7 534	-2,79	97,4	-	0,00
Sum			20,87			

- Data undefined due to calculation with octave data

Noise sensitive area: G Mirtas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 316	11 317	-6,72	97,4	-	0,00
10	9 022	9 024	-4,52	97,4	-	0,00
11	7 072	7 074	-2,19	97,4	-	0,00
12	7 402	7 404	-2,63	97,4	-	0,00
13	6 585	6 587	-1,52	97,4	-	0,00
14	6 043	6 046	-0,71	97,4	-	0,00
15	5 608	5 610	-0,01	97,4	-	0,00
16	5 338	5 340	0,45	97,4	-	0,00
17	4 987	4 991	1,08	97,4	-	0,00
18	4 475	4 478	2,09	97,4	-	0,00
19	3 979	3 983	3,16	97,4	-	0,00
2	10 749	10 750	-6,21	97,4	-	0,00
20	4 241	4 245	2,58	97,4	-	0,00
21	3 688	3 692	3,86	97,4	-	0,00
22	3 734	3 739	3,75	97,4	-	0,00
23	3 241	3 246	5,04	97,4	-	0,00
24	3 080	3 085	5,50	97,4	-	0,00
25	4 295	4 299	2,46	97,4	-	0,00
26	4 220	4 224	2,62	97,4	-	0,00
27	3 418	3 422	4,55	97,4	-	0,00
28	3 745	3 749	3,72	97,4	-	0,00
29	3 759	3 764	3,69	97,4	-	0,00
3	10 015	10 017	-5,53	97,4	-	0,00
30	3 229	3 234	5,07	97,4	-	0,00
31	2 865	2 870	6,15	97,4	-	0,00
32	3 432	3 437	4,52	97,4	-	0,00
33	2 947	2 952	5,90	97,4	-	0,00
34	2 433	2 438	7,63	97,4	-	0,00
35	2 787	2 793	6,40	97,4	-	0,00
36	2 344	2 350	7,96	97,4	-	0,00
37	2 074	2 080	9,06	97,4	-	0,00
38	1 754	1 764	10,53	97,4	-	0,00
39	2 651	2 657	6,85	97,4	-	0,00
4	9 976	9 977	-5,49	97,4	-	0,00
40	2 039	2 046	9,21	97,4	-	0,00
41	1 808	1 817	10,27	97,4	-	0,00
5	9 466	9 467	-4,98	97,4	-	0,00
6	10 102	10 104	-5,61	97,4	-	0,00
7	10 565	10 566	-6,05	97,4	-	0,00
8	8 456	8 458	-3,90	97,4	-	0,00
9	7 911	7 913	-3,26	97,4	-	0,00
Sum			20,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: G Mirtas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 316	11 317	-6,72	97,4	-	0,00
10	9 022	9 024	-4,52	97,4	-	0,00
11	7 072	7 074	-2,19	97,4	-	0,00
12	7 402	7 404	-2,63	97,4	-	0,00
13	6 585	6 587	-1,52	97,4	-	0,00
14	6 043	6 046	-0,71	97,4	-	0,00
15	5 608	5 610	-0,01	97,4	-	0,00
16	5 338	5 340	0,45	97,4	-	0,00
17	4 987	4 991	1,08	97,4	-	0,00
18	4 475	4 478	2,09	97,4	-	0,00
19	3 979	3 983	3,16	97,4	-	0,00
2	10 749	10 750	-6,21	97,4	-	0,00
20	4 241	4 245	2,58	97,4	-	0,00
21	3 688	3 692	3,86	97,4	-	0,00
22	3 734	3 739	3,75	97,4	-	0,00
23	3 241	3 246	5,04	97,4	-	0,00
24	3 080	3 085	5,50	97,4	-	0,00
25	4 295	4 299	2,46	97,4	-	0,00
26	4 220	4 224	2,62	97,4	-	0,00
27	3 418	3 422	4,55	97,4	-	0,00
28	3 745	3 749	3,72	97,4	-	0,00
29	3 759	3 764	3,69	97,4	-	0,00
3	10 015	10 017	-5,53	97,4	-	0,00
30	3 229	3 234	5,07	97,4	-	0,00
31	2 865	2 870	6,15	97,4	-	0,00
32	3 432	3 437	4,52	97,4	-	0,00
33	2 947	2 952	5,90	97,4	-	0,00
34	2 433	2 438	7,63	97,4	-	0,00
35	2 787	2 793	6,40	97,4	-	0,00
36	2 344	2 350	7,96	97,4	-	0,00
37	2 074	2 080	9,06	97,4	-	0,00
38	1 754	1 764	10,53	97,4	-	0,00
39	2 651	2 657	6,85	97,4	-	0,00
4	9 976	9 977	-5,49	97,4	-	0,00
40	2 039	2 046	9,21	97,4	-	0,00
41	1 808	1 817	10,27	97,4	-	0,00
5	9 466	9 467	-4,98	97,4	-	0,00
6	10 102	10 104	-5,61	97,4	-	0,00
7	10 565	10 566	-6,05	97,4	-	0,00
8	8 456	8 458	-3,90	97,4	-	0,00
9	7 911	7 913	-3,26	97,4	-	0,00
Sum			20,45			

- Data undefined due to calculation with octave data

Noise sensitive area: H Grantini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 243	10 244	-5,74	97,4	-	0,00
10	9 442	9 444	-4,96	97,4	-	0,00
11	8 156	8 158	-3,55	97,4	-	0,00
12	8 740	8 741	-4,21	97,4	-	0,00
13	7 804	7 806	-3,13	97,4	-	0,00
14	7 056	7 059	-2,17	97,4	-	0,00
15	6 854	6 856	-1,90	97,4	-	0,00
16	6 776	6 778	-1,79	97,4	-	0,00
17	6 649	6 651	-1,61	97,4	-	0,00
18	5 210	5 213	0,68	97,4	-	0,00
19	4 759	4 763	1,52	97,4	-	0,00
2	9 654	9 656	-5,17	97,4	-	0,00
20	5 697	5 700	-0,16	97,4	-	0,00
21	4 825	4 828	1,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 324	5 327	0,47	97,4	-	0,00
23	5 032	5 036	1,00	97,4	-	0,00
24	4 401	4 405	2,24	97,4	-	0,00
25	4 334	4 338	2,38	97,4	-	0,00
26	3 722	3 726	3,78	97,4	-	0,00
27	4 052	4 056	3,00	97,4	-	0,00
28	3 786	3 790	3,62	97,4	-	0,00
29	3 255	3 260	5,00	97,4	-	0,00
3	9 047	9 049	-4,54	97,4	-	0,00
30	3 327	3 332	4,80	97,4	-	0,00
31	3 588	3 593	4,11	97,4	-	0,00
32	2 753	2 758	6,51	97,4	-	0,00
33	2 135	2 143	8,79	97,4	-	0,00
34	2 293	2 300	8,16	97,4	-	0,00
35	2 838	2 844	6,24	97,4	-	0,00
36	3 037	3 042	5,63	97,4	-	0,00
37	3 580	3 584	4,13	97,4	-	0,00
38	3 980	3 985	3,16	97,4	-	0,00
39	4 222	4 226	2,62	97,4	-	0,00
4	9 220	9 221	-4,73	97,4	-	0,00
40	4 646	4 649	1,74	97,4	-	0,00
41	4 704	4 707	1,62	97,4	-	0,00
5	8 648	8 650	-4,11	97,4	-	0,00
6	9 544	9 546	-5,06	97,4	-	0,00
7	10 047	10 049	-5,56	97,4	-	0,00
8	8 825	8 826	-4,31	97,4	-	0,00
9	8 411	8 413	-3,84	97,4	-	0,00
Sum			18,41			

- Data undefined due to calculation with octave data

Noise sensitive area: H Grantini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 243	10 244	-5,74	97,4	-	0,00
10	9 442	9 444	-4,96	97,4	-	0,00
11	8 156	8 158	-3,55	97,4	-	0,00
12	8 740	8 741	-4,21	97,4	-	0,00
13	7 804	7 806	-3,13	97,4	-	0,00
14	7 056	7 059	-2,17	97,4	-	0,00
15	6 854	6 856	-1,90	97,4	-	0,00
16	6 776	6 778	-1,79	97,4	-	0,00
17	6 649	6 651	-1,61	97,4	-	0,00
18	5 210	5 213	0,68	97,4	-	0,00
19	4 759	4 763	1,52	97,4	-	0,00
2	9 654	9 656	-5,17	97,4	-	0,00
20	5 697	5 700	-0,16	97,4	-	0,00
21	4 825	4 828	1,39	97,4	-	0,00
22	5 324	5 327	0,47	97,4	-	0,00
23	5 032	5 036	1,00	97,4	-	0,00
24	4 401	4 405	2,24	97,4	-	0,00
25	4 334	4 338	2,38	97,4	-	0,00
26	3 722	3 726	3,78	97,4	-	0,00
27	4 052	4 056	3,00	97,4	-	0,00
28	3 786	3 790	3,62	97,4	-	0,00
29	3 255	3 260	5,00	97,4	-	0,00
3	9 047	9 049	-4,54	97,4	-	0,00
30	3 327	3 332	4,80	97,4	-	0,00
31	3 588	3 593	4,11	97,4	-	0,00
32	2 753	2 758	6,51	97,4	-	0,00
33	2 135	2 143	8,79	97,4	-	0,00
34	2 293	2 300	8,16	97,4	-	0,00
35	2 838	2 844	6,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 037	3 042	5,63	97,4	-	0,00
37	3 580	3 584	4,13	97,4	-	0,00
38	3 980	3 985	3,16	97,4	-	0,00
39	4 222	4 226	2,62	97,4	-	0,00
4	9 220	9 221	-4,73	97,4	-	0,00
40	4 646	4 649	1,74	97,4	-	0,00
41	4 704	4 707	1,62	97,4	-	0,00
5	8 648	8 650	-4,11	97,4	-	0,00
6	9 544	9 546	-5,06	97,4	-	0,00
7	10 047	10 049	-5,56	97,4	-	0,00
8	8 825	8 826	-4,31	97,4	-	0,00
9	8 411	8 413	-3,84	97,4	-	0,00
Sum			18,41			

- Data undefined due to calculation with octave data

Noise sensitive area: I Lilijas

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 351	10 353	-5,85	97,4	-	0,00
10	9 519	9 521	-5,04	97,4	-	0,00
11	8 211	8 213	-3,61	97,4	-	0,00
12	8 788	8 790	-4,27	97,4	-	0,00
13	7 854	7 856	-3,19	97,4	-	0,00
14	7 110	7 113	-2,24	97,4	-	0,00
15	6 900	6 902	-1,96	97,4	-	0,00
16	6 815	6 817	-1,84	97,4	-	0,00
17	6 680	6 682	-1,65	97,4	-	0,00
18	5 265	5 268	0,58	97,4	-	0,00
19	4 809	4 813	1,42	97,4	-	0,00
2	9 763	9 764	-5,28	97,4	-	0,00
20	5 731	5 734	-0,21	97,4	-	0,00
21	4 863	4 866	1,32	97,4	-	0,00
22	5 350	5 353	0,43	97,4	-	0,00
23	5 050	5 053	0,97	97,4	-	0,00
24	4 430	4 434	2,18	97,4	-	0,00
25	4 404	4 407	2,23	97,4	-	0,00
26	3 803	3 807	3,58	97,4	-	0,00
27	4 100	4 104	2,89	97,4	-	0,00
28	3 850	3 854	3,47	97,4	-	0,00
29	3 331	3 336	4,79	97,4	-	0,00
3	9 153	9 155	-4,66	97,4	-	0,00
30	3 384	3 388	4,65	97,4	-	0,00
31	3 627	3 632	4,01	97,4	-	0,00
32	2 827	2 833	6,27	97,4	-	0,00
33	2 200	2 207	8,52	97,4	-	0,00
34	2 333	2 339	8,00	97,4	-	0,00
35	2 887	2 892	6,09	97,4	-	0,00
36	3 066	3 071	5,54	97,4	-	0,00
37	3 590	3 595	4,11	97,4	-	0,00
38	3 971	3 975	3,18	97,4	-	0,00
39	4 240	4 244	2,58	97,4	-	0,00
4	9 323	9 324	-4,83	97,4	-	0,00
40	4 628	4 631	1,77	97,4	-	0,00
41	4 673	4 676	1,68	97,4	-	0,00
5	8 752	8 754	-4,23	97,4	-	0,00
6	9 644	9 646	-5,16	97,4	-	0,00
7	10 146	10 148	-5,65	97,4	-	0,00
8	8 902	8 904	-4,39	97,4	-	0,00
9	8 484	8 486	-3,93	97,4	-	0,00
Sum			18,28			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: I Lilijas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 351	10 353	-5,85	97,4	-	0,00
10	9 519	9 521	-5,04	97,4	-	0,00
11	8 211	8 213	-3,61	97,4	-	0,00
12	8 788	8 790	-4,27	97,4	-	0,00
13	7 854	7 856	-3,19	97,4	-	0,00
14	7 110	7 113	-2,24	97,4	-	0,00
15	6 900	6 902	-1,96	97,4	-	0,00
16	6 815	6 817	-1,84	97,4	-	0,00
17	6 680	6 682	-1,65	97,4	-	0,00
18	5 265	5 268	0,58	97,4	-	0,00
19	4 809	4 813	1,42	97,4	-	0,00
2	9 763	9 764	-5,28	97,4	-	0,00
20	5 731	5 734	-0,21	97,4	-	0,00
21	4 863	4 866	1,32	97,4	-	0,00
22	5 350	5 353	0,43	97,4	-	0,00
23	5 050	5 053	0,97	97,4	-	0,00
24	4 430	4 434	2,18	97,4	-	0,00
25	4 404	4 407	2,23	97,4	-	0,00
26	3 803	3 807	3,58	97,4	-	0,00
27	4 100	4 104	2,89	97,4	-	0,00
28	3 850	3 854	3,47	97,4	-	0,00
29	3 331	3 336	4,79	97,4	-	0,00
3	9 153	9 155	-4,66	97,4	-	0,00
30	3 384	3 388	4,65	97,4	-	0,00
31	3 627	3 632	4,01	97,4	-	0,00
32	2 827	2 833	6,27	97,4	-	0,00
33	2 200	2 207	8,52	97,4	-	0,00
34	2 333	2 339	8,00	97,4	-	0,00
35	2 887	2 892	6,09	97,4	-	0,00
36	3 066	3 071	5,54	97,4	-	0,00
37	3 590	3 595	4,11	97,4	-	0,00
38	3 971	3 975	3,18	97,4	-	0,00
39	4 240	4 244	2,58	97,4	-	0,00
4	9 323	9 324	-4,83	97,4	-	0,00
40	4 628	4 631	1,77	97,4	-	0,00
41	4 673	4 676	1,68	97,4	-	0,00
5	8 752	8 754	-4,23	97,4	-	0,00
6	9 644	9 646	-5,16	97,4	-	0,00
7	10 146	10 148	-5,65	97,4	-	0,00
8	8 902	8 904	-4,39	97,4	-	0,00
9	8 484	8 486	-3,93	97,4	-	0,00
Sum			18,28			

- Data undefined due to calculation with octave data

Noise sensitive area: J Metras

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 217	11 218	-6,63	97,4	-	0,00
10	8 852	8 854	-4,34	97,4	-	0,00
11	6 881	6 883	-1,93	97,4	-	0,00
12	7 202	7 204	-2,36	97,4	-	0,00
13	6 391	6 393	-1,24	97,4	-	0,00
14	5 859	5 861	-0,42	97,4	-	0,00
15	5 416	5 419	0,31	97,4	-	0,00
16	5 140	5 143	0,80	97,4	-	0,00
17	4 784	4 787	1,47	97,4	-	0,00
18	4 315	4 318	2,42	97,4	-	0,00
19	3 823	3 827	3,53	97,4	-	0,00
2	10 653	10 654	-6,13	97,4	-	0,00
20	4 049	4 052	3,01	97,4	-	0,00
21	3 516	3 520	4,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 540	3 545	4,23	97,4	-	0,00
23	3 043	3 047	5,61	97,4	-	0,00
24	2 908	2 913	6,02	97,4	-	0,00
25	4 178	4 182	2,72	97,4	-	0,00
26	4 139	4 142	2,80	97,4	-	0,00
27	3 281	3 286	4,93	97,4	-	0,00
28	3 639	3 643	3,98	97,4	-	0,00
29	3 690	3 694	3,86	97,4	-	0,00
3	9 914	9 915	-5,43	97,4	-	0,00
30	3 134	3 139	5,34	97,4	-	0,00
31	2 738	2 744	6,56	97,4	-	0,00
32	3 385	3 390	4,64	97,4	-	0,00
33	2 932	2 937	5,94	97,4	-	0,00
34	2 400	2 405	7,75	97,4	-	0,00
35	2 715	2 720	6,64	97,4	-	0,00
36	2 244	2 251	8,35	97,4	-	0,00
37	1 918	1 926	9,75	97,4	-	0,00
38	1 556	1 566	11,59	97,4	-	0,00
39	2 472	2 478	7,48	97,4	-	0,00
4	9 862	9 864	-5,38	97,4	-	0,00
40	1 825	1 833	10,19	97,4	-	0,00
41	1 602	1 612	11,34	97,4	-	0,00
5	9 357	9 359	-4,87	97,4	-	0,00
6	9 977	9 979	-5,49	97,4	-	0,00
7	10 436	10 438	-5,93	97,4	-	0,00
8	8 290	8 291	-3,71	97,4	-	0,00
9	7 741	7 743	-3,05	97,4	-	0,00
Sum			21,01			

- Data undefined due to calculation with octave data

Noise sensitive area: J Metras

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 217	11 218	-6,63	97,4	-	0,00
10	8 852	8 854	-4,34	97,4	-	0,00
11	6 881	6 883	-1,93	97,4	-	0,00
12	7 202	7 204	-2,36	97,4	-	0,00
13	6 391	6 393	-1,24	97,4	-	0,00
14	5 859	5 861	-0,42	97,4	-	0,00
15	5 416	5 419	0,31	97,4	-	0,00
16	5 140	5 143	0,80	97,4	-	0,00
17	4 784	4 787	1,47	97,4	-	0,00
18	4 315	4 318	2,42	97,4	-	0,00
19	3 823	3 827	3,53	97,4	-	0,00
2	10 653	10 654	-6,13	97,4	-	0,00
20	4 049	4 052	3,01	97,4	-	0,00
21	3 516	3 520	4,30	97,4	-	0,00
22	3 540	3 545	4,23	97,4	-	0,00
23	3 043	3 047	5,61	97,4	-	0,00
24	2 908	2 913	6,02	97,4	-	0,00
25	4 178	4 182	2,72	97,4	-	0,00
26	4 139	4 142	2,80	97,4	-	0,00
27	3 281	3 286	4,93	97,4	-	0,00
28	3 639	3 643	3,98	97,4	-	0,00
29	3 690	3 694	3,86	97,4	-	0,00
3	9 914	9 915	-5,43	97,4	-	0,00
30	3 134	3 139	5,34	97,4	-	0,00
31	2 738	2 744	6,56	97,4	-	0,00
32	3 385	3 390	4,64	97,4	-	0,00
33	2 932	2 937	5,94	97,4	-	0,00
34	2 400	2 405	7,75	97,4	-	0,00
35	2 715	2 720	6,64	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 244	2 251	8,35	97,4	-	0,00
37	1 918	1 926	9,75	97,4	-	0,00
38	1 556	1 566	11,59	97,4	-	0,00
39	2 472	2 478	7,48	97,4	-	0,00
4	9 862	9 864	-5,38	97,4	-	0,00
40	1 825	1 833	10,19	97,4	-	0,00
41	1 602	1 612	11,34	97,4	-	0,00
5	9 357	9 359	-4,87	97,4	-	0,00
6	9 977	9 979	-5,49	97,4	-	0,00
7	10 436	10 438	-5,93	97,4	-	0,00
8	8 290	8 291	-3,71	97,4	-	0,00
9	7 741	7 743	-3,05	97,4	-	0,00
Sum			21,01			

- Data undefined due to calculation with octave data

Noise sensitive area: K Rieksti

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 137	10 138	-5,64	97,4	-	0,00
10	8 943	8 944	-4,43	97,4	-	0,00
11	7 510	7 512	-2,76	97,4	-	0,00
12	8 055	8 057	-3,43	97,4	-	0,00
13	7 130	7 132	-2,27	97,4	-	0,00
14	6 408	6 410	-1,26	97,4	-	0,00
15	6 162	6 165	-0,89	97,4	-	0,00
16	6 053	6 056	-0,73	97,4	-	0,00
17	5 893	5 896	-0,48	97,4	-	0,00
18	4 570	4 574	1,89	97,4	-	0,00
19	4 096	4 100	2,90	97,4	-	0,00
2	9 550	9 551	-5,07	97,4	-	0,00
20	4 954	4 957	1,14	97,4	-	0,00
21	4 105	4 109	2,88	97,4	-	0,00
22	4 556	4 560	1,92	97,4	-	0,00
23	4 237	4 240	2,59	97,4	-	0,00
24	3 642	3 646	3,97	97,4	-	0,00
25	3 804	3 809	3,58	97,4	-	0,00
26	3 295	3 300	4,89	97,4	-	0,00
27	3 383	3 387	4,65	97,4	-	0,00
28	3 224	3 228	5,09	97,4	-	0,00
29	2 794	2 800	6,38	97,4	-	0,00
3	8 899	8 901	-4,39	97,4	-	0,00
30	2 717	2 722	6,63	97,4	-	0,00
31	2 876	2 882	6,12	97,4	-	0,00
32	2 292	2 299	8,16	97,4	-	0,00
33	1 620	1 631	11,23	97,4	-	0,00
34	1 603	1 613	11,33	97,4	-	0,00
35	2 187	2 194	8,58	97,4	-	0,00
36	2 285	2 292	8,18	97,4	-	0,00
37	2 769	2 774	6,46	97,4	-	0,00
38	3 139	3 145	5,32	97,4	-	0,00
39	3 428	3 433	4,53	97,4	-	0,00
4	9 013	9 014	-4,51	97,4	-	0,00
40	3 802	3 806	3,58	97,4	-	0,00
41	3 867	3 871	3,43	97,4	-	0,00
5	8 452	8 454	-3,89	97,4	-	0,00
6	9 286	9 287	-4,80	97,4	-	0,00
7	9 782	9 784	-5,30	97,4	-	0,00
8	8 330	8 332	-3,75	97,4	-	0,00
9	7 883	7 885	-3,22	97,4	-	0,00
Sum			20,33			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: K Rieksti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 137	10 138	-5,64	97,4	-	0,00
10	8 943	8 944	-4,43	97,4	-	0,00
11	7 510	7 512	-2,76	97,4	-	0,00
12	8 055	8 057	-3,43	97,4	-	0,00
13	7 130	7 132	-2,27	97,4	-	0,00
14	6 408	6 410	-1,26	97,4	-	0,00
15	6 162	6 165	-0,89	97,4	-	0,00
16	6 053	6 056	-0,73	97,4	-	0,00
17	5 893	5 896	-0,48	97,4	-	0,00
18	4 570	4 574	1,89	97,4	-	0,00
19	4 096	4 100	2,90	97,4	-	0,00
2	9 550	9 551	-5,07	97,4	-	0,00
20	4 954	4 957	1,14	97,4	-	0,00
21	4 105	4 109	2,88	97,4	-	0,00
22	4 556	4 560	1,92	97,4	-	0,00
23	4 237	4 240	2,59	97,4	-	0,00
24	3 642	3 646	3,97	97,4	-	0,00
25	3 804	3 809	3,58	97,4	-	0,00
26	3 295	3 300	4,89	97,4	-	0,00
27	3 383	3 387	4,65	97,4	-	0,00
28	3 224	3 228	5,09	97,4	-	0,00
29	2 794	2 800	6,38	97,4	-	0,00
3	8 899	8 901	-4,39	97,4	-	0,00
30	2 717	2 722	6,63	97,4	-	0,00
31	2 876	2 882	6,12	97,4	-	0,00
32	2 292	2 299	8,16	97,4	-	0,00
33	1 620	1 631	11,23	97,4	-	0,00
34	1 603	1 613	11,33	97,4	-	0,00
35	2 187	2 194	8,58	97,4	-	0,00
36	2 285	2 292	8,18	97,4	-	0,00
37	2 769	2 774	6,46	97,4	-	0,00
38	3 139	3 145	5,32	97,4	-	0,00
39	3 428	3 433	4,53	97,4	-	0,00
4	9 013	9 014	-4,51	97,4	-	0,00
40	3 802	3 806	3,58	97,4	-	0,00
41	3 867	3 871	3,43	97,4	-	0,00
5	8 452	8 454	-3,89	97,4	-	0,00
6	9 286	9 287	-4,80	97,4	-	0,00
7	9 782	9 784	-5,30	97,4	-	0,00
8	8 330	8 332	-3,75	97,4	-	0,00
9	7 883	7 885	-3,22	97,4	-	0,00
Sum			20,33			

- Data undefined due to calculation with octave data

Noise sensitive area: L Piesaules

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 879	10 880	-6,33	97,4	-	0,00
10	8 898	8 900	-4,39	97,4	-	0,00
11	7 095	7 097	-2,22	97,4	-	0,00
12	7 501	7 503	-2,75	97,4	-	0,00
13	6 638	6 640	-1,59	97,4	-	0,00
14	6 028	6 030	-0,69	97,4	-	0,00
15	5 649	5 651	-0,08	97,4	-	0,00
16	5 429	5 432	0,29	97,4	-	0,00
17	5 140	5 143	0,80	97,4	-	0,00
18	4 335	4 338	2,38	97,4	-	0,00
19	3 828	3 832	3,52	97,4	-	0,00
2	10 304	10 305	-5,80	97,4	-	0,00
20	4 306	4 309	2,44	97,4	-	0,00
21	3 627	3 630	4,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 822	3 826	3,53	97,4	-	0,00
23	3 375	3 380	4,67	97,4	-	0,00
24	3 040	3 045	5,62	97,4	-	0,00
25	3 967	3 971	3,19	97,4	-	0,00
26	3 768	3 772	3,66	97,4	-	0,00
27	3 189	3 194	5,18	97,4	-	0,00
28	3 384	3 388	4,65	97,4	-	0,00
29	3 278	3 282	4,94	97,4	-	0,00
3	9 590	9 592	-5,11	97,4	-	0,00
30	2 841	2 846	6,23	97,4	-	0,00
31	2 613	2 619	6,98	97,4	-	0,00
32	2 891	2 896	6,07	97,4	-	0,00
33	2 334	2 341	8,00	97,4	-	0,00
34	1 880	1 888	9,93	97,4	-	0,00
35	2 337	2 344	7,98	97,4	-	0,00
36	2 011	2 019	9,33	97,4	-	0,00
37	1 996	2 003	9,39	97,4	-	0,00
38	1 961	1 969	9,55	97,4	-	0,00
39	2 665	2 670	6,81	97,4	-	0,00
4	9 594	9 595	-5,11	97,4	-	0,00
40	2 454	2 459	7,55	97,4	-	0,00
41	2 365	2 372	7,88	97,4	-	0,00
5	9 067	9 068	-4,57	97,4	-	0,00
6	9 763	9 765	-5,28	97,4	-	0,00
7	10 239	10 240	-5,74	97,4	-	0,00
8	8 313	8 315	-3,73	97,4	-	0,00
9	7 793	7 795	-3,12	97,4	-	0,00
Sum			20,74			

- Data undefined due to calculation with octave data

Noise sensitive area: L Piesaules

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 879	10 880	-6,33	97,4	-	0,00
10	8 898	8 900	-4,39	97,4	-	0,00
11	7 095	7 097	-2,22	97,4	-	0,00
12	7 501	7 503	-2,75	97,4	-	0,00
13	6 638	6 640	-1,59	97,4	-	0,00
14	6 028	6 030	-0,69	97,4	-	0,00
15	5 649	5 651	-0,08	97,4	-	0,00
16	5 429	5 432	0,29	97,4	-	0,00
17	5 140	5 143	0,80	97,4	-	0,00
18	4 335	4 338	2,38	97,4	-	0,00
19	3 828	3 832	3,52	97,4	-	0,00
2	10 304	10 305	-5,80	97,4	-	0,00
20	4 306	4 309	2,44	97,4	-	0,00
21	3 627	3 630	4,01	97,4	-	0,00
22	3 822	3 826	3,53	97,4	-	0,00
23	3 375	3 380	4,67	97,4	-	0,00
24	3 040	3 045	5,62	97,4	-	0,00
25	3 967	3 971	3,19	97,4	-	0,00
26	3 768	3 772	3,66	97,4	-	0,00
27	3 189	3 194	5,18	97,4	-	0,00
28	3 384	3 388	4,65	97,4	-	0,00
29	3 278	3 282	4,94	97,4	-	0,00
3	9 590	9 592	-5,11	97,4	-	0,00
30	2 841	2 846	6,23	97,4	-	0,00
31	2 613	2 619	6,98	97,4	-	0,00
32	2 891	2 896	6,07	97,4	-	0,00
33	2 334	2 341	8,00	97,4	-	0,00
34	1 880	1 888	9,93	97,4	-	0,00
35	2 337	2 344	7,98	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 011	2 019	9,33	97,4	-	0,00
37	1 996	2 003	9,39	97,4	-	0,00
38	1 961	1 969	9,55	97,4	-	0,00
39	2 665	2 670	6,81	97,4	-	0,00
4	9 594	9 595	-5,11	97,4	-	0,00
40	2 454	2 459	7,55	97,4	-	0,00
41	2 365	2 372	7,88	97,4	-	0,00
5	9 067	9 068	-4,57	97,4	-	0,00
6	9 763	9 765	-5,28	97,4	-	0,00
7	10 239	10 240	-5,74	97,4	-	0,00
8	8 313	8 315	-3,73	97,4	-	0,00
9	7 793	7 795	-3,12	97,4	-	0,00
Sum			20,74			

- Data undefined due to calculation with octave data

Noise sensitive area: M Aizpriedites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 635	10 636	-6,11	97,4	-	0,00
10	8 291	8 292	-3,71	97,4	-	0,00
11	6 365	6 367	-1,20	97,4	-	0,00
12	6 720	6 722	-1,71	97,4	-	0,00
13	5 886	5 888	-0,46	97,4	-	0,00
14	5 325	5 328	0,47	97,4	-	0,00
15	4 904	4 907	1,24	97,4	-	0,00
16	4 650	4 653	1,73	97,4	-	0,00
17	4 324	4 327	2,40	97,4	-	0,00
18	3 741	3 745	3,73	97,4	-	0,00
19	3 246	3 250	5,02	97,4	-	0,00
2	10 072	10 073	-5,58	97,4	-	0,00
20	3 541	3 545	4,23	97,4	-	0,00
21	2 958	2 963	5,87	97,4	-	0,00
22	3 040	3 045	5,62	97,4	-	0,00
23	2 562	2 568	7,16	97,4	-	0,00
24	2 352	2 358	7,93	97,4	-	0,00
25	3 590	3 594	4,11	97,4	-	0,00
26	3 570	3 575	4,16	97,4	-	0,00
27	2 693	2 699	6,71	97,4	-	0,00
28	3 055	3 060	5,57	97,4	-	0,00
29	3 134	3 138	5,34	97,4	-	0,00
3	9 330	9 332	-4,84	97,4	-	0,00
30	2 558	2 564	7,18	97,4	-	0,00
31	2 149	2 156	8,73	97,4	-	0,00
32	2 859	2 864	6,17	97,4	-	0,00
33	2 462	2 468	7,52	97,4	-	0,00
34	1 906	1 913	9,81	97,4	-	0,00
35	2 161	2 168	8,69	97,4	-	0,00
36	1 667	1 676	10,99	97,4	-	0,00
37	1 340	1 350	12,91	97,4	-	0,00
38	1 096	1 110	14,64	97,4	-	0,00
39	1 929	1 937	9,70	97,4	-	0,00
4	9 274	9 276	-4,78	97,4	-	0,00
40	1 559	1 568	11,58	97,4	-	0,00
41	1 525	1 535	11,77	97,4	-	0,00
5	8 771	8 773	-4,25	97,4	-	0,00
6	9 388	9 390	-4,90	97,4	-	0,00
7	9 848	9 849	-5,36	97,4	-	0,00
8	7 723	7 725	-3,03	97,4	-	0,00
9	7 180	7 182	-2,34	97,4	-	0,00
Sum			22,90			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: M Aizpriedites

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 635	10 636	-6,11	97,4	-	0,00
10	8 291	8 292	-3,71	97,4	-	0,00
11	6 365	6 367	-1,20	97,4	-	0,00
12	6 720	6 722	-1,71	97,4	-	0,00
13	5 886	5 888	-0,46	97,4	-	0,00
14	5 325	5 328	0,47	97,4	-	0,00
15	4 904	4 907	1,24	97,4	-	0,00
16	4 650	4 653	1,73	97,4	-	0,00
17	4 324	4 327	2,40	97,4	-	0,00
18	3 741	3 745	3,73	97,4	-	0,00
19	3 246	3 250	5,02	97,4	-	0,00
2	10 072	10 073	-5,58	97,4	-	0,00
20	3 541	3 545	4,23	97,4	-	0,00
21	2 958	2 963	5,87	97,4	-	0,00
22	3 040	3 045	5,62	97,4	-	0,00
23	2 562	2 568	7,16	97,4	-	0,00
24	2 352	2 358	7,93	97,4	-	0,00
25	3 590	3 594	4,11	97,4	-	0,00
26	3 570	3 575	4,16	97,4	-	0,00
27	2 693	2 699	6,71	97,4	-	0,00
28	3 055	3 060	5,57	97,4	-	0,00
29	3 134	3 138	5,34	97,4	-	0,00
3	9 330	9 332	-4,84	97,4	-	0,00
30	2 558	2 564	7,18	97,4	-	0,00
31	2 149	2 156	8,73	97,4	-	0,00
32	2 859	2 864	6,17	97,4	-	0,00
33	2 462	2 468	7,52	97,4	-	0,00
34	1 906	1 913	9,81	97,4	-	0,00
35	2 161	2 168	8,69	97,4	-	0,00
36	1 667	1 676	10,99	97,4	-	0,00
37	1 340	1 350	12,91	97,4	-	0,00
38	1 096	1 110	14,64	97,4	-	0,00
39	1 929	1 937	9,70	97,4	-	0,00
4	9 274	9 276	-4,78	97,4	-	0,00
40	1 559	1 568	11,58	97,4	-	0,00
41	1 525	1 535	11,77	97,4	-	0,00
5	8 771	8 773	-4,25	97,4	-	0,00
6	9 388	9 390	-4,90	97,4	-	0,00
7	9 848	9 849	-5,36	97,4	-	0,00
8	7 723	7 725	-3,03	97,4	-	0,00
9	7 180	7 182	-2,34	97,4	-	0,00
Sum			22,90			

- Data undefined due to calculation with octave data

Noise sensitive area: N Papardes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 853	10 855	-6,31	97,4	-	0,00
10	8 456	8 458	-3,90	97,4	-	0,00
11	6 496	6 498	-1,39	97,4	-	0,00
12	6 829	6 831	-1,86	97,4	-	0,00
13	6 009	6 011	-0,66	97,4	-	0,00
14	5 468	5 471	0,23	97,4	-	0,00
15	5 032	5 034	1,00	97,4	-	0,00
16	4 763	4 766	1,51	97,4	-	0,00
17	4 418	4 422	2,20	97,4	-	0,00
18	3 919	3 923	3,31	97,4	-	0,00
19	3 428	3 432	4,53	97,4	-	0,00
2	10 291	10 293	-5,79	97,4	-	0,00
20	3 665	3 669	3,92	97,4	-	0,00
21	3 120	3 125	5,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 159	3 163	5,27	97,4	-	0,00
23	2 667	2 673	6,80	97,4	-	0,00
24	2 513	2 518	7,34	97,4	-	0,00
25	3 803	3 807	3,58	97,4	-	0,00
26	3 796	3 800	3,60	97,4	-	0,00
27	2 894	2 899	6,06	97,4	-	0,00
28	3 274	3 278	4,95	97,4	-	0,00
29	3 361	3 366	4,71	97,4	-	0,00
3	9 548	9 550	-5,06	97,4	-	0,00
30	2 781	2 787	6,42	97,4	-	0,00
31	2 358	2 365	7,90	97,4	-	0,00
32	3 087	3 092	5,48	97,4	-	0,00
33	2 683	2 689	6,75	97,4	-	0,00
34	2 130	2 136	8,82	97,4	-	0,00
35	2 389	2 395	7,79	97,4	-	0,00
36	1 891	1 898	9,88	97,4	-	0,00
37	1 525	1 534	11,78	97,4	-	0,00
38	1 182	1 196	13,99	97,4	-	0,00
39	2 078	2 086	9,03	97,4	-	0,00
4	9 487	9 488	-5,00	97,4	-	0,00
40	1 543	1 552	11,67	97,4	-	0,00
41	1 427	1 438	12,35	97,4	-	0,00
5	8 986	8 987	-4,48	97,4	-	0,00
6	9 594	9 596	-5,11	97,4	-	0,00
7	10 051	10 053	-5,56	97,4	-	0,00
8	7 894	7 895	-3,24	97,4	-	0,00
9	7 345	7 347	-2,55	97,4	-	0,00
Sum			22,37			

- Data undefined due to calculation with octave data

Noise sensitive area: N Papardes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 853	10 855	-6,31	97,4	-	0,00
10	8 456	8 458	-3,90	97,4	-	0,00
11	6 496	6 498	-1,39	97,4	-	0,00
12	6 829	6 831	-1,86	97,4	-	0,00
13	6 009	6 011	-0,66	97,4	-	0,00
14	5 468	5 471	0,23	97,4	-	0,00
15	5 032	5 034	1,00	97,4	-	0,00
16	4 763	4 766	1,51	97,4	-	0,00
17	4 418	4 422	2,20	97,4	-	0,00
18	3 919	3 923	3,31	97,4	-	0,00
19	3 428	3 432	4,53	97,4	-	0,00
2	10 291	10 293	-5,79	97,4	-	0,00
20	3 665	3 669	3,92	97,4	-	0,00
21	3 120	3 125	5,38	97,4	-	0,00
22	3 159	3 163	5,27	97,4	-	0,00
23	2 667	2 673	6,80	97,4	-	0,00
24	2 513	2 518	7,34	97,4	-	0,00
25	3 803	3 807	3,58	97,4	-	0,00
26	3 796	3 800	3,60	97,4	-	0,00
27	2 894	2 899	6,06	97,4	-	0,00
28	3 274	3 278	4,95	97,4	-	0,00
29	3 361	3 366	4,71	97,4	-	0,00
3	9 548	9 550	-5,06	97,4	-	0,00
30	2 781	2 787	6,42	97,4	-	0,00
31	2 358	2 365	7,90	97,4	-	0,00
32	3 087	3 092	5,48	97,4	-	0,00
33	2 683	2 689	6,75	97,4	-	0,00
34	2 130	2 136	8,82	97,4	-	0,00
35	2 389	2 395	7,79	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	1 891	1 898	9,88	97,4	-	0,00
37	1 525	1 534	11,78	97,4	-	0,00
38	1 182	1 196	13,99	97,4	-	0,00
39	2 078	2 086	9,03	97,4	-	0,00
4	9 487	9 488	-5,00	97,4	-	0,00
40	1 543	1 552	11,67	97,4	-	0,00
41	1 427	1 438	12,35	97,4	-	0,00
5	8 986	8 987	-4,48	97,4	-	0,00
6	9 594	9 596	-5,11	97,4	-	0,00
7	10 051	10 053	-5,56	97,4	-	0,00
8	7 894	7 895	-3,24	97,4	-	0,00
9	7 345	7 347	-2,55	97,4	-	0,00
Sum			22,37			

- Data undefined due to calculation with octave data

Noise sensitive area: O Gaili š i

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 952	9 953	-5,47	97,4	-	0,00
10	9 450	9 452	-4,97	97,4	-	0,00
11	8 309	8 311	-3,73	97,4	-	0,00
12	8 931	8 933	-4,42	97,4	-	0,00
13	7 988	7 990	-3,35	97,4	-	0,00
14	7 218	7 220	-2,39	97,4	-	0,00
15	7 063	7 065	-2,18	97,4	-	0,00
16	7 021	7 023	-2,12	97,4	-	0,00
17	6 936	6 938	-2,01	97,4	-	0,00
18	5 379	5 382	0,38	97,4	-	0,00
19	4 958	4 961	1,14	97,4	-	0,00
2	9 364	9 366	-4,88	97,4	-	0,00
20	5 974	5 977	-0,60	97,4	-	0,00
21	5 082	5 085	0,91	97,4	-	0,00
22	5 636	5 639	-0,06	97,4	-	0,00
23	5 387	5 390	0,36	97,4	-	0,00
24	4 712	4 715	1,61	97,4	-	0,00
25	4 417	4 420	2,21	97,4	-	0,00
26	3 735	3 740	3,74	97,4	-	0,00
27	4 268	4 272	2,52	97,4	-	0,00
28	3 909	3 913	3,33	97,4	-	0,00
29	3 312	3 317	4,84	97,4	-	0,00
3	8 789	8 790	-4,27	97,4	-	0,00
30	3 506	3 511	4,32	97,4	-	0,00
31	3 858	3 863	3,45	97,4	-	0,00
32	2 833	2 838	6,26	97,4	-	0,00
33	2 298	2 305	8,14	97,4	-	0,00
34	2 584	2 590	7,08	97,4	-	0,00
35	3 070	3 075	5,53	97,4	-	0,00
36	3 361	3 366	4,71	97,4	-	0,00
37	3 973	3 977	3,18	97,4	-	0,00
38	4 441	4 445	2,15	97,4	-	0,00
39	4 581	4 585	1,87	97,4	-	0,00
4	9 001	9 003	-4,50	97,4	-	0,00
40	5 130	5 133	0,82	97,4	-	0,00
41	5 227	5 231	0,64	97,4	-	0,00
5	8 425	8 427	-3,86	97,4	-	0,00
6	9 361	9 362	-4,87	97,4	-	0,00
7	9 866	9 867	-5,38	97,4	-	0,00
8	8 831	8 833	-4,31	97,4	-	0,00
9	8 450	8 451	-3,89	97,4	-	0,00
Sum			17,86			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: O Gaili š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 952	9 953	-5,47	97,4	-	0,00
10	9 450	9 452	-4,97	97,4	-	0,00
11	8 309	8 311	-3,73	97,4	-	0,00
12	8 931	8 933	-4,42	97,4	-	0,00
13	7 988	7 990	-3,35	97,4	-	0,00
14	7 218	7 220	-2,39	97,4	-	0,00
15	7 063	7 065	-2,18	97,4	-	0,00
16	7 021	7 023	-2,12	97,4	-	0,00
17	6 936	6 938	-2,01	97,4	-	0,00
18	5 379	5 382	0,38	97,4	-	0,00
19	4 958	4 961	1,14	97,4	-	0,00
2	9 364	9 366	-4,88	97,4	-	0,00
20	5 974	5 977	-0,60	97,4	-	0,00
21	5 082	5 085	0,91	97,4	-	0,00
22	5 636	5 639	-0,06	97,4	-	0,00
23	5 387	5 390	0,36	97,4	-	0,00
24	4 712	4 715	1,61	97,4	-	0,00
25	4 417	4 420	2,21	97,4	-	0,00
26	3 735	3 740	3,74	97,4	-	0,00
27	4 268	4 272	2,52	97,4	-	0,00
28	3 909	3 913	3,33	97,4	-	0,00
29	3 312	3 317	4,84	97,4	-	0,00
3	8 789	8 790	-4,27	97,4	-	0,00
30	3 506	3 511	4,32	97,4	-	0,00
31	3 858	3 863	3,45	97,4	-	0,00
32	2 833	2 838	6,26	97,4	-	0,00
33	2 298	2 305	8,14	97,4	-	0,00
34	2 584	2 590	7,08	97,4	-	0,00
35	3 070	3 075	5,53	97,4	-	0,00
36	3 361	3 366	4,71	97,4	-	0,00
37	3 973	3 977	3,18	97,4	-	0,00
38	4 441	4 445	2,15	97,4	-	0,00
39	4 581	4 585	1,87	97,4	-	0,00
4	9 001	9 003	-4,50	97,4	-	0,00
40	5 130	5 133	0,82	97,4	-	0,00
41	5 227	5 231	0,64	97,4	-	0,00
5	8 425	8 427	-3,86	97,4	-	0,00
6	9 361	9 362	-4,87	97,4	-	0,00
7	9 866	9 867	-5,38	97,4	-	0,00
8	8 831	8 833	-4,31	97,4	-	0,00
9	8 450	8 451	-3,89	97,4	-	0,00
Sum			17,86			

- Data undefined due to calculation with octave data

Noise sensitive area: P Kastani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 073	9 074	-4,57	97,4	-	0,00
10	8 254	8 256	-3,66	97,4	-	0,00
11	7 082	7 084	-2,21	97,4	-	0,00
12	7 709	7 711	-3,01	97,4	-	0,00
13	6 766	6 768	-1,77	97,4	-	0,00
14	5 992	5 995	-0,63	97,4	-	0,00
15	5 848	5 850	-0,40	97,4	-	0,00
16	5 821	5 823	-0,36	97,4	-	0,00
17	5 761	5 764	-0,26	97,4	-	0,00
18	4 156	4 160	2,76	97,4	-	0,00
19	3 745	3 749	3,72	97,4	-	0,00
2	8 484	8 486	-3,93	97,4	-	0,00
20	4 798	4 801	1,44	97,4	-	0,00
21	3 898	3 902	3,35	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 489	4 493	2,05	97,4	-	0,00
23	4 288	4 292	2,48	97,4	-	0,00
24	3 573	3 577	4,15	97,4	-	0,00
25	3 191	3 197	5,18	97,4	-	0,00
26	2 529	2 536	7,28	97,4	-	0,00
27	3 065	3 070	5,54	97,4	-	0,00
28	2 682	2 688	6,75	97,4	-	0,00
29	2 090	2 097	8,98	97,4	-	0,00
3	7 859	7 860	-3,20	97,4	-	0,00
30	2 293	2 300	8,16	97,4	-	0,00
31	2 696	2 702	6,70	97,4	-	0,00
32	1 605	1 615	11,32	97,4	-	0,00
33	1 096	1 111	14,64	97,4	-	0,00
34	1 488	1 498	11,99	97,4	-	0,00
35	1 893	1 901	9,86	97,4	-	0,00
36	2 268	2 275	8,25	97,4	-	0,00
37	2 956	2 961	5,87	97,4	-	0,00
38	3 536	3 541	4,24	97,4	-	0,00
39	3 499	3 504	4,34	97,4	-	0,00
4	8 013	8 015	-3,38	97,4	-	0,00
40	4 261	4 265	2,54	97,4	-	0,00
41	4 462	4 466	2,11	97,4	-	0,00
5	7 444	7 446	-2,68	97,4	-	0,00
6	8 327	8 329	-3,75	97,4	-	0,00
7	8 829	8 831	-4,31	97,4	-	0,00
8	7 636	7 638	-2,92	97,4	-	0,00
9	7 240	7 242	-2,42	97,4	-	0,00
Sum			21,68			

- Data undefined due to calculation with octave data

Noise sensitive area: P Kastani

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 073	9 074	-4,57	97,4	-	0,00
10	8 254	8 256	-3,66	97,4	-	0,00
11	7 082	7 084	-2,21	97,4	-	0,00
12	7 709	7 711	-3,01	97,4	-	0,00
13	6 766	6 768	-1,77	97,4	-	0,00
14	5 992	5 995	-0,63	97,4	-	0,00
15	5 848	5 850	-0,40	97,4	-	0,00
16	5 821	5 823	-0,36	97,4	-	0,00
17	5 761	5 764	-0,26	97,4	-	0,00
18	4 156	4 160	2,76	97,4	-	0,00
19	3 745	3 749	3,72	97,4	-	0,00
2	8 484	8 486	-3,93	97,4	-	0,00
20	4 798	4 801	1,44	97,4	-	0,00
21	3 898	3 902	3,35	97,4	-	0,00
22	4 489	4 493	2,05	97,4	-	0,00
23	4 288	4 292	2,48	97,4	-	0,00
24	3 573	3 577	4,15	97,4	-	0,00
25	3 191	3 197	5,18	97,4	-	0,00
26	2 529	2 536	7,28	97,4	-	0,00
27	3 065	3 070	5,54	97,4	-	0,00
28	2 682	2 688	6,75	97,4	-	0,00
29	2 090	2 097	8,98	97,4	-	0,00
3	7 859	7 860	-3,20	97,4	-	0,00
30	2 293	2 300	8,16	97,4	-	0,00
31	2 696	2 702	6,70	97,4	-	0,00
32	1 605	1 615	11,32	97,4	-	0,00
33	1 096	1 111	14,64	97,4	-	0,00
34	1 488	1 498	11,99	97,4	-	0,00
35	1 893	1 901	9,86	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 268	2 275	8,25	97,4	-	0,00
37	2 956	2 961	5,87	97,4	-	0,00
38	3 536	3 541	4,24	97,4	-	0,00
39	3 499	3 504	4,34	97,4	-	0,00
4	8 013	8 015	-3,38	97,4	-	0,00
40	4 261	4 265	2,54	97,4	-	0,00
41	4 462	4 466	2,11	97,4	-	0,00
5	7 444	7 446	-2,68	97,4	-	0,00
6	8 327	8 329	-3,75	97,4	-	0,00
7	8 829	8 831	-4,31	97,4	-	0,00
8	7 636	7 638	-2,92	97,4	-	0,00
9	7 240	7 242	-2,42	97,4	-	0,00
Sum			21,68			

- Data undefined due to calculation with octave data

Noise sensitive area: Q Ozolkalni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 137	10 138	-5,64	97,4	-	0,00
10	8 469	8 471	-3,91	97,4	-	0,00
11	6 848	6 850	-1,89	97,4	-	0,00
12	7 335	7 337	-2,54	97,4	-	0,00
13	6 431	6 434	-1,30	97,4	-	0,00
14	5 754	5 756	-0,25	97,4	-	0,00
15	5 447	5 450	0,26	97,4	-	0,00
16	5 292	5 295	0,53	97,4	-	0,00
17	5 081	5 085	0,91	97,4	-	0,00
18	3 962	3 966	3,21	97,4	-	0,00
19	3 463	3 467	4,44	97,4	-	0,00
2	9 557	9 558	-5,07	97,4	-	0,00
20	4 172	4 175	2,73	97,4	-	0,00
21	3 377	3 381	4,67	97,4	-	0,00
22	3 736	3 740	3,74	97,4	-	0,00
23	3 370	3 374	4,68	97,4	-	0,00
24	2 853	2 858	6,19	97,4	-	0,00
25	3 393	3 398	4,62	97,4	-	0,00
26	3 065	3 070	5,54	97,4	-	0,00
27	2 766	2 772	6,47	97,4	-	0,00
28	2 795	2 801	6,38	97,4	-	0,00
29	2 558	2 564	7,18	97,4	-	0,00
3	8 862	8 863	-4,35	97,4	-	0,00
30	2 247	2 254	8,34	97,4	-	0,00
31	2 205	2 213	8,50	97,4	-	0,00
32	2 120	2 127	8,86	97,4	-	0,00
33	1 506	1 516	11,88	97,4	-	0,00
34	1 149	1 161	14,25	97,4	-	0,00
35	1 703	1 712	10,80	97,4	-	0,00
36	1 573	1 583	11,50	97,4	-	0,00
37	1 892	1 899	9,87	97,4	-	0,00
38	2 184	2 191	8,59	97,4	-	0,00
39	2 576	2 582	7,11	97,4	-	0,00
4	8 904	8 905	-4,39	97,4	-	0,00
40	2 835	2 840	6,25	97,4	-	0,00
41	2 907	2 912	6,02	97,4	-	0,00
5	8 363	8 364	-3,79	97,4	-	0,00
6	9 112	9 114	-4,61	97,4	-	0,00
7	9 597	9 599	-5,11	97,4	-	0,00
8	7 868	7 869	-3,21	97,4	-	0,00
9	7 380	7 382	-2,60	97,4	-	0,00
Sum			22,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: Q Ozolkalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 137	10 138	-5,64	97,4	-	0,00
10	8 469	8 471	-3,91	97,4	-	0,00
11	6 848	6 850	-1,89	97,4	-	0,00
12	7 335	7 337	-2,54	97,4	-	0,00
13	6 431	6 434	-1,30	97,4	-	0,00
14	5 754	5 756	-0,25	97,4	-	0,00
15	5 447	5 450	0,26	97,4	-	0,00
16	5 292	5 295	0,53	97,4	-	0,00
17	5 081	5 085	0,91	97,4	-	0,00
18	3 962	3 966	3,21	97,4	-	0,00
19	3 463	3 467	4,44	97,4	-	0,00
2	9 557	9 558	-5,07	97,4	-	0,00
20	4 172	4 175	2,73	97,4	-	0,00
21	3 377	3 381	4,67	97,4	-	0,00
22	3 736	3 740	3,74	97,4	-	0,00
23	3 370	3 374	4,68	97,4	-	0,00
24	2 853	2 858	6,19	97,4	-	0,00
25	3 393	3 398	4,62	97,4	-	0,00
26	3 065	3 070	5,54	97,4	-	0,00
27	2 766	2 772	6,47	97,4	-	0,00
28	2 795	2 801	6,38	97,4	-	0,00
29	2 558	2 564	7,18	97,4	-	0,00
3	8 862	8 863	-4,35	97,4	-	0,00
30	2 247	2 254	8,34	97,4	-	0,00
31	2 205	2 213	8,50	97,4	-	0,00
32	2 120	2 127	8,86	97,4	-	0,00
33	1 506	1 516	11,88	97,4	-	0,00
34	1 149	1 161	14,25	97,4	-	0,00
35	1 703	1 712	10,80	97,4	-	0,00
36	1 573	1 583	11,50	97,4	-	0,00
37	1 892	1 899	9,87	97,4	-	0,00
38	2 184	2 191	8,59	97,4	-	0,00
39	2 576	2 582	7,11	97,4	-	0,00
4	8 904	8 905	-4,39	97,4	-	0,00
40	2 835	2 840	6,25	97,4	-	0,00
41	2 907	2 912	6,02	97,4	-	0,00
5	8 363	8 364	-3,79	97,4	-	0,00
6	9 112	9 114	-4,61	97,4	-	0,00
7	9 597	9 599	-5,11	97,4	-	0,00
8	7 868	7 869	-3,21	97,4	-	0,00
9	7 380	7 382	-2,60	97,4	-	0,00
Sum			22,30			

- Data undefined due to calculation with octave data

Noise sensitive area: R Ru ž i 2

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 511	9 513	-5,03	97,4	-	0,00
10	9 137	9 138	-4,64	97,4	-	0,00
11	8 089	8 091	-3,47	97,4	-	0,00
12	8 736	8 738	-4,21	97,4	-	0,00
13	7 792	7 794	-3,11	97,4	-	0,00
14	7 008	7 010	-2,11	97,4	-	0,00
15	6 887	6 889	-1,94	97,4	-	0,00
16	6 873	6 875	-1,92	97,4	-	0,00
17	6 821	6 824	-1,85	97,4	-	0,00
18	5 185	5 188	0,72	97,4	-	0,00
19	4 789	4 792	1,46	97,4	-	0,00
2	8 924	8 926	-4,41	97,4	-	0,00
20	5 858	5 861	-0,42	97,4	-	0,00
21	4 957	4 960	1,14	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 550	5 553	0,09	97,4	-	0,00
23	5 341	5 344	0,44	97,4	-	0,00
24	4 632	4 636	1,76	97,4	-	0,00
25	4 172	4 176	2,73	97,4	-	0,00
26	3 454	3 459	4,46	97,4	-	0,00
27	4 119	4 123	2,85	97,4	-	0,00
28	3 698	3 702	3,84	97,4	-	0,00
29	3 066	3 071	5,54	97,4	-	0,00
3	8 358	8 360	-3,78	97,4	-	0,00
30	3 341	3 346	4,76	97,4	-	0,00
31	3 757	3 761	3,69	97,4	-	0,00
32	2 612	2 619	6,98	97,4	-	0,00
33	2 156	2 164	8,70	97,4	-	0,00
34	2 530	2 536	7,27	97,4	-	0,00
35	2 954	2 960	5,88	97,4	-	0,00
36	3 314	3 319	4,83	97,4	-	0,00
37	3 977	3 981	3,17	97,4	-	0,00
38	4 507	4 511	2,02	97,4	-	0,00
39	4 546	4 550	1,94	97,4	-	0,00
4	8 584	8 586	-4,04	97,4	-	0,00
40	5 217	5 220	0,66	97,4	-	0,00
41	5 360	5 363	0,41	97,4	-	0,00
5	8 007	8 009	-3,37	97,4	-	0,00
6	8 956	8 958	-4,45	97,4	-	0,00
7	9 461	9 463	-4,98	97,4	-	0,00
8	8 519	8 521	-3,97	97,4	-	0,00
9	8 156	8 158	-3,55	97,4	-	0,00
Sum			18,21			

- Data undefined due to calculation with octave data

Noise sensitive area: R Ru ž i 2

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 511	9 513	-5,03	97,4	-	0,00
10	9 137	9 138	-4,64	97,4	-	0,00
11	8 089	8 091	-3,47	97,4	-	0,00
12	8 736	8 738	-4,21	97,4	-	0,00
13	7 792	7 794	-3,11	97,4	-	0,00
14	7 008	7 010	-2,11	97,4	-	0,00
15	6 887	6 889	-1,94	97,4	-	0,00
16	6 873	6 875	-1,92	97,4	-	0,00
17	6 821	6 824	-1,85	97,4	-	0,00
18	5 185	5 188	0,72	97,4	-	0,00
19	4 789	4 792	1,46	97,4	-	0,00
2	8 924	8 926	-4,41	97,4	-	0,00
20	5 858	5 861	-0,42	97,4	-	0,00
21	4 957	4 960	1,14	97,4	-	0,00
22	5 550	5 553	0,09	97,4	-	0,00
23	5 341	5 344	0,44	97,4	-	0,00
24	4 632	4 636	1,76	97,4	-	0,00
25	4 172	4 176	2,73	97,4	-	0,00
26	3 454	3 459	4,46	97,4	-	0,00
27	4 119	4 123	2,85	97,4	-	0,00
28	3 698	3 702	3,84	97,4	-	0,00
29	3 066	3 071	5,54	97,4	-	0,00
3	8 358	8 360	-3,78	97,4	-	0,00
30	3 341	3 346	4,76	97,4	-	0,00
31	3 757	3 761	3,69	97,4	-	0,00
32	2 612	2 619	6,98	97,4	-	0,00
33	2 156	2 164	8,70	97,4	-	0,00
34	2 530	2 536	7,27	97,4	-	0,00
35	2 954	2 960	5,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 314	3 319	4,83	97,4	-	0,00
37	3 977	3 981	3,17	97,4	-	0,00
38	4 507	4 511	2,02	97,4	-	0,00
39	4 546	4 550	1,94	97,4	-	0,00
4	8 584	8 586	-4,04	97,4	-	0,00
40	5 217	5 220	0,66	97,4	-	0,00
41	5 360	5 363	0,41	97,4	-	0,00
5	8 007	8 009	-3,37	97,4	-	0,00
6	8 956	8 958	-4,45	97,4	-	0,00
7	9 461	9 463	-4,98	97,4	-	0,00
8	8 519	8 521	-3,97	97,4	-	0,00
9	8 156	8 158	-3,55	97,4	-	0,00
Sum			18,21			

- Data undefined due to calculation with octave data

Noise sensitive area: S Savie š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 867	10 868	-6,32	97,4	-	0,00
10	9 208	9 209	-4,71	97,4	-	0,00
11	7 530	7 532	-2,79	97,4	-	0,00
12	7 985	7 987	-3,35	97,4	-	0,00
13	7 097	7 099	-2,23	97,4	-	0,00
14	6 444	6 446	-1,31	97,4	-	0,00
15	6 109	6 111	-0,81	97,4	-	0,00
16	5 925	5 927	-0,52	97,4	-	0,00
17	5 675	5 678	-0,12	97,4	-	0,00
18	4 679	4 682	1,67	97,4	-	0,00
19	4 175	4 179	2,72	97,4	-	0,00
2	10 284	10 286	-5,78	97,4	-	0,00
20	4 798	4 801	1,44	97,4	-	0,00
21	4 048	4 052	3,01	97,4	-	0,00
22	4 337	4 341	2,37	97,4	-	0,00
23	3 926	3 930	3,29	97,4	-	0,00
24	3 494	3 498	4,35	97,4	-	0,00
25	4 148	4 152	2,78	97,4	-	0,00
26	3 816	3 820	3,55	97,4	-	0,00
27	3 491	3 496	4,36	97,4	-	0,00
28	3 551	3 555	4,21	97,4	-	0,00
29	3 307	3 311	4,86	97,4	-	0,00
3	9 597	9 599	-5,11	97,4	-	0,00
30	3 002	3 007	5,73	97,4	-	0,00
31	2 921	2 926	5,98	97,4	-	0,00
32	2 856	2 861	6,18	97,4	-	0,00
33	2 216	2 223	8,46	97,4	-	0,00
34	1 904	1 912	9,81	97,4	-	0,00
35	2 459	2 466	7,53	97,4	-	0,00
36	2 288	2 295	8,17	97,4	-	0,00
37	2 477	2 483	7,46	97,4	-	0,00
38	2 587	2 593	7,07	97,4	-	0,00
39	3 167	3 172	5,25	97,4	-	0,00
4	9 650	9 652	-5,17	97,4	-	0,00
40	3 134	3 138	5,34	97,4	-	0,00
41	3 070	3 075	5,53	97,4	-	0,00
5	9 106	9 108	-4,61	97,4	-	0,00
6	9 865	9 867	-5,38	97,4	-	0,00
7	10 351	10 353	-5,85	97,4	-	0,00
8	8 609	8 611	-4,07	97,4	-	0,00
9	8 114	8 116	-3,50	97,4	-	0,00
Sum			19,81			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: S Savie š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 867	10 868	-6,32	97,4	-	0,00
10	9 208	9 209	-4,71	97,4	-	0,00
11	7 530	7 532	-2,79	97,4	-	0,00
12	7 985	7 987	-3,35	97,4	-	0,00
13	7 097	7 099	-2,23	97,4	-	0,00
14	6 444	6 446	-1,31	97,4	-	0,00
15	6 109	6 111	-0,81	97,4	-	0,00
16	5 925	5 927	-0,52	97,4	-	0,00
17	5 675	5 678	-0,12	97,4	-	0,00
18	4 679	4 682	1,67	97,4	-	0,00
19	4 175	4 179	2,72	97,4	-	0,00
2	10 284	10 286	-5,78	97,4	-	0,00
20	4 798	4 801	1,44	97,4	-	0,00
21	4 048	4 052	3,01	97,4	-	0,00
22	4 337	4 341	2,37	97,4	-	0,00
23	3 926	3 930	3,29	97,4	-	0,00
24	3 494	3 498	4,35	97,4	-	0,00
25	4 148	4 152	2,78	97,4	-	0,00
26	3 816	3 820	3,55	97,4	-	0,00
27	3 491	3 496	4,36	97,4	-	0,00
28	3 551	3 555	4,21	97,4	-	0,00
29	3 307	3 311	4,86	97,4	-	0,00
3	9 597	9 599	-5,11	97,4	-	0,00
30	3 002	3 007	5,73	97,4	-	0,00
31	2 921	2 926	5,98	97,4	-	0,00
32	2 856	2 861	6,18	97,4	-	0,00
33	2 216	2 223	8,46	97,4	-	0,00
34	1 904	1 912	9,81	97,4	-	0,00
35	2 459	2 466	7,53	97,4	-	0,00
36	2 288	2 295	8,17	97,4	-	0,00
37	2 477	2 483	7,46	97,4	-	0,00
38	2 587	2 593	7,07	97,4	-	0,00
39	3 167	3 172	5,25	97,4	-	0,00
4	9 650	9 652	-5,17	97,4	-	0,00
40	3 134	3 138	5,34	97,4	-	0,00
41	3 070	3 075	5,53	97,4	-	0,00
5	9 106	9 108	-4,61	97,4	-	0,00
6	9 865	9 867	-5,38	97,4	-	0,00
7	10 351	10 353	-5,85	97,4	-	0,00
8	8 609	8 611	-4,07	97,4	-	0,00
9	8 114	8 116	-3,50	97,4	-	0,00
Sum			19,81			

- Data undefined due to calculation with octave data

Noise sensitive area: T Celmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 012	11 013	-6,45	97,4	-	0,00
10	8 968	8 970	-4,46	97,4	-	0,00
11	7 132	7 134	-2,27	97,4	-	0,00
12	7 520	7 522	-2,78	97,4	-	0,00
13	6 667	6 669	-1,63	97,4	-	0,00
14	6 072	6 074	-0,75	97,4	-	0,00
15	5 679	5 682	-0,13	97,4	-	0,00
16	5 448	5 451	0,26	97,4	-	0,00
17	5 144	5 147	0,79	97,4	-	0,00
18	4 403	4 406	2,24	97,4	-	0,00
19	3 897	3 901	3,36	97,4	-	0,00
2	10 438	10 440	-5,93	97,4	-	0,00
20	4 328	4 331	2,39	97,4	-	0,00
21	3 675	3 679	3,89	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 838	3 842	3,50	97,4	-	0,00
23	3 379	3 383	4,66	97,4	-	0,00
24	3 081	3 086	5,50	97,4	-	0,00
25	4 074	4 078	2,95	97,4	-	0,00
26	3 900	3 904	3,35	97,4	-	0,00
27	3 273	3 278	4,95	97,4	-	0,00
28	3 497	3 501	4,35	97,4	-	0,00
29	3 414	3 419	4,56	97,4	-	0,00
3	9 721	9 722	-5,24	97,4	-	0,00
30	2 957	2 962	5,87	97,4	-	0,00
31	2 699	2 704	6,69	97,4	-	0,00
32	3 038	3 043	5,62	97,4	-	0,00
33	2 493	2 499	7,41	97,4	-	0,00
34	2 026	2 033	9,26	97,4	-	0,00
35	2 464	2 470	7,51	97,4	-	0,00
36	2 111	2 118	8,90	97,4	-	0,00
37	2 038	2 044	9,21	97,4	-	0,00
38	1 937	1 945	9,66	97,4	-	0,00
39	2 691	2 697	6,72	97,4	-	0,00
4	9 717	9 718	-5,23	97,4	-	0,00
40	2 386	2 392	7,80	97,4	-	0,00
41	2 263	2 269	8,27	97,4	-	0,00
5	9 192	9 194	-4,70	97,4	-	0,00
6	9 878	9 879	-5,39	97,4	-	0,00
7	10 351	10 352	-5,85	97,4	-	0,00
8	8 386	8 388	-3,82	97,4	-	0,00
9	7 861	7 863	-3,20	97,4	-	0,00
Sum			20,54			

- Data undefined due to calculation with octave data

Noise sensitive area: T Celmalas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 012	11 013	-6,45	97,4	-	0,00
10	8 968	8 970	-4,46	97,4	-	0,00
11	7 132	7 134	-2,27	97,4	-	0,00
12	7 520	7 522	-2,78	97,4	-	0,00
13	6 667	6 669	-1,63	97,4	-	0,00
14	6 072	6 074	-0,75	97,4	-	0,00
15	5 679	5 682	-0,13	97,4	-	0,00
16	5 448	5 451	0,26	97,4	-	0,00
17	5 144	5 147	0,79	97,4	-	0,00
18	4 403	4 406	2,24	97,4	-	0,00
19	3 897	3 901	3,36	97,4	-	0,00
2	10 438	10 440	-5,93	97,4	-	0,00
20	4 328	4 331	2,39	97,4	-	0,00
21	3 675	3 679	3,89	97,4	-	0,00
22	3 838	3 842	3,50	97,4	-	0,00
23	3 379	3 383	4,66	97,4	-	0,00
24	3 081	3 086	5,50	97,4	-	0,00
25	4 074	4 078	2,95	97,4	-	0,00
26	3 900	3 904	3,35	97,4	-	0,00
27	3 273	3 278	4,95	97,4	-	0,00
28	3 497	3 501	4,35	97,4	-	0,00
29	3 414	3 419	4,56	97,4	-	0,00
3	9 721	9 722	-5,24	97,4	-	0,00
30	2 957	2 962	5,87	97,4	-	0,00
31	2 699	2 704	6,69	97,4	-	0,00
32	3 038	3 043	5,62	97,4	-	0,00
33	2 493	2 499	7,41	97,4	-	0,00
34	2 026	2 033	9,26	97,4	-	0,00
35	2 464	2 470	7,51	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 111	2 118	8,90	97,4	-	0,00
37	2 038	2 044	9,21	97,4	-	0,00
38	1 937	1 945	9,66	97,4	-	0,00
39	2 691	2 697	6,72	97,4	-	0,00
4	9 717	9 718	-5,23	97,4	-	0,00
40	2 386	2 392	7,80	97,4	-	0,00
41	2 263	2 269	8,27	97,4	-	0,00
5	9 192	9 194	-4,70	97,4	-	0,00
6	9 878	9 879	-5,39	97,4	-	0,00
7	10 351	10 352	-5,85	97,4	-	0,00
8	8 386	8 388	-3,82	97,4	-	0,00
9	7 861	7 863	-3,20	97,4	-	0,00
Sum			20,54			

- Data undefined due to calculation with octave data

Noise sensitive area: U Zaigas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 597	10 598	-6,08	97,4	-	0,00
10	8 212	8 214	-3,62	97,4	-	0,00
11	6 274	6 276	-1,06	97,4	-	0,00
12	6 623	6 625	-1,57	97,4	-	0,00
13	5 792	5 795	-0,31	97,4	-	0,00
14	5 238	5 241	0,63	97,4	-	0,00
15	4 811	4 814	1,42	97,4	-	0,00
16	4 554	4 557	1,92	97,4	-	0,00
17	4 224	4 228	2,62	97,4	-	0,00
18	3 668	3 672	3,91	97,4	-	0,00
19	3 175	3 180	5,22	97,4	-	0,00
2	10 035	10 037	-5,55	97,4	-	0,00
20	3 447	3 451	4,48	97,4	-	0,00
21	2 877	2 882	6,12	97,4	-	0,00
22	2 945	2 950	5,91	97,4	-	0,00
23	2 464	2 470	7,51	97,4	-	0,00
24	2 270	2 277	8,25	97,4	-	0,00
25	3 544	3 549	4,22	97,4	-	0,00
26	3 547	3 551	4,22	97,4	-	0,00
27	2 636	2 641	6,91	97,4	-	0,00
28	3 017	3 022	5,69	97,4	-	0,00
29	3 119	3 123	5,39	97,4	-	0,00
3	9 291	9 293	-4,80	97,4	-	0,00
30	2 529	2 535	7,28	97,4	-	0,00
31	2 100	2 107	8,94	97,4	-	0,00
32	2 859	2 864	6,17	97,4	-	0,00
33	2 484	2 490	7,44	97,4	-	0,00
34	1 922	1 929	9,73	97,4	-	0,00
35	2 149	2 156	8,73	97,4	-	0,00
36	1 639	1 648	11,14	97,4	-	0,00
37	1 270	1 281	13,38	97,4	-	0,00
38	993	1 009	15,49	97,4	-	0,00
39	1 842	1 851	10,10	97,4	-	0,00
4	9 228	9 230	-4,74	97,4	-	0,00
40	1 457	1 466	12,18	97,4	-	0,00
41	1 438	1 449	12,28	97,4	-	0,00
5	8 728	8 729	-4,20	97,4	-	0,00
6	9 335	9 337	-4,85	97,4	-	0,00
7	9 793	9 794	-5,31	97,4	-	0,00
8	7 647	7 649	-2,93	97,4	-	0,00
9	7 101	7 103	-2,23	97,4	-	0,00
Sum			23,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: U Zaigas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 597	10 598	-6,08	97,4	-	0,00
10	8 212	8 214	-3,62	97,4	-	0,00
11	6 274	6 276	-1,06	97,4	-	0,00
12	6 623	6 625	-1,57	97,4	-	0,00
13	5 792	5 795	-0,31	97,4	-	0,00
14	5 238	5 241	0,63	97,4	-	0,00
15	4 811	4 814	1,42	97,4	-	0,00
16	4 554	4 557	1,92	97,4	-	0,00
17	4 224	4 228	2,62	97,4	-	0,00
18	3 668	3 672	3,91	97,4	-	0,00
19	3 175	3 180	5,22	97,4	-	0,00
2	10 035	10 037	-5,55	97,4	-	0,00
20	3 447	3 451	4,48	97,4	-	0,00
21	2 877	2 882	6,12	97,4	-	0,00
22	2 945	2 950	5,91	97,4	-	0,00
23	2 464	2 470	7,51	97,4	-	0,00
24	2 270	2 277	8,25	97,4	-	0,00
25	3 544	3 549	4,22	97,4	-	0,00
26	3 547	3 551	4,22	97,4	-	0,00
27	2 636	2 641	6,91	97,4	-	0,00
28	3 017	3 022	5,69	97,4	-	0,00
29	3 119	3 123	5,39	97,4	-	0,00
3	9 291	9 293	-4,80	97,4	-	0,00
30	2 529	2 535	7,28	97,4	-	0,00
31	2 100	2 107	8,94	97,4	-	0,00
32	2 859	2 864	6,17	97,4	-	0,00
33	2 484	2 490	7,44	97,4	-	0,00
34	1 922	1 929	9,73	97,4	-	0,00
35	2 149	2 156	8,73	97,4	-	0,00
36	1 639	1 648	11,14	97,4	-	0,00
37	1 270	1 281	13,38	97,4	-	0,00
38	993	1 009	15,49	97,4	-	0,00
39	1 842	1 851	10,10	97,4	-	0,00
4	9 228	9 230	-4,74	97,4	-	0,00
40	1 457	1 466	12,18	97,4	-	0,00
41	1 438	1 449	12,28	97,4	-	0,00
5	8 728	8 729	-4,20	97,4	-	0,00
6	9 335	9 337	-4,85	97,4	-	0,00
7	9 793	9 794	-5,31	97,4	-	0,00
8	7 647	7 649	-2,93	97,4	-	0,00
9	7 101	7 103	-2,23	97,4	-	0,00
Sum			23,26			

- Data undefined due to calculation with octave data

Noise sensitive area: V Somukokts 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 124	11 125	-6,55	97,4	-	0,00
10	8 712	8 714	-4,18	97,4	-	0,00
11	6 730	6 732	-1,72	97,4	-	0,00
12	7 045	7 048	-2,16	97,4	-	0,00
13	6 237	6 239	-1,01	97,4	-	0,00
14	5 711	5 713	-0,18	97,4	-	0,00
15	5 264	5 267	0,58	97,4	-	0,00
16	4 985	4 988	1,09	97,4	-	0,00
17	4 626	4 630	1,78	97,4	-	0,00
18	4 182	4 185	2,71	97,4	-	0,00
19	3 693	3 697	3,85	97,4	-	0,00
2	10 561	10 563	-6,04	97,4	-	0,00
20	3 897	3 900	3,36	97,4	-	0,00
21	3 376	3 380	4,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 387	3 392	4,64	97,4	-	0,00
23	2 888	2 893	6,08	97,4	-	0,00
24	2 769	2 774	6,46	97,4	-	0,00
25	4 074	4 078	2,95	97,4	-	0,00
26	4 060	4 064	2,98	97,4	-	0,00
27	3 165	3 170	5,25	97,4	-	0,00
28	3 544	3 548	4,23	97,4	-	0,00
29	3 620	3 625	4,03	97,4	-	0,00
3	9 819	9 820	-5,34	97,4	-	0,00
30	3 048	3 053	5,59	97,4	-	0,00
31	2 630	2 636	6,93	97,4	-	0,00
32	3 333	3 338	4,78	97,4	-	0,00
33	2 906	2 911	6,03	97,4	-	0,00
34	2 362	2 368	7,89	97,4	-	0,00
35	2 647	2 652	6,87	97,4	-	0,00
36	2 157	2 164	8,70	97,4	-	0,00
37	1 793	1 800	10,35	97,4	-	0,00
38	1 402	1 413	12,51	97,4	-	0,00
39	2 329	2 336	8,02	97,4	-	0,00
4	9 759	9 760	-5,28	97,4	-	0,00
40	1 667	1 676	10,99	97,4	-	0,00
41	1 461	1 471	12,15	97,4	-	0,00
5	9 257	9 259	-4,77	97,4	-	0,00
6	9 866	9 867	-5,38	97,4	-	0,00
7	10 323	10 324	-5,82	97,4	-	0,00
8	8 152	8 154	-3,55	97,4	-	0,00
9	7 601	7 603	-2,88	97,4	-	0,00
Sum			21,51			

- Data undefined due to calculation with octave data

Noise sensitive area: V Somukokts 2

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 124	11 125	-6,55	97,4	-	0,00
10	8 712	8 714	-4,18	97,4	-	0,00
11	6 730	6 732	-1,72	97,4	-	0,00
12	7 045	7 048	-2,16	97,4	-	0,00
13	6 237	6 239	-1,01	97,4	-	0,00
14	5 711	5 713	-0,18	97,4	-	0,00
15	5 264	5 267	0,58	97,4	-	0,00
16	4 985	4 988	1,09	97,4	-	0,00
17	4 626	4 630	1,78	97,4	-	0,00
18	4 182	4 185	2,71	97,4	-	0,00
19	3 693	3 697	3,85	97,4	-	0,00
2	10 561	10 563	-6,04	97,4	-	0,00
20	3 897	3 900	3,36	97,4	-	0,00
21	3 376	3 380	4,67	97,4	-	0,00
22	3 387	3 392	4,64	97,4	-	0,00
23	2 888	2 893	6,08	97,4	-	0,00
24	2 769	2 774	6,46	97,4	-	0,00
25	4 074	4 078	2,95	97,4	-	0,00
26	4 060	4 064	2,98	97,4	-	0,00
27	3 165	3 170	5,25	97,4	-	0,00
28	3 544	3 548	4,23	97,4	-	0,00
29	3 620	3 625	4,03	97,4	-	0,00
3	9 819	9 820	-5,34	97,4	-	0,00
30	3 048	3 053	5,59	97,4	-	0,00
31	2 630	2 636	6,93	97,4	-	0,00
32	3 333	3 338	4,78	97,4	-	0,00
33	2 906	2 911	6,03	97,4	-	0,00
34	2 362	2 368	7,89	97,4	-	0,00
35	2 647	2 652	6,87	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 157	2 164	8,70	97,4	-	0,00
37	1 793	1 800	10,35	97,4	-	0,00
38	1 402	1 413	12,51	97,4	-	0,00
39	2 329	2 336	8,02	97,4	-	0,00
4	9 759	9 760	-5,28	97,4	-	0,00
40	1 667	1 676	10,99	97,4	-	0,00
41	1 461	1 471	12,15	97,4	-	0,00
5	9 257	9 259	-4,77	97,4	-	0,00
6	9 866	9 867	-5,38	97,4	-	0,00
7	10 323	10 324	-5,82	97,4	-	0,00
8	8 152	8 154	-3,55	97,4	-	0,00
9	7 601	7 603	-2,88	97,4	-	0,00
Sum			21,51			

- Data undefined due to calculation with octave data

Noise sensitive area: W Krastmalinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 334	10 335	-5,83	97,4	-	0,00
10	9 816	9 817	-5,33	97,4	-	0,00
11	8 634	8 636	-4,10	97,4	-	0,00
12	9 242	9 244	-4,75	97,4	-	0,00
13	8 302	8 304	-3,72	97,4	-	0,00
14	7 539	7 541	-2,80	97,4	-	0,00
15	7 366	7 368	-2,58	97,4	-	0,00
16	7 309	7 311	-2,50	97,4	-	0,00
17	7 204	7 206	-2,37	97,4	-	0,00
18	5 696	5 699	-0,16	97,4	-	0,00
19	5 263	5 266	0,58	97,4	-	0,00
2	9 747	9 748	-5,26	97,4	-	0,00
20	6 246	6 249	-1,02	97,4	-	0,00
21	5 362	5 365	0,41	97,4	-	0,00
22	5 889	5 892	-0,47	97,4	-	0,00
23	5 617	5 619	-0,02	97,4	-	0,00
24	4 965	4 968	1,12	97,4	-	0,00
25	4 760	4 763	1,51	97,4	-	0,00
26	4 095	4 099	2,90	97,4	-	0,00
27	4 564	4 568	1,90	97,4	-	0,00
28	4 239	4 242	2,58	97,4	-	0,00
29	3 659	3 664	3,93	97,4	-	0,00
3	9 174	9 176	-4,68	97,4	-	0,00
30	3 815	3 819	3,55	97,4	-	0,00
31	4 130	4 134	2,82	97,4	-	0,00
32	3 172	3 177	5,23	97,4	-	0,00
33	2 606	2 612	7,01	97,4	-	0,00
34	2 840	2 846	6,23	97,4	-	0,00
35	3 356	3 360	4,72	97,4	-	0,00
36	3 604	3 608	4,07	97,4	-	0,00
37	4 177	4 180	2,72	97,4	-	0,00
38	4 595	4 599	1,84	97,4	-	0,00
39	4 807	4 810	1,42	97,4	-	0,00
4	9 389	9 390	-4,90	97,4	-	0,00
40	5 264	5 267	0,58	97,4	-	0,00
41	5 322	5 325	0,48	97,4	-	0,00
5	8 813	8 814	-4,29	97,4	-	0,00
6	9 748	9 750	-5,27	97,4	-	0,00
7	10 253	10 255	-5,75	97,4	-	0,00
8	9 197	9 199	-4,70	97,4	-	0,00
9	8 808	8 810	-4,29	97,4	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: W Krastmalinas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 334	10 335	-5,83	97,4	-	0,00
10	9 816	9 817	-5,33	97,4	-	0,00
11	8 634	8 636	-4,10	97,4	-	0,00
12	9 242	9 244	-4,75	97,4	-	0,00
13	8 302	8 304	-3,72	97,4	-	0,00
14	7 539	7 541	-2,80	97,4	-	0,00
15	7 366	7 368	-2,58	97,4	-	0,00
16	7 309	7 311	-2,50	97,4	-	0,00
17	7 204	7 206	-2,37	97,4	-	0,00
18	5 696	5 699	-0,16	97,4	-	0,00
19	5 263	5 266	0,58	97,4	-	0,00
2	9 747	9 748	-5,26	97,4	-	0,00
20	6 246	6 249	-1,02	97,4	-	0,00
21	5 362	5 365	0,41	97,4	-	0,00
22	5 889	5 892	-0,47	97,4	-	0,00
23	5 617	5 619	-0,02	97,4	-	0,00
24	4 965	4 968	1,12	97,4	-	0,00
25	4 760	4 763	1,51	97,4	-	0,00
26	4 095	4 099	2,90	97,4	-	0,00
27	4 564	4 568	1,90	97,4	-	0,00
28	4 239	4 242	2,58	97,4	-	0,00
29	3 659	3 664	3,93	97,4	-	0,00
3	9 174	9 176	-4,68	97,4	-	0,00
30	3 815	3 819	3,55	97,4	-	0,00
31	4 130	4 134	2,82	97,4	-	0,00
32	3 172	3 177	5,23	97,4	-	0,00
33	2 606	2 612	7,01	97,4	-	0,00
34	2 840	2 846	6,23	97,4	-	0,00
35	3 356	3 360	4,72	97,4	-	0,00
36	3 604	3 608	4,07	97,4	-	0,00
37	4 177	4 180	2,72	97,4	-	0,00
38	4 595	4 599	1,84	97,4	-	0,00
39	4 807	4 810	1,42	97,4	-	0,00
4	9 389	9 390	-4,90	97,4	-	0,00
40	5 264	5 267	0,58	97,4	-	0,00
41	5 322	5 325	0,48	97,4	-	0,00
5	8 813	8 814	-4,29	97,4	-	0,00
6	9 748	9 750	-5,27	97,4	-	0,00
7	10 253	10 255	-5,75	97,4	-	0,00
8	9 197	9 199	-4,70	97,4	-	0,00
9	8 808	8 810	-4,29	97,4	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Noise sensitive area: X Me ž ares

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 626	9 628	-5,14	97,4	-	0,00
10	8 396	8 397	-3,83	97,4	-	0,00
11	6 999	7 001	-2,09	97,4	-	0,00
12	7 562	7 565	-2,83	97,4	-	0,00
13	6 631	6 634	-1,58	97,4	-	0,00
14	5 897	5 899	-0,48	97,4	-	0,00
15	5 673	5 675	-0,12	97,4	-	0,00
16	5 584	5 587	0,03	97,4	-	0,00
17	5 452	5 455	0,25	97,4	-	0,00
18	4 054	4 058	2,99	97,4	-	0,00
19	3 589	3 593	4,11	97,4	-	0,00
2	9 040	9 042	-4,54	97,4	-	0,00
20	4 501	4 504	2,03	97,4	-	0,00
21	3 632	3 636	4,00	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 127	4 131	2,83	97,4	-	0,00
23	3 846	3 850	3,48	97,4	-	0,00
24	3 205	3 210	5,14	97,4	-	0,00
25	3 258	3 263	4,99	97,4	-	0,00
26	2 744	2 749	6,54	97,4	-	0,00
27	2 877	2 883	6,12	97,4	-	0,00
28	2 681	2 687	6,75	97,4	-	0,00
29	2 242	2 249	8,36	97,4	-	0,00
3	8 379	8 381	-3,81	97,4	-	0,00
30	2 185	2 192	8,59	97,4	-	0,00
31	2 396	2 403	7,76	97,4	-	0,00
32	1 740	1 749	10,61	97,4	-	0,00
33	1 068	1 083	14,86	97,4	-	0,00
34	1 103	1 116	14,60	97,4	-	0,00
35	1 668	1 678	10,98	97,4	-	0,00
36	1 840	1 849	10,11	97,4	-	0,00
37	2 412	2 418	7,70	97,4	-	0,00
38	2 886	2 892	6,09	97,4	-	0,00
39	3 036	3 042	5,63	97,4	-	0,00
4	8 480	8 482	-3,92	97,4	-	0,00
40	3 588	3 592	4,11	97,4	-	0,00
41	3 730	3 734	3,76	97,4	-	0,00
5	7 922	7 924	-3,27	97,4	-	0,00
6	8 744	8 746	-4,22	97,4	-	0,00
7	9 240	9 242	-4,75	97,4	-	0,00
8	7 782	7 784	-3,10	97,4	-	0,00
9	7 339	7 341	-2,54	97,4	-	0,00
Sum			22,43			

- Data undefined due to calculation with octave data

Noise sensitive area: X Me ž ares

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 626	9 628	-5,14	97,4	-	0,00
10	8 396	8 397	-3,83	97,4	-	0,00
11	6 999	7 001	-2,09	97,4	-	0,00
12	7 562	7 565	-2,83	97,4	-	0,00
13	6 631	6 634	-1,58	97,4	-	0,00
14	5 897	5 899	-0,48	97,4	-	0,00
15	5 673	5 675	-0,12	97,4	-	0,00
16	5 584	5 587	0,03	97,4	-	0,00
17	5 452	5 455	0,25	97,4	-	0,00
18	4 054	4 058	2,99	97,4	-	0,00
19	3 589	3 593	4,11	97,4	-	0,00
2	9 040	9 042	-4,54	97,4	-	0,00
20	4 501	4 504	2,03	97,4	-	0,00
21	3 632	3 636	4,00	97,4	-	0,00
22	4 127	4 131	2,83	97,4	-	0,00
23	3 846	3 850	3,48	97,4	-	0,00
24	3 205	3 210	5,14	97,4	-	0,00
25	3 258	3 263	4,99	97,4	-	0,00
26	2 744	2 749	6,54	97,4	-	0,00
27	2 877	2 883	6,12	97,4	-	0,00
28	2 681	2 687	6,75	97,4	-	0,00
29	2 242	2 249	8,36	97,4	-	0,00
3	8 379	8 381	-3,81	97,4	-	0,00
30	2 185	2 192	8,59	97,4	-	0,00
31	2 396	2 403	7,76	97,4	-	0,00
32	1 740	1 749	10,61	97,4	-	0,00
33	1 068	1 083	14,86	97,4	-	0,00
34	1 103	1 116	14,60	97,4	-	0,00
35	1 668	1 678	10,98	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	1 840	1 849	10,11	97,4	-	0,00
37	2 412	2 418	7,70	97,4	-	0,00
38	2 886	2 892	6,09	97,4	-	0,00
39	3 036	3 042	5,63	97,4	-	0,00
4	8 480	8 482	-3,92	97,4	-	0,00
40	3 588	3 592	4,11	97,4	-	0,00
41	3 730	3 734	3,76	97,4	-	0,00
5	7 922	7 924	-3,27	97,4	-	0,00
6	8 744	8 746	-4,22	97,4	-	0,00
7	9 240	9 242	-4,75	97,4	-	0,00
8	7 782	7 784	-3,10	97,4	-	0,00
9	7 339	7 341	-2,54	97,4	-	0,00
Sum			22,43			

- Data undefined due to calculation with octave data

Noise sensitive area: Y Putni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 707	10 709	-6,18	97,4	-	0,00
10	8 770	8 771	-4,25	97,4	-	0,00
11	6 996	6 998	-2,09	97,4	-	0,00
12	7 416	7 418	-2,64	97,4	-	0,00
13	6 545	6 547	-1,46	97,4	-	0,00
14	5 922	5 925	-0,52	97,4	-	0,00
15	5 555	5 558	0,08	97,4	-	0,00
16	5 347	5 350	0,43	97,4	-	0,00
17	5 071	5 074	0,93	97,4	-	0,00
18	4 210	4 213	2,65	97,4	-	0,00
19	3 703	3 707	3,82	97,4	-	0,00
2	10 131	10 133	-5,64	97,4	-	0,00
20	4 221	4 224	2,62	97,4	-	0,00
21	3 519	3 523	4,29	97,4	-	0,00
22	3 744	3 748	3,72	97,4	-	0,00
23	3 311	3 315	4,84	97,4	-	0,00
24	2 940	2 945	5,92	97,4	-	0,00
25	3 812	3 816	3,56	97,4	-	0,00
26	3 598	3 602	4,09	97,4	-	0,00
27	3 053	3 058	5,58	97,4	-	0,00
28	3 226	3 231	5,08	97,4	-	0,00
29	3 106	3 111	5,42	97,4	-	0,00
3	9 420	9 421	-4,93	97,4	-	0,00
30	2 681	2 687	6,75	97,4	-	0,00
31	2 476	2 482	7,47	97,4	-	0,00
32	2 715	2 720	6,64	97,4	-	0,00
33	2 155	2 162	8,71	97,4	-	0,00
34	1 704	1 713	10,80	97,4	-	0,00
35	2 171	2 178	8,64	97,4	-	0,00
36	1 865	1 873	10,00	97,4	-	0,00
37	1 901	1 908	9,83	97,4	-	0,00
38	1 931	1 939	9,69	97,4	-	0,00
39	2 580	2 586	7,10	97,4	-	0,00
4	9 428	9 430	-4,94	97,4	-	0,00
40	2 466	2 472	7,50	97,4	-	0,00
41	2 418	2 425	7,68	97,4	-	0,00
5	8 899	8 901	-4,39	97,4	-	0,00
6	9 603	9 604	-5,12	97,4	-	0,00
7	10 079	10 081	-5,59	97,4	-	0,00
8	8 181	8 183	-3,58	97,4	-	0,00
9	7 667	7 669	-2,96	97,4	-	0,00
Sum			21,14			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: Y Putni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 707	10 709	-6,18	97,4	-	0,00
10	8 770	8 771	-4,25	97,4	-	0,00
11	6 996	6 998	-2,09	97,4	-	0,00
12	7 416	7 418	-2,64	97,4	-	0,00
13	6 545	6 547	-1,46	97,4	-	0,00
14	5 922	5 925	-0,52	97,4	-	0,00
15	5 555	5 558	0,08	97,4	-	0,00
16	5 347	5 350	0,43	97,4	-	0,00
17	5 071	5 074	0,93	97,4	-	0,00
18	4 210	4 213	2,65	97,4	-	0,00
19	3 703	3 707	3,82	97,4	-	0,00
2	10 131	10 133	-5,64	97,4	-	0,00
20	4 221	4 224	2,62	97,4	-	0,00
21	3 519	3 523	4,29	97,4	-	0,00
22	3 744	3 748	3,72	97,4	-	0,00
23	3 311	3 315	4,84	97,4	-	0,00
24	2 940	2 945	5,92	97,4	-	0,00
25	3 812	3 816	3,56	97,4	-	0,00
26	3 598	3 602	4,09	97,4	-	0,00
27	3 053	3 058	5,58	97,4	-	0,00
28	3 226	3 231	5,08	97,4	-	0,00
29	3 106	3 111	5,42	97,4	-	0,00
3	9 420	9 421	-4,93	97,4	-	0,00
30	2 681	2 687	6,75	97,4	-	0,00
31	2 476	2 482	7,47	97,4	-	0,00
32	2 715	2 720	6,64	97,4	-	0,00
33	2 155	2 162	8,71	97,4	-	0,00
34	1 704	1 713	10,80	97,4	-	0,00
35	2 171	2 178	8,64	97,4	-	0,00
36	1 865	1 873	10,00	97,4	-	0,00
37	1 901	1 908	9,83	97,4	-	0,00
38	1 931	1 939	9,69	97,4	-	0,00
39	2 580	2 586	7,10	97,4	-	0,00
4	9 428	9 430	-4,94	97,4	-	0,00
40	2 466	2 472	7,50	97,4	-	0,00
41	2 418	2 425	7,68	97,4	-	0,00
5	8 899	8 901	-4,39	97,4	-	0,00
6	9 603	9 604	-5,12	97,4	-	0,00
7	10 079	10 081	-5,59	97,4	-	0,00
8	8 181	8 183	-3,58	97,4	-	0,00
9	7 667	7 669	-2,96	97,4	-	0,00
Sum			21,14			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Somukokts 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 160	11 162	-6,58	97,4	-	0,00
10	8 747	8 749	-4,22	97,4	-	0,00
11	6 762	6 764	-1,77	97,4	-	0,00
12	7 076	7 078	-2,20	97,4	-	0,00
13	6 269	6 271	-1,05	97,4	-	0,00
14	5 744	5 747	-0,23	97,4	-	0,00
15	5 296	5 299	0,52	97,4	-	0,00
16	5 016	5 019	1,03	97,4	-	0,00
17	4 656	4 659	1,72	97,4	-	0,00
18	4 218	4 222	2,63	97,4	-	0,00
19	3 730	3 734	3,76	97,4	-	0,00
2	10 598	10 599	-6,08	97,4	-	0,00
20	3 929	3 933	3,28	97,4	-	0,00
21	3 412	3 416	4,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 419	3 424	4,55	97,4	-	0,00
23	2 919	2 924	5,99	97,4	-	0,00
24	2 804	2 809	6,35	97,4	-	0,00
25	4 111	4 115	2,86	97,4	-	0,00
26	4 096	4 100	2,90	97,4	-	0,00
27	3 202	3 207	5,15	97,4	-	0,00
28	3 581	3 585	4,13	97,4	-	0,00
29	3 656	3 660	3,94	97,4	-	0,00
3	9 856	9 857	-5,37	97,4	-	0,00
30	3 085	3 090	5,49	97,4	-	0,00
31	2 667	2 673	6,80	97,4	-	0,00
32	3 367	3 372	4,69	97,4	-	0,00
33	2 936	2 942	5,93	97,4	-	0,00
34	2 394	2 400	7,77	97,4	-	0,00
35	2 682	2 687	6,75	97,4	-	0,00
36	2 194	2 200	8,55	97,4	-	0,00
37	1 829	1 837	10,17	97,4	-	0,00
38	1 434	1 445	12,31	97,4	-	0,00
39	2 364	2 371	7,88	97,4	-	0,00
4	9 796	9 797	-5,31	97,4	-	0,00
40	1 688	1 696	10,88	97,4	-	0,00
41	1 470	1 480	12,09	97,4	-	0,00
5	9 294	9 296	-4,80	97,4	-	0,00
6	9 903	9 904	-5,42	97,4	-	0,00
7	10 360	10 361	-5,86	97,4	-	0,00
8	8 188	8 189	-3,59	97,4	-	0,00
9	7 636	7 638	-2,92	97,4	-	0,00
Sum			21,39			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Somukokts 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 160	11 162	-6,58	97,4	-	0,00
10	8 747	8 749	-4,22	97,4	-	0,00
11	6 762	6 764	-1,77	97,4	-	0,00
12	7 076	7 078	-2,20	97,4	-	0,00
13	6 269	6 271	-1,05	97,4	-	0,00
14	5 744	5 747	-0,23	97,4	-	0,00
15	5 296	5 299	0,52	97,4	-	0,00
16	5 016	5 019	1,03	97,4	-	0,00
17	4 656	4 659	1,72	97,4	-	0,00
18	4 218	4 222	2,63	97,4	-	0,00
19	3 730	3 734	3,76	97,4	-	0,00
2	10 598	10 599	-6,08	97,4	-	0,00
20	3 929	3 933	3,28	97,4	-	0,00
21	3 412	3 416	4,57	97,4	-	0,00
22	3 419	3 424	4,55	97,4	-	0,00
23	2 919	2 924	5,99	97,4	-	0,00
24	2 804	2 809	6,35	97,4	-	0,00
25	4 111	4 115	2,86	97,4	-	0,00
26	4 096	4 100	2,90	97,4	-	0,00
27	3 202	3 207	5,15	97,4	-	0,00
28	3 581	3 585	4,13	97,4	-	0,00
29	3 656	3 660	3,94	97,4	-	0,00
3	9 856	9 857	-5,37	97,4	-	0,00
30	3 085	3 090	5,49	97,4	-	0,00
31	2 667	2 673	6,80	97,4	-	0,00
32	3 367	3 372	4,69	97,4	-	0,00
33	2 936	2 942	5,93	97,4	-	0,00
34	2 394	2 400	7,77	97,4	-	0,00
35	2 682	2 687	6,75	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 194	2 200	8,55	97,4	-	0,00
37	1 829	1 837	10,17	97,4	-	0,00
38	1 434	1 445	12,31	97,4	-	0,00
39	2 364	2 371	7,88	97,4	-	0,00
4	9 796	9 797	-5,31	97,4	-	0,00
40	1 688	1 696	10,88	97,4	-	0,00
41	1 470	1 480	12,09	97,4	-	0,00
5	9 294	9 296	-4,80	97,4	-	0,00
6	9 903	9 904	-5,42	97,4	-	0,00
7	10 360	10 361	-5,86	97,4	-	0,00
8	8 188	8 189	-3,59	97,4	-	0,00
9	7 636	7 638	-2,92	97,4	-	0,00
Sum			21,39			

- Data undefined due to calculation with octave data

Noise sensitive area: AA Kalna Kusini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 663	10 665	-6,14	97,4	-	0,00
10	8 794	8 795	-4,27	97,4	-	0,00
11	7 050	7 052	-2,16	97,4	-	0,00
12	7 482	7 485	-2,73	97,4	-	0,00
13	6 605	6 607	-1,55	97,4	-	0,00
14	5 971	5 974	-0,60	97,4	-	0,00
15	5 615	5 618	-0,02	97,4	-	0,00
16	5 416	5 419	0,31	97,4	-	0,00
17	5 151	5 154	0,78	97,4	-	0,00
18	4 240	4 244	2,58	97,4	-	0,00
19	3 734	3 738	3,75	97,4	-	0,00
2	10 086	10 087	-5,60	97,4	-	0,00
20	4 289	4 293	2,48	97,4	-	0,00
21	3 569	3 573	4,16	97,4	-	0,00
22	3 819	3 823	3,54	97,4	-	0,00
23	3 395	3 400	4,62	97,4	-	0,00
24	2 998	3 003	5,74	97,4	-	0,00
25	3 804	3 808	3,58	97,4	-	0,00
26	3 561	3 565	4,18	97,4	-	0,00
27	3 072	3 077	5,52	97,4	-	0,00
28	3 214	3 219	5,11	97,4	-	0,00
29	3 063	3 068	5,55	97,4	-	0,00
3	9 379	9 381	-4,89	97,4	-	0,00
30	2 666	2 671	6,80	97,4	-	0,00
31	2 495	2 501	7,40	97,4	-	0,00
32	2 657	2 663	6,83	97,4	-	0,00
33	2 078	2 086	9,03	97,4	-	0,00
34	1 653	1 661	11,07	97,4	-	0,00
35	2 145	2 152	8,75	97,4	-	0,00
36	1 875	1 883	9,95	97,4	-	0,00
37	1 966	1 973	9,53	97,4	-	0,00
38	2 039	2 048	9,20	97,4	-	0,00
39	2 650	2 657	6,85	97,4	-	0,00
4	9 397	9 399	-4,91	97,4	-	0,00
40	2 593	2 599	7,05	97,4	-	0,00
41	2 557	2 563	7,18	97,4	-	0,00
5	8 865	8 866	-4,35	97,4	-	0,00
6	9 581	9 583	-5,10	97,4	-	0,00
7	10 060	10 062	-5,57	97,4	-	0,00
8	8 202	8 204	-3,60	97,4	-	0,00
9	7 693	7 695	-2,99	97,4	-	0,00
Sum			21,07			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AA Kalna Kusini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 663	10 665	-6,14	97,4	-	0,00
10	8 794	8 795	-4,27	97,4	-	0,00
11	7 050	7 052	-2,16	97,4	-	0,00
12	7 482	7 485	-2,73	97,4	-	0,00
13	6 605	6 607	-1,55	97,4	-	0,00
14	5 971	5 974	-0,60	97,4	-	0,00
15	5 615	5 618	-0,02	97,4	-	0,00
16	5 416	5 419	0,31	97,4	-	0,00
17	5 151	5 154	0,78	97,4	-	0,00
18	4 240	4 244	2,58	97,4	-	0,00
19	3 734	3 738	3,75	97,4	-	0,00
2	10 086	10 087	-5,60	97,4	-	0,00
20	4 289	4 293	2,48	97,4	-	0,00
21	3 569	3 573	4,16	97,4	-	0,00
22	3 819	3 823	3,54	97,4	-	0,00
23	3 395	3 400	4,62	97,4	-	0,00
24	2 998	3 003	5,74	97,4	-	0,00
25	3 804	3 808	3,58	97,4	-	0,00
26	3 561	3 565	4,18	97,4	-	0,00
27	3 072	3 077	5,52	97,4	-	0,00
28	3 214	3 219	5,11	97,4	-	0,00
29	3 063	3 068	5,55	97,4	-	0,00
3	9 379	9 381	-4,89	97,4	-	0,00
30	2 666	2 671	6,80	97,4	-	0,00
31	2 495	2 501	7,40	97,4	-	0,00
32	2 657	2 663	6,83	97,4	-	0,00
33	2 078	2 086	9,03	97,4	-	0,00
34	1 653	1 661	11,07	97,4	-	0,00
35	2 145	2 152	8,75	97,4	-	0,00
36	1 875	1 883	9,95	97,4	-	0,00
37	1 966	1 973	9,53	97,4	-	0,00
38	2 039	2 048	9,20	97,4	-	0,00
39	2 650	2 657	6,85	97,4	-	0,00
4	9 397	9 399	-4,91	97,4	-	0,00
40	2 593	2 599	7,05	97,4	-	0,00
41	2 557	2 563	7,18	97,4	-	0,00
5	8 865	8 866	-4,35	97,4	-	0,00
6	9 581	9 583	-5,10	97,4	-	0,00
7	10 060	10 062	-5,57	97,4	-	0,00
8	8 202	8 204	-3,60	97,4	-	0,00
9	7 693	7 695	-2,99	97,4	-	0,00
Sum			21,07			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Kalnmajas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 489	10 490	-5,98	97,4	-	0,00
10	8 793	8 794	-4,27	97,4	-	0,00
11	7 130	7 132	-2,27	97,4	-	0,00
12	7 596	7 599	-2,87	97,4	-	0,00
13	6 702	6 704	-1,68	97,4	-	0,00
14	6 041	6 043	-0,71	97,4	-	0,00
15	5 715	5 718	-0,19	97,4	-	0,00
16	5 541	5 544	0,10	97,4	-	0,00
17	5 307	5 310	0,50	97,4	-	0,00
18	4 268	4 271	2,52	97,4	-	0,00
19	3 765	3 769	3,67	97,4	-	0,00
2	9 908	9 910	-5,42	97,4	-	0,00
20	4 416	4 420	2,21	97,4	-	0,00
21	3 650	3 654	3,96	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 964	3 968	3,20	97,4	-	0,00
23	3 571	3 575	4,16	97,4	-	0,00
24	3 105	3 110	5,43	97,4	-	0,00
25	3 734	3 739	3,75	97,4	-	0,00
26	3 418	3 423	4,55	97,4	-	0,00
27	3 078	3 083	5,50	97,4	-	0,00
28	3 138	3 142	5,33	97,4	-	0,00
29	2 911	2 916	6,01	97,4	-	0,00
3	9 215	9 216	-4,72	97,4	-	0,00
30	2 588	2 594	7,07	97,4	-	0,00
31	2 509	2 516	7,35	97,4	-	0,00
32	2 472	2 478	7,48	97,4	-	0,00
33	1 851	1 859	10,06	97,4	-	0,00
34	1 501	1 511	11,91	97,4	-	0,00
35	2 047	2 055	9,17	97,4	-	0,00
36	1 876	1 884	9,94	97,4	-	0,00
37	2 105	2 112	8,92	97,4	-	0,00
38	2 290	2 297	8,17	97,4	-	0,00
39	2 795	2 801	6,38	97,4	-	0,00
4	9 257	9 259	-4,77	97,4	-	0,00
40	2 890	2 895	6,08	97,4	-	0,00
41	2 893	2 898	6,07	97,4	-	0,00
5	8 716	8 718	-4,19	97,4	-	0,00
6	9 464	9 466	-4,98	97,4	-	0,00
7	9 949	9 950	-5,46	97,4	-	0,00
8	8 194	8 195	-3,59	97,4	-	0,00
9	7 700	7 702	-3,00	97,4	-	0,00
Sum			21,09			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Kalnmajas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 489	10 490	-5,98	97,4	-	0,00
10	8 793	8 794	-4,27	97,4	-	0,00
11	7 130	7 132	-2,27	97,4	-	0,00
12	7 596	7 599	-2,87	97,4	-	0,00
13	6 702	6 704	-1,68	97,4	-	0,00
14	6 041	6 043	-0,71	97,4	-	0,00
15	5 715	5 718	-0,19	97,4	-	0,00
16	5 541	5 544	0,10	97,4	-	0,00
17	5 307	5 310	0,50	97,4	-	0,00
18	4 268	4 271	2,52	97,4	-	0,00
19	3 765	3 769	3,67	97,4	-	0,00
2	9 908	9 910	-5,42	97,4	-	0,00
20	4 416	4 420	2,21	97,4	-	0,00
21	3 650	3 654	3,96	97,4	-	0,00
22	3 964	3 968	3,20	97,4	-	0,00
23	3 571	3 575	4,16	97,4	-	0,00
24	3 105	3 110	5,43	97,4	-	0,00
25	3 734	3 739	3,75	97,4	-	0,00
26	3 418	3 423	4,55	97,4	-	0,00
27	3 078	3 083	5,50	97,4	-	0,00
28	3 138	3 142	5,33	97,4	-	0,00
29	2 911	2 916	6,01	97,4	-	0,00
3	9 215	9 216	-4,72	97,4	-	0,00
30	2 588	2 594	7,07	97,4	-	0,00
31	2 509	2 516	7,35	97,4	-	0,00
32	2 472	2 478	7,48	97,4	-	0,00
33	1 851	1 859	10,06	97,4	-	0,00
34	1 501	1 511	11,91	97,4	-	0,00
35	2 047	2 055	9,17	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	1 876	1 884	9,94	97,4	-	0,00
37	2 105	2 112	8,92	97,4	-	0,00
38	2 290	2 297	8,17	97,4	-	0,00
39	2 795	2 801	6,38	97,4	-	0,00
4	9 257	9 259	-4,77	97,4	-	0,00
40	2 890	2 895	6,08	97,4	-	0,00
41	2 893	2 898	6,07	97,4	-	0,00
5	8 716	8 718	-4,19	97,4	-	0,00
6	9 464	9 466	-4,98	97,4	-	0,00
7	9 949	9 950	-5,46	97,4	-	0,00
8	8 194	8 195	-3,59	97,4	-	0,00
9	7 700	7 702	-3,00	97,4	-	0,00
Sum			21,09			

- Data undefined due to calculation with octave data

Noise sensitive area: AC Senci

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 336	10 338	-5,83	97,4	-	0,00
10	7 977	7 978	-3,34	97,4	-	0,00
11	6 067	6 069	-0,75	97,4	-	0,00
12	6 436	6 438	-1,30	97,4	-	0,00
13	5 593	5 595	0,02	97,4	-	0,00
14	5 021	5 024	1,02	97,4	-	0,00
15	4 608	4 611	1,81	97,4	-	0,00
16	4 364	4 367	2,32	97,4	-	0,00
17	4 053	4 057	3,00	97,4	-	0,00
18	3 425	3 429	4,54	97,4	-	0,00
19	2 929	2 934	5,95	97,4	-	0,00
2	9 776	9 777	-5,29	97,4	-	0,00
20	3 249	3 254	5,02	97,4	-	0,00
21	2 646	2 652	6,87	97,4	-	0,00
22	2 753	2 759	6,51	97,4	-	0,00
23	2 288	2 294	8,18	97,4	-	0,00
24	2 041	2 048	9,19	97,4	-	0,00
25	3 284	3 289	4,92	97,4	-	0,00
26	3 292	3 296	4,90	97,4	-	0,00
27	2 379	2 385	7,83	97,4	-	0,00
28	2 757	2 763	6,50	97,4	-	0,00
29	2 869	2 874	6,14	97,4	-	0,00
3	9 031	9 033	-4,53	97,4	-	0,00
30	2 272	2 278	8,24	97,4	-	0,00
31	1 840	1 848	10,12	97,4	-	0,00
32	2 623	2 629	6,95	97,4	-	0,00
33	2 279	2 286	8,21	97,4	-	0,00
34	1 711	1 719	10,76	97,4	-	0,00
35	1 903	1 911	9,82	97,4	-	0,00
36	1 384	1 394	12,63	97,4	-	0,00
37	1 023	1 037	15,25	97,4	-	0,00
38	863	881	16,69	97,4	-	0,00
39	1 625	1 635	11,21	97,4	-	0,00
4	8 968	8 970	-4,46	97,4	-	0,00
40	1 437	1 447	12,30	97,4	-	0,00
41	1 517	1 527	11,82	97,4	-	0,00
5	8 468	8 469	-3,91	97,4	-	0,00
6	9 077	9 079	-4,58	97,4	-	0,00
7	9 535	9 537	-5,05	97,4	-	0,00
8	7 408	7 410	-2,63	97,4	-	0,00
9	6 866	6 868	-1,91	97,4	-	0,00
Sum			24,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AC Senci

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 336	10 338	-5,83	97,4	-	0,00
10	7 977	7 978	-3,34	97,4	-	0,00
11	6 067	6 069	-0,75	97,4	-	0,00
12	6 436	6 438	-1,30	97,4	-	0,00
13	5 593	5 595	0,02	97,4	-	0,00
14	5 021	5 024	1,02	97,4	-	0,00
15	4 608	4 611	1,81	97,4	-	0,00
16	4 364	4 367	2,32	97,4	-	0,00
17	4 053	4 057	3,00	97,4	-	0,00
18	3 425	3 429	4,54	97,4	-	0,00
19	2 929	2 934	5,95	97,4	-	0,00
2	9 776	9 777	-5,29	97,4	-	0,00
20	3 249	3 254	5,02	97,4	-	0,00
21	2 646	2 652	6,87	97,4	-	0,00
22	2 753	2 759	6,51	97,4	-	0,00
23	2 288	2 294	8,18	97,4	-	0,00
24	2 041	2 048	9,19	97,4	-	0,00
25	3 284	3 289	4,92	97,4	-	0,00
26	3 292	3 296	4,90	97,4	-	0,00
27	2 379	2 385	7,83	97,4	-	0,00
28	2 757	2 763	6,50	97,4	-	0,00
29	2 869	2 874	6,14	97,4	-	0,00
3	9 031	9 033	-4,53	97,4	-	0,00
30	2 272	2 278	8,24	97,4	-	0,00
31	1 840	1 848	10,12	97,4	-	0,00
32	2 623	2 629	6,95	97,4	-	0,00
33	2 279	2 286	8,21	97,4	-	0,00
34	1 711	1 719	10,76	97,4	-	0,00
35	1 903	1 911	9,82	97,4	-	0,00
36	1 384	1 394	12,63	97,4	-	0,00
37	1 023	1 037	15,25	97,4	-	0,00
38	863	881	16,69	97,4	-	0,00
39	1 625	1 635	11,21	97,4	-	0,00
4	8 968	8 970	-4,46	97,4	-	0,00
40	1 437	1 447	12,30	97,4	-	0,00
41	1 517	1 527	11,82	97,4	-	0,00
5	8 468	8 469	-3,91	97,4	-	0,00
6	9 077	9 079	-4,58	97,4	-	0,00
7	9 535	9 537	-5,05	97,4	-	0,00
8	7 408	7 410	-2,63	97,4	-	0,00
9	6 866	6 868	-1,91	97,4	-	0,00
Sum			24,18			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Somi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 200	11 202	-6,62	97,4	-	0,00
10	8 816	8 818	-4,30	97,4	-	0,00
11	6 839	6 841	-1,88	97,4	-	0,00
12	7 157	7 159	-2,31	97,4	-	0,00
13	6 347	6 350	-1,17	97,4	-	0,00
14	5 819	5 821	-0,36	97,4	-	0,00
15	5 374	5 376	0,39	97,4	-	0,00
16	5 096	5 099	0,88	97,4	-	0,00
17	4 738	4 741	1,56	97,4	-	0,00
18	4 282	4 285	2,49	97,4	-	0,00
19	3 792	3 795	3,61	97,4	-	0,00
2	10 637	10 638	-6,11	97,4	-	0,00
20	4 006	4 010	3,10	97,4	-	0,00
21	3 480	3 484	4,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 497	3 502	4,34	97,4	-	0,00
23	2 999	3 003	5,74	97,4	-	0,00
24	2 872	2 878	6,13	97,4	-	0,00
25	4 157	4 161	2,76	97,4	-	0,00
26	4 127	4 131	2,83	97,4	-	0,00
27	3 255	3 260	5,00	97,4	-	0,00
28	3 621	3 625	4,03	97,4	-	0,00
29	3 681	3 685	3,88	97,4	-	0,00
3	9 897	9 898	-5,41	97,4	-	0,00
30	3 120	3 125	5,38	97,4	-	0,00
31	2 715	2 721	6,64	97,4	-	0,00
32	3 383	3 387	4,65	97,4	-	0,00
33	2 938	2 943	5,93	97,4	-	0,00
34	2 402	2 407	7,74	97,4	-	0,00
35	2 707	2 712	6,67	97,4	-	0,00
36	2 229	2 236	8,41	97,4	-	0,00
37	1 888	1 896	9,89	97,4	-	0,00
38	1 513	1 523	11,84	97,4	-	0,00
39	2 435	2 441	7,62	97,4	-	0,00
4	9 842	9 843	-5,36	97,4	-	0,00
40	1 774	1 782	10,44	97,4	-	0,00
41	1 552	1 561	11,62	97,4	-	0,00
5	9 338	9 340	-4,85	97,4	-	0,00
6	9 953	9 955	-5,47	97,4	-	0,00
7	10 412	10 413	-5,90	97,4	-	0,00
8	8 255	8 257	-3,67	97,4	-	0,00
9	7 705	7 707	-3,01	97,4	-	0,00
Sum			21,14			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Somi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 200	11 202	-6,62	97,4	-	0,00
10	8 816	8 818	-4,30	97,4	-	0,00
11	6 839	6 841	-1,88	97,4	-	0,00
12	7 157	7 159	-2,31	97,4	-	0,00
13	6 347	6 350	-1,17	97,4	-	0,00
14	5 819	5 821	-0,36	97,4	-	0,00
15	5 374	5 376	0,39	97,4	-	0,00
16	5 096	5 099	0,88	97,4	-	0,00
17	4 738	4 741	1,56	97,4	-	0,00
18	4 282	4 285	2,49	97,4	-	0,00
19	3 792	3 795	3,61	97,4	-	0,00
2	10 637	10 638	-6,11	97,4	-	0,00
20	4 006	4 010	3,10	97,4	-	0,00
21	3 480	3 484	4,39	97,4	-	0,00
22	3 497	3 502	4,34	97,4	-	0,00
23	2 999	3 003	5,74	97,4	-	0,00
24	2 872	2 878	6,13	97,4	-	0,00
25	4 157	4 161	2,76	97,4	-	0,00
26	4 127	4 131	2,83	97,4	-	0,00
27	3 255	3 260	5,00	97,4	-	0,00
28	3 621	3 625	4,03	97,4	-	0,00
29	3 681	3 685	3,88	97,4	-	0,00
3	9 897	9 898	-5,41	97,4	-	0,00
30	3 120	3 125	5,38	97,4	-	0,00
31	2 715	2 721	6,64	97,4	-	0,00
32	3 383	3 387	4,65	97,4	-	0,00
33	2 938	2 943	5,93	97,4	-	0,00
34	2 402	2 407	7,74	97,4	-	0,00
35	2 707	2 712	6,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 229	2 236	8,41	97,4	-	0,00
37	1 888	1 896	9,89	97,4	-	0,00
38	1 513	1 523	11,84	97,4	-	0,00
39	2 435	2 441	7,62	97,4	-	0,00
4	9 842	9 843	-5,36	97,4	-	0,00
40	1 774	1 782	10,44	97,4	-	0,00
41	1 552	1 561	11,62	97,4	-	0,00
5	9 338	9 340	-4,85	97,4	-	0,00
6	9 953	9 955	-5,47	97,4	-	0,00
7	10 412	10 413	-5,90	97,4	-	0,00
8	8 255	8 257	-3,67	97,4	-	0,00
9	7 705	7 707	-3,01	97,4	-	0,00
Sum			21,14			

- Data undefined due to calculation with octave data

Noise sensitive area: AE Rasnaci 1

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 643	9 644	-5,16	97,4	-	0,00
10	8 922	8 924	-4,41	97,4	-	0,00
11	7 725	7 727	-3,03	97,4	-	0,00
12	8 338	8 340	-3,76	97,4	-	0,00
13	7 397	7 399	-2,62	97,4	-	0,00
14	6 631	6 634	-1,58	97,4	-	0,00
15	6 466	6 468	-1,35	97,4	-	0,00
16	6 419	6 422	-1,28	97,4	-	0,00
17	6 332	6 334	-1,15	97,4	-	0,00
18	4 789	4 792	1,46	97,4	-	0,00
19	4 362	4 366	2,32	97,4	-	0,00
2	9 054	9 056	-4,55	97,4	-	0,00
20	5 370	5 374	0,39	97,4	-	0,00
21	4 479	4 483	2,08	97,4	-	0,00
22	5 032	5 036	1,00	97,4	-	0,00
23	4 789	4 792	1,46	97,4	-	0,00
24	4 108	4 113	2,87	97,4	-	0,00
25	3 851	3 855	3,46	97,4	-	0,00
26	3 197	3 203	5,16	97,4	-	0,00
27	3 668	3 673	3,91	97,4	-	0,00
28	3 329	3 333	4,79	97,4	-	0,00
29	2 753	2 759	6,51	97,4	-	0,00
3	8 448	8 450	-3,89	97,4	-	0,00
30	2 911	2 917	6,01	97,4	-	0,00
31	3 254	3 260	5,00	97,4	-	0,00
32	2 262	2 270	8,27	97,4	-	0,00
33	1 701	1 712	10,80	97,4	-	0,00
34	1 982	1 990	9,46	97,4	-	0,00
35	2 467	2 474	7,50	97,4	-	0,00
36	2 761	2 767	6,49	97,4	-	0,00
37	3 387	3 392	4,64	97,4	-	0,00
38	3 883	3 888	3,39	97,4	-	0,00
39	3 985	3 989	3,15	97,4	-	0,00
4	8 625	8 627	-4,09	97,4	-	0,00
40	4 585	4 588	1,86	97,4	-	0,00
41	4 714	4 718	1,60	97,4	-	0,00
5	8 053	8 055	-3,43	97,4	-	0,00
6	8 956	8 958	-4,45	97,4	-	0,00
7	9 459	9 461	-4,97	97,4	-	0,00
8	8 304	8 306	-3,72	97,4	-	0,00
9	7 907	7 909	-3,25	97,4	-	0,00
Sum			19,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AE Rasnaci 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 643	9 644	-5,16	97,4	-	0,00
10	8 922	8 924	-4,41	97,4	-	0,00
11	7 725	7 727	-3,03	97,4	-	0,00
12	8 338	8 340	-3,76	97,4	-	0,00
13	7 397	7 399	-2,62	97,4	-	0,00
14	6 631	6 634	-1,58	97,4	-	0,00
15	6 466	6 468	-1,35	97,4	-	0,00
16	6 419	6 422	-1,28	97,4	-	0,00
17	6 332	6 334	-1,15	97,4	-	0,00
18	4 789	4 792	1,46	97,4	-	0,00
19	4 362	4 366	2,32	97,4	-	0,00
2	9 054	9 056	-4,55	97,4	-	0,00
20	5 370	5 374	0,39	97,4	-	0,00
21	4 479	4 483	2,08	97,4	-	0,00
22	5 032	5 036	1,00	97,4	-	0,00
23	4 789	4 792	1,46	97,4	-	0,00
24	4 108	4 113	2,87	97,4	-	0,00
25	3 851	3 855	3,46	97,4	-	0,00
26	3 197	3 203	5,16	97,4	-	0,00
27	3 668	3 673	3,91	97,4	-	0,00
28	3 329	3 333	4,79	97,4	-	0,00
29	2 753	2 759	6,51	97,4	-	0,00
3	8 448	8 450	-3,89	97,4	-	0,00
30	2 911	2 917	6,01	97,4	-	0,00
31	3 254	3 260	5,00	97,4	-	0,00
32	2 262	2 270	8,27	97,4	-	0,00
33	1 701	1 712	10,80	97,4	-	0,00
34	1 982	1 990	9,46	97,4	-	0,00
35	2 467	2 474	7,50	97,4	-	0,00
36	2 761	2 767	6,49	97,4	-	0,00
37	3 387	3 392	4,64	97,4	-	0,00
38	3 883	3 888	3,39	97,4	-	0,00
39	3 985	3 989	3,15	97,4	-	0,00
4	8 625	8 627	-4,09	97,4	-	0,00
40	4 585	4 588	1,86	97,4	-	0,00
41	4 714	4 718	1,60	97,4	-	0,00
5	8 053	8 055	-3,43	97,4	-	0,00
6	8 956	8 958	-4,45	97,4	-	0,00
7	9 459	9 461	-4,97	97,4	-	0,00
8	8 304	8 306	-3,72	97,4	-	0,00
9	7 907	7 909	-3,25	97,4	-	0,00
Sum			19,50			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Paegles

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 854	9 856	-5,37	97,4	-	0,00
10	9 105	9 107	-4,61	97,4	-	0,00
11	7 875	7 877	-3,22	97,4	-	0,00
12	8 478	8 480	-3,92	97,4	-	0,00
13	7 538	7 540	-2,80	97,4	-	0,00
14	6 779	6 781	-1,79	97,4	-	0,00
15	6 600	6 602	-1,54	97,4	-	0,00
16	6 542	6 544	-1,46	97,4	-	0,00
17	6 440	6 443	-1,31	97,4	-	0,00
18	4 934	4 938	1,18	97,4	-	0,00
19	4 498	4 502	2,04	97,4	-	0,00
2	9 266	9 267	-4,78	97,4	-	0,00
20	5 482	5 485	0,20	97,4	-	0,00
21	4 596	4 599	1,84	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 130	5 134	0,82	97,4	-	0,00
23	4 869	4 872	1,30	97,4	-	0,00
24	4 206	4 210	2,66	97,4	-	0,00
25	4 018	4 023	3,07	97,4	-	0,00
26	3 380	3 385	4,65	97,4	-	0,00
27	3 798	3 802	3,59	97,4	-	0,00
28	3 486	3 490	4,37	97,4	-	0,00
29	2 926	2 932	5,96	97,4	-	0,00
3	8 659	8 661	-4,12	97,4	-	0,00
30	3 052	3 057	5,58	97,4	-	0,00
31	3 365	3 370	4,70	97,4	-	0,00
32	2 430	2 437	7,63	97,4	-	0,00
33	1 844	1 854	10,09	97,4	-	0,00
34	2 078	2 086	9,03	97,4	-	0,00
35	2 589	2 595	7,07	97,4	-	0,00
36	2 848	2 854	6,21	97,4	-	0,00
37	3 446	3 450	4,48	97,4	-	0,00
38	3 908	3 913	3,33	97,4	-	0,00
39	4 061	4 065	2,98	97,4	-	0,00
4	8 835	8 837	-4,32	97,4	-	0,00
40	4 599	4 602	1,83	97,4	-	0,00
41	4 703	4 707	1,62	97,4	-	0,00
5	8 263	8 265	-3,67	97,4	-	0,00
6	9 163	9 165	-4,67	97,4	-	0,00
7	9 666	9 668	-5,18	97,4	-	0,00
8	8 487	8 489	-3,93	97,4	-	0,00
9	8 084	8 086	-3,47	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Paegles

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 854	9 856	-5,37	97,4	-	0,00
10	9 105	9 107	-4,61	97,4	-	0,00
11	7 875	7 877	-3,22	97,4	-	0,00
12	8 478	8 480	-3,92	97,4	-	0,00
13	7 538	7 540	-2,80	97,4	-	0,00
14	6 779	6 781	-1,79	97,4	-	0,00
15	6 600	6 602	-1,54	97,4	-	0,00
16	6 542	6 544	-1,46	97,4	-	0,00
17	6 440	6 443	-1,31	97,4	-	0,00
18	4 934	4 938	1,18	97,4	-	0,00
19	4 498	4 502	2,04	97,4	-	0,00
2	9 266	9 267	-4,78	97,4	-	0,00
20	5 482	5 485	0,20	97,4	-	0,00
21	4 596	4 599	1,84	97,4	-	0,00
22	5 130	5 134	0,82	97,4	-	0,00
23	4 869	4 872	1,30	97,4	-	0,00
24	4 206	4 210	2,66	97,4	-	0,00
25	4 018	4 023	3,07	97,4	-	0,00
26	3 380	3 385	4,65	97,4	-	0,00
27	3 798	3 802	3,59	97,4	-	0,00
28	3 486	3 490	4,37	97,4	-	0,00
29	2 926	2 932	5,96	97,4	-	0,00
3	8 659	8 661	-4,12	97,4	-	0,00
30	3 052	3 057	5,58	97,4	-	0,00
31	3 365	3 370	4,70	97,4	-	0,00
32	2 430	2 437	7,63	97,4	-	0,00
33	1 844	1 854	10,09	97,4	-	0,00
34	2 078	2 086	9,03	97,4	-	0,00
35	2 589	2 595	7,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 848	2 854	6,21	97,4	-	0,00
37	3 446	3 450	4,48	97,4	-	0,00
38	3 908	3 913	3,33	97,4	-	0,00
39	4 061	4 065	2,98	97,4	-	0,00
4	8 835	8 837	-4,32	97,4	-	0,00
40	4 599	4 602	1,83	97,4	-	0,00
41	4 703	4 707	1,62	97,4	-	0,00
5	8 263	8 265	-3,67	97,4	-	0,00
6	9 163	9 165	-4,67	97,4	-	0,00
7	9 666	9 668	-5,18	97,4	-	0,00
8	8 487	8 489	-3,93	97,4	-	0,00
9	8 084	8 086	-3,47	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: AG Norinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 766	10 768	-6,23	97,4	-	0,00
10	8 805	8 806	-4,28	97,4	-	0,00
11	7 017	7 019	-2,12	97,4	-	0,00
12	7 431	7 433	-2,66	97,4	-	0,00
13	6 563	6 565	-1,49	97,4	-	0,00
14	5 946	5 949	-0,56	97,4	-	0,00
15	5 574	5 576	0,05	97,4	-	0,00
16	5 360	5 363	0,41	97,4	-	0,00
17	5 079	5 082	0,91	97,4	-	0,00
18	4 243	4 246	2,58	97,4	-	0,00
19	3 736	3 740	3,74	97,4	-	0,00
2	10 191	10 193	-5,70	97,4	-	0,00
20	4 235	4 239	2,59	97,4	-	0,00
21	3 544	3 548	4,23	97,4	-	0,00
22	3 755	3 759	3,69	97,4	-	0,00
23	3 316	3 320	4,83	97,4	-	0,00
24	2 961	2 966	5,86	97,4	-	0,00
25	3 861	3 865	3,44	97,4	-	0,00
26	3 656	3 660	3,94	97,4	-	0,00
27	3 091	3 096	5,47	97,4	-	0,00
28	3 277	3 281	4,94	97,4	-	0,00
29	3 165	3 170	5,25	97,4	-	0,00
3	9 478	9 480	-4,99	97,4	-	0,00
30	2 733	2 738	6,58	97,4	-	0,00
31	2 514	2 521	7,33	97,4	-	0,00
32	2 778	2 783	6,43	97,4	-	0,00
33	2 222	2 229	8,44	97,4	-	0,00
34	1 767	1 775	10,48	97,4	-	0,00
35	2 227	2 233	8,42	97,4	-	0,00
36	1 909	1 916	9,79	97,4	-	0,00
37	1 919	1 927	9,74	97,4	-	0,00
38	1 921	1 930	9,73	97,4	-	0,00
39	2 594	2 600	7,05	97,4	-	0,00
4	9 484	9 485	-5,00	97,4	-	0,00
40	2 441	2 447	7,60	97,4	-	0,00
41	2 378	2 385	7,83	97,4	-	0,00
5	8 955	8 957	-4,45	97,4	-	0,00
6	9 655	9 656	-5,17	97,4	-	0,00
7	10 131	10 132	-5,64	97,4	-	0,00
8	8 218	8 220	-3,62	97,4	-	0,00
9	7 701	7 703	-3,00	97,4	-	0,00
Sum			21,03			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AG Norinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 766	10 768	-6,23	97,4	-	0,00
10	8 805	8 806	-4,28	97,4	-	0,00
11	7 017	7 019	-2,12	97,4	-	0,00
12	7 431	7 433	-2,66	97,4	-	0,00
13	6 563	6 565	-1,49	97,4	-	0,00
14	5 946	5 949	-0,56	97,4	-	0,00
15	5 574	5 576	0,05	97,4	-	0,00
16	5 360	5 363	0,41	97,4	-	0,00
17	5 079	5 082	0,91	97,4	-	0,00
18	4 243	4 246	2,58	97,4	-	0,00
19	3 736	3 740	3,74	97,4	-	0,00
2	10 191	10 193	-5,70	97,4	-	0,00
20	4 235	4 239	2,59	97,4	-	0,00
21	3 544	3 548	4,23	97,4	-	0,00
22	3 755	3 759	3,69	97,4	-	0,00
23	3 316	3 320	4,83	97,4	-	0,00
24	2 961	2 966	5,86	97,4	-	0,00
25	3 861	3 865	3,44	97,4	-	0,00
26	3 656	3 660	3,94	97,4	-	0,00
27	3 091	3 096	5,47	97,4	-	0,00
28	3 277	3 281	4,94	97,4	-	0,00
29	3 165	3 170	5,25	97,4	-	0,00
3	9 478	9 480	-4,99	97,4	-	0,00
30	2 733	2 738	6,58	97,4	-	0,00
31	2 514	2 521	7,33	97,4	-	0,00
32	2 778	2 783	6,43	97,4	-	0,00
33	2 222	2 229	8,44	97,4	-	0,00
34	1 767	1 775	10,48	97,4	-	0,00
35	2 227	2 233	8,42	97,4	-	0,00
36	1 909	1 916	9,79	97,4	-	0,00
37	1 919	1 927	9,74	97,4	-	0,00
38	1 921	1 930	9,73	97,4	-	0,00
39	2 594	2 600	7,05	97,4	-	0,00
4	9 484	9 485	-5,00	97,4	-	0,00
40	2 441	2 447	7,60	97,4	-	0,00
41	2 378	2 385	7,83	97,4	-	0,00
5	8 955	8 957	-4,45	97,4	-	0,00
6	9 655	9 656	-5,17	97,4	-	0,00
7	10 131	10 132	-5,64	97,4	-	0,00
8	8 218	8 220	-3,62	97,4	-	0,00
9	7 701	7 703	-3,00	97,4	-	0,00
Sum			21,03			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Eglites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 584	9 585	-5,10	97,4	-	0,00
10	8 625	8 627	-4,09	97,4	-	0,00
11	7 340	7 342	-2,55	97,4	-	0,00
12	7 933	7 935	-3,29	97,4	-	0,00
13	6 995	6 997	-2,09	97,4	-	0,00
14	6 241	6 244	-1,01	97,4	-	0,00
15	6 052	6 054	-0,72	97,4	-	0,00
16	5 988	5 991	-0,62	97,4	-	0,00
17	5 884	5 887	-0,46	97,4	-	0,00
18	4 395	4 399	2,25	97,4	-	0,00
19	3 952	3 956	3,23	97,4	-	0,00
2	8 996	8 997	-4,49	97,4	-	0,00
20	4 926	4 929	1,20	97,4	-	0,00
21	4 041	4 045	3,02	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 574	4 578	1,88	97,4	-	0,00
23	4 318	4 321	2,41	97,4	-	0,00
24	3 650	3 654	3,96	97,4	-	0,00
25	3 511	3 516	4,31	97,4	-	0,00
26	2 911	2 917	6,01	97,4	-	0,00
27	3 249	3 254	5,01	97,4	-	0,00
28	2 963	2 968	5,85	97,4	-	0,00
29	2 437	2 443	7,61	97,4	-	0,00
3	8 362	8 364	-3,79	97,4	-	0,00
30	2 511	2 518	7,34	97,4	-	0,00
31	2 809	2 815	6,33	97,4	-	0,00
32	1 933	1 941	9,68	97,4	-	0,00
33	1 313	1 325	13,08	97,4	-	0,00
34	1 522	1 532	11,79	97,4	-	0,00
35	2 037	2 045	9,21	97,4	-	0,00
36	2 294	2 301	8,15	97,4	-	0,00
37	2 906	2 911	6,03	97,4	-	0,00
38	3 400	3 405	4,60	97,4	-	0,00
39	3 511	3 516	4,31	97,4	-	0,00
4	8 503	8 505	-3,95	97,4	-	0,00
40	4 104	4 108	2,88	97,4	-	0,00
41	4 244	4 247	2,57	97,4	-	0,00
5	7 937	7 939	-3,29	97,4	-	0,00
6	8 803	8 805	-4,28	97,4	-	0,00
7	9 304	9 305	-4,81	97,4	-	0,00
8	8 008	8 010	-3,38	97,4	-	0,00
9	7 590	7 592	-2,86	97,4	-	0,00
Sum			20,94			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Eglites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 584	9 585	-5,10	97,4	-	0,00
10	8 625	8 627	-4,09	97,4	-	0,00
11	7 340	7 342	-2,55	97,4	-	0,00
12	7 933	7 935	-3,29	97,4	-	0,00
13	6 995	6 997	-2,09	97,4	-	0,00
14	6 241	6 244	-1,01	97,4	-	0,00
15	6 052	6 054	-0,72	97,4	-	0,00
16	5 988	5 991	-0,62	97,4	-	0,00
17	5 884	5 887	-0,46	97,4	-	0,00
18	4 395	4 399	2,25	97,4	-	0,00
19	3 952	3 956	3,23	97,4	-	0,00
2	8 996	8 997	-4,49	97,4	-	0,00
20	4 926	4 929	1,20	97,4	-	0,00
21	4 041	4 045	3,02	97,4	-	0,00
22	4 574	4 578	1,88	97,4	-	0,00
23	4 318	4 321	2,41	97,4	-	0,00
24	3 650	3 654	3,96	97,4	-	0,00
25	3 511	3 516	4,31	97,4	-	0,00
26	2 911	2 917	6,01	97,4	-	0,00
27	3 249	3 254	5,01	97,4	-	0,00
28	2 963	2 968	5,85	97,4	-	0,00
29	2 437	2 443	7,61	97,4	-	0,00
3	8 362	8 364	-3,79	97,4	-	0,00
30	2 511	2 518	7,34	97,4	-	0,00
31	2 809	2 815	6,33	97,4	-	0,00
32	1 933	1 941	9,68	97,4	-	0,00
33	1 313	1 325	13,08	97,4	-	0,00
34	1 522	1 532	11,79	97,4	-	0,00
35	2 037	2 045	9,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 294	2 301	8,15	97,4	-	0,00
37	2 906	2 911	6,03	97,4	-	0,00
38	3 400	3 405	4,60	97,4	-	0,00
39	3 511	3 516	4,31	97,4	-	0,00
4	8 503	8 505	-3,95	97,4	-	0,00
40	4 104	4 108	2,88	97,4	-	0,00
41	4 244	4 247	2,57	97,4	-	0,00
5	7 937	7 939	-3,29	97,4	-	0,00
6	8 803	8 805	-4,28	97,4	-	0,00
7	9 304	9 305	-4,81	97,4	-	0,00
8	8 008	8 010	-3,38	97,4	-	0,00
9	7 590	7 592	-2,86	97,4	-	0,00
Sum			20,94			

- Data undefined due to calculation with octave data

Noise sensitive area: AI Egli š u majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 793	8 795	-4,27	97,4	-	0,00
10	7 962	7 963	-3,32	97,4	-	0,00
11	6 819	6 821	-1,85	97,4	-	0,00
12	7 457	7 459	-2,70	97,4	-	0,00
13	6 513	6 515	-1,41	97,4	-	0,00
14	5 733	5 736	-0,22	97,4	-	0,00
15	5 605	5 608	-0,01	97,4	-	0,00
16	5 593	5 596	0,01	97,4	-	0,00
17	5 553	5 556	0,08	97,4	-	0,00
18	3 905	3 909	3,34	97,4	-	0,00
19	3 507	3 512	4,32	97,4	-	0,00
2	8 205	8 207	-3,61	97,4	-	0,00
20	4 589	4 593	1,85	97,4	-	0,00
21	3 686	3 690	3,86	97,4	-	0,00
22	4 302	4 305	2,45	97,4	-	0,00
23	4 128	4 132	2,83	97,4	-	0,00
24	3 394	3 399	4,62	97,4	-	0,00
25	2 915	2 921	6,00	97,4	-	0,00
26	2 238	2 245	8,37	97,4	-	0,00
27	2 841	2 847	6,23	97,4	-	0,00
28	2 422	2 428	7,67	97,4	-	0,00
29	1 810	1 819	10,26	97,4	-	0,00
3	7 573	7 575	-2,84	97,4	-	0,00
30	2 061	2 069	9,11	97,4	-	0,00
31	2 508	2 514	7,35	97,4	-	0,00
32	1 337	1 349	12,92	97,4	-	0,00
33	902	920	16,31	97,4	-	0,00
34	1 373	1 384	12,69	97,4	-	0,00
35	1 704	1 713	10,79	97,4	-	0,00
36	2 131	2 138	8,81	97,4	-	0,00
37	2 849	2 855	6,20	97,4	-	0,00
38	3 471	3 476	4,41	97,4	-	0,00
39	3 354	3 358	4,73	97,4	-	0,00
4	7 721	7 723	-3,03	97,4	-	0,00
40	4 202	4 206	2,66	97,4	-	0,00
41	4 438	4 442	2,16	97,4	-	0,00
5	7 153	7 155	-2,30	97,4	-	0,00
6	8 031	8 033	-3,40	97,4	-	0,00
7	8 532	8 534	-3,98	97,4	-	0,00
8	7 343	7 345	-2,55	97,4	-	0,00
9	6 952	6 954	-2,03	97,4	-	0,00
Sum			22,68			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AI Egli š u majas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 793	8 795	-4,27	97,4	-	0,00
10	7 962	7 963	-3,32	97,4	-	0,00
11	6 819	6 821	-1,85	97,4	-	0,00
12	7 457	7 459	-2,70	97,4	-	0,00
13	6 513	6 515	-1,41	97,4	-	0,00
14	5 733	5 736	-0,22	97,4	-	0,00
15	5 605	5 608	-0,01	97,4	-	0,00
16	5 593	5 596	0,01	97,4	-	0,00
17	5 553	5 556	0,08	97,4	-	0,00
18	3 905	3 909	3,34	97,4	-	0,00
19	3 507	3 512	4,32	97,4	-	0,00
2	8 205	8 207	-3,61	97,4	-	0,00
20	4 589	4 593	1,85	97,4	-	0,00
21	3 686	3 690	3,86	97,4	-	0,00
22	4 302	4 305	2,45	97,4	-	0,00
23	4 128	4 132	2,83	97,4	-	0,00
24	3 394	3 399	4,62	97,4	-	0,00
25	2 915	2 921	6,00	97,4	-	0,00
26	2 238	2 245	8,37	97,4	-	0,00
27	2 841	2 847	6,23	97,4	-	0,00
28	2 422	2 428	7,67	97,4	-	0,00
29	1 810	1 819	10,26	97,4	-	0,00
3	7 573	7 575	-2,84	97,4	-	0,00
30	2 061	2 069	9,11	97,4	-	0,00
31	2 508	2 514	7,35	97,4	-	0,00
32	1 337	1 349	12,92	97,4	-	0,00
33	902	920	16,31	97,4	-	0,00
34	1 373	1 384	12,69	97,4	-	0,00
35	1 704	1 713	10,79	97,4	-	0,00
36	2 131	2 138	8,81	97,4	-	0,00
37	2 849	2 855	6,20	97,4	-	0,00
38	3 471	3 476	4,41	97,4	-	0,00
39	3 354	3 358	4,73	97,4	-	0,00
4	7 721	7 723	-3,03	97,4	-	0,00
40	4 202	4 206	2,66	97,4	-	0,00
41	4 438	4 442	2,16	97,4	-	0,00
5	7 153	7 155	-2,30	97,4	-	0,00
6	8 031	8 033	-3,40	97,4	-	0,00
7	8 532	8 534	-3,98	97,4	-	0,00
8	7 343	7 345	-2,55	97,4	-	0,00
9	6 952	6 954	-2,03	97,4	-	0,00
Sum			22,68			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Dalijas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 175	10 177	-5,68	97,4	-	0,00
10	9 419	9 420	-4,93	97,4	-	0,00
11	8 156	8 158	-3,55	97,4	-	0,00
12	8 746	8 748	-4,22	97,4	-	0,00
13	7 809	7 811	-3,14	97,4	-	0,00
14	7 057	7 060	-2,17	97,4	-	0,00
15	6 863	6 865	-1,91	97,4	-	0,00
16	6 791	6 794	-1,81	97,4	-	0,00
17	6 672	6 674	-1,64	97,4	-	0,00
18	5 211	5 214	0,67	97,4	-	0,00
19	4 765	4 769	1,50	97,4	-	0,00
2	9 587	9 588	-5,10	97,4	-	0,00
20	5 718	5 721	-0,19	97,4	-	0,00
21	4 841	4 844	1,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 351	5 354	0,43	97,4	-	0,00
23	5 067	5 070	0,93	97,4	-	0,00
24	4 427	4 431	2,18	97,4	-	0,00
25	4 319	4 323	2,41	97,4	-	0,00
26	3 695	3 699	3,84	97,4	-	0,00
27	4 060	4 064	2,98	97,4	-	0,00
28	3 777	3 781	3,64	97,4	-	0,00
29	3 234	3 239	5,06	97,4	-	0,00
3	8 984	8 985	-4,48	97,4	-	0,00
30	3 327	3 332	4,80	97,4	-	0,00
31	3 606	3 610	4,07	97,4	-	0,00
32	2 734	2 740	6,57	97,4	-	0,00
33	2 128	2 136	8,82	97,4	-	0,00
34	2 311	2 318	8,09	97,4	-	0,00
35	2 846	2 852	6,21	97,4	-	0,00
36	3 064	3 069	5,55	97,4	-	0,00
37	3 621	3 625	4,03	97,4	-	0,00
38	4 036	4 040	3,03	97,4	-	0,00
39	4 257	4 261	2,54	97,4	-	0,00
4	9 162	9 164	-4,67	97,4	-	0,00
40	4 707	4 710	1,62	97,4	-	0,00
41	4 774	4 778	1,49	97,4	-	0,00
5	8 590	8 592	-4,05	97,4	-	0,00
6	9 492	9 494	-5,01	97,4	-	0,00
7	9 995	9 997	-5,51	97,4	-	0,00
8	8 801	8 803	-4,28	97,4	-	0,00
9	8 392	8 394	-3,82	97,4	-	0,00
Sum			18,39			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Dalijas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 175	10 177	-5,68	97,4	-	0,00
10	9 419	9 420	-4,93	97,4	-	0,00
11	8 156	8 158	-3,55	97,4	-	0,00
12	8 746	8 748	-4,22	97,4	-	0,00
13	7 809	7 811	-3,14	97,4	-	0,00
14	7 057	7 060	-2,17	97,4	-	0,00
15	6 863	6 865	-1,91	97,4	-	0,00
16	6 791	6 794	-1,81	97,4	-	0,00
17	6 672	6 674	-1,64	97,4	-	0,00
18	5 211	5 214	0,67	97,4	-	0,00
19	4 765	4 769	1,50	97,4	-	0,00
2	9 587	9 588	-5,10	97,4	-	0,00
20	5 718	5 721	-0,19	97,4	-	0,00
21	4 841	4 844	1,36	97,4	-	0,00
22	5 351	5 354	0,43	97,4	-	0,00
23	5 067	5 070	0,93	97,4	-	0,00
24	4 427	4 431	2,18	97,4	-	0,00
25	4 319	4 323	2,41	97,4	-	0,00
26	3 695	3 699	3,84	97,4	-	0,00
27	4 060	4 064	2,98	97,4	-	0,00
28	3 777	3 781	3,64	97,4	-	0,00
29	3 234	3 239	5,06	97,4	-	0,00
3	8 984	8 985	-4,48	97,4	-	0,00
30	3 327	3 332	4,80	97,4	-	0,00
31	3 606	3 610	4,07	97,4	-	0,00
32	2 734	2 740	6,57	97,4	-	0,00
33	2 128	2 136	8,82	97,4	-	0,00
34	2 311	2 318	8,09	97,4	-	0,00
35	2 846	2 852	6,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 064	3 069	5,55	97,4	-	0,00
37	3 621	3 625	4,03	97,4	-	0,00
38	4 036	4 040	3,03	97,4	-	0,00
39	4 257	4 261	2,54	97,4	-	0,00
4	9 162	9 164	-4,67	97,4	-	0,00
40	4 707	4 710	1,62	97,4	-	0,00
41	4 774	4 778	1,49	97,4	-	0,00
5	8 590	8 592	-4,05	97,4	-	0,00
6	9 492	9 494	-5,01	97,4	-	0,00
7	9 995	9 997	-5,51	97,4	-	0,00
8	8 801	8 803	-4,28	97,4	-	0,00
9	8 392	8 394	-3,82	97,4	-	0,00
Sum			18,39			

- Data undefined due to calculation with octave data

Noise sensitive area: AK Ozoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 610	10 612	-6,09	97,4	-	0,00
10	8 864	8 866	-4,35	97,4	-	0,00
11	7 172	7 174	-2,33	97,4	-	0,00
12	7 626	7 628	-2,91	97,4	-	0,00
13	6 738	6 740	-1,73	97,4	-	0,00
14	6 086	6 089	-0,78	97,4	-	0,00
15	5 749	5 752	-0,24	97,4	-	0,00
16	5 565	5 568	0,06	97,4	-	0,00
17	5 318	5 322	0,48	97,4	-	0,00
18	4 327	4 331	2,39	97,4	-	0,00
19	3 823	3 827	3,53	97,4	-	0,00
2	10 030	10 032	-5,54	97,4	-	0,00
20	4 439	4 442	2,16	97,4	-	0,00
21	3 689	3 693	3,86	97,4	-	0,00
22	3 979	3 983	3,16	97,4	-	0,00
23	3 572	3 577	4,15	97,4	-	0,00
24	3 134	3 139	5,34	97,4	-	0,00
25	3 825	3 830	3,53	97,4	-	0,00
26	3 530	3 534	4,26	97,4	-	0,00
27	3 144	3 149	5,31	97,4	-	0,00
28	3 230	3 235	5,07	97,4	-	0,00
29	3 024	3 029	5,66	97,4	-	0,00
3	9 334	9 335	-4,85	97,4	-	0,00
30	2 680	2 686	6,76	97,4	-	0,00
31	2 571	2 577	7,13	97,4	-	0,00
32	2 593	2 599	7,05	97,4	-	0,00
33	1 981	1 989	9,46	97,4	-	0,00
34	1 611	1 620	11,29	97,4	-	0,00
35	2 144	2 151	8,76	97,4	-	0,00
36	1 940	1 948	9,64	97,4	-	0,00
37	2 119	2 126	8,86	97,4	-	0,00
38	2 256	2 263	8,30	97,4	-	0,00
39	2 809	2 815	6,33	97,4	-	0,00
4	9 370	9 371	-4,88	97,4	-	0,00
40	2 832	2 838	6,26	97,4	-	0,00
41	2 811	2 817	6,33	97,4	-	0,00
5	8 831	8 833	-4,31	97,4	-	0,00
6	9 571	9 573	-5,09	97,4	-	0,00
7	10 054	10 056	-5,56	97,4	-	0,00
8	8 267	8 269	-3,68	97,4	-	0,00
9	7 768	7 770	-3,09	97,4	-	0,00
Sum			20,85			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AK Ozoli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 610	10 612	-6,09	97,4	-	0,00
10	8 864	8 866	-4,35	97,4	-	0,00
11	7 172	7 174	-2,33	97,4	-	0,00
12	7 626	7 628	-2,91	97,4	-	0,00
13	6 738	6 740	-1,73	97,4	-	0,00
14	6 086	6 089	-0,78	97,4	-	0,00
15	5 749	5 752	-0,24	97,4	-	0,00
16	5 565	5 568	0,06	97,4	-	0,00
17	5 318	5 322	0,48	97,4	-	0,00
18	4 327	4 331	2,39	97,4	-	0,00
19	3 823	3 827	3,53	97,4	-	0,00
2	10 030	10 032	-5,54	97,4	-	0,00
20	4 439	4 442	2,16	97,4	-	0,00
21	3 689	3 693	3,86	97,4	-	0,00
22	3 979	3 983	3,16	97,4	-	0,00
23	3 572	3 577	4,15	97,4	-	0,00
24	3 134	3 139	5,34	97,4	-	0,00
25	3 825	3 830	3,53	97,4	-	0,00
26	3 530	3 534	4,26	97,4	-	0,00
27	3 144	3 149	5,31	97,4	-	0,00
28	3 230	3 235	5,07	97,4	-	0,00
29	3 024	3 029	5,66	97,4	-	0,00
3	9 334	9 335	-4,85	97,4	-	0,00
30	2 680	2 686	6,76	97,4	-	0,00
31	2 571	2 577	7,13	97,4	-	0,00
32	2 593	2 599	7,05	97,4	-	0,00
33	1 981	1 989	9,46	97,4	-	0,00
34	1 611	1 620	11,29	97,4	-	0,00
35	2 144	2 151	8,76	97,4	-	0,00
36	1 940	1 948	9,64	97,4	-	0,00
37	2 119	2 126	8,86	97,4	-	0,00
38	2 256	2 263	8,30	97,4	-	0,00
39	2 809	2 815	6,33	97,4	-	0,00
4	9 370	9 371	-4,88	97,4	-	0,00
40	2 832	2 838	6,26	97,4	-	0,00
41	2 811	2 817	6,33	97,4	-	0,00
5	8 831	8 833	-4,31	97,4	-	0,00
6	9 571	9 573	-5,09	97,4	-	0,00
7	10 054	10 056	-5,56	97,4	-	0,00
8	8 267	8 269	-3,68	97,4	-	0,00
9	7 768	7 770	-3,09	97,4	-	0,00
Sum			20,85			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Morkoni š ki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 137	9 139	-4,64	97,4	-	0,00
10	8 278	8 280	-3,69	97,4	-	0,00
11	7 082	7 084	-2,21	97,4	-	0,00
12	7 703	7 705	-3,00	97,4	-	0,00
13	6 760	6 762	-1,77	97,4	-	0,00
14	5 989	5 992	-0,63	97,4	-	0,00
15	5 837	5 839	-0,38	97,4	-	0,00
16	5 803	5 806	-0,33	97,4	-	0,00
17	5 736	5 739	-0,22	97,4	-	0,00
18	4 151	4 154	2,78	97,4	-	0,00
19	3 733	3 737	3,75	97,4	-	0,00
2	8 549	8 551	-4,00	97,4	-	0,00
20	4 773	4 776	1,49	97,4	-	0,00
21	3 875	3 879	3,41	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 458	4 461	2,12	97,4	-	0,00
23	4 248	4 251	2,56	97,4	-	0,00
24	3 539	3 543	4,24	97,4	-	0,00
25	3 201	3 206	5,15	97,4	-	0,00
26	2 552	2 558	7,19	97,4	-	0,00
27	3 048	3 053	5,59	97,4	-	0,00
28	2 683	2 688	6,75	97,4	-	0,00
29	2 103	2 111	8,93	97,4	-	0,00
3	7 920	7 921	-3,27	97,4	-	0,00
30	2 280	2 287	8,20	97,4	-	0,00
31	2 666	2 672	6,80	97,4	-	0,00
32	1 613	1 623	11,28	97,4	-	0,00
33	1 076	1 091	14,80	97,4	-	0,00
34	1 441	1 451	12,27	97,4	-	0,00
35	1 865	1 874	9,99	97,4	-	0,00
36	2 223	2 230	8,43	97,4	-	0,00
37	2 903	2 908	6,03	97,4	-	0,00
38	3 473	3 478	4,41	97,4	-	0,00
39	3 455	3 460	4,45	97,4	-	0,00
4	8 069	8 071	-3,45	97,4	-	0,00
40	4 197	4 200	2,68	97,4	-	0,00
41	4 391	4 395	2,26	97,4	-	0,00
5	7 501	7 503	-2,75	97,4	-	0,00
6	8 378	8 380	-3,81	97,4	-	0,00
7	8 880	8 881	-4,37	97,4	-	0,00
8	7 659	7 661	-2,95	97,4	-	0,00
9	7 259	7 261	-2,44	97,4	-	0,00
Sum			21,77			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Morkoni š ki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 137	9 139	-4,64	97,4	-	0,00
10	8 278	8 280	-3,69	97,4	-	0,00
11	7 082	7 084	-2,21	97,4	-	0,00
12	7 703	7 705	-3,00	97,4	-	0,00
13	6 760	6 762	-1,77	97,4	-	0,00
14	5 989	5 992	-0,63	97,4	-	0,00
15	5 837	5 839	-0,38	97,4	-	0,00
16	5 803	5 806	-0,33	97,4	-	0,00
17	5 736	5 739	-0,22	97,4	-	0,00
18	4 151	4 154	2,78	97,4	-	0,00
19	3 733	3 737	3,75	97,4	-	0,00
2	8 549	8 551	-4,00	97,4	-	0,00
20	4 773	4 776	1,49	97,4	-	0,00
21	3 875	3 879	3,41	97,4	-	0,00
22	4 458	4 461	2,12	97,4	-	0,00
23	4 248	4 251	2,56	97,4	-	0,00
24	3 539	3 543	4,24	97,4	-	0,00
25	3 201	3 206	5,15	97,4	-	0,00
26	2 552	2 558	7,19	97,4	-	0,00
27	3 048	3 053	5,59	97,4	-	0,00
28	2 683	2 688	6,75	97,4	-	0,00
29	2 103	2 111	8,93	97,4	-	0,00
3	7 920	7 921	-3,27	97,4	-	0,00
30	2 280	2 287	8,20	97,4	-	0,00
31	2 666	2 672	6,80	97,4	-	0,00
32	1 613	1 623	11,28	97,4	-	0,00
33	1 076	1 091	14,80	97,4	-	0,00
34	1 441	1 451	12,27	97,4	-	0,00
35	1 865	1 874	9,99	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 223	2 230	8,43	97,4	-	0,00
37	2 903	2 908	6,03	97,4	-	0,00
38	3 473	3 478	4,41	97,4	-	0,00
39	3 455	3 460	4,45	97,4	-	0,00
4	8 069	8 071	-3,45	97,4	-	0,00
40	4 197	4 200	2,68	97,4	-	0,00
41	4 391	4 395	2,26	97,4	-	0,00
5	7 501	7 503	-2,75	97,4	-	0,00
6	8 378	8 380	-3,81	97,4	-	0,00
7	8 880	8 881	-4,37	97,4	-	0,00
8	7 659	7 661	-2,95	97,4	-	0,00
9	7 259	7 261	-2,44	97,4	-	0,00
Sum			21,77			

- Data undefined due to calculation with octave data

Noise sensitive area: AM Egles

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 476	10 478	-5,96	97,4	-	0,00
10	9 900	9 902	-5,41	97,4	-	0,00
11	8 683	8 685	-4,15	97,4	-	0,00
12	9 281	9 283	-4,79	97,4	-	0,00
13	8 343	8 345	-3,77	97,4	-	0,00
14	7 586	7 588	-2,86	97,4	-	0,00
15	7 400	7 402	-2,62	97,4	-	0,00
16	7 333	7 335	-2,54	97,4	-	0,00
17	7 216	7 219	-2,38	97,4	-	0,00
18	5 741	5 744	-0,23	97,4	-	0,00
19	5 300	5 303	0,52	97,4	-	0,00
2	9 889	9 890	-5,40	97,4	-	0,00
20	6 262	6 265	-1,04	97,4	-	0,00
21	5 384	5 386	0,37	97,4	-	0,00
22	5 895	5 898	-0,48	97,4	-	0,00
23	5 610	5 613	-0,01	97,4	-	0,00
24	4 972	4 975	1,11	97,4	-	0,00
25	4 825	4 829	1,39	97,4	-	0,00
26	4 175	4 179	2,72	97,4	-	0,00
27	4 597	4 601	1,84	97,4	-	0,00
28	4 295	4 298	2,46	97,4	-	0,00
29	3 730	3 734	3,76	97,4	-	0,00
3	9 311	9 312	-4,82	97,4	-	0,00
30	3 857	3 861	3,45	97,4	-	0,00
31	4 149	4 153	2,78	97,4	-	0,00
32	3 237	3 242	5,05	97,4	-	0,00
33	2 652	2 658	6,85	97,4	-	0,00
34	2 855	2 860	6,19	97,4	-	0,00
35	3 385	3 390	4,64	97,4	-	0,00
36	3 608	3 613	4,06	97,4	-	0,00
37	4 159	4 163	2,76	97,4	-	0,00
38	4 554	4 558	1,92	97,4	-	0,00
39	4 800	4 803	1,44	97,4	-	0,00
4	9 519	9 520	-5,03	97,4	-	0,00
40	5 212	5 215	0,67	97,4	-	0,00
41	5 254	5 257	0,60	97,4	-	0,00
5	8 943	8 945	-4,43	97,4	-	0,00
6	9 872	9 874	-5,39	97,4	-	0,00
7	10 376	10 378	-5,87	97,4	-	0,00
8	9 281	9 283	-4,79	97,4	-	0,00
9	8 885	8 887	-4,37	97,4	-	0,00
Sum			17,11			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AM Egles

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 476	10 478	-5,96	97,4	-	0,00
10	9 900	9 902	-5,41	97,4	-	0,00
11	8 683	8 685	-4,15	97,4	-	0,00
12	9 281	9 283	-4,79	97,4	-	0,00
13	8 343	8 345	-3,77	97,4	-	0,00
14	7 586	7 588	-2,86	97,4	-	0,00
15	7 400	7 402	-2,62	97,4	-	0,00
16	7 333	7 335	-2,54	97,4	-	0,00
17	7 216	7 219	-2,38	97,4	-	0,00
18	5 741	5 744	-0,23	97,4	-	0,00
19	5 300	5 303	0,52	97,4	-	0,00
2	9 889	9 890	-5,40	97,4	-	0,00
20	6 262	6 265	-1,04	97,4	-	0,00
21	5 384	5 386	0,37	97,4	-	0,00
22	5 895	5 898	-0,48	97,4	-	0,00
23	5 610	5 613	-0,01	97,4	-	0,00
24	4 972	4 975	1,11	97,4	-	0,00
25	4 825	4 829	1,39	97,4	-	0,00
26	4 175	4 179	2,72	97,4	-	0,00
27	4 597	4 601	1,84	97,4	-	0,00
28	4 295	4 298	2,46	97,4	-	0,00
29	3 730	3 734	3,76	97,4	-	0,00
3	9 311	9 312	-4,82	97,4	-	0,00
30	3 857	3 861	3,45	97,4	-	0,00
31	4 149	4 153	2,78	97,4	-	0,00
32	3 237	3 242	5,05	97,4	-	0,00
33	2 652	2 658	6,85	97,4	-	0,00
34	2 855	2 860	6,19	97,4	-	0,00
35	3 385	3 390	4,64	97,4	-	0,00
36	3 608	3 613	4,06	97,4	-	0,00
37	4 159	4 163	2,76	97,4	-	0,00
38	4 554	4 558	1,92	97,4	-	0,00
39	4 800	4 803	1,44	97,4	-	0,00
4	9 519	9 520	-5,03	97,4	-	0,00
40	5 212	5 215	0,67	97,4	-	0,00
41	5 254	5 257	0,60	97,4	-	0,00
5	8 943	8 945	-4,43	97,4	-	0,00
6	9 872	9 874	-5,39	97,4	-	0,00
7	10 376	10 378	-5,87	97,4	-	0,00
8	9 281	9 283	-4,79	97,4	-	0,00
9	8 885	8 887	-4,37	97,4	-	0,00
Sum			17,11			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Stiebrini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 912	11 914	-7,22	97,4	-	0,00
10	9 511	9 513	-5,03	97,4	-	0,00
11	7 491	7 493	-2,74	97,4	-	0,00
12	7 773	7 775	-3,09	97,4	-	0,00
13	6 989	6 991	-2,08	97,4	-	0,00
14	6 489	6 492	-1,38	97,4	-	0,00
15	6 026	6 028	-0,68	97,4	-	0,00
16	5 728	5 730	-0,21	97,4	-	0,00
17	5 343	5 346	0,44	97,4	-	0,00
18	4 992	4 994	1,07	97,4	-	0,00
19	4 505	4 508	2,02	97,4	-	0,00
2	11 347	11 348	-6,74	97,4	-	0,00
20	4 660	4 663	1,71	97,4	-	0,00
21	4 179	4 182	2,72	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 148	4 152	2,78	97,4	-	0,00
23	3 637	3 641	3,99	97,4	-	0,00
24	3 572	3 576	4,15	97,4	-	0,00
25	4 876	4 879	1,29	97,4	-	0,00
26	4 825	4 829	1,39	97,4	-	0,00
27	3 976	3 980	3,17	97,4	-	0,00
28	4 335	4 339	2,38	97,4	-	0,00
29	4 368	4 372	2,31	97,4	-	0,00
3	10 610	10 611	-6,09	97,4	-	0,00
30	3 827	3 831	3,52	97,4	-	0,00
31	3 436	3 440	4,51	97,4	-	0,00
32	4 043	4 047	3,02	97,4	-	0,00
33	3 552	3 556	4,20	97,4	-	0,00
34	3 043	3 047	5,61	97,4	-	0,00
35	3 395	3 399	4,62	97,4	-	0,00
36	2 938	2 943	5,93	97,4	-	0,00
37	2 605	2 611	7,01	97,4	-	0,00
38	2 170	2 177	8,65	97,4	-	0,00
39	3 127	3 132	5,36	97,4	-	0,00
4	10 560	10 561	-6,04	97,4	-	0,00
40	2 277	2 284	8,22	97,4	-	0,00
41	1 908	1 917	9,79	97,4	-	0,00
5	10 055	10 056	-5,57	97,4	-	0,00
6	10 674	10 676	-6,15	97,4	-	0,00
7	11 133	11 134	-6,56	97,4	-	0,00
8	8 955	8 957	-4,45	97,4	-	0,00
9	8 400	8 402	-3,83	97,4	-	0,00
Sum			19,12			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Stiebrini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 912	11 914	-7,22	97,4	-	0,00
10	9 511	9 513	-5,03	97,4	-	0,00
11	7 491	7 493	-2,74	97,4	-	0,00
12	7 773	7 775	-3,09	97,4	-	0,00
13	6 989	6 991	-2,08	97,4	-	0,00
14	6 489	6 492	-1,38	97,4	-	0,00
15	6 026	6 028	-0,68	97,4	-	0,00
16	5 728	5 730	-0,21	97,4	-	0,00
17	5 343	5 346	0,44	97,4	-	0,00
18	4 992	4 994	1,07	97,4	-	0,00
19	4 505	4 508	2,02	97,4	-	0,00
2	11 347	11 348	-6,74	97,4	-	0,00
20	4 660	4 663	1,71	97,4	-	0,00
21	4 179	4 182	2,72	97,4	-	0,00
22	4 148	4 152	2,78	97,4	-	0,00
23	3 637	3 641	3,99	97,4	-	0,00
24	3 572	3 576	4,15	97,4	-	0,00
25	4 876	4 879	1,29	97,4	-	0,00
26	4 825	4 829	1,39	97,4	-	0,00
27	3 976	3 980	3,17	97,4	-	0,00
28	4 335	4 339	2,38	97,4	-	0,00
29	4 368	4 372	2,31	97,4	-	0,00
3	10 610	10 611	-6,09	97,4	-	0,00
30	3 827	3 831	3,52	97,4	-	0,00
31	3 436	3 440	4,51	97,4	-	0,00
32	4 043	4 047	3,02	97,4	-	0,00
33	3 552	3 556	4,20	97,4	-	0,00
34	3 043	3 047	5,61	97,4	-	0,00
35	3 395	3 399	4,62	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 938	2 943	5,93	97,4	-	0,00
37	2 605	2 611	7,01	97,4	-	0,00
38	2 170	2 177	8,65	97,4	-	0,00
39	3 127	3 132	5,36	97,4	-	0,00
4	10 560	10 561	-6,04	97,4	-	0,00
40	2 277	2 284	8,22	97,4	-	0,00
41	1 908	1 917	9,79	97,4	-	0,00
5	10 055	10 056	-5,57	97,4	-	0,00
6	10 674	10 676	-6,15	97,4	-	0,00
7	11 133	11 134	-6,56	97,4	-	0,00
8	8 955	8 957	-4,45	97,4	-	0,00
9	8 400	8 402	-3,83	97,4	-	0,00
Sum			19,12			

- Data undefined due to calculation with octave data

Noise sensitive area: AO Asteres

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 983	12 984	-8,07	97,4	-	0,00
10	10 240	10 241	-5,74	97,4	-	0,00
11	8 064	8 066	-3,44	97,4	-	0,00
12	8 229	8 230	-3,63	97,4	-	0,00
13	7 535	7 537	-2,80	97,4	-	0,00
14	7 145	7 147	-2,29	97,4	-	0,00
15	6 624	6 627	-1,57	97,4	-	0,00
16	6 270	6 273	-1,06	97,4	-	0,00
17	5 818	5 821	-0,36	97,4	-	0,00
18	5 851	5 854	-0,41	97,4	-	0,00
19	5 398	5 400	0,35	97,4	-	0,00
2	12 428	12 429	-7,64	97,4	-	0,00
20	5 300	5 303	0,52	97,4	-	0,00
21	4 998	5 000	1,06	97,4	-	0,00
22	4 797	4 800	1,44	97,4	-	0,00
23	4 276	4 279	2,51	97,4	-	0,00
24	4 415	4 419	2,21	97,4	-	0,00
25	5 918	5 920	-0,51	97,4	-	0,00
26	5 965	5 968	-0,59	97,4	-	0,00
27	4 966	4 969	1,12	97,4	-	0,00
28	5 418	5 421	0,31	97,4	-	0,00
29	5 535	5 538	0,11	97,4	-	0,00
3	11 675	11 676	-7,02	97,4	-	0,00
30	4 945	4 948	1,16	97,4	-	0,00
31	4 473	4 477	2,09	97,4	-	0,00
32	5 251	5 254	0,60	97,4	-	0,00
33	4 799	4 802	1,44	97,4	-	0,00
34	4 270	4 273	2,52	97,4	-	0,00
35	4 563	4 566	1,91	97,4	-	0,00
36	4 057	4 061	2,99	97,4	-	0,00
37	3 582	3 586	4,13	97,4	-	0,00
38	2 968	2 974	5,83	97,4	-	0,00
39	3 961	3 964	3,21	97,4	-	0,00
4	11 580	11 582	-6,94	97,4	-	0,00
40	2 756	2 761	6,51	97,4	-	0,00
41	2 223	2 230	8,43	97,4	-	0,00
5	11 096	11 097	-6,52	97,4	-	0,00
6	11 647	11 649	-7,00	97,4	-	0,00
7	12 089	12 090	-7,36	97,4	-	0,00
8	9 717	9 718	-5,23	97,4	-	0,00
9	9 139	9 141	-4,64	97,4	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AO Asteres

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 983	12 984	-8,07	97,4	-	0,00
10	10 240	10 241	-5,74	97,4	-	0,00
11	8 064	8 066	-3,44	97,4	-	0,00
12	8 229	8 230	-3,63	97,4	-	0,00
13	7 535	7 537	-2,80	97,4	-	0,00
14	7 145	7 147	-2,29	97,4	-	0,00
15	6 624	6 627	-1,57	97,4	-	0,00
16	6 270	6 273	-1,06	97,4	-	0,00
17	5 818	5 821	-0,36	97,4	-	0,00
18	5 851	5 854	-0,41	97,4	-	0,00
19	5 398	5 400	0,35	97,4	-	0,00
2	12 428	12 429	-7,64	97,4	-	0,00
20	5 300	5 303	0,52	97,4	-	0,00
21	4 998	5 000	1,06	97,4	-	0,00
22	4 797	4 800	1,44	97,4	-	0,00
23	4 276	4 279	2,51	97,4	-	0,00
24	4 415	4 419	2,21	97,4	-	0,00
25	5 918	5 920	-0,51	97,4	-	0,00
26	5 965	5 968	-0,59	97,4	-	0,00
27	4 966	4 969	1,12	97,4	-	0,00
28	5 418	5 421	0,31	97,4	-	0,00
29	5 535	5 538	0,11	97,4	-	0,00
3	11 675	11 676	-7,02	97,4	-	0,00
30	4 945	4 948	1,16	97,4	-	0,00
31	4 473	4 477	2,09	97,4	-	0,00
32	5 251	5 254	0,60	97,4	-	0,00
33	4 799	4 802	1,44	97,4	-	0,00
34	4 270	4 273	2,52	97,4	-	0,00
35	4 563	4 566	1,91	97,4	-	0,00
36	4 057	4 061	2,99	97,4	-	0,00
37	3 582	3 586	4,13	97,4	-	0,00
38	2 968	2 974	5,83	97,4	-	0,00
39	3 961	3 964	3,21	97,4	-	0,00
4	11 580	11 582	-6,94	97,4	-	0,00
40	2 756	2 761	6,51	97,4	-	0,00
41	2 223	2 230	8,43	97,4	-	0,00
5	11 096	11 097	-6,52	97,4	-	0,00
6	11 647	11 649	-7,00	97,4	-	0,00
7	12 089	12 090	-7,36	97,4	-	0,00
8	9 717	9 718	-5,23	97,4	-	0,00
9	9 139	9 141	-4,64	97,4	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Kirsi š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 182	12 183	-7,44	97,4	-	0,00
10	10 111	10 112	-5,62	97,4	-	0,00
11	8 197	8 199	-3,60	97,4	-	0,00
12	8 532	8 534	-3,98	97,4	-	0,00
13	7 713	7 715	-3,02	97,4	-	0,00
14	7 161	7 163	-2,31	97,4	-	0,00
15	6 734	6 736	-1,73	97,4	-	0,00
16	6 468	6 470	-1,35	97,4	-	0,00
17	6 117	6 120	-0,82	97,4	-	0,00
18	5 549	5 552	0,09	97,4	-	0,00
19	5 047	5 050	0,97	97,4	-	0,00
2	11 606	11 607	-6,96	97,4	-	0,00
20	5 369	5 371	0,40	97,4	-	0,00
21	4 787	4 790	1,46	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 863	4 866	1,32	97,4	-	0,00
23	4 372	4 375	2,30	97,4	-	0,00
24	4 183	4 187	2,71	97,4	-	0,00
25	5 259	5 262	0,59	97,4	-	0,00
26	5 072	5 075	0,92	97,4	-	0,00
27	4 443	4 447	2,15	97,4	-	0,00
28	4 682	4 685	1,67	97,4	-	0,00
29	4 580	4 583	1,87	97,4	-	0,00
3	10 894	10 896	-6,34	97,4	-	0,00
30	4 142	4 145	2,80	97,4	-	0,00
31	3 873	3 877	3,41	97,4	-	0,00
32	4 181	4 184	2,71	97,4	-	0,00
33	3 593	3 598	4,10	97,4	-	0,00
34	3 175	3 179	5,23	97,4	-	0,00
35	3 642	3 646	3,97	97,4	-	0,00
36	3 295	3 299	4,89	97,4	-	0,00
37	3 154	3 159	5,29	97,4	-	0,00
38	2 885	2 891	6,09	97,4	-	0,00
39	3 764	3 768	3,67	97,4	-	0,00
4	10 898	10 900	-6,35	97,4	-	0,00
40	3 125	3 129	5,37	97,4	-	0,00
41	2 807	2 813	6,34	97,4	-	0,00
5	10 371	10 373	-5,87	97,4	-	0,00
6	11 063	11 064	-6,49	97,4	-	0,00
7	11 536	11 537	-6,90	97,4	-	0,00
8	9 536	9 538	-5,05	97,4	-	0,00
9	9 001	9 003	-4,50	97,4	-	0,00
Sum			17,66			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Kirsi š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 182	12 183	-7,44	97,4	-	0,00
10	10 111	10 112	-5,62	97,4	-	0,00
11	8 197	8 199	-3,60	97,4	-	0,00
12	8 532	8 534	-3,98	97,4	-	0,00
13	7 713	7 715	-3,02	97,4	-	0,00
14	7 161	7 163	-2,31	97,4	-	0,00
15	6 734	6 736	-1,73	97,4	-	0,00
16	6 468	6 470	-1,35	97,4	-	0,00
17	6 117	6 120	-0,82	97,4	-	0,00
18	5 549	5 552	0,09	97,4	-	0,00
19	5 047	5 050	0,97	97,4	-	0,00
2	11 606	11 607	-6,96	97,4	-	0,00
20	5 369	5 371	0,40	97,4	-	0,00
21	4 787	4 790	1,46	97,4	-	0,00
22	4 863	4 866	1,32	97,4	-	0,00
23	4 372	4 375	2,30	97,4	-	0,00
24	4 183	4 187	2,71	97,4	-	0,00
25	5 259	5 262	0,59	97,4	-	0,00
26	5 072	5 075	0,92	97,4	-	0,00
27	4 443	4 447	2,15	97,4	-	0,00
28	4 682	4 685	1,67	97,4	-	0,00
29	4 580	4 583	1,87	97,4	-	0,00
3	10 894	10 896	-6,34	97,4	-	0,00
30	4 142	4 145	2,80	97,4	-	0,00
31	3 873	3 877	3,41	97,4	-	0,00
32	4 181	4 184	2,71	97,4	-	0,00
33	3 593	3 598	4,10	97,4	-	0,00
34	3 175	3 179	5,23	97,4	-	0,00
35	3 642	3 646	3,97	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 295	3 299	4,89	97,4	-	0,00
37	3 154	3 159	5,29	97,4	-	0,00
38	2 885	2 891	6,09	97,4	-	0,00
39	3 764	3 768	3,67	97,4	-	0,00
4	10 898	10 900	-6,35	97,4	-	0,00
40	3 125	3 129	5,37	97,4	-	0,00
41	2 807	2 813	6,34	97,4	-	0,00
5	10 371	10 373	-5,87	97,4	-	0,00
6	11 063	11 064	-6,49	97,4	-	0,00
7	11 536	11 537	-6,90	97,4	-	0,00
8	9 536	9 538	-5,05	97,4	-	0,00
9	9 001	9 003	-4,50	97,4	-	0,00
Sum			17,66			

- Data undefined due to calculation with octave data

Noise sensitive area: AQ Svires

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 984	11 985	-7,28	97,4	-	0,00
10	9 448	9 450	-4,96	97,4	-	0,00
11	7 377	7 379	-2,59	97,4	-	0,00
12	7 628	7 630	-2,91	97,4	-	0,00
13	6 866	6 869	-1,91	97,4	-	0,00
14	6 398	6 400	-1,25	97,4	-	0,00
15	5 916	5 918	-0,51	97,4	-	0,00
16	5 600	5 603	0,00	97,4	-	0,00
17	5 195	5 198	0,70	97,4	-	0,00
18	4 965	4 967	1,12	97,4	-	0,00
19	4 489	4 492	2,06	97,4	-	0,00
2	11 423	11 424	-6,81	97,4	-	0,00
20	4 557	4 560	1,92	97,4	-	0,00
21	4 133	4 136	2,82	97,4	-	0,00
22	4 044	4 048	3,02	97,4	-	0,00
23	3 526	3 530	4,27	97,4	-	0,00
24	3 532	3 536	4,26	97,4	-	0,00
25	4 926	4 930	1,20	97,4	-	0,00
26	4 928	4 931	1,19	97,4	-	0,00
27	3 999	4 003	3,12	97,4	-	0,00
28	4 405	4 408	2,23	97,4	-	0,00
29	4 487	4 491	2,06	97,4	-	0,00
3	10 678	10 679	-6,15	97,4	-	0,00
30	3 915	3 919	3,31	97,4	-	0,00
31	3 479	3 484	4,39	97,4	-	0,00
32	4 191	4 195	2,69	97,4	-	0,00
33	3 735	3 739	3,74	97,4	-	0,00
34	3 206	3 210	5,14	97,4	-	0,00
35	3 513	3 517	4,30	97,4	-	0,00
36	3 024	3 029	5,67	97,4	-	0,00
37	2 614	2 619	6,98	97,4	-	0,00
38	2 096	2 104	8,96	97,4	-	0,00
39	3 079	3 085	5,50	97,4	-	0,00
4	10 607	10 609	-6,08	97,4	-	0,00
40	2 100	2 107	8,94	97,4	-	0,00
41	1 679	1 688	10,93	97,4	-	0,00
5	10 111	10 112	-5,62	97,4	-	0,00
6	10 701	10 703	-6,17	97,4	-	0,00
7	11 153	11 154	-6,57	97,4	-	0,00
8	8 902	8 904	-4,39	97,4	-	0,00
9	8 339	8 341	-3,76	97,4	-	0,00
Sum			19,31			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AQ Svires

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 984	11 985	-7,28	97,4	-	0,00
10	9 448	9 450	-4,96	97,4	-	0,00
11	7 377	7 379	-2,59	97,4	-	0,00
12	7 628	7 630	-2,91	97,4	-	0,00
13	6 866	6 869	-1,91	97,4	-	0,00
14	6 398	6 400	-1,25	97,4	-	0,00
15	5 916	5 918	-0,51	97,4	-	0,00
16	5 600	5 603	0,00	97,4	-	0,00
17	5 195	5 198	0,70	97,4	-	0,00
18	4 965	4 967	1,12	97,4	-	0,00
19	4 489	4 492	2,06	97,4	-	0,00
2	11 423	11 424	-6,81	97,4	-	0,00
20	4 557	4 560	1,92	97,4	-	0,00
21	4 133	4 136	2,82	97,4	-	0,00
22	4 044	4 048	3,02	97,4	-	0,00
23	3 526	3 530	4,27	97,4	-	0,00
24	3 532	3 536	4,26	97,4	-	0,00
25	4 926	4 930	1,20	97,4	-	0,00
26	4 928	4 931	1,19	97,4	-	0,00
27	3 999	4 003	3,12	97,4	-	0,00
28	4 405	4 408	2,23	97,4	-	0,00
29	4 487	4 491	2,06	97,4	-	0,00
3	10 678	10 679	-6,15	97,4	-	0,00
30	3 915	3 919	3,31	97,4	-	0,00
31	3 479	3 484	4,39	97,4	-	0,00
32	4 191	4 195	2,69	97,4	-	0,00
33	3 735	3 739	3,74	97,4	-	0,00
34	3 206	3 210	5,14	97,4	-	0,00
35	3 513	3 517	4,30	97,4	-	0,00
36	3 024	3 029	5,67	97,4	-	0,00
37	2 614	2 619	6,98	97,4	-	0,00
38	2 096	2 104	8,96	97,4	-	0,00
39	3 079	3 085	5,50	97,4	-	0,00
4	10 607	10 609	-6,08	97,4	-	0,00
40	2 100	2 107	8,94	97,4	-	0,00
41	1 679	1 688	10,93	97,4	-	0,00
5	10 111	10 112	-5,62	97,4	-	0,00
6	10 701	10 703	-6,17	97,4	-	0,00
7	11 153	11 154	-6,57	97,4	-	0,00
8	8 902	8 904	-4,39	97,4	-	0,00
9	8 339	8 341	-3,76	97,4	-	0,00
Sum			19,31			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Kocini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 374	13 375	-8,36	97,4	-	0,00
10	10 547	10 548	-6,03	97,4	-	0,00
11	8 335	8 337	-3,76	97,4	-	0,00
12	8 466	8 468	-3,91	97,4	-	0,00
13	7 801	7 803	-3,12	97,4	-	0,00
14	7 442	7 444	-2,68	97,4	-	0,00
15	6 909	6 911	-1,97	97,4	-	0,00
16	6 542	6 544	-1,46	97,4	-	0,00
17	6 075	6 077	-0,76	97,4	-	0,00
18	6 204	6 206	-0,96	97,4	-	0,00
19	5 760	5 762	-0,26	97,4	-	0,00
2	12 822	12 823	-7,94	97,4	-	0,00
20	5 603	5 606	0,00	97,4	-	0,00
21	5 346	5 348	0,44	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 107	5 110	0,86	97,4	-	0,00
23	4 588	4 591	1,85	97,4	-	0,00
24	4 773	4 776	1,49	97,4	-	0,00
25	6 310	6 312	-1,12	97,4	-	0,00
26	6 376	6 378	-1,21	97,4	-	0,00
27	5 350	5 353	0,43	97,4	-	0,00
28	5 819	5 822	-0,36	97,4	-	0,00
29	5 951	5 954	-0,57	97,4	-	0,00
3	12 065	12 066	-7,34	97,4	-	0,00
30	5 353	5 356	0,42	97,4	-	0,00
31	4 869	4 872	1,30	97,4	-	0,00
32	5 673	5 676	-0,12	97,4	-	0,00
33	5 225	5 228	0,65	97,4	-	0,00
34	4 695	4 698	1,64	97,4	-	0,00
35	4 980	4 983	1,09	97,4	-	0,00
36	4 468	4 471	2,10	97,4	-	0,00
37	3 971	3 975	3,18	97,4	-	0,00
38	3 333	3 338	4,78	97,4	-	0,00
39	4 320	4 323	2,41	97,4	-	0,00
4	11 960	11 962	-7,26	97,4	-	0,00
40	3 060	3 065	5,56	97,4	-	0,00
41	2 511	2 517	7,34	97,4	-	0,00
5	11 481	11 482	-6,86	97,4	-	0,00
6	12 016	12 017	-7,30	97,4	-	0,00
7	12 453	12 454	-7,65	97,4	-	0,00
8	10 034	10 035	-5,54	97,4	-	0,00
9	9 452	9 453	-4,97	97,4	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Kocini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 374	13 375	-8,36	97,4	-	0,00
10	10 547	10 548	-6,03	97,4	-	0,00
11	8 335	8 337	-3,76	97,4	-	0,00
12	8 466	8 468	-3,91	97,4	-	0,00
13	7 801	7 803	-3,12	97,4	-	0,00
14	7 442	7 444	-2,68	97,4	-	0,00
15	6 909	6 911	-1,97	97,4	-	0,00
16	6 542	6 544	-1,46	97,4	-	0,00
17	6 075	6 077	-0,76	97,4	-	0,00
18	6 204	6 206	-0,96	97,4	-	0,00
19	5 760	5 762	-0,26	97,4	-	0,00
2	12 822	12 823	-7,94	97,4	-	0,00
20	5 603	5 606	0,00	97,4	-	0,00
21	5 346	5 348	0,44	97,4	-	0,00
22	5 107	5 110	0,86	97,4	-	0,00
23	4 588	4 591	1,85	97,4	-	0,00
24	4 773	4 776	1,49	97,4	-	0,00
25	6 310	6 312	-1,12	97,4	-	0,00
26	6 376	6 378	-1,21	97,4	-	0,00
27	5 350	5 353	0,43	97,4	-	0,00
28	5 819	5 822	-0,36	97,4	-	0,00
29	5 951	5 954	-0,57	97,4	-	0,00
3	12 065	12 066	-7,34	97,4	-	0,00
30	5 353	5 356	0,42	97,4	-	0,00
31	4 869	4 872	1,30	97,4	-	0,00
32	5 673	5 676	-0,12	97,4	-	0,00
33	5 225	5 228	0,65	97,4	-	0,00
34	4 695	4 698	1,64	97,4	-	0,00
35	4 980	4 983	1,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 468	4 471	2,10	97,4	-	0,00
37	3 971	3 975	3,18	97,4	-	0,00
38	3 333	3 338	4,78	97,4	-	0,00
39	4 320	4 323	2,41	97,4	-	0,00
4	11 960	11 962	-7,26	97,4	-	0,00
40	3 060	3 065	5,56	97,4	-	0,00
41	2 511	2 517	7,34	97,4	-	0,00
5	11 481	11 482	-6,86	97,4	-	0,00
6	12 016	12 017	-7,30	97,4	-	0,00
7	12 453	12 454	-7,65	97,4	-	0,00
8	10 034	10 035	-5,54	97,4	-	0,00
9	9 452	9 453	-4,97	97,4	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Noise sensitive area: AS Baltmui ž kalns

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 416	13 417	-8,39	97,4	-	0,00
10	10 616	10 617	-6,09	97,4	-	0,00
11	8 410	8 412	-3,84	97,4	-	0,00
12	8 547	8 548	-4,00	97,4	-	0,00
13	7 877	7 879	-3,22	97,4	-	0,00
14	7 512	7 514	-2,77	97,4	-	0,00
15	6 981	6 983	-2,07	97,4	-	0,00
16	6 617	6 619	-1,56	97,4	-	0,00
17	6 152	6 155	-0,88	97,4	-	0,00
18	6 260	6 262	-1,04	97,4	-	0,00
19	5 813	5 815	-0,35	97,4	-	0,00
2	12 862	12 863	-7,97	97,4	-	0,00
20	5 672	5 675	-0,12	97,4	-	0,00
21	5 403	5 405	0,34	97,4	-	0,00
22	5 174	5 177	0,74	97,4	-	0,00
23	4 654	4 657	1,72	97,4	-	0,00
24	4 827	4 830	1,39	97,4	-	0,00
25	6 350	6 353	-1,18	97,4	-	0,00
26	6 406	6 408	-1,26	97,4	-	0,00
27	5 394	5 397	0,35	97,4	-	0,00
28	5 855	5 857	-0,41	97,4	-	0,00
29	5 977	5 979	-0,61	97,4	-	0,00
3	12 107	12 108	-7,38	97,4	-	0,00
30	5 384	5 387	0,37	97,4	-	0,00
31	4 908	4 911	1,23	97,4	-	0,00
32	5 692	5 694	-0,15	97,4	-	0,00
33	5 235	5 238	0,63	97,4	-	0,00
34	4 709	4 712	1,62	97,4	-	0,00
35	5 004	5 007	1,05	97,4	-	0,00
36	4 498	4 501	2,04	97,4	-	0,00
37	4 013	4 016	3,09	97,4	-	0,00
38	3 384	3 389	4,64	97,4	-	0,00
39	4 373	4 377	2,30	97,4	-	0,00
4	12 007	12 008	-7,30	97,4	-	0,00
40	3 127	3 132	5,36	97,4	-	0,00
41	2 581	2 587	7,10	97,4	-	0,00
5	11 525	11 527	-6,90	97,4	-	0,00
6	12 067	12 068	-7,35	97,4	-	0,00
7	12 506	12 507	-7,70	97,4	-	0,00
8	10 100	10 101	-5,61	97,4	-	0,00
9	9 519	9 520	-5,03	97,4	-	0,00
Sum			16,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AS Baltmui ž kalns

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 416	13 417	-8,39	97,4	-	0,00
10	10 616	10 617	-6,09	97,4	-	0,00
11	8 410	8 412	-3,84	97,4	-	0,00
12	8 547	8 548	-4,00	97,4	-	0,00
13	7 877	7 879	-3,22	97,4	-	0,00
14	7 512	7 514	-2,77	97,4	-	0,00
15	6 981	6 983	-2,07	97,4	-	0,00
16	6 617	6 619	-1,56	97,4	-	0,00
17	6 152	6 155	-0,88	97,4	-	0,00
18	6 260	6 262	-1,04	97,4	-	0,00
19	5 813	5 815	-0,35	97,4	-	0,00
2	12 862	12 863	-7,97	97,4	-	0,00
20	5 672	5 675	-0,12	97,4	-	0,00
21	5 403	5 405	0,34	97,4	-	0,00
22	5 174	5 177	0,74	97,4	-	0,00
23	4 654	4 657	1,72	97,4	-	0,00
24	4 827	4 830	1,39	97,4	-	0,00
25	6 350	6 353	-1,18	97,4	-	0,00
26	6 406	6 408	-1,26	97,4	-	0,00
27	5 394	5 397	0,35	97,4	-	0,00
28	5 855	5 857	-0,41	97,4	-	0,00
29	5 977	5 979	-0,61	97,4	-	0,00
3	12 107	12 108	-7,38	97,4	-	0,00
30	5 384	5 387	0,37	97,4	-	0,00
31	4 908	4 911	1,23	97,4	-	0,00
32	5 692	5 694	-0,15	97,4	-	0,00
33	5 235	5 238	0,63	97,4	-	0,00
34	4 709	4 712	1,62	97,4	-	0,00
35	5 004	5 007	1,05	97,4	-	0,00
36	4 498	4 501	2,04	97,4	-	0,00
37	4 013	4 016	3,09	97,4	-	0,00
38	3 384	3 389	4,64	97,4	-	0,00
39	4 373	4 377	2,30	97,4	-	0,00
4	12 007	12 008	-7,30	97,4	-	0,00
40	3 127	3 132	5,36	97,4	-	0,00
41	2 581	2 587	7,10	97,4	-	0,00
5	11 525	11 527	-6,90	97,4	-	0,00
6	12 067	12 068	-7,35	97,4	-	0,00
7	12 506	12 507	-7,70	97,4	-	0,00
8	10 100	10 101	-5,61	97,4	-	0,00
9	9 519	9 520	-5,03	97,4	-	0,00
Sum			16,26			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Valodzes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 034	12 035	-7,32	97,4	-	0,00
10	9 787	9 789	-5,30	97,4	-	0,00
11	7 817	7 819	-3,14	97,4	-	0,00
12	8 124	8 126	-3,51	97,4	-	0,00
13	7 323	7 325	-2,52	97,4	-	0,00
14	6 797	6 800	-1,82	97,4	-	0,00
15	6 351	6 353	-1,18	97,4	-	0,00
16	6 068	6 071	-0,75	97,4	-	0,00
17	5 700	5 702	-0,16	97,4	-	0,00
18	5 242	5 244	0,62	97,4	-	0,00
19	4 746	4 749	1,54	97,4	-	0,00
2	11 463	11 464	-6,84	97,4	-	0,00
20	4 984	4 987	1,09	97,4	-	0,00
21	4 452	4 455	2,13	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 474	4 477	2,09	97,4	-	0,00
23	3 972	3 975	3,18	97,4	-	0,00
24	3 844	3 848	3,48	97,4	-	0,00
25	5 041	5 044	0,98	97,4	-	0,00
26	4 925	4 928	1,20	97,4	-	0,00
27	4 178	4 182	2,72	97,4	-	0,00
28	4 480	4 483	2,07	97,4	-	0,00
29	4 448	4 452	2,14	97,4	-	0,00
3	10 737	10 739	-6,20	97,4	-	0,00
30	3 954	3 958	3,22	97,4	-	0,00
31	3 620	3 625	4,03	97,4	-	0,00
32	4 086	4 090	2,92	97,4	-	0,00
33	3 546	3 550	4,22	97,4	-	0,00
34	3 075	3 079	5,52	97,4	-	0,00
35	3 486	3 490	4,37	97,4	-	0,00
36	3 079	3 084	5,50	97,4	-	0,00
37	2 840	2 845	6,23	97,4	-	0,00
38	2 488	2 495	7,42	97,4	-	0,00
39	3 410	3 415	4,57	97,4	-	0,00
4	10 713	10 714	-6,18	97,4	-	0,00
40	2 667	2 672	6,80	97,4	-	0,00
41	2 325	2 332	8,03	97,4	-	0,00
5	10 197	10 198	-5,70	97,4	-	0,00
6	10 851	10 852	-6,31	97,4	-	0,00
7	11 317	11 318	-6,72	97,4	-	0,00
8	9 222	9 224	-4,73	97,4	-	0,00
9	8 676	8 678	-4,14	97,4	-	0,00
Sum			18,40			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Valodzes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 034	12 035	-7,32	97,4	-	0,00
10	9 787	9 789	-5,30	97,4	-	0,00
11	7 817	7 819	-3,14	97,4	-	0,00
12	8 124	8 126	-3,51	97,4	-	0,00
13	7 323	7 325	-2,52	97,4	-	0,00
14	6 797	6 800	-1,82	97,4	-	0,00
15	6 351	6 353	-1,18	97,4	-	0,00
16	6 068	6 071	-0,75	97,4	-	0,00
17	5 700	5 702	-0,16	97,4	-	0,00
18	5 242	5 244	0,62	97,4	-	0,00
19	4 746	4 749	1,54	97,4	-	0,00
2	11 463	11 464	-6,84	97,4	-	0,00
20	4 984	4 987	1,09	97,4	-	0,00
21	4 452	4 455	2,13	97,4	-	0,00
22	4 474	4 477	2,09	97,4	-	0,00
23	3 972	3 975	3,18	97,4	-	0,00
24	3 844	3 848	3,48	97,4	-	0,00
25	5 041	5 044	0,98	97,4	-	0,00
26	4 925	4 928	1,20	97,4	-	0,00
27	4 178	4 182	2,72	97,4	-	0,00
28	4 480	4 483	2,07	97,4	-	0,00
29	4 448	4 452	2,14	97,4	-	0,00
3	10 737	10 739	-6,20	97,4	-	0,00
30	3 954	3 958	3,22	97,4	-	0,00
31	3 620	3 625	4,03	97,4	-	0,00
32	4 086	4 090	2,92	97,4	-	0,00
33	3 546	3 550	4,22	97,4	-	0,00
34	3 075	3 079	5,52	97,4	-	0,00
35	3 486	3 490	4,37	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 079	3 084	5,50	97,4	-	0,00
37	2 840	2 845	6,23	97,4	-	0,00
38	2 488	2 495	7,42	97,4	-	0,00
39	3 410	3 415	4,57	97,4	-	0,00
4	10 713	10 714	-6,18	97,4	-	0,00
40	2 667	2 672	6,80	97,4	-	0,00
41	2 325	2 332	8,03	97,4	-	0,00
5	10 197	10 198	-5,70	97,4	-	0,00
6	10 851	10 852	-6,31	97,4	-	0,00
7	11 317	11 318	-6,72	97,4	-	0,00
8	9 222	9 224	-4,73	97,4	-	0,00
9	8 676	8 678	-4,14	97,4	-	0,00
Sum			18,40			

- Data undefined due to calculation with octave data

Noise sensitive area: AU Lidumi

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 198	13 199	-8,23	97,4	-	0,00
10	10 268	10 269	-5,77	97,4	-	0,00
11	8 029	8 031	-3,40	97,4	-	0,00
12	8 140	8 141	-3,53	97,4	-	0,00
13	7 492	7 494	-2,74	97,4	-	0,00
14	7 156	7 159	-2,31	97,4	-	0,00
15	6 614	6 616	-1,56	97,4	-	0,00
16	6 238	6 241	-1,01	97,4	-	0,00
17	5 763	5 765	-0,26	97,4	-	0,00
18	5 976	5 979	-0,61	97,4	-	0,00
19	5 546	5 549	0,09	97,4	-	0,00
2	12 651	12 652	-7,81	97,4	-	0,00
20	5 327	5 330	0,47	97,4	-	0,00
21	5 115	5 117	0,85	97,4	-	0,00
22	4 837	4 841	1,36	97,4	-	0,00
23	4 323	4 326	2,40	97,4	-	0,00
24	4 556	4 559	1,92	97,4	-	0,00
25	6 143	6 145	-0,86	97,4	-	0,00
26	6 253	6 255	-1,03	97,4	-	0,00
27	5 172	5 175	0,74	97,4	-	0,00
28	5 672	5 675	-0,12	97,4	-	0,00
29	5 846	5 848	-0,40	97,4	-	0,00
3	11 888	11 889	-7,20	97,4	-	0,00
30	5 226	5 229	0,65	97,4	-	0,00
31	4 713	4 716	1,61	97,4	-	0,00
32	5 595	5 598	0,01	97,4	-	0,00
33	5 183	5 186	0,72	97,4	-	0,00
34	4 638	4 641	1,75	97,4	-	0,00
35	4 883	4 886	1,28	97,4	-	0,00
36	4 351	4 355	2,34	97,4	-	0,00
37	3 808	3 811	3,57	97,4	-	0,00
38	3 134	3 140	5,34	97,4	-	0,00
39	4 107	4 110	2,88	97,4	-	0,00
4	11 765	11 766	-7,10	97,4	-	0,00
40	2 796	2 802	6,37	97,4	-	0,00
41	2 239	2 246	8,37	97,4	-	0,00
5	11 295	11 296	-6,70	97,4	-	0,00
6	11 803	11 804	-7,13	97,4	-	0,00
7	12 233	12 234	-7,48	97,4	-	0,00
8	9 763	9 765	-5,28	97,4	-	0,00
9	9 177	9 179	-4,68	97,4	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AU Lidumi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 198	13 199	-8,23	97,4	-	0,00
10	10 268	10 269	-5,77	97,4	-	0,00
11	8 029	8 031	-3,40	97,4	-	0,00
12	8 140	8 141	-3,53	97,4	-	0,00
13	7 492	7 494	-2,74	97,4	-	0,00
14	7 156	7 159	-2,31	97,4	-	0,00
15	6 614	6 616	-1,56	97,4	-	0,00
16	6 238	6 241	-1,01	97,4	-	0,00
17	5 763	5 765	-0,26	97,4	-	0,00
18	5 976	5 979	-0,61	97,4	-	0,00
19	5 546	5 549	0,09	97,4	-	0,00
2	12 651	12 652	-7,81	97,4	-	0,00
20	5 327	5 330	0,47	97,4	-	0,00
21	5 115	5 117	0,85	97,4	-	0,00
22	4 837	4 841	1,36	97,4	-	0,00
23	4 323	4 326	2,40	97,4	-	0,00
24	4 556	4 559	1,92	97,4	-	0,00
25	6 143	6 145	-0,86	97,4	-	0,00
26	6 253	6 255	-1,03	97,4	-	0,00
27	5 172	5 175	0,74	97,4	-	0,00
28	5 672	5 675	-0,12	97,4	-	0,00
29	5 846	5 848	-0,40	97,4	-	0,00
3	11 888	11 889	-7,20	97,4	-	0,00
30	5 226	5 229	0,65	97,4	-	0,00
31	4 713	4 716	1,61	97,4	-	0,00
32	5 595	5 598	0,01	97,4	-	0,00
33	5 183	5 186	0,72	97,4	-	0,00
34	4 638	4 641	1,75	97,4	-	0,00
35	4 883	4 886	1,28	97,4	-	0,00
36	4 351	4 355	2,34	97,4	-	0,00
37	3 808	3 811	3,57	97,4	-	0,00
38	3 134	3 140	5,34	97,4	-	0,00
39	4 107	4 110	2,88	97,4	-	0,00
4	11 765	11 766	-7,10	97,4	-	0,00
40	2 796	2 802	6,37	97,4	-	0,00
41	2 239	2 246	8,37	97,4	-	0,00
5	11 295	11 296	-6,70	97,4	-	0,00
6	11 803	11 804	-7,13	97,4	-	0,00
7	12 233	12 234	-7,48	97,4	-	0,00
8	9 763	9 765	-5,28	97,4	-	0,00
9	9 177	9 179	-4,68	97,4	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Ruki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 981	11 982	-7,27	97,4	-	0,00
10	9 516	9 518	-5,03	97,4	-	0,00
11	7 470	7 472	-2,71	97,4	-	0,00
12	7 736	7 738	-3,05	97,4	-	0,00
13	6 963	6 966	-2,05	97,4	-	0,00
14	6 479	6 482	-1,37	97,4	-	0,00
15	6 006	6 009	-0,65	97,4	-	0,00
16	5 699	5 702	-0,16	97,4	-	0,00
17	5 304	5 307	0,51	97,4	-	0,00
18	5 013	5 015	1,04	97,4	-	0,00
19	4 531	4 534	1,97	97,4	-	0,00
2	11 417	11 419	-6,80	97,4	-	0,00
20	4 643	4 646	1,74	97,4	-	0,00
21	4 190	4 193	2,69	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 131	4 135	2,82	97,4	-	0,00
23	3 616	3 620	4,04	97,4	-	0,00
24	3 585	3 590	4,12	97,4	-	0,00
25	4 933	4 936	1,18	97,4	-	0,00
26	4 906	4 909	1,23	97,4	-	0,00
27	4 020	4 024	3,07	97,4	-	0,00
28	4 401	4 404	2,24	97,4	-	0,00
29	4 456	4 459	2,12	97,4	-	0,00
3	10 677	10 678	-6,15	97,4	-	0,00
30	3 901	3 904	3,35	97,4	-	0,00
31	3 489	3 493	4,37	97,4	-	0,00
32	4 143	4 147	2,79	97,4	-	0,00
33	3 666	3 670	3,91	97,4	-	0,00
34	3 148	3 153	5,30	97,4	-	0,00
35	3 481	3 486	4,39	97,4	-	0,00
36	3 010	3 015	5,71	97,4	-	0,00
37	2 641	2 646	6,89	97,4	-	0,00
38	2 164	2 172	8,67	97,4	-	0,00
39	3 137	3 142	5,33	97,4	-	0,00
4	10 617	10 619	-6,09	97,4	-	0,00
40	2 220	2 226	8,45	97,4	-	0,00
41	1 823	1 831	10,20	97,4	-	0,00
5	10 116	10 117	-5,62	97,4	-	0,00
6	10 722	10 724	-6,19	97,4	-	0,00
7	11 178	11 179	-6,60	97,4	-	0,00
8	8 965	8 967	-4,46	97,4	-	0,00
9	8 406	8 408	-3,84	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Ruki

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 981	11 982	-7,27	97,4	-	0,00
10	9 516	9 518	-5,03	97,4	-	0,00
11	7 470	7 472	-2,71	97,4	-	0,00
12	7 736	7 738	-3,05	97,4	-	0,00
13	6 963	6 966	-2,05	97,4	-	0,00
14	6 479	6 482	-1,37	97,4	-	0,00
15	6 006	6 009	-0,65	97,4	-	0,00
16	5 699	5 702	-0,16	97,4	-	0,00
17	5 304	5 307	0,51	97,4	-	0,00
18	5 013	5 015	1,04	97,4	-	0,00
19	4 531	4 534	1,97	97,4	-	0,00
2	11 417	11 419	-6,80	97,4	-	0,00
20	4 643	4 646	1,74	97,4	-	0,00
21	4 190	4 193	2,69	97,4	-	0,00
22	4 131	4 135	2,82	97,4	-	0,00
23	3 616	3 620	4,04	97,4	-	0,00
24	3 585	3 590	4,12	97,4	-	0,00
25	4 933	4 936	1,18	97,4	-	0,00
26	4 906	4 909	1,23	97,4	-	0,00
27	4 020	4 024	3,07	97,4	-	0,00
28	4 401	4 404	2,24	97,4	-	0,00
29	4 456	4 459	2,12	97,4	-	0,00
3	10 677	10 678	-6,15	97,4	-	0,00
30	3 901	3 904	3,35	97,4	-	0,00
31	3 489	3 493	4,37	97,4	-	0,00
32	4 143	4 147	2,79	97,4	-	0,00
33	3 666	3 670	3,91	97,4	-	0,00
34	3 148	3 153	5,30	97,4	-	0,00
35	3 481	3 486	4,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 010	3 015	5,71	97,4	-	0,00
37	2 641	2 646	6,89	97,4	-	0,00
38	2 164	2 172	8,67	97,4	-	0,00
39	3 137	3 142	5,33	97,4	-	0,00
4	10 617	10 619	-6,09	97,4	-	0,00
40	2 220	2 226	8,45	97,4	-	0,00
41	1 823	1 831	10,20	97,4	-	0,00
5	10 116	10 117	-5,62	97,4	-	0,00
6	10 722	10 724	-6,19	97,4	-	0,00
7	11 178	11 179	-6,60	97,4	-	0,00
8	8 965	8 967	-4,46	97,4	-	0,00
9	8 406	8 408	-3,84	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: AW Romi

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 453	13 455	-8,42	97,4	-	0,00
10	10 767	10 768	-6,23	97,4	-	0,00
11	8 596	8 597	-4,05	97,4	-	0,00
12	8 758	8 760	-4,23	97,4	-	0,00
13	8 067	8 069	-3,45	97,4	-	0,00
14	7 674	7 677	-2,97	97,4	-	0,00
15	7 155	7 157	-2,30	97,4	-	0,00
16	6 802	6 804	-1,82	97,4	-	0,00
17	6 349	6 352	-1,18	97,4	-	0,00
18	6 361	6 364	-1,19	97,4	-	0,00
19	5 902	5 905	-0,49	97,4	-	0,00
2	12 895	12 896	-8,00	97,4	-	0,00
20	5 829	5 831	-0,37	97,4	-	0,00
21	5 511	5 514	0,15	97,4	-	0,00
22	5 325	5 328	0,47	97,4	-	0,00
23	4 803	4 806	1,43	97,4	-	0,00
24	4 924	4 927	1,20	97,4	-	0,00
25	6 391	6 394	-1,24	97,4	-	0,00
26	6 404	6 406	-1,25	97,4	-	0,00
27	5 450	5 453	0,26	97,4	-	0,00
28	5 877	5 880	-0,45	97,4	-	0,00
29	5 960	5 962	-0,58	97,4	-	0,00
3	12 146	12 148	-7,41	97,4	-	0,00
30	5 390	5 393	0,36	97,4	-	0,00
31	4 944	4 947	1,16	97,4	-	0,00
32	5 651	5 654	-0,08	97,4	-	0,00
33	5 164	5 167	0,76	97,4	-	0,00
34	4 654	4 657	1,72	97,4	-	0,00
35	4 985	4 988	1,09	97,4	-	0,00
36	4 500	4 503	2,03	97,4	-	0,00
37	4 063	4 067	2,97	97,4	-	0,00
38	3 475	3 480	4,40	97,4	-	0,00
39	4 469	4 473	2,10	97,4	-	0,00
4	12 065	12 066	-7,34	97,4	-	0,00
40	3 285	3 290	4,91	97,4	-	0,00
41	2 754	2 760	6,51	97,4	-	0,00
5	11 575	11 576	-6,94	97,4	-	0,00
6	12 143	12 145	-7,41	97,4	-	0,00
7	12 589	12 590	-7,76	97,4	-	0,00
8	10 241	10 243	-5,74	97,4	-	0,00
9	9 665	9 667	-5,18	97,4	-	0,00
Sum			16,06			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AW Romi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 453	13 455	-8,42	97,4	-	0,00
10	10 767	10 768	-6,23	97,4	-	0,00
11	8 596	8 597	-4,05	97,4	-	0,00
12	8 758	8 760	-4,23	97,4	-	0,00
13	8 067	8 069	-3,45	97,4	-	0,00
14	7 674	7 677	-2,97	97,4	-	0,00
15	7 155	7 157	-2,30	97,4	-	0,00
16	6 802	6 804	-1,82	97,4	-	0,00
17	6 349	6 352	-1,18	97,4	-	0,00
18	6 361	6 364	-1,19	97,4	-	0,00
19	5 902	5 905	-0,49	97,4	-	0,00
2	12 895	12 896	-8,00	97,4	-	0,00
20	5 829	5 831	-0,37	97,4	-	0,00
21	5 511	5 514	0,15	97,4	-	0,00
22	5 325	5 328	0,47	97,4	-	0,00
23	4 803	4 806	1,43	97,4	-	0,00
24	4 924	4 927	1,20	97,4	-	0,00
25	6 391	6 394	-1,24	97,4	-	0,00
26	6 404	6 406	-1,25	97,4	-	0,00
27	5 450	5 453	0,26	97,4	-	0,00
28	5 877	5 880	-0,45	97,4	-	0,00
29	5 960	5 962	-0,58	97,4	-	0,00
3	12 146	12 148	-7,41	97,4	-	0,00
30	5 390	5 393	0,36	97,4	-	0,00
31	4 944	4 947	1,16	97,4	-	0,00
32	5 651	5 654	-0,08	97,4	-	0,00
33	5 164	5 167	0,76	97,4	-	0,00
34	4 654	4 657	1,72	97,4	-	0,00
35	4 985	4 988	1,09	97,4	-	0,00
36	4 500	4 503	2,03	97,4	-	0,00
37	4 063	4 067	2,97	97,4	-	0,00
38	3 475	3 480	4,40	97,4	-	0,00
39	4 469	4 473	2,10	97,4	-	0,00
4	12 065	12 066	-7,34	97,4	-	0,00
40	3 285	3 290	4,91	97,4	-	0,00
41	2 754	2 760	6,51	97,4	-	0,00
5	11 575	11 576	-6,94	97,4	-	0,00
6	12 143	12 145	-7,41	97,4	-	0,00
7	12 589	12 590	-7,76	97,4	-	0,00
8	10 241	10 243	-5,74	97,4	-	0,00
9	9 665	9 667	-5,18	97,4	-	0,00
Sum			16,06			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Laimdota

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 173	13 174	-8,21	97,4	-	0,00
10	10 691	10 692	-6,16	97,4	-	0,00
11	8 593	8 595	-4,05	97,4	-	0,00
12	8 811	8 813	-4,29	97,4	-	0,00
13	8 076	8 078	-3,46	97,4	-	0,00
14	7 630	7 632	-2,91	97,4	-	0,00
15	7 136	7 138	-2,28	97,4	-	0,00
16	6 808	6 810	-1,83	97,4	-	0,00
17	6 383	6 386	-1,22	97,4	-	0,00
18	6 210	6 213	-0,97	97,4	-	0,00
19	5 732	5 735	-0,22	97,4	-	0,00
2	12 607	12 608	-7,78	97,4	-	0,00
20	5 785	5 787	-0,30	97,4	-	0,00
21	5 379	5 382	0,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 274	5 277	0,56	97,4	-	0,00
23	4 753	4 756	1,53	97,4	-	0,00
24	4 778	4 781	1,48	97,4	-	0,00
25	6 135	6 138	-0,85	97,4	-	0,00
26	6 081	6 083	-0,77	97,4	-	0,00
27	5 227	5 229	0,65	97,4	-	0,00
28	5 596	5 599	0,01	97,4	-	0,00
29	5 617	5 620	-0,03	97,4	-	0,00
3	11 871	11 872	-7,18	97,4	-	0,00
30	5 087	5 090	0,90	97,4	-	0,00
31	4 693	4 696	1,65	97,4	-	0,00
32	5 275	5 278	0,56	97,4	-	0,00
33	4 749	4 752	1,54	97,4	-	0,00
34	4 266	4 269	2,53	97,4	-	0,00
35	4 646	4 650	1,74	97,4	-	0,00
36	4 199	4 203	2,67	97,4	-	0,00
37	3 847	3 850	3,48	97,4	-	0,00
38	3 341	3 346	4,76	97,4	-	0,00
39	4 326	4 330	2,40	97,4	-	0,00
4	11 820	11 821	-7,14	97,4	-	0,00
40	3 281	3 285	4,93	97,4	-	0,00
41	2 795	2 800	6,38	97,4	-	0,00
5	11 316	11 317	-6,72	97,4	-	0,00
6	11 929	11 930	-7,23	97,4	-	0,00
7	12 384	12 386	-7,60	97,4	-	0,00
8	10 147	10 149	-5,65	97,4	-	0,00
9	9 582	9 584	-5,10	97,4	-	0,00
Sum			16,35			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Laimdota

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 173	13 174	-8,21	97,4	-	0,00
10	10 691	10 692	-6,16	97,4	-	0,00
11	8 593	8 595	-4,05	97,4	-	0,00
12	8 811	8 813	-4,29	97,4	-	0,00
13	8 076	8 078	-3,46	97,4	-	0,00
14	7 630	7 632	-2,91	97,4	-	0,00
15	7 136	7 138	-2,28	97,4	-	0,00
16	6 808	6 810	-1,83	97,4	-	0,00
17	6 383	6 386	-1,22	97,4	-	0,00
18	6 210	6 213	-0,97	97,4	-	0,00
19	5 732	5 735	-0,22	97,4	-	0,00
2	12 607	12 608	-7,78	97,4	-	0,00
20	5 785	5 787	-0,30	97,4	-	0,00
21	5 379	5 382	0,38	97,4	-	0,00
22	5 274	5 277	0,56	97,4	-	0,00
23	4 753	4 756	1,53	97,4	-	0,00
24	4 778	4 781	1,48	97,4	-	0,00
25	6 135	6 138	-0,85	97,4	-	0,00
26	6 081	6 083	-0,77	97,4	-	0,00
27	5 227	5 229	0,65	97,4	-	0,00
28	5 596	5 599	0,01	97,4	-	0,00
29	5 617	5 620	-0,03	97,4	-	0,00
3	11 871	11 872	-7,18	97,4	-	0,00
30	5 087	5 090	0,90	97,4	-	0,00
31	4 693	4 696	1,65	97,4	-	0,00
32	5 275	5 278	0,56	97,4	-	0,00
33	4 749	4 752	1,54	97,4	-	0,00
34	4 266	4 269	2,53	97,4	-	0,00
35	4 646	4 650	1,74	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 199	4 203	2,67	97,4	-	0,00
37	3 847	3 850	3,48	97,4	-	0,00
38	3 341	3 346	4,76	97,4	-	0,00
39	4 326	4 330	2,40	97,4	-	0,00
4	11 820	11 821	-7,14	97,4	-	0,00
40	3 281	3 285	4,93	97,4	-	0,00
41	2 795	2 800	6,38	97,4	-	0,00
5	11 316	11 317	-6,72	97,4	-	0,00
6	11 929	11 930	-7,23	97,4	-	0,00
7	12 384	12 386	-7,60	97,4	-	0,00
8	10 147	10 149	-5,65	97,4	-	0,00
9	9 582	9 584	-5,10	97,4	-	0,00
Sum			16,35			

- Data undefined due to calculation with octave data

Noise sensitive area: AY Latgale

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 980	11 981	-7,27	97,4	-	0,00
10	9 500	9 501	-5,02	97,4	-	0,00
11	7 449	7 451	-2,68	97,4	-	0,00
12	7 711	7 713	-3,01	97,4	-	0,00
13	6 941	6 943	-2,02	97,4	-	0,00
14	6 460	6 463	-1,34	97,4	-	0,00
15	5 985	5 987	-0,62	97,4	-	0,00
16	5 676	5 679	-0,12	97,4	-	0,00
17	5 279	5 282	0,55	97,4	-	0,00
18	5 001	5 003	1,06	97,4	-	0,00
19	4 520	4 523	1,99	97,4	-	0,00
2	11 418	11 419	-6,80	97,4	-	0,00
20	4 623	4 626	1,78	97,4	-	0,00
21	4 176	4 179	2,72	97,4	-	0,00
22	4 110	4 114	2,87	97,4	-	0,00
23	3 595	3 599	4,10	97,4	-	0,00
24	3 572	3 576	4,15	97,4	-	0,00
25	4 930	4 933	1,19	97,4	-	0,00
26	4 910	4 913	1,23	97,4	-	0,00
27	4 014	4 018	3,09	97,4	-	0,00
28	4 400	4 404	2,24	97,4	-	0,00
29	4 461	4 465	2,11	97,4	-	0,00
3	10 676	10 677	-6,15	97,4	-	0,00
30	3 902	3 906	3,34	97,4	-	0,00
31	3 485	3 489	4,38	97,4	-	0,00
32	4 152	4 156	2,77	97,4	-	0,00
33	3 680	3 684	3,88	97,4	-	0,00
34	3 160	3 164	5,27	97,4	-	0,00
35	3 487	3 491	4,37	97,4	-	0,00
36	3 011	3 016	5,70	97,4	-	0,00
37	2 633	2 638	6,92	97,4	-	0,00
38	2 147	2 155	8,74	97,4	-	0,00
39	3 122	3 127	5,38	97,4	-	0,00
4	10 614	10 615	-6,09	97,4	-	0,00
40	2 192	2 198	8,56	97,4	-	0,00
41	1 790	1 798	10,36	97,4	-	0,00
5	10 114	10 115	-5,62	97,4	-	0,00
6	10 716	10 718	-6,18	97,4	-	0,00
7	11 171	11 172	-6,59	97,4	-	0,00
8	8 950	8 952	-4,44	97,4	-	0,00
9	8 390	8 392	-3,82	97,4	-	0,00
Sum			19,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: AY Latgale

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 980	11 981	-7,27	97,4	-	0,00
10	9 500	9 501	-5,02	97,4	-	0,00
11	7 449	7 451	-2,68	97,4	-	0,00
12	7 711	7 713	-3,01	97,4	-	0,00
13	6 941	6 943	-2,02	97,4	-	0,00
14	6 460	6 463	-1,34	97,4	-	0,00
15	5 985	5 987	-0,62	97,4	-	0,00
16	5 676	5 679	-0,12	97,4	-	0,00
17	5 279	5 282	0,55	97,4	-	0,00
18	5 001	5 003	1,06	97,4	-	0,00
19	4 520	4 523	1,99	97,4	-	0,00
2	11 418	11 419	-6,80	97,4	-	0,00
20	4 623	4 626	1,78	97,4	-	0,00
21	4 176	4 179	2,72	97,4	-	0,00
22	4 110	4 114	2,87	97,4	-	0,00
23	3 595	3 599	4,10	97,4	-	0,00
24	3 572	3 576	4,15	97,4	-	0,00
25	4 930	4 933	1,19	97,4	-	0,00
26	4 910	4 913	1,23	97,4	-	0,00
27	4 014	4 018	3,09	97,4	-	0,00
28	4 400	4 404	2,24	97,4	-	0,00
29	4 461	4 465	2,11	97,4	-	0,00
3	10 676	10 677	-6,15	97,4	-	0,00
30	3 902	3 906	3,34	97,4	-	0,00
31	3 485	3 489	4,38	97,4	-	0,00
32	4 152	4 156	2,77	97,4	-	0,00
33	3 680	3 684	3,88	97,4	-	0,00
34	3 160	3 164	5,27	97,4	-	0,00
35	3 487	3 491	4,37	97,4	-	0,00
36	3 011	3 016	5,70	97,4	-	0,00
37	2 633	2 638	6,92	97,4	-	0,00
38	2 147	2 155	8,74	97,4	-	0,00
39	3 122	3 127	5,38	97,4	-	0,00
4	10 614	10 615	-6,09	97,4	-	0,00
40	2 192	2 198	8,56	97,4	-	0,00
41	1 790	1 798	10,36	97,4	-	0,00
5	10 114	10 115	-5,62	97,4	-	0,00
6	10 716	10 718	-6,18	97,4	-	0,00
7	11 171	11 172	-6,59	97,4	-	0,00
8	8 950	8 952	-4,44	97,4	-	0,00
9	8 390	8 392	-3,82	97,4	-	0,00
Sum			19,16			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Lapegles

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 137	13 139	-8,18	97,4	-	0,00
10	10 698	10 699	-6,17	97,4	-	0,00
11	8 616	8 618	-4,08	97,4	-	0,00
12	8 845	8 846	-4,33	97,4	-	0,00
13	8 101	8 103	-3,49	97,4	-	0,00
14	7 645	7 647	-2,93	97,4	-	0,00
15	7 157	7 159	-2,31	97,4	-	0,00
16	6 833	6 835	-1,87	97,4	-	0,00
17	6 415	6 417	-1,27	97,4	-	0,00
18	6 205	6 208	-0,96	97,4	-	0,00
19	5 724	5 727	-0,20	97,4	-	0,00
2	12 570	12 571	-7,75	97,4	-	0,00
20	5 802	5 804	-0,33	97,4	-	0,00
21	5 379	5 382	0,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 290	5 293	0,53	97,4	-	0,00
23	4 770	4 773	1,49	97,4	-	0,00
24	4 776	4 779	1,48	97,4	-	0,00
25	6 108	6 111	-0,81	97,4	-	0,00
26	6 039	6 042	-0,70	97,4	-	0,00
27	5 208	5 210	0,68	97,4	-	0,00
28	5 565	5 567	0,06	97,4	-	0,00
29	5 572	5 574	0,05	97,4	-	0,00
3	11 837	11 838	-7,16	97,4	-	0,00
30	5 051	5 054	0,96	97,4	-	0,00
31	4 669	4 672	1,69	97,4	-	0,00
32	5 222	5 225	0,65	97,4	-	0,00
33	4 687	4 691	1,66	97,4	-	0,00
34	4 211	4 215	2,64	97,4	-	0,00
35	4 603	4 606	1,83	97,4	-	0,00
36	4 165	4 168	2,75	97,4	-	0,00
37	3 832	3 836	3,51	97,4	-	0,00
38	3 345	3 350	4,75	97,4	-	0,00
39	4 326	4 329	2,40	97,4	-	0,00
4	11 792	11 793	-7,12	97,4	-	0,00
40	3 311	3 315	4,84	97,4	-	0,00
41	2 836	2 841	6,25	97,4	-	0,00
5	11 285	11 286	-6,69	97,4	-	0,00
6	11 907	11 908	-7,21	97,4	-	0,00
7	12 365	12 366	-7,59	97,4	-	0,00
8	10 151	10 153	-5,66	97,4	-	0,00
9	9 589	9 590	-5,11	97,4	-	0,00
Sum			16,36			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Lapegles

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 137	13 139	-8,18	97,4	-	0,00
10	10 698	10 699	-6,17	97,4	-	0,00
11	8 616	8 618	-4,08	97,4	-	0,00
12	8 845	8 846	-4,33	97,4	-	0,00
13	8 101	8 103	-3,49	97,4	-	0,00
14	7 645	7 647	-2,93	97,4	-	0,00
15	7 157	7 159	-2,31	97,4	-	0,00
16	6 833	6 835	-1,87	97,4	-	0,00
17	6 415	6 417	-1,27	97,4	-	0,00
18	6 205	6 208	-0,96	97,4	-	0,00
19	5 724	5 727	-0,20	97,4	-	0,00
2	12 570	12 571	-7,75	97,4	-	0,00
20	5 802	5 804	-0,33	97,4	-	0,00
21	5 379	5 382	0,38	97,4	-	0,00
22	5 290	5 293	0,53	97,4	-	0,00
23	4 770	4 773	1,49	97,4	-	0,00
24	4 776	4 779	1,48	97,4	-	0,00
25	6 108	6 111	-0,81	97,4	-	0,00
26	6 039	6 042	-0,70	97,4	-	0,00
27	5 208	5 210	0,68	97,4	-	0,00
28	5 565	5 567	0,06	97,4	-	0,00
29	5 572	5 574	0,05	97,4	-	0,00
3	11 837	11 838	-7,16	97,4	-	0,00
30	5 051	5 054	0,96	97,4	-	0,00
31	4 669	4 672	1,69	97,4	-	0,00
32	5 222	5 225	0,65	97,4	-	0,00
33	4 687	4 691	1,66	97,4	-	0,00
34	4 211	4 215	2,64	97,4	-	0,00
35	4 603	4 606	1,83	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 165	4 168	2,75	97,4	-	0,00
37	3 832	3 836	3,51	97,4	-	0,00
38	3 345	3 350	4,75	97,4	-	0,00
39	4 326	4 329	2,40	97,4	-	0,00
4	11 792	11 793	-7,12	97,4	-	0,00
40	3 311	3 315	4,84	97,4	-	0,00
41	2 836	2 841	6,25	97,4	-	0,00
5	11 285	11 286	-6,69	97,4	-	0,00
6	11 907	11 908	-7,21	97,4	-	0,00
7	12 365	12 366	-7,59	97,4	-	0,00
8	10 151	10 153	-5,66	97,4	-	0,00
9	9 589	9 590	-5,11	97,4	-	0,00
Sum			16,36			

- Data undefined due to calculation with octave data

Noise sensitive area: BA Cvjata

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 028	12 029	-7,31	97,4	-	0,00
10	9 592	9 593	-5,11	97,4	-	0,00
11	7 554	7 555	-2,82	97,4	-	0,00
12	7 823	7 825	-3,15	97,4	-	0,00
13	7 048	7 050	-2,16	97,4	-	0,00
14	6 559	6 562	-1,48	97,4	-	0,00
15	6 089	6 091	-0,78	97,4	-	0,00
16	5 785	5 787	-0,30	97,4	-	0,00
17	5 391	5 394	0,36	97,4	-	0,00
18	5 082	5 085	0,91	97,4	-	0,00
19	4 598	4 601	1,84	97,4	-	0,00
2	11 463	11 465	-6,84	97,4	-	0,00
20	4 725	4 728	1,58	97,4	-	0,00
21	4 263	4 266	2,53	97,4	-	0,00
22	4 213	4 217	2,64	97,4	-	0,00
23	3 699	3 703	3,83	97,4	-	0,00
24	3 657	3 661	3,94	97,4	-	0,00
25	4 986	4 989	1,08	97,4	-	0,00
26	4 946	4 949	1,16	97,4	-	0,00
27	4 079	4 083	2,94	97,4	-	0,00
28	4 449	4 452	2,14	97,4	-	0,00
29	4 491	4 494	2,05	97,4	-	0,00
3	10 725	10 726	-6,19	97,4	-	0,00
30	3 944	3 948	3,25	97,4	-	0,00
31	3 543	3 548	4,23	97,4	-	0,00
32	4 170	4 174	2,73	97,4	-	0,00
33	3 682	3 686	3,88	97,4	-	0,00
34	3 171	3 175	5,24	97,4	-	0,00
35	3 517	3 521	4,29	97,4	-	0,00
36	3 054	3 059	5,58	97,4	-	0,00
37	2 703	2 708	6,68	97,4	-	0,00
38	2 242	2 249	8,35	97,4	-	0,00
39	3 210	3 215	5,13	97,4	-	0,00
4	10 670	10 672	-6,14	97,4	-	0,00
40	2 311	2 317	8,09	97,4	-	0,00
41	1 916	1 924	9,75	97,4	-	0,00
5	10 167	10 168	-5,67	97,4	-	0,00
6	10 780	10 781	-6,24	97,4	-	0,00
7	11 237	11 238	-6,65	97,4	-	0,00
8	9 039	9 040	-4,54	97,4	-	0,00
9	8 481	8 483	-3,92	97,4	-	0,00
Sum			18,91			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BA Cvjata

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 028	12 029	-7,31	97,4	-	0,00
10	9 592	9 593	-5,11	97,4	-	0,00
11	7 554	7 555	-2,82	97,4	-	0,00
12	7 823	7 825	-3,15	97,4	-	0,00
13	7 048	7 050	-2,16	97,4	-	0,00
14	6 559	6 562	-1,48	97,4	-	0,00
15	6 089	6 091	-0,78	97,4	-	0,00
16	5 785	5 787	-0,30	97,4	-	0,00
17	5 391	5 394	0,36	97,4	-	0,00
18	5 082	5 085	0,91	97,4	-	0,00
19	4 598	4 601	1,84	97,4	-	0,00
2	11 463	11 465	-6,84	97,4	-	0,00
20	4 725	4 728	1,58	97,4	-	0,00
21	4 263	4 266	2,53	97,4	-	0,00
22	4 213	4 217	2,64	97,4	-	0,00
23	3 699	3 703	3,83	97,4	-	0,00
24	3 657	3 661	3,94	97,4	-	0,00
25	4 986	4 989	1,08	97,4	-	0,00
26	4 946	4 949	1,16	97,4	-	0,00
27	4 079	4 083	2,94	97,4	-	0,00
28	4 449	4 452	2,14	97,4	-	0,00
29	4 491	4 494	2,05	97,4	-	0,00
3	10 725	10 726	-6,19	97,4	-	0,00
30	3 944	3 948	3,25	97,4	-	0,00
31	3 543	3 548	4,23	97,4	-	0,00
32	4 170	4 174	2,73	97,4	-	0,00
33	3 682	3 686	3,88	97,4	-	0,00
34	3 171	3 175	5,24	97,4	-	0,00
35	3 517	3 521	4,29	97,4	-	0,00
36	3 054	3 059	5,58	97,4	-	0,00
37	2 703	2 708	6,68	97,4	-	0,00
38	2 242	2 249	8,35	97,4	-	0,00
39	3 210	3 215	5,13	97,4	-	0,00
4	10 670	10 672	-6,14	97,4	-	0,00
40	2 311	2 317	8,09	97,4	-	0,00
41	1 916	1 924	9,75	97,4	-	0,00
5	10 167	10 168	-5,67	97,4	-	0,00
6	10 780	10 781	-6,24	97,4	-	0,00
7	11 237	11 238	-6,65	97,4	-	0,00
8	9 039	9 040	-4,54	97,4	-	0,00
9	8 481	8 483	-3,92	97,4	-	0,00
Sum			18,91			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Parks

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 362	13 363	-8,35	97,4	-	0,00
10	10 499	10 500	-5,99	97,4	-	0,00
11	8 277	8 278	-3,69	97,4	-	0,00
12	8 399	8 401	-3,83	97,4	-	0,00
13	7 741	7 743	-3,05	97,4	-	0,00
14	7 391	7 393	-2,61	97,4	-	0,00
15	6 854	6 856	-1,90	97,4	-	0,00
16	6 484	6 486	-1,37	97,4	-	0,00
17	6 013	6 016	-0,66	97,4	-	0,00
18	6 174	6 176	-0,91	97,4	-	0,00
19	5 734	5 737	-0,22	97,4	-	0,00
2	12 812	12 813	-7,93	97,4	-	0,00
20	5 556	5 558	0,08	97,4	-	0,00
21	5 314	5 317	0,49	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 062	5 065	0,94	97,4	-	0,00
23	4 545	4 548	1,94	97,4	-	0,00
24	4 746	4 749	1,54	97,4	-	0,00
25	6 300	6 302	-1,10	97,4	-	0,00
26	6 380	6 382	-1,22	97,4	-	0,00
27	5 336	5 339	0,45	97,4	-	0,00
28	5 815	5 818	-0,35	97,4	-	0,00
29	5 960	5 962	-0,58	97,4	-	0,00
3	12 053	12 054	-7,33	97,4	-	0,00
30	5 355	5 358	0,42	97,4	-	0,00
31	4 862	4 865	1,32	97,4	-	0,00
32	5 690	5 692	-0,15	97,4	-	0,00
33	5 252	5 255	0,60	97,4	-	0,00
34	4 717	4 720	1,60	97,4	-	0,00
35	4 991	4 994	1,08	97,4	-	0,00
36	4 473	4 476	2,09	97,4	-	0,00
37	3 961	3 964	3,21	97,4	-	0,00
38	3 311	3 316	4,84	97,4	-	0,00
39	4 294	4 297	2,47	97,4	-	0,00
4	11 942	11 943	-7,24	97,4	-	0,00
40	3 016	3 021	5,69	97,4	-	0,00
41	2 463	2 470	7,51	97,4	-	0,00
5	11 466	11 467	-6,84	97,4	-	0,00
6	11 992	11 993	-7,28	97,4	-	0,00
7	12 426	12 428	-7,63	97,4	-	0,00
8	9 989	9 990	-5,50	97,4	-	0,00
9	9 405	9 407	-4,92	97,4	-	0,00
Sum			16,43			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Parks

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 362	13 363	-8,35	97,4	-	0,00
10	10 499	10 500	-5,99	97,4	-	0,00
11	8 277	8 278	-3,69	97,4	-	0,00
12	8 399	8 401	-3,83	97,4	-	0,00
13	7 741	7 743	-3,05	97,4	-	0,00
14	7 391	7 393	-2,61	97,4	-	0,00
15	6 854	6 856	-1,90	97,4	-	0,00
16	6 484	6 486	-1,37	97,4	-	0,00
17	6 013	6 016	-0,66	97,4	-	0,00
18	6 174	6 176	-0,91	97,4	-	0,00
19	5 734	5 737	-0,22	97,4	-	0,00
2	12 812	12 813	-7,93	97,4	-	0,00
20	5 556	5 558	0,08	97,4	-	0,00
21	5 314	5 317	0,49	97,4	-	0,00
22	5 062	5 065	0,94	97,4	-	0,00
23	4 545	4 548	1,94	97,4	-	0,00
24	4 746	4 749	1,54	97,4	-	0,00
25	6 300	6 302	-1,10	97,4	-	0,00
26	6 380	6 382	-1,22	97,4	-	0,00
27	5 336	5 339	0,45	97,4	-	0,00
28	5 815	5 818	-0,35	97,4	-	0,00
29	5 960	5 962	-0,58	97,4	-	0,00
3	12 053	12 054	-7,33	97,4	-	0,00
30	5 355	5 358	0,42	97,4	-	0,00
31	4 862	4 865	1,32	97,4	-	0,00
32	5 690	5 692	-0,15	97,4	-	0,00
33	5 252	5 255	0,60	97,4	-	0,00
34	4 717	4 720	1,60	97,4	-	0,00
35	4 991	4 994	1,08	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 473	4 476	2,09	97,4	-	0,00
37	3 961	3 964	3,21	97,4	-	0,00
38	3 311	3 316	4,84	97,4	-	0,00
39	4 294	4 297	2,47	97,4	-	0,00
4	11 942	11 943	-7,24	97,4	-	0,00
40	3 016	3 021	5,69	97,4	-	0,00
41	2 463	2 470	7,51	97,4	-	0,00
5	11 466	11 467	-6,84	97,4	-	0,00
6	11 992	11 993	-7,28	97,4	-	0,00
7	12 426	12 428	-7,63	97,4	-	0,00
8	9 989	9 990	-5,50	97,4	-	0,00
9	9 405	9 407	-4,92	97,4	-	0,00
Sum			16,43			

- Data undefined due to calculation with octave data

Noise sensitive area: BC Draudziba

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 416	13 417	-8,39	97,4	-	0,00
10	10 767	10 769	-6,23	97,4	-	0,00
11	8 609	8 611	-4,07	97,4	-	0,00
12	8 781	8 783	-4,26	97,4	-	0,00
13	8 082	8 084	-3,46	97,4	-	0,00
14	7 680	7 682	-2,98	97,4	-	0,00
15	7 165	7 167	-2,32	97,4	-	0,00
16	6 816	6 818	-1,84	97,4	-	0,00
17	6 368	6 371	-1,20	97,4	-	0,00
18	6 346	6 348	-1,17	97,4	-	0,00
19	5 883	5 886	-0,46	97,4	-	0,00
2	12 856	12 857	-7,97	97,4	-	0,00
20	5 833	5 835	-0,38	97,4	-	0,00
21	5 499	5 502	0,17	97,4	-	0,00
22	5 327	5 330	0,47	97,4	-	0,00
23	4 805	4 808	1,43	97,4	-	0,00
24	4 909	4 912	1,23	97,4	-	0,00
25	6 356	6 359	-1,19	97,4	-	0,00
26	6 356	6 359	-1,19	97,4	-	0,00
27	5 421	5 424	0,31	97,4	-	0,00
28	5 838	5 840	-0,39	97,4	-	0,00
29	5 908	5 911	-0,50	97,4	-	0,00
3	12 110	12 111	-7,38	97,4	-	0,00
30	5 346	5 349	0,44	97,4	-	0,00
31	4 909	4 912	1,23	97,4	-	0,00
32	5 593	5 596	0,01	97,4	-	0,00
33	5 098	5 101	0,88	97,4	-	0,00
34	4 593	4 596	1,84	97,4	-	0,00
35	4 934	4 937	1,18	97,4	-	0,00
36	4 455	4 459	2,13	97,4	-	0,00
37	4 033	4 037	3,04	97,4	-	0,00
38	3 460	3 464	4,44	97,4	-	0,00
39	4 453	4 457	2,13	97,4	-	0,00
4	12 034	12 035	-7,32	97,4	-	0,00
40	3 293	3 297	4,89	97,4	-	0,00
41	2 768	2 774	6,46	97,4	-	0,00
5	11 541	11 542	-6,91	97,4	-	0,00
6	12 118	12 119	-7,39	97,4	-	0,00
7	12 566	12 567	-7,74	97,4	-	0,00
8	10 238	10 240	-5,74	97,4	-	0,00
9	9 664	9 666	-5,18	97,4	-	0,00
Sum			16,09			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BC Draudziba

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 416	13 417	-8,39	97,4	-	0,00
10	10 767	10 769	-6,23	97,4	-	0,00
11	8 609	8 611	-4,07	97,4	-	0,00
12	8 781	8 783	-4,26	97,4	-	0,00
13	8 082	8 084	-3,46	97,4	-	0,00
14	7 680	7 682	-2,98	97,4	-	0,00
15	7 165	7 167	-2,32	97,4	-	0,00
16	6 816	6 818	-1,84	97,4	-	0,00
17	6 368	6 371	-1,20	97,4	-	0,00
18	6 346	6 348	-1,17	97,4	-	0,00
19	5 883	5 886	-0,46	97,4	-	0,00
2	12 856	12 857	-7,97	97,4	-	0,00
20	5 833	5 835	-0,38	97,4	-	0,00
21	5 499	5 502	0,17	97,4	-	0,00
22	5 327	5 330	0,47	97,4	-	0,00
23	4 805	4 808	1,43	97,4	-	0,00
24	4 909	4 912	1,23	97,4	-	0,00
25	6 356	6 359	-1,19	97,4	-	0,00
26	6 356	6 359	-1,19	97,4	-	0,00
27	5 421	5 424	0,31	97,4	-	0,00
28	5 838	5 840	-0,39	97,4	-	0,00
29	5 908	5 911	-0,50	97,4	-	0,00
3	12 110	12 111	-7,38	97,4	-	0,00
30	5 346	5 349	0,44	97,4	-	0,00
31	4 909	4 912	1,23	97,4	-	0,00
32	5 593	5 596	0,01	97,4	-	0,00
33	5 098	5 101	0,88	97,4	-	0,00
34	4 593	4 596	1,84	97,4	-	0,00
35	4 934	4 937	1,18	97,4	-	0,00
36	4 455	4 459	2,13	97,4	-	0,00
37	4 033	4 037	3,04	97,4	-	0,00
38	3 460	3 464	4,44	97,4	-	0,00
39	4 453	4 457	2,13	97,4	-	0,00
4	12 034	12 035	-7,32	97,4	-	0,00
40	3 293	3 297	4,89	97,4	-	0,00
41	2 768	2 774	6,46	97,4	-	0,00
5	11 541	11 542	-6,91	97,4	-	0,00
6	12 118	12 119	-7,39	97,4	-	0,00
7	12 566	12 567	-7,74	97,4	-	0,00
8	10 238	10 240	-5,74	97,4	-	0,00
9	9 664	9 666	-5,18	97,4	-	0,00
Sum			16,09			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Klingeres

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 426	13 427	-8,40	97,4	-	0,00
10	10 584	10 585	-6,06	97,4	-	0,00
11	8 366	8 368	-3,79	97,4	-	0,00
12	8 491	8 493	-3,94	97,4	-	0,00
13	7 831	7 833	-3,16	97,4	-	0,00
14	7 477	7 479	-2,72	97,4	-	0,00
15	6 942	6 944	-2,02	97,4	-	0,00
16	6 573	6 575	-1,50	97,4	-	0,00
17	6 104	6 106	-0,80	97,4	-	0,00
18	6 249	6 251	-1,02	97,4	-	0,00
19	5 807	5 809	-0,34	97,4	-	0,00
2	12 874	12 876	-7,98	97,4	-	0,00
20	5 640	5 643	-0,06	97,4	-	0,00
21	5 390	5 393	0,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 145	5 148	0,79	97,4	-	0,00
23	4 627	4 630	1,78	97,4	-	0,00
24	4 819	4 822	1,40	97,4	-	0,00
25	6 362	6 365	-1,19	97,4	-	0,00
26	6 433	6 435	-1,30	97,4	-	0,00
27	5 402	5 404	0,34	97,4	-	0,00
28	5 873	5 876	-0,44	97,4	-	0,00
29	6 009	6 011	-0,66	97,4	-	0,00
3	12 117	12 118	-7,39	97,4	-	0,00
30	5 409	5 412	0,33	97,4	-	0,00
31	4 922	4 925	1,20	97,4	-	0,00
32	5 733	5 735	-0,22	97,4	-	0,00
33	5 286	5 289	0,54	97,4	-	0,00
34	4 755	4 758	1,52	97,4	-	0,00
35	5 038	5 041	0,99	97,4	-	0,00
36	4 525	4 528	1,98	97,4	-	0,00
37	4 023	4 027	3,06	97,4	-	0,00
38	3 381	3 386	4,65	97,4	-	0,00
39	4 366	4 370	2,31	97,4	-	0,00
4	12 010	12 011	-7,30	97,4	-	0,00
40	3 098	3 103	5,45	97,4	-	0,00
41	2 548	2 554	7,21	97,4	-	0,00
5	11 532	11 533	-6,90	97,4	-	0,00
6	12 063	12 065	-7,34	97,4	-	0,00
7	12 500	12 501	-7,69	97,4	-	0,00
8	10 072	10 074	-5,58	97,4	-	0,00
9	9 489	9 491	-5,01	97,4	-	0,00
Sum			16,28			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Klingeres

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 426	13 427	-8,40	97,4	-	0,00
10	10 584	10 585	-6,06	97,4	-	0,00
11	8 366	8 368	-3,79	97,4	-	0,00
12	8 491	8 493	-3,94	97,4	-	0,00
13	7 831	7 833	-3,16	97,4	-	0,00
14	7 477	7 479	-2,72	97,4	-	0,00
15	6 942	6 944	-2,02	97,4	-	0,00
16	6 573	6 575	-1,50	97,4	-	0,00
17	6 104	6 106	-0,80	97,4	-	0,00
18	6 249	6 251	-1,02	97,4	-	0,00
19	5 807	5 809	-0,34	97,4	-	0,00
2	12 874	12 876	-7,98	97,4	-	0,00
20	5 640	5 643	-0,06	97,4	-	0,00
21	5 390	5 393	0,36	97,4	-	0,00
22	5 145	5 148	0,79	97,4	-	0,00
23	4 627	4 630	1,78	97,4	-	0,00
24	4 819	4 822	1,40	97,4	-	0,00
25	6 362	6 365	-1,19	97,4	-	0,00
26	6 433	6 435	-1,30	97,4	-	0,00
27	5 402	5 404	0,34	97,4	-	0,00
28	5 873	5 876	-0,44	97,4	-	0,00
29	6 009	6 011	-0,66	97,4	-	0,00
3	12 117	12 118	-7,39	97,4	-	0,00
30	5 409	5 412	0,33	97,4	-	0,00
31	4 922	4 925	1,20	97,4	-	0,00
32	5 733	5 735	-0,22	97,4	-	0,00
33	5 286	5 289	0,54	97,4	-	0,00
34	4 755	4 758	1,52	97,4	-	0,00
35	5 038	5 041	0,99	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 525	4 528	1,98	97,4	-	0,00
37	4 023	4 027	3,06	97,4	-	0,00
38	3 381	3 386	4,65	97,4	-	0,00
39	4 366	4 370	2,31	97,4	-	0,00
4	12 010	12 011	-7,30	97,4	-	0,00
40	3 098	3 103	5,45	97,4	-	0,00
41	2 548	2 554	7,21	97,4	-	0,00
5	11 532	11 533	-6,90	97,4	-	0,00
6	12 063	12 065	-7,34	97,4	-	0,00
7	12 500	12 501	-7,69	97,4	-	0,00
8	10 072	10 074	-5,58	97,4	-	0,00
9	9 489	9 491	-5,01	97,4	-	0,00
Sum			16,28			

- Data undefined due to calculation with octave data

Noise sensitive area: BE Krustceles

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 426	13 427	-8,40	97,4	-	0,00
10	10 598	10 600	-6,08	97,4	-	0,00
11	8 385	8 386	-3,81	97,4	-	0,00
12	8 514	8 516	-3,96	97,4	-	0,00
13	7 851	7 852	-3,19	97,4	-	0,00
14	7 493	7 495	-2,74	97,4	-	0,00
15	6 959	6 961	-2,04	97,4	-	0,00
16	6 592	6 594	-1,53	97,4	-	0,00
17	6 124	6 127	-0,84	97,4	-	0,00
18	6 256	6 258	-1,04	97,4	-	0,00
19	5 812	5 815	-0,34	97,4	-	0,00
2	12 874	12 875	-7,98	97,4	-	0,00
20	5 655	5 657	-0,09	97,4	-	0,00
21	5 398	5 400	0,35	97,4	-	0,00
22	5 158	5 161	0,77	97,4	-	0,00
23	4 640	4 643	1,75	97,4	-	0,00
24	4 825	4 828	1,39	97,4	-	0,00
25	6 361	6 364	-1,19	97,4	-	0,00
26	6 426	6 429	-1,29	97,4	-	0,00
27	5 402	5 405	0,34	97,4	-	0,00
28	5 870	5 872	-0,44	97,4	-	0,00
29	6 001	6 003	-0,64	97,4	-	0,00
3	12 117	12 118	-7,39	97,4	-	0,00
30	5 404	5 406	0,34	97,4	-	0,00
31	4 920	4 923	1,21	97,4	-	0,00
32	5 721	5 724	-0,20	97,4	-	0,00
33	5 271	5 274	0,57	97,4	-	0,00
34	4 742	4 744	1,55	97,4	-	0,00
35	5 029	5 032	1,00	97,4	-	0,00
36	4 518	4 521	2,00	97,4	-	0,00
37	4 023	4 026	3,07	97,4	-	0,00
38	3 385	3 390	4,64	97,4	-	0,00
39	4 372	4 375	2,30	97,4	-	0,00
4	12 012	12 014	-7,30	97,4	-	0,00
40	3 112	3 116	5,41	97,4	-	0,00
41	2 562	2 568	7,16	97,4	-	0,00
5	11 533	11 534	-6,90	97,4	-	0,00
6	12 068	12 069	-7,35	97,4	-	0,00
7	12 505	12 506	-7,70	97,4	-	0,00
8	10 085	10 087	-5,59	97,4	-	0,00
9	9 503	9 504	-5,02	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BE Krustceles

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 426	13 427	-8,40	97,4	-	0,00
10	10 598	10 600	-6,08	97,4	-	0,00
11	8 385	8 386	-3,81	97,4	-	0,00
12	8 514	8 516	-3,96	97,4	-	0,00
13	7 851	7 852	-3,19	97,4	-	0,00
14	7 493	7 495	-2,74	97,4	-	0,00
15	6 959	6 961	-2,04	97,4	-	0,00
16	6 592	6 594	-1,53	97,4	-	0,00
17	6 124	6 127	-0,84	97,4	-	0,00
18	6 256	6 258	-1,04	97,4	-	0,00
19	5 812	5 815	-0,34	97,4	-	0,00
2	12 874	12 875	-7,98	97,4	-	0,00
20	5 655	5 657	-0,09	97,4	-	0,00
21	5 398	5 400	0,35	97,4	-	0,00
22	5 158	5 161	0,77	97,4	-	0,00
23	4 640	4 643	1,75	97,4	-	0,00
24	4 825	4 828	1,39	97,4	-	0,00
25	6 361	6 364	-1,19	97,4	-	0,00
26	6 426	6 429	-1,29	97,4	-	0,00
27	5 402	5 405	0,34	97,4	-	0,00
28	5 870	5 872	-0,44	97,4	-	0,00
29	6 001	6 003	-0,64	97,4	-	0,00
3	12 117	12 118	-7,39	97,4	-	0,00
30	5 404	5 406	0,34	97,4	-	0,00
31	4 920	4 923	1,21	97,4	-	0,00
32	5 721	5 724	-0,20	97,4	-	0,00
33	5 271	5 274	0,57	97,4	-	0,00
34	4 742	4 744	1,55	97,4	-	0,00
35	5 029	5 032	1,00	97,4	-	0,00
36	4 518	4 521	2,00	97,4	-	0,00
37	4 023	4 026	3,07	97,4	-	0,00
38	3 385	3 390	4,64	97,4	-	0,00
39	4 372	4 375	2,30	97,4	-	0,00
4	12 012	12 014	-7,30	97,4	-	0,00
40	3 112	3 116	5,41	97,4	-	0,00
41	2 562	2 568	7,16	97,4	-	0,00
5	11 533	11 534	-6,90	97,4	-	0,00
6	12 068	12 069	-7,35	97,4	-	0,00
7	12 505	12 506	-7,70	97,4	-	0,00
8	10 085	10 087	-5,59	97,4	-	0,00
9	9 503	9 504	-5,02	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Pogas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 937	11 938	-7,24	97,4	-	0,00
10	9 681	9 683	-5,20	97,4	-	0,00
11	7 712	7 714	-3,02	97,4	-	0,00
12	8 022	8 024	-3,39	97,4	-	0,00
13	7 219	7 221	-2,39	97,4	-	0,00
14	6 692	6 694	-1,67	97,4	-	0,00
15	6 247	6 249	-1,02	97,4	-	0,00
16	5 965	5 967	-0,59	97,4	-	0,00
17	5 598	5 601	0,01	97,4	-	0,00
18	5 136	5 139	0,81	97,4	-	0,00
19	4 640	4 643	1,75	97,4	-	0,00
2	11 367	11 368	-6,76	97,4	-	0,00
20	4 879	4 882	1,29	97,4	-	0,00
21	4 346	4 349	2,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 370	4 373	2,30	97,4	-	0,00
23	3 868	3 872	3,43	97,4	-	0,00
24	3 738	3 742	3,74	97,4	-	0,00
25	4 939	4 942	1,17	97,4	-	0,00
26	4 829	4 832	1,38	97,4	-	0,00
27	4 074	4 078	2,95	97,4	-	0,00
28	4 380	4 384	2,28	97,4	-	0,00
29	4 355	4 358	2,34	97,4	-	0,00
3	10 640	10 641	-6,11	97,4	-	0,00
30	3 855	3 859	3,45	97,4	-	0,00
31	3 517	3 522	4,29	97,4	-	0,00
32	3 998	4 001	3,12	97,4	-	0,00
33	3 464	3 468	4,43	97,4	-	0,00
34	2 987	2 991	5,78	97,4	-	0,00
35	3 391	3 395	4,63	97,4	-	0,00
36	2 979	2 984	5,80	97,4	-	0,00
37	2 735	2 740	6,58	97,4	-	0,00
38	2 384	2 391	7,81	97,4	-	0,00
39	3 305	3 309	4,86	97,4	-	0,00
4	10 613	10 614	-6,09	97,4	-	0,00
40	2 572	2 577	7,13	97,4	-	0,00
41	2 240	2 247	8,36	97,4	-	0,00
5	10 098	10 099	-5,61	97,4	-	0,00
6	10 749	10 751	-6,21	97,4	-	0,00
7	11 215	11 216	-6,63	97,4	-	0,00
8	9 116	9 118	-4,62	97,4	-	0,00
9	8 570	8 572	-4,02	97,4	-	0,00
Sum			18,66			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Pogas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 937	11 938	-7,24	97,4	-	0,00
10	9 681	9 683	-5,20	97,4	-	0,00
11	7 712	7 714	-3,02	97,4	-	0,00
12	8 022	8 024	-3,39	97,4	-	0,00
13	7 219	7 221	-2,39	97,4	-	0,00
14	6 692	6 694	-1,67	97,4	-	0,00
15	6 247	6 249	-1,02	97,4	-	0,00
16	5 965	5 967	-0,59	97,4	-	0,00
17	5 598	5 601	0,01	97,4	-	0,00
18	5 136	5 139	0,81	97,4	-	0,00
19	4 640	4 643	1,75	97,4	-	0,00
2	11 367	11 368	-6,76	97,4	-	0,00
20	4 879	4 882	1,29	97,4	-	0,00
21	4 346	4 349	2,36	97,4	-	0,00
22	4 370	4 373	2,30	97,4	-	0,00
23	3 868	3 872	3,43	97,4	-	0,00
24	3 738	3 742	3,74	97,4	-	0,00
25	4 939	4 942	1,17	97,4	-	0,00
26	4 829	4 832	1,38	97,4	-	0,00
27	4 074	4 078	2,95	97,4	-	0,00
28	4 380	4 384	2,28	97,4	-	0,00
29	4 355	4 358	2,34	97,4	-	0,00
3	10 640	10 641	-6,11	97,4	-	0,00
30	3 855	3 859	3,45	97,4	-	0,00
31	3 517	3 522	4,29	97,4	-	0,00
32	3 998	4 001	3,12	97,4	-	0,00
33	3 464	3 468	4,43	97,4	-	0,00
34	2 987	2 991	5,78	97,4	-	0,00
35	3 391	3 395	4,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 979	2 984	5,80	97,4	-	0,00
37	2 735	2 740	6,58	97,4	-	0,00
38	2 384	2 391	7,81	97,4	-	0,00
39	3 305	3 309	4,86	97,4	-	0,00
4	10 613	10 614	-6,09	97,4	-	0,00
40	2 572	2 577	7,13	97,4	-	0,00
41	2 240	2 247	8,36	97,4	-	0,00
5	10 098	10 099	-5,61	97,4	-	0,00
6	10 749	10 751	-6,21	97,4	-	0,00
7	11 215	11 216	-6,63	97,4	-	0,00
8	9 116	9 118	-4,62	97,4	-	0,00
9	8 570	8 572	-4,02	97,4	-	0,00
Sum			18,66			

- Data undefined due to calculation with octave data

Noise sensitive area: BG Plumes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 244	13 245	-8,26	97,4	-	0,00
10	10 407	10 408	-5,90	97,4	-	0,00
11	8 195	8 197	-3,60	97,4	-	0,00
12	8 328	8 330	-3,75	97,4	-	0,00
13	7 661	7 663	-2,95	97,4	-	0,00
14	7 302	7 304	-2,50	97,4	-	0,00
15	6 768	6 770	-1,78	97,4	-	0,00
16	6 402	6 404	-1,25	97,4	-	0,00
17	5 936	5 938	-0,54	97,4	-	0,00
18	6 067	6 069	-0,75	97,4	-	0,00
19	5 624	5 627	-0,04	97,4	-	0,00
2	12 693	12 694	-7,84	97,4	-	0,00
20	5 463	5 466	0,23	97,4	-	0,00
21	5 208	5 211	0,68	97,4	-	0,00
22	4 967	4 970	1,12	97,4	-	0,00
23	4 448	4 452	2,14	97,4	-	0,00
24	4 636	4 640	1,76	97,4	-	0,00
25	6 180	6 183	-0,92	97,4	-	0,00
26	6 255	6 257	-1,03	97,4	-	0,00
27	5 219	5 222	0,66	97,4	-	0,00
28	5 693	5 696	-0,15	97,4	-	0,00
29	5 833	5 836	-0,38	97,4	-	0,00
3	11 935	11 936	-7,24	97,4	-	0,00
30	5 231	5 233	0,64	97,4	-	0,00
31	4 741	4 744	1,55	97,4	-	0,00
32	5 561	5 564	0,07	97,4	-	0,00
33	5 121	5 124	0,84	97,4	-	0,00
34	4 587	4 590	1,86	97,4	-	0,00
35	4 863	4 867	1,32	97,4	-	0,00
36	4 347	4 350	2,35	97,4	-	0,00
37	3 842	3 845	3,49	97,4	-	0,00
38	3 198	3 203	5,16	97,4	-	0,00
39	4 184	4 187	2,70	97,4	-	0,00
4	11 827	11 828	-7,15	97,4	-	0,00
40	2 920	2 925	5,98	97,4	-	0,00
41	2 371	2 377	7,86	97,4	-	0,00
5	11 350	11 351	-6,74	97,4	-	0,00
6	11 881	11 882	-7,19	97,4	-	0,00
7	12 317	12 318	-7,55	97,4	-	0,00
8	9 894	9 895	-5,41	97,4	-	0,00
9	9 312	9 313	-4,82	97,4	-	0,00
Sum			16,66			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BG Plumes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 244	13 245	-8,26	97,4	-	0,00
10	10 407	10 408	-5,90	97,4	-	0,00
11	8 195	8 197	-3,60	97,4	-	0,00
12	8 328	8 330	-3,75	97,4	-	0,00
13	7 661	7 663	-2,95	97,4	-	0,00
14	7 302	7 304	-2,50	97,4	-	0,00
15	6 768	6 770	-1,78	97,4	-	0,00
16	6 402	6 404	-1,25	97,4	-	0,00
17	5 936	5 938	-0,54	97,4	-	0,00
18	6 067	6 069	-0,75	97,4	-	0,00
19	5 624	5 627	-0,04	97,4	-	0,00
2	12 693	12 694	-7,84	97,4	-	0,00
20	5 463	5 466	0,23	97,4	-	0,00
21	5 208	5 211	0,68	97,4	-	0,00
22	4 967	4 970	1,12	97,4	-	0,00
23	4 448	4 452	2,14	97,4	-	0,00
24	4 636	4 640	1,76	97,4	-	0,00
25	6 180	6 183	-0,92	97,4	-	0,00
26	6 255	6 257	-1,03	97,4	-	0,00
27	5 219	5 222	0,66	97,4	-	0,00
28	5 693	5 696	-0,15	97,4	-	0,00
29	5 833	5 836	-0,38	97,4	-	0,00
3	11 935	11 936	-7,24	97,4	-	0,00
30	5 231	5 233	0,64	97,4	-	0,00
31	4 741	4 744	1,55	97,4	-	0,00
32	5 561	5 564	0,07	97,4	-	0,00
33	5 121	5 124	0,84	97,4	-	0,00
34	4 587	4 590	1,86	97,4	-	0,00
35	4 863	4 867	1,32	97,4	-	0,00
36	4 347	4 350	2,35	97,4	-	0,00
37	3 842	3 845	3,49	97,4	-	0,00
38	3 198	3 203	5,16	97,4	-	0,00
39	4 184	4 187	2,70	97,4	-	0,00
4	11 827	11 828	-7,15	97,4	-	0,00
40	2 920	2 925	5,98	97,4	-	0,00
41	2 371	2 377	7,86	97,4	-	0,00
5	11 350	11 351	-6,74	97,4	-	0,00
6	11 881	11 882	-7,19	97,4	-	0,00
7	12 317	12 318	-7,55	97,4	-	0,00
8	9 894	9 895	-5,41	97,4	-	0,00
9	9 312	9 313	-4,82	97,4	-	0,00
Sum			16,66			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Skaistie š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 981	11 982	-7,28	97,4	-	0,00
10	9 482	9 484	-5,00	97,4	-	0,00
11	7 424	7 426	-2,65	97,4	-	0,00
12	7 682	7 684	-2,98	97,4	-	0,00
13	6 915	6 917	-1,98	97,4	-	0,00
14	6 438	6 441	-1,31	97,4	-	0,00
15	5 961	5 963	-0,58	97,4	-	0,00
16	5 650	5 653	-0,08	97,4	-	0,00
17	5 250	5 253	0,60	97,4	-	0,00
18	4 988	4 991	1,08	97,4	-	0,00
19	4 509	4 512	2,02	97,4	-	0,00
2	11 419	11 420	-6,80	97,4	-	0,00
20	4 600	4 603	1,83	97,4	-	0,00
21	4 161	4 164	2,76	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 087	4 091	2,92	97,4	-	0,00
23	3 571	3 575	4,16	97,4	-	0,00
24	3 558	3 562	4,19	97,4	-	0,00
25	4 928	4 932	1,19	97,4	-	0,00
26	4 915	4 918	1,22	97,4	-	0,00
27	4 008	4 012	3,10	97,4	-	0,00
28	4 401	4 405	2,24	97,4	-	0,00
29	4 470	4 473	2,10	97,4	-	0,00
3	10 676	10 677	-6,15	97,4	-	0,00
30	3 906	3 910	3,34	97,4	-	0,00
31	3 482	3 487	4,38	97,4	-	0,00
32	4 165	4 169	2,75	97,4	-	0,00
33	3 698	3 702	3,84	97,4	-	0,00
34	3 175	3 179	5,23	97,4	-	0,00
35	3 495	3 499	4,35	97,4	-	0,00
36	3 015	3 020	5,69	97,4	-	0,00
37	2 625	2 631	6,94	97,4	-	0,00
38	2 129	2 136	8,82	97,4	-	0,00
39	3 107	3 112	5,42	97,4	-	0,00
4	10 611	10 613	-6,09	97,4	-	0,00
40	2 160	2 166	8,69	97,4	-	0,00
41	1 751	1 760	10,55	97,4	-	0,00
5	10 113	10 114	-5,62	97,4	-	0,00
6	10 711	10 712	-6,18	97,4	-	0,00
7	11 165	11 166	-6,58	97,4	-	0,00
8	8 933	8 935	-4,42	97,4	-	0,00
9	8 372	8 374	-3,80	97,4	-	0,00
Sum			19,21			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Skaistie š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 981	11 982	-7,28	97,4	-	0,00
10	9 482	9 484	-5,00	97,4	-	0,00
11	7 424	7 426	-2,65	97,4	-	0,00
12	7 682	7 684	-2,98	97,4	-	0,00
13	6 915	6 917	-1,98	97,4	-	0,00
14	6 438	6 441	-1,31	97,4	-	0,00
15	5 961	5 963	-0,58	97,4	-	0,00
16	5 650	5 653	-0,08	97,4	-	0,00
17	5 250	5 253	0,60	97,4	-	0,00
18	4 988	4 991	1,08	97,4	-	0,00
19	4 509	4 512	2,02	97,4	-	0,00
2	11 419	11 420	-6,80	97,4	-	0,00
20	4 600	4 603	1,83	97,4	-	0,00
21	4 161	4 164	2,76	97,4	-	0,00
22	4 087	4 091	2,92	97,4	-	0,00
23	3 571	3 575	4,16	97,4	-	0,00
24	3 558	3 562	4,19	97,4	-	0,00
25	4 928	4 932	1,19	97,4	-	0,00
26	4 915	4 918	1,22	97,4	-	0,00
27	4 008	4 012	3,10	97,4	-	0,00
28	4 401	4 405	2,24	97,4	-	0,00
29	4 470	4 473	2,10	97,4	-	0,00
3	10 676	10 677	-6,15	97,4	-	0,00
30	3 906	3 910	3,34	97,4	-	0,00
31	3 482	3 487	4,38	97,4	-	0,00
32	4 165	4 169	2,75	97,4	-	0,00
33	3 698	3 702	3,84	97,4	-	0,00
34	3 175	3 179	5,23	97,4	-	0,00
35	3 495	3 499	4,35	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 015	3 020	5,69	97,4	-	0,00
37	2 625	2 631	6,94	97,4	-	0,00
38	2 129	2 136	8,82	97,4	-	0,00
39	3 107	3 112	5,42	97,4	-	0,00
4	10 611	10 613	-6,09	97,4	-	0,00
40	2 160	2 166	8,69	97,4	-	0,00
41	1 751	1 760	10,55	97,4	-	0,00
5	10 113	10 114	-5,62	97,4	-	0,00
6	10 711	10 712	-6,18	97,4	-	0,00
7	11 165	11 166	-6,58	97,4	-	0,00
8	8 933	8 935	-4,42	97,4	-	0,00
9	8 372	8 374	-3,80	97,4	-	0,00
Sum			19,21			

- Data undefined due to calculation with octave data

Noise sensitive area: BI Bibeli š ki 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 982	11 983	-7,28	97,4	-	0,00
10	9 465	9 467	-4,98	97,4	-	0,00
11	7 401	7 403	-2,62	97,4	-	0,00
12	7 655	7 657	-2,95	97,4	-	0,00
13	6 891	6 893	-1,95	97,4	-	0,00
14	6 418	6 421	-1,28	97,4	-	0,00
15	5 939	5 941	-0,55	97,4	-	0,00
16	5 626	5 628	-0,04	97,4	-	0,00
17	5 223	5 226	0,65	97,4	-	0,00
18	4 976	4 979	1,10	97,4	-	0,00
19	4 498	4 502	2,04	97,4	-	0,00
2	11 421	11 422	-6,81	97,4	-	0,00
20	4 578	4 582	1,87	97,4	-	0,00
21	4 147	4 150	2,79	97,4	-	0,00
22	4 066	4 070	2,97	97,4	-	0,00
23	3 549	3 553	4,21	97,4	-	0,00
24	3 544	3 549	4,22	97,4	-	0,00
25	4 927	4 930	1,19	97,4	-	0,00
26	4 921	4 924	1,21	97,4	-	0,00
27	4 003	4 007	3,11	97,4	-	0,00
28	4 402	4 406	2,24	97,4	-	0,00
29	4 477	4 481	2,08	97,4	-	0,00
3	10 676	10 678	-6,15	97,4	-	0,00
30	3 909	3 913	3,33	97,4	-	0,00
31	3 480	3 485	4,39	97,4	-	0,00
32	4 177	4 181	2,72	97,4	-	0,00
33	3 715	3 719	3,79	97,4	-	0,00
34	3 189	3 193	5,19	97,4	-	0,00
35	3 503	3 507	4,33	97,4	-	0,00
36	3 018	3 023	5,68	97,4	-	0,00
37	2 619	2 624	6,97	97,4	-	0,00
38	2 112	2 120	8,89	97,4	-	0,00
39	3 093	3 098	5,46	97,4	-	0,00
4	10 609	10 610	-6,09	97,4	-	0,00
40	2 130	2 137	8,82	97,4	-	0,00
41	1 716	1 725	10,73	97,4	-	0,00
5	10 111	10 113	-5,62	97,4	-	0,00
6	10 706	10 707	-6,17	97,4	-	0,00
7	11 159	11 160	-6,58	97,4	-	0,00
8	8 918	8 920	-4,41	97,4	-	0,00
9	8 356	8 358	-3,78	97,4	-	0,00
Sum			19,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BI Bibeli š ki 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 982	11 983	-7,28	97,4	-	0,00
10	9 465	9 467	-4,98	97,4	-	0,00
11	7 401	7 403	-2,62	97,4	-	0,00
12	7 655	7 657	-2,95	97,4	-	0,00
13	6 891	6 893	-1,95	97,4	-	0,00
14	6 418	6 421	-1,28	97,4	-	0,00
15	5 939	5 941	-0,55	97,4	-	0,00
16	5 626	5 628	-0,04	97,4	-	0,00
17	5 223	5 226	0,65	97,4	-	0,00
18	4 976	4 979	1,10	97,4	-	0,00
19	4 498	4 502	2,04	97,4	-	0,00
2	11 421	11 422	-6,81	97,4	-	0,00
20	4 578	4 582	1,87	97,4	-	0,00
21	4 147	4 150	2,79	97,4	-	0,00
22	4 066	4 070	2,97	97,4	-	0,00
23	3 549	3 553	4,21	97,4	-	0,00
24	3 544	3 549	4,22	97,4	-	0,00
25	4 927	4 930	1,19	97,4	-	0,00
26	4 921	4 924	1,21	97,4	-	0,00
27	4 003	4 007	3,11	97,4	-	0,00
28	4 402	4 406	2,24	97,4	-	0,00
29	4 477	4 481	2,08	97,4	-	0,00
3	10 676	10 678	-6,15	97,4	-	0,00
30	3 909	3 913	3,33	97,4	-	0,00
31	3 480	3 485	4,39	97,4	-	0,00
32	4 177	4 181	2,72	97,4	-	0,00
33	3 715	3 719	3,79	97,4	-	0,00
34	3 189	3 193	5,19	97,4	-	0,00
35	3 503	3 507	4,33	97,4	-	0,00
36	3 018	3 023	5,68	97,4	-	0,00
37	2 619	2 624	6,97	97,4	-	0,00
38	2 112	2 120	8,89	97,4	-	0,00
39	3 093	3 098	5,46	97,4	-	0,00
4	10 609	10 610	-6,09	97,4	-	0,00
40	2 130	2 137	8,82	97,4	-	0,00
41	1 716	1 725	10,73	97,4	-	0,00
5	10 111	10 113	-5,62	97,4	-	0,00
6	10 706	10 707	-6,17	97,4	-	0,00
7	11 159	11 160	-6,58	97,4	-	0,00
8	8 918	8 920	-4,41	97,4	-	0,00
9	8 356	8 358	-3,78	97,4	-	0,00
Sum			19,26			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Baltmui ž a 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 415	13 416	-8,39	97,4	-	0,00
10	10 899	10 900	-6,35	97,4	-	0,00
11	8 783	8 785	-4,26	97,4	-	0,00
12	8 986	8 988	-4,48	97,4	-	0,00
13	8 262	8 264	-3,67	97,4	-	0,00
14	7 830	7 832	-3,16	97,4	-	0,00
15	7 330	7 332	-2,53	97,4	-	0,00
16	6 994	6 996	-2,09	97,4	-	0,00
17	6 562	6 564	-1,48	97,4	-	0,00
18	6 432	6 434	-1,30	97,4	-	0,00
19	5 957	5 960	-0,58	97,4	-	0,00
2	12 850	12 851	-7,96	97,4	-	0,00
20	5 983	5 985	-0,62	97,4	-	0,00
21	5 597	5 599	0,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 473	5 476	0,22	97,4	-	0,00
23	4 952	4 954	1,15	97,4	-	0,00
24	4 998	5 001	1,06	97,4	-	0,00
25	6 374	6 376	-1,21	97,4	-	0,00
26	6 326	6 328	-1,14	97,4	-	0,00
27	5 460	5 463	0,24	97,4	-	0,00
28	5 837	5 840	-0,39	97,4	-	0,00
29	5 863	5 866	-0,43	97,4	-	0,00
3	12 113	12 114	-7,38	97,4	-	0,00
30	5 330	5 333	0,46	97,4	-	0,00
31	4 930	4 933	1,19	97,4	-	0,00
32	5 522	5 525	0,13	97,4	-	0,00
33	4 997	5 000	1,06	97,4	-	0,00
34	4 514	4 517	2,01	97,4	-	0,00
35	4 892	4 895	1,26	97,4	-	0,00
36	4 441	4 445	2,15	97,4	-	0,00
37	4 078	4 081	2,94	97,4	-	0,00
38	3 556	3 560	4,19	97,4	-	0,00
39	4 544	4 548	1,94	97,4	-	0,00
4	12 058	12 059	-7,34	97,4	-	0,00
40	3 464	3 468	4,43	97,4	-	0,00
41	2 964	2 969	5,85	97,4	-	0,00
5	11 555	11 556	-6,92	97,4	-	0,00
6	12 163	12 164	-7,42	97,4	-	0,00
7	12 617	12 618	-7,78	97,4	-	0,00
8	10 359	10 361	-5,85	97,4	-	0,00
9	9 792	9 793	-5,31	97,4	-	0,00
Sum			15,93			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Baltmui ž a 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 415	13 416	-8,39	97,4	-	0,00
10	10 899	10 900	-6,35	97,4	-	0,00
11	8 783	8 785	-4,26	97,4	-	0,00
12	8 986	8 988	-4,48	97,4	-	0,00
13	8 262	8 264	-3,67	97,4	-	0,00
14	7 830	7 832	-3,16	97,4	-	0,00
15	7 330	7 332	-2,53	97,4	-	0,00
16	6 994	6 996	-2,09	97,4	-	0,00
17	6 562	6 564	-1,48	97,4	-	0,00
18	6 432	6 434	-1,30	97,4	-	0,00
19	5 957	5 960	-0,58	97,4	-	0,00
2	12 850	12 851	-7,96	97,4	-	0,00
20	5 983	5 985	-0,62	97,4	-	0,00
21	5 597	5 599	0,01	97,4	-	0,00
22	5 473	5 476	0,22	97,4	-	0,00
23	4 952	4 954	1,15	97,4	-	0,00
24	4 998	5 001	1,06	97,4	-	0,00
25	6 374	6 376	-1,21	97,4	-	0,00
26	6 326	6 328	-1,14	97,4	-	0,00
27	5 460	5 463	0,24	97,4	-	0,00
28	5 837	5 840	-0,39	97,4	-	0,00
29	5 863	5 866	-0,43	97,4	-	0,00
3	12 113	12 114	-7,38	97,4	-	0,00
30	5 330	5 333	0,46	97,4	-	0,00
31	4 930	4 933	1,19	97,4	-	0,00
32	5 522	5 525	0,13	97,4	-	0,00
33	4 997	5 000	1,06	97,4	-	0,00
34	4 514	4 517	2,01	97,4	-	0,00
35	4 892	4 895	1,26	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 441	4 445	2,15	97,4	-	0,00
37	4 078	4 081	2,94	97,4	-	0,00
38	3 556	3 560	4,19	97,4	-	0,00
39	4 544	4 548	1,94	97,4	-	0,00
4	12 058	12 059	-7,34	97,4	-	0,00
40	3 464	3 468	4,43	97,4	-	0,00
41	2 964	2 969	5,85	97,4	-	0,00
5	11 555	11 556	-6,92	97,4	-	0,00
6	12 163	12 164	-7,42	97,4	-	0,00
7	12 617	12 618	-7,78	97,4	-	0,00
8	10 359	10 361	-5,85	97,4	-	0,00
9	9 792	9 793	-5,31	97,4	-	0,00
Sum			15,93			

- Data undefined due to calculation with octave data

Noise sensitive area: BK 44620020295

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 971	11 972	-7,27	97,4	-	0,00
10	9 555	9 557	-5,07	97,4	-	0,00
11	7 527	7 529	-2,78	97,4	-	0,00
12	7 803	7 805	-3,13	97,4	-	0,00
13	7 023	7 025	-2,13	97,4	-	0,00
14	6 529	6 531	-1,44	97,4	-	0,00
15	6 062	6 065	-0,74	97,4	-	0,00
16	5 761	5 764	-0,26	97,4	-	0,00
17	5 372	5 375	0,39	97,4	-	0,00
18	5 040	5 043	0,98	97,4	-	0,00
19	4 554	4 557	1,92	97,4	-	0,00
2	11 406	11 408	-6,79	97,4	-	0,00
20	4 697	4 700	1,64	97,4	-	0,00
21	4 224	4 227	2,62	97,4	-	0,00
22	4 185	4 189	2,70	97,4	-	0,00
23	3 673	3 677	3,90	97,4	-	0,00
24	3 618	3 622	4,04	97,4	-	0,00
25	4 933	4 936	1,18	97,4	-	0,00
26	4 886	4 889	1,27	97,4	-	0,00
27	4 030	4 033	3,05	97,4	-	0,00
28	4 394	4 397	2,25	97,4	-	0,00
29	4 430	4 433	2,18	97,4	-	0,00
3	10 669	10 670	-6,14	97,4	-	0,00
30	3 887	3 890	3,38	97,4	-	0,00
31	3 491	3 496	4,36	97,4	-	0,00
32	4 106	4 110	2,88	97,4	-	0,00
33	3 615	3 620	4,04	97,4	-	0,00
34	3 106	3 110	5,42	97,4	-	0,00
35	3 456	3 460	4,45	97,4	-	0,00
36	2 997	3 002	5,75	97,4	-	0,00
37	2 657	2 662	6,84	97,4	-	0,00
38	2 210	2 217	8,49	97,4	-	0,00
39	3 172	3 177	5,23	97,4	-	0,00
4	10 617	10 618	-6,09	97,4	-	0,00
40	2 299	2 305	8,13	97,4	-	0,00
41	1 918	1 926	9,75	97,4	-	0,00
5	10 112	10 114	-5,62	97,4	-	0,00
6	10 729	10 731	-6,20	97,4	-	0,00
7	11 187	11 188	-6,60	97,4	-	0,00
8	9 001	9 002	-4,50	97,4	-	0,00
9	8 445	8 446	-3,88	97,4	-	0,00
Sum			19,00			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BK 44620020295

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 971	11 972	-7,27	97,4	-	0,00
10	9 555	9 557	-5,07	97,4	-	0,00
11	7 527	7 529	-2,78	97,4	-	0,00
12	7 803	7 805	-3,13	97,4	-	0,00
13	7 023	7 025	-2,13	97,4	-	0,00
14	6 529	6 531	-1,44	97,4	-	0,00
15	6 062	6 065	-0,74	97,4	-	0,00
16	5 761	5 764	-0,26	97,4	-	0,00
17	5 372	5 375	0,39	97,4	-	0,00
18	5 040	5 043	0,98	97,4	-	0,00
19	4 554	4 557	1,92	97,4	-	0,00
2	11 406	11 408	-6,79	97,4	-	0,00
20	4 697	4 700	1,64	97,4	-	0,00
21	4 224	4 227	2,62	97,4	-	0,00
22	4 185	4 189	2,70	97,4	-	0,00
23	3 673	3 677	3,90	97,4	-	0,00
24	3 618	3 622	4,04	97,4	-	0,00
25	4 933	4 936	1,18	97,4	-	0,00
26	4 886	4 889	1,27	97,4	-	0,00
27	4 030	4 033	3,05	97,4	-	0,00
28	4 394	4 397	2,25	97,4	-	0,00
29	4 430	4 433	2,18	97,4	-	0,00
3	10 669	10 670	-6,14	97,4	-	0,00
30	3 887	3 890	3,38	97,4	-	0,00
31	3 491	3 496	4,36	97,4	-	0,00
32	4 106	4 110	2,88	97,4	-	0,00
33	3 615	3 620	4,04	97,4	-	0,00
34	3 106	3 110	5,42	97,4	-	0,00
35	3 456	3 460	4,45	97,4	-	0,00
36	2 997	3 002	5,75	97,4	-	0,00
37	2 657	2 662	6,84	97,4	-	0,00
38	2 210	2 217	8,49	97,4	-	0,00
39	3 172	3 177	5,23	97,4	-	0,00
4	10 617	10 618	-6,09	97,4	-	0,00
40	2 299	2 305	8,13	97,4	-	0,00
41	1 918	1 926	9,75	97,4	-	0,00
5	10 112	10 114	-5,62	97,4	-	0,00
6	10 729	10 731	-6,20	97,4	-	0,00
7	11 187	11 188	-6,60	97,4	-	0,00
8	9 001	9 002	-4,50	97,4	-	0,00
9	8 445	8 446	-3,88	97,4	-	0,00
Sum			19,00			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Jaunivbuli

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 554	12 555	-7,73	97,4	-	0,00
10	10 306	10 307	-5,80	97,4	-	0,00
11	8 312	8 313	-3,73	97,4	-	0,00
12	8 599	8 601	-4,06	97,4	-	0,00
13	7 812	7 814	-3,14	97,4	-	0,00
14	7 302	7 304	-2,50	97,4	-	0,00
15	6 846	6 848	-1,89	97,4	-	0,00
16	6 553	6 555	-1,47	97,4	-	0,00
17	6 170	6 172	-0,90	97,4	-	0,00
18	5 766	5 768	-0,27	97,4	-	0,00
19	5 271	5 274	0,57	97,4	-	0,00
2	11 982	11 983	-7,28	97,4	-	0,00
20	5 479	5 482	0,21	97,4	-	0,00
21	4 970	4 972	1,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 968	4 971	1,12	97,4	-	0,00
23	4 460	4 463	2,12	97,4	-	0,00
24	4 362	4 365	2,32	97,4	-	0,00
25	5 569	5 572	0,05	97,4	-	0,00
26	5 442	5 445	0,27	97,4	-	0,00
27	4 708	4 711	1,62	97,4	-	0,00
28	5 007	5 010	1,05	97,4	-	0,00
29	4 962	4 965	1,13	97,4	-	0,00
3	11 259	11 260	-6,67	97,4	-	0,00
30	4 479	4 482	2,08	97,4	-	0,00
31	4 150	4 154	2,78	97,4	-	0,00
32	4 588	4 591	1,85	97,4	-	0,00
33	4 028	4 032	3,05	97,4	-	0,00
34	3 576	3 580	4,14	97,4	-	0,00
35	4 004	4 008	3,11	97,4	-	0,00
36	3 606	3 611	4,07	97,4	-	0,00
37	3 366	3 370	4,70	97,4	-	0,00
38	2 984	2 990	5,78	97,4	-	0,00
39	3 924	3 928	3,29	97,4	-	0,00
4	11 239	11 241	-6,65	97,4	-	0,00
40	3 100	3 104	5,44	97,4	-	0,00
41	2 705	2 710	6,67	97,4	-	0,00
5	10 722	10 723	-6,19	97,4	-	0,00
6	11 380	11 381	-6,77	97,4	-	0,00
7	11 846	11 847	-7,16	97,4	-	0,00
8	9 743	9 745	-5,26	97,4	-	0,00
9	9 195	9 196	-4,70	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Jaunivbuli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 554	12 555	-7,73	97,4	-	0,00
10	10 306	10 307	-5,80	97,4	-	0,00
11	8 312	8 313	-3,73	97,4	-	0,00
12	8 599	8 601	-4,06	97,4	-	0,00
13	7 812	7 814	-3,14	97,4	-	0,00
14	7 302	7 304	-2,50	97,4	-	0,00
15	6 846	6 848	-1,89	97,4	-	0,00
16	6 553	6 555	-1,47	97,4	-	0,00
17	6 170	6 172	-0,90	97,4	-	0,00
18	5 766	5 768	-0,27	97,4	-	0,00
19	5 271	5 274	0,57	97,4	-	0,00
2	11 982	11 983	-7,28	97,4	-	0,00
20	5 479	5 482	0,21	97,4	-	0,00
21	4 970	4 972	1,12	97,4	-	0,00
22	4 968	4 971	1,12	97,4	-	0,00
23	4 460	4 463	2,12	97,4	-	0,00
24	4 362	4 365	2,32	97,4	-	0,00
25	5 569	5 572	0,05	97,4	-	0,00
26	5 442	5 445	0,27	97,4	-	0,00
27	4 708	4 711	1,62	97,4	-	0,00
28	5 007	5 010	1,05	97,4	-	0,00
29	4 962	4 965	1,13	97,4	-	0,00
3	11 259	11 260	-6,67	97,4	-	0,00
30	4 479	4 482	2,08	97,4	-	0,00
31	4 150	4 154	2,78	97,4	-	0,00
32	4 588	4 591	1,85	97,4	-	0,00
33	4 028	4 032	3,05	97,4	-	0,00
34	3 576	3 580	4,14	97,4	-	0,00
35	4 004	4 008	3,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 606	3 611	4,07	97,4	-	0,00
37	3 366	3 370	4,70	97,4	-	0,00
38	2 984	2 990	5,78	97,4	-	0,00
39	3 924	3 928	3,29	97,4	-	0,00
4	11 239	11 241	-6,65	97,4	-	0,00
40	3 100	3 104	5,44	97,4	-	0,00
41	2 705	2 710	6,67	97,4	-	0,00
5	10 722	10 723	-6,19	97,4	-	0,00
6	11 380	11 381	-6,77	97,4	-	0,00
7	11 846	11 847	-7,16	97,4	-	0,00
8	9 743	9 745	-5,26	97,4	-	0,00
9	9 195	9 196	-4,70	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Noise sensitive area: BM Baltmuižа 1

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 402	13 403	-8,38	97,4	-	0,00
10	10 636	10 637	-6,11	97,4	-	0,00
11	8 441	8 443	-3,88	97,4	-	0,00
12	8 586	8 588	-4,04	97,4	-	0,00
13	7 910	7 911	-3,26	97,4	-	0,00
14	7 536	7 538	-2,80	97,4	-	0,00
15	7 008	7 010	-2,11	97,4	-	0,00
16	6 647	6 649	-1,61	97,4	-	0,00
17	6 187	6 189	-0,93	97,4	-	0,00
18	6 264	6 266	-1,05	97,4	-	0,00
19	5 813	5 816	-0,35	97,4	-	0,00
2	12 847	12 848	-7,96	97,4	-	0,00
20	5 693	5 696	-0,15	97,4	-	0,00
21	5 409	5 411	0,33	97,4	-	0,00
22	5 193	5 196	0,71	97,4	-	0,00
23	4 673	4 676	1,69	97,4	-	0,00
24	4 829	4 832	1,38	97,4	-	0,00
25	6 337	6 339	-1,16	97,4	-	0,00
26	6 380	6 382	-1,22	97,4	-	0,00
27	5 385	5 388	0,37	97,4	-	0,00
28	5 836	5 838	-0,38	97,4	-	0,00
29	5 947	5 949	-0,56	97,4	-	0,00
3	12 094	12 095	-7,37	97,4	-	0,00
30	5 361	5 363	0,41	97,4	-	0,00
31	4 892	4 895	1,26	97,4	-	0,00
32	5 655	5 658	-0,09	97,4	-	0,00
33	5 190	5 193	0,71	97,4	-	0,00
34	4 668	4 671	1,70	97,4	-	0,00
35	4 973	4 976	1,11	97,4	-	0,00
36	4 472	4 475	2,09	97,4	-	0,00
37	4 001	4 004	3,12	97,4	-	0,00
38	3 384	3 388	4,65	97,4	-	0,00
39	4 375	4 378	2,29	97,4	-	0,00
4	11 999	12 000	-7,29	97,4	-	0,00
40	3 147	3 152	5,30	97,4	-	0,00
41	2 605	2 611	7,01	97,4	-	0,00
5	11 515	11 516	-6,89	97,4	-	0,00
6	12 065	12 066	-7,34	97,4	-	0,00
7	12 505	12 506	-7,70	97,4	-	0,00
8	10 117	10 118	-5,63	97,4	-	0,00
9	9 537	9 539	-5,05	97,4	-	0,00
Sum			16,25			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BM Baltmui ž a 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 402	13 403	-8,38	97,4	-	0,00
10	10 636	10 637	-6,11	97,4	-	0,00
11	8 441	8 443	-3,88	97,4	-	0,00
12	8 586	8 588	-4,04	97,4	-	0,00
13	7 910	7 911	-3,26	97,4	-	0,00
14	7 536	7 538	-2,80	97,4	-	0,00
15	7 008	7 010	-2,11	97,4	-	0,00
16	6 647	6 649	-1,61	97,4	-	0,00
17	6 187	6 189	-0,93	97,4	-	0,00
18	6 264	6 266	-1,05	97,4	-	0,00
19	5 813	5 816	-0,35	97,4	-	0,00
2	12 847	12 848	-7,96	97,4	-	0,00
20	5 693	5 696	-0,15	97,4	-	0,00
21	5 409	5 411	0,33	97,4	-	0,00
22	5 193	5 196	0,71	97,4	-	0,00
23	4 673	4 676	1,69	97,4	-	0,00
24	4 829	4 832	1,38	97,4	-	0,00
25	6 337	6 339	-1,16	97,4	-	0,00
26	6 380	6 382	-1,22	97,4	-	0,00
27	5 385	5 388	0,37	97,4	-	0,00
28	5 836	5 838	-0,38	97,4	-	0,00
29	5 947	5 949	-0,56	97,4	-	0,00
3	12 094	12 095	-7,37	97,4	-	0,00
30	5 361	5 363	0,41	97,4	-	0,00
31	4 892	4 895	1,26	97,4	-	0,00
32	5 655	5 658	-0,09	97,4	-	0,00
33	5 190	5 193	0,71	97,4	-	0,00
34	4 668	4 671	1,70	97,4	-	0,00
35	4 973	4 976	1,11	97,4	-	0,00
36	4 472	4 475	2,09	97,4	-	0,00
37	4 001	4 004	3,12	97,4	-	0,00
38	3 384	3 388	4,65	97,4	-	0,00
39	4 375	4 378	2,29	97,4	-	0,00
4	11 999	12 000	-7,29	97,4	-	0,00
40	3 147	3 152	5,30	97,4	-	0,00
41	2 605	2 611	7,01	97,4	-	0,00
5	11 515	11 516	-6,89	97,4	-	0,00
6	12 065	12 066	-7,34	97,4	-	0,00
7	12 505	12 506	-7,70	97,4	-	0,00
8	10 117	10 118	-5,63	97,4	-	0,00
9	9 537	9 539	-5,05	97,4	-	0,00
Sum			16,25			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Lapsas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 633	11 634	-6,99	97,4	-	0,00
10	9 504	9 505	-5,02	97,4	-	0,00
11	7 597	7 599	-2,87	97,4	-	0,00
12	7 942	7 944	-3,30	97,4	-	0,00
13	7 116	7 118	-2,25	97,4	-	0,00
14	6 556	6 559	-1,48	97,4	-	0,00
15	6 135	6 137	-0,85	97,4	-	0,00
16	5 875	5 877	-0,45	97,4	-	0,00
17	5 534	5 537	0,11	97,4	-	0,00
18	4 943	4 945	1,17	97,4	-	0,00
19	4 441	4 444	2,16	97,4	-	0,00
2	11 060	11 061	-6,49	97,4	-	0,00
20	4 771	4 774	1,49	97,4	-	0,00
21	4 180	4 184	2,71	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 267	4 271	2,52	97,4	-	0,00
23	3 781	3 785	3,63	97,4	-	0,00
24	3 576	3 580	4,14	97,4	-	0,00
25	4 674	4 677	1,68	97,4	-	0,00
26	4 521	4 524	1,99	97,4	-	0,00
27	3 843	3 847	3,48	97,4	-	0,00
28	4 103	4 106	2,88	97,4	-	0,00
29	4 037	4 041	3,03	97,4	-	0,00
3	10 341	10 342	-5,84	97,4	-	0,00
30	3 568	3 572	4,16	97,4	-	0,00
31	3 275	3 280	4,94	97,4	-	0,00
32	3 661	3 665	3,93	97,4	-	0,00
33	3 108	3 113	5,42	97,4	-	0,00
34	2 650	2 655	6,86	97,4	-	0,00
35	3 084	3 089	5,49	97,4	-	0,00
36	2 708	2 713	6,66	97,4	-	0,00
37	2 547	2 552	7,22	97,4	-	0,00
38	2 298	2 305	8,14	97,4	-	0,00
39	3 160	3 164	5,27	97,4	-	0,00
4	10 330	10 331	-5,83	97,4	-	0,00
40	2 595	2 600	7,05	97,4	-	0,00
41	2 338	2 345	7,98	97,4	-	0,00
5	9 808	9 810	-5,32	97,4	-	0,00
6	10 483	10 484	-5,97	97,4	-	0,00
7	10 953	10 955	-6,40	97,4	-	0,00
8	8 929	8 931	-4,42	97,4	-	0,00
9	8 394	8 395	-3,82	97,4	-	0,00
Sum			19,10			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Lapsas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 633	11 634	-6,99	97,4	-	0,00
10	9 504	9 505	-5,02	97,4	-	0,00
11	7 597	7 599	-2,87	97,4	-	0,00
12	7 942	7 944	-3,30	97,4	-	0,00
13	7 116	7 118	-2,25	97,4	-	0,00
14	6 556	6 559	-1,48	97,4	-	0,00
15	6 135	6 137	-0,85	97,4	-	0,00
16	5 875	5 877	-0,45	97,4	-	0,00
17	5 534	5 537	0,11	97,4	-	0,00
18	4 943	4 945	1,17	97,4	-	0,00
19	4 441	4 444	2,16	97,4	-	0,00
2	11 060	11 061	-6,49	97,4	-	0,00
20	4 771	4 774	1,49	97,4	-	0,00
21	4 180	4 184	2,71	97,4	-	0,00
22	4 267	4 271	2,52	97,4	-	0,00
23	3 781	3 785	3,63	97,4	-	0,00
24	3 576	3 580	4,14	97,4	-	0,00
25	4 674	4 677	1,68	97,4	-	0,00
26	4 521	4 524	1,99	97,4	-	0,00
27	3 843	3 847	3,48	97,4	-	0,00
28	4 103	4 106	2,88	97,4	-	0,00
29	4 037	4 041	3,03	97,4	-	0,00
3	10 341	10 342	-5,84	97,4	-	0,00
30	3 568	3 572	4,16	97,4	-	0,00
31	3 275	3 280	4,94	97,4	-	0,00
32	3 661	3 665	3,93	97,4	-	0,00
33	3 108	3 113	5,42	97,4	-	0,00
34	2 650	2 655	6,86	97,4	-	0,00
35	3 084	3 089	5,49	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 708	2 713	6,66	97,4	-	0,00
37	2 547	2 552	7,22	97,4	-	0,00
38	2 298	2 305	8,14	97,4	-	0,00
39	3 160	3 164	5,27	97,4	-	0,00
4	10 330	10 331	-5,83	97,4	-	0,00
40	2 595	2 600	7,05	97,4	-	0,00
41	2 338	2 345	7,98	97,4	-	0,00
5	9 808	9 810	-5,32	97,4	-	0,00
6	10 483	10 484	-5,97	97,4	-	0,00
7	10 953	10 955	-6,40	97,4	-	0,00
8	8 929	8 931	-4,42	97,4	-	0,00
9	8 394	8 395	-3,82	97,4	-	0,00
Sum			19,10			

- Data undefined due to calculation with octave data

Noise sensitive area: BO Asmekovici

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 428	13 429	-8,40	97,4	-	0,00
10	10 769	10 770	-6,23	97,4	-	0,00
11	8 607	8 608	-4,07	97,4	-	0,00
12	8 776	8 778	-4,25	97,4	-	0,00
13	8 079	8 081	-3,46	97,4	-	0,00
14	7 680	7 682	-2,98	97,4	-	0,00
15	7 164	7 166	-2,31	97,4	-	0,00
16	6 813	6 815	-1,84	97,4	-	0,00
17	6 364	6 367	-1,20	97,4	-	0,00
18	6 352	6 354	-1,18	97,4	-	0,00
19	5 890	5 892	-0,47	97,4	-	0,00
2	12 868	12 869	-7,98	97,4	-	0,00
20	5 833	5 836	-0,38	97,4	-	0,00
21	5 504	5 506	0,16	97,4	-	0,00
22	5 328	5 331	0,47	97,4	-	0,00
23	4 806	4 809	1,43	97,4	-	0,00
24	4 915	4 918	1,22	97,4	-	0,00
25	6 368	6 370	-1,20	97,4	-	0,00
26	6 371	6 373	-1,21	97,4	-	0,00
27	5 430	5 433	0,29	97,4	-	0,00
28	5 850	5 853	-0,41	97,4	-	0,00
29	5 924	5 927	-0,52	97,4	-	0,00
3	12 122	12 123	-7,39	97,4	-	0,00
30	5 360	5 363	0,41	97,4	-	0,00
31	4 920	4 923	1,21	97,4	-	0,00
32	5 611	5 613	-0,01	97,4	-	0,00
33	5 118	5 121	0,84	97,4	-	0,00
34	4 612	4 615	1,81	97,4	-	0,00
35	4 950	4 953	1,15	97,4	-	0,00
36	4 469	4 472	2,10	97,4	-	0,00
37	4 043	4 047	3,02	97,4	-	0,00
38	3 465	3 470	4,43	97,4	-	0,00
39	4 459	4 463	2,12	97,4	-	0,00
4	12 044	12 046	-7,33	97,4	-	0,00
40	3 292	3 296	4,90	97,4	-	0,00
41	2 766	2 771	6,47	97,4	-	0,00
5	11 552	11 553	-6,92	97,4	-	0,00
6	12 127	12 128	-7,39	97,4	-	0,00
7	12 574	12 575	-7,75	97,4	-	0,00
8	10 241	10 242	-5,74	97,4	-	0,00
9	9 666	9 667	-5,18	97,4	-	0,00
Sum			16,08			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BO Asmekovici

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 428	13 429	-8,40	97,4	-	0,00
10	10 769	10 770	-6,23	97,4	-	0,00
11	8 607	8 608	-4,07	97,4	-	0,00
12	8 776	8 778	-4,25	97,4	-	0,00
13	8 079	8 081	-3,46	97,4	-	0,00
14	7 680	7 682	-2,98	97,4	-	0,00
15	7 164	7 166	-2,31	97,4	-	0,00
16	6 813	6 815	-1,84	97,4	-	0,00
17	6 364	6 367	-1,20	97,4	-	0,00
18	6 352	6 354	-1,18	97,4	-	0,00
19	5 890	5 892	-0,47	97,4	-	0,00
2	12 868	12 869	-7,98	97,4	-	0,00
20	5 833	5 836	-0,38	97,4	-	0,00
21	5 504	5 506	0,16	97,4	-	0,00
22	5 328	5 331	0,47	97,4	-	0,00
23	4 806	4 809	1,43	97,4	-	0,00
24	4 915	4 918	1,22	97,4	-	0,00
25	6 368	6 370	-1,20	97,4	-	0,00
26	6 371	6 373	-1,21	97,4	-	0,00
27	5 430	5 433	0,29	97,4	-	0,00
28	5 850	5 853	-0,41	97,4	-	0,00
29	5 924	5 927	-0,52	97,4	-	0,00
3	12 122	12 123	-7,39	97,4	-	0,00
30	5 360	5 363	0,41	97,4	-	0,00
31	4 920	4 923	1,21	97,4	-	0,00
32	5 611	5 613	-0,01	97,4	-	0,00
33	5 118	5 121	0,84	97,4	-	0,00
34	4 612	4 615	1,81	97,4	-	0,00
35	4 950	4 953	1,15	97,4	-	0,00
36	4 469	4 472	2,10	97,4	-	0,00
37	4 043	4 047	3,02	97,4	-	0,00
38	3 465	3 470	4,43	97,4	-	0,00
39	4 459	4 463	2,12	97,4	-	0,00
4	12 044	12 046	-7,33	97,4	-	0,00
40	3 292	3 296	4,90	97,4	-	0,00
41	2 766	2 771	6,47	97,4	-	0,00
5	11 552	11 553	-6,92	97,4	-	0,00
6	12 127	12 128	-7,39	97,4	-	0,00
7	12 574	12 575	-7,75	97,4	-	0,00
8	10 241	10 242	-5,74	97,4	-	0,00
9	9 666	9 667	-5,18	97,4	-	0,00
Sum			16,08			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Baltmui ž a 4

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 186	13 187	-8,22	97,4	-	0,00
10	10 759	10 761	-6,22	97,4	-	0,00
11	8 680	8 682	-4,15	97,4	-	0,00
12	8 909	8 911	-4,40	97,4	-	0,00
13	8 165	8 167	-3,56	97,4	-	0,00
14	7 708	7 710	-3,01	97,4	-	0,00
15	7 221	7 222	-2,39	97,4	-	0,00
16	6 898	6 900	-1,96	97,4	-	0,00
17	6 479	6 482	-1,37	97,4	-	0,00
18	6 264	6 266	-1,05	97,4	-	0,00
19	5 782	5 785	-0,30	97,4	-	0,00
2	12 619	12 620	-7,78	97,4	-	0,00
20	5 865	5 867	-0,43	97,4	-	0,00
21	5 439	5 442	0,28	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 353	5 356	0,42	97,4	-	0,00
23	4 834	4 836	1,37	97,4	-	0,00
24	4 836	4 839	1,37	97,4	-	0,00
25	6 161	6 163	-0,89	97,4	-	0,00
26	6 086	6 088	-0,78	97,4	-	0,00
27	5 262	5 265	0,58	97,4	-	0,00
28	5 615	5 618	-0,02	97,4	-	0,00
29	5 617	5 619	-0,02	97,4	-	0,00
3	11 886	11 887	-7,20	97,4	-	0,00
30	5 100	5 103	0,87	97,4	-	0,00
31	4 722	4 725	1,59	97,4	-	0,00
32	5 263	5 266	0,58	97,4	-	0,00
33	4 725	4 728	1,58	97,4	-	0,00
34	4 253	4 256	2,56	97,4	-	0,00
35	4 649	4 652	1,73	97,4	-	0,00
36	4 215	4 218	2,64	97,4	-	0,00
37	3 889	3 892	3,38	97,4	-	0,00
38	3 406	3 411	4,58	97,4	-	0,00
39	4 385	4 389	2,27	97,4	-	0,00
4	11 844	11 845	-7,16	97,4	-	0,00
40	3 376	3 380	4,67	97,4	-	0,00
41	2 901	2 906	6,04	97,4	-	0,00
5	11 336	11 337	-6,73	97,4	-	0,00
6	11 961	11 962	-7,26	97,4	-	0,00
7	12 420	12 421	-7,63	97,4	-	0,00
8	10 212	10 213	-5,72	97,4	-	0,00
9	9 650	9 652	-5,17	97,4	-	0,00
Sum			16,24			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Baltmui ž a 4

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 186	13 187	-8,22	97,4	-	0,00
10	10 759	10 761	-6,22	97,4	-	0,00
11	8 680	8 682	-4,15	97,4	-	0,00
12	8 909	8 911	-4,40	97,4	-	0,00
13	8 165	8 167	-3,56	97,4	-	0,00
14	7 708	7 710	-3,01	97,4	-	0,00
15	7 221	7 222	-2,39	97,4	-	0,00
16	6 898	6 900	-1,96	97,4	-	0,00
17	6 479	6 482	-1,37	97,4	-	0,00
18	6 264	6 266	-1,05	97,4	-	0,00
19	5 782	5 785	-0,30	97,4	-	0,00
2	12 619	12 620	-7,78	97,4	-	0,00
20	5 865	5 867	-0,43	97,4	-	0,00
21	5 439	5 442	0,28	97,4	-	0,00
22	5 353	5 356	0,42	97,4	-	0,00
23	4 834	4 836	1,37	97,4	-	0,00
24	4 836	4 839	1,37	97,4	-	0,00
25	6 161	6 163	-0,89	97,4	-	0,00
26	6 086	6 088	-0,78	97,4	-	0,00
27	5 262	5 265	0,58	97,4	-	0,00
28	5 615	5 618	-0,02	97,4	-	0,00
29	5 617	5 619	-0,02	97,4	-	0,00
3	11 886	11 887	-7,20	97,4	-	0,00
30	5 100	5 103	0,87	97,4	-	0,00
31	4 722	4 725	1,59	97,4	-	0,00
32	5 263	5 266	0,58	97,4	-	0,00
33	4 725	4 728	1,58	97,4	-	0,00
34	4 253	4 256	2,56	97,4	-	0,00
35	4 649	4 652	1,73	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 215	4 218	2,64	97,4	-	0,00
37	3 889	3 892	3,38	97,4	-	0,00
38	3 406	3 411	4,58	97,4	-	0,00
39	4 385	4 389	2,27	97,4	-	0,00
4	11 844	11 845	-7,16	97,4	-	0,00
40	3 376	3 380	4,67	97,4	-	0,00
41	2 901	2 906	6,04	97,4	-	0,00
5	11 336	11 337	-6,73	97,4	-	0,00
6	11 961	11 962	-7,26	97,4	-	0,00
7	12 420	12 421	-7,63	97,4	-	0,00
8	10 212	10 213	-5,72	97,4	-	0,00
9	9 650	9 652	-5,17	97,4	-	0,00
Sum			16,24			

- Data undefined due to calculation with octave data

Noise sensitive area: BQ Alejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 396	13 397	-8,37	97,4	-	0,00
10	10 526	10 527	-6,01	97,4	-	0,00
11	8 300	8 302	-3,72	97,4	-	0,00
12	8 419	8 421	-3,85	97,4	-	0,00
13	7 764	7 766	-3,08	97,4	-	0,00
14	7 417	7 419	-2,64	97,4	-	0,00
15	6 879	6 881	-1,93	97,4	-	0,00
16	6 508	6 510	-1,41	97,4	-	0,00
17	6 036	6 039	-0,70	97,4	-	0,00
18	6 205	6 207	-0,96	97,4	-	0,00
19	5 766	5 769	-0,27	97,4	-	0,00
2	12 846	12 847	-7,96	97,4	-	0,00
20	5 583	5 585	0,03	97,4	-	0,00
21	5 345	5 347	0,44	97,4	-	0,00
22	5 089	5 092	0,89	97,4	-	0,00
23	4 572	4 575	1,89	97,4	-	0,00
24	4 777	4 780	1,48	97,4	-	0,00
25	6 334	6 336	-1,15	97,4	-	0,00
26	6 415	6 418	-1,27	97,4	-	0,00
27	5 370	5 373	0,39	97,4	-	0,00
28	5 850	5 853	-0,41	97,4	-	0,00
29	5 996	5 999	-0,64	97,4	-	0,00
3	12 086	12 088	-7,36	97,4	-	0,00
30	5 391	5 393	0,36	97,4	-	0,00
31	4 896	4 899	1,25	97,4	-	0,00
32	5 726	5 729	-0,21	97,4	-	0,00
33	5 289	5 292	0,54	97,4	-	0,00
34	4 754	4 757	1,53	97,4	-	0,00
35	5 027	5 030	1,01	97,4	-	0,00
36	4 508	4 512	2,02	97,4	-	0,00
37	3 995	3 999	3,13	97,4	-	0,00
38	3 344	3 349	4,75	97,4	-	0,00
39	4 325	4 329	2,40	97,4	-	0,00
4	11 975	11 976	-7,27	97,4	-	0,00
40	3 044	3 048	5,61	97,4	-	0,00
41	2 490	2 497	7,42	97,4	-	0,00
5	11 499	11 500	-6,87	97,4	-	0,00
6	12 023	12 025	-7,31	97,4	-	0,00
7	12 458	12 459	-7,66	97,4	-	0,00
8	10 016	10 018	-5,53	97,4	-	0,00
9	9 432	9 434	-4,95	97,4	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BQ Alejas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 396	13 397	-8,37	97,4	-	0,00
10	10 526	10 527	-6,01	97,4	-	0,00
11	8 300	8 302	-3,72	97,4	-	0,00
12	8 419	8 421	-3,85	97,4	-	0,00
13	7 764	7 766	-3,08	97,4	-	0,00
14	7 417	7 419	-2,64	97,4	-	0,00
15	6 879	6 881	-1,93	97,4	-	0,00
16	6 508	6 510	-1,41	97,4	-	0,00
17	6 036	6 039	-0,70	97,4	-	0,00
18	6 205	6 207	-0,96	97,4	-	0,00
19	5 766	5 769	-0,27	97,4	-	0,00
2	12 846	12 847	-7,96	97,4	-	0,00
20	5 583	5 585	0,03	97,4	-	0,00
21	5 345	5 347	0,44	97,4	-	0,00
22	5 089	5 092	0,89	97,4	-	0,00
23	4 572	4 575	1,89	97,4	-	0,00
24	4 777	4 780	1,48	97,4	-	0,00
25	6 334	6 336	-1,15	97,4	-	0,00
26	6 415	6 418	-1,27	97,4	-	0,00
27	5 370	5 373	0,39	97,4	-	0,00
28	5 850	5 853	-0,41	97,4	-	0,00
29	5 996	5 999	-0,64	97,4	-	0,00
3	12 086	12 088	-7,36	97,4	-	0,00
30	5 391	5 393	0,36	97,4	-	0,00
31	4 896	4 899	1,25	97,4	-	0,00
32	5 726	5 729	-0,21	97,4	-	0,00
33	5 289	5 292	0,54	97,4	-	0,00
34	4 754	4 757	1,53	97,4	-	0,00
35	5 027	5 030	1,01	97,4	-	0,00
36	4 508	4 512	2,02	97,4	-	0,00
37	3 995	3 999	3,13	97,4	-	0,00
38	3 344	3 349	4,75	97,4	-	0,00
39	4 325	4 329	2,40	97,4	-	0,00
4	11 975	11 976	-7,27	97,4	-	0,00
40	3 044	3 048	5,61	97,4	-	0,00
41	2 490	2 497	7,42	97,4	-	0,00
5	11 499	11 500	-6,87	97,4	-	0,00
6	12 023	12 025	-7,31	97,4	-	0,00
7	12 458	12 459	-7,66	97,4	-	0,00
8	10 016	10 018	-5,53	97,4	-	0,00
9	9 432	9 434	-4,95	97,4	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Noise sensitive area: BR 44620020103

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 331	13 332	-8,33	97,4	-	0,00
10	10 680	10 681	-6,15	97,4	-	0,00
11	8 523	8 525	-3,97	97,4	-	0,00
12	8 698	8 700	-4,17	97,4	-	0,00
13	7 997	7 998	-3,36	97,4	-	0,00
14	7 593	7 595	-2,87	97,4	-	0,00
15	7 079	7 081	-2,20	97,4	-	0,00
16	6 730	6 732	-1,72	97,4	-	0,00
17	6 284	6 286	-1,08	97,4	-	0,00
18	6 259	6 261	-1,04	97,4	-	0,00
19	5 795	5 798	-0,32	97,4	-	0,00
2	12 771	12 772	-7,90	97,4	-	0,00
20	5 746	5 749	-0,24	97,4	-	0,00
21	5 411	5 414	0,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 240	5 243	0,62	97,4	-	0,00
23	4 718	4 721	1,60	97,4	-	0,00
24	4 821	4 824	1,40	97,4	-	0,00
25	6 271	6 273	-1,06	97,4	-	0,00
26	6 274	6 276	-1,06	97,4	-	0,00
27	5 334	5 337	0,46	97,4	-	0,00
28	5 753	5 756	-0,25	97,4	-	0,00
29	5 827	5 830	-0,37	97,4	-	0,00
3	12 025	12 026	-7,31	97,4	-	0,00
30	5 263	5 266	0,58	97,4	-	0,00
31	4 824	4 827	1,39	97,4	-	0,00
32	5 514	5 517	0,15	97,4	-	0,00
33	5 023	5 027	1,01	97,4	-	0,00
34	4 516	4 519	2,00	97,4	-	0,00
35	4 853	4 856	1,34	97,4	-	0,00
36	4 372	4 375	2,30	97,4	-	0,00
37	3 947	3 951	3,24	97,4	-	0,00
38	3 372	3 377	4,68	97,4	-	0,00
39	4 366	4 370	2,31	97,4	-	0,00
4	11 948	11 949	-7,25	97,4	-	0,00
40	3 207	3 211	5,13	97,4	-	0,00
41	2 683	2 689	6,74	97,4	-	0,00
5	11 455	11 457	-6,84	97,4	-	0,00
6	12 031	12 033	-7,32	97,4	-	0,00
7	12 478	12 480	-7,67	97,4	-	0,00
8	10 151	10 152	-5,66	97,4	-	0,00
9	9 577	9 578	-5,09	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: BR 44620020103

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 331	13 332	-8,33	97,4	-	0,00
10	10 680	10 681	-6,15	97,4	-	0,00
11	8 523	8 525	-3,97	97,4	-	0,00
12	8 698	8 700	-4,17	97,4	-	0,00
13	7 997	7 998	-3,36	97,4	-	0,00
14	7 593	7 595	-2,87	97,4	-	0,00
15	7 079	7 081	-2,20	97,4	-	0,00
16	6 730	6 732	-1,72	97,4	-	0,00
17	6 284	6 286	-1,08	97,4	-	0,00
18	6 259	6 261	-1,04	97,4	-	0,00
19	5 795	5 798	-0,32	97,4	-	0,00
2	12 771	12 772	-7,90	97,4	-	0,00
20	5 746	5 749	-0,24	97,4	-	0,00
21	5 411	5 414	0,32	97,4	-	0,00
22	5 240	5 243	0,62	97,4	-	0,00
23	4 718	4 721	1,60	97,4	-	0,00
24	4 821	4 824	1,40	97,4	-	0,00
25	6 271	6 273	-1,06	97,4	-	0,00
26	6 274	6 276	-1,06	97,4	-	0,00
27	5 334	5 337	0,46	97,4	-	0,00
28	5 753	5 756	-0,25	97,4	-	0,00
29	5 827	5 830	-0,37	97,4	-	0,00
3	12 025	12 026	-7,31	97,4	-	0,00
30	5 263	5 266	0,58	97,4	-	0,00
31	4 824	4 827	1,39	97,4	-	0,00
32	5 514	5 517	0,15	97,4	-	0,00
33	5 023	5 027	1,01	97,4	-	0,00
34	4 516	4 519	2,00	97,4	-	0,00
35	4 853	4 856	1,34	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 372	4 375	2,30	97,4	-	0,00
37	3 947	3 951	3,24	97,4	-	0,00
38	3 372	3 377	4,68	97,4	-	0,00
39	4 366	4 370	2,31	97,4	-	0,00
4	11 948	11 949	-7,25	97,4	-	0,00
40	3 207	3 211	5,13	97,4	-	0,00
41	2 683	2 689	6,74	97,4	-	0,00
5	11 455	11 457	-6,84	97,4	-	0,00
6	12 031	12 033	-7,32	97,4	-	0,00
7	12 478	12 480	-7,67	97,4	-	0,00
8	10 151	10 152	-5,66	97,4	-	0,00
9	9 577	9 578	-5,09	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: BS Gravmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 648	11 649	-7,00	97,4	-	0,00
10	8 257	8 259	-3,67	97,4	-	0,00
11	5 929	5 932	-0,53	97,4	-	0,00
12	5 969	5 972	-0,60	97,4	-	0,00
13	5 385	5 388	0,37	97,4	-	0,00
14	5 151	5 154	0,78	97,4	-	0,00
15	4 576	4 579	1,88	97,4	-	0,00
16	4 167	4 171	2,74	97,4	-	0,00
17	3 659	3 664	3,93	97,4	-	0,00
18	4 311	4 314	2,43	97,4	-	0,00
19	3 983	3 988	3,15	97,4	-	0,00
2	11 134	11 136	-6,56	97,4	-	0,00
20	3 411	3 416	4,57	97,4	-	0,00
21	3 480	3 484	4,39	97,4	-	0,00
22	2 987	2 992	5,78	97,4	-	0,00
23	2 537	2 543	7,25	97,4	-	0,00
24	3 057	3 062	5,57	97,4	-	0,00
25	4 820	4 823	1,40	97,4	-	0,00
26	5 184	5 187	0,72	97,4	-	0,00
27	3 855	3 859	3,45	97,4	-	0,00
28	4 506	4 509	2,02	97,4	-	0,00
29	4 912	4 916	1,22	97,4	-	0,00
3	10 348	10 349	-5,84	97,4	-	0,00
30	4 220	4 224	2,62	97,4	-	0,00
31	3 587	3 592	4,11	97,4	-	0,00
32	4 849	4 852	1,34	97,4	-	0,00
33	4 693	4 697	1,64	97,4	-	0,00
34	4 130	4 133	2,82	97,4	-	0,00
35	4 095	4 099	2,90	97,4	-	0,00
36	3 520	3 524	4,29	97,4	-	0,00
37	2 778	2 784	6,43	97,4	-	0,00
38	2 040	2 049	9,19	97,4	-	0,00
39	2 694	2 700	6,71	97,4	-	0,00
4	10 134	10 135	-5,64	97,4	-	0,00
40	1 329	1 341	12,97	97,4	-	0,00
41	1 030	1 046	15,17	97,4	-	0,00
5	9 717	9 719	-5,23	97,4	-	0,00
6	10 084	10 085	-5,59	97,4	-	0,00
7	10 478	10 479	-5,97	97,4	-	0,00
8	7 795	7 797	-3,12	97,4	-	0,00
9	7 197	7 199	-2,36	97,4	-	0,00
Sum			21,04			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BS Gravmalas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 648	11 649	-7,00	97,4	-	0,00
10	8 257	8 259	-3,67	97,4	-	0,00
11	5 929	5 932	-0,53	97,4	-	0,00
12	5 969	5 972	-0,60	97,4	-	0,00
13	5 385	5 388	0,37	97,4	-	0,00
14	5 151	5 154	0,78	97,4	-	0,00
15	4 576	4 579	1,88	97,4	-	0,00
16	4 167	4 171	2,74	97,4	-	0,00
17	3 659	3 664	3,93	97,4	-	0,00
18	4 311	4 314	2,43	97,4	-	0,00
19	3 983	3 988	3,15	97,4	-	0,00
2	11 134	11 136	-6,56	97,4	-	0,00
20	3 411	3 416	4,57	97,4	-	0,00
21	3 480	3 484	4,39	97,4	-	0,00
22	2 987	2 992	5,78	97,4	-	0,00
23	2 537	2 543	7,25	97,4	-	0,00
24	3 057	3 062	5,57	97,4	-	0,00
25	4 820	4 823	1,40	97,4	-	0,00
26	5 184	5 187	0,72	97,4	-	0,00
27	3 855	3 859	3,45	97,4	-	0,00
28	4 506	4 509	2,02	97,4	-	0,00
29	4 912	4 916	1,22	97,4	-	0,00
3	10 348	10 349	-5,84	97,4	-	0,00
30	4 220	4 224	2,62	97,4	-	0,00
31	3 587	3 592	4,11	97,4	-	0,00
32	4 849	4 852	1,34	97,4	-	0,00
33	4 693	4 697	1,64	97,4	-	0,00
34	4 130	4 133	2,82	97,4	-	0,00
35	4 095	4 099	2,90	97,4	-	0,00
36	3 520	3 524	4,29	97,4	-	0,00
37	2 778	2 784	6,43	97,4	-	0,00
38	2 040	2 049	9,19	97,4	-	0,00
39	2 694	2 700	6,71	97,4	-	0,00
4	10 134	10 135	-5,64	97,4	-	0,00
40	1 329	1 341	12,97	97,4	-	0,00
41	1 030	1 046	15,17	97,4	-	0,00
5	9 717	9 719	-5,23	97,4	-	0,00
6	10 084	10 085	-5,59	97,4	-	0,00
7	10 478	10 479	-5,97	97,4	-	0,00
8	7 795	7 797	-3,12	97,4	-	0,00
9	7 197	7 199	-2,36	97,4	-	0,00
Sum			21,04			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Baltmui ž a 2

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 567	13 568	-8,50	97,4	-	0,00
10	10 930	10 932	-6,38	97,4	-	0,00
11	8 771	8 773	-4,25	97,4	-	0,00
12	8 942	8 944	-4,43	97,4	-	0,00
13	8 244	8 246	-3,65	97,4	-	0,00
14	7 843	7 845	-3,18	97,4	-	0,00
15	7 328	7 330	-2,53	97,4	-	0,00
16	6 978	6 980	-2,07	97,4	-	0,00
17	6 530	6 532	-1,44	97,4	-	0,00
18	6 507	6 509	-1,41	97,4	-	0,00
19	6 043	6 045	-0,71	97,4	-	0,00
2	13 006	13 007	-8,08	97,4	-	0,00
20	5 996	5 998	-0,64	97,4	-	0,00
21	5 660	5 663	-0,10	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 490	5 493	0,19	97,4	-	0,00
23	4 968	4 971	1,12	97,4	-	0,00
24	5 069	5 072	0,93	97,4	-	0,00
25	6 510	6 512	-1,41	97,4	-	0,00
26	6 501	6 504	-1,40	97,4	-	0,00
27	5 577	5 580	0,04	97,4	-	0,00
28	5 988	5 991	-0,62	97,4	-	0,00
29	6 051	6 053	-0,72	97,4	-	0,00
3	12 261	12 263	-7,50	97,4	-	0,00
30	5 494	5 496	0,18	97,4	-	0,00
31	5 062	5 065	0,94	97,4	-	0,00
32	5 729	5 732	-0,21	97,4	-	0,00
33	5 227	5 230	0,65	97,4	-	0,00
34	4 727	4 730	1,58	97,4	-	0,00
35	5 076	5 079	0,92	97,4	-	0,00
36	4 603	4 606	1,83	97,4	-	0,00
37	4 190	4 193	2,69	97,4	-	0,00
38	3 620	3 625	4,03	97,4	-	0,00
39	4 614	4 618	1,80	97,4	-	0,00
4	12 189	12 190	-7,44	97,4	-	0,00
40	3 456	3 460	4,45	97,4	-	0,00
41	2 931	2 936	5,95	97,4	-	0,00
5	11 694	11 696	-7,04	97,4	-	0,00
6	12 275	12 277	-7,51	97,4	-	0,00
7	12 724	12 725	-7,87	97,4	-	0,00
8	10 401	10 402	-5,89	97,4	-	0,00
9	9 827	9 828	-5,34	97,4	-	0,00
Sum			15,79			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Baltmui ž a 2

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 567	13 568	-8,50	97,4	-	0,00
10	10 930	10 932	-6,38	97,4	-	0,00
11	8 771	8 773	-4,25	97,4	-	0,00
12	8 942	8 944	-4,43	97,4	-	0,00
13	8 244	8 246	-3,65	97,4	-	0,00
14	7 843	7 845	-3,18	97,4	-	0,00
15	7 328	7 330	-2,53	97,4	-	0,00
16	6 978	6 980	-2,07	97,4	-	0,00
17	6 530	6 532	-1,44	97,4	-	0,00
18	6 507	6 509	-1,41	97,4	-	0,00
19	6 043	6 045	-0,71	97,4	-	0,00
2	13 006	13 007	-8,08	97,4	-	0,00
20	5 996	5 998	-0,64	97,4	-	0,00
21	5 660	5 663	-0,10	97,4	-	0,00
22	5 490	5 493	0,19	97,4	-	0,00
23	4 968	4 971	1,12	97,4	-	0,00
24	5 069	5 072	0,93	97,4	-	0,00
25	6 510	6 512	-1,41	97,4	-	0,00
26	6 501	6 504	-1,40	97,4	-	0,00
27	5 577	5 580	0,04	97,4	-	0,00
28	5 988	5 991	-0,62	97,4	-	0,00
29	6 051	6 053	-0,72	97,4	-	0,00
3	12 261	12 263	-7,50	97,4	-	0,00
30	5 494	5 496	0,18	97,4	-	0,00
31	5 062	5 065	0,94	97,4	-	0,00
32	5 729	5 732	-0,21	97,4	-	0,00
33	5 227	5 230	0,65	97,4	-	0,00
34	4 727	4 730	1,58	97,4	-	0,00
35	5 076	5 079	0,92	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 603	4 606	1,83	97,4	-	0,00
37	4 190	4 193	2,69	97,4	-	0,00
38	3 620	3 625	4,03	97,4	-	0,00
39	4 614	4 618	1,80	97,4	-	0,00
4	12 189	12 190	-7,44	97,4	-	0,00
40	3 456	3 460	4,45	97,4	-	0,00
41	2 931	2 936	5,95	97,4	-	0,00
5	11 694	11 696	-7,04	97,4	-	0,00
6	12 275	12 277	-7,51	97,4	-	0,00
7	12 724	12 725	-7,87	97,4	-	0,00
8	10 401	10 402	-5,89	97,4	-	0,00
9	9 827	9 828	-5,34	97,4	-	0,00
Sum			15,79			

- Data undefined due to calculation with octave data

Noise sensitive area: BU Samovici

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 406	13 407	-8,38	97,4	-	0,00
10	10 622	10 623	-6,10	97,4	-	0,00
11	8 422	8 423	-3,86	97,4	-	0,00
12	8 562	8 564	-4,02	97,4	-	0,00
13	7 889	7 891	-3,23	97,4	-	0,00
14	7 520	7 522	-2,78	97,4	-	0,00
15	6 991	6 993	-2,08	97,4	-	0,00
16	6 628	6 630	-1,58	97,4	-	0,00
17	6 165	6 168	-0,90	97,4	-	0,00
18	6 258	6 261	-1,04	97,4	-	0,00
19	5 809	5 812	-0,34	97,4	-	0,00
2	12 852	12 853	-7,97	97,4	-	0,00
20	5 679	5 681	-0,13	97,4	-	0,00
21	5 402	5 405	0,34	97,4	-	0,00
22	5 180	5 183	0,73	97,4	-	0,00
23	4 660	4 663	1,71	97,4	-	0,00
24	4 825	4 828	1,39	97,4	-	0,00
25	6 341	6 343	-1,16	97,4	-	0,00
26	6 390	6 393	-1,24	97,4	-	0,00
27	5 386	5 389	0,37	97,4	-	0,00
28	5 843	5 845	-0,39	97,4	-	0,00
29	5 959	5 962	-0,58	97,4	-	0,00
3	12 097	12 099	-7,37	97,4	-	0,00
30	5 370	5 373	0,39	97,4	-	0,00
31	4 897	4 900	1,25	97,4	-	0,00
32	5 671	5 674	-0,12	97,4	-	0,00
33	5 211	5 214	0,67	97,4	-	0,00
34	4 686	4 689	1,66	97,4	-	0,00
35	4 987	4 990	1,08	97,4	-	0,00
36	4 482	4 486	2,07	97,4	-	0,00
37	4 004	4 007	3,11	97,4	-	0,00
38	3 380	3 385	4,65	97,4	-	0,00
39	4 370	4 374	2,30	97,4	-	0,00
4	12 000	12 001	-7,29	97,4	-	0,00
40	3 133	3 138	5,35	97,4	-	0,00
41	2 589	2 595	7,07	97,4	-	0,00
5	11 517	11 518	-6,89	97,4	-	0,00
6	12 062	12 064	-7,34	97,4	-	0,00
7	12 502	12 503	-7,69	97,4	-	0,00
8	10 105	10 106	-5,61	97,4	-	0,00
9	9 524	9 526	-5,04	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BU Samovici

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 406	13 407	-8,38	97,4	-	0,00
10	10 622	10 623	-6,10	97,4	-	0,00
11	8 422	8 423	-3,86	97,4	-	0,00
12	8 562	8 564	-4,02	97,4	-	0,00
13	7 889	7 891	-3,23	97,4	-	0,00
14	7 520	7 522	-2,78	97,4	-	0,00
15	6 991	6 993	-2,08	97,4	-	0,00
16	6 628	6 630	-1,58	97,4	-	0,00
17	6 165	6 168	-0,90	97,4	-	0,00
18	6 258	6 261	-1,04	97,4	-	0,00
19	5 809	5 812	-0,34	97,4	-	0,00
2	12 852	12 853	-7,97	97,4	-	0,00
20	5 679	5 681	-0,13	97,4	-	0,00
21	5 402	5 405	0,34	97,4	-	0,00
22	5 180	5 183	0,73	97,4	-	0,00
23	4 660	4 663	1,71	97,4	-	0,00
24	4 825	4 828	1,39	97,4	-	0,00
25	6 341	6 343	-1,16	97,4	-	0,00
26	6 390	6 393	-1,24	97,4	-	0,00
27	5 386	5 389	0,37	97,4	-	0,00
28	5 843	5 845	-0,39	97,4	-	0,00
29	5 959	5 962	-0,58	97,4	-	0,00
3	12 097	12 099	-7,37	97,4	-	0,00
30	5 370	5 373	0,39	97,4	-	0,00
31	4 897	4 900	1,25	97,4	-	0,00
32	5 671	5 674	-0,12	97,4	-	0,00
33	5 211	5 214	0,67	97,4	-	0,00
34	4 686	4 689	1,66	97,4	-	0,00
35	4 987	4 990	1,08	97,4	-	0,00
36	4 482	4 486	2,07	97,4	-	0,00
37	4 004	4 007	3,11	97,4	-	0,00
38	3 380	3 385	4,65	97,4	-	0,00
39	4 370	4 374	2,30	97,4	-	0,00
4	12 000	12 001	-7,29	97,4	-	0,00
40	3 133	3 138	5,35	97,4	-	0,00
41	2 589	2 595	7,07	97,4	-	0,00
5	11 517	11 518	-6,89	97,4	-	0,00
6	12 062	12 064	-7,34	97,4	-	0,00
7	12 502	12 503	-7,69	97,4	-	0,00
8	10 105	10 106	-5,61	97,4	-	0,00
9	9 524	9 526	-5,04	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Starki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 091	13 092	-8,15	97,4	-	0,00
10	10 478	10 479	-5,97	97,4	-	0,00
11	8 340	8 342	-3,76	97,4	-	0,00
12	8 531	8 533	-3,98	97,4	-	0,00
13	7 816	7 818	-3,14	97,4	-	0,00
14	7 398	7 400	-2,62	97,4	-	0,00
15	6 890	6 892	-1,95	97,4	-	0,00
16	6 549	6 551	-1,47	97,4	-	0,00
17	6 110	6 113	-0,81	97,4	-	0,00
18	6 038	6 041	-0,70	97,4	-	0,00
19	5 571	5 574	0,05	97,4	-	0,00
2	12 530	12 532	-7,72	97,4	-	0,00
20	5 550	5 553	0,09	97,4	-	0,00
21	5 195	5 197	0,70	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 042	5 046	0,98	97,4	-	0,00
23	4 520	4 523	1,99	97,4	-	0,00
24	4 601	4 605	1,83	97,4	-	0,00
25	6 033	6 036	-0,69	97,4	-	0,00
26	6 029	6 031	-0,69	97,4	-	0,00
27	5 101	5 104	0,87	97,4	-	0,00
28	5 512	5 515	0,15	97,4	-	0,00
29	5 581	5 584	0,03	97,4	-	0,00
3	11 785	11 786	-7,11	97,4	-	0,00
30	5 019	5 022	1,02	97,4	-	0,00
31	4 586	4 589	1,86	97,4	-	0,00
32	5 266	5 269	0,58	97,4	-	0,00
33	4 775	4 778	1,48	97,4	-	0,00
34	4 267	4 271	2,52	97,4	-	0,00
35	4 606	4 610	1,82	97,4	-	0,00
36	4 128	4 132	2,83	97,4	-	0,00
37	3 714	3 718	3,80	97,4	-	0,00
38	3 153	3 158	5,29	97,4	-	0,00
39	4 146	4 150	2,79	97,4	-	0,00
4	11 713	11 714	-7,05	97,4	-	0,00
40	3 020	3 025	5,68	97,4	-	0,00
41	2 509	2 516	7,35	97,4	-	0,00
5	11 218	11 219	-6,63	97,4	-	0,00
6	11 801	11 802	-7,13	97,4	-	0,00
7	12 250	12 251	-7,49	97,4	-	0,00
8	9 944	9 946	-5,46	97,4	-	0,00
9	9 373	9 374	-4,89	97,4	-	0,00
Sum			16,72			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Starki

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 091	13 092	-8,15	97,4	-	0,00
10	10 478	10 479	-5,97	97,4	-	0,00
11	8 340	8 342	-3,76	97,4	-	0,00
12	8 531	8 533	-3,98	97,4	-	0,00
13	7 816	7 818	-3,14	97,4	-	0,00
14	7 398	7 400	-2,62	97,4	-	0,00
15	6 890	6 892	-1,95	97,4	-	0,00
16	6 549	6 551	-1,47	97,4	-	0,00
17	6 110	6 113	-0,81	97,4	-	0,00
18	6 038	6 041	-0,70	97,4	-	0,00
19	5 571	5 574	0,05	97,4	-	0,00
2	12 530	12 532	-7,72	97,4	-	0,00
20	5 550	5 553	0,09	97,4	-	0,00
21	5 195	5 197	0,70	97,4	-	0,00
22	5 042	5 046	0,98	97,4	-	0,00
23	4 520	4 523	1,99	97,4	-	0,00
24	4 601	4 605	1,83	97,4	-	0,00
25	6 033	6 036	-0,69	97,4	-	0,00
26	6 029	6 031	-0,69	97,4	-	0,00
27	5 101	5 104	0,87	97,4	-	0,00
28	5 512	5 515	0,15	97,4	-	0,00
29	5 581	5 584	0,03	97,4	-	0,00
3	11 785	11 786	-7,11	97,4	-	0,00
30	5 019	5 022	1,02	97,4	-	0,00
31	4 586	4 589	1,86	97,4	-	0,00
32	5 266	5 269	0,58	97,4	-	0,00
33	4 775	4 778	1,48	97,4	-	0,00
34	4 267	4 271	2,52	97,4	-	0,00
35	4 606	4 610	1,82	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 128	4 132	2,83	97,4	-	0,00
37	3 714	3 718	3,80	97,4	-	0,00
38	3 153	3 158	5,29	97,4	-	0,00
39	4 146	4 150	2,79	97,4	-	0,00
4	11 713	11 714	-7,05	97,4	-	0,00
40	3 020	3 025	5,68	97,4	-	0,00
41	2 509	2 516	7,35	97,4	-	0,00
5	11 218	11 219	-6,63	97,4	-	0,00
6	11 801	11 802	-7,13	97,4	-	0,00
7	12 250	12 251	-7,49	97,4	-	0,00
8	9 944	9 946	-5,46	97,4	-	0,00
9	9 373	9 374	-4,89	97,4	-	0,00
Sum			16,72			

- Data undefined due to calculation with octave data

Noise sensitive area: BW Lakstini

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 073	13 075	-8,13	97,4	-	0,00
10	10 115	10 117	-5,62	97,4	-	0,00
11	7 872	7 874	-3,21	97,4	-	0,00
12	7 979	7 981	-3,34	97,4	-	0,00
13	7 335	7 337	-2,54	97,4	-	0,00
14	7 003	7 005	-2,10	97,4	-	0,00
15	6 459	6 461	-1,34	97,4	-	0,00
16	6 082	6 084	-0,77	97,4	-	0,00
17	5 604	5 607	0,00	97,4	-	0,00
18	5 838	5 841	-0,39	97,4	-	0,00
19	5 412	5 415	0,32	97,4	-	0,00
2	12 528	12 530	-7,71	97,4	-	0,00
20	5 176	5 179	0,74	97,4	-	0,00
21	4 976	4 979	1,10	97,4	-	0,00
22	4 688	4 692	1,65	97,4	-	0,00
23	4 175	4 179	2,72	97,4	-	0,00
24	4 421	4 425	2,20	97,4	-	0,00
25	6 023	6 026	-0,68	97,4	-	0,00
26	6 148	6 151	-0,87	97,4	-	0,00
27	5 050	5 053	0,97	97,4	-	0,00
28	5 560	5 563	0,07	97,4	-	0,00
29	5 748	5 750	-0,24	97,4	-	0,00
3	11 763	11 764	-7,10	97,4	-	0,00
30	5 121	5 124	0,84	97,4	-	0,00
31	4 599	4 602	1,83	97,4	-	0,00
32	5 508	5 510	0,16	97,4	-	0,00
33	5 110	5 113	0,86	97,4	-	0,00
34	4 560	4 563	1,91	97,4	-	0,00
35	4 789	4 792	1,46	97,4	-	0,00
36	4 251	4 255	2,56	97,4	-	0,00
37	3 692	3 696	3,85	97,4	-	0,00
38	3 008	3 014	5,71	97,4	-	0,00
39	3 974	3 978	3,18	97,4	-	0,00
4	11 635	11 636	-6,99	97,4	-	0,00
40	2 651	2 656	6,86	97,4	-	0,00
41	2 093	2 100	8,97	97,4	-	0,00
5	11 168	11 169	-6,59	97,4	-	0,00
6	11 667	11 669	-7,02	97,4	-	0,00
7	12 096	12 097	-7,37	97,4	-	0,00
8	9 613	9 614	-5,13	97,4	-	0,00
9	9 026	9 028	-4,52	97,4	-	0,00
Sum			17,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BW Lakstini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 073	13 075	-8,13	97,4	-	0,00
10	10 115	10 117	-5,62	97,4	-	0,00
11	7 872	7 874	-3,21	97,4	-	0,00
12	7 979	7 981	-3,34	97,4	-	0,00
13	7 335	7 337	-2,54	97,4	-	0,00
14	7 003	7 005	-2,10	97,4	-	0,00
15	6 459	6 461	-1,34	97,4	-	0,00
16	6 082	6 084	-0,77	97,4	-	0,00
17	5 604	5 607	0,00	97,4	-	0,00
18	5 838	5 841	-0,39	97,4	-	0,00
19	5 412	5 415	0,32	97,4	-	0,00
2	12 528	12 530	-7,71	97,4	-	0,00
20	5 176	5 179	0,74	97,4	-	0,00
21	4 976	4 979	1,10	97,4	-	0,00
22	4 688	4 692	1,65	97,4	-	0,00
23	4 175	4 179	2,72	97,4	-	0,00
24	4 421	4 425	2,20	97,4	-	0,00
25	6 023	6 026	-0,68	97,4	-	0,00
26	6 148	6 151	-0,87	97,4	-	0,00
27	5 050	5 053	0,97	97,4	-	0,00
28	5 560	5 563	0,07	97,4	-	0,00
29	5 748	5 750	-0,24	97,4	-	0,00
3	11 763	11 764	-7,10	97,4	-	0,00
30	5 121	5 124	0,84	97,4	-	0,00
31	4 599	4 602	1,83	97,4	-	0,00
32	5 508	5 510	0,16	97,4	-	0,00
33	5 110	5 113	0,86	97,4	-	0,00
34	4 560	4 563	1,91	97,4	-	0,00
35	4 789	4 792	1,46	97,4	-	0,00
36	4 251	4 255	2,56	97,4	-	0,00
37	3 692	3 696	3,85	97,4	-	0,00
38	3 008	3 014	5,71	97,4	-	0,00
39	3 974	3 978	3,18	97,4	-	0,00
4	11 635	11 636	-6,99	97,4	-	0,00
40	2 651	2 656	6,86	97,4	-	0,00
41	2 093	2 100	8,97	97,4	-	0,00
5	11 168	11 169	-6,59	97,4	-	0,00
6	11 667	11 669	-7,02	97,4	-	0,00
7	12 096	12 097	-7,37	97,4	-	0,00
8	9 613	9 614	-5,13	97,4	-	0,00
9	9 026	9 028	-4,52	97,4	-	0,00
Sum			17,16			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Plaudini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 692	12 693	-7,84	97,4	-	0,00
10	9 663	9 665	-5,18	97,4	-	0,00
11	7 409	7 411	-2,63	97,4	-	0,00
12	7 511	7 513	-2,76	97,4	-	0,00
13	6 871	6 873	-1,92	97,4	-	0,00
14	6 549	6 552	-1,47	97,4	-	0,00
15	6 001	6 004	-0,64	97,4	-	0,00
16	5 620	5 623	-0,03	97,4	-	0,00
17	5 140	5 143	0,80	97,4	-	0,00
18	5 425	5 427	0,30	97,4	-	0,00
19	5 010	5 014	1,04	97,4	-	0,00
2	12 152	12 153	-7,41	97,4	-	0,00
20	4 729	4 732	1,58	97,4	-	0,00
21	4 562	4 565	1,91	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 246	4 250	2,57	97,4	-	0,00
23	3 738	3 742	3,74	97,4	-	0,00
24	4 021	4 025	3,07	97,4	-	0,00
25	5 661	5 664	-0,10	97,4	-	0,00
26	5 828	5 831	-0,37	97,4	-	0,00
27	4 681	4 684	1,67	97,4	-	0,00
28	5 219	5 222	0,66	97,4	-	0,00
29	5 448	5 451	0,26	97,4	-	0,00
3	11 382	11 383	-6,77	97,4	-	0,00
30	4 803	4 806	1,43	97,4	-	0,00
31	4 255	4 258	2,55	97,4	-	0,00
32	5 238	5 241	0,63	97,4	-	0,00
33	4 884	4 887	1,28	97,4	-	0,00
34	4 322	4 326	2,40	97,4	-	0,00
35	4 504	4 507	2,03	97,4	-	0,00
36	3 950	3 954	3,23	97,4	-	0,00
37	3 348	3 352	4,74	97,4	-	0,00
38	2 636	2 643	6,90	97,4	-	0,00
39	3 580	3 584	4,13	97,4	-	0,00
4	11 239	11 240	-6,65	97,4	-	0,00
40	2 222	2 229	8,44	97,4	-	0,00
41	1 663	1 673	11,01	97,4	-	0,00
5	10 780	10 781	-6,24	97,4	-	0,00
6	11 258	11 259	-6,67	97,4	-	0,00
7	11 681	11 682	-7,03	97,4	-	0,00
8	9 166	9 168	-4,67	97,4	-	0,00
9	8 577	8 579	-4,03	97,4	-	0,00
Sum			18,21			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Plaudini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 692	12 693	-7,84	97,4	-	0,00
10	9 663	9 665	-5,18	97,4	-	0,00
11	7 409	7 411	-2,63	97,4	-	0,00
12	7 511	7 513	-2,76	97,4	-	0,00
13	6 871	6 873	-1,92	97,4	-	0,00
14	6 549	6 552	-1,47	97,4	-	0,00
15	6 001	6 004	-0,64	97,4	-	0,00
16	5 620	5 623	-0,03	97,4	-	0,00
17	5 140	5 143	0,80	97,4	-	0,00
18	5 425	5 427	0,30	97,4	-	0,00
19	5 010	5 014	1,04	97,4	-	0,00
2	12 152	12 153	-7,41	97,4	-	0,00
20	4 729	4 732	1,58	97,4	-	0,00
21	4 562	4 565	1,91	97,4	-	0,00
22	4 246	4 250	2,57	97,4	-	0,00
23	3 738	3 742	3,74	97,4	-	0,00
24	4 021	4 025	3,07	97,4	-	0,00
25	5 661	5 664	-0,10	97,4	-	0,00
26	5 828	5 831	-0,37	97,4	-	0,00
27	4 681	4 684	1,67	97,4	-	0,00
28	5 219	5 222	0,66	97,4	-	0,00
29	5 448	5 451	0,26	97,4	-	0,00
3	11 382	11 383	-6,77	97,4	-	0,00
30	4 803	4 806	1,43	97,4	-	0,00
31	4 255	4 258	2,55	97,4	-	0,00
32	5 238	5 241	0,63	97,4	-	0,00
33	4 884	4 887	1,28	97,4	-	0,00
34	4 322	4 326	2,40	97,4	-	0,00
35	4 504	4 507	2,03	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 950	3 954	3,23	97,4	-	0,00
37	3 348	3 352	4,74	97,4	-	0,00
38	2 636	2 643	6,90	97,4	-	0,00
39	3 580	3 584	4,13	97,4	-	0,00
4	11 239	11 240	-6,65	97,4	-	0,00
40	2 222	2 229	8,44	97,4	-	0,00
41	1 663	1 673	11,01	97,4	-	0,00
5	10 780	10 781	-6,24	97,4	-	0,00
6	11 258	11 259	-6,67	97,4	-	0,00
7	11 681	11 682	-7,03	97,4	-	0,00
8	9 166	9 168	-4,67	97,4	-	0,00
9	8 577	8 579	-4,03	97,4	-	0,00
Sum			18,21			

- Data undefined due to calculation with octave data

Noise sensitive area: BY Kiegeli

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 392	12 393	-7,61	97,4	-	0,00
10	9 350	9 351	-4,86	97,4	-	0,00
11	7 100	7 102	-2,23	97,4	-	0,00
12	7 210	7 212	-2,38	97,4	-	0,00
13	6 562	6 565	-1,49	97,4	-	0,00
14	6 236	6 239	-1,01	97,4	-	0,00
15	5 689	5 692	-0,14	97,4	-	0,00
16	5 310	5 313	0,50	97,4	-	0,00
17	4 832	4 835	1,37	97,4	-	0,00
18	5 116	5 119	0,85	97,4	-	0,00
19	4 705	4 709	1,62	97,4	-	0,00
2	11 854	11 855	-7,17	97,4	-	0,00
20	4 415	4 418	2,21	97,4	-	0,00
21	4 253	4 257	2,55	97,4	-	0,00
22	3 932	3 937	3,27	97,4	-	0,00
23	3 424	3 428	4,54	97,4	-	0,00
24	3 716	3 721	3,79	97,4	-	0,00
25	5 370	5 374	0,39	97,4	-	0,00
26	5 557	5 560	0,07	97,4	-	0,00
27	4 388	4 392	2,26	97,4	-	0,00
28	4 939	4 942	1,17	97,4	-	0,00
29	5 187	5 190	0,72	97,4	-	0,00
3	11 082	11 084	-6,51	97,4	-	0,00
30	4 534	4 537	1,96	97,4	-	0,00
31	3 974	3 978	3,18	97,4	-	0,00
32	4 994	4 998	1,07	97,4	-	0,00
33	4 665	4 668	1,70	97,4	-	0,00
34	4 099	4 102	2,89	97,4	-	0,00
35	4 253	4 257	2,55	97,4	-	0,00
36	3 692	3 697	3,85	97,4	-	0,00
37	3 070	3 075	5,53	97,4	-	0,00
38	2 347	2 354	7,95	97,4	-	0,00
39	3 278	3 283	4,93	97,4	-	0,00
4	10 934	10 936	-6,38	97,4	-	0,00
40	1 910	1 918	9,78	97,4	-	0,00
41	1 352	1 364	12,82	97,4	-	0,00
5	10 478	10 479	-5,97	97,4	-	0,00
6	10 949	10 951	-6,39	97,4	-	0,00
7	11 371	11 372	-6,76	97,4	-	0,00
8	8 852	8 854	-4,34	97,4	-	0,00
9	8 263	8 265	-3,68	97,4	-	0,00
Sum			19,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: BY Kiegeli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 392	12 393	-7,61	97,4	-	0,00
10	9 350	9 351	-4,86	97,4	-	0,00
11	7 100	7 102	-2,23	97,4	-	0,00
12	7 210	7 212	-2,38	97,4	-	0,00
13	6 562	6 565	-1,49	97,4	-	0,00
14	6 236	6 239	-1,01	97,4	-	0,00
15	5 689	5 692	-0,14	97,4	-	0,00
16	5 310	5 313	0,50	97,4	-	0,00
17	4 832	4 835	1,37	97,4	-	0,00
18	5 116	5 119	0,85	97,4	-	0,00
19	4 705	4 709	1,62	97,4	-	0,00
2	11 854	11 855	-7,17	97,4	-	0,00
20	4 415	4 418	2,21	97,4	-	0,00
21	4 253	4 257	2,55	97,4	-	0,00
22	3 932	3 937	3,27	97,4	-	0,00
23	3 424	3 428	4,54	97,4	-	0,00
24	3 716	3 721	3,79	97,4	-	0,00
25	5 370	5 374	0,39	97,4	-	0,00
26	5 557	5 560	0,07	97,4	-	0,00
27	4 388	4 392	2,26	97,4	-	0,00
28	4 939	4 942	1,17	97,4	-	0,00
29	5 187	5 190	0,72	97,4	-	0,00
3	11 082	11 084	-6,51	97,4	-	0,00
30	4 534	4 537	1,96	97,4	-	0,00
31	3 974	3 978	3,18	97,4	-	0,00
32	4 994	4 998	1,07	97,4	-	0,00
33	4 665	4 668	1,70	97,4	-	0,00
34	4 099	4 102	2,89	97,4	-	0,00
35	4 253	4 257	2,55	97,4	-	0,00
36	3 692	3 697	3,85	97,4	-	0,00
37	3 070	3 075	5,53	97,4	-	0,00
38	2 347	2 354	7,95	97,4	-	0,00
39	3 278	3 283	4,93	97,4	-	0,00
4	10 934	10 936	-6,38	97,4	-	0,00
40	1 910	1 918	9,78	97,4	-	0,00
41	1 352	1 364	12,82	97,4	-	0,00
5	10 478	10 479	-5,97	97,4	-	0,00
6	10 949	10 951	-6,39	97,4	-	0,00
7	11 371	11 372	-6,76	97,4	-	0,00
8	8 852	8 854	-4,34	97,4	-	0,00
9	8 263	8 265	-3,68	97,4	-	0,00
Sum			19,18			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Laksti

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 063	13 064	-8,13	97,4	-	0,00
10	10 097	10 098	-5,61	97,4	-	0,00
11	7 852	7 854	-3,19	97,4	-	0,00
12	7 957	7 959	-3,31	97,4	-	0,00
13	7 314	7 316	-2,51	97,4	-	0,00
14	6 985	6 987	-2,07	97,4	-	0,00
15	6 440	6 442	-1,31	97,4	-	0,00
16	6 062	6 064	-0,74	97,4	-	0,00
17	5 584	5 587	0,03	97,4	-	0,00
18	5 825	5 827	-0,36	97,4	-	0,00
19	5 399	5 402	0,34	97,4	-	0,00
2	12 518	12 520	-7,71	97,4	-	0,00
20	5 158	5 161	0,77	97,4	-	0,00
21	4 962	4 965	1,13	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 671	4 675	1,69	97,4	-	0,00
23	4 159	4 162	2,76	97,4	-	0,00
24	4 409	4 412	2,22	97,4	-	0,00
25	6 014	6 017	-0,67	97,4	-	0,00
26	6 143	6 145	-0,86	97,4	-	0,00
27	5 040	5 043	0,98	97,4	-	0,00
28	5 553	5 555	0,08	97,4	-	0,00
29	5 743	5 746	-0,23	97,4	-	0,00
3	11 753	11 754	-7,09	97,4	-	0,00
30	5 115	5 118	0,85	97,4	-	0,00
31	4 591	4 594	1,85	97,4	-	0,00
32	5 505	5 508	0,16	97,4	-	0,00
33	5 110	5 113	0,86	97,4	-	0,00
34	4 560	4 563	1,91	97,4	-	0,00
35	4 785	4 789	1,46	97,4	-	0,00
36	4 246	4 250	2,57	97,4	-	0,00
37	3 684	3 688	3,87	97,4	-	0,00
38	2 998	3 003	5,74	97,4	-	0,00
39	3 962	3 966	3,20	97,4	-	0,00
4	11 623	11 624	-6,98	97,4	-	0,00
40	2 635	2 640	6,91	97,4	-	0,00
41	2 077	2 084	9,04	97,4	-	0,00
5	11 157	11 158	-6,58	97,4	-	0,00
6	11 654	11 656	-7,00	97,4	-	0,00
7	12 082	12 083	-7,36	97,4	-	0,00
8	9 595	9 597	-5,11	97,4	-	0,00
9	9 008	9 010	-4,50	97,4	-	0,00
Sum			17,19			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Laksti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 063	13 064	-8,13	97,4	-	0,00
10	10 097	10 098	-5,61	97,4	-	0,00
11	7 852	7 854	-3,19	97,4	-	0,00
12	7 957	7 959	-3,31	97,4	-	0,00
13	7 314	7 316	-2,51	97,4	-	0,00
14	6 985	6 987	-2,07	97,4	-	0,00
15	6 440	6 442	-1,31	97,4	-	0,00
16	6 062	6 064	-0,74	97,4	-	0,00
17	5 584	5 587	0,03	97,4	-	0,00
18	5 825	5 827	-0,36	97,4	-	0,00
19	5 399	5 402	0,34	97,4	-	0,00
2	12 518	12 520	-7,71	97,4	-	0,00
20	5 158	5 161	0,77	97,4	-	0,00
21	4 962	4 965	1,13	97,4	-	0,00
22	4 671	4 675	1,69	97,4	-	0,00
23	4 159	4 162	2,76	97,4	-	0,00
24	4 409	4 412	2,22	97,4	-	0,00
25	6 014	6 017	-0,67	97,4	-	0,00
26	6 143	6 145	-0,86	97,4	-	0,00
27	5 040	5 043	0,98	97,4	-	0,00
28	5 553	5 555	0,08	97,4	-	0,00
29	5 743	5 746	-0,23	97,4	-	0,00
3	11 753	11 754	-7,09	97,4	-	0,00
30	5 115	5 118	0,85	97,4	-	0,00
31	4 591	4 594	1,85	97,4	-	0,00
32	5 505	5 508	0,16	97,4	-	0,00
33	5 110	5 113	0,86	97,4	-	0,00
34	4 560	4 563	1,91	97,4	-	0,00
35	4 785	4 789	1,46	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 246	4 250	2,57	97,4	-	0,00
37	3 684	3 688	3,87	97,4	-	0,00
38	2 998	3 003	5,74	97,4	-	0,00
39	3 962	3 966	3,20	97,4	-	0,00
4	11 623	11 624	-6,98	97,4	-	0,00
40	2 635	2 640	6,91	97,4	-	0,00
41	2 077	2 084	9,04	97,4	-	0,00
5	11 157	11 158	-6,58	97,4	-	0,00
6	11 654	11 656	-7,00	97,4	-	0,00
7	12 082	12 083	-7,36	97,4	-	0,00
8	9 595	9 597	-5,11	97,4	-	0,00
9	9 008	9 010	-4,50	97,4	-	0,00
Sum			17,19			

- Data undefined due to calculation with octave data

Noise sensitive area: CA Ezerlici

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 930	12 931	-8,02	97,4	-	0,00
10	9 905	9 907	-5,42	97,4	-	0,00
11	7 646	7 648	-2,93	97,4	-	0,00
12	7 741	7 743	-3,05	97,4	-	0,00
13	7 107	7 110	-2,24	97,4	-	0,00
14	6 791	6 793	-1,81	97,4	-	0,00
15	6 241	6 244	-1,01	97,4	-	0,00
16	5 859	5 861	-0,42	97,4	-	0,00
17	5 376	5 379	0,38	97,4	-	0,00
18	5 667	5 670	-0,11	97,4	-	0,00
19	5 251	5 254	0,60	97,4	-	0,00
2	12 389	12 390	-7,60	97,4	-	0,00
20	4 972	4 975	1,11	97,4	-	0,00
21	4 805	4 807	1,43	97,4	-	0,00
22	4 490	4 494	2,05	97,4	-	0,00
23	3 982	3 985	3,16	97,4	-	0,00
24	4 261	4 265	2,54	97,4	-	0,00
25	5 894	5 896	-0,48	97,4	-	0,00
26	6 049	6 052	-0,72	97,4	-	0,00
27	4 915	4 918	1,22	97,4	-	0,00
28	5 446	5 449	0,26	97,4	-	0,00
29	5 662	5 665	-0,10	97,4	-	0,00
3	11 620	11 621	-6,97	97,4	-	0,00
30	5 023	5 026	1,02	97,4	-	0,00
31	4 482	4 486	2,07	97,4	-	0,00
32	5 442	5 445	0,27	97,4	-	0,00
33	5 072	5 075	0,93	97,4	-	0,00
34	4 514	4 517	2,00	97,4	-	0,00
35	4 713	4 716	1,61	97,4	-	0,00
36	4 164	4 168	2,75	97,4	-	0,00
37	3 575	3 579	4,15	97,4	-	0,00
38	2 870	2 876	6,14	97,4	-	0,00
39	3 819	3 823	3,54	97,4	-	0,00
4	11 479	11 480	-6,86	97,4	-	0,00
40	2 465	2 471	7,51	97,4	-	0,00
41	1 907	1 915	9,80	97,4	-	0,00
5	11 019	11 020	-6,46	97,4	-	0,00
6	11 500	11 502	-6,87	97,4	-	0,00
7	11 924	11 925	-7,23	97,4	-	0,00
8	9 409	9 410	-4,92	97,4	-	0,00
9	8 820	8 822	-4,30	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CA Ezerlici

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 930	12 931	-8,02	97,4	-	0,00
10	9 905	9 907	-5,42	97,4	-	0,00
11	7 646	7 648	-2,93	97,4	-	0,00
12	7 741	7 743	-3,05	97,4	-	0,00
13	7 107	7 110	-2,24	97,4	-	0,00
14	6 791	6 793	-1,81	97,4	-	0,00
15	6 241	6 244	-1,01	97,4	-	0,00
16	5 859	5 861	-0,42	97,4	-	0,00
17	5 376	5 379	0,38	97,4	-	0,00
18	5 667	5 670	-0,11	97,4	-	0,00
19	5 251	5 254	0,60	97,4	-	0,00
2	12 389	12 390	-7,60	97,4	-	0,00
20	4 972	4 975	1,11	97,4	-	0,00
21	4 805	4 807	1,43	97,4	-	0,00
22	4 490	4 494	2,05	97,4	-	0,00
23	3 982	3 985	3,16	97,4	-	0,00
24	4 261	4 265	2,54	97,4	-	0,00
25	5 894	5 896	-0,48	97,4	-	0,00
26	6 049	6 052	-0,72	97,4	-	0,00
27	4 915	4 918	1,22	97,4	-	0,00
28	5 446	5 449	0,26	97,4	-	0,00
29	5 662	5 665	-0,10	97,4	-	0,00
3	11 620	11 621	-6,97	97,4	-	0,00
30	5 023	5 026	1,02	97,4	-	0,00
31	4 482	4 486	2,07	97,4	-	0,00
32	5 442	5 445	0,27	97,4	-	0,00
33	5 072	5 075	0,93	97,4	-	0,00
34	4 514	4 517	2,00	97,4	-	0,00
35	4 713	4 716	1,61	97,4	-	0,00
36	4 164	4 168	2,75	97,4	-	0,00
37	3 575	3 579	4,15	97,4	-	0,00
38	2 870	2 876	6,14	97,4	-	0,00
39	3 819	3 823	3,54	97,4	-	0,00
4	11 479	11 480	-6,86	97,4	-	0,00
40	2 465	2 471	7,51	97,4	-	0,00
41	1 907	1 915	9,80	97,4	-	0,00
5	11 019	11 020	-6,46	97,4	-	0,00
6	11 500	11 502	-6,87	97,4	-	0,00
7	11 924	11 925	-7,23	97,4	-	0,00
8	9 409	9 410	-4,92	97,4	-	0,00
9	8 820	8 822	-4,30	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Grafi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 977	12 978	-8,06	97,4	-	0,00
10	10 707	10 708	-6,18	97,4	-	0,00
11	8 689	8 690	-4,16	97,4	-	0,00
12	8 958	8 959	-4,45	97,4	-	0,00
13	8 184	8 186	-3,58	97,4	-	0,00
14	7 690	7 692	-2,99	97,4	-	0,00
15	7 224	7 226	-2,39	97,4	-	0,00
16	6 921	6 923	-1,99	97,4	-	0,00
17	6 526	6 528	-1,43	97,4	-	0,00
18	6 175	6 177	-0,91	97,4	-	0,00
19	5 683	5 686	-0,13	97,4	-	0,00
2	12 404	12 406	-7,62	97,4	-	0,00
20	5 859	5 862	-0,42	97,4	-	0,00
21	5 372	5 374	0,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 347	5 350	0,43	97,4	-	0,00
23	4 834	4 837	1,37	97,4	-	0,00
24	4 764	4 767	1,51	97,4	-	0,00
25	5 992	5 995	-0,63	97,4	-	0,00
26	5 865	5 867	-0,43	97,4	-	0,00
27	5 126	5 129	0,83	97,4	-	0,00
28	5 431	5 433	0,29	97,4	-	0,00
29	5 383	5 386	0,37	97,4	-	0,00
3	11 682	11 684	-7,03	97,4	-	0,00
30	4 902	4 905	1,24	97,4	-	0,00
31	4 571	4 574	1,89	97,4	-	0,00
32	5 005	5 008	1,05	97,4	-	0,00
33	4 439	4 442	2,16	97,4	-	0,00
34	3 994	3 997	3,13	97,4	-	0,00
35	4 427	4 430	2,18	97,4	-	0,00
36	4 030	4 033	3,05	97,4	-	0,00
37	3 777	3 781	3,64	97,4	-	0,00
38	3 370	3 374	4,68	97,4	-	0,00
39	4 323	4 326	2,40	97,4	-	0,00
4	11 663	11 664	-7,01	97,4	-	0,00
40	3 436	3 440	4,51	97,4	-	0,00
41	3 006	3 011	5,72	97,4	-	0,00
5	11 145	11 147	-6,57	97,4	-	0,00
6	11 803	11 804	-7,13	97,4	-	0,00
7	12 268	12 269	-7,51	97,4	-	0,00
8	10 148	10 149	-5,65	97,4	-	0,00
9	9 596	9 597	-5,11	97,4	-	0,00
Sum			16,40			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Grafi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 977	12 978	-8,06	97,4	-	0,00
10	10 707	10 708	-6,18	97,4	-	0,00
11	8 689	8 690	-4,16	97,4	-	0,00
12	8 958	8 959	-4,45	97,4	-	0,00
13	8 184	8 186	-3,58	97,4	-	0,00
14	7 690	7 692	-2,99	97,4	-	0,00
15	7 224	7 226	-2,39	97,4	-	0,00
16	6 921	6 923	-1,99	97,4	-	0,00
17	6 526	6 528	-1,43	97,4	-	0,00
18	6 175	6 177	-0,91	97,4	-	0,00
19	5 683	5 686	-0,13	97,4	-	0,00
2	12 404	12 406	-7,62	97,4	-	0,00
20	5 859	5 862	-0,42	97,4	-	0,00
21	5 372	5 374	0,39	97,4	-	0,00
22	5 347	5 350	0,43	97,4	-	0,00
23	4 834	4 837	1,37	97,4	-	0,00
24	4 764	4 767	1,51	97,4	-	0,00
25	5 992	5 995	-0,63	97,4	-	0,00
26	5 865	5 867	-0,43	97,4	-	0,00
27	5 126	5 129	0,83	97,4	-	0,00
28	5 431	5 433	0,29	97,4	-	0,00
29	5 383	5 386	0,37	97,4	-	0,00
3	11 682	11 684	-7,03	97,4	-	0,00
30	4 902	4 905	1,24	97,4	-	0,00
31	4 571	4 574	1,89	97,4	-	0,00
32	5 005	5 008	1,05	97,4	-	0,00
33	4 439	4 442	2,16	97,4	-	0,00
34	3 994	3 997	3,13	97,4	-	0,00
35	4 427	4 430	2,18	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 030	4 033	3,05	97,4	-	0,00
37	3 777	3 781	3,64	97,4	-	0,00
38	3 370	3 374	4,68	97,4	-	0,00
39	4 323	4 326	2,40	97,4	-	0,00
4	11 663	11 664	-7,01	97,4	-	0,00
40	3 436	3 440	4,51	97,4	-	0,00
41	3 006	3 011	5,72	97,4	-	0,00
5	11 145	11 147	-6,57	97,4	-	0,00
6	11 803	11 804	-7,13	97,4	-	0,00
7	12 268	12 269	-7,51	97,4	-	0,00
8	10 148	10 149	-5,65	97,4	-	0,00
9	9 596	9 597	-5,11	97,4	-	0,00
Sum			16,40			

- Data undefined due to calculation with octave data

Noise sensitive area: CC Druvites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 654	11 655	-7,00	97,4	-	0,00
10	9 300	9 302	-4,81	97,4	-	0,00
11	7 309	7 311	-2,51	97,4	-	0,00
12	7 612	7 614	-2,89	97,4	-	0,00
13	6 813	6 815	-1,84	97,4	-	0,00
14	6 296	6 298	-1,09	97,4	-	0,00
15	5 844	5 846	-0,40	97,4	-	0,00
16	5 557	5 560	0,07	97,4	-	0,00
17	5 186	5 189	0,72	97,4	-	0,00
18	4 767	4 770	1,50	97,4	-	0,00
19	4 276	4 280	2,50	97,4	-	0,00
2	11 088	11 089	-6,52	97,4	-	0,00
20	4 476	4 479	2,08	97,4	-	0,00
21	3 964	3 968	3,20	97,4	-	0,00
22	3 966	3 970	3,20	97,4	-	0,00
23	3 461	3 465	4,44	97,4	-	0,00
24	3 357	3 361	4,72	97,4	-	0,00
25	4 624	4 628	1,78	97,4	-	0,00
26	4 563	4 566	1,90	97,4	-	0,00
27	3 733	3 737	3,75	97,4	-	0,00
28	4 079	4 083	2,94	97,4	-	0,00
29	4 104	4 108	2,88	97,4	-	0,00
3	10 353	10 354	-5,85	97,4	-	0,00
30	3 568	3 572	4,16	97,4	-	0,00
31	3 188	3 192	5,19	97,4	-	0,00
32	3 778	3 782	3,64	97,4	-	0,00
33	3 288	3 293	4,91	97,4	-	0,00
34	2 778	2 782	6,44	97,4	-	0,00
35	3 131	3 136	5,35	97,4	-	0,00
36	2 680	2 686	6,76	97,4	-	0,00
37	2 372	2 378	7,86	97,4	-	0,00
38	1 980	1 988	9,46	97,4	-	0,00
39	2 917	2 922	5,99	97,4	-	0,00
4	10 307	10 309	-5,81	97,4	-	0,00
40	2 160	2 167	8,69	97,4	-	0,00
41	1 845	1 853	10,09	97,4	-	0,00
5	9 800	9 801	-5,32	97,4	-	0,00
6	10 427	10 428	-5,92	97,4	-	0,00
7	10 887	10 889	-6,34	97,4	-	0,00
8	8 740	8 741	-4,21	97,4	-	0,00
9	8 189	8 191	-3,59	97,4	-	0,00
Sum			19,68			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CC Druvites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 654	11 655	-7,00	97,4	-	0,00
10	9 300	9 302	-4,81	97,4	-	0,00
11	7 309	7 311	-2,51	97,4	-	0,00
12	7 612	7 614	-2,89	97,4	-	0,00
13	6 813	6 815	-1,84	97,4	-	0,00
14	6 296	6 298	-1,09	97,4	-	0,00
15	5 844	5 846	-0,40	97,4	-	0,00
16	5 557	5 560	0,07	97,4	-	0,00
17	5 186	5 189	0,72	97,4	-	0,00
18	4 767	4 770	1,50	97,4	-	0,00
19	4 276	4 280	2,50	97,4	-	0,00
2	11 088	11 089	-6,52	97,4	-	0,00
20	4 476	4 479	2,08	97,4	-	0,00
21	3 964	3 968	3,20	97,4	-	0,00
22	3 966	3 970	3,20	97,4	-	0,00
23	3 461	3 465	4,44	97,4	-	0,00
24	3 357	3 361	4,72	97,4	-	0,00
25	4 624	4 628	1,78	97,4	-	0,00
26	4 563	4 566	1,90	97,4	-	0,00
27	3 733	3 737	3,75	97,4	-	0,00
28	4 079	4 083	2,94	97,4	-	0,00
29	4 104	4 108	2,88	97,4	-	0,00
3	10 353	10 354	-5,85	97,4	-	0,00
30	3 568	3 572	4,16	97,4	-	0,00
31	3 188	3 192	5,19	97,4	-	0,00
32	3 778	3 782	3,64	97,4	-	0,00
33	3 288	3 293	4,91	97,4	-	0,00
34	2 778	2 782	6,44	97,4	-	0,00
35	3 131	3 136	5,35	97,4	-	0,00
36	2 680	2 686	6,76	97,4	-	0,00
37	2 372	2 378	7,86	97,4	-	0,00
38	1 980	1 988	9,46	97,4	-	0,00
39	2 917	2 922	5,99	97,4	-	0,00
4	10 307	10 309	-5,81	97,4	-	0,00
40	2 160	2 167	8,69	97,4	-	0,00
41	1 845	1 853	10,09	97,4	-	0,00
5	9 800	9 801	-5,32	97,4	-	0,00
6	10 427	10 428	-5,92	97,4	-	0,00
7	10 887	10 889	-6,34	97,4	-	0,00
8	8 740	8 741	-4,21	97,4	-	0,00
9	8 189	8 191	-3,59	97,4	-	0,00
Sum			19,68			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Klavas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 603	12 604	-7,77	97,4	-	0,00
10	9 971	9 972	-5,48	97,4	-	0,00
11	7 843	7 845	-3,18	97,4	-	0,00
12	8 047	8 049	-3,42	97,4	-	0,00
13	7 322	7 324	-2,52	97,4	-	0,00
14	6 894	6 896	-1,95	97,4	-	0,00
15	6 390	6 393	-1,24	97,4	-	0,00
16	6 054	6 056	-0,73	97,4	-	0,00
17	5 622	5 624	-0,03	97,4	-	0,00
18	5 530	5 533	0,12	97,4	-	0,00
19	5 065	5 068	0,94	97,4	-	0,00
2	12 044	12 046	-7,33	97,4	-	0,00
20	5 047	5 050	0,97	97,4	-	0,00
21	4 686	4 689	1,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 538	4 541	1,96	97,4	-	0,00
23	4 016	4 020	3,08	97,4	-	0,00
24	4 093	4 097	2,91	97,4	-	0,00
25	5 541	5 544	0,10	97,4	-	0,00
26	5 559	5 561	0,07	97,4	-	0,00
27	4 602	4 605	1,83	97,4	-	0,00
28	5 028	5 030	1,01	97,4	-	0,00
29	5 120	5 123	0,84	97,4	-	0,00
3	11 296	11 297	-6,70	97,4	-	0,00
30	4 543	4 546	1,95	97,4	-	0,00
31	4 094	4 097	2,90	97,4	-	0,00
32	4 823	4 827	1,39	97,4	-	0,00
33	4 360	4 363	2,33	97,4	-	0,00
34	3 836	3 839	3,50	97,4	-	0,00
35	4 146	4 150	2,79	97,4	-	0,00
36	3 653	3 657	3,95	97,4	-	0,00
37	3 215	3 219	5,11	97,4	-	0,00
38	2 645	2 651	6,87	97,4	-	0,00
39	3 638	3 642	3,98	97,4	-	0,00
4	11 216	11 217	-6,63	97,4	-	0,00
40	2 524	2 529	7,30	97,4	-	0,00
41	2 026	2 034	9,26	97,4	-	0,00
5	10 725	10 726	-6,19	97,4	-	0,00
6	11 299	11 300	-6,70	97,4	-	0,00
7	11 746	11 747	-7,08	97,4	-	0,00
8	9 436	9 438	-4,95	97,4	-	0,00
9	8 865	8 867	-4,35	97,4	-	0,00
Sum			17,88			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Klavas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 603	12 604	-7,77	97,4	-	0,00
10	9 971	9 972	-5,48	97,4	-	0,00
11	7 843	7 845	-3,18	97,4	-	0,00
12	8 047	8 049	-3,42	97,4	-	0,00
13	7 322	7 324	-2,52	97,4	-	0,00
14	6 894	6 896	-1,95	97,4	-	0,00
15	6 390	6 393	-1,24	97,4	-	0,00
16	6 054	6 056	-0,73	97,4	-	0,00
17	5 622	5 624	-0,03	97,4	-	0,00
18	5 530	5 533	0,12	97,4	-	0,00
19	5 065	5 068	0,94	97,4	-	0,00
2	12 044	12 046	-7,33	97,4	-	0,00
20	5 047	5 050	0,97	97,4	-	0,00
21	4 686	4 689	1,66	97,4	-	0,00
22	4 538	4 541	1,96	97,4	-	0,00
23	4 016	4 020	3,08	97,4	-	0,00
24	4 093	4 097	2,91	97,4	-	0,00
25	5 541	5 544	0,10	97,4	-	0,00
26	5 559	5 561	0,07	97,4	-	0,00
27	4 602	4 605	1,83	97,4	-	0,00
28	5 028	5 030	1,01	97,4	-	0,00
29	5 120	5 123	0,84	97,4	-	0,00
3	11 296	11 297	-6,70	97,4	-	0,00
30	4 543	4 546	1,95	97,4	-	0,00
31	4 094	4 097	2,90	97,4	-	0,00
32	4 823	4 827	1,39	97,4	-	0,00
33	4 360	4 363	2,33	97,4	-	0,00
34	3 836	3 839	3,50	97,4	-	0,00
35	4 146	4 150	2,79	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 653	3 657	3,95	97,4	-	0,00
37	3 215	3 219	5,11	97,4	-	0,00
38	2 645	2 651	6,87	97,4	-	0,00
39	3 638	3 642	3,98	97,4	-	0,00
4	11 216	11 217	-6,63	97,4	-	0,00
40	2 524	2 529	7,30	97,4	-	0,00
41	2 026	2 034	9,26	97,4	-	0,00
5	10 725	10 726	-6,19	97,4	-	0,00
6	11 299	11 300	-6,70	97,4	-	0,00
7	11 746	11 747	-7,08	97,4	-	0,00
8	9 436	9 438	-4,95	97,4	-	0,00
9	8 865	8 867	-4,35	97,4	-	0,00
Sum			17,88			

- Data undefined due to calculation with octave data

Noise sensitive area: CE Kraujas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 261	13 262	-8,27	97,4	-	0,00
10	10 531	10 532	-6,01	97,4	-	0,00
11	8 351	8 352	-3,78	97,4	-	0,00
12	8 509	8 510	-3,96	97,4	-	0,00
13	7 821	7 823	-3,15	97,4	-	0,00
14	7 435	7 437	-2,67	97,4	-	0,00
15	6 913	6 915	-1,98	97,4	-	0,00
16	6 557	6 559	-1,48	97,4	-	0,00
17	6 102	6 105	-0,80	97,4	-	0,00
18	6 141	6 143	-0,86	97,4	-	0,00
19	5 686	5 688	-0,14	97,4	-	0,00
2	12 705	12 706	-7,85	97,4	-	0,00
20	5 590	5 593	0,02	97,4	-	0,00
21	5 288	5 290	0,54	97,4	-	0,00
22	5 087	5 091	0,90	97,4	-	0,00
23	4 566	4 569	1,90	97,4	-	0,00
24	4 704	4 708	1,62	97,4	-	0,00
25	6 196	6 199	-0,95	97,4	-	0,00
26	6 231	6 233	-1,00	97,4	-	0,00
27	5 248	5 251	0,61	97,4	-	0,00
28	5 691	5 694	-0,15	97,4	-	0,00
29	5 795	5 797	-0,32	97,4	-	0,00
3	11 953	11 954	-7,25	97,4	-	0,00
30	5 213	5 216	0,67	97,4	-	0,00
31	4 750	4 754	1,53	97,4	-	0,00
32	5 500	5 502	0,17	97,4	-	0,00
33	5 032	5 035	1,00	97,4	-	0,00
34	4 511	4 514	2,01	97,4	-	0,00
35	4 821	4 824	1,40	97,4	-	0,00
36	4 323	4 327	2,40	97,4	-	0,00
37	3 862	3 866	3,44	97,4	-	0,00
38	3 257	3 262	4,99	97,4	-	0,00
39	4 249	4 253	2,56	97,4	-	0,00
4	11 863	11 864	-7,18	97,4	-	0,00
40	3 045	3 050	5,60	97,4	-	0,00
41	2 510	2 516	7,35	97,4	-	0,00
5	11 377	11 378	-6,77	97,4	-	0,00
6	11 934	11 935	-7,24	97,4	-	0,00
7	12 376	12 377	-7,59	97,4	-	0,00
8	10 008	10 009	-5,52	97,4	-	0,00
9	9 430	9 432	-4,94	97,4	-	0,00
Sum			16,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CE Kraujas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 261	13 262	-8,27	97,4	-	0,00
10	10 531	10 532	-6,01	97,4	-	0,00
11	8 351	8 352	-3,78	97,4	-	0,00
12	8 509	8 510	-3,96	97,4	-	0,00
13	7 821	7 823	-3,15	97,4	-	0,00
14	7 435	7 437	-2,67	97,4	-	0,00
15	6 913	6 915	-1,98	97,4	-	0,00
16	6 557	6 559	-1,48	97,4	-	0,00
17	6 102	6 105	-0,80	97,4	-	0,00
18	6 141	6 143	-0,86	97,4	-	0,00
19	5 686	5 688	-0,14	97,4	-	0,00
2	12 705	12 706	-7,85	97,4	-	0,00
20	5 590	5 593	0,02	97,4	-	0,00
21	5 288	5 290	0,54	97,4	-	0,00
22	5 087	5 091	0,90	97,4	-	0,00
23	4 566	4 569	1,90	97,4	-	0,00
24	4 704	4 708	1,62	97,4	-	0,00
25	6 196	6 199	-0,95	97,4	-	0,00
26	6 231	6 233	-1,00	97,4	-	0,00
27	5 248	5 251	0,61	97,4	-	0,00
28	5 691	5 694	-0,15	97,4	-	0,00
29	5 795	5 797	-0,32	97,4	-	0,00
3	11 953	11 954	-7,25	97,4	-	0,00
30	5 213	5 216	0,67	97,4	-	0,00
31	4 750	4 754	1,53	97,4	-	0,00
32	5 500	5 502	0,17	97,4	-	0,00
33	5 032	5 035	1,00	97,4	-	0,00
34	4 511	4 514	2,01	97,4	-	0,00
35	4 821	4 824	1,40	97,4	-	0,00
36	4 323	4 327	2,40	97,4	-	0,00
37	3 862	3 866	3,44	97,4	-	0,00
38	3 257	3 262	4,99	97,4	-	0,00
39	4 249	4 253	2,56	97,4	-	0,00
4	11 863	11 864	-7,18	97,4	-	0,00
40	3 045	3 050	5,60	97,4	-	0,00
41	2 510	2 516	7,35	97,4	-	0,00
5	11 377	11 378	-6,77	97,4	-	0,00
6	11 934	11 935	-7,24	97,4	-	0,00
7	12 376	12 377	-7,59	97,4	-	0,00
8	10 008	10 009	-5,52	97,4	-	0,00
9	9 430	9 432	-4,94	97,4	-	0,00
Sum			16,51			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Ivbuli

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 553	12 554	-7,73	97,4	-	0,00
10	9 983	9 984	-5,50	97,4	-	0,00
11	7 877	7 879	-3,22	97,4	-	0,00
12	8 097	8 099	-3,48	97,4	-	0,00
13	7 360	7 362	-2,57	97,4	-	0,00
14	6 916	6 919	-1,98	97,4	-	0,00
15	6 421	6 423	-1,28	97,4	-	0,00
16	6 092	6 094	-0,78	97,4	-	0,00
17	5 668	5 671	-0,11	97,4	-	0,00
18	5 520	5 522	0,14	97,4	-	0,00
19	5 048	5 051	0,97	97,4	-	0,00
2	11 992	11 993	-7,28	97,4	-	0,00
20	5 070	5 073	0,93	97,4	-	0,00
21	4 682	4 685	1,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 560	4 563	1,91	97,4	-	0,00
23	4 039	4 042	3,03	97,4	-	0,00
24	4 084	4 088	2,93	97,4	-	0,00
25	5 496	5 499	0,18	97,4	-	0,00
26	5 491	5 494	0,19	97,4	-	0,00
27	4 567	4 570	1,90	97,4	-	0,00
28	4 974	4 977	1,11	97,4	-	0,00
29	5 045	5 048	0,97	97,4	-	0,00
3	11 247	11 248	-6,66	97,4	-	0,00
30	4 481	4 484	2,07	97,4	-	0,00
31	4 049	4 053	3,01	97,4	-	0,00
32	4 737	4 740	1,56	97,4	-	0,00
33	4 258	4 262	2,54	97,4	-	0,00
34	3 742	3 746	3,73	97,4	-	0,00
35	4 071	4 074	2,96	97,4	-	0,00
36	3 590	3 594	4,11	97,4	-	0,00
37	3 181	3 185	5,21	97,4	-	0,00
38	2 640	2 646	6,89	97,4	-	0,00
39	3 630	3 634	4,00	97,4	-	0,00
4	11 177	11 178	-6,59	97,4	-	0,00
40	2 565	2 571	7,15	97,4	-	0,00
41	2 087	2 094	9,00	97,4	-	0,00
5	10 681	10 682	-6,15	97,4	-	0,00
6	11 269	11 270	-6,67	97,4	-	0,00
7	11 719	11 720	-7,06	97,4	-	0,00
8	9 443	9 444	-4,96	97,4	-	0,00
9	8 875	8 877	-4,36	97,4	-	0,00
Sum			17,88			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Ivbuli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 553	12 554	-7,73	97,4	-	0,00
10	9 983	9 984	-5,50	97,4	-	0,00
11	7 877	7 879	-3,22	97,4	-	0,00
12	8 097	8 099	-3,48	97,4	-	0,00
13	7 360	7 362	-2,57	97,4	-	0,00
14	6 916	6 919	-1,98	97,4	-	0,00
15	6 421	6 423	-1,28	97,4	-	0,00
16	6 092	6 094	-0,78	97,4	-	0,00
17	5 668	5 671	-0,11	97,4	-	0,00
18	5 520	5 522	0,14	97,4	-	0,00
19	5 048	5 051	0,97	97,4	-	0,00
2	11 992	11 993	-7,28	97,4	-	0,00
20	5 070	5 073	0,93	97,4	-	0,00
21	4 682	4 685	1,67	97,4	-	0,00
22	4 560	4 563	1,91	97,4	-	0,00
23	4 039	4 042	3,03	97,4	-	0,00
24	4 084	4 088	2,93	97,4	-	0,00
25	5 496	5 499	0,18	97,4	-	0,00
26	5 491	5 494	0,19	97,4	-	0,00
27	4 567	4 570	1,90	97,4	-	0,00
28	4 974	4 977	1,11	97,4	-	0,00
29	5 045	5 048	0,97	97,4	-	0,00
3	11 247	11 248	-6,66	97,4	-	0,00
30	4 481	4 484	2,07	97,4	-	0,00
31	4 049	4 053	3,01	97,4	-	0,00
32	4 737	4 740	1,56	97,4	-	0,00
33	4 258	4 262	2,54	97,4	-	0,00
34	3 742	3 746	3,73	97,4	-	0,00
35	4 071	4 074	2,96	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 590	3 594	4,11	97,4	-	0,00
37	3 181	3 185	5,21	97,4	-	0,00
38	2 640	2 646	6,89	97,4	-	0,00
39	3 630	3 634	4,00	97,4	-	0,00
4	11 177	11 178	-6,59	97,4	-	0,00
40	2 565	2 571	7,15	97,4	-	0,00
41	2 087	2 094	9,00	97,4	-	0,00
5	10 681	10 682	-6,15	97,4	-	0,00
6	11 269	11 270	-6,67	97,4	-	0,00
7	11 719	11 720	-7,06	97,4	-	0,00
8	9 443	9 444	-4,96	97,4	-	0,00
9	8 875	8 877	-4,36	97,4	-	0,00
Sum			17,88			

- Data undefined due to calculation with octave data

Noise sensitive area: CG Naudaskalns

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 759	11 760	-7,09	97,4	-	0,00
10	9 001	9 002	-4,50	97,4	-	0,00
11	6 863	6 865	-1,91	97,4	-	0,00
12	7 073	7 075	-2,19	97,4	-	0,00
13	6 342	6 344	-1,16	97,4	-	0,00
14	5 917	5 920	-0,51	97,4	-	0,00
15	5 411	5 414	0,32	97,4	-	0,00
16	5 074	5 077	0,92	97,4	-	0,00
17	4 645	4 648	1,74	97,4	-	0,00
18	4 596	4 599	1,84	97,4	-	0,00
19	4 145	4 148	2,79	97,4	-	0,00
2	11 209	11 210	-6,62	97,4	-	0,00
20	4 070	4 074	2,96	97,4	-	0,00
21	3 742	3 746	3,73	97,4	-	0,00
22	3 562	3 567	4,18	97,4	-	0,00
23	3 040	3 045	5,62	97,4	-	0,00
24	3 161	3 165	5,27	97,4	-	0,00
25	4 697	4 700	1,64	97,4	-	0,00
26	4 802	4 805	1,43	97,4	-	0,00
27	3 733	3 737	3,75	97,4	-	0,00
28	4 220	4 224	2,63	97,4	-	0,00
29	4 401	4 404	2,24	97,4	-	0,00
3	10 449	10 450	-5,94	97,4	-	0,00
30	3 774	3 778	3,65	97,4	-	0,00
31	3 262	3 267	4,98	97,4	-	0,00
32	4 170	4 173	2,74	97,4	-	0,00
33	3 801	3 805	3,58	97,4	-	0,00
34	3 241	3 246	5,04	97,4	-	0,00
35	3 444	3 449	4,48	97,4	-	0,00
36	2 904	2 909	6,03	97,4	-	0,00
37	2 359	2 365	7,90	97,4	-	0,00
38	1 716	1 725	10,73	97,4	-	0,00
39	2 706	2 712	6,67	97,4	-	0,00
4	10 341	10 342	-5,84	97,4	-	0,00
40	1 544	1 554	11,66	97,4	-	0,00
41	1 064	1 078	14,90	97,4	-	0,00
5	9 863	9 864	-5,38	97,4	-	0,00
6	10 398	10 400	-5,89	97,4	-	0,00
7	10 837	10 839	-6,29	97,4	-	0,00
8	8 471	8 473	-3,91	97,4	-	0,00
9	7 897	7 899	-3,24	97,4	-	0,00
Sum			20,92			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CG Naudaskalns

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 759	11 760	-7,09	97,4	-	0,00
10	9 001	9 002	-4,50	97,4	-	0,00
11	6 863	6 865	-1,91	97,4	-	0,00
12	7 073	7 075	-2,19	97,4	-	0,00
13	6 342	6 344	-1,16	97,4	-	0,00
14	5 917	5 920	-0,51	97,4	-	0,00
15	5 411	5 414	0,32	97,4	-	0,00
16	5 074	5 077	0,92	97,4	-	0,00
17	4 645	4 648	1,74	97,4	-	0,00
18	4 596	4 599	1,84	97,4	-	0,00
19	4 145	4 148	2,79	97,4	-	0,00
2	11 209	11 210	-6,62	97,4	-	0,00
20	4 070	4 074	2,96	97,4	-	0,00
21	3 742	3 746	3,73	97,4	-	0,00
22	3 562	3 567	4,18	97,4	-	0,00
23	3 040	3 045	5,62	97,4	-	0,00
24	3 161	3 165	5,27	97,4	-	0,00
25	4 697	4 700	1,64	97,4	-	0,00
26	4 802	4 805	1,43	97,4	-	0,00
27	3 733	3 737	3,75	97,4	-	0,00
28	4 220	4 224	2,63	97,4	-	0,00
29	4 401	4 404	2,24	97,4	-	0,00
3	10 449	10 450	-5,94	97,4	-	0,00
30	3 774	3 778	3,65	97,4	-	0,00
31	3 262	3 267	4,98	97,4	-	0,00
32	4 170	4 173	2,74	97,4	-	0,00
33	3 801	3 805	3,58	97,4	-	0,00
34	3 241	3 246	5,04	97,4	-	0,00
35	3 444	3 449	4,48	97,4	-	0,00
36	2 904	2 909	6,03	97,4	-	0,00
37	2 359	2 365	7,90	97,4	-	0,00
38	1 716	1 725	10,73	97,4	-	0,00
39	2 706	2 712	6,67	97,4	-	0,00
4	10 341	10 342	-5,84	97,4	-	0,00
40	1 544	1 554	11,66	97,4	-	0,00
41	1 064	1 078	14,90	97,4	-	0,00
5	9 863	9 864	-5,38	97,4	-	0,00
6	10 398	10 400	-5,89	97,4	-	0,00
7	10 837	10 839	-6,29	97,4	-	0,00
8	8 471	8 473	-3,91	97,4	-	0,00
9	7 897	7 899	-3,24	97,4	-	0,00
Sum			20,92			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Madaras

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 746	11 748	-7,08	97,4	-	0,00
10	9 683	9 685	-5,20	97,4	-	0,00
11	7 795	7 797	-3,12	97,4	-	0,00
12	8 148	8 150	-3,54	97,4	-	0,00
13	7 317	7 319	-2,52	97,4	-	0,00
14	6 750	6 752	-1,75	97,4	-	0,00
15	6 334	6 337	-1,15	97,4	-	0,00
16	6 079	6 082	-0,77	97,4	-	0,00
17	5 743	5 746	-0,23	97,4	-	0,00
18	5 119	5 122	0,84	97,4	-	0,00
19	4 616	4 619	1,80	97,4	-	0,00
2	11 171	11 173	-6,59	97,4	-	0,00
20	4 972	4 975	1,11	97,4	-	0,00
21	4 368	4 371	2,31	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 470	4 474	2,09	97,4	-	0,00
23	3 988	3 991	3,15	97,4	-	0,00
24	3 766	3 770	3,67	97,4	-	0,00
25	4 818	4 821	1,40	97,4	-	0,00
26	4 636	4 639	1,76	97,4	-	0,00
27	4 006	4 010	3,10	97,4	-	0,00
28	4 241	4 244	2,58	97,4	-	0,00
29	4 145	4 149	2,79	97,4	-	0,00
3	10 458	10 459	-5,95	97,4	-	0,00
30	3 701	3 705	3,83	97,4	-	0,00
31	3 435	3 439	4,51	97,4	-	0,00
32	3 753	3 757	3,70	97,4	-	0,00
33	3 178	3 183	5,22	97,4	-	0,00
34	2 744	2 749	6,54	97,4	-	0,00
35	3 204	3 208	5,14	97,4	-	0,00
36	2 854	2 859	6,19	97,4	-	0,00
37	2 731	2 736	6,59	97,4	-	0,00
38	2 506	2 513	7,36	97,4	-	0,00
39	3 355	3 359	4,72	97,4	-	0,00
4	10 459	10 460	-5,95	97,4	-	0,00
40	2 812	2 817	6,33	97,4	-	0,00
41	2 551	2 557	7,20	97,4	-	0,00
5	9 933	9 934	-5,45	97,4	-	0,00
6	10 622	10 623	-6,10	97,4	-	0,00
7	11 095	11 096	-6,52	97,4	-	0,00
8	9 106	9 108	-4,61	97,4	-	0,00
9	8 574	8 576	-4,03	97,4	-	0,00
Sum			18,64			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Madaras

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 746	11 748	-7,08	97,4	-	0,00
10	9 683	9 685	-5,20	97,4	-	0,00
11	7 795	7 797	-3,12	97,4	-	0,00
12	8 148	8 150	-3,54	97,4	-	0,00
13	7 317	7 319	-2,52	97,4	-	0,00
14	6 750	6 752	-1,75	97,4	-	0,00
15	6 334	6 337	-1,15	97,4	-	0,00
16	6 079	6 082	-0,77	97,4	-	0,00
17	5 743	5 746	-0,23	97,4	-	0,00
18	5 119	5 122	0,84	97,4	-	0,00
19	4 616	4 619	1,80	97,4	-	0,00
2	11 171	11 173	-6,59	97,4	-	0,00
20	4 972	4 975	1,11	97,4	-	0,00
21	4 368	4 371	2,31	97,4	-	0,00
22	4 470	4 474	2,09	97,4	-	0,00
23	3 988	3 991	3,15	97,4	-	0,00
24	3 766	3 770	3,67	97,4	-	0,00
25	4 818	4 821	1,40	97,4	-	0,00
26	4 636	4 639	1,76	97,4	-	0,00
27	4 006	4 010	3,10	97,4	-	0,00
28	4 241	4 244	2,58	97,4	-	0,00
29	4 145	4 149	2,79	97,4	-	0,00
3	10 458	10 459	-5,95	97,4	-	0,00
30	3 701	3 705	3,83	97,4	-	0,00
31	3 435	3 439	4,51	97,4	-	0,00
32	3 753	3 757	3,70	97,4	-	0,00
33	3 178	3 183	5,22	97,4	-	0,00
34	2 744	2 749	6,54	97,4	-	0,00
35	3 204	3 208	5,14	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 854	2 859	6,19	97,4	-	0,00
37	2 731	2 736	6,59	97,4	-	0,00
38	2 506	2 513	7,36	97,4	-	0,00
39	3 355	3 359	4,72	97,4	-	0,00
4	10 459	10 460	-5,95	97,4	-	0,00
40	2 812	2 817	6,33	97,4	-	0,00
41	2 551	2 557	7,20	97,4	-	0,00
5	9 933	9 934	-5,45	97,4	-	0,00
6	10 622	10 623	-6,10	97,4	-	0,00
7	11 095	11 096	-6,52	97,4	-	0,00
8	9 106	9 108	-4,61	97,4	-	0,00
9	8 574	8 576	-4,03	97,4	-	0,00
Sum			18,64			

- Data undefined due to calculation with octave data

Noise sensitive area: CI Gritani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 201	13 203	-8,23	97,4	-	0,00
10	10 796	10 797	-6,26	97,4	-	0,00
11	8 723	8 725	-4,19	97,4	-	0,00
12	8 956	8 958	-4,45	97,4	-	0,00
13	8 209	8 211	-3,61	97,4	-	0,00
14	7 748	7 750	-3,06	97,4	-	0,00
15	7 263	7 265	-2,44	97,4	-	0,00
16	6 942	6 944	-2,02	97,4	-	0,00
17	6 526	6 528	-1,43	97,4	-	0,00
18	6 295	6 297	-1,09	97,4	-	0,00
19	5 812	5 814	-0,34	97,4	-	0,00
2	12 633	12 634	-7,80	97,4	-	0,00
20	5 906	5 908	-0,49	97,4	-	0,00
21	5 473	5 475	0,22	97,4	-	0,00
22	5 394	5 396	0,35	97,4	-	0,00
23	4 875	4 878	1,29	97,4	-	0,00
24	4 868	4 872	1,31	97,4	-	0,00
25	6 181	6 184	-0,92	97,4	-	0,00
26	6 098	6 101	-0,80	97,4	-	0,00
27	5 287	5 290	0,54	97,4	-	0,00
28	5 633	5 635	-0,05	97,4	-	0,00
29	5 627	5 629	-0,04	97,4	-	0,00
3	11 902	11 903	-7,21	97,4	-	0,00
30	5 115	5 118	0,85	97,4	-	0,00
31	4 744	4 748	1,54	97,4	-	0,00
32	5 269	5 272	0,57	97,4	-	0,00
33	4 726	4 729	1,58	97,4	-	0,00
34	4 258	4 261	2,54	97,4	-	0,00
35	4 660	4 664	1,71	97,4	-	0,00
36	4 232	4 235	2,60	97,4	-	0,00
37	3 916	3 919	3,31	97,4	-	0,00
38	3 442	3 447	4,49	97,4	-	0,00
39	4 419	4 423	2,20	97,4	-	0,00
4	11 863	11 864	-7,18	97,4	-	0,00
40	3 422	3 426	4,54	97,4	-	0,00
41	2 952	2 957	5,89	97,4	-	0,00
5	11 354	11 355	-6,75	97,4	-	0,00
6	11 984	11 985	-7,28	97,4	-	0,00
7	12 443	12 444	-7,65	97,4	-	0,00
8	10 247	10 248	-5,75	97,4	-	0,00
9	9 686	9 688	-5,20	97,4	-	0,00
Sum			16,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CI Gritani

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 201	13 203	-8,23	97,4	-	0,00
10	10 796	10 797	-6,26	97,4	-	0,00
11	8 723	8 725	-4,19	97,4	-	0,00
12	8 956	8 958	-4,45	97,4	-	0,00
13	8 209	8 211	-3,61	97,4	-	0,00
14	7 748	7 750	-3,06	97,4	-	0,00
15	7 263	7 265	-2,44	97,4	-	0,00
16	6 942	6 944	-2,02	97,4	-	0,00
17	6 526	6 528	-1,43	97,4	-	0,00
18	6 295	6 297	-1,09	97,4	-	0,00
19	5 812	5 814	-0,34	97,4	-	0,00
2	12 633	12 634	-7,80	97,4	-	0,00
20	5 906	5 908	-0,49	97,4	-	0,00
21	5 473	5 475	0,22	97,4	-	0,00
22	5 394	5 396	0,35	97,4	-	0,00
23	4 875	4 878	1,29	97,4	-	0,00
24	4 868	4 872	1,31	97,4	-	0,00
25	6 181	6 184	-0,92	97,4	-	0,00
26	6 098	6 101	-0,80	97,4	-	0,00
27	5 287	5 290	0,54	97,4	-	0,00
28	5 633	5 635	-0,05	97,4	-	0,00
29	5 627	5 629	-0,04	97,4	-	0,00
3	11 902	11 903	-7,21	97,4	-	0,00
30	5 115	5 118	0,85	97,4	-	0,00
31	4 744	4 748	1,54	97,4	-	0,00
32	5 269	5 272	0,57	97,4	-	0,00
33	4 726	4 729	1,58	97,4	-	0,00
34	4 258	4 261	2,54	97,4	-	0,00
35	4 660	4 664	1,71	97,4	-	0,00
36	4 232	4 235	2,60	97,4	-	0,00
37	3 916	3 919	3,31	97,4	-	0,00
38	3 442	3 447	4,49	97,4	-	0,00
39	4 419	4 423	2,20	97,4	-	0,00
4	11 863	11 864	-7,18	97,4	-	0,00
40	3 422	3 426	4,54	97,4	-	0,00
41	2 952	2 957	5,89	97,4	-	0,00
5	11 354	11 355	-6,75	97,4	-	0,00
6	11 984	11 985	-7,28	97,4	-	0,00
7	12 443	12 444	-7,65	97,4	-	0,00
8	10 247	10 248	-5,75	97,4	-	0,00
9	9 686	9 688	-5,20	97,4	-	0,00
Sum			16,18			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Latvani

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 055	12 057	-7,34	97,4	-	0,00
10	9 992	9 993	-5,50	97,4	-	0,00
11	8 088	8 089	-3,47	97,4	-	0,00
12	8 428	8 430	-3,86	97,4	-	0,00
13	7 605	7 607	-2,88	97,4	-	0,00
14	7 048	7 050	-2,16	97,4	-	0,00
15	6 625	6 627	-1,58	97,4	-	0,00
16	6 362	6 365	-1,19	97,4	-	0,00
17	6 016	6 019	-0,67	97,4	-	0,00
18	5 429	5 432	0,29	97,4	-	0,00
19	4 926	4 929	1,20	97,4	-	0,00
2	11 479	11 481	-6,86	97,4	-	0,00
20	5 260	5 263	0,59	97,4	-	0,00
21	4 671	4 674	1,69	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 756	4 759	1,52	97,4	-	0,00
23	4 267	4 271	2,52	97,4	-	0,00
24	4 068	4 071	2,96	97,4	-	0,00
25	5 133	5 136	0,81	97,4	-	0,00
26	4 946	4 949	1,16	97,4	-	0,00
27	4 320	4 324	2,41	97,4	-	0,00
28	4 556	4 559	1,92	97,4	-	0,00
29	4 454	4 457	2,13	97,4	-	0,00
3	10 768	10 769	-6,23	97,4	-	0,00
30	4 015	4 019	3,08	97,4	-	0,00
31	3 749	3 754	3,71	97,4	-	0,00
32	4 056	4 059	2,99	97,4	-	0,00
33	3 470	3 475	4,42	97,4	-	0,00
34	3 049	3 054	5,59	97,4	-	0,00
35	3 516	3 520	4,30	97,4	-	0,00
36	3 169	3 174	5,24	97,4	-	0,00
37	3 036	3 041	5,63	97,4	-	0,00
38	2 782	2 787	6,42	97,4	-	0,00
39	3 651	3 656	3,95	97,4	-	0,00
4	10 772	10 773	-6,23	97,4	-	0,00
40	3 041	3 046	5,62	97,4	-	0,00
41	2 740	2 745	6,56	97,4	-	0,00
5	10 245	10 246	-5,75	97,4	-	0,00
6	10 937	10 938	-6,38	97,4	-	0,00
7	11 410	11 412	-6,80	97,4	-	0,00
8	9 416	9 418	-4,93	97,4	-	0,00
9	8 882	8 884	-4,37	97,4	-	0,00
Sum			17,92			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Latvani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 055	12 057	-7,34	97,4	-	0,00
10	9 992	9 993	-5,50	97,4	-	0,00
11	8 088	8 089	-3,47	97,4	-	0,00
12	8 428	8 430	-3,86	97,4	-	0,00
13	7 605	7 607	-2,88	97,4	-	0,00
14	7 048	7 050	-2,16	97,4	-	0,00
15	6 625	6 627	-1,58	97,4	-	0,00
16	6 362	6 365	-1,19	97,4	-	0,00
17	6 016	6 019	-0,67	97,4	-	0,00
18	5 429	5 432	0,29	97,4	-	0,00
19	4 926	4 929	1,20	97,4	-	0,00
2	11 479	11 481	-6,86	97,4	-	0,00
20	5 260	5 263	0,59	97,4	-	0,00
21	4 671	4 674	1,69	97,4	-	0,00
22	4 756	4 759	1,52	97,4	-	0,00
23	4 267	4 271	2,52	97,4	-	0,00
24	4 068	4 071	2,96	97,4	-	0,00
25	5 133	5 136	0,81	97,4	-	0,00
26	4 946	4 949	1,16	97,4	-	0,00
27	4 320	4 324	2,41	97,4	-	0,00
28	4 556	4 559	1,92	97,4	-	0,00
29	4 454	4 457	2,13	97,4	-	0,00
3	10 768	10 769	-6,23	97,4	-	0,00
30	4 015	4 019	3,08	97,4	-	0,00
31	3 749	3 754	3,71	97,4	-	0,00
32	4 056	4 059	2,99	97,4	-	0,00
33	3 470	3 475	4,42	97,4	-	0,00
34	3 049	3 054	5,59	97,4	-	0,00
35	3 516	3 520	4,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 169	3 174	5,24	97,4	-	0,00
37	3 036	3 041	5,63	97,4	-	0,00
38	2 782	2 787	6,42	97,4	-	0,00
39	3 651	3 656	3,95	97,4	-	0,00
4	10 772	10 773	-6,23	97,4	-	0,00
40	3 041	3 046	5,62	97,4	-	0,00
41	2 740	2 745	6,56	97,4	-	0,00
5	10 245	10 246	-5,75	97,4	-	0,00
6	10 937	10 938	-6,38	97,4	-	0,00
7	11 410	11 412	-6,80	97,4	-	0,00
8	9 416	9 418	-4,93	97,4	-	0,00
9	8 882	8 884	-4,37	97,4	-	0,00
Sum			17,92			

- Data undefined due to calculation with octave data

Noise sensitive area: CK Rozes

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 253	12 254	-7,50	97,4	-	0,00
10	10 178	10 179	-5,68	97,4	-	0,00
11	8 259	8 261	-3,67	97,4	-	0,00
12	8 591	8 593	-4,05	97,4	-	0,00
13	7 774	7 776	-3,09	97,4	-	0,00
14	7 224	7 226	-2,39	97,4	-	0,00
15	6 796	6 798	-1,82	97,4	-	0,00
16	6 527	6 530	-1,44	97,4	-	0,00
17	6 174	6 177	-0,91	97,4	-	0,00
18	5 617	5 619	-0,02	97,4	-	0,00
19	5 115	5 117	0,85	97,4	-	0,00
2	11 677	11 678	-7,02	97,4	-	0,00
20	5 430	5 432	0,29	97,4	-	0,00
21	4 853	4 856	1,34	97,4	-	0,00
22	4 924	4 927	1,20	97,4	-	0,00
23	4 431	4 434	2,18	97,4	-	0,00
24	4 248	4 252	2,56	97,4	-	0,00
25	5 330	5 333	0,46	97,4	-	0,00
26	5 144	5 146	0,80	97,4	-	0,00
27	4 513	4 516	2,01	97,4	-	0,00
28	4 753	4 756	1,53	97,4	-	0,00
29	4 651	4 654	1,73	97,4	-	0,00
3	10 966	10 967	-6,41	97,4	-	0,00
30	4 213	4 216	2,64	97,4	-	0,00
31	3 943	3 947	3,25	97,4	-	0,00
32	4 252	4 255	2,56	97,4	-	0,00
33	3 663	3 667	3,92	97,4	-	0,00
34	3 246	3 250	5,03	97,4	-	0,00
35	3 714	3 718	3,80	97,4	-	0,00
36	3 365	3 369	4,70	97,4	-	0,00
37	3 221	3 225	5,10	97,4	-	0,00
38	2 944	2 949	5,91	97,4	-	0,00
39	3 828	3 832	3,52	97,4	-	0,00
4	10 970	10 971	-6,41	97,4	-	0,00
40	3 173	3 177	5,23	97,4	-	0,00
41	2 847	2 852	6,21	97,4	-	0,00
5	10 443	10 444	-5,93	97,4	-	0,00
6	11 134	11 135	-6,56	97,4	-	0,00
7	11 607	11 608	-6,96	97,4	-	0,00
8	9 604	9 605	-5,12	97,4	-	0,00
9	9 068	9 069	-4,57	97,4	-	0,00
Sum			17,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CK Rozes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 253	12 254	-7,50	97,4	-	0,00
10	10 178	10 179	-5,68	97,4	-	0,00
11	8 259	8 261	-3,67	97,4	-	0,00
12	8 591	8 593	-4,05	97,4	-	0,00
13	7 774	7 776	-3,09	97,4	-	0,00
14	7 224	7 226	-2,39	97,4	-	0,00
15	6 796	6 798	-1,82	97,4	-	0,00
16	6 527	6 530	-1,44	97,4	-	0,00
17	6 174	6 177	-0,91	97,4	-	0,00
18	5 617	5 619	-0,02	97,4	-	0,00
19	5 115	5 117	0,85	97,4	-	0,00
2	11 677	11 678	-7,02	97,4	-	0,00
20	5 430	5 432	0,29	97,4	-	0,00
21	4 853	4 856	1,34	97,4	-	0,00
22	4 924	4 927	1,20	97,4	-	0,00
23	4 431	4 434	2,18	97,4	-	0,00
24	4 248	4 252	2,56	97,4	-	0,00
25	5 330	5 333	0,46	97,4	-	0,00
26	5 144	5 146	0,80	97,4	-	0,00
27	4 513	4 516	2,01	97,4	-	0,00
28	4 753	4 756	1,53	97,4	-	0,00
29	4 651	4 654	1,73	97,4	-	0,00
3	10 966	10 967	-6,41	97,4	-	0,00
30	4 213	4 216	2,64	97,4	-	0,00
31	3 943	3 947	3,25	97,4	-	0,00
32	4 252	4 255	2,56	97,4	-	0,00
33	3 663	3 667	3,92	97,4	-	0,00
34	3 246	3 250	5,03	97,4	-	0,00
35	3 714	3 718	3,80	97,4	-	0,00
36	3 365	3 369	4,70	97,4	-	0,00
37	3 221	3 225	5,10	97,4	-	0,00
38	2 944	2 949	5,91	97,4	-	0,00
39	3 828	3 832	3,52	97,4	-	0,00
4	10 970	10 971	-6,41	97,4	-	0,00
40	3 173	3 177	5,23	97,4	-	0,00
41	2 847	2 852	6,21	97,4	-	0,00
5	10 443	10 444	-5,93	97,4	-	0,00
6	11 134	11 135	-6,56	97,4	-	0,00
7	11 607	11 608	-6,96	97,4	-	0,00
8	9 604	9 605	-5,12	97,4	-	0,00
9	9 068	9 069	-4,57	97,4	-	0,00
Sum			17,51			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Palmas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 487	12 488	-7,68	97,4	-	0,00
10	9 572	9 573	-5,09	97,4	-	0,00
11	7 357	7 359	-2,57	97,4	-	0,00
12	7 497	7 499	-2,75	97,4	-	0,00
13	6 824	6 826	-1,85	97,4	-	0,00
14	6 465	6 467	-1,34	97,4	-	0,00
15	5 930	5 932	-0,53	97,4	-	0,00
16	5 564	5 566	0,06	97,4	-	0,00
17	5 099	5 102	0,88	97,4	-	0,00
18	5 261	5 264	0,59	97,4	-	0,00
19	4 830	4 833	1,38	97,4	-	0,00
2	11 942	11 943	-7,24	97,4	-	0,00
20	4 628	4 631	1,77	97,4	-	0,00
21	4 399	4 403	2,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 134	4 138	2,81	97,4	-	0,00
23	3 617	3 621	4,04	97,4	-	0,00
24	3 840	3 844	3,49	97,4	-	0,00
25	5 437	5 440	0,28	97,4	-	0,00
26	5 570	5 573	0,05	97,4	-	0,00
27	4 463	4 467	2,11	97,4	-	0,00
28	4 977	4 980	1,10	97,4	-	0,00
29	5 176	5 179	0,74	97,4	-	0,00
3	11 177	11 178	-6,59	97,4	-	0,00
30	4 543	4 546	1,95	97,4	-	0,00
31	4 014	4 018	3,08	97,4	-	0,00
32	4 948	4 951	1,15	97,4	-	0,00
33	4 573	4 577	1,88	97,4	-	0,00
34	4 016	4 020	3,08	97,4	-	0,00
35	4 222	4 226	2,62	97,4	-	0,00
36	3 678	3 682	3,89	97,4	-	0,00
37	3 107	3 112	5,42	97,4	-	0,00
38	2 422	2 429	7,66	97,4	-	0,00
39	3 391	3 396	4,63	97,4	-	0,00
4	11 050	11 052	-6,48	97,4	-	0,00
40	2 089	2 096	8,99	97,4	-	0,00
41	1 536	1 546	11,71	97,4	-	0,00
5	10 582	10 584	-6,06	97,4	-	0,00
6	11 087	11 088	-6,52	97,4	-	0,00
7	11 517	11 519	-6,89	97,4	-	0,00
8	9 062	9 063	-4,56	97,4	-	0,00
9	8 478	8 480	-3,92	97,4	-	0,00
Sum			18,72			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Palmas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 487	12 488	-7,68	97,4	-	0,00
10	9 572	9 573	-5,09	97,4	-	0,00
11	7 357	7 359	-2,57	97,4	-	0,00
12	7 497	7 499	-2,75	97,4	-	0,00
13	6 824	6 826	-1,85	97,4	-	0,00
14	6 465	6 467	-1,34	97,4	-	0,00
15	5 930	5 932	-0,53	97,4	-	0,00
16	5 564	5 566	0,06	97,4	-	0,00
17	5 099	5 102	0,88	97,4	-	0,00
18	5 261	5 264	0,59	97,4	-	0,00
19	4 830	4 833	1,38	97,4	-	0,00
2	11 942	11 943	-7,24	97,4	-	0,00
20	4 628	4 631	1,77	97,4	-	0,00
21	4 399	4 403	2,24	97,4	-	0,00
22	4 134	4 138	2,81	97,4	-	0,00
23	3 617	3 621	4,04	97,4	-	0,00
24	3 840	3 844	3,49	97,4	-	0,00
25	5 437	5 440	0,28	97,4	-	0,00
26	5 570	5 573	0,05	97,4	-	0,00
27	4 463	4 467	2,11	97,4	-	0,00
28	4 977	4 980	1,10	97,4	-	0,00
29	5 176	5 179	0,74	97,4	-	0,00
3	11 177	11 178	-6,59	97,4	-	0,00
30	4 543	4 546	1,95	97,4	-	0,00
31	4 014	4 018	3,08	97,4	-	0,00
32	4 948	4 951	1,15	97,4	-	0,00
33	4 573	4 577	1,88	97,4	-	0,00
34	4 016	4 020	3,08	97,4	-	0,00
35	4 222	4 226	2,62	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 678	3 682	3,89	97,4	-	0,00
37	3 107	3 112	5,42	97,4	-	0,00
38	2 422	2 429	7,66	97,4	-	0,00
39	3 391	3 396	4,63	97,4	-	0,00
4	11 050	11 052	-6,48	97,4	-	0,00
40	2 089	2 096	8,99	97,4	-	0,00
41	1 536	1 546	11,71	97,4	-	0,00
5	10 582	10 584	-6,06	97,4	-	0,00
6	11 087	11 088	-6,52	97,4	-	0,00
7	11 517	11 519	-6,89	97,4	-	0,00
8	9 062	9 063	-4,56	97,4	-	0,00
9	8 478	8 480	-3,92	97,4	-	0,00
Sum			18,72			

- Data undefined due to calculation with octave data

Noise sensitive area: CM Ergli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 270	12 271	-7,51	97,4	-	0,00
10	10 211	10 212	-5,71	97,4	-	0,00
11	8 298	8 300	-3,72	97,4	-	0,00
12	8 632	8 634	-4,09	97,4	-	0,00
13	7 813	7 815	-3,14	97,4	-	0,00
14	7 262	7 264	-2,44	97,4	-	0,00
15	6 835	6 837	-1,87	97,4	-	0,00
16	6 568	6 570	-1,49	97,4	-	0,00
17	6 216	6 219	-0,98	97,4	-	0,00
18	5 649	5 652	-0,08	97,4	-	0,00
19	5 147	5 150	0,79	97,4	-	0,00
2	11 693	11 695	-7,04	97,4	-	0,00
20	5 469	5 472	0,22	97,4	-	0,00
21	4 888	4 891	1,27	97,4	-	0,00
22	4 963	4 967	1,13	97,4	-	0,00
23	4 471	4 475	2,09	97,4	-	0,00
24	4 284	4 287	2,49	97,4	-	0,00
25	5 355	5 357	0,42	97,4	-	0,00
26	5 162	5 165	0,76	97,4	-	0,00
27	4 542	4 545	1,95	97,4	-	0,00
28	4 776	4 779	1,48	97,4	-	0,00
29	4 668	4 672	1,69	97,4	-	0,00
3	10 984	10 985	-6,42	97,4	-	0,00
30	4 235	4 239	2,59	97,4	-	0,00
31	3 971	3 975	3,18	97,4	-	0,00
32	4 266	4 269	2,53	97,4	-	0,00
33	3 673	3 678	3,90	97,4	-	0,00
34	3 261	3 265	4,98	97,4	-	0,00
35	3 734	3 738	3,75	97,4	-	0,00
36	3 391	3 395	4,63	97,4	-	0,00
37	3 255	3 259	5,00	97,4	-	0,00
38	2 985	2 990	5,78	97,4	-	0,00
39	3 865	3 869	3,43	97,4	-	0,00
4	10 990	10 992	-6,43	97,4	-	0,00
40	3 219	3 223	5,10	97,4	-	0,00
41	2 894	2 900	6,06	97,4	-	0,00
5	10 463	10 464	-5,95	97,4	-	0,00
6	11 157	11 159	-6,58	97,4	-	0,00
7	11 631	11 632	-6,98	97,4	-	0,00
8	9 636	9 638	-5,15	97,4	-	0,00
9	9 101	9 103	-4,60	97,4	-	0,00
Sum			17,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CM Ergli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 270	12 271	-7,51	97,4	-	0,00
10	10 211	10 212	-5,71	97,4	-	0,00
11	8 298	8 300	-3,72	97,4	-	0,00
12	8 632	8 634	-4,09	97,4	-	0,00
13	7 813	7 815	-3,14	97,4	-	0,00
14	7 262	7 264	-2,44	97,4	-	0,00
15	6 835	6 837	-1,87	97,4	-	0,00
16	6 568	6 570	-1,49	97,4	-	0,00
17	6 216	6 219	-0,98	97,4	-	0,00
18	5 649	5 652	-0,08	97,4	-	0,00
19	5 147	5 150	0,79	97,4	-	0,00
2	11 693	11 695	-7,04	97,4	-	0,00
20	5 469	5 472	0,22	97,4	-	0,00
21	4 888	4 891	1,27	97,4	-	0,00
22	4 963	4 967	1,13	97,4	-	0,00
23	4 471	4 475	2,09	97,4	-	0,00
24	4 284	4 287	2,49	97,4	-	0,00
25	5 355	5 357	0,42	97,4	-	0,00
26	5 162	5 165	0,76	97,4	-	0,00
27	4 542	4 545	1,95	97,4	-	0,00
28	4 776	4 779	1,48	97,4	-	0,00
29	4 668	4 672	1,69	97,4	-	0,00
3	10 984	10 985	-6,42	97,4	-	0,00
30	4 235	4 239	2,59	97,4	-	0,00
31	3 971	3 975	3,18	97,4	-	0,00
32	4 266	4 269	2,53	97,4	-	0,00
33	3 673	3 678	3,90	97,4	-	0,00
34	3 261	3 265	4,98	97,4	-	0,00
35	3 734	3 738	3,75	97,4	-	0,00
36	3 391	3 395	4,63	97,4	-	0,00
37	3 255	3 259	5,00	97,4	-	0,00
38	2 985	2 990	5,78	97,4	-	0,00
39	3 865	3 869	3,43	97,4	-	0,00
4	10 990	10 992	-6,43	97,4	-	0,00
40	3 219	3 223	5,10	97,4	-	0,00
41	2 894	2 900	6,06	97,4	-	0,00
5	10 463	10 464	-5,95	97,4	-	0,00
6	11 157	11 159	-6,58	97,4	-	0,00
7	11 631	11 632	-6,98	97,4	-	0,00
8	9 636	9 638	-5,15	97,4	-	0,00
9	9 101	9 103	-4,60	97,4	-	0,00
Sum			17,44			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Zarini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 820	12 821	-7,94	97,4	-	0,00
10	10 056	10 058	-5,57	97,4	-	0,00
11	7 879	7 881	-3,22	97,4	-	0,00
12	8 044	8 046	-3,42	97,4	-	0,00
13	7 350	7 352	-2,56	97,4	-	0,00
14	6 961	6 963	-2,04	97,4	-	0,00
15	6 439	6 442	-1,31	97,4	-	0,00
16	6 085	6 088	-0,78	97,4	-	0,00
17	5 633	5 636	-0,05	97,4	-	0,00
18	5 674	5 676	-0,12	97,4	-	0,00
19	5 223	5 225	0,65	97,4	-	0,00
2	12 266	12 267	-7,51	97,4	-	0,00
20	5 116	5 119	0,85	97,4	-	0,00
21	4 819	4 822	1,40	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 613	4 617	1,80	97,4	-	0,00
23	4 092	4 095	2,91	97,4	-	0,00
24	4 239	4 242	2,58	97,4	-	0,00
25	5 754	5 757	-0,25	97,4	-	0,00
26	5 815	5 818	-0,35	97,4	-	0,00
27	4 799	4 802	1,44	97,4	-	0,00
28	5 260	5 263	0,59	97,4	-	0,00
29	5 391	5 394	0,36	97,4	-	0,00
3	11 511	11 512	-6,88	97,4	-	0,00
30	4 792	4 796	1,45	97,4	-	0,00
31	4 312	4 315	2,43	97,4	-	0,00
32	5 116	5 119	0,85	97,4	-	0,00
33	4 677	4 681	1,68	97,4	-	0,00
34	4 142	4 145	2,80	97,4	-	0,00
35	4 420	4 424	2,20	97,4	-	0,00
36	3 907	3 911	3,33	97,4	-	0,00
37	3 417	3 421	4,56	97,4	-	0,00
38	2 793	2 799	6,38	97,4	-	0,00
39	3 784	3 788	3,62	97,4	-	0,00
4	11 412	11 413	-6,80	97,4	-	0,00
40	2 571	2 577	7,13	97,4	-	0,00
41	2 038	2 045	9,21	97,4	-	0,00
5	10 930	10 931	-6,38	97,4	-	0,00
6	11 475	11 476	-6,85	97,4	-	0,00
7	11 915	11 916	-7,22	97,4	-	0,00
8	9 534	9 536	-5,05	97,4	-	0,00
9	8 956	8 958	-4,45	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Zarini

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 820	12 821	-7,94	97,4	-	0,00
10	10 056	10 058	-5,57	97,4	-	0,00
11	7 879	7 881	-3,22	97,4	-	0,00
12	8 044	8 046	-3,42	97,4	-	0,00
13	7 350	7 352	-2,56	97,4	-	0,00
14	6 961	6 963	-2,04	97,4	-	0,00
15	6 439	6 442	-1,31	97,4	-	0,00
16	6 085	6 088	-0,78	97,4	-	0,00
17	5 633	5 636	-0,05	97,4	-	0,00
18	5 674	5 676	-0,12	97,4	-	0,00
19	5 223	5 225	0,65	97,4	-	0,00
2	12 266	12 267	-7,51	97,4	-	0,00
20	5 116	5 119	0,85	97,4	-	0,00
21	4 819	4 822	1,40	97,4	-	0,00
22	4 613	4 617	1,80	97,4	-	0,00
23	4 092	4 095	2,91	97,4	-	0,00
24	4 239	4 242	2,58	97,4	-	0,00
25	5 754	5 757	-0,25	97,4	-	0,00
26	5 815	5 818	-0,35	97,4	-	0,00
27	4 799	4 802	1,44	97,4	-	0,00
28	5 260	5 263	0,59	97,4	-	0,00
29	5 391	5 394	0,36	97,4	-	0,00
3	11 511	11 512	-6,88	97,4	-	0,00
30	4 792	4 796	1,45	97,4	-	0,00
31	4 312	4 315	2,43	97,4	-	0,00
32	5 116	5 119	0,85	97,4	-	0,00
33	4 677	4 681	1,68	97,4	-	0,00
34	4 142	4 145	2,80	97,4	-	0,00
35	4 420	4 424	2,20	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 907	3 911	3,33	97,4	-	0,00
37	3 417	3 421	4,56	97,4	-	0,00
38	2 793	2 799	6,38	97,4	-	0,00
39	3 784	3 788	3,62	97,4	-	0,00
4	11 412	11 413	-6,80	97,4	-	0,00
40	2 571	2 577	7,13	97,4	-	0,00
41	2 038	2 045	9,21	97,4	-	0,00
5	10 930	10 931	-6,38	97,4	-	0,00
6	11 475	11 476	-6,85	97,4	-	0,00
7	11 915	11 916	-7,22	97,4	-	0,00
8	9 534	9 536	-5,05	97,4	-	0,00
9	8 956	8 958	-4,45	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Noise sensitive area: CO Malkalni

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 999	14 000	-8,81	97,4	-	0,00
10	10 693	10 694	-6,16	97,4	-	0,00
11	8 343	8 345	-3,77	97,4	-	0,00
12	8 324	8 326	-3,75	97,4	-	0,00
13	7 797	7 799	-3,12	97,4	-	0,00
14	7 591	7 593	-2,86	97,4	-	0,00
15	7 013	7 015	-2,11	97,4	-	0,00
16	6 598	6 601	-1,54	97,4	-	0,00
17	6 083	6 086	-0,77	97,4	-	0,00
18	6 675	6 677	-1,65	97,4	-	0,00
19	6 300	6 302	-1,10	97,4	-	0,00
2	13 471	13 472	-8,43	97,4	-	0,00
20	5 843	5 846	-0,40	97,4	-	0,00
21	5 821	5 823	-0,36	97,4	-	0,00
22	5 400	5 403	0,34	97,4	-	0,00
23	4 923	4 926	1,20	97,4	-	0,00
24	5 324	5 327	0,47	97,4	-	0,00
25	7 025	7 027	-2,13	97,4	-	0,00
26	7 244	7 246	-2,42	97,4	-	0,00
27	6 041	6 044	-0,71	97,4	-	0,00
28	6 615	6 618	-1,56	97,4	-	0,00
29	6 880	6 882	-1,93	97,4	-	0,00
3	12 692	12 693	-7,84	97,4	-	0,00
30	6 223	6 225	-0,99	97,4	-	0,00
31	5 652	5 654	-0,08	97,4	-	0,00
32	6 686	6 688	-1,66	97,4	-	0,00
33	6 339	6 341	-1,16	97,4	-	0,00
34	5 777	5 780	-0,29	97,4	-	0,00
35	5 946	5 949	-0,56	97,4	-	0,00
36	5 386	5 389	0,37	97,4	-	0,00
37	4 752	4 755	1,53	97,4	-	0,00
38	4 015	4 019	3,08	97,4	-	0,00
39	4 903	4 907	1,24	97,4	-	0,00
4	12 513	12 514	-7,70	97,4	-	0,00
40	3 490	3 495	4,36	97,4	-	0,00
41	2 957	2 963	5,87	97,4	-	0,00
5	12 075	12 076	-7,35	97,4	-	0,00
6	12 491	12 492	-7,68	97,4	-	0,00
7	12 895	12 896	-8,00	97,4	-	0,00
8	10 235	10 237	-5,74	97,4	-	0,00
9	9 637	9 639	-5,15	97,4	-	0,00
Sum			15,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CO Malkalni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 999	14 000	-8,81	97,4	-	0,00
10	10 693	10 694	-6,16	97,4	-	0,00
11	8 343	8 345	-3,77	97,4	-	0,00
12	8 324	8 326	-3,75	97,4	-	0,00
13	7 797	7 799	-3,12	97,4	-	0,00
14	7 591	7 593	-2,86	97,4	-	0,00
15	7 013	7 015	-2,11	97,4	-	0,00
16	6 598	6 601	-1,54	97,4	-	0,00
17	6 083	6 086	-0,77	97,4	-	0,00
18	6 675	6 677	-1,65	97,4	-	0,00
19	6 300	6 302	-1,10	97,4	-	0,00
2	13 471	13 472	-8,43	97,4	-	0,00
20	5 843	5 846	-0,40	97,4	-	0,00
21	5 821	5 823	-0,36	97,4	-	0,00
22	5 400	5 403	0,34	97,4	-	0,00
23	4 923	4 926	1,20	97,4	-	0,00
24	5 324	5 327	0,47	97,4	-	0,00
25	7 025	7 027	-2,13	97,4	-	0,00
26	7 244	7 246	-2,42	97,4	-	0,00
27	6 041	6 044	-0,71	97,4	-	0,00
28	6 615	6 618	-1,56	97,4	-	0,00
29	6 880	6 882	-1,93	97,4	-	0,00
3	12 692	12 693	-7,84	97,4	-	0,00
30	6 223	6 225	-0,99	97,4	-	0,00
31	5 652	5 654	-0,08	97,4	-	0,00
32	6 686	6 688	-1,66	97,4	-	0,00
33	6 339	6 341	-1,16	97,4	-	0,00
34	5 777	5 780	-0,29	97,4	-	0,00
35	5 946	5 949	-0,56	97,4	-	0,00
36	5 386	5 389	0,37	97,4	-	0,00
37	4 752	4 755	1,53	97,4	-	0,00
38	4 015	4 019	3,08	97,4	-	0,00
39	4 903	4 907	1,24	97,4	-	0,00
4	12 513	12 514	-7,70	97,4	-	0,00
40	3 490	3 495	4,36	97,4	-	0,00
41	2 957	2 963	5,87	97,4	-	0,00
5	12 075	12 076	-7,35	97,4	-	0,00
6	12 491	12 492	-7,68	97,4	-	0,00
7	12 895	12 896	-8,00	97,4	-	0,00
8	10 235	10 237	-5,74	97,4	-	0,00
9	9 637	9 639	-5,15	97,4	-	0,00
Sum			15,27			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Darza iela 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 915	13 916	-8,75	97,4	-	0,00
10	11 028	11 030	-6,46	97,4	-	0,00
11	8 787	8 788	-4,26	97,4	-	0,00
12	8 886	8 888	-4,37	97,4	-	0,00
13	8 249	8 250	-3,66	97,4	-	0,00
14	7 917	7 919	-3,27	97,4	-	0,00
15	7 374	7 376	-2,59	97,4	-	0,00
16	6 997	6 999	-2,09	97,4	-	0,00
17	6 518	6 520	-1,42	97,4	-	0,00
18	6 723	6 725	-1,71	97,4	-	0,00
19	6 286	6 288	-1,08	97,4	-	0,00
2	13 364	13 365	-8,35	97,4	-	0,00
20	6 087	6 090	-0,78	97,4	-	0,00
21	5 863	5 865	-0,43	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 597	5 600	0,01	97,4	-	0,00
23	5 082	5 085	0,91	97,4	-	0,00
24	5 297	5 299	0,52	97,4	-	0,00
25	6 852	6 854	-1,89	97,4	-	0,00
26	6 923	6 926	-1,99	97,4	-	0,00
27	5 889	5 892	-0,47	97,4	-	0,00
28	6 364	6 367	-1,20	97,4	-	0,00
29	6 499	6 501	-1,39	97,4	-	0,00
3	12 605	12 606	-7,77	97,4	-	0,00
30	5 900	5 903	-0,49	97,4	-	0,00
31	5 412	5 415	0,32	97,4	-	0,00
32	6 218	6 221	-0,98	97,4	-	0,00
33	5 764	5 767	-0,27	97,4	-	0,00
34	5 237	5 240	0,63	97,4	-	0,00
35	5 528	5 530	0,12	97,4	-	0,00
36	5 016	5 018	1,03	97,4	-	0,00
37	4 513	4 516	2,01	97,4	-	0,00
38	3 864	3 868	3,43	97,4	-	0,00
39	4 845	4 848	1,35	97,4	-	0,00
4	12 495	12 496	-7,69	97,4	-	0,00
40	3 554	3 558	4,20	97,4	-	0,00
41	2 998	3 003	5,74	97,4	-	0,00
5	12 019	12 020	-7,31	97,4	-	0,00
6	12 543	12 544	-7,73	97,4	-	0,00
7	12 977	12 978	-8,06	97,4	-	0,00
8	10 523	10 525	-6,01	97,4	-	0,00
9	9 938	9 939	-5,45	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Darza iela 2

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 915	13 916	-8,75	97,4	-	0,00
10	11 028	11 030	-6,46	97,4	-	0,00
11	8 787	8 788	-4,26	97,4	-	0,00
12	8 886	8 888	-4,37	97,4	-	0,00
13	8 249	8 250	-3,66	97,4	-	0,00
14	7 917	7 919	-3,27	97,4	-	0,00
15	7 374	7 376	-2,59	97,4	-	0,00
16	6 997	6 999	-2,09	97,4	-	0,00
17	6 518	6 520	-1,42	97,4	-	0,00
18	6 723	6 725	-1,71	97,4	-	0,00
19	6 286	6 288	-1,08	97,4	-	0,00
2	13 364	13 365	-8,35	97,4	-	0,00
20	6 087	6 090	-0,78	97,4	-	0,00
21	5 863	5 865	-0,43	97,4	-	0,00
22	5 597	5 600	0,01	97,4	-	0,00
23	5 082	5 085	0,91	97,4	-	0,00
24	5 297	5 299	0,52	97,4	-	0,00
25	6 852	6 854	-1,89	97,4	-	0,00
26	6 923	6 926	-1,99	97,4	-	0,00
27	5 889	5 892	-0,47	97,4	-	0,00
28	6 364	6 367	-1,20	97,4	-	0,00
29	6 499	6 501	-1,39	97,4	-	0,00
3	12 605	12 606	-7,77	97,4	-	0,00
30	5 900	5 903	-0,49	97,4	-	0,00
31	5 412	5 415	0,32	97,4	-	0,00
32	6 218	6 221	-0,98	97,4	-	0,00
33	5 764	5 767	-0,27	97,4	-	0,00
34	5 237	5 240	0,63	97,4	-	0,00
35	5 528	5 530	0,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 016	5 018	1,03	97,4	-	0,00
37	4 513	4 516	2,01	97,4	-	0,00
38	3 864	3 868	3,43	97,4	-	0,00
39	4 845	4 848	1,35	97,4	-	0,00
4	12 495	12 496	-7,69	97,4	-	0,00
40	3 554	3 558	4,20	97,4	-	0,00
41	2 998	3 003	5,74	97,4	-	0,00
5	12 019	12 020	-7,31	97,4	-	0,00
6	12 543	12 544	-7,73	97,4	-	0,00
7	12 977	12 978	-8,06	97,4	-	0,00
8	10 523	10 525	-6,01	97,4	-	0,00
9	9 938	9 939	-5,45	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: CQ Krasta iela 2

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 688	13 689	-8,59	97,4	-	0,00
10	10 765	10 766	-6,23	97,4	-	0,00
11	8 517	8 519	-3,97	97,4	-	0,00
12	8 614	8 616	-4,07	97,4	-	0,00
13	7 979	7 981	-3,34	97,4	-	0,00
14	7 652	7 655	-2,94	97,4	-	0,00
15	7 107	7 109	-2,24	97,4	-	0,00
16	6 728	6 731	-1,72	97,4	-	0,00
17	6 248	6 251	-1,02	97,4	-	0,00
18	6 477	6 479	-1,36	97,4	-	0,00
19	6 044	6 047	-0,71	97,4	-	0,00
2	13 140	13 141	-8,18	97,4	-	0,00
20	5 825	5 828	-0,37	97,4	-	0,00
21	5 615	5 618	-0,02	97,4	-	0,00
22	5 337	5 340	0,45	97,4	-	0,00
23	4 824	4 827	1,39	97,4	-	0,00
24	5 054	5 057	0,96	97,4	-	0,00
25	6 629	6 631	-1,58	97,4	-	0,00
26	6 720	6 723	-1,71	97,4	-	0,00
27	5 661	5 664	-0,10	97,4	-	0,00
28	6 150	6 153	-0,88	97,4	-	0,00
29	6 304	6 306	-1,11	97,4	-	0,00
3	12 378	12 379	-7,60	97,4	-	0,00
30	5 695	5 698	-0,15	97,4	-	0,00
31	5 194	5 197	0,70	97,4	-	0,00
32	6 037	6 040	-0,70	97,4	-	0,00
33	5 601	5 604	0,00	97,4	-	0,00
34	5 066	5 069	0,94	97,4	-	0,00
35	5 336	5 339	0,45	97,4	-	0,00
36	4 814	4 818	1,41	97,4	-	0,00
37	4 291	4 295	2,47	97,4	-	0,00
38	3 628	3 633	4,01	97,4	-	0,00
39	4 604	4 608	1,82	97,4	-	0,00
4	12 260	12 261	-7,50	97,4	-	0,00
40	3 297	3 302	4,88	97,4	-	0,00
41	2 740	2 746	6,55	97,4	-	0,00
5	11 788	11 789	-7,12	97,4	-	0,00
6	12 302	12 303	-7,53	97,4	-	0,00
7	12 733	12 734	-7,87	97,4	-	0,00
8	10 262	10 264	-5,76	97,4	-	0,00
9	9 676	9 677	-5,19	97,4	-	0,00
Sum			15,81			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CQ Krasta iela 2

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 688	13 689	-8,59	97,4	-	0,00
10	10 765	10 766	-6,23	97,4	-	0,00
11	8 517	8 519	-3,97	97,4	-	0,00
12	8 614	8 616	-4,07	97,4	-	0,00
13	7 979	7 981	-3,34	97,4	-	0,00
14	7 652	7 655	-2,94	97,4	-	0,00
15	7 107	7 109	-2,24	97,4	-	0,00
16	6 728	6 731	-1,72	97,4	-	0,00
17	6 248	6 251	-1,02	97,4	-	0,00
18	6 477	6 479	-1,36	97,4	-	0,00
19	6 044	6 047	-0,71	97,4	-	0,00
2	13 140	13 141	-8,18	97,4	-	0,00
20	5 825	5 828	-0,37	97,4	-	0,00
21	5 615	5 618	-0,02	97,4	-	0,00
22	5 337	5 340	0,45	97,4	-	0,00
23	4 824	4 827	1,39	97,4	-	0,00
24	5 054	5 057	0,96	97,4	-	0,00
25	6 629	6 631	-1,58	97,4	-	0,00
26	6 720	6 723	-1,71	97,4	-	0,00
27	5 661	5 664	-0,10	97,4	-	0,00
28	6 150	6 153	-0,88	97,4	-	0,00
29	6 304	6 306	-1,11	97,4	-	0,00
3	12 378	12 379	-7,60	97,4	-	0,00
30	5 695	5 698	-0,15	97,4	-	0,00
31	5 194	5 197	0,70	97,4	-	0,00
32	6 037	6 040	-0,70	97,4	-	0,00
33	5 601	5 604	0,00	97,4	-	0,00
34	5 066	5 069	0,94	97,4	-	0,00
35	5 336	5 339	0,45	97,4	-	0,00
36	4 814	4 818	1,41	97,4	-	0,00
37	4 291	4 295	2,47	97,4	-	0,00
38	3 628	3 633	4,01	97,4	-	0,00
39	4 604	4 608	1,82	97,4	-	0,00
4	12 260	12 261	-7,50	97,4	-	0,00
40	3 297	3 302	4,88	97,4	-	0,00
41	2 740	2 746	6,55	97,4	-	0,00
5	11 788	11 789	-7,12	97,4	-	0,00
6	12 302	12 303	-7,53	97,4	-	0,00
7	12 733	12 734	-7,87	97,4	-	0,00
8	10 262	10 264	-5,76	97,4	-	0,00
9	9 676	9 677	-5,19	97,4	-	0,00
Sum			15,81			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Liela iela 5

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 951	13 952	-8,78	97,4	-	0,00
10	11 006	11 008	-6,44	97,4	-	0,00
11	8 748	8 749	-4,22	97,4	-	0,00
12	8 831	8 833	-4,31	97,4	-	0,00
13	8 208	8 210	-3,61	97,4	-	0,00
14	7 893	7 895	-3,24	97,4	-	0,00
15	7 344	7 346	-2,55	97,4	-	0,00
16	6 961	6 963	-2,04	97,4	-	0,00
17	6 476	6 479	-1,36	97,4	-	0,00
18	6 734	6 736	-1,73	97,4	-	0,00
19	6 304	6 306	-1,11	97,4	-	0,00
2	13 403	13 404	-8,38	97,4	-	0,00
20	6 070	6 072	-0,75	97,4	-	0,00
21	5 872	5 874	-0,44	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 585	5 587	0,03	97,4	-	0,00
23	5 073	5 075	0,92	97,4	-	0,00
24	5 313	5 316	0,49	97,4	-	0,00
25	6 892	6 895	-1,95	97,4	-	0,00
26	6 984	6 986	-2,07	97,4	-	0,00
27	5 924	5 927	-0,52	97,4	-	0,00
28	6 414	6 417	-1,27	97,4	-	0,00
29	6 566	6 569	-1,49	97,4	-	0,00
3	12 641	12 642	-7,80	97,4	-	0,00
30	5 959	5 961	-0,58	97,4	-	0,00
31	5 458	5 461	0,24	97,4	-	0,00
32	6 297	6 300	-1,10	97,4	-	0,00
33	5 856	5 859	-0,42	97,4	-	0,00
34	5 323	5 326	0,48	97,4	-	0,00
35	5 598	5 601	0,01	97,4	-	0,00
36	5 078	5 081	0,92	97,4	-	0,00
37	4 555	4 558	1,92	97,4	-	0,00
38	3 890	3 894	3,37	97,4	-	0,00
39	4 864	4 867	1,31	97,4	-	0,00
4	12 522	12 523	-7,71	97,4	-	0,00
40	3 549	3 553	4,21	97,4	-	0,00
41	2 990	2 996	5,77	97,4	-	0,00
5	12 050	12 051	-7,33	97,4	-	0,00
6	12 561	12 562	-7,74	97,4	-	0,00
7	12 991	12 992	-8,07	97,4	-	0,00
8	10 507	10 509	-5,99	97,4	-	0,00
9	9 920	9 921	-5,43	97,4	-	0,00
Sum			15,32			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Liela iela 5

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 951	13 952	-8,78	97,4	-	0,00
10	11 006	11 008	-6,44	97,4	-	0,00
11	8 748	8 749	-4,22	97,4	-	0,00
12	8 831	8 833	-4,31	97,4	-	0,00
13	8 208	8 210	-3,61	97,4	-	0,00
14	7 893	7 895	-3,24	97,4	-	0,00
15	7 344	7 346	-2,55	97,4	-	0,00
16	6 961	6 963	-2,04	97,4	-	0,00
17	6 476	6 479	-1,36	97,4	-	0,00
18	6 734	6 736	-1,73	97,4	-	0,00
19	6 304	6 306	-1,11	97,4	-	0,00
2	13 403	13 404	-8,38	97,4	-	0,00
20	6 070	6 072	-0,75	97,4	-	0,00
21	5 872	5 874	-0,44	97,4	-	0,00
22	5 585	5 587	0,03	97,4	-	0,00
23	5 073	5 075	0,92	97,4	-	0,00
24	5 313	5 316	0,49	97,4	-	0,00
25	6 892	6 895	-1,95	97,4	-	0,00
26	6 984	6 986	-2,07	97,4	-	0,00
27	5 924	5 927	-0,52	97,4	-	0,00
28	6 414	6 417	-1,27	97,4	-	0,00
29	6 566	6 569	-1,49	97,4	-	0,00
3	12 641	12 642	-7,80	97,4	-	0,00
30	5 959	5 961	-0,58	97,4	-	0,00
31	5 458	5 461	0,24	97,4	-	0,00
32	6 297	6 300	-1,10	97,4	-	0,00
33	5 856	5 859	-0,42	97,4	-	0,00
34	5 323	5 326	0,48	97,4	-	0,00
35	5 598	5 601	0,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 078	5 081	0,92	97,4	-	0,00
37	4 555	4 558	1,92	97,4	-	0,00
38	3 890	3 894	3,37	97,4	-	0,00
39	4 864	4 867	1,31	97,4	-	0,00
4	12 522	12 523	-7,71	97,4	-	0,00
40	3 549	3 553	4,21	97,4	-	0,00
41	2 990	2 996	5,77	97,4	-	0,00
5	12 050	12 051	-7,33	97,4	-	0,00
6	12 561	12 562	-7,74	97,4	-	0,00
7	12 991	12 992	-8,07	97,4	-	0,00
8	10 507	10 509	-5,99	97,4	-	0,00
9	9 920	9 921	-5,43	97,4	-	0,00
Sum			15,32			

- Data undefined due to calculation with octave data

Noise sensitive area: CS Novoselja

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 919	13 920	-8,75	97,4	-	0,00
10	10 587	10 588	-6,07	97,4	-	0,00
11	8 233	8 235	-3,64	97,4	-	0,00
12	8 208	8 210	-3,61	97,4	-	0,00
13	7 687	7 689	-2,99	97,4	-	0,00
14	7 487	7 489	-2,73	97,4	-	0,00
15	6 908	6 910	-1,97	97,4	-	0,00
16	6 492	6 494	-1,38	97,4	-	0,00
17	5 975	5 978	-0,60	97,4	-	0,00
18	6 591	6 593	-1,53	97,4	-	0,00
19	6 220	6 223	-0,98	97,4	-	0,00
2	13 393	13 394	-8,37	97,4	-	0,00
20	5 747	5 750	-0,24	97,4	-	0,00
21	5 739	5 741	-0,23	97,4	-	0,00
22	5 308	5 311	0,50	97,4	-	0,00
23	4 835	4 838	1,37	97,4	-	0,00
24	5 248	5 251	0,61	97,4	-	0,00
25	6 957	6 959	-2,04	97,4	-	0,00
26	7 187	7 189	-2,35	97,4	-	0,00
27	5 973	5 976	-0,60	97,4	-	0,00
28	6 554	6 557	-1,47	97,4	-	0,00
29	6 829	6 832	-1,86	97,4	-	0,00
3	12 613	12 614	-7,78	97,4	-	0,00
30	6 168	6 171	-0,90	97,4	-	0,00
31	5 592	5 595	0,02	97,4	-	0,00
32	6 644	6 646	-1,60	97,4	-	0,00
33	6 307	6 310	-1,11	97,4	-	0,00
34	5 744	5 746	-0,23	97,4	-	0,00
35	5 901	5 904	-0,49	97,4	-	0,00
36	5 338	5 341	0,45	97,4	-	0,00
37	4 695	4 698	1,64	97,4	-	0,00
38	3 954	3 958	3,22	97,4	-	0,00
39	4 831	4 834	1,38	97,4	-	0,00
4	12 428	12 429	-7,64	97,4	-	0,00
40	3 415	3 419	4,56	97,4	-	0,00
41	2 887	2 893	6,08	97,4	-	0,00
5	11 994	11 995	-7,29	97,4	-	0,00
6	12 401	12 403	-7,61	97,4	-	0,00
7	12 804	12 805	-7,93	97,4	-	0,00
8	10 132	10 134	-5,64	97,4	-	0,00
9	9 534	9 536	-5,05	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CS Novoselja

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 919	13 920	-8,75	97,4	-	0,00
10	10 587	10 588	-6,07	97,4	-	0,00
11	8 233	8 235	-3,64	97,4	-	0,00
12	8 208	8 210	-3,61	97,4	-	0,00
13	7 687	7 689	-2,99	97,4	-	0,00
14	7 487	7 489	-2,73	97,4	-	0,00
15	6 908	6 910	-1,97	97,4	-	0,00
16	6 492	6 494	-1,38	97,4	-	0,00
17	5 975	5 978	-0,60	97,4	-	0,00
18	6 591	6 593	-1,53	97,4	-	0,00
19	6 220	6 223	-0,98	97,4	-	0,00
2	13 393	13 394	-8,37	97,4	-	0,00
20	5 747	5 750	-0,24	97,4	-	0,00
21	5 739	5 741	-0,23	97,4	-	0,00
22	5 308	5 311	0,50	97,4	-	0,00
23	4 835	4 838	1,37	97,4	-	0,00
24	5 248	5 251	0,61	97,4	-	0,00
25	6 957	6 959	-2,04	97,4	-	0,00
26	7 187	7 189	-2,35	97,4	-	0,00
27	5 973	5 976	-0,60	97,4	-	0,00
28	6 554	6 557	-1,47	97,4	-	0,00
29	6 829	6 832	-1,86	97,4	-	0,00
3	12 613	12 614	-7,78	97,4	-	0,00
30	6 168	6 171	-0,90	97,4	-	0,00
31	5 592	5 595	0,02	97,4	-	0,00
32	6 644	6 646	-1,60	97,4	-	0,00
33	6 307	6 310	-1,11	97,4	-	0,00
34	5 744	5 746	-0,23	97,4	-	0,00
35	5 901	5 904	-0,49	97,4	-	0,00
36	5 338	5 341	0,45	97,4	-	0,00
37	4 695	4 698	1,64	97,4	-	0,00
38	3 954	3 958	3,22	97,4	-	0,00
39	4 831	4 834	1,38	97,4	-	0,00
4	12 428	12 429	-7,64	97,4	-	0,00
40	3 415	3 419	4,56	97,4	-	0,00
41	2 887	2 893	6,08	97,4	-	0,00
5	11 994	11 995	-7,29	97,4	-	0,00
6	12 401	12 403	-7,61	97,4	-	0,00
7	12 804	12 805	-7,93	97,4	-	0,00
8	10 132	10 134	-5,64	97,4	-	0,00
9	9 534	9 536	-5,05	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Piekrastes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 960	13 961	-8,78	97,4	-	0,00
10	10 642	10 644	-6,12	97,4	-	0,00
11	8 291	8 293	-3,71	97,4	-	0,00
12	8 270	8 272	-3,68	97,4	-	0,00
13	7 745	7 747	-3,06	97,4	-	0,00
14	7 541	7 544	-2,80	97,4	-	0,00
15	6 963	6 965	-2,05	97,4	-	0,00
16	6 548	6 550	-1,46	97,4	-	0,00
17	6 032	6 035	-0,69	97,4	-	0,00
18	6 634	6 636	-1,59	97,4	-	0,00
19	6 261	6 263	-1,04	97,4	-	0,00
2	13 433	13 434	-8,40	97,4	-	0,00
20	5 797	5 800	-0,32	97,4	-	0,00
21	5 781	5 783	-0,29	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 356	5 359	0,42	97,4	-	0,00
23	4 880	4 883	1,28	97,4	-	0,00
24	5 287	5 290	0,54	97,4	-	0,00
25	6 991	6 994	-2,08	97,4	-	0,00
26	7 215	7 217	-2,38	97,4	-	0,00
27	6 007	6 010	-0,65	97,4	-	0,00
28	6 585	6 587	-1,52	97,4	-	0,00
29	6 854	6 856	-1,90	97,4	-	0,00
3	12 653	12 655	-7,81	97,4	-	0,00
30	6 195	6 197	-0,94	97,4	-	0,00
31	5 621	5 624	-0,03	97,4	-	0,00
32	6 664	6 666	-1,63	97,4	-	0,00
33	6 321	6 324	-1,13	97,4	-	0,00
34	5 759	5 761	-0,26	97,4	-	0,00
35	5 923	5 925	-0,52	97,4	-	0,00
36	5 361	5 364	0,41	97,4	-	0,00
37	4 723	4 726	1,59	97,4	-	0,00
38	3 984	3 988	3,15	97,4	-	0,00
39	4 868	4 871	1,31	97,4	-	0,00
4	12 472	12 473	-7,67	97,4	-	0,00
40	3 453	3 457	4,46	97,4	-	0,00
41	2 922	2 928	5,97	97,4	-	0,00
5	12 036	12 037	-7,32	97,4	-	0,00
6	12 448	12 449	-7,65	97,4	-	0,00
7	12 851	12 852	-7,96	97,4	-	0,00
8	10 186	10 188	-5,69	97,4	-	0,00
9	9 588	9 590	-5,11	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Piekrastes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 960	13 961	-8,78	97,4	-	0,00
10	10 642	10 644	-6,12	97,4	-	0,00
11	8 291	8 293	-3,71	97,4	-	0,00
12	8 270	8 272	-3,68	97,4	-	0,00
13	7 745	7 747	-3,06	97,4	-	0,00
14	7 541	7 544	-2,80	97,4	-	0,00
15	6 963	6 965	-2,05	97,4	-	0,00
16	6 548	6 550	-1,46	97,4	-	0,00
17	6 032	6 035	-0,69	97,4	-	0,00
18	6 634	6 636	-1,59	97,4	-	0,00
19	6 261	6 263	-1,04	97,4	-	0,00
2	13 433	13 434	-8,40	97,4	-	0,00
20	5 797	5 800	-0,32	97,4	-	0,00
21	5 781	5 783	-0,29	97,4	-	0,00
22	5 356	5 359	0,42	97,4	-	0,00
23	4 880	4 883	1,28	97,4	-	0,00
24	5 287	5 290	0,54	97,4	-	0,00
25	6 991	6 994	-2,08	97,4	-	0,00
26	7 215	7 217	-2,38	97,4	-	0,00
27	6 007	6 010	-0,65	97,4	-	0,00
28	6 585	6 587	-1,52	97,4	-	0,00
29	6 854	6 856	-1,90	97,4	-	0,00
3	12 653	12 655	-7,81	97,4	-	0,00
30	6 195	6 197	-0,94	97,4	-	0,00
31	5 621	5 624	-0,03	97,4	-	0,00
32	6 664	6 666	-1,63	97,4	-	0,00
33	6 321	6 324	-1,13	97,4	-	0,00
34	5 759	5 761	-0,26	97,4	-	0,00
35	5 923	5 925	-0,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 361	5 364	0,41	97,4	-	0,00
37	4 723	4 726	1,59	97,4	-	0,00
38	3 984	3 988	3,15	97,4	-	0,00
39	4 868	4 871	1,31	97,4	-	0,00
4	12 472	12 473	-7,67	97,4	-	0,00
40	3 453	3 457	4,46	97,4	-	0,00
41	2 922	2 928	5,97	97,4	-	0,00
5	12 036	12 037	-7,32	97,4	-	0,00
6	12 448	12 449	-7,65	97,4	-	0,00
7	12 851	12 852	-7,96	97,4	-	0,00
8	10 186	10 188	-5,69	97,4	-	0,00
9	9 588	9 590	-5,11	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Noise sensitive area: CU Krasta iela 5

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 661	13 662	-8,57	97,4	-	0,00
10	10 725	10 726	-6,19	97,4	-	0,00
11	8 474	8 476	-3,92	97,4	-	0,00
12	8 568	8 570	-4,02	97,4	-	0,00
13	7 936	7 938	-3,29	97,4	-	0,00
14	7 612	7 614	-2,89	97,4	-	0,00
15	7 066	7 068	-2,18	97,4	-	0,00
16	6 686	6 688	-1,66	97,4	-	0,00
17	6 204	6 207	-0,96	97,4	-	0,00
18	6 444	6 446	-1,31	97,4	-	0,00
19	6 013	6 016	-0,66	97,4	-	0,00
2	13 113	13 115	-8,16	97,4	-	0,00
20	5 786	5 789	-0,30	97,4	-	0,00
21	5 582	5 585	0,03	97,4	-	0,00
22	5 299	5 302	0,52	97,4	-	0,00
23	4 786	4 789	1,46	97,4	-	0,00
24	5 023	5 026	1,02	97,4	-	0,00
25	6 603	6 606	-1,54	97,4	-	0,00
26	6 701	6 703	-1,68	97,4	-	0,00
27	5 635	5 638	-0,06	97,4	-	0,00
28	6 128	6 130	-0,84	97,4	-	0,00
29	6 286	6 289	-1,08	97,4	-	0,00
3	12 351	12 352	-7,57	97,4	-	0,00
30	5 675	5 678	-0,12	97,4	-	0,00
31	5 170	5 174	0,75	97,4	-	0,00
32	6 023	6 026	-0,68	97,4	-	0,00
33	5 592	5 595	0,02	97,4	-	0,00
34	5 054	5 057	0,96	97,4	-	0,00
35	5 319	5 322	0,48	97,4	-	0,00
36	4 795	4 799	1,45	97,4	-	0,00
37	4 267	4 270	2,52	97,4	-	0,00
38	3 600	3 604	4,08	97,4	-	0,00
39	4 574	4 577	1,88	97,4	-	0,00
4	12 231	12 232	-7,48	97,4	-	0,00
40	3 261	3 266	4,98	97,4	-	0,00
41	2 703	2 709	6,68	97,4	-	0,00
5	11 760	11 761	-7,09	97,4	-	0,00
6	12 270	12 271	-7,51	97,4	-	0,00
7	12 701	12 702	-7,85	97,4	-	0,00
8	10 223	10 225	-5,73	97,4	-	0,00
9	9 636	9 638	-5,15	97,4	-	0,00
Sum			15,87			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CU Krasta iela 5

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 661	13 662	-8,57	97,4	-	0,00
10	10 725	10 726	-6,19	97,4	-	0,00
11	8 474	8 476	-3,92	97,4	-	0,00
12	8 568	8 570	-4,02	97,4	-	0,00
13	7 936	7 938	-3,29	97,4	-	0,00
14	7 612	7 614	-2,89	97,4	-	0,00
15	7 066	7 068	-2,18	97,4	-	0,00
16	6 686	6 688	-1,66	97,4	-	0,00
17	6 204	6 207	-0,96	97,4	-	0,00
18	6 444	6 446	-1,31	97,4	-	0,00
19	6 013	6 016	-0,66	97,4	-	0,00
2	13 113	13 115	-8,16	97,4	-	0,00
20	5 786	5 789	-0,30	97,4	-	0,00
21	5 582	5 585	0,03	97,4	-	0,00
22	5 299	5 302	0,52	97,4	-	0,00
23	4 786	4 789	1,46	97,4	-	0,00
24	5 023	5 026	1,02	97,4	-	0,00
25	6 603	6 606	-1,54	97,4	-	0,00
26	6 701	6 703	-1,68	97,4	-	0,00
27	5 635	5 638	-0,06	97,4	-	0,00
28	6 128	6 130	-0,84	97,4	-	0,00
29	6 286	6 289	-1,08	97,4	-	0,00
3	12 351	12 352	-7,57	97,4	-	0,00
30	5 675	5 678	-0,12	97,4	-	0,00
31	5 170	5 174	0,75	97,4	-	0,00
32	6 023	6 026	-0,68	97,4	-	0,00
33	5 592	5 595	0,02	97,4	-	0,00
34	5 054	5 057	0,96	97,4	-	0,00
35	5 319	5 322	0,48	97,4	-	0,00
36	4 795	4 799	1,45	97,4	-	0,00
37	4 267	4 270	2,52	97,4	-	0,00
38	3 600	3 604	4,08	97,4	-	0,00
39	4 574	4 577	1,88	97,4	-	0,00
4	12 231	12 232	-7,48	97,4	-	0,00
40	3 261	3 266	4,98	97,4	-	0,00
41	2 703	2 709	6,68	97,4	-	0,00
5	11 760	11 761	-7,09	97,4	-	0,00
6	12 270	12 271	-7,51	97,4	-	0,00
7	12 701	12 702	-7,85	97,4	-	0,00
8	10 223	10 225	-5,73	97,4	-	0,00
9	9 636	9 638	-5,15	97,4	-	0,00
Sum			15,87			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Krasta iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 610	13 611	-8,53	97,4	-	0,00
10	10 684	10 685	-6,15	97,4	-	0,00
11	8 437	8 439	-3,87	97,4	-	0,00
12	8 536	8 538	-3,99	97,4	-	0,00
13	7 899	7 901	-3,24	97,4	-	0,00
14	7 572	7 574	-2,84	97,4	-	0,00
15	7 027	7 029	-2,13	97,4	-	0,00
16	6 648	6 650	-1,61	97,4	-	0,00
17	6 168	6 171	-0,90	97,4	-	0,00
18	6 396	6 399	-1,24	97,4	-	0,00
19	5 964	5 967	-0,59	97,4	-	0,00
2	13 062	13 063	-8,13	97,4	-	0,00
20	5 744	5 747	-0,24	97,4	-	0,00
21	5 535	5 537	0,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 256	5 259	0,59	97,4	-	0,00
23	4 742	4 746	1,55	97,4	-	0,00
24	4 974	4 977	1,11	97,4	-	0,00
25	6 551	6 554	-1,47	97,4	-	0,00
26	6 646	6 649	-1,61	97,4	-	0,00
27	5 583	5 586	0,03	97,4	-	0,00
28	6 074	6 077	-0,76	97,4	-	0,00
29	6 231	6 234	-1,00	97,4	-	0,00
3	12 300	12 301	-7,53	97,4	-	0,00
30	5 621	5 623	-0,03	97,4	-	0,00
31	5 118	5 121	0,84	97,4	-	0,00
32	5 967	5 970	-0,59	97,4	-	0,00
33	5 535	5 538	0,11	97,4	-	0,00
34	4 998	5 001	1,06	97,4	-	0,00
35	5 264	5 267	0,58	97,4	-	0,00
36	4 741	4 744	1,55	97,4	-	0,00
37	4 214	4 218	2,64	97,4	-	0,00
38	3 549	3 554	4,21	97,4	-	0,00
39	4 524	4 528	1,98	97,4	-	0,00
4	12 181	12 182	-7,44	97,4	-	0,00
40	3 216	3 221	5,11	97,4	-	0,00
41	2 659	2 665	6,83	97,4	-	0,00
5	11 709	11 711	-7,05	97,4	-	0,00
6	12 222	12 223	-7,47	97,4	-	0,00
7	12 653	12 654	-7,81	97,4	-	0,00
8	10 181	10 183	-5,69	97,4	-	0,00
9	9 595	9 596	-5,11	97,4	-	0,00
Sum			15,97			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Krasta iela 1

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 610	13 611	-8,53	97,4	-	0,00
10	10 684	10 685	-6,15	97,4	-	0,00
11	8 437	8 439	-3,87	97,4	-	0,00
12	8 536	8 538	-3,99	97,4	-	0,00
13	7 899	7 901	-3,24	97,4	-	0,00
14	7 572	7 574	-2,84	97,4	-	0,00
15	7 027	7 029	-2,13	97,4	-	0,00
16	6 648	6 650	-1,61	97,4	-	0,00
17	6 168	6 171	-0,90	97,4	-	0,00
18	6 396	6 399	-1,24	97,4	-	0,00
19	5 964	5 967	-0,59	97,4	-	0,00
2	13 062	13 063	-8,13	97,4	-	0,00
20	5 744	5 747	-0,24	97,4	-	0,00
21	5 535	5 537	0,11	97,4	-	0,00
22	5 256	5 259	0,59	97,4	-	0,00
23	4 742	4 746	1,55	97,4	-	0,00
24	4 974	4 977	1,11	97,4	-	0,00
25	6 551	6 554	-1,47	97,4	-	0,00
26	6 646	6 649	-1,61	97,4	-	0,00
27	5 583	5 586	0,03	97,4	-	0,00
28	6 074	6 077	-0,76	97,4	-	0,00
29	6 231	6 234	-1,00	97,4	-	0,00
3	12 300	12 301	-7,53	97,4	-	0,00
30	5 621	5 623	-0,03	97,4	-	0,00
31	5 118	5 121	0,84	97,4	-	0,00
32	5 967	5 970	-0,59	97,4	-	0,00
33	5 535	5 538	0,11	97,4	-	0,00
34	4 998	5 001	1,06	97,4	-	0,00
35	5 264	5 267	0,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 741	4 744	1,55	97,4	-	0,00
37	4 214	4 218	2,64	97,4	-	0,00
38	3 549	3 554	4,21	97,4	-	0,00
39	4 524	4 528	1,98	97,4	-	0,00
4	12 181	12 182	-7,44	97,4	-	0,00
40	3 216	3 221	5,11	97,4	-	0,00
41	2 659	2 665	6,83	97,4	-	0,00
5	11 709	11 711	-7,05	97,4	-	0,00
6	12 222	12 223	-7,47	97,4	-	0,00
7	12 653	12 654	-7,81	97,4	-	0,00
8	10 181	10 183	-5,69	97,4	-	0,00
9	9 595	9 596	-5,11	97,4	-	0,00
Sum			15,97			

- Data undefined due to calculation with octave data

Noise sensitive area: CW Diki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 957	13 958	-8,78	97,4	-	0,00
10	10 637	10 639	-6,11	97,4	-	0,00
11	8 285	8 287	-3,70	97,4	-	0,00
12	8 264	8 265	-3,68	97,4	-	0,00
13	7 740	7 742	-3,05	97,4	-	0,00
14	7 536	7 539	-2,80	97,4	-	0,00
15	6 958	6 960	-2,04	97,4	-	0,00
16	6 543	6 545	-1,46	97,4	-	0,00
17	6 027	6 029	-0,68	97,4	-	0,00
18	6 630	6 633	-1,58	97,4	-	0,00
19	6 257	6 260	-1,04	97,4	-	0,00
2	13 429	13 430	-8,40	97,4	-	0,00
20	5 793	5 795	-0,31	97,4	-	0,00
21	5 777	5 780	-0,29	97,4	-	0,00
22	5 352	5 355	0,43	97,4	-	0,00
23	4 876	4 879	1,29	97,4	-	0,00
24	5 283	5 286	0,55	97,4	-	0,00
25	6 989	6 991	-2,08	97,4	-	0,00
26	7 213	7 215	-2,38	97,4	-	0,00
27	6 004	6 007	-0,65	97,4	-	0,00
28	6 582	6 585	-1,51	97,4	-	0,00
29	6 852	6 854	-1,89	97,4	-	0,00
3	12 650	12 651	-7,81	97,4	-	0,00
30	6 193	6 195	-0,94	97,4	-	0,00
31	5 619	5 622	-0,03	97,4	-	0,00
32	6 663	6 665	-1,63	97,4	-	0,00
33	6 321	6 323	-1,13	97,4	-	0,00
34	5 758	5 761	-0,26	97,4	-	0,00
35	5 921	5 924	-0,52	97,4	-	0,00
36	5 359	5 362	0,41	97,4	-	0,00
37	4 721	4 724	1,59	97,4	-	0,00
38	3 982	3 986	3,16	97,4	-	0,00
39	4 865	4 868	1,31	97,4	-	0,00
4	12 468	12 469	-7,67	97,4	-	0,00
40	3 450	3 454	4,47	97,4	-	0,00
41	2 920	2 925	5,98	97,4	-	0,00
5	12 032	12 033	-7,32	97,4	-	0,00
6	12 443	12 445	-7,65	97,4	-	0,00
7	12 847	12 848	-7,96	97,4	-	0,00
8	10 181	10 183	-5,69	97,4	-	0,00
9	9 583	9 585	-5,10	97,4	-	0,00
Sum			15,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CW Diki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 957	13 958	-8,78	97,4	-	0,00
10	10 637	10 639	-6,11	97,4	-	0,00
11	8 285	8 287	-3,70	97,4	-	0,00
12	8 264	8 265	-3,68	97,4	-	0,00
13	7 740	7 742	-3,05	97,4	-	0,00
14	7 536	7 539	-2,80	97,4	-	0,00
15	6 958	6 960	-2,04	97,4	-	0,00
16	6 543	6 545	-1,46	97,4	-	0,00
17	6 027	6 029	-0,68	97,4	-	0,00
18	6 630	6 633	-1,58	97,4	-	0,00
19	6 257	6 260	-1,04	97,4	-	0,00
2	13 429	13 430	-8,40	97,4	-	0,00
20	5 793	5 795	-0,31	97,4	-	0,00
21	5 777	5 780	-0,29	97,4	-	0,00
22	5 352	5 355	0,43	97,4	-	0,00
23	4 876	4 879	1,29	97,4	-	0,00
24	5 283	5 286	0,55	97,4	-	0,00
25	6 989	6 991	-2,08	97,4	-	0,00
26	7 213	7 215	-2,38	97,4	-	0,00
27	6 004	6 007	-0,65	97,4	-	0,00
28	6 582	6 585	-1,51	97,4	-	0,00
29	6 852	6 854	-1,89	97,4	-	0,00
3	12 650	12 651	-7,81	97,4	-	0,00
30	6 193	6 195	-0,94	97,4	-	0,00
31	5 619	5 622	-0,03	97,4	-	0,00
32	6 663	6 665	-1,63	97,4	-	0,00
33	6 321	6 323	-1,13	97,4	-	0,00
34	5 758	5 761	-0,26	97,4	-	0,00
35	5 921	5 924	-0,52	97,4	-	0,00
36	5 359	5 362	0,41	97,4	-	0,00
37	4 721	4 724	1,59	97,4	-	0,00
38	3 982	3 986	3,16	97,4	-	0,00
39	4 865	4 868	1,31	97,4	-	0,00
4	12 468	12 469	-7,67	97,4	-	0,00
40	3 450	3 454	4,47	97,4	-	0,00
41	2 920	2 925	5,98	97,4	-	0,00
5	12 032	12 033	-7,32	97,4	-	0,00
6	12 443	12 445	-7,65	97,4	-	0,00
7	12 847	12 848	-7,96	97,4	-	0,00
8	10 181	10 183	-5,69	97,4	-	0,00
9	9 583	9 585	-5,10	97,4	-	0,00
Sum			15,34			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Ligotnes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 393	13 394	-8,37	97,4	-	0,00
10	9 870	9 871	-5,39	97,4	-	0,00
11	7 483	7 485	-2,73	97,4	-	0,00
12	7 413	7 415	-2,64	97,4	-	0,00
13	6 939	6 941	-2,01	97,4	-	0,00
14	6 796	6 798	-1,82	97,4	-	0,00
15	6 207	6 209	-0,96	97,4	-	0,00
16	5 779	5 782	-0,29	97,4	-	0,00
17	5 252	5 256	0,60	97,4	-	0,00
18	6 057	6 060	-0,73	97,4	-	0,00
19	5 730	5 733	-0,21	97,4	-	0,00
2	12 881	12 883	-7,99	97,4	-	0,00
20	5 123	5 126	0,83	97,4	-	0,00
21	5 228	5 230	0,64	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 721	4 724	1,59	97,4	-	0,00
23	4 283	4 287	2,49	97,4	-	0,00
24	4 793	4 796	1,45	97,4	-	0,00
25	6 547	6 549	-1,46	97,4	-	0,00
26	6 865	6 867	-1,91	97,4	-	0,00
27	5 572	5 575	0,05	97,4	-	0,00
28	6 201	6 204	-0,95	97,4	-	0,00
29	6 554	6 556	-1,47	97,4	-	0,00
3	12 094	12 095	-7,37	97,4	-	0,00
30	5 871	5 873	-0,44	97,4	-	0,00
31	5 258	5 261	0,59	97,4	-	0,00
32	6 431	6 433	-1,29	97,4	-	0,00
33	6 177	6 180	-0,92	97,4	-	0,00
34	5 606	5 609	-0,01	97,4	-	0,00
35	5 675	5 678	-0,12	97,4	-	0,00
36	5 098	5 101	0,88	97,4	-	0,00
37	4 397	4 400	2,25	97,4	-	0,00
38	3 640	3 645	3,98	97,4	-	0,00
39	4 411	4 414	2,22	97,4	-	0,00
4	11 873	11 874	-7,19	97,4	-	0,00
40	3 000	3 005	5,74	97,4	-	0,00
41	2 543	2 549	7,23	97,4	-	0,00
5	11 462	11 463	-6,84	97,4	-	0,00
6	11 809	11 811	-7,13	97,4	-	0,00
7	12 195	12 196	-7,45	97,4	-	0,00
8	9 439	9 440	-4,95	97,4	-	0,00
9	8 839	8 840	-4,32	97,4	-	0,00
Sum			16,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Ligotnes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 393	13 394	-8,37	97,4	-	0,00
10	9 870	9 871	-5,39	97,4	-	0,00
11	7 483	7 485	-2,73	97,4	-	0,00
12	7 413	7 415	-2,64	97,4	-	0,00
13	6 939	6 941	-2,01	97,4	-	0,00
14	6 796	6 798	-1,82	97,4	-	0,00
15	6 207	6 209	-0,96	97,4	-	0,00
16	5 779	5 782	-0,29	97,4	-	0,00
17	5 252	5 256	0,60	97,4	-	0,00
18	6 057	6 060	-0,73	97,4	-	0,00
19	5 730	5 733	-0,21	97,4	-	0,00
2	12 881	12 883	-7,99	97,4	-	0,00
20	5 123	5 126	0,83	97,4	-	0,00
21	5 228	5 230	0,64	97,4	-	0,00
22	4 721	4 724	1,59	97,4	-	0,00
23	4 283	4 287	2,49	97,4	-	0,00
24	4 793	4 796	1,45	97,4	-	0,00
25	6 547	6 549	-1,46	97,4	-	0,00
26	6 865	6 867	-1,91	97,4	-	0,00
27	5 572	5 575	0,05	97,4	-	0,00
28	6 201	6 204	-0,95	97,4	-	0,00
29	6 554	6 556	-1,47	97,4	-	0,00
3	12 094	12 095	-7,37	97,4	-	0,00
30	5 871	5 873	-0,44	97,4	-	0,00
31	5 258	5 261	0,59	97,4	-	0,00
32	6 431	6 433	-1,29	97,4	-	0,00
33	6 177	6 180	-0,92	97,4	-	0,00
34	5 606	5 609	-0,01	97,4	-	0,00
35	5 675	5 678	-0,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 098	5 101	0,88	97,4	-	0,00
37	4 397	4 400	2,25	97,4	-	0,00
38	3 640	3 645	3,98	97,4	-	0,00
39	4 411	4 414	2,22	97,4	-	0,00
4	11 873	11 874	-7,19	97,4	-	0,00
40	3 000	3 005	5,74	97,4	-	0,00
41	2 543	2 549	7,23	97,4	-	0,00
5	11 462	11 463	-6,84	97,4	-	0,00
6	11 809	11 811	-7,13	97,4	-	0,00
7	12 195	12 196	-7,45	97,4	-	0,00
8	9 439	9 440	-4,95	97,4	-	0,00
9	8 839	8 840	-4,32	97,4	-	0,00
Sum			16,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CY Dika iela 2

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 920	13 921	-8,75	97,4	-	0,00
10	10 947	10 948	-6,39	97,4	-	0,00
11	8 681	8 682	-4,15	97,4	-	0,00
12	8 757	8 759	-4,23	97,4	-	0,00
13	8 140	8 142	-3,53	97,4	-	0,00
14	7 832	7 834	-3,16	97,4	-	0,00
15	7 281	7 283	-2,47	97,4	-	0,00
16	6 896	6 898	-1,95	97,4	-	0,00
17	6 408	6 411	-1,26	97,4	-	0,00
18	6 691	6 693	-1,67	97,4	-	0,00
19	6 264	6 267	-1,05	97,4	-	0,00
2	13 373	13 374	-8,36	97,4	-	0,00
20	6 013	6 016	-0,66	97,4	-	0,00
21	5 828	5 831	-0,37	97,4	-	0,00
22	5 530	5 533	0,12	97,4	-	0,00
23	5 020	5 023	1,02	97,4	-	0,00
24	5 273	5 276	0,56	97,4	-	0,00
25	6 865	6 867	-1,91	97,4	-	0,00
26	6 967	6 970	-2,05	97,4	-	0,00
27	5 894	5 897	-0,48	97,4	-	0,00
28	6 392	6 394	-1,24	97,4	-	0,00
29	6 554	6 557	-1,47	97,4	-	0,00
3	12 610	12 611	-7,78	97,4	-	0,00
30	5 941	5 944	-0,55	97,4	-	0,00
31	5 434	5 437	0,28	97,4	-	0,00
32	6 292	6 294	-1,09	97,4	-	0,00
33	5 859	5 862	-0,42	97,4	-	0,00
34	5 323	5 325	0,48	97,4	-	0,00
35	5 588	5 590	0,02	97,4	-	0,00
36	5 063	5 066	0,94	97,4	-	0,00
37	4 529	4 532	1,97	97,4	-	0,00
38	3 856	3 860	3,45	97,4	-	0,00
39	4 826	4 829	1,39	97,4	-	0,00
4	12 486	12 487	-7,68	97,4	-	0,00
40	3 499	3 503	4,34	97,4	-	0,00
41	2 940	2 945	5,92	97,4	-	0,00
5	12 017	12 018	-7,30	97,4	-	0,00
6	12 520	12 521	-7,71	97,4	-	0,00
7	12 948	12 949	-8,04	97,4	-	0,00
8	10 450	10 452	-5,94	97,4	-	0,00
9	9 862	9 863	-5,38	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: CY Dika iela 2

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 920	13 921	-8,75	97,4	-	0,00
10	10 947	10 948	-6,39	97,4	-	0,00
11	8 681	8 682	-4,15	97,4	-	0,00
12	8 757	8 759	-4,23	97,4	-	0,00
13	8 140	8 142	-3,53	97,4	-	0,00
14	7 832	7 834	-3,16	97,4	-	0,00
15	7 281	7 283	-2,47	97,4	-	0,00
16	6 896	6 898	-1,95	97,4	-	0,00
17	6 408	6 411	-1,26	97,4	-	0,00
18	6 691	6 693	-1,67	97,4	-	0,00
19	6 264	6 267	-1,05	97,4	-	0,00
2	13 373	13 374	-8,36	97,4	-	0,00
20	6 013	6 016	-0,66	97,4	-	0,00
21	5 828	5 831	-0,37	97,4	-	0,00
22	5 530	5 533	0,12	97,4	-	0,00
23	5 020	5 023	1,02	97,4	-	0,00
24	5 273	5 276	0,56	97,4	-	0,00
25	6 865	6 867	-1,91	97,4	-	0,00
26	6 967	6 970	-2,05	97,4	-	0,00
27	5 894	5 897	-0,48	97,4	-	0,00
28	6 392	6 394	-1,24	97,4	-	0,00
29	6 554	6 557	-1,47	97,4	-	0,00
3	12 610	12 611	-7,78	97,4	-	0,00
30	5 941	5 944	-0,55	97,4	-	0,00
31	5 434	5 437	0,28	97,4	-	0,00
32	6 292	6 294	-1,09	97,4	-	0,00
33	5 859	5 862	-0,42	97,4	-	0,00
34	5 323	5 325	0,48	97,4	-	0,00
35	5 588	5 590	0,02	97,4	-	0,00
36	5 063	5 066	0,94	97,4	-	0,00
37	4 529	4 532	1,97	97,4	-	0,00
38	3 856	3 860	3,45	97,4	-	0,00
39	4 826	4 829	1,39	97,4	-	0,00
4	12 486	12 487	-7,68	97,4	-	0,00
40	3 499	3 503	4,34	97,4	-	0,00
41	2 940	2 945	5,92	97,4	-	0,00
5	12 017	12 018	-7,30	97,4	-	0,00
6	12 520	12 521	-7,71	97,4	-	0,00
7	12 948	12 949	-8,04	97,4	-	0,00
8	10 450	10 452	-5,94	97,4	-	0,00
9	9 862	9 863	-5,38	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Karine

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14 033	14 034	-8,83	97,4	-	0,00
10	10 756	10 757	-6,22	97,4	-	0,00
11	8 413	8 414	-3,85	97,4	-	0,00
12	8 402	8 404	-3,83	97,4	-	0,00
13	7 867	7 869	-3,21	97,4	-	0,00
14	7 651	7 654	-2,94	97,4	-	0,00
15	7 075	7 078	-2,20	97,4	-	0,00
16	6 663	6 666	-1,63	97,4	-	0,00
17	6 150	6 153	-0,88	97,4	-	0,00
18	6 714	6 716	-1,70	97,4	-	0,00
19	6 333	6 336	-1,15	97,4	-	0,00
2	13 503	13 504	-8,45	97,4	-	0,00
20	5 896	5 899	-0,48	97,4	-	0,00
21	5 858	5 860	-0,42	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 448	5 451	0,26	97,4	-	0,00
23	4 967	4 970	1,12	97,4	-	0,00
24	5 354	5 357	0,42	97,4	-	0,00
25	7 047	7 049	-2,16	97,4	-	0,00
26	7 254	7 256	-2,43	97,4	-	0,00
27	6 063	6 066	-0,74	97,4	-	0,00
28	6 630	6 633	-1,58	97,4	-	0,00
29	6 884	6 887	-1,94	97,4	-	0,00
3	12 725	12 726	-7,87	97,4	-	0,00
30	6 231	6 234	-1,00	97,4	-	0,00
31	5 666	5 669	-0,11	97,4	-	0,00
32	6 683	6 685	-1,66	97,4	-	0,00
33	6 326	6 329	-1,14	97,4	-	0,00
34	5 767	5 769	-0,27	97,4	-	0,00
35	5 946	5 949	-0,56	97,4	-	0,00
36	5 389	5 391	0,36	97,4	-	0,00
37	4 764	4 767	1,51	97,4	-	0,00
38	4 032	4 036	3,04	97,4	-	0,00
39	4 930	4 934	1,19	97,4	-	0,00
4	12 551	12 552	-7,73	97,4	-	0,00
40	3 522	3 526	4,28	97,4	-	0,00
41	2 983	2 989	5,79	97,4	-	0,00
5	12 110	12 112	-7,38	97,4	-	0,00
6	12 534	12 535	-7,72	97,4	-	0,00
7	12 941	12 942	-8,03	97,4	-	0,00
8	10 295	10 297	-5,79	97,4	-	0,00
9	9 698	9 700	-5,22	97,4	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Karine

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14 033	14 034	-8,83	97,4	-	0,00
10	10 756	10 757	-6,22	97,4	-	0,00
11	8 413	8 414	-3,85	97,4	-	0,00
12	8 402	8 404	-3,83	97,4	-	0,00
13	7 867	7 869	-3,21	97,4	-	0,00
14	7 651	7 654	-2,94	97,4	-	0,00
15	7 075	7 078	-2,20	97,4	-	0,00
16	6 663	6 666	-1,63	97,4	-	0,00
17	6 150	6 153	-0,88	97,4	-	0,00
18	6 714	6 716	-1,70	97,4	-	0,00
19	6 333	6 336	-1,15	97,4	-	0,00
2	13 503	13 504	-8,45	97,4	-	0,00
20	5 896	5 899	-0,48	97,4	-	0,00
21	5 858	5 860	-0,42	97,4	-	0,00
22	5 448	5 451	0,26	97,4	-	0,00
23	4 967	4 970	1,12	97,4	-	0,00
24	5 354	5 357	0,42	97,4	-	0,00
25	7 047	7 049	-2,16	97,4	-	0,00
26	7 254	7 256	-2,43	97,4	-	0,00
27	6 063	6 066	-0,74	97,4	-	0,00
28	6 630	6 633	-1,58	97,4	-	0,00
29	6 884	6 887	-1,94	97,4	-	0,00
3	12 725	12 726	-7,87	97,4	-	0,00
30	6 231	6 234	-1,00	97,4	-	0,00
31	5 666	5 669	-0,11	97,4	-	0,00
32	6 683	6 685	-1,66	97,4	-	0,00
33	6 326	6 329	-1,14	97,4	-	0,00
34	5 767	5 769	-0,27	97,4	-	0,00
35	5 946	5 949	-0,56	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 389	5 391	0,36	97,4	-	0,00
37	4 764	4 767	1,51	97,4	-	0,00
38	4 032	4 036	3,04	97,4	-	0,00
39	4 930	4 934	1,19	97,4	-	0,00
4	12 551	12 552	-7,73	97,4	-	0,00
40	3 522	3 526	4,28	97,4	-	0,00
41	2 983	2 989	5,79	97,4	-	0,00
5	12 110	12 112	-7,38	97,4	-	0,00
6	12 534	12 535	-7,72	97,4	-	0,00
7	12 941	12 942	-8,03	97,4	-	0,00
8	10 295	10 297	-5,79	97,4	-	0,00
9	9 698	9 700	-5,22	97,4	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: DA Krasta iela 4

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 903	13 904	-8,74	97,4	-	0,00
10	10 916	10 918	-6,36	97,4	-	0,00
11	8 647	8 649	-4,11	97,4	-	0,00
12	8 721	8 723	-4,19	97,4	-	0,00
13	8 106	8 108	-3,49	97,4	-	0,00
14	7 802	7 804	-3,13	97,4	-	0,00
15	7 249	7 251	-2,43	97,4	-	0,00
16	6 863	6 865	-1,91	97,4	-	0,00
17	6 375	6 377	-1,21	97,4	-	0,00
18	6 668	6 670	-1,64	97,4	-	0,00
19	6 243	6 246	-1,02	97,4	-	0,00
2	13 357	13 358	-8,35	97,4	-	0,00
20	5 985	5 987	-0,62	97,4	-	0,00
21	5 805	5 808	-0,33	97,4	-	0,00
22	5 503	5 506	0,17	97,4	-	0,00
23	4 993	4 996	1,07	97,4	-	0,00
24	5 253	5 256	0,60	97,4	-	0,00
25	6 849	6 852	-1,89	97,4	-	0,00
26	6 957	6 960	-2,04	97,4	-	0,00
27	5 878	5 881	-0,45	97,4	-	0,00
28	6 379	6 382	-1,22	97,4	-	0,00
29	6 546	6 549	-1,46	97,4	-	0,00
3	12 593	12 594	-7,76	97,4	-	0,00
30	5 931	5 933	-0,53	97,4	-	0,00
31	5 420	5 423	0,31	97,4	-	0,00
32	6 287	6 289	-1,08	97,4	-	0,00
33	5 859	5 861	-0,42	97,4	-	0,00
34	5 320	5 323	0,48	97,4	-	0,00
35	5 581	5 583	0,04	97,4	-	0,00
36	5 054	5 057	0,96	97,4	-	0,00
37	4 515	4 518	2,00	97,4	-	0,00
38	3 838	3 843	3,49	97,4	-	0,00
39	4 806	4 809	1,43	97,4	-	0,00
4	12 466	12 467	-7,67	97,4	-	0,00
40	3 474	3 478	4,41	97,4	-	0,00
41	2 914	2 920	6,00	97,4	-	0,00
5	11 999	12 000	-7,29	97,4	-	0,00
6	12 498	12 499	-7,69	97,4	-	0,00
7	12 925	12 927	-8,02	97,4	-	0,00
8	10 421	10 423	-5,91	97,4	-	0,00
9	9 832	9 834	-5,35	97,4	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DA Krasta iela 4

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 903	13 904	-8,74	97,4	-	0,00
10	10 916	10 918	-6,36	97,4	-	0,00
11	8 647	8 649	-4,11	97,4	-	0,00
12	8 721	8 723	-4,19	97,4	-	0,00
13	8 106	8 108	-3,49	97,4	-	0,00
14	7 802	7 804	-3,13	97,4	-	0,00
15	7 249	7 251	-2,43	97,4	-	0,00
16	6 863	6 865	-1,91	97,4	-	0,00
17	6 375	6 377	-1,21	97,4	-	0,00
18	6 668	6 670	-1,64	97,4	-	0,00
19	6 243	6 246	-1,02	97,4	-	0,00
2	13 357	13 358	-8,35	97,4	-	0,00
20	5 985	5 987	-0,62	97,4	-	0,00
21	5 805	5 808	-0,33	97,4	-	0,00
22	5 503	5 506	0,17	97,4	-	0,00
23	4 993	4 996	1,07	97,4	-	0,00
24	5 253	5 256	0,60	97,4	-	0,00
25	6 849	6 852	-1,89	97,4	-	0,00
26	6 957	6 960	-2,04	97,4	-	0,00
27	5 878	5 881	-0,45	97,4	-	0,00
28	6 379	6 382	-1,22	97,4	-	0,00
29	6 546	6 549	-1,46	97,4	-	0,00
3	12 593	12 594	-7,76	97,4	-	0,00
30	5 931	5 933	-0,53	97,4	-	0,00
31	5 420	5 423	0,31	97,4	-	0,00
32	6 287	6 289	-1,08	97,4	-	0,00
33	5 859	5 861	-0,42	97,4	-	0,00
34	5 320	5 323	0,48	97,4	-	0,00
35	5 581	5 583	0,04	97,4	-	0,00
36	5 054	5 057	0,96	97,4	-	0,00
37	4 515	4 518	2,00	97,4	-	0,00
38	3 838	3 843	3,49	97,4	-	0,00
39	4 806	4 809	1,43	97,4	-	0,00
4	12 466	12 467	-7,67	97,4	-	0,00
40	3 474	3 478	4,41	97,4	-	0,00
41	2 914	2 920	6,00	97,4	-	0,00
5	11 999	12 000	-7,29	97,4	-	0,00
6	12 498	12 499	-7,69	97,4	-	0,00
7	12 925	12 927	-8,02	97,4	-	0,00
8	10 421	10 423	-5,91	97,4	-	0,00
9	9 832	9 834	-5,35	97,4	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Krasta iela 7

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 814	13 815	-8,68	97,4	-	0,00
10	10 831	10 833	-6,29	97,4	-	0,00
11	8 565	8 567	-4,02	97,4	-	0,00
12	8 642	8 644	-4,11	97,4	-	0,00
13	8 025	8 026	-3,39	97,4	-	0,00
14	7 717	7 719	-3,02	97,4	-	0,00
15	7 165	7 168	-2,32	97,4	-	0,00
16	6 780	6 782	-1,79	97,4	-	0,00
17	6 293	6 295	-1,09	97,4	-	0,00
18	6 579	6 582	-1,51	97,4	-	0,00
19	6 154	6 157	-0,88	97,4	-	0,00
2	13 268	13 269	-8,28	97,4	-	0,00
20	5 898	5 901	-0,48	97,4	-	0,00
21	5 717	5 719	-0,19	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 416	5 419	0,31	97,4	-	0,00
23	4 906	4 909	1,23	97,4	-	0,00
24	5 164	5 167	0,76	97,4	-	0,00
25	6 760	6 763	-1,77	97,4	-	0,00
26	6 870	6 872	-1,92	97,4	-	0,00
27	5 789	5 792	-0,31	97,4	-	0,00
28	6 291	6 293	-1,09	97,4	-	0,00
29	6 459	6 462	-1,34	97,4	-	0,00
3	12 504	12 505	-7,69	97,4	-	0,00
30	5 843	5 846	-0,39	97,4	-	0,00
31	5 331	5 335	0,46	97,4	-	0,00
32	6 201	6 204	-0,95	97,4	-	0,00
33	5 776	5 779	-0,29	97,4	-	0,00
34	5 236	5 239	0,63	97,4	-	0,00
35	5 494	5 497	0,18	97,4	-	0,00
36	4 966	4 970	1,12	97,4	-	0,00
37	4 426	4 429	2,19	97,4	-	0,00
38	3 749	3 754	3,71	97,4	-	0,00
39	4 717	4 720	1,60	97,4	-	0,00
4	12 377	12 378	-7,59	97,4	-	0,00
40	3 386	3 390	4,64	97,4	-	0,00
41	2 827	2 832	6,27	97,4	-	0,00
5	11 910	11 911	-7,22	97,4	-	0,00
6	12 409	12 411	-7,62	97,4	-	0,00
7	12 837	12 838	-7,95	97,4	-	0,00
8	10 335	10 337	-5,83	97,4	-	0,00
9	9 747	9 748	-5,26	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: DB Krasta iela 7

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 814	13 815	-8,68	97,4	-	0,00
10	10 831	10 833	-6,29	97,4	-	0,00
11	8 565	8 567	-4,02	97,4	-	0,00
12	8 642	8 644	-4,11	97,4	-	0,00
13	8 025	8 026	-3,39	97,4	-	0,00
14	7 717	7 719	-3,02	97,4	-	0,00
15	7 165	7 168	-2,32	97,4	-	0,00
16	6 780	6 782	-1,79	97,4	-	0,00
17	6 293	6 295	-1,09	97,4	-	0,00
18	6 579	6 582	-1,51	97,4	-	0,00
19	6 154	6 157	-0,88	97,4	-	0,00
2	13 268	13 269	-8,28	97,4	-	0,00
20	5 898	5 901	-0,48	97,4	-	0,00
21	5 717	5 719	-0,19	97,4	-	0,00
22	5 416	5 419	0,31	97,4	-	0,00
23	4 906	4 909	1,23	97,4	-	0,00
24	5 164	5 167	0,76	97,4	-	0,00
25	6 760	6 763	-1,77	97,4	-	0,00
26	6 870	6 872	-1,92	97,4	-	0,00
27	5 789	5 792	-0,31	97,4	-	0,00
28	6 291	6 293	-1,09	97,4	-	0,00
29	6 459	6 462	-1,34	97,4	-	0,00
3	12 504	12 505	-7,69	97,4	-	0,00
30	5 843	5 846	-0,39	97,4	-	0,00
31	5 331	5 335	0,46	97,4	-	0,00
32	6 201	6 204	-0,95	97,4	-	0,00
33	5 776	5 779	-0,29	97,4	-	0,00
34	5 236	5 239	0,63	97,4	-	0,00
35	5 494	5 497	0,18	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 966	4 970	1,12	97,4	-	0,00
37	4 426	4 429	2,19	97,4	-	0,00
38	3 749	3 754	3,71	97,4	-	0,00
39	4 717	4 720	1,60	97,4	-	0,00
4	12 377	12 378	-7,59	97,4	-	0,00
40	3 386	3 390	4,64	97,4	-	0,00
41	2 827	2 832	6,27	97,4	-	0,00
5	11 910	11 911	-7,22	97,4	-	0,00
6	12 409	12 411	-7,62	97,4	-	0,00
7	12 837	12 838	-7,95	97,4	-	0,00
8	10 335	10 337	-5,83	97,4	-	0,00
9	9 747	9 748	-5,26	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: DC Dika iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 907	13 908	-8,75	97,4	-	0,00
10	10 945	10 946	-6,39	97,4	-	0,00
11	8 682	8 684	-4,15	97,4	-	0,00
12	8 762	8 764	-4,24	97,4	-	0,00
13	8 142	8 144	-3,53	97,4	-	0,00
14	7 831	7 833	-3,16	97,4	-	0,00
15	7 281	7 283	-2,47	97,4	-	0,00
16	6 896	6 898	-1,95	97,4	-	0,00
17	6 410	6 413	-1,27	97,4	-	0,00
18	6 682	6 684	-1,66	97,4	-	0,00
19	6 254	6 256	-1,03	97,4	-	0,00
2	13 360	13 361	-8,35	97,4	-	0,00
20	6 010	6 013	-0,66	97,4	-	0,00
21	5 820	5 822	-0,36	97,4	-	0,00
22	5 526	5 529	0,13	97,4	-	0,00
23	5 015	5 018	1,03	97,4	-	0,00
24	5 263	5 266	0,58	97,4	-	0,00
25	6 850	6 853	-1,89	97,4	-	0,00
26	6 949	6 952	-2,03	97,4	-	0,00
27	5 881	5 883	-0,45	97,4	-	0,00
28	6 376	6 378	-1,21	97,4	-	0,00
29	6 535	6 537	-1,45	97,4	-	0,00
3	12 597	12 598	-7,77	97,4	-	0,00
30	5 923	5 926	-0,52	97,4	-	0,00
31	5 418	5 421	0,31	97,4	-	0,00
32	6 270	6 273	-1,06	97,4	-	0,00
33	5 836	5 838	-0,38	97,4	-	0,00
34	5 300	5 302	0,52	97,4	-	0,00
35	5 568	5 570	0,06	97,4	-	0,00
36	5 044	5 047	0,98	97,4	-	0,00
37	4 514	4 517	2,01	97,4	-	0,00
38	3 844	3 848	3,48	97,4	-	0,00
39	4 815	4 818	1,41	97,4	-	0,00
4	12 474	12 475	-7,67	97,4	-	0,00
40	3 493	3 497	4,36	97,4	-	0,00
41	2 934	2 939	5,94	97,4	-	0,00
5	12 005	12 006	-7,29	97,4	-	0,00
6	12 510	12 511	-7,70	97,4	-	0,00
7	12 939	12 940	-8,03	97,4	-	0,00
8	10 447	10 449	-5,94	97,4	-	0,00
9	9 859	9 861	-5,37	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DC Dika iela 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 907	13 908	-8,75	97,4	-	0,00
10	10 945	10 946	-6,39	97,4	-	0,00
11	8 682	8 684	-4,15	97,4	-	0,00
12	8 762	8 764	-4,24	97,4	-	0,00
13	8 142	8 144	-3,53	97,4	-	0,00
14	7 831	7 833	-3,16	97,4	-	0,00
15	7 281	7 283	-2,47	97,4	-	0,00
16	6 896	6 898	-1,95	97,4	-	0,00
17	6 410	6 413	-1,27	97,4	-	0,00
18	6 682	6 684	-1,66	97,4	-	0,00
19	6 254	6 256	-1,03	97,4	-	0,00
2	13 360	13 361	-8,35	97,4	-	0,00
20	6 010	6 013	-0,66	97,4	-	0,00
21	5 820	5 822	-0,36	97,4	-	0,00
22	5 526	5 529	0,13	97,4	-	0,00
23	5 015	5 018	1,03	97,4	-	0,00
24	5 263	5 266	0,58	97,4	-	0,00
25	6 850	6 853	-1,89	97,4	-	0,00
26	6 949	6 952	-2,03	97,4	-	0,00
27	5 881	5 883	-0,45	97,4	-	0,00
28	6 376	6 378	-1,21	97,4	-	0,00
29	6 535	6 537	-1,45	97,4	-	0,00
3	12 597	12 598	-7,77	97,4	-	0,00
30	5 923	5 926	-0,52	97,4	-	0,00
31	5 418	5 421	0,31	97,4	-	0,00
32	6 270	6 273	-1,06	97,4	-	0,00
33	5 836	5 838	-0,38	97,4	-	0,00
34	5 300	5 302	0,52	97,4	-	0,00
35	5 568	5 570	0,06	97,4	-	0,00
36	5 044	5 047	0,98	97,4	-	0,00
37	4 514	4 517	2,01	97,4	-	0,00
38	3 844	3 848	3,48	97,4	-	0,00
39	4 815	4 818	1,41	97,4	-	0,00
4	12 474	12 475	-7,67	97,4	-	0,00
40	3 493	3 497	4,36	97,4	-	0,00
41	2 934	2 939	5,94	97,4	-	0,00
5	12 005	12 006	-7,29	97,4	-	0,00
6	12 510	12 511	-7,70	97,4	-	0,00
7	12 939	12 940	-8,03	97,4	-	0,00
8	10 447	10 449	-5,94	97,4	-	0,00
9	9 859	9 861	-5,37	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Dika iela 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 882	13 883	-8,73	97,4	-	0,00
10	10 926	10 928	-6,37	97,4	-	0,00
11	8 666	8 667	-4,13	97,4	-	0,00
12	8 748	8 750	-4,22	97,4	-	0,00
13	8 126	8 128	-3,51	97,4	-	0,00
14	7 812	7 814	-3,14	97,4	-	0,00
15	7 263	7 265	-2,45	97,4	-	0,00
16	6 879	6 882	-1,93	97,4	-	0,00
17	6 394	6 397	-1,24	97,4	-	0,00
18	6 659	6 662	-1,62	97,4	-	0,00
19	6 231	6 233	-1,00	97,4	-	0,00
2	13 334	13 336	-8,33	97,4	-	0,00
20	5 991	5 993	-0,63	97,4	-	0,00
21	5 797	5 800	-0,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 506	5 509	0,16	97,4	-	0,00
23	4 995	4 997	1,07	97,4	-	0,00
24	5 240	5 243	0,62	97,4	-	0,00
25	6 825	6 827	-1,86	97,4	-	0,00
26	6 922	6 925	-1,99	97,4	-	0,00
27	5 856	5 858	-0,42	97,4	-	0,00
28	6 350	6 352	-1,17	97,4	-	0,00
29	6 507	6 510	-1,41	97,4	-	0,00
3	12 572	12 573	-7,75	97,4	-	0,00
30	5 897	5 899	-0,48	97,4	-	0,00
31	5 392	5 395	0,36	97,4	-	0,00
32	6 242	6 245	-1,01	97,4	-	0,00
33	5 807	5 810	-0,34	97,4	-	0,00
34	5 271	5 274	0,57	97,4	-	0,00
35	5 540	5 543	0,10	97,4	-	0,00
36	5 017	5 020	1,03	97,4	-	0,00
37	4 488	4 491	2,06	97,4	-	0,00
38	3 819	3 824	3,54	97,4	-	0,00
39	4 792	4 795	1,45	97,4	-	0,00
4	12 450	12 451	-7,65	97,4	-	0,00
40	3 471	3 476	4,41	97,4	-	0,00
41	2 913	2 918	6,00	97,4	-	0,00
5	11 980	11 981	-7,27	97,4	-	0,00
6	12 487	12 488	-7,68	97,4	-	0,00
7	12 917	12 918	-8,01	97,4	-	0,00
8	10 428	10 429	-5,92	97,4	-	0,00
9	9 840	9 841	-5,36	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Dika iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 882	13 883	-8,73	97,4	-	0,00
10	10 926	10 928	-6,37	97,4	-	0,00
11	8 666	8 667	-4,13	97,4	-	0,00
12	8 748	8 750	-4,22	97,4	-	0,00
13	8 126	8 128	-3,51	97,4	-	0,00
14	7 812	7 814	-3,14	97,4	-	0,00
15	7 263	7 265	-2,45	97,4	-	0,00
16	6 879	6 882	-1,93	97,4	-	0,00
17	6 394	6 397	-1,24	97,4	-	0,00
18	6 659	6 662	-1,62	97,4	-	0,00
19	6 231	6 233	-1,00	97,4	-	0,00
2	13 334	13 336	-8,33	97,4	-	0,00
20	5 991	5 993	-0,63	97,4	-	0,00
21	5 797	5 800	-0,32	97,4	-	0,00
22	5 506	5 509	0,16	97,4	-	0,00
23	4 995	4 997	1,07	97,4	-	0,00
24	5 240	5 243	0,62	97,4	-	0,00
25	6 825	6 827	-1,86	97,4	-	0,00
26	6 922	6 925	-1,99	97,4	-	0,00
27	5 856	5 858	-0,42	97,4	-	0,00
28	6 350	6 352	-1,17	97,4	-	0,00
29	6 507	6 510	-1,41	97,4	-	0,00
3	12 572	12 573	-7,75	97,4	-	0,00
30	5 897	5 899	-0,48	97,4	-	0,00
31	5 392	5 395	0,36	97,4	-	0,00
32	6 242	6 245	-1,01	97,4	-	0,00
33	5 807	5 810	-0,34	97,4	-	0,00
34	5 271	5 274	0,57	97,4	-	0,00
35	5 540	5 543	0,10	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 017	5 020	1,03	97,4	-	0,00
37	4 488	4 491	2,06	97,4	-	0,00
38	3 819	3 824	3,54	97,4	-	0,00
39	4 792	4 795	1,45	97,4	-	0,00
4	12 450	12 451	-7,65	97,4	-	0,00
40	3 471	3 476	4,41	97,4	-	0,00
41	2 913	2 918	6,00	97,4	-	0,00
5	11 980	11 981	-7,27	97,4	-	0,00
6	12 487	12 488	-7,68	97,4	-	0,00
7	12 917	12 918	-8,01	97,4	-	0,00
8	10 428	10 429	-5,92	97,4	-	0,00
9	9 840	9 841	-5,36	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: DE Krasta iela 6

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 939	13 940	-8,77	97,4	-	0,00
10	10 945	10 946	-6,39	97,4	-	0,00
11	8 673	8 675	-4,14	97,4	-	0,00
12	8 744	8 746	-4,22	97,4	-	0,00
13	8 132	8 134	-3,52	97,4	-	0,00
14	7 830	7 833	-3,16	97,4	-	0,00
15	7 277	7 279	-2,46	97,4	-	0,00
16	6 890	6 892	-1,95	97,4	-	0,00
17	6 401	6 403	-1,25	97,4	-	0,00
18	6 702	6 704	-1,68	97,4	-	0,00
19	6 278	6 280	-1,07	97,4	-	0,00
2	13 393	13 394	-8,37	97,4	-	0,00
20	6 015	6 017	-0,67	97,4	-	0,00
21	5 839	5 841	-0,39	97,4	-	0,00
22	5 533	5 536	0,11	97,4	-	0,00
23	5 025	5 027	1,01	97,4	-	0,00
24	5 287	5 290	0,54	97,4	-	0,00
25	6 886	6 888	-1,94	97,4	-	0,00
26	6 995	6 998	-2,09	97,4	-	0,00
27	5 914	5 917	-0,51	97,4	-	0,00
28	6 417	6 419	-1,27	97,4	-	0,00
29	6 585	6 587	-1,52	97,4	-	0,00
3	12 629	12 630	-7,79	97,4	-	0,00
30	5 969	5 972	-0,59	97,4	-	0,00
31	5 457	5 460	0,24	97,4	-	0,00
32	6 326	6 328	-1,14	97,4	-	0,00
33	5 898	5 901	-0,48	97,4	-	0,00
34	5 360	5 362	0,41	97,4	-	0,00
35	5 620	5 622	-0,03	97,4	-	0,00
36	5 092	5 095	0,89	97,4	-	0,00
37	4 552	4 555	1,93	97,4	-	0,00
38	3 874	3 878	3,41	97,4	-	0,00
39	4 840	4 844	1,36	97,4	-	0,00
4	12 501	12 502	-7,69	97,4	-	0,00
40	3 506	3 510	4,32	97,4	-	0,00
41	2 947	2 952	5,90	97,4	-	0,00
5	12 034	12 035	-7,32	97,4	-	0,00
6	12 532	12 533	-7,72	97,4	-	0,00
7	12 959	12 960	-8,05	97,4	-	0,00
8	10 451	10 453	-5,94	97,4	-	0,00
9	9 862	9 863	-5,38	97,4	-	0,00
Sum			15,37			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DE Krasta iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 939	13 940	-8,77	97,4	-	0,00
10	10 945	10 946	-6,39	97,4	-	0,00
11	8 673	8 675	-4,14	97,4	-	0,00
12	8 744	8 746	-4,22	97,4	-	0,00
13	8 132	8 134	-3,52	97,4	-	0,00
14	7 830	7 833	-3,16	97,4	-	0,00
15	7 277	7 279	-2,46	97,4	-	0,00
16	6 890	6 892	-1,95	97,4	-	0,00
17	6 401	6 403	-1,25	97,4	-	0,00
18	6 702	6 704	-1,68	97,4	-	0,00
19	6 278	6 280	-1,07	97,4	-	0,00
2	13 393	13 394	-8,37	97,4	-	0,00
20	6 015	6 017	-0,67	97,4	-	0,00
21	5 839	5 841	-0,39	97,4	-	0,00
22	5 533	5 536	0,11	97,4	-	0,00
23	5 025	5 027	1,01	97,4	-	0,00
24	5 287	5 290	0,54	97,4	-	0,00
25	6 886	6 888	-1,94	97,4	-	0,00
26	6 995	6 998	-2,09	97,4	-	0,00
27	5 914	5 917	-0,51	97,4	-	0,00
28	6 417	6 419	-1,27	97,4	-	0,00
29	6 585	6 587	-1,52	97,4	-	0,00
3	12 629	12 630	-7,79	97,4	-	0,00
30	5 969	5 972	-0,59	97,4	-	0,00
31	5 457	5 460	0,24	97,4	-	0,00
32	6 326	6 328	-1,14	97,4	-	0,00
33	5 898	5 901	-0,48	97,4	-	0,00
34	5 360	5 362	0,41	97,4	-	0,00
35	5 620	5 622	-0,03	97,4	-	0,00
36	5 092	5 095	0,89	97,4	-	0,00
37	4 552	4 555	1,93	97,4	-	0,00
38	3 874	3 878	3,41	97,4	-	0,00
39	4 840	4 844	1,36	97,4	-	0,00
4	12 501	12 502	-7,69	97,4	-	0,00
40	3 506	3 510	4,32	97,4	-	0,00
41	2 947	2 952	5,90	97,4	-	0,00
5	12 034	12 035	-7,32	97,4	-	0,00
6	12 532	12 533	-7,72	97,4	-	0,00
7	12 959	12 960	-8,05	97,4	-	0,00
8	10 451	10 453	-5,94	97,4	-	0,00
9	9 862	9 863	-5,38	97,4	-	0,00
Sum			15,37			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Krumini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 696	13 697	-8,59	97,4	-	0,00
10	10 116	10 118	-5,62	97,4	-	0,00
11	7 717	7 719	-3,02	97,4	-	0,00
12	7 619	7 621	-2,90	97,4	-	0,00
13	7 174	7 176	-2,33	97,4	-	0,00
14	7 057	7 059	-2,17	97,4	-	0,00
15	6 465	6 467	-1,34	97,4	-	0,00
16	6 033	6 036	-0,69	97,4	-	0,00
17	5 503	5 506	0,16	97,4	-	0,00
18	6 365	6 367	-1,20	97,4	-	0,00
19	6 046	6 049	-0,71	97,4	-	0,00
2	13 188	13 189	-8,22	97,4	-	0,00
20	5 411	5 414	0,32	97,4	-	0,00
21	5 541	5 543	0,10	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 019	5 022	1,02	97,4	-	0,00
23	4 591	4 594	1,85	97,4	-	0,00
24	5 115	5 118	0,85	97,4	-	0,00
25	6 873	6 875	-1,92	97,4	-	0,00
26	7 198	7 200	-2,36	97,4	-	0,00
27	5 900	5 903	-0,49	97,4	-	0,00
28	6 533	6 535	-1,44	97,4	-	0,00
29	6 890	6 892	-1,95	97,4	-	0,00
3	12 400	12 401	-7,61	97,4	-	0,00
30	6 206	6 208	-0,96	97,4	-	0,00
31	5 591	5 594	0,02	97,4	-	0,00
32	6 768	6 770	-1,78	97,4	-	0,00
33	6 514	6 516	-1,42	97,4	-	0,00
34	5 943	5 945	-0,55	97,4	-	0,00
35	6 012	6 015	-0,66	97,4	-	0,00
36	5 436	5 438	0,28	97,4	-	0,00
37	4 732	4 735	1,57	97,4	-	0,00
38	3 976	3 980	3,17	97,4	-	0,00
39	4 738	4 741	1,56	97,4	-	0,00
4	12 171	12 172	-7,43	97,4	-	0,00
40	3 331	3 336	4,79	97,4	-	0,00
41	2 879	2 885	6,11	97,4	-	0,00
5	11 765	11 766	-7,10	97,4	-	0,00
6	12 098	12 099	-7,37	97,4	-	0,00
7	12 478	12 480	-7,67	97,4	-	0,00
8	9 695	9 697	-5,21	97,4	-	0,00
9	9 095	9 097	-4,60	97,4	-	0,00
Sum			15,58			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Krumini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 696	13 697	-8,59	97,4	-	0,00
10	10 116	10 118	-5,62	97,4	-	0,00
11	7 717	7 719	-3,02	97,4	-	0,00
12	7 619	7 621	-2,90	97,4	-	0,00
13	7 174	7 176	-2,33	97,4	-	0,00
14	7 057	7 059	-2,17	97,4	-	0,00
15	6 465	6 467	-1,34	97,4	-	0,00
16	6 033	6 036	-0,69	97,4	-	0,00
17	5 503	5 506	0,16	97,4	-	0,00
18	6 365	6 367	-1,20	97,4	-	0,00
19	6 046	6 049	-0,71	97,4	-	0,00
2	13 188	13 189	-8,22	97,4	-	0,00
20	5 411	5 414	0,32	97,4	-	0,00
21	5 541	5 543	0,10	97,4	-	0,00
22	5 019	5 022	1,02	97,4	-	0,00
23	4 591	4 594	1,85	97,4	-	0,00
24	5 115	5 118	0,85	97,4	-	0,00
25	6 873	6 875	-1,92	97,4	-	0,00
26	7 198	7 200	-2,36	97,4	-	0,00
27	5 900	5 903	-0,49	97,4	-	0,00
28	6 533	6 535	-1,44	97,4	-	0,00
29	6 890	6 892	-1,95	97,4	-	0,00
3	12 400	12 401	-7,61	97,4	-	0,00
30	6 206	6 208	-0,96	97,4	-	0,00
31	5 591	5 594	0,02	97,4	-	0,00
32	6 768	6 770	-1,78	97,4	-	0,00
33	6 514	6 516	-1,42	97,4	-	0,00
34	5 943	5 945	-0,55	97,4	-	0,00
35	6 012	6 015	-0,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 436	5 438	0,28	97,4	-	0,00
37	4 732	4 735	1,57	97,4	-	0,00
38	3 976	3 980	3,17	97,4	-	0,00
39	4 738	4 741	1,56	97,4	-	0,00
4	12 171	12 172	-7,43	97,4	-	0,00
40	3 331	3 336	4,79	97,4	-	0,00
41	2 879	2 885	6,11	97,4	-	0,00
5	11 765	11 766	-7,10	97,4	-	0,00
6	12 098	12 099	-7,37	97,4	-	0,00
7	12 478	12 480	-7,67	97,4	-	0,00
8	9 695	9 697	-5,21	97,4	-	0,00
9	9 095	9 097	-4,60	97,4	-	0,00
Sum			15,58			

- Data undefined due to calculation with octave data

Noise sensitive area: DG Cini š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 259	13 260	-8,27	97,4	-	0,00
10	9 612	9 613	-5,13	97,4	-	0,00
11	7 206	7 208	-2,37	97,4	-	0,00
12	7 096	7 099	-2,23	97,4	-	0,00
13	6 663	6 665	-1,63	97,4	-	0,00
14	6 566	6 569	-1,49	97,4	-	0,00
15	5 972	5 974	-0,60	97,4	-	0,00
16	5 537	5 539	0,11	97,4	-	0,00
17	5 005	5 009	1,05	97,4	-	0,00
18	5 942	5 944	-0,55	97,4	-	0,00
19	5 646	5 648	-0,07	97,4	-	0,00
2	12 758	12 759	-7,89	97,4	-	0,00
20	4 953	4 956	1,15	97,4	-	0,00
21	5 134	5 137	0,81	97,4	-	0,00
22	4 580	4 584	1,87	97,4	-	0,00
23	4 173	4 177	2,73	97,4	-	0,00
24	4 740	4 743	1,55	97,4	-	0,00
25	6 506	6 508	-1,40	97,4	-	0,00
26	6 872	6 875	-1,92	97,4	-	0,00
27	5 544	5 547	0,10	97,4	-	0,00
28	6 196	6 198	-0,94	97,4	-	0,00
29	6 590	6 592	-1,53	97,4	-	0,00
3	11 968	11 969	-7,26	97,4	-	0,00
30	5 900	5 902	-0,48	97,4	-	0,00
31	5 272	5 275	0,57	97,4	-	0,00
32	6 501	6 504	-1,40	97,4	-	0,00
33	6 293	6 295	-1,09	97,4	-	0,00
34	5 722	5 725	-0,20	97,4	-	0,00
35	5 745	5 747	-0,24	97,4	-	0,00
36	5 167	5 170	0,75	97,4	-	0,00
37	4 441	4 445	2,15	97,4	-	0,00
38	3 690	3 694	3,86	97,4	-	0,00
39	4 384	4 388	2,27	97,4	-	0,00
4	11 724	11 725	-7,06	97,4	-	0,00
40	3 007	3 011	5,72	97,4	-	0,00
41	2 608	2 614	7,00	97,4	-	0,00
5	11 328	11 329	-6,73	97,4	-	0,00
6	11 636	11 637	-6,99	97,4	-	0,00
7	12 010	12 011	-7,30	97,4	-	0,00
8	9 199	9 201	-4,71	97,4	-	0,00
9	8 599	8 601	-4,06	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DG Cini š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 259	13 260	-8,27	97,4	-	0,00
10	9 612	9 613	-5,13	97,4	-	0,00
11	7 206	7 208	-2,37	97,4	-	0,00
12	7 096	7 099	-2,23	97,4	-	0,00
13	6 663	6 665	-1,63	97,4	-	0,00
14	6 566	6 569	-1,49	97,4	-	0,00
15	5 972	5 974	-0,60	97,4	-	0,00
16	5 537	5 539	0,11	97,4	-	0,00
17	5 005	5 009	1,05	97,4	-	0,00
18	5 942	5 944	-0,55	97,4	-	0,00
19	5 646	5 648	-0,07	97,4	-	0,00
2	12 758	12 759	-7,89	97,4	-	0,00
20	4 953	4 956	1,15	97,4	-	0,00
21	5 134	5 137	0,81	97,4	-	0,00
22	4 580	4 584	1,87	97,4	-	0,00
23	4 173	4 177	2,73	97,4	-	0,00
24	4 740	4 743	1,55	97,4	-	0,00
25	6 506	6 508	-1,40	97,4	-	0,00
26	6 872	6 875	-1,92	97,4	-	0,00
27	5 544	5 547	0,10	97,4	-	0,00
28	6 196	6 198	-0,94	97,4	-	0,00
29	6 590	6 592	-1,53	97,4	-	0,00
3	11 968	11 969	-7,26	97,4	-	0,00
30	5 900	5 902	-0,48	97,4	-	0,00
31	5 272	5 275	0,57	97,4	-	0,00
32	6 501	6 504	-1,40	97,4	-	0,00
33	6 293	6 295	-1,09	97,4	-	0,00
34	5 722	5 725	-0,20	97,4	-	0,00
35	5 745	5 747	-0,24	97,4	-	0,00
36	5 167	5 170	0,75	97,4	-	0,00
37	4 441	4 445	2,15	97,4	-	0,00
38	3 690	3 694	3,86	97,4	-	0,00
39	4 384	4 388	2,27	97,4	-	0,00
4	11 724	11 725	-7,06	97,4	-	0,00
40	3 007	3 011	5,72	97,4	-	0,00
41	2 608	2 614	7,00	97,4	-	0,00
5	11 328	11 329	-6,73	97,4	-	0,00
6	11 636	11 637	-6,99	97,4	-	0,00
7	12 010	12 011	-7,30	97,4	-	0,00
8	9 199	9 201	-4,71	97,4	-	0,00
9	8 599	8 601	-4,06	97,4	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Malkalns

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 810	13 811	-8,68	97,4	-	0,00
10	10 452	10 453	-5,94	97,4	-	0,00
11	8 093	8 095	-3,48	97,4	-	0,00
12	8 064	8 066	-3,44	97,4	-	0,00
13	7 548	7 550	-2,81	97,4	-	0,00
14	7 355	7 357	-2,56	97,4	-	0,00
15	6 774	6 776	-1,78	97,4	-	0,00
16	6 356	6 359	-1,18	97,4	-	0,00
17	5 838	5 841	-0,39	97,4	-	0,00
18	6 478	6 480	-1,36	97,4	-	0,00
19	6 113	6 116	-0,82	97,4	-	0,00
2	13 286	13 287	-8,29	97,4	-	0,00
20	5 622	5 625	-0,03	97,4	-	0,00
21	5 628	5 631	-0,04	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 187	5 190	0,72	97,4	-	0,00
23	4 718	4 721	1,60	97,4	-	0,00
24	5 145	5 148	0,79	97,4	-	0,00
25	6 862	6 864	-1,91	97,4	-	0,00
26	7 106	7 108	-2,24	97,4	-	0,00
27	5 878	5 881	-0,45	97,4	-	0,00
28	6 467	6 470	-1,35	97,4	-	0,00
29	6 754	6 757	-1,76	97,4	-	0,00
3	12 505	12 506	-7,70	97,4	-	0,00
30	6 089	6 092	-0,78	97,4	-	0,00
31	5 506	5 509	0,16	97,4	-	0,00
32	6 578	6 580	-1,51	97,4	-	0,00
33	6 255	6 257	-1,03	97,4	-	0,00
34	5 689	5 691	-0,14	97,4	-	0,00
35	5 833	5 835	-0,38	97,4	-	0,00
36	5 266	5 269	0,58	97,4	-	0,00
37	4 613	4 616	1,80	97,4	-	0,00
38	3 868	3 872	3,42	97,4	-	0,00
39	4 732	4 735	1,57	97,4	-	0,00
4	12 315	12 316	-7,55	97,4	-	0,00
40	3 313	3 317	4,84	97,4	-	0,00
41	2 793	2 798	6,38	97,4	-	0,00
5	11 884	11 885	-7,20	97,4	-	0,00
6	12 283	12 284	-7,52	97,4	-	0,00
7	12 683	12 684	-7,83	97,4	-	0,00
8	10 000	10 001	-5,51	97,4	-	0,00
9	9 402	9 403	-4,92	97,4	-	0,00
Sum			15,59			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Malkalns

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 810	13 811	-8,68	97,4	-	0,00
10	10 452	10 453	-5,94	97,4	-	0,00
11	8 093	8 095	-3,48	97,4	-	0,00
12	8 064	8 066	-3,44	97,4	-	0,00
13	7 548	7 550	-2,81	97,4	-	0,00
14	7 355	7 357	-2,56	97,4	-	0,00
15	6 774	6 776	-1,78	97,4	-	0,00
16	6 356	6 359	-1,18	97,4	-	0,00
17	5 838	5 841	-0,39	97,4	-	0,00
18	6 478	6 480	-1,36	97,4	-	0,00
19	6 113	6 116	-0,82	97,4	-	0,00
2	13 286	13 287	-8,29	97,4	-	0,00
20	5 622	5 625	-0,03	97,4	-	0,00
21	5 628	5 631	-0,04	97,4	-	0,00
22	5 187	5 190	0,72	97,4	-	0,00
23	4 718	4 721	1,60	97,4	-	0,00
24	5 145	5 148	0,79	97,4	-	0,00
25	6 862	6 864	-1,91	97,4	-	0,00
26	7 106	7 108	-2,24	97,4	-	0,00
27	5 878	5 881	-0,45	97,4	-	0,00
28	6 467	6 470	-1,35	97,4	-	0,00
29	6 754	6 757	-1,76	97,4	-	0,00
3	12 505	12 506	-7,70	97,4	-	0,00
30	6 089	6 092	-0,78	97,4	-	0,00
31	5 506	5 509	0,16	97,4	-	0,00
32	6 578	6 580	-1,51	97,4	-	0,00
33	6 255	6 257	-1,03	97,4	-	0,00
34	5 689	5 691	-0,14	97,4	-	0,00
35	5 833	5 835	-0,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 266	5 269	0,58	97,4	-	0,00
37	4 613	4 616	1,80	97,4	-	0,00
38	3 868	3 872	3,42	97,4	-	0,00
39	4 732	4 735	1,57	97,4	-	0,00
4	12 315	12 316	-7,55	97,4	-	0,00
40	3 313	3 317	4,84	97,4	-	0,00
41	2 793	2 798	6,38	97,4	-	0,00
5	11 884	11 885	-7,20	97,4	-	0,00
6	12 283	12 284	-7,52	97,4	-	0,00
7	12 683	12 684	-7,83	97,4	-	0,00
8	10 000	10 001	-5,51	97,4	-	0,00
9	9 402	9 403	-4,92	97,4	-	0,00
Sum			15,59			

- Data undefined due to calculation with octave data

Noise sensitive area: DI Kei š i

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 774	13 775	-8,65	97,4	-	0,00
10	10 409	10 411	-5,90	97,4	-	0,00
11	8 050	8 052	-3,43	97,4	-	0,00
12	8 020	8 022	-3,39	97,4	-	0,00
13	7 505	7 507	-2,76	97,4	-	0,00
14	7 313	7 315	-2,51	97,4	-	0,00
15	6 732	6 734	-1,73	97,4	-	0,00
16	6 314	6 316	-1,12	97,4	-	0,00
17	5 796	5 798	-0,32	97,4	-	0,00
18	6 441	6 443	-1,31	97,4	-	0,00
19	6 078	6 080	-0,76	97,4	-	0,00
2	13 250	13 251	-8,27	97,4	-	0,00
20	5 582	5 585	0,03	97,4	-	0,00
21	5 592	5 594	0,02	97,4	-	0,00
22	5 148	5 151	0,79	97,4	-	0,00
23	4 680	4 683	1,67	97,4	-	0,00
24	5 110	5 113	0,86	97,4	-	0,00
25	6 829	6 832	-1,86	97,4	-	0,00
26	7 076	7 078	-2,20	97,4	-	0,00
27	5 846	5 848	-0,40	97,4	-	0,00
28	6 437	6 439	-1,30	97,4	-	0,00
29	6 727	6 729	-1,72	97,4	-	0,00
3	12 468	12 470	-7,67	97,4	-	0,00
30	6 061	6 063	-0,74	97,4	-	0,00
31	5 476	5 479	0,21	97,4	-	0,00
32	6 553	6 556	-1,47	97,4	-	0,00
33	6 233	6 236	-1,00	97,4	-	0,00
34	5 667	5 669	-0,11	97,4	-	0,00
35	5 807	5 809	-0,34	97,4	-	0,00
36	5 240	5 243	0,62	97,4	-	0,00
37	4 584	4 587	1,86	97,4	-	0,00
38	3 838	3 842	3,50	97,4	-	0,00
39	4 698	4 702	1,63	97,4	-	0,00
4	12 277	12 279	-7,52	97,4	-	0,00
40	3 279	3 283	4,93	97,4	-	0,00
41	2 761	2 766	6,49	97,4	-	0,00
5	11 847	11 848	-7,16	97,4	-	0,00
6	12 244	12 245	-7,49	97,4	-	0,00
7	12 644	12 645	-7,80	97,4	-	0,00
8	9 958	9 960	-5,47	97,4	-	0,00
9	9 360	9 361	-4,87	97,4	-	0,00
Sum			15,65			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DI Kei š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 774	13 775	-8,65	97,4	-	0,00
10	10 409	10 411	-5,90	97,4	-	0,00
11	8 050	8 052	-3,43	97,4	-	0,00
12	8 020	8 022	-3,39	97,4	-	0,00
13	7 505	7 507	-2,76	97,4	-	0,00
14	7 313	7 315	-2,51	97,4	-	0,00
15	6 732	6 734	-1,73	97,4	-	0,00
16	6 314	6 316	-1,12	97,4	-	0,00
17	5 796	5 798	-0,32	97,4	-	0,00
18	6 441	6 443	-1,31	97,4	-	0,00
19	6 078	6 080	-0,76	97,4	-	0,00
2	13 250	13 251	-8,27	97,4	-	0,00
20	5 582	5 585	0,03	97,4	-	0,00
21	5 592	5 594	0,02	97,4	-	0,00
22	5 148	5 151	0,79	97,4	-	0,00
23	4 680	4 683	1,67	97,4	-	0,00
24	5 110	5 113	0,86	97,4	-	0,00
25	6 829	6 832	-1,86	97,4	-	0,00
26	7 076	7 078	-2,20	97,4	-	0,00
27	5 846	5 848	-0,40	97,4	-	0,00
28	6 437	6 439	-1,30	97,4	-	0,00
29	6 727	6 729	-1,72	97,4	-	0,00
3	12 468	12 470	-7,67	97,4	-	0,00
30	6 061	6 063	-0,74	97,4	-	0,00
31	5 476	5 479	0,21	97,4	-	0,00
32	6 553	6 556	-1,47	97,4	-	0,00
33	6 233	6 236	-1,00	97,4	-	0,00
34	5 667	5 669	-0,11	97,4	-	0,00
35	5 807	5 809	-0,34	97,4	-	0,00
36	5 240	5 243	0,62	97,4	-	0,00
37	4 584	4 587	1,86	97,4	-	0,00
38	3 838	3 842	3,50	97,4	-	0,00
39	4 698	4 702	1,63	97,4	-	0,00
4	12 277	12 279	-7,52	97,4	-	0,00
40	3 279	3 283	4,93	97,4	-	0,00
41	2 761	2 766	6,49	97,4	-	0,00
5	11 847	11 848	-7,16	97,4	-	0,00
6	12 244	12 245	-7,49	97,4	-	0,00
7	12 644	12 645	-7,80	97,4	-	0,00
8	9 958	9 960	-5,47	97,4	-	0,00
9	9 360	9 361	-4,87	97,4	-	0,00
Sum			15,65			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Lici

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 182	13 183	-8,22	97,4	-	0,00
10	9 673	9 675	-5,19	97,4	-	0,00
11	7 292	7 294	-2,48	97,4	-	0,00
12	7 233	7 235	-2,41	97,4	-	0,00
13	6 747	6 749	-1,75	97,4	-	0,00
14	6 595	6 598	-1,53	97,4	-	0,00
15	6 007	6 009	-0,65	97,4	-	0,00
16	5 581	5 583	0,04	97,4	-	0,00
17	5 056	5 059	0,96	97,4	-	0,00
18	5 846	5 849	-0,40	97,4	-	0,00
19	5 519	5 522	0,14	97,4	-	0,00
2	12 670	12 671	-7,83	97,4	-	0,00
20	4 916	4 919	1,22	97,4	-	0,00
21	5 016	5 019	1,03	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 511	4 514	2,01	97,4	-	0,00
23	4 072	4 076	2,95	97,4	-	0,00
24	4 582	4 586	1,87	97,4	-	0,00
25	6 337	6 340	-1,16	97,4	-	0,00
26	6 659	6 661	-1,62	97,4	-	0,00
27	5 363	5 366	0,41	97,4	-	0,00
28	5 994	5 996	-0,63	97,4	-	0,00
29	6 352	6 354	-1,18	97,4	-	0,00
3	11 883	11 884	-7,19	97,4	-	0,00
30	5 667	5 670	-0,11	97,4	-	0,00
31	5 052	5 055	0,96	97,4	-	0,00
32	6 234	6 236	-1,00	97,4	-	0,00
33	5 989	5 991	-0,63	97,4	-	0,00
34	5 418	5 420	0,31	97,4	-	0,00
35	5 478	5 480	0,21	97,4	-	0,00
36	4 900	4 903	1,25	97,4	-	0,00
37	4 194	4 198	2,68	97,4	-	0,00
38	3 438	3 443	4,50	97,4	-	0,00
39	4 201	4 205	2,67	97,4	-	0,00
4	11 663	11 664	-7,01	97,4	-	0,00
40	2 793	2 798	6,39	97,4	-	0,00
41	2 342	2 349	7,97	97,4	-	0,00
5	11 251	11 252	-6,66	97,4	-	0,00
6	11 601	11 602	-6,96	97,4	-	0,00
7	11 987	11 988	-7,28	97,4	-	0,00
8	9 239	9 240	-4,75	97,4	-	0,00
9	8 639	8 641	-4,10	97,4	-	0,00
Sum			16,65			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Lici

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 182	13 183	-8,22	97,4	-	0,00
10	9 673	9 675	-5,19	97,4	-	0,00
11	7 292	7 294	-2,48	97,4	-	0,00
12	7 233	7 235	-2,41	97,4	-	0,00
13	6 747	6 749	-1,75	97,4	-	0,00
14	6 595	6 598	-1,53	97,4	-	0,00
15	6 007	6 009	-0,65	97,4	-	0,00
16	5 581	5 583	0,04	97,4	-	0,00
17	5 056	5 059	0,96	97,4	-	0,00
18	5 846	5 849	-0,40	97,4	-	0,00
19	5 519	5 522	0,14	97,4	-	0,00
2	12 670	12 671	-7,83	97,4	-	0,00
20	4 916	4 919	1,22	97,4	-	0,00
21	5 016	5 019	1,03	97,4	-	0,00
22	4 511	4 514	2,01	97,4	-	0,00
23	4 072	4 076	2,95	97,4	-	0,00
24	4 582	4 586	1,87	97,4	-	0,00
25	6 337	6 340	-1,16	97,4	-	0,00
26	6 659	6 661	-1,62	97,4	-	0,00
27	5 363	5 366	0,41	97,4	-	0,00
28	5 994	5 996	-0,63	97,4	-	0,00
29	6 352	6 354	-1,18	97,4	-	0,00
3	11 883	11 884	-7,19	97,4	-	0,00
30	5 667	5 670	-0,11	97,4	-	0,00
31	5 052	5 055	0,96	97,4	-	0,00
32	6 234	6 236	-1,00	97,4	-	0,00
33	5 989	5 991	-0,63	97,4	-	0,00
34	5 418	5 420	0,31	97,4	-	0,00
35	5 478	5 480	0,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 900	4 903	1,25	97,4	-	0,00
37	4 194	4 198	2,68	97,4	-	0,00
38	3 438	3 443	4,50	97,4	-	0,00
39	4 201	4 205	2,67	97,4	-	0,00
4	11 663	11 664	-7,01	97,4	-	0,00
40	2 793	2 798	6,39	97,4	-	0,00
41	2 342	2 349	7,97	97,4	-	0,00
5	11 251	11 252	-6,66	97,4	-	0,00
6	11 601	11 602	-6,96	97,4	-	0,00
7	11 987	11 988	-7,28	97,4	-	0,00
8	9 239	9 240	-4,75	97,4	-	0,00
9	8 639	8 641	-4,10	97,4	-	0,00
Sum			16,65			

- Data undefined due to calculation with octave data

Noise sensitive area: DK Bruninieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 565	13 566	-8,50	97,4	-	0,00
10	9 998	9 999	-5,51	97,4	-	0,00
11	7 602	7 604	-2,88	97,4	-	0,00
12	7 512	7 514	-2,77	97,4	-	0,00
13	7 058	7 060	-2,17	97,4	-	0,00
14	6 935	6 937	-2,01	97,4	-	0,00
15	6 343	6 346	-1,17	97,4	-	0,00
16	5 912	5 915	-0,50	97,4	-	0,00
17	5 384	5 387	0,37	97,4	-	0,00
18	6 232	6 234	-1,00	97,4	-	0,00
19	5 912	5 915	-0,51	97,4	-	0,00
2	13 056	13 057	-8,12	97,4	-	0,00
20	5 282	5 285	0,55	97,4	-	0,00
21	5 408	5 410	0,33	97,4	-	0,00
22	4 888	4 891	1,27	97,4	-	0,00
23	4 458	4 462	2,12	97,4	-	0,00
24	4 981	4 984	1,09	97,4	-	0,00
25	6 738	6 741	-1,74	97,4	-	0,00
26	7 064	7 067	-2,18	97,4	-	0,00
27	5 766	5 769	-0,27	97,4	-	0,00
28	6 399	6 401	-1,25	97,4	-	0,00
29	6 757	6 760	-1,76	97,4	-	0,00
3	12 268	12 269	-7,51	97,4	-	0,00
30	6 073	6 075	-0,76	97,4	-	0,00
31	5 458	5 461	0,24	97,4	-	0,00
32	6 637	6 640	-1,59	97,4	-	0,00
33	6 387	6 389	-1,23	97,4	-	0,00
34	5 815	5 818	-0,35	97,4	-	0,00
35	5 881	5 884	-0,46	97,4	-	0,00
36	5 305	5 307	0,51	97,4	-	0,00
37	4 600	4 603	1,83	97,4	-	0,00
38	3 843	3 848	3,48	97,4	-	0,00
39	4 604	4 607	1,82	97,4	-	0,00
4	12 040	12 041	-7,32	97,4	-	0,00
40	3 197	3 202	5,16	97,4	-	0,00
41	2 747	2 753	6,53	97,4	-	0,00
5	11 633	11 635	-6,99	97,4	-	0,00
6	11 969	11 971	-7,27	97,4	-	0,00
7	12 351	12 352	-7,57	97,4	-	0,00
8	9 574	9 576	-5,09	97,4	-	0,00
9	8 974	8 976	-4,47	97,4	-	0,00
Sum			15,84			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DK Bruninieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 565	13 566	-8,50	97,4	-	0,00
10	9 998	9 999	-5,51	97,4	-	0,00
11	7 602	7 604	-2,88	97,4	-	0,00
12	7 512	7 514	-2,77	97,4	-	0,00
13	7 058	7 060	-2,17	97,4	-	0,00
14	6 935	6 937	-2,01	97,4	-	0,00
15	6 343	6 346	-1,17	97,4	-	0,00
16	5 912	5 915	-0,50	97,4	-	0,00
17	5 384	5 387	0,37	97,4	-	0,00
18	6 232	6 234	-1,00	97,4	-	0,00
19	5 912	5 915	-0,51	97,4	-	0,00
2	13 056	13 057	-8,12	97,4	-	0,00
20	5 282	5 285	0,55	97,4	-	0,00
21	5 408	5 410	0,33	97,4	-	0,00
22	4 888	4 891	1,27	97,4	-	0,00
23	4 458	4 462	2,12	97,4	-	0,00
24	4 981	4 984	1,09	97,4	-	0,00
25	6 738	6 741	-1,74	97,4	-	0,00
26	7 064	7 067	-2,18	97,4	-	0,00
27	5 766	5 769	-0,27	97,4	-	0,00
28	6 399	6 401	-1,25	97,4	-	0,00
29	6 757	6 760	-1,76	97,4	-	0,00
3	12 268	12 269	-7,51	97,4	-	0,00
30	6 073	6 075	-0,76	97,4	-	0,00
31	5 458	5 461	0,24	97,4	-	0,00
32	6 637	6 640	-1,59	97,4	-	0,00
33	6 387	6 389	-1,23	97,4	-	0,00
34	5 815	5 818	-0,35	97,4	-	0,00
35	5 881	5 884	-0,46	97,4	-	0,00
36	5 305	5 307	0,51	97,4	-	0,00
37	4 600	4 603	1,83	97,4	-	0,00
38	3 843	3 848	3,48	97,4	-	0,00
39	4 604	4 607	1,82	97,4	-	0,00
4	12 040	12 041	-7,32	97,4	-	0,00
40	3 197	3 202	5,16	97,4	-	0,00
41	2 747	2 753	6,53	97,4	-	0,00
5	11 633	11 635	-6,99	97,4	-	0,00
6	11 969	11 971	-7,27	97,4	-	0,00
7	12 351	12 352	-7,57	97,4	-	0,00
8	9 574	9 576	-5,09	97,4	-	0,00
9	8 974	8 976	-4,47	97,4	-	0,00
Sum			15,84			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Odzini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 104	13 105	-8,16	97,4	-	0,00
10	9 551	9 552	-5,07	97,4	-	0,00
11	7 162	7 164	-2,31	97,4	-	0,00
12	7 090	7 092	-2,22	97,4	-	0,00
13	6 617	6 620	-1,56	97,4	-	0,00
14	6 481	6 484	-1,37	97,4	-	0,00
15	5 891	5 893	-0,47	97,4	-	0,00
16	5 462	5 464	0,24	97,4	-	0,00
17	4 934	4 937	1,18	97,4	-	0,00
18	5 773	5 776	-0,28	97,4	-	0,00
19	5 457	5 460	0,24	97,4	-	0,00
2	12 596	12 597	-7,77	97,4	-	0,00
20	4 821	4 824	1,40	97,4	-	0,00
21	4 951	4 954	1,15	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 427	4 431	2,18	97,4	-	0,00
23	4 000	4 003	3,12	97,4	-	0,00
24	4 532	4 535	1,97	97,4	-	0,00
25	6 293	6 295	-1,09	97,4	-	0,00
26	6 634	6 636	-1,59	97,4	-	0,00
27	5 323	5 326	0,48	97,4	-	0,00
28	5 963	5 966	-0,59	97,4	-	0,00
29	6 338	6 340	-1,16	97,4	-	0,00
3	11 808	11 809	-7,13	97,4	-	0,00
30	5 650	5 653	-0,08	97,4	-	0,00
31	5 029	5 032	1,00	97,4	-	0,00
32	6 233	6 236	-1,00	97,4	-	0,00
33	6 007	6 010	-0,65	97,4	-	0,00
34	5 436	5 439	0,28	97,4	-	0,00
35	5 477	5 480	0,21	97,4	-	0,00
36	4 899	4 902	1,25	97,4	-	0,00
37	4 183	4 186	2,71	97,4	-	0,00
38	3 428	3 433	4,53	97,4	-	0,00
39	4 161	4 165	2,75	97,4	-	0,00
4	11 579	11 580	-6,94	97,4	-	0,00
40	2 764	2 769	6,48	97,4	-	0,00
41	2 337	2 344	7,99	97,4	-	0,00
5	11 173	11 174	-6,59	97,4	-	0,00
6	11 508	11 510	-6,88	97,4	-	0,00
7	11 891	11 892	-7,20	97,4	-	0,00
8	9 122	9 124	-4,62	97,4	-	0,00
9	8 522	8 524	-3,97	97,4	-	0,00
Sum			16,73			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Odzini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 104	13 105	-8,16	97,4	-	0,00
10	9 551	9 552	-5,07	97,4	-	0,00
11	7 162	7 164	-2,31	97,4	-	0,00
12	7 090	7 092	-2,22	97,4	-	0,00
13	6 617	6 620	-1,56	97,4	-	0,00
14	6 481	6 484	-1,37	97,4	-	0,00
15	5 891	5 893	-0,47	97,4	-	0,00
16	5 462	5 464	0,24	97,4	-	0,00
17	4 934	4 937	1,18	97,4	-	0,00
18	5 773	5 776	-0,28	97,4	-	0,00
19	5 457	5 460	0,24	97,4	-	0,00
2	12 596	12 597	-7,77	97,4	-	0,00
20	4 821	4 824	1,40	97,4	-	0,00
21	4 951	4 954	1,15	97,4	-	0,00
22	4 427	4 431	2,18	97,4	-	0,00
23	4 000	4 003	3,12	97,4	-	0,00
24	4 532	4 535	1,97	97,4	-	0,00
25	6 293	6 295	-1,09	97,4	-	0,00
26	6 634	6 636	-1,59	97,4	-	0,00
27	5 323	5 326	0,48	97,4	-	0,00
28	5 963	5 966	-0,59	97,4	-	0,00
29	6 338	6 340	-1,16	97,4	-	0,00
3	11 808	11 809	-7,13	97,4	-	0,00
30	5 650	5 653	-0,08	97,4	-	0,00
31	5 029	5 032	1,00	97,4	-	0,00
32	6 233	6 236	-1,00	97,4	-	0,00
33	6 007	6 010	-0,65	97,4	-	0,00
34	5 436	5 439	0,28	97,4	-	0,00
35	5 477	5 480	0,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 899	4 902	1,25	97,4	-	0,00
37	4 183	4 186	2,71	97,4	-	0,00
38	3 428	3 433	4,53	97,4	-	0,00
39	4 161	4 165	2,75	97,4	-	0,00
4	11 579	11 580	-6,94	97,4	-	0,00
40	2 764	2 769	6,48	97,4	-	0,00
41	2 337	2 344	7,99	97,4	-	0,00
5	11 173	11 174	-6,59	97,4	-	0,00
6	11 508	11 510	-6,88	97,4	-	0,00
7	11 891	11 892	-7,20	97,4	-	0,00
8	9 122	9 124	-4,62	97,4	-	0,00
9	8 522	8 524	-3,97	97,4	-	0,00
Sum			16,73			

- Data undefined due to calculation with octave data

Noise sensitive area: DM Rasini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 628	13 630	-8,54	97,4	-	0,00
10	10 232	10 233	-5,73	97,4	-	0,00
11	7 868	7 870	-3,21	97,4	-	0,00
12	7 831	7 833	-3,16	97,4	-	0,00
13	7 322	7 324	-2,52	97,4	-	0,00
14	7 139	7 141	-2,28	97,4	-	0,00
15	6 556	6 558	-1,48	97,4	-	0,00
16	6 136	6 139	-0,85	97,4	-	0,00
17	5 616	5 619	-0,02	97,4	-	0,00
18	6 293	6 295	-1,09	97,4	-	0,00
19	5 937	5 940	-0,54	97,4	-	0,00
2	13 107	13 108	-8,16	97,4	-	0,00
20	5 418	5 421	0,31	97,4	-	0,00
21	5 447	5 450	0,26	97,4	-	0,00
22	4 990	4 993	1,08	97,4	-	0,00
23	4 527	4 530	1,98	97,4	-	0,00
24	4 975	4 978	1,10	97,4	-	0,00
25	6 704	6 706	-1,69	97,4	-	0,00
26	6 968	6 970	-2,05	97,4	-	0,00
27	5 721	5 724	-0,20	97,4	-	0,00
28	6 322	6 324	-1,13	97,4	-	0,00
29	6 627	6 630	-1,58	97,4	-	0,00
3	12 325	12 326	-7,55	97,4	-	0,00
30	5 956	5 959	-0,57	97,4	-	0,00
31	5 364	5 367	0,40	97,4	-	0,00
32	6 466	6 468	-1,35	97,4	-	0,00
33	6 163	6 165	-0,89	97,4	-	0,00
34	5 594	5 597	0,01	97,4	-	0,00
35	5 716	5 719	-0,19	97,4	-	0,00
36	5 146	5 149	0,79	97,4	-	0,00
37	4 478	4 481	2,08	97,4	-	0,00
38	3 727	3 732	3,76	97,4	-	0,00
39	4 569	4 573	1,89	97,4	-	0,00
4	12 127	12 128	-7,39	97,4	-	0,00
40	3 148	3 153	5,30	97,4	-	0,00
41	2 641	2 647	6,89	97,4	-	0,00
5	11 701	11 702	-7,04	97,4	-	0,00
6	12 087	12 089	-7,36	97,4	-	0,00
7	12 484	12 485	-7,68	97,4	-	0,00
8	9 784	9 786	-5,30	97,4	-	0,00
9	9 185	9 187	-4,69	97,4	-	0,00
Sum			15,90			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DM Rasini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 628	13 630	-8,54	97,4	-	0,00
10	10 232	10 233	-5,73	97,4	-	0,00
11	7 868	7 870	-3,21	97,4	-	0,00
12	7 831	7 833	-3,16	97,4	-	0,00
13	7 322	7 324	-2,52	97,4	-	0,00
14	7 139	7 141	-2,28	97,4	-	0,00
15	6 556	6 558	-1,48	97,4	-	0,00
16	6 136	6 139	-0,85	97,4	-	0,00
17	5 616	5 619	-0,02	97,4	-	0,00
18	6 293	6 295	-1,09	97,4	-	0,00
19	5 937	5 940	-0,54	97,4	-	0,00
2	13 107	13 108	-8,16	97,4	-	0,00
20	5 418	5 421	0,31	97,4	-	0,00
21	5 447	5 450	0,26	97,4	-	0,00
22	4 990	4 993	1,08	97,4	-	0,00
23	4 527	4 530	1,98	97,4	-	0,00
24	4 975	4 978	1,10	97,4	-	0,00
25	6 704	6 706	-1,69	97,4	-	0,00
26	6 968	6 970	-2,05	97,4	-	0,00
27	5 721	5 724	-0,20	97,4	-	0,00
28	6 322	6 324	-1,13	97,4	-	0,00
29	6 627	6 630	-1,58	97,4	-	0,00
3	12 325	12 326	-7,55	97,4	-	0,00
30	5 956	5 959	-0,57	97,4	-	0,00
31	5 364	5 367	0,40	97,4	-	0,00
32	6 466	6 468	-1,35	97,4	-	0,00
33	6 163	6 165	-0,89	97,4	-	0,00
34	5 594	5 597	0,01	97,4	-	0,00
35	5 716	5 719	-0,19	97,4	-	0,00
36	5 146	5 149	0,79	97,4	-	0,00
37	4 478	4 481	2,08	97,4	-	0,00
38	3 727	3 732	3,76	97,4	-	0,00
39	4 569	4 573	1,89	97,4	-	0,00
4	12 127	12 128	-7,39	97,4	-	0,00
40	3 148	3 153	5,30	97,4	-	0,00
41	2 641	2 647	6,89	97,4	-	0,00
5	11 701	11 702	-7,04	97,4	-	0,00
6	12 087	12 089	-7,36	97,4	-	0,00
7	12 484	12 485	-7,68	97,4	-	0,00
8	9 784	9 786	-5,30	97,4	-	0,00
9	9 185	9 187	-4,69	97,4	-	0,00
Sum			15,90			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Aunini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 849	12 850	-7,96	97,4	-	0,00
10	9 031	9 032	-4,53	97,4	-	0,00
11	6 605	6 607	-1,55	97,4	-	0,00
12	6 444	6 447	-1,31	97,4	-	0,00
13	6 068	6 070	-0,75	97,4	-	0,00
14	6 037	6 039	-0,70	97,4	-	0,00
15	5 439	5 442	0,28	97,4	-	0,00
16	4 997	5 000	1,06	97,4	-	0,00
17	4 463	4 467	2,11	97,4	-	0,00
18	5 594	5 597	0,01	97,4	-	0,00
19	5 351	5 353	0,43	97,4	-	0,00
2	12 364	12 365	-7,58	97,4	-	0,00
20	4 531	4 534	1,97	97,4	-	0,00
21	4 832	4 835	1,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 212	4 215	2,64	97,4	-	0,00
23	3 864	3 867	3,44	97,4	-	0,00
24	4 511	4 514	2,01	97,4	-	0,00
25	6 271	6 273	-1,06	97,4	-	0,00
26	6 714	6 716	-1,70	97,4	-	0,00
27	5 343	5 346	0,44	97,4	-	0,00
28	6 023	6 026	-0,68	97,4	-	0,00
29	6 481	6 484	-1,37	97,4	-	0,00
3	11 570	11 571	-6,93	97,4	-	0,00
30	5 787	5 790	-0,30	97,4	-	0,00
31	5 144	5 147	0,79	97,4	-	0,00
32	6 451	6 453	-1,32	97,4	-	0,00
33	6 320	6 323	-1,13	97,4	-	0,00
34	5 759	5 761	-0,26	97,4	-	0,00
35	5 703	5 705	-0,17	97,4	-	0,00
36	5 131	5 134	0,82	97,4	-	0,00
37	4 382	4 385	2,28	97,4	-	0,00
38	3 659	3 663	3,93	97,4	-	0,00
39	4 206	4 210	2,65	97,4	-	0,00
4	11 292	11 294	-6,70	97,4	-	0,00
40	2 933	2 938	5,94	97,4	-	0,00
41	2 655	2 661	6,84	97,4	-	0,00
5	10 921	10 922	-6,37	97,4	-	0,00
6	11 170	11 171	-6,59	97,4	-	0,00
7	11 525	11 527	-6,90	97,4	-	0,00
8	8 644	8 646	-4,11	97,4	-	0,00
9	8 046	8 048	-3,42	97,4	-	0,00
Sum			16,63			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Aunini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 849	12 850	-7,96	97,4	-	0,00
10	9 031	9 032	-4,53	97,4	-	0,00
11	6 605	6 607	-1,55	97,4	-	0,00
12	6 444	6 447	-1,31	97,4	-	0,00
13	6 068	6 070	-0,75	97,4	-	0,00
14	6 037	6 039	-0,70	97,4	-	0,00
15	5 439	5 442	0,28	97,4	-	0,00
16	4 997	5 000	1,06	97,4	-	0,00
17	4 463	4 467	2,11	97,4	-	0,00
18	5 594	5 597	0,01	97,4	-	0,00
19	5 351	5 353	0,43	97,4	-	0,00
2	12 364	12 365	-7,58	97,4	-	0,00
20	4 531	4 534	1,97	97,4	-	0,00
21	4 832	4 835	1,38	97,4	-	0,00
22	4 212	4 215	2,64	97,4	-	0,00
23	3 864	3 867	3,44	97,4	-	0,00
24	4 511	4 514	2,01	97,4	-	0,00
25	6 271	6 273	-1,06	97,4	-	0,00
26	6 714	6 716	-1,70	97,4	-	0,00
27	5 343	5 346	0,44	97,4	-	0,00
28	6 023	6 026	-0,68	97,4	-	0,00
29	6 481	6 484	-1,37	97,4	-	0,00
3	11 570	11 571	-6,93	97,4	-	0,00
30	5 787	5 790	-0,30	97,4	-	0,00
31	5 144	5 147	0,79	97,4	-	0,00
32	6 451	6 453	-1,32	97,4	-	0,00
33	6 320	6 323	-1,13	97,4	-	0,00
34	5 759	5 761	-0,26	97,4	-	0,00
35	5 703	5 705	-0,17	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 131	5 134	0,82	97,4	-	0,00
37	4 382	4 385	2,28	97,4	-	0,00
38	3 659	3 663	3,93	97,4	-	0,00
39	4 206	4 210	2,65	97,4	-	0,00
4	11 292	11 294	-6,70	97,4	-	0,00
40	2 933	2 938	5,94	97,4	-	0,00
41	2 655	2 661	6,84	97,4	-	0,00
5	10 921	10 922	-6,37	97,4	-	0,00
6	11 170	11 171	-6,59	97,4	-	0,00
7	11 525	11 527	-6,90	97,4	-	0,00
8	8 644	8 646	-4,11	97,4	-	0,00
9	8 046	8 048	-3,42	97,4	-	0,00
Sum			16,63			

- Data undefined due to calculation with octave data

Noise sensitive area: DO Maleji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 153	13 155	-8,19	97,4	-	0,00
10	9 508	9 509	-5,02	97,4	-	0,00
11	7 103	7 105	-2,23	97,4	-	0,00
12	6 997	7 000	-2,09	97,4	-	0,00
13	6 560	6 562	-1,48	97,4	-	0,00
14	6 461	6 463	-1,34	97,4	-	0,00
15	5 867	5 869	-0,43	97,4	-	0,00
16	5 432	5 434	0,29	97,4	-	0,00
17	4 900	4 904	1,24	97,4	-	0,00
18	5 837	5 839	-0,38	97,4	-	0,00
19	5 542	5 545	0,10	97,4	-	0,00
2	12 652	12 653	-7,81	97,4	-	0,00
20	4 847	4 850	1,35	97,4	-	0,00
21	5 030	5 033	1,00	97,4	-	0,00
22	4 474	4 478	2,09	97,4	-	0,00
23	4 069	4 072	2,96	97,4	-	0,00
24	4 638	4 641	1,75	97,4	-	0,00
25	6 405	6 407	-1,26	97,4	-	0,00
26	6 775	6 778	-1,79	97,4	-	0,00
27	5 444	5 447	0,27	97,4	-	0,00
28	6 098	6 100	-0,79	97,4	-	0,00
29	6 496	6 498	-1,39	97,4	-	0,00
3	11 862	11 863	-7,18	97,4	-	0,00
30	5 805	5 808	-0,33	97,4	-	0,00
31	5 176	5 179	0,74	97,4	-	0,00
32	6 411	6 414	-1,27	97,4	-	0,00
33	6 209	6 211	-0,96	97,4	-	0,00
34	5 639	5 641	-0,06	97,4	-	0,00
35	5 655	5 658	-0,09	97,4	-	0,00
36	5 077	5 080	0,92	97,4	-	0,00
37	4 349	4 352	2,35	97,4	-	0,00
38	3 599	3 603	4,08	97,4	-	0,00
39	4 285	4 288	2,49	97,4	-	0,00
4	11 617	11 618	-6,97	97,4	-	0,00
40	2 912	2 917	6,01	97,4	-	0,00
41	2 521	2 527	7,31	97,4	-	0,00
5	11 222	11 223	-6,63	97,4	-	0,00
6	11 530	11 531	-6,90	97,4	-	0,00
7	11 903	11 904	-7,21	97,4	-	0,00
8	9 094	9 096	-4,59	97,4	-	0,00
9	8 494	8 496	-3,94	97,4	-	0,00
Sum			16,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DO Maleji

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 153	13 155	-8,19	97,4	-	0,00
10	9 508	9 509	-5,02	97,4	-	0,00
11	7 103	7 105	-2,23	97,4	-	0,00
12	6 997	7 000	-2,09	97,4	-	0,00
13	6 560	6 562	-1,48	97,4	-	0,00
14	6 461	6 463	-1,34	97,4	-	0,00
15	5 867	5 869	-0,43	97,4	-	0,00
16	5 432	5 434	0,29	97,4	-	0,00
17	4 900	4 904	1,24	97,4	-	0,00
18	5 837	5 839	-0,38	97,4	-	0,00
19	5 542	5 545	0,10	97,4	-	0,00
2	12 652	12 653	-7,81	97,4	-	0,00
20	4 847	4 850	1,35	97,4	-	0,00
21	5 030	5 033	1,00	97,4	-	0,00
22	4 474	4 478	2,09	97,4	-	0,00
23	4 069	4 072	2,96	97,4	-	0,00
24	4 638	4 641	1,75	97,4	-	0,00
25	6 405	6 407	-1,26	97,4	-	0,00
26	6 775	6 778	-1,79	97,4	-	0,00
27	5 444	5 447	0,27	97,4	-	0,00
28	6 098	6 100	-0,79	97,4	-	0,00
29	6 496	6 498	-1,39	97,4	-	0,00
3	11 862	11 863	-7,18	97,4	-	0,00
30	5 805	5 808	-0,33	97,4	-	0,00
31	5 176	5 179	0,74	97,4	-	0,00
32	6 411	6 414	-1,27	97,4	-	0,00
33	6 209	6 211	-0,96	97,4	-	0,00
34	5 639	5 641	-0,06	97,4	-	0,00
35	5 655	5 658	-0,09	97,4	-	0,00
36	5 077	5 080	0,92	97,4	-	0,00
37	4 349	4 352	2,35	97,4	-	0,00
38	3 599	3 603	4,08	97,4	-	0,00
39	4 285	4 288	2,49	97,4	-	0,00
4	11 617	11 618	-6,97	97,4	-	0,00
40	2 912	2 917	6,01	97,4	-	0,00
41	2 521	2 527	7,31	97,4	-	0,00
5	11 222	11 223	-6,63	97,4	-	0,00
6	11 530	11 531	-6,90	97,4	-	0,00
7	11 903	11 904	-7,21	97,4	-	0,00
8	9 094	9 096	-4,59	97,4	-	0,00
9	8 494	8 496	-3,94	97,4	-	0,00
Sum			16,47			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Irbenaji

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 890	13 891	-8,73	97,4	-	0,00
10	10 513	10 515	-6,00	97,4	-	0,00
11	8 150	8 152	-3,54	97,4	-	0,00
12	8 113	8 115	-3,50	97,4	-	0,00
13	7 605	7 607	-2,88	97,4	-	0,00
14	7 419	7 421	-2,65	97,4	-	0,00
15	6 837	6 839	-1,87	97,4	-	0,00
16	6 418	6 420	-1,28	97,4	-	0,00
17	5 898	5 901	-0,48	97,4	-	0,00
18	6 556	6 559	-1,48	97,4	-	0,00
19	6 194	6 197	-0,94	97,4	-	0,00
2	13 366	13 367	-8,35	97,4	-	0,00
20	5 693	5 695	-0,15	97,4	-	0,00
21	5 708	5 710	-0,17	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 261	5 264	0,59	97,4	-	0,00
23	4 794	4 797	1,45	97,4	-	0,00
24	5 227	5 230	0,64	97,4	-	0,00
25	6 947	6 950	-2,02	97,4	-	0,00
26	7 194	7 197	-2,36	97,4	-	0,00
27	5 964	5 967	-0,59	97,4	-	0,00
28	6 555	6 557	-1,47	97,4	-	0,00
29	6 845	6 847	-1,88	97,4	-	0,00
3	12 585	12 586	-7,76	97,4	-	0,00
30	6 179	6 181	-0,92	97,4	-	0,00
31	5 595	5 597	0,01	97,4	-	0,00
32	6 670	6 672	-1,64	97,4	-	0,00
33	6 347	6 350	-1,17	97,4	-	0,00
34	5 782	5 784	-0,30	97,4	-	0,00
35	5 924	5 926	-0,52	97,4	-	0,00
36	5 357	5 360	0,42	97,4	-	0,00
37	4 702	4 705	1,63	97,4	-	0,00
38	3 956	3 960	3,22	97,4	-	0,00
39	4 816	4 820	1,41	97,4	-	0,00
4	12 392	12 394	-7,61	97,4	-	0,00
40	3 396	3 401	4,61	97,4	-	0,00
41	2 879	2 885	6,11	97,4	-	0,00
5	11 963	11 964	-7,26	97,4	-	0,00
6	12 358	12 359	-7,58	97,4	-	0,00
7	12 756	12 757	-7,89	97,4	-	0,00
8	10 064	10 066	-5,57	97,4	-	0,00
9	9 466	9 467	-4,98	97,4	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Irbenaji

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 890	13 891	-8,73	97,4	-	0,00
10	10 513	10 515	-6,00	97,4	-	0,00
11	8 150	8 152	-3,54	97,4	-	0,00
12	8 113	8 115	-3,50	97,4	-	0,00
13	7 605	7 607	-2,88	97,4	-	0,00
14	7 419	7 421	-2,65	97,4	-	0,00
15	6 837	6 839	-1,87	97,4	-	0,00
16	6 418	6 420	-1,28	97,4	-	0,00
17	5 898	5 901	-0,48	97,4	-	0,00
18	6 556	6 559	-1,48	97,4	-	0,00
19	6 194	6 197	-0,94	97,4	-	0,00
2	13 366	13 367	-8,35	97,4	-	0,00
20	5 693	5 695	-0,15	97,4	-	0,00
21	5 708	5 710	-0,17	97,4	-	0,00
22	5 261	5 264	0,59	97,4	-	0,00
23	4 794	4 797	1,45	97,4	-	0,00
24	5 227	5 230	0,64	97,4	-	0,00
25	6 947	6 950	-2,02	97,4	-	0,00
26	7 194	7 197	-2,36	97,4	-	0,00
27	5 964	5 967	-0,59	97,4	-	0,00
28	6 555	6 557	-1,47	97,4	-	0,00
29	6 845	6 847	-1,88	97,4	-	0,00
3	12 585	12 586	-7,76	97,4	-	0,00
30	6 179	6 181	-0,92	97,4	-	0,00
31	5 595	5 597	0,01	97,4	-	0,00
32	6 670	6 672	-1,64	97,4	-	0,00
33	6 347	6 350	-1,17	97,4	-	0,00
34	5 782	5 784	-0,30	97,4	-	0,00
35	5 924	5 926	-0,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 357	5 360	0,42	97,4	-	0,00
37	4 702	4 705	1,63	97,4	-	0,00
38	3 956	3 960	3,22	97,4	-	0,00
39	4 816	4 820	1,41	97,4	-	0,00
4	12 392	12 394	-7,61	97,4	-	0,00
40	3 396	3 401	4,61	97,4	-	0,00
41	2 879	2 885	6,11	97,4	-	0,00
5	11 963	11 964	-7,26	97,4	-	0,00
6	12 358	12 359	-7,58	97,4	-	0,00
7	12 756	12 757	-7,89	97,4	-	0,00
8	10 064	10 066	-5,57	97,4	-	0,00
9	9 466	9 467	-4,98	97,4	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Noise sensitive area: DQ Ezerkalni

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14 040	14 041	-8,84	97,4	-	0,00
10	10 745	10 746	-6,21	97,4	-	0,00
11	8 398	8 399	-3,83	97,4	-	0,00
12	8 381	8 383	-3,81	97,4	-	0,00
13	7 852	7 854	-3,19	97,4	-	0,00
14	7 642	7 644	-2,93	97,4	-	0,00
15	7 065	7 067	-2,18	97,4	-	0,00
16	6 651	6 654	-1,61	97,4	-	0,00
17	6 137	6 140	-0,85	97,4	-	0,00
18	6 718	6 720	-1,71	97,4	-	0,00
19	6 340	6 342	-1,16	97,4	-	0,00
2	13 510	13 512	-8,46	97,4	-	0,00
20	5 892	5 894	-0,47	97,4	-	0,00
21	5 863	5 865	-0,43	97,4	-	0,00
22	5 447	5 450	0,26	97,4	-	0,00
23	4 968	4 971	1,12	97,4	-	0,00
24	5 363	5 366	0,41	97,4	-	0,00
25	7 060	7 062	-2,18	97,4	-	0,00
26	7 273	7 275	-2,46	97,4	-	0,00
27	6 076	6 079	-0,76	97,4	-	0,00
28	6 647	6 649	-1,61	97,4	-	0,00
29	6 906	6 909	-1,97	97,4	-	0,00
3	12 732	12 733	-7,87	97,4	-	0,00
30	6 251	6 253	-1,03	97,4	-	0,00
31	5 683	5 686	-0,13	97,4	-	0,00
32	6 709	6 711	-1,69	97,4	-	0,00
33	6 356	6 359	-1,19	97,4	-	0,00
34	5 796	5 798	-0,32	97,4	-	0,00
35	5 970	5 973	-0,60	97,4	-	0,00
36	5 411	5 414	0,32	97,4	-	0,00
37	4 782	4 785	1,47	97,4	-	0,00
38	4 047	4 051	3,01	97,4	-	0,00
39	4 941	4 944	1,17	97,4	-	0,00
4	12 555	12 556	-7,74	97,4	-	0,00
40	3 529	3 534	4,26	97,4	-	0,00
41	2 994	2 999	5,76	97,4	-	0,00
5	12 116	12 118	-7,39	97,4	-	0,00
6	12 535	12 537	-7,72	97,4	-	0,00
7	12 941	12 942	-8,03	97,4	-	0,00
8	10 286	10 288	-5,79	97,4	-	0,00
9	9 689	9 690	-5,21	97,4	-	0,00
Sum			15,20			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DQ Ezerkalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	14 040	14 041	-8,84	97,4	-	0,00
10	10 745	10 746	-6,21	97,4	-	0,00
11	8 398	8 399	-3,83	97,4	-	0,00
12	8 381	8 383	-3,81	97,4	-	0,00
13	7 852	7 854	-3,19	97,4	-	0,00
14	7 642	7 644	-2,93	97,4	-	0,00
15	7 065	7 067	-2,18	97,4	-	0,00
16	6 651	6 654	-1,61	97,4	-	0,00
17	6 137	6 140	-0,85	97,4	-	0,00
18	6 718	6 720	-1,71	97,4	-	0,00
19	6 340	6 342	-1,16	97,4	-	0,00
2	13 510	13 512	-8,46	97,4	-	0,00
20	5 892	5 894	-0,47	97,4	-	0,00
21	5 863	5 865	-0,43	97,4	-	0,00
22	5 447	5 450	0,26	97,4	-	0,00
23	4 968	4 971	1,12	97,4	-	0,00
24	5 363	5 366	0,41	97,4	-	0,00
25	7 060	7 062	-2,18	97,4	-	0,00
26	7 273	7 275	-2,46	97,4	-	0,00
27	6 076	6 079	-0,76	97,4	-	0,00
28	6 647	6 649	-1,61	97,4	-	0,00
29	6 906	6 909	-1,97	97,4	-	0,00
3	12 732	12 733	-7,87	97,4	-	0,00
30	6 251	6 253	-1,03	97,4	-	0,00
31	5 683	5 686	-0,13	97,4	-	0,00
32	6 709	6 711	-1,69	97,4	-	0,00
33	6 356	6 359	-1,19	97,4	-	0,00
34	5 796	5 798	-0,32	97,4	-	0,00
35	5 970	5 973	-0,60	97,4	-	0,00
36	5 411	5 414	0,32	97,4	-	0,00
37	4 782	4 785	1,47	97,4	-	0,00
38	4 047	4 051	3,01	97,4	-	0,00
39	4 941	4 944	1,17	97,4	-	0,00
4	12 555	12 556	-7,74	97,4	-	0,00
40	3 529	3 534	4,26	97,4	-	0,00
41	2 994	2 999	5,76	97,4	-	0,00
5	12 116	12 118	-7,39	97,4	-	0,00
6	12 535	12 537	-7,72	97,4	-	0,00
7	12 941	12 942	-8,03	97,4	-	0,00
8	10 286	10 288	-5,79	97,4	-	0,00
9	9 689	9 690	-5,21	97,4	-	0,00
Sum			15,20			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Krasta iela 3

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 565	13 567	-8,50	97,4	-	0,00
10	10 619	10 620	-6,10	97,4	-	0,00
11	8 367	8 369	-3,79	97,4	-	0,00
12	8 461	8 463	-3,90	97,4	-	0,00
13	7 828	7 831	-3,16	97,4	-	0,00
14	7 506	7 508	-2,76	97,4	-	0,00
15	6 959	6 961	-2,04	97,4	-	0,00
16	6 579	6 581	-1,51	97,4	-	0,00
17	6 097	6 100	-0,79	97,4	-	0,00
18	6 342	6 345	-1,16	97,4	-	0,00
19	5 913	5 916	-0,51	97,4	-	0,00
2	13 018	13 019	-8,09	97,4	-	0,00
20	5 681	5 683	-0,13	97,4	-	0,00
21	5 480	5 483	0,20	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 194	5 197	0,70	97,4	-	0,00
23	4 681	4 685	1,67	97,4	-	0,00
24	4 923	4 926	1,20	97,4	-	0,00
25	6 509	6 512	-1,41	97,4	-	0,00
26	6 613	6 616	-1,56	97,4	-	0,00
27	5 539	5 542	0,10	97,4	-	0,00
28	6 037	6 039	-0,70	97,4	-	0,00
29	6 202	6 205	-0,95	97,4	-	0,00
3	12 255	12 257	-7,50	97,4	-	0,00
30	5 587	5 590	0,02	97,4	-	0,00
31	5 078	5 082	0,91	97,4	-	0,00
32	5 944	5 946	-0,55	97,4	-	0,00
33	5 519	5 522	0,14	97,4	-	0,00
34	4 979	4 982	1,10	97,4	-	0,00
35	5 237	5 240	0,63	97,4	-	0,00
36	4 710	4 713	1,61	97,4	-	0,00
37	4 174	4 177	2,73	97,4	-	0,00
38	3 502	3 507	4,33	97,4	-	0,00
39	4 474	4 478	2,09	97,4	-	0,00
4	12 133	12 134	-7,40	97,4	-	0,00
40	3 157	3 162	5,28	97,4	-	0,00
41	2 599	2 605	7,03	97,4	-	0,00
5	11 663	11 664	-7,01	97,4	-	0,00
6	12 170	12 171	-7,43	97,4	-	0,00
7	12 599	12 601	-7,77	97,4	-	0,00
8	10 118	10 119	-5,63	97,4	-	0,00
9	9 531	9 532	-5,05	97,4	-	0,00
Sum			16,07			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Krasta iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 565	13 567	-8,50	97,4	-	0,00
10	10 619	10 620	-6,10	97,4	-	0,00
11	8 367	8 369	-3,79	97,4	-	0,00
12	8 461	8 463	-3,90	97,4	-	0,00
13	7 828	7 831	-3,16	97,4	-	0,00
14	7 506	7 508	-2,76	97,4	-	0,00
15	6 959	6 961	-2,04	97,4	-	0,00
16	6 579	6 581	-1,51	97,4	-	0,00
17	6 097	6 100	-0,79	97,4	-	0,00
18	6 342	6 345	-1,16	97,4	-	0,00
19	5 913	5 916	-0,51	97,4	-	0,00
2	13 018	13 019	-8,09	97,4	-	0,00
20	5 681	5 683	-0,13	97,4	-	0,00
21	5 480	5 483	0,20	97,4	-	0,00
22	5 194	5 197	0,70	97,4	-	0,00
23	4 681	4 685	1,67	97,4	-	0,00
24	4 923	4 926	1,20	97,4	-	0,00
25	6 509	6 512	-1,41	97,4	-	0,00
26	6 613	6 616	-1,56	97,4	-	0,00
27	5 539	5 542	0,10	97,4	-	0,00
28	6 037	6 039	-0,70	97,4	-	0,00
29	6 202	6 205	-0,95	97,4	-	0,00
3	12 255	12 257	-7,50	97,4	-	0,00
30	5 587	5 590	0,02	97,4	-	0,00
31	5 078	5 082	0,91	97,4	-	0,00
32	5 944	5 946	-0,55	97,4	-	0,00
33	5 519	5 522	0,14	97,4	-	0,00
34	4 979	4 982	1,10	97,4	-	0,00
35	5 237	5 240	0,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 710	4 713	1,61	97,4	-	0,00
37	4 174	4 177	2,73	97,4	-	0,00
38	3 502	3 507	4,33	97,4	-	0,00
39	4 474	4 478	2,09	97,4	-	0,00
4	12 133	12 134	-7,40	97,4	-	0,00
40	3 157	3 162	5,28	97,4	-	0,00
41	2 599	2 605	7,03	97,4	-	0,00
5	11 663	11 664	-7,01	97,4	-	0,00
6	12 170	12 171	-7,43	97,4	-	0,00
7	12 599	12 601	-7,77	97,4	-	0,00
8	10 118	10 119	-5,63	97,4	-	0,00
9	9 531	9 532	-5,05	97,4	-	0,00
Sum			16,07			

- Data undefined due to calculation with octave data

Noise sensitive area: DS Samteni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 555	12 557	-7,74	97,4	-	0,00
10	8 973	8 975	-4,47	97,4	-	0,00
11	6 586	6 588	-1,52	97,4	-	0,00
12	6 522	6 525	-1,43	97,4	-	0,00
13	6 041	6 044	-0,71	97,4	-	0,00
14	5 905	5 908	-0,49	97,4	-	0,00
15	5 314	5 317	0,49	97,4	-	0,00
16	4 884	4 888	1,27	97,4	-	0,00
17	4 357	4 361	2,33	97,4	-	0,00
18	5 233	5 236	0,63	97,4	-	0,00
19	4 934	4 937	1,18	97,4	-	0,00
2	12 052	12 053	-7,33	97,4	-	0,00
20	4 258	4 262	2,54	97,4	-	0,00
21	4 423	4 426	2,19	97,4	-	0,00
22	3 875	3 880	3,41	97,4	-	0,00
23	3 463	3 468	4,43	97,4	-	0,00
24	4 030	4 034	3,05	97,4	-	0,00
25	5 797	5 800	-0,32	97,4	-	0,00
26	6 175	6 178	-0,91	97,4	-	0,00
27	4 839	4 842	1,36	97,4	-	0,00
28	5 495	5 498	0,18	97,4	-	0,00
29	5 904	5 907	-0,49	97,4	-	0,00
3	11 262	11 263	-6,67	97,4	-	0,00
30	5 212	5 215	0,67	97,4	-	0,00
31	4 579	4 583	1,87	97,4	-	0,00
32	5 833	5 835	-0,38	97,4	-	0,00
33	5 653	5 656	-0,09	97,4	-	0,00
34	5 086	5 089	0,90	97,4	-	0,00
35	5 077	5 081	0,92	97,4	-	0,00
36	4 500	4 504	2,03	97,4	-	0,00
37	3 765	3 769	3,67	97,4	-	0,00
38	3 020	3 026	5,68	97,4	-	0,00
39	3 680	3 685	3,88	97,4	-	0,00
4	11 024	11 025	-6,46	97,4	-	0,00
40	2 320	2 326	8,05	97,4	-	0,00
41	1 962	1 970	9,54	97,4	-	0,00
5	10 624	10 625	-6,10	97,4	-	0,00
6	10 945	10 946	-6,39	97,4	-	0,00
7	11 323	11 325	-6,72	97,4	-	0,00
8	8 545	8 547	-4,00	97,4	-	0,00
9	7 945	7 947	-3,30	97,4	-	0,00
Sum			17,82			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DS Samteni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 555	12 557	-7,74	97,4	-	0,00
10	8 973	8 975	-4,47	97,4	-	0,00
11	6 586	6 588	-1,52	97,4	-	0,00
12	6 522	6 525	-1,43	97,4	-	0,00
13	6 041	6 044	-0,71	97,4	-	0,00
14	5 905	5 908	-0,49	97,4	-	0,00
15	5 314	5 317	0,49	97,4	-	0,00
16	4 884	4 888	1,27	97,4	-	0,00
17	4 357	4 361	2,33	97,4	-	0,00
18	5 233	5 236	0,63	97,4	-	0,00
19	4 934	4 937	1,18	97,4	-	0,00
2	12 052	12 053	-7,33	97,4	-	0,00
20	4 258	4 262	2,54	97,4	-	0,00
21	4 423	4 426	2,19	97,4	-	0,00
22	3 875	3 880	3,41	97,4	-	0,00
23	3 463	3 468	4,43	97,4	-	0,00
24	4 030	4 034	3,05	97,4	-	0,00
25	5 797	5 800	-0,32	97,4	-	0,00
26	6 175	6 178	-0,91	97,4	-	0,00
27	4 839	4 842	1,36	97,4	-	0,00
28	5 495	5 498	0,18	97,4	-	0,00
29	5 904	5 907	-0,49	97,4	-	0,00
3	11 262	11 263	-6,67	97,4	-	0,00
30	5 212	5 215	0,67	97,4	-	0,00
31	4 579	4 583	1,87	97,4	-	0,00
32	5 833	5 835	-0,38	97,4	-	0,00
33	5 653	5 656	-0,09	97,4	-	0,00
34	5 086	5 089	0,90	97,4	-	0,00
35	5 077	5 081	0,92	97,4	-	0,00
36	4 500	4 504	2,03	97,4	-	0,00
37	3 765	3 769	3,67	97,4	-	0,00
38	3 020	3 026	5,68	97,4	-	0,00
39	3 680	3 685	3,88	97,4	-	0,00
4	11 024	11 025	-6,46	97,4	-	0,00
40	2 320	2 326	8,05	97,4	-	0,00
41	1 962	1 970	9,54	97,4	-	0,00
5	10 624	10 625	-6,10	97,4	-	0,00
6	10 945	10 946	-6,39	97,4	-	0,00
7	11 323	11 325	-6,72	97,4	-	0,00
8	8 545	8 547	-4,00	97,4	-	0,00
9	7 945	7 947	-3,30	97,4	-	0,00
Sum			17,82			

- Data undefined due to calculation with octave data

Noise sensitive area: DT Graudini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 558	12 559	-7,74	97,4	-	0,00
10	8 864	8 865	-4,35	97,4	-	0,00
11	6 456	6 458	-1,33	97,4	-	0,00
12	6 352	6 355	-1,18	97,4	-	0,00
13	5 914	5 916	-0,51	97,4	-	0,00
14	5 824	5 827	-0,36	97,4	-	0,00
15	5 229	5 232	0,64	97,4	-	0,00
16	4 792	4 795	1,45	97,4	-	0,00
17	4 260	4 264	2,54	97,4	-	0,00
18	5 264	5 267	0,58	97,4	-	0,00
19	4 994	4 997	1,07	97,4	-	0,00
2	12 064	12 065	-7,34	97,4	-	0,00
20	4 241	4 244	2,58	97,4	-	0,00
21	4 478	4 481	2,08	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 889	3 893	3,37	97,4	-	0,00
23	3 510	3 514	4,31	97,4	-	0,00
24	4 124	4 128	2,84	97,4	-	0,00
25	5 891	5 893	-0,47	97,4	-	0,00
26	6 307	6 310	-1,11	97,4	-	0,00
27	4 949	4 952	1,15	97,4	-	0,00
28	5 620	5 623	-0,03	97,4	-	0,00
29	6 060	6 062	-0,74	97,4	-	0,00
3	11 272	11 273	-6,68	97,4	-	0,00
30	5 366	5 368	0,40	97,4	-	0,00
31	4 725	4 729	1,58	97,4	-	0,00
32	6 015	6 017	-0,67	97,4	-	0,00
33	5 869	5 871	-0,44	97,4	-	0,00
34	5 305	5 308	0,51	97,4	-	0,00
35	5 263	5 266	0,58	97,4	-	0,00
36	4 690	4 693	1,65	97,4	-	0,00
37	3 944	3 947	3,25	97,4	-	0,00
38	3 213	3 218	5,12	97,4	-	0,00
39	3 801	3 805	3,58	97,4	-	0,00
4	11 014	11 015	-6,45	97,4	-	0,00
40	2 493	2 498	7,41	97,4	-	0,00
41	2 194	2 201	8,55	97,4	-	0,00
5	10 628	10 629	-6,10	97,4	-	0,00
6	10 913	10 915	-6,36	97,4	-	0,00
7	11 281	11 283	-6,69	97,4	-	0,00
8	8 454	8 455	-3,89	97,4	-	0,00
9	7 854	7 856	-3,19	97,4	-	0,00
Sum			17,50			

- Data undefined due to calculation with octave data

Noise sensitive area: DT Graudini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 558	12 559	-7,74	97,4	-	0,00
10	8 864	8 865	-4,35	97,4	-	0,00
11	6 456	6 458	-1,33	97,4	-	0,00
12	6 352	6 355	-1,18	97,4	-	0,00
13	5 914	5 916	-0,51	97,4	-	0,00
14	5 824	5 827	-0,36	97,4	-	0,00
15	5 229	5 232	0,64	97,4	-	0,00
16	4 792	4 795	1,45	97,4	-	0,00
17	4 260	4 264	2,54	97,4	-	0,00
18	5 264	5 267	0,58	97,4	-	0,00
19	4 994	4 997	1,07	97,4	-	0,00
2	12 064	12 065	-7,34	97,4	-	0,00
20	4 241	4 244	2,58	97,4	-	0,00
21	4 478	4 481	2,08	97,4	-	0,00
22	3 889	3 893	3,37	97,4	-	0,00
23	3 510	3 514	4,31	97,4	-	0,00
24	4 124	4 128	2,84	97,4	-	0,00
25	5 891	5 893	-0,47	97,4	-	0,00
26	6 307	6 310	-1,11	97,4	-	0,00
27	4 949	4 952	1,15	97,4	-	0,00
28	5 620	5 623	-0,03	97,4	-	0,00
29	6 060	6 062	-0,74	97,4	-	0,00
3	11 272	11 273	-6,68	97,4	-	0,00
30	5 366	5 368	0,40	97,4	-	0,00
31	4 725	4 729	1,58	97,4	-	0,00
32	6 015	6 017	-0,67	97,4	-	0,00
33	5 869	5 871	-0,44	97,4	-	0,00
34	5 305	5 308	0,51	97,4	-	0,00
35	5 263	5 266	0,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 690	4 693	1,65	97,4	-	0,00
37	3 944	3 947	3,25	97,4	-	0,00
38	3 213	3 218	5,12	97,4	-	0,00
39	3 801	3 805	3,58	97,4	-	0,00
4	11 014	11 015	-6,45	97,4	-	0,00
40	2 493	2 498	7,41	97,4	-	0,00
41	2 194	2 201	8,55	97,4	-	0,00
5	10 628	10 629	-6,10	97,4	-	0,00
6	10 913	10 915	-6,36	97,4	-	0,00
7	11 281	11 283	-6,69	97,4	-	0,00
8	8 454	8 455	-3,89	97,4	-	0,00
9	7 854	7 856	-3,19	97,4	-	0,00
Sum			17,50			

- Data undefined due to calculation with octave data

Noise sensitive area: DU Amolini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 329	12 330	-7,56	97,4	-	0,00
10	8 610	8 612	-4,07	97,4	-	0,00
11	6 201	6 203	-0,95	97,4	-	0,00
12	6 096	6 098	-0,79	97,4	-	0,00
13	5 659	5 662	-0,09	97,4	-	0,00
14	5 575	5 578	0,04	97,4	-	0,00
15	4 980	4 983	1,10	97,4	-	0,00
16	4 542	4 545	1,95	97,4	-	0,00
17	4 009	4 014	3,09	97,4	-	0,00
18	5 049	5 052	0,97	97,4	-	0,00
19	4 792	4 795	1,45	97,4	-	0,00
2	11 838	11 839	-7,16	97,4	-	0,00
20	4 010	4 013	3,10	97,4	-	0,00
21	4 274	4 277	2,51	97,4	-	0,00
22	3 670	3 674	3,91	97,4	-	0,00
23	3 305	3 310	4,86	97,4	-	0,00
24	3 941	3 945	3,25	97,4	-	0,00
25	5 703	5 706	-0,17	97,4	-	0,00
26	6 140	6 143	-0,86	97,4	-	0,00
27	4 771	4 775	1,49	97,4	-	0,00
28	5 450	5 453	0,26	97,4	-	0,00
29	5 908	5 910	-0,50	97,4	-	0,00
3	11 045	11 047	-6,48	97,4	-	0,00
30	5 214	5 217	0,67	97,4	-	0,00
31	4 570	4 574	1,89	97,4	-	0,00
32	5 881	5 883	-0,45	97,4	-	0,00
33	5 760	5 763	-0,26	97,4	-	0,00
34	5 201	5 204	0,69	97,4	-	0,00
35	5 134	5 137	0,81	97,4	-	0,00
36	4 564	4 567	1,90	97,4	-	0,00
37	3 812	3 816	3,56	97,4	-	0,00
38	3 096	3 101	5,45	97,4	-	0,00
39	3 633	3 637	4,00	97,4	-	0,00
4	10 781	10 782	-6,24	97,4	-	0,00
40	2 367	2 373	7,87	97,4	-	0,00
41	2 118	2 126	8,86	97,4	-	0,00
5	10 400	10 401	-5,89	97,4	-	0,00
6	10 675	10 676	-6,15	97,4	-	0,00
7	11 040	11 041	-6,47	97,4	-	0,00
8	8 202	8 204	-3,60	97,4	-	0,00
9	7 603	7 605	-2,88	97,4	-	0,00
Sum			17,87			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DU Amolini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 329	12 330	-7,56	97,4	-	0,00
10	8 610	8 612	-4,07	97,4	-	0,00
11	6 201	6 203	-0,95	97,4	-	0,00
12	6 096	6 098	-0,79	97,4	-	0,00
13	5 659	5 662	-0,09	97,4	-	0,00
14	5 575	5 578	0,04	97,4	-	0,00
15	4 980	4 983	1,10	97,4	-	0,00
16	4 542	4 545	1,95	97,4	-	0,00
17	4 009	4 014	3,09	97,4	-	0,00
18	5 049	5 052	0,97	97,4	-	0,00
19	4 792	4 795	1,45	97,4	-	0,00
2	11 838	11 839	-7,16	97,4	-	0,00
20	4 010	4 013	3,10	97,4	-	0,00
21	4 274	4 277	2,51	97,4	-	0,00
22	3 670	3 674	3,91	97,4	-	0,00
23	3 305	3 310	4,86	97,4	-	0,00
24	3 941	3 945	3,25	97,4	-	0,00
25	5 703	5 706	-0,17	97,4	-	0,00
26	6 140	6 143	-0,86	97,4	-	0,00
27	4 771	4 775	1,49	97,4	-	0,00
28	5 450	5 453	0,26	97,4	-	0,00
29	5 908	5 910	-0,50	97,4	-	0,00
3	11 045	11 047	-6,48	97,4	-	0,00
30	5 214	5 217	0,67	97,4	-	0,00
31	4 570	4 574	1,89	97,4	-	0,00
32	5 881	5 883	-0,45	97,4	-	0,00
33	5 760	5 763	-0,26	97,4	-	0,00
34	5 201	5 204	0,69	97,4	-	0,00
35	5 134	5 137	0,81	97,4	-	0,00
36	4 564	4 567	1,90	97,4	-	0,00
37	3 812	3 816	3,56	97,4	-	0,00
38	3 096	3 101	5,45	97,4	-	0,00
39	3 633	3 637	4,00	97,4	-	0,00
4	10 781	10 782	-6,24	97,4	-	0,00
40	2 367	2 373	7,87	97,4	-	0,00
41	2 118	2 126	8,86	97,4	-	0,00
5	10 400	10 401	-5,89	97,4	-	0,00
6	10 675	10 676	-6,15	97,4	-	0,00
7	11 040	11 041	-6,47	97,4	-	0,00
8	8 202	8 204	-3,60	97,4	-	0,00
9	7 603	7 605	-2,88	97,4	-	0,00
Sum			17,87			

- Data undefined due to calculation with octave data

Noise sensitive area: DV Cerini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 208	12 210	-7,46	97,4	-	0,00
10	8 466	8 467	-3,91	97,4	-	0,00
11	6 054	6 057	-0,73	97,4	-	0,00
12	5 945	5 947	-0,56	97,4	-	0,00
13	5 513	5 515	0,15	97,4	-	0,00
14	5 437	5 440	0,28	97,4	-	0,00
15	4 841	4 844	1,36	97,4	-	0,00
16	4 402	4 406	2,24	97,4	-	0,00
17	3 869	3 874	3,42	97,4	-	0,00
18	4 940	4 943	1,17	97,4	-	0,00
19	4 694	4 697	1,64	97,4	-	0,00
2	11 720	11 721	-7,06	97,4	-	0,00
20	3 889	3 892	3,38	97,4	-	0,00
21	4 175	4 178	2,72	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 559	3 564	4,19	97,4	-	0,00
23	3 207	3 211	5,13	97,4	-	0,00
24	3 857	3 861	3,45	97,4	-	0,00
25	5 616	5 619	-0,02	97,4	-	0,00
26	6 067	6 070	-0,75	97,4	-	0,00
27	4 692	4 695	1,65	97,4	-	0,00
28	5 375	5 378	0,39	97,4	-	0,00
29	5 845	5 848	-0,40	97,4	-	0,00
3	10 927	10 928	-6,37	97,4	-	0,00
30	5 152	5 155	0,78	97,4	-	0,00
31	4 507	4 510	2,02	97,4	-	0,00
32	5 830	5 833	-0,37	97,4	-	0,00
33	5 727	5 730	-0,21	97,4	-	0,00
34	5 171	5 174	0,75	97,4	-	0,00
35	5 087	5 090	0,90	97,4	-	0,00
36	4 520	4 524	1,99	97,4	-	0,00
37	3 766	3 770	3,67	97,4	-	0,00
38	3 061	3 067	5,55	97,4	-	0,00
39	3 561	3 566	4,18	97,4	-	0,00
4	10 657	10 658	-6,13	97,4	-	0,00
40	2 329	2 335	8,02	97,4	-	0,00
41	2 115	2 122	8,88	97,4	-	0,00
5	10 280	10 281	-5,78	97,4	-	0,00
6	10 546	10 547	-6,03	97,4	-	0,00
7	10 908	10 909	-6,36	97,4	-	0,00
8	8 061	8 063	-3,44	97,4	-	0,00
9	7 462	7 464	-2,70	97,4	-	0,00
Sum			18,03			

- Data undefined due to calculation with octave data

Noise sensitive area: DV Cerini

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 208	12 210	-7,46	97,4	-	0,00
10	8 466	8 467	-3,91	97,4	-	0,00
11	6 054	6 057	-0,73	97,4	-	0,00
12	5 945	5 947	-0,56	97,4	-	0,00
13	5 513	5 515	0,15	97,4	-	0,00
14	5 437	5 440	0,28	97,4	-	0,00
15	4 841	4 844	1,36	97,4	-	0,00
16	4 402	4 406	2,24	97,4	-	0,00
17	3 869	3 874	3,42	97,4	-	0,00
18	4 940	4 943	1,17	97,4	-	0,00
19	4 694	4 697	1,64	97,4	-	0,00
2	11 720	11 721	-7,06	97,4	-	0,00
20	3 889	3 892	3,38	97,4	-	0,00
21	4 175	4 178	2,72	97,4	-	0,00
22	3 559	3 564	4,19	97,4	-	0,00
23	3 207	3 211	5,13	97,4	-	0,00
24	3 857	3 861	3,45	97,4	-	0,00
25	5 616	5 619	-0,02	97,4	-	0,00
26	6 067	6 070	-0,75	97,4	-	0,00
27	4 692	4 695	1,65	97,4	-	0,00
28	5 375	5 378	0,39	97,4	-	0,00
29	5 845	5 848	-0,40	97,4	-	0,00
3	10 927	10 928	-6,37	97,4	-	0,00
30	5 152	5 155	0,78	97,4	-	0,00
31	4 507	4 510	2,02	97,4	-	0,00
32	5 830	5 833	-0,37	97,4	-	0,00
33	5 727	5 730	-0,21	97,4	-	0,00
34	5 171	5 174	0,75	97,4	-	0,00
35	5 087	5 090	0,90	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 520	4 524	1,99	97,4	-	0,00
37	3 766	3 770	3,67	97,4	-	0,00
38	3 061	3 067	5,55	97,4	-	0,00
39	3 561	3 566	4,18	97,4	-	0,00
4	10 657	10 658	-6,13	97,4	-	0,00
40	2 329	2 335	8,02	97,4	-	0,00
41	2 115	2 122	8,88	97,4	-	0,00
5	10 280	10 281	-5,78	97,4	-	0,00
6	10 546	10 547	-6,03	97,4	-	0,00
7	10 908	10 909	-6,36	97,4	-	0,00
8	8 061	8 063	-3,44	97,4	-	0,00
9	7 462	7 464	-2,70	97,4	-	0,00
Sum			18,03			

- Data undefined due to calculation with octave data

Noise sensitive area: DW Liela iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 761	13 762	-8,64	97,4	-	0,00
10	10 848	10 850	-6,30	97,4	-	0,00
11	8 602	8 604	-4,06	97,4	-	0,00
12	8 700	8 701	-4,17	97,4	-	0,00
13	8 064	8 066	-3,44	97,4	-	0,00
14	7 736	7 738	-3,05	97,4	-	0,00
15	7 192	7 194	-2,35	97,4	-	0,00
16	6 813	6 815	-1,84	97,4	-	0,00
17	6 333	6 336	-1,15	97,4	-	0,00
18	6 555	6 558	-1,48	97,4	-	0,00
19	6 121	6 124	-0,83	97,4	-	0,00
2	13 212	13 213	-8,24	97,4	-	0,00
20	5 908	5 911	-0,50	97,4	-	0,00
21	5 694	5 697	-0,15	97,4	-	0,00
22	5 420	5 423	0,31	97,4	-	0,00
23	4 905	4 908	1,24	97,4	-	0,00
24	5 132	5 135	0,82	97,4	-	0,00
25	6 700	6 703	-1,68	97,4	-	0,00
26	6 786	6 788	-1,80	97,4	-	0,00
27	5 734	5 737	-0,22	97,4	-	0,00
28	6 219	6 222	-0,98	97,4	-	0,00
29	6 367	6 369	-1,20	97,4	-	0,00
3	12 451	12 452	-7,65	97,4	-	0,00
30	5 761	5 764	-0,26	97,4	-	0,00
31	5 264	5 267	0,58	97,4	-	0,00
32	6 096	6 098	-0,79	97,4	-	0,00
33	5 654	5 657	-0,09	97,4	-	0,00
34	5 121	5 124	0,84	97,4	-	0,00
35	5 398	5 401	0,35	97,4	-	0,00
36	4 879	4 882	1,29	97,4	-	0,00
37	4 362	4 365	2,32	97,4	-	0,00
38	3 703	3 708	3,82	97,4	-	0,00
39	4 681	4 685	1,67	97,4	-	0,00
4	12 335	12 337	-7,56	97,4	-	0,00
40	3 379	3 383	4,66	97,4	-	0,00
41	2 822	2 828	6,29	97,4	-	0,00
5	11 862	11 863	-7,18	97,4	-	0,00
6	12 379	12 380	-7,60	97,4	-	0,00
7	12 811	12 812	-7,93	97,4	-	0,00
8	10 345	10 347	-5,84	97,4	-	0,00
9	9 759	9 760	-5,28	97,4	-	0,00
Sum			15,66			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DW Liela iela 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 761	13 762	-8,64	97,4	-	0,00
10	10 848	10 850	-6,30	97,4	-	0,00
11	8 602	8 604	-4,06	97,4	-	0,00
12	8 700	8 701	-4,17	97,4	-	0,00
13	8 064	8 066	-3,44	97,4	-	0,00
14	7 736	7 738	-3,05	97,4	-	0,00
15	7 192	7 194	-2,35	97,4	-	0,00
16	6 813	6 815	-1,84	97,4	-	0,00
17	6 333	6 336	-1,15	97,4	-	0,00
18	6 555	6 558	-1,48	97,4	-	0,00
19	6 121	6 124	-0,83	97,4	-	0,00
2	13 212	13 213	-8,24	97,4	-	0,00
20	5 908	5 911	-0,50	97,4	-	0,00
21	5 694	5 697	-0,15	97,4	-	0,00
22	5 420	5 423	0,31	97,4	-	0,00
23	4 905	4 908	1,24	97,4	-	0,00
24	5 132	5 135	0,82	97,4	-	0,00
25	6 700	6 703	-1,68	97,4	-	0,00
26	6 786	6 788	-1,80	97,4	-	0,00
27	5 734	5 737	-0,22	97,4	-	0,00
28	6 219	6 222	-0,98	97,4	-	0,00
29	6 367	6 369	-1,20	97,4	-	0,00
3	12 451	12 452	-7,65	97,4	-	0,00
30	5 761	5 764	-0,26	97,4	-	0,00
31	5 264	5 267	0,58	97,4	-	0,00
32	6 096	6 098	-0,79	97,4	-	0,00
33	5 654	5 657	-0,09	97,4	-	0,00
34	5 121	5 124	0,84	97,4	-	0,00
35	5 398	5 401	0,35	97,4	-	0,00
36	4 879	4 882	1,29	97,4	-	0,00
37	4 362	4 365	2,32	97,4	-	0,00
38	3 703	3 708	3,82	97,4	-	0,00
39	4 681	4 685	1,67	97,4	-	0,00
4	12 335	12 337	-7,56	97,4	-	0,00
40	3 379	3 383	4,66	97,4	-	0,00
41	2 822	2 828	6,29	97,4	-	0,00
5	11 862	11 863	-7,18	97,4	-	0,00
6	12 379	12 380	-7,60	97,4	-	0,00
7	12 811	12 812	-7,93	97,4	-	0,00
8	10 345	10 347	-5,84	97,4	-	0,00
9	9 759	9 760	-5,28	97,4	-	0,00
Sum			15,66			

- Data undefined due to calculation with octave data

Noise sensitive area: DX Olegmaja

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 926	12 927	-8,02	97,4	-	0,00
10	9 399	9 401	-4,91	97,4	-	0,00
11	7 018	7 020	-2,12	97,4	-	0,00
12	6 960	6 963	-2,04	97,4	-	0,00
13	6 473	6 475	-1,36	97,4	-	0,00
14	6 323	6 325	-1,14	97,4	-	0,00
15	5 734	5 737	-0,22	97,4	-	0,00
16	5 307	5 310	0,50	97,4	-	0,00
17	4 781	4 785	1,47	97,4	-	0,00
18	5 593	5 596	0,01	97,4	-	0,00
19	5 274	5 277	0,56	97,4	-	0,00
2	12 417	12 418	-7,63	97,4	-	0,00
20	4 650	4 653	1,73	97,4	-	0,00
21	4 769	4 772	1,50	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 251	4 255	2,56	97,4	-	0,00
23	3 819	3 823	3,54	97,4	-	0,00
24	4 346	4 350	2,35	97,4	-	0,00
25	6 106	6 109	-0,81	97,4	-	0,00
26	6 447	6 449	-1,32	97,4	-	0,00
27	5 137	5 140	0,81	97,4	-	0,00
28	5 776	5 779	-0,29	97,4	-	0,00
29	6 151	6 153	-0,88	97,4	-	0,00
3	11 629	11 630	-6,98	97,4	-	0,00
30	5 463	5 466	0,23	97,4	-	0,00
31	4 842	4 845	1,36	97,4	-	0,00
32	6 048	6 051	-0,72	97,4	-	0,00
33	5 826	5 829	-0,37	97,4	-	0,00
34	5 255	5 258	0,60	97,4	-	0,00
35	5 292	5 295	0,53	97,4	-	0,00
36	4 714	4 717	1,60	97,4	-	0,00
37	3 997	4 000	3,13	97,4	-	0,00
38	3 242	3 247	5,03	97,4	-	0,00
39	3 974	3 978	3,18	97,4	-	0,00
4	11 403	11 405	-6,79	97,4	-	0,00
40	2 577	2 582	7,11	97,4	-	0,00
41	2 152	2 159	8,72	97,4	-	0,00
5	10 995	10 996	-6,43	97,4	-	0,00
6	11 337	11 338	-6,73	97,4	-	0,00
7	11 721	11 722	-7,06	97,4	-	0,00
8	8 966	8 967	-4,46	97,4	-	0,00
9	8 366	8 368	-3,79	97,4	-	0,00
Sum			17,15			

- Data undefined due to calculation with octave data

Noise sensitive area: DX Olegmaja

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 926	12 927	-8,02	97,4	-	0,00
10	9 399	9 401	-4,91	97,4	-	0,00
11	7 018	7 020	-2,12	97,4	-	0,00
12	6 960	6 963	-2,04	97,4	-	0,00
13	6 473	6 475	-1,36	97,4	-	0,00
14	6 323	6 325	-1,14	97,4	-	0,00
15	5 734	5 737	-0,22	97,4	-	0,00
16	5 307	5 310	0,50	97,4	-	0,00
17	4 781	4 785	1,47	97,4	-	0,00
18	5 593	5 596	0,01	97,4	-	0,00
19	5 274	5 277	0,56	97,4	-	0,00
2	12 417	12 418	-7,63	97,4	-	0,00
20	4 650	4 653	1,73	97,4	-	0,00
21	4 769	4 772	1,50	97,4	-	0,00
22	4 251	4 255	2,56	97,4	-	0,00
23	3 819	3 823	3,54	97,4	-	0,00
24	4 346	4 350	2,35	97,4	-	0,00
25	6 106	6 109	-0,81	97,4	-	0,00
26	6 447	6 449	-1,32	97,4	-	0,00
27	5 137	5 140	0,81	97,4	-	0,00
28	5 776	5 779	-0,29	97,4	-	0,00
29	6 151	6 153	-0,88	97,4	-	0,00
3	11 629	11 630	-6,98	97,4	-	0,00
30	5 463	5 466	0,23	97,4	-	0,00
31	4 842	4 845	1,36	97,4	-	0,00
32	6 048	6 051	-0,72	97,4	-	0,00
33	5 826	5 829	-0,37	97,4	-	0,00
34	5 255	5 258	0,60	97,4	-	0,00
35	5 292	5 295	0,53	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 714	4 717	1,60	97,4	-	0,00
37	3 997	4 000	3,13	97,4	-	0,00
38	3 242	3 247	5,03	97,4	-	0,00
39	3 974	3 978	3,18	97,4	-	0,00
4	11 403	11 405	-6,79	97,4	-	0,00
40	2 577	2 582	7,11	97,4	-	0,00
41	2 152	2 159	8,72	97,4	-	0,00
5	10 995	10 996	-6,43	97,4	-	0,00
6	11 337	11 338	-6,73	97,4	-	0,00
7	11 721	11 722	-7,06	97,4	-	0,00
8	8 966	8 967	-4,46	97,4	-	0,00
9	8 366	8 368	-3,79	97,4	-	0,00
Sum			17,15			

- Data undefined due to calculation with octave data

Noise sensitive area: DY Ezerkrasti

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 888	13 889	-8,73	97,4	-	0,00
10	10 550	10 552	-6,03	97,4	-	0,00
11	8 195	8 197	-3,60	97,4	-	0,00
12	8 170	8 172	-3,57	97,4	-	0,00
13	7 650	7 652	-2,94	97,4	-	0,00
14	7 451	7 453	-2,69	97,4	-	0,00
15	6 871	6 874	-1,92	97,4	-	0,00
16	6 455	6 458	-1,33	97,4	-	0,00
17	5 938	5 941	-0,55	97,4	-	0,00
18	6 559	6 561	-1,48	97,4	-	0,00
19	6 189	6 192	-0,93	97,4	-	0,00
2	13 362	13 363	-8,35	97,4	-	0,00
20	5 712	5 715	-0,18	97,4	-	0,00
21	5 707	5 709	-0,17	97,4	-	0,00
22	5 274	5 277	0,56	97,4	-	0,00
23	4 802	4 805	1,43	97,4	-	0,00
24	5 218	5 221	0,66	97,4	-	0,00
25	6 929	6 931	-2,00	97,4	-	0,00
26	7 162	7 164	-2,31	97,4	-	0,00
27	5 945	5 947	-0,56	97,4	-	0,00
28	6 528	6 530	-1,44	97,4	-	0,00
29	6 806	6 808	-1,83	97,4	-	0,00
3	12 582	12 583	-7,76	97,4	-	0,00
30	6 144	6 146	-0,86	97,4	-	0,00
31	5 565	5 568	0,06	97,4	-	0,00
32	6 622	6 624	-1,57	97,4	-	0,00
33	6 289	6 291	-1,08	97,4	-	0,00
34	5 725	5 727	-0,20	97,4	-	0,00
35	5 879	5 881	-0,45	97,4	-	0,00
36	5 315	5 318	0,49	97,4	-	0,00
37	4 669	4 672	1,69	97,4	-	0,00
38	3 927	3 932	3,28	97,4	-	0,00
39	4 802	4 805	1,43	97,4	-	0,00
4	12 396	12 397	-7,61	97,4	-	0,00
40	3 385	3 389	4,64	97,4	-	0,00
41	2 859	2 864	6,17	97,4	-	0,00
5	11 962	11 963	-7,26	97,4	-	0,00
6	12 368	12 369	-7,59	97,4	-	0,00
7	12 770	12 771	-7,90	97,4	-	0,00
8	10 096	10 098	-5,61	97,4	-	0,00
9	9 498	9 500	-5,01	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: DY Ezerkrasti

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 888	13 889	-8,73	97,4	-	0,00
10	10 550	10 552	-6,03	97,4	-	0,00
11	8 195	8 197	-3,60	97,4	-	0,00
12	8 170	8 172	-3,57	97,4	-	0,00
13	7 650	7 652	-2,94	97,4	-	0,00
14	7 451	7 453	-2,69	97,4	-	0,00
15	6 871	6 874	-1,92	97,4	-	0,00
16	6 455	6 458	-1,33	97,4	-	0,00
17	5 938	5 941	-0,55	97,4	-	0,00
18	6 559	6 561	-1,48	97,4	-	0,00
19	6 189	6 192	-0,93	97,4	-	0,00
2	13 362	13 363	-8,35	97,4	-	0,00
20	5 712	5 715	-0,18	97,4	-	0,00
21	5 707	5 709	-0,17	97,4	-	0,00
22	5 274	5 277	0,56	97,4	-	0,00
23	4 802	4 805	1,43	97,4	-	0,00
24	5 218	5 221	0,66	97,4	-	0,00
25	6 929	6 931	-2,00	97,4	-	0,00
26	7 162	7 164	-2,31	97,4	-	0,00
27	5 945	5 947	-0,56	97,4	-	0,00
28	6 528	6 530	-1,44	97,4	-	0,00
29	6 806	6 808	-1,83	97,4	-	0,00
3	12 582	12 583	-7,76	97,4	-	0,00
30	6 144	6 146	-0,86	97,4	-	0,00
31	5 565	5 568	0,06	97,4	-	0,00
32	6 622	6 624	-1,57	97,4	-	0,00
33	6 289	6 291	-1,08	97,4	-	0,00
34	5 725	5 727	-0,20	97,4	-	0,00
35	5 879	5 881	-0,45	97,4	-	0,00
36	5 315	5 318	0,49	97,4	-	0,00
37	4 669	4 672	1,69	97,4	-	0,00
38	3 927	3 932	3,28	97,4	-	0,00
39	4 802	4 805	1,43	97,4	-	0,00
4	12 396	12 397	-7,61	97,4	-	0,00
40	3 385	3 389	4,64	97,4	-	0,00
41	2 859	2 864	6,17	97,4	-	0,00
5	11 962	11 963	-7,26	97,4	-	0,00
6	12 368	12 369	-7,59	97,4	-	0,00
7	12 770	12 771	-7,90	97,4	-	0,00
8	10 096	10 098	-5,61	97,4	-	0,00
9	9 498	9 500	-5,01	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: DZ Ezerkrasti

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 857	13 858	-8,71	97,4	-	0,00
10	10 512	10 513	-6,00	97,4	-	0,00
11	8 156	8 157	-3,55	97,4	-	0,00
12	8 129	8 131	-3,52	97,4	-	0,00
13	7 610	7 612	-2,89	97,4	-	0,00
14	7 413	7 416	-2,64	97,4	-	0,00
15	6 833	6 835	-1,87	97,4	-	0,00
16	6 417	6 419	-1,27	97,4	-	0,00
17	5 899	5 902	-0,48	97,4	-	0,00
18	6 527	6 529	-1,43	97,4	-	0,00
19	6 160	6 162	-0,89	97,4	-	0,00
2	13 332	13 333	-8,33	97,4	-	0,00
20	5 677	5 680	-0,12	97,4	-	0,00
21	5 676	5 678	-0,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 240	5 243	0,62	97,4	-	0,00
23	4 769	4 772	1,50	97,4	-	0,00
24	5 189	5 192	0,71	97,4	-	0,00
25	6 902	6 905	-1,96	97,4	-	0,00
26	7 140	7 142	-2,28	97,4	-	0,00
27	5 918	5 921	-0,51	97,4	-	0,00
28	6 504	6 506	-1,40	97,4	-	0,00
29	6 785	6 787	-1,80	97,4	-	0,00
3	12 551	12 553	-7,73	97,4	-	0,00
30	6 122	6 124	-0,83	97,4	-	0,00
31	5 542	5 545	0,10	97,4	-	0,00
32	6 604	6 607	-1,55	97,4	-	0,00
33	6 275	6 277	-1,06	97,4	-	0,00
34	5 710	5 713	-0,18	97,4	-	0,00
35	5 860	5 863	-0,42	97,4	-	0,00
36	5 295	5 298	0,52	97,4	-	0,00
37	4 647	4 650	1,74	97,4	-	0,00
38	3 904	3 908	3,34	97,4	-	0,00
39	4 774	4 777	1,49	97,4	-	0,00
4	12 364	12 365	-7,58	97,4	-	0,00
40	3 356	3 361	4,72	97,4	-	0,00
41	2 833	2 838	6,26	97,4	-	0,00
5	11 932	11 933	-7,23	97,4	-	0,00
6	12 335	12 336	-7,56	97,4	-	0,00
7	12 736	12 737	-7,88	97,4	-	0,00
8	10 059	10 060	-5,57	97,4	-	0,00
9	9 460	9 462	-4,98	97,4	-	0,00
Sum			15,51			

- Data undefined due to calculation with octave data

Noise sensitive area: DZ Ezerkrasti

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	13 857	13 858	-8,71	97,4	-	0,00
10	10 512	10 513	-6,00	97,4	-	0,00
11	8 156	8 157	-3,55	97,4	-	0,00
12	8 129	8 131	-3,52	97,4	-	0,00
13	7 610	7 612	-2,89	97,4	-	0,00
14	7 413	7 416	-2,64	97,4	-	0,00
15	6 833	6 835	-1,87	97,4	-	0,00
16	6 417	6 419	-1,27	97,4	-	0,00
17	5 899	5 902	-0,48	97,4	-	0,00
18	6 527	6 529	-1,43	97,4	-	0,00
19	6 160	6 162	-0,89	97,4	-	0,00
2	13 332	13 333	-8,33	97,4	-	0,00
20	5 677	5 680	-0,12	97,4	-	0,00
21	5 676	5 678	-0,12	97,4	-	0,00
22	5 240	5 243	0,62	97,4	-	0,00
23	4 769	4 772	1,50	97,4	-	0,00
24	5 189	5 192	0,71	97,4	-	0,00
25	6 902	6 905	-1,96	97,4	-	0,00
26	7 140	7 142	-2,28	97,4	-	0,00
27	5 918	5 921	-0,51	97,4	-	0,00
28	6 504	6 506	-1,40	97,4	-	0,00
29	6 785	6 787	-1,80	97,4	-	0,00
3	12 551	12 553	-7,73	97,4	-	0,00
30	6 122	6 124	-0,83	97,4	-	0,00
31	5 542	5 545	0,10	97,4	-	0,00
32	6 604	6 607	-1,55	97,4	-	0,00
33	6 275	6 277	-1,06	97,4	-	0,00
34	5 710	5 713	-0,18	97,4	-	0,00
35	5 860	5 863	-0,42	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 295	5 298	0,52	97,4	-	0,00
37	4 647	4 650	1,74	97,4	-	0,00
38	3 904	3 908	3,34	97,4	-	0,00
39	4 774	4 777	1,49	97,4	-	0,00
4	12 364	12 365	-7,58	97,4	-	0,00
40	3 356	3 361	4,72	97,4	-	0,00
41	2 833	2 838	6,26	97,4	-	0,00
5	11 932	11 933	-7,23	97,4	-	0,00
6	12 335	12 336	-7,56	97,4	-	0,00
7	12 736	12 737	-7,88	97,4	-	0,00
8	10 059	10 060	-5,57	97,4	-	0,00
9	9 460	9 462	-4,98	97,4	-	0,00
Sum			15,51			

- Data undefined due to calculation with octave data

Noise sensitive area: EA Medini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 938	10 939	-6,38	97,4	-	0,00
10	9 737	9 738	-5,25	97,4	-	0,00
11	8 235	8 236	-3,64	97,4	-	0,00
12	8 748	8 750	-4,22	97,4	-	0,00
13	7 835	7 837	-3,17	97,4	-	0,00
14	7 135	7 137	-2,28	97,4	-	0,00
15	6 856	6 858	-1,90	97,4	-	0,00
16	6 716	6 719	-1,70	97,4	-	0,00
17	6 515	6 518	-1,42	97,4	-	0,00
18	5 313	5 316	0,49	97,4	-	0,00
19	4 826	4 829	1,39	97,4	-	0,00
2	10 350	10 352	-5,85	97,4	-	0,00
20	5 600	5 603	0,00	97,4	-	0,00
21	4 786	4 789	1,46	97,4	-	0,00
22	5 170	5 173	0,75	97,4	-	0,00
23	4 803	4 806	1,43	97,4	-	0,00
24	4 280	4 284	2,49	97,4	-	0,00
25	4 602	4 605	1,83	97,4	-	0,00
26	4 114	4 118	2,86	97,4	-	0,00
27	4 116	4 120	2,85	97,4	-	0,00
28	4 014	4 018	3,09	97,4	-	0,00
29	3 610	3 615	4,05	97,4	-	0,00
3	9 708	9 709	-5,22	97,4	-	0,00
30	3 492	3 497	4,36	97,4	-	0,00
31	3 581	3 585	4,13	97,4	-	0,00
32	3 111	3 116	5,41	97,4	-	0,00
33	2 437	2 444	7,61	97,4	-	0,00
34	2 359	2 365	7,90	97,4	-	0,00
35	2 951	2 956	5,89	97,4	-	0,00
36	2 962	2 967	5,85	97,4	-	0,00
37	3 326	3 330	4,80	97,4	-	0,00
38	3 552	3 556	4,20	97,4	-	0,00
39	4 011	4 015	3,09	97,4	-	0,00
4	9 830	9 831	-5,35	97,4	-	0,00
40	4 138	4 141	2,81	97,4	-	0,00
41	4 094	4 098	2,90	97,4	-	0,00
5	9 268	9 269	-4,78	97,4	-	0,00
6	10 107	10 108	-5,62	97,4	-	0,00
7	10 604	10 606	-6,08	97,4	-	0,00
8	9 126	9 127	-4,63	97,4	-	0,00
9	8 668	8 670	-4,13	97,4	-	0,00
Sum			18,20			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EA Medini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 938	10 939	-6,38	97,4	-	0,00
10	9 737	9 738	-5,25	97,4	-	0,00
11	8 235	8 236	-3,64	97,4	-	0,00
12	8 748	8 750	-4,22	97,4	-	0,00
13	7 835	7 837	-3,17	97,4	-	0,00
14	7 135	7 137	-2,28	97,4	-	0,00
15	6 856	6 858	-1,90	97,4	-	0,00
16	6 716	6 719	-1,70	97,4	-	0,00
17	6 515	6 518	-1,42	97,4	-	0,00
18	5 313	5 316	0,49	97,4	-	0,00
19	4 826	4 829	1,39	97,4	-	0,00
2	10 350	10 352	-5,85	97,4	-	0,00
20	5 600	5 603	0,00	97,4	-	0,00
21	4 786	4 789	1,46	97,4	-	0,00
22	5 170	5 173	0,75	97,4	-	0,00
23	4 803	4 806	1,43	97,4	-	0,00
24	4 280	4 284	2,49	97,4	-	0,00
25	4 602	4 605	1,83	97,4	-	0,00
26	4 114	4 118	2,86	97,4	-	0,00
27	4 116	4 120	2,85	97,4	-	0,00
28	4 014	4 018	3,09	97,4	-	0,00
29	3 610	3 615	4,05	97,4	-	0,00
3	9 708	9 709	-5,22	97,4	-	0,00
30	3 492	3 497	4,36	97,4	-	0,00
31	3 581	3 585	4,13	97,4	-	0,00
32	3 111	3 116	5,41	97,4	-	0,00
33	2 437	2 444	7,61	97,4	-	0,00
34	2 359	2 365	7,90	97,4	-	0,00
35	2 951	2 956	5,89	97,4	-	0,00
36	2 962	2 967	5,85	97,4	-	0,00
37	3 326	3 330	4,80	97,4	-	0,00
38	3 552	3 556	4,20	97,4	-	0,00
39	4 011	4 015	3,09	97,4	-	0,00
4	9 830	9 831	-5,35	97,4	-	0,00
40	4 138	4 141	2,81	97,4	-	0,00
41	4 094	4 098	2,90	97,4	-	0,00
5	9 268	9 269	-4,78	97,4	-	0,00
6	10 107	10 108	-5,62	97,4	-	0,00
7	10 604	10 606	-6,08	97,4	-	0,00
8	9 126	9 127	-4,63	97,4	-	0,00
9	8 668	8 670	-4,13	97,4	-	0,00
Sum			18,20			

- Data undefined due to calculation with octave data

Noise sensitive area: EB Sturi š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 977	11 978	-7,27	97,4	-	0,00
10	10 215	10 216	-5,72	97,4	-	0,00
11	8 428	8 429	-3,86	97,4	-	0,00
12	8 823	8 825	-4,30	97,4	-	0,00
13	7 967	7 969	-3,33	97,4	-	0,00
14	7 361	7 363	-2,57	97,4	-	0,00
15	6 979	6 981	-2,07	97,4	-	0,00
16	6 751	6 753	-1,75	97,4	-	0,00
17	6 445	6 447	-1,32	97,4	-	0,00
18	5 657	5 659	-0,09	97,4	-	0,00
19	5 150	5 153	0,78	97,4	-	0,00
2	11 394	11 396	-6,78	97,4	-	0,00
20	5 631	5 633	-0,05	97,4	-	0,00
21	4 959	4 962	1,13	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 141	5 144	0,80	97,4	-	0,00
23	4 680	4 683	1,67	97,4	-	0,00
24	4 373	4 376	2,30	97,4	-	0,00
25	5 215	5 218	0,67	97,4	-	0,00
26	4 919	4 922	1,21	97,4	-	0,00
27	4 494	4 498	2,04	97,4	-	0,00
28	4 621	4 624	1,79	97,4	-	0,00
29	4 411	4 414	2,22	97,4	-	0,00
3	10 708	10 709	-6,18	97,4	-	0,00
30	4 071	4 075	2,96	97,4	-	0,00
31	3 917	3 921	3,31	97,4	-	0,00
32	3 965	3 969	3,20	97,4	-	0,00
33	3 326	3 330	4,80	97,4	-	0,00
34	3 002	3 006	5,73	97,4	-	0,00
35	3 538	3 542	4,24	97,4	-	0,00
36	3 298	3 302	4,88	97,4	-	0,00
37	3 329	3 333	4,80	97,4	-	0,00
38	3 223	3 228	5,09	97,4	-	0,00
39	3 992	3 996	3,14	97,4	-	0,00
4	10 757	10 758	-6,22	97,4	-	0,00
40	3 594	3 598	4,10	97,4	-	0,00
41	3 360	3 364	4,71	97,4	-	0,00
5	10 215	10 216	-5,72	97,4	-	0,00
6	10 964	10 966	-6,41	97,4	-	0,00
7	11 448	11 449	-6,83	97,4	-	0,00
8	9 625	9 626	-5,14	97,4	-	0,00
9	9 113	9 114	-4,61	97,4	-	0,00
Sum			17,40			

- Data undefined due to calculation with octave data

Noise sensitive area: EB Sturi š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 977	11 978	-7,27	97,4	-	0,00
10	10 215	10 216	-5,72	97,4	-	0,00
11	8 428	8 429	-3,86	97,4	-	0,00
12	8 823	8 825	-4,30	97,4	-	0,00
13	7 967	7 969	-3,33	97,4	-	0,00
14	7 361	7 363	-2,57	97,4	-	0,00
15	6 979	6 981	-2,07	97,4	-	0,00
16	6 751	6 753	-1,75	97,4	-	0,00
17	6 445	6 447	-1,32	97,4	-	0,00
18	5 657	5 659	-0,09	97,4	-	0,00
19	5 150	5 153	0,78	97,4	-	0,00
2	11 394	11 396	-6,78	97,4	-	0,00
20	5 631	5 633	-0,05	97,4	-	0,00
21	4 959	4 962	1,13	97,4	-	0,00
22	5 141	5 144	0,80	97,4	-	0,00
23	4 680	4 683	1,67	97,4	-	0,00
24	4 373	4 376	2,30	97,4	-	0,00
25	5 215	5 218	0,67	97,4	-	0,00
26	4 919	4 922	1,21	97,4	-	0,00
27	4 494	4 498	2,04	97,4	-	0,00
28	4 621	4 624	1,79	97,4	-	0,00
29	4 411	4 414	2,22	97,4	-	0,00
3	10 708	10 709	-6,18	97,4	-	0,00
30	4 071	4 075	2,96	97,4	-	0,00
31	3 917	3 921	3,31	97,4	-	0,00
32	3 965	3 969	3,20	97,4	-	0,00
33	3 326	3 330	4,80	97,4	-	0,00
34	3 002	3 006	5,73	97,4	-	0,00
35	3 538	3 542	4,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 298	3 302	4,88	97,4	-	0,00
37	3 329	3 333	4,80	97,4	-	0,00
38	3 223	3 228	5,09	97,4	-	0,00
39	3 992	3 996	3,14	97,4	-	0,00
4	10 757	10 758	-6,22	97,4	-	0,00
40	3 594	3 598	4,10	97,4	-	0,00
41	3 360	3 364	4,71	97,4	-	0,00
5	10 215	10 216	-5,72	97,4	-	0,00
6	10 964	10 966	-6,41	97,4	-	0,00
7	11 448	11 449	-6,83	97,4	-	0,00
8	9 625	9 626	-5,14	97,4	-	0,00
9	9 113	9 114	-4,61	97,4	-	0,00
Sum			17,40			

- Data undefined due to calculation with octave data

Noise sensitive area: EC Ignatani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 836	10 837	-6,29	97,4	-	0,00
10	9 731	9 732	-5,25	97,4	-	0,00
11	8 275	8 277	-3,69	97,4	-	0,00
12	8 804	8 806	-4,28	97,4	-	0,00
13	7 885	7 887	-3,23	97,4	-	0,00
14	7 174	7 176	-2,33	97,4	-	0,00
15	6 911	6 913	-1,97	97,4	-	0,00
16	6 784	6 786	-1,80	97,4	-	0,00
17	6 598	6 600	-1,54	97,4	-	0,00
18	5 343	5 346	0,44	97,4	-	0,00
19	4 862	4 865	1,32	97,4	-	0,00
2	10 247	10 249	-5,75	97,4	-	0,00
20	5 673	5 676	-0,12	97,4	-	0,00
21	4 844	4 847	1,35	97,4	-	0,00
22	5 254	5 257	0,60	97,4	-	0,00
23	4 901	4 904	1,24	97,4	-	0,00
24	4 354	4 358	2,34	97,4	-	0,00
25	4 593	4 596	1,84	97,4	-	0,00
26	4 075	4 079	2,95	97,4	-	0,00
27	4 149	4 153	2,78	97,4	-	0,00
28	4 011	4 015	3,09	97,4	-	0,00
29	3 577	3 582	4,14	97,4	-	0,00
3	9 614	9 615	-5,13	97,4	-	0,00
30	3 500	3 505	4,34	97,4	-	0,00
31	3 627	3 631	4,01	97,4	-	0,00
32	3 074	3 079	5,52	97,4	-	0,00
33	2 405	2 412	7,73	97,4	-	0,00
34	2 377	2 383	7,83	97,4	-	0,00
35	2 966	2 971	5,84	97,4	-	0,00
36	3 018	3 023	5,68	97,4	-	0,00
37	3 422	3 427	4,54	97,4	-	0,00
38	3 685	3 690	3,87	97,4	-	0,00
39	4 102	4 106	2,88	97,4	-	0,00
4	9 749	9 750	-5,27	97,4	-	0,00
40	4 289	4 292	2,48	97,4	-	0,00
41	4 264	4 268	2,53	97,4	-	0,00
5	9 184	9 186	-4,69	97,4	-	0,00
6	10 038	10 040	-5,55	97,4	-	0,00
7	10 537	10 538	-6,02	97,4	-	0,00
8	9 118	9 120	-4,62	97,4	-	0,00
9	8 670	8 672	-4,14	97,4	-	0,00
Sum			18,13			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EC Ignatani

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 836	10 837	-6,29	97,4	-	0,00
10	9 731	9 732	-5,25	97,4	-	0,00
11	8 275	8 277	-3,69	97,4	-	0,00
12	8 804	8 806	-4,28	97,4	-	0,00
13	7 885	7 887	-3,23	97,4	-	0,00
14	7 174	7 176	-2,33	97,4	-	0,00
15	6 911	6 913	-1,97	97,4	-	0,00
16	6 784	6 786	-1,80	97,4	-	0,00
17	6 598	6 600	-1,54	97,4	-	0,00
18	5 343	5 346	0,44	97,4	-	0,00
19	4 862	4 865	1,32	97,4	-	0,00
2	10 247	10 249	-5,75	97,4	-	0,00
20	5 673	5 676	-0,12	97,4	-	0,00
21	4 844	4 847	1,35	97,4	-	0,00
22	5 254	5 257	0,60	97,4	-	0,00
23	4 901	4 904	1,24	97,4	-	0,00
24	4 354	4 358	2,34	97,4	-	0,00
25	4 593	4 596	1,84	97,4	-	0,00
26	4 075	4 079	2,95	97,4	-	0,00
27	4 149	4 153	2,78	97,4	-	0,00
28	4 011	4 015	3,09	97,4	-	0,00
29	3 577	3 582	4,14	97,4	-	0,00
3	9 614	9 615	-5,13	97,4	-	0,00
30	3 500	3 505	4,34	97,4	-	0,00
31	3 627	3 631	4,01	97,4	-	0,00
32	3 074	3 079	5,52	97,4	-	0,00
33	2 405	2 412	7,73	97,4	-	0,00
34	2 377	2 383	7,83	97,4	-	0,00
35	2 966	2 971	5,84	97,4	-	0,00
36	3 018	3 023	5,68	97,4	-	0,00
37	3 422	3 427	4,54	97,4	-	0,00
38	3 685	3 690	3,87	97,4	-	0,00
39	4 102	4 106	2,88	97,4	-	0,00
4	9 749	9 750	-5,27	97,4	-	0,00
40	4 289	4 292	2,48	97,4	-	0,00
41	4 264	4 268	2,53	97,4	-	0,00
5	9 184	9 186	-4,69	97,4	-	0,00
6	10 038	10 040	-5,55	97,4	-	0,00
7	10 537	10 538	-6,02	97,4	-	0,00
8	9 118	9 120	-4,62	97,4	-	0,00
9	8 670	8 672	-4,14	97,4	-	0,00
Sum			18,13			

- Data undefined due to calculation with octave data

Noise sensitive area: ED Sturi š ki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 135	11 136	-6,56	97,4	-	0,00
10	9 479	9 480	-4,99	97,4	-	0,00
11	7 784	7 785	-3,10	97,4	-	0,00
12	8 228	8 230	-3,63	97,4	-	0,00
13	7 345	7 347	-2,55	97,4	-	0,00
14	6 700	6 702	-1,68	97,4	-	0,00
15	6 356	6 358	-1,18	97,4	-	0,00
16	6 163	6 166	-0,89	97,4	-	0,00
17	5 902	5 905	-0,49	97,4	-	0,00
18	4 944	4 947	1,16	97,4	-	0,00
19	4 439	4 443	2,16	97,4	-	0,00
2	10 552	10 554	-6,03	97,4	-	0,00
20	5 036	5 039	0,99	97,4	-	0,00
21	4 301	4 304	2,45	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 568	4 572	1,89	97,4	-	0,00
23	4 146	4 149	2,79	97,4	-	0,00
24	3 739	3 743	3,74	97,4	-	0,00
25	4 425	4 428	2,19	97,4	-	0,00
26	4 092	4 096	2,91	97,4	-	0,00
27	3 760	3 764	3,68	97,4	-	0,00
28	3 827	3 831	3,52	97,4	-	0,00
29	3 582	3 586	4,13	97,4	-	0,00
3	9 868	9 869	-5,38	97,4	-	0,00
30	3 278	3 283	4,93	97,4	-	0,00
31	3 187	3 192	5,19	97,4	-	0,00
32	3 128	3 133	5,36	97,4	-	0,00
33	2 483	2 490	7,44	97,4	-	0,00
34	2 181	2 188	8,60	97,4	-	0,00
35	2 736	2 742	6,57	97,4	-	0,00
36	2 556	2 562	7,18	97,4	-	0,00
37	2 713	2 718	6,65	97,4	-	0,00
38	2 771	2 777	6,45	97,4	-	0,00
39	3 399	3 404	4,60	97,4	-	0,00
4	9 924	9 926	-5,44	97,4	-	0,00
40	3 279	3 284	4,93	97,4	-	0,00
41	3 172	3 177	5,23	97,4	-	0,00
5	9 379	9 381	-4,89	97,4	-	0,00
6	10 141	10 143	-5,65	97,4	-	0,00
7	10 628	10 629	-6,10	97,4	-	0,00
8	8 881	8 883	-4,37	97,4	-	0,00
9	8 384	8 386	-3,81	97,4	-	0,00
Sum			19,08			

- Data undefined due to calculation with octave data

Noise sensitive area: ED Sturi š ki

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 135	11 136	-6,56	97,4	-	0,00
10	9 479	9 480	-4,99	97,4	-	0,00
11	7 784	7 785	-3,10	97,4	-	0,00
12	8 228	8 230	-3,63	97,4	-	0,00
13	7 345	7 347	-2,55	97,4	-	0,00
14	6 700	6 702	-1,68	97,4	-	0,00
15	6 356	6 358	-1,18	97,4	-	0,00
16	6 163	6 166	-0,89	97,4	-	0,00
17	5 902	5 905	-0,49	97,4	-	0,00
18	4 944	4 947	1,16	97,4	-	0,00
19	4 439	4 443	2,16	97,4	-	0,00
2	10 552	10 554	-6,03	97,4	-	0,00
20	5 036	5 039	0,99	97,4	-	0,00
21	4 301	4 304	2,45	97,4	-	0,00
22	4 568	4 572	1,89	97,4	-	0,00
23	4 146	4 149	2,79	97,4	-	0,00
24	3 739	3 743	3,74	97,4	-	0,00
25	4 425	4 428	2,19	97,4	-	0,00
26	4 092	4 096	2,91	97,4	-	0,00
27	3 760	3 764	3,68	97,4	-	0,00
28	3 827	3 831	3,52	97,4	-	0,00
29	3 582	3 586	4,13	97,4	-	0,00
3	9 868	9 869	-5,38	97,4	-	0,00
30	3 278	3 283	4,93	97,4	-	0,00
31	3 187	3 192	5,19	97,4	-	0,00
32	3 128	3 133	5,36	97,4	-	0,00
33	2 483	2 490	7,44	97,4	-	0,00
34	2 181	2 188	8,60	97,4	-	0,00
35	2 736	2 742	6,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 556	2 562	7,18	97,4	-	0,00
37	2 713	2 718	6,65	97,4	-	0,00
38	2 771	2 777	6,45	97,4	-	0,00
39	3 399	3 404	4,60	97,4	-	0,00
4	9 924	9 926	-5,44	97,4	-	0,00
40	3 279	3 284	4,93	97,4	-	0,00
41	3 172	3 177	5,23	97,4	-	0,00
5	9 379	9 381	-4,89	97,4	-	0,00
6	10 141	10 143	-5,65	97,4	-	0,00
7	10 628	10 629	-6,10	97,4	-	0,00
8	8 881	8 883	-4,37	97,4	-	0,00
9	8 384	8 386	-3,81	97,4	-	0,00
Sum			19,08			

- Data undefined due to calculation with octave data

Noise sensitive area: EE O š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 864	10 865	-6,32	97,4	-	0,00
10	9 702	9 703	-5,22	97,4	-	0,00
11	8 221	8 223	-3,63	97,4	-	0,00
12	8 742	8 744	-4,21	97,4	-	0,00
13	7 826	7 827	-3,16	97,4	-	0,00
14	7 120	7 122	-2,26	97,4	-	0,00
15	6 849	6 851	-1,89	97,4	-	0,00
16	6 716	6 718	-1,70	97,4	-	0,00
17	6 522	6 525	-1,43	97,4	-	0,00
18	5 294	5 297	0,53	97,4	-	0,00
19	4 810	4 813	1,42	97,4	-	0,00
2	10 276	10 277	-5,78	97,4	-	0,00
20	5 602	5 604	0,00	97,4	-	0,00
21	4 780	4 783	1,47	97,4	-	0,00
22	5 177	5 181	0,73	97,4	-	0,00
23	4 818	4 821	1,40	97,4	-	0,00
24	4 282	4 286	2,49	97,4	-	0,00
25	4 565	4 568	1,90	97,4	-	0,00
26	4 064	4 068	2,97	97,4	-	0,00
27	4 098	4 102	2,89	97,4	-	0,00
28	3 979	3 983	3,16	97,4	-	0,00
29	3 563	3 567	4,18	97,4	-	0,00
3	9 636	9 638	-5,15	97,4	-	0,00
30	3 462	3 467	4,44	97,4	-	0,00
31	3 569	3 573	4,16	97,4	-	0,00
32	3 061	3 066	5,56	97,4	-	0,00
33	2 389	2 396	7,79	97,4	-	0,00
34	2 333	2 339	8,00	97,4	-	0,00
35	2 924	2 929	5,97	97,4	-	0,00
36	2 955	2 960	5,88	97,4	-	0,00
37	3 339	3 344	4,77	97,4	-	0,00
38	3 586	3 591	4,12	97,4	-	0,00
39	4 022	4 026	3,07	97,4	-	0,00
4	9 764	9 765	-5,28	97,4	-	0,00
40	4 182	4 186	2,71	97,4	-	0,00
41	4 151	4 155	2,78	97,4	-	0,00
5	9 201	9 202	-4,71	97,4	-	0,00
6	10 045	10 047	-5,56	97,4	-	0,00
7	10 543	10 545	-6,03	97,4	-	0,00
8	9 090	9 092	-4,59	97,4	-	0,00
9	8 637	8 638	-4,10	97,4	-	0,00
Sum			18,25			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EE O š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 864	10 865	-6,32	97,4	-	0,00
10	9 702	9 703	-5,22	97,4	-	0,00
11	8 221	8 223	-3,63	97,4	-	0,00
12	8 742	8 744	-4,21	97,4	-	0,00
13	7 826	7 827	-3,16	97,4	-	0,00
14	7 120	7 122	-2,26	97,4	-	0,00
15	6 849	6 851	-1,89	97,4	-	0,00
16	6 716	6 718	-1,70	97,4	-	0,00
17	6 522	6 525	-1,43	97,4	-	0,00
18	5 294	5 297	0,53	97,4	-	0,00
19	4 810	4 813	1,42	97,4	-	0,00
2	10 276	10 277	-5,78	97,4	-	0,00
20	5 602	5 604	0,00	97,4	-	0,00
21	4 780	4 783	1,47	97,4	-	0,00
22	5 177	5 181	0,73	97,4	-	0,00
23	4 818	4 821	1,40	97,4	-	0,00
24	4 282	4 286	2,49	97,4	-	0,00
25	4 565	4 568	1,90	97,4	-	0,00
26	4 064	4 068	2,97	97,4	-	0,00
27	4 098	4 102	2,89	97,4	-	0,00
28	3 979	3 983	3,16	97,4	-	0,00
29	3 563	3 567	4,18	97,4	-	0,00
3	9 636	9 638	-5,15	97,4	-	0,00
30	3 462	3 467	4,44	97,4	-	0,00
31	3 569	3 573	4,16	97,4	-	0,00
32	3 061	3 066	5,56	97,4	-	0,00
33	2 389	2 396	7,79	97,4	-	0,00
34	2 333	2 339	8,00	97,4	-	0,00
35	2 924	2 929	5,97	97,4	-	0,00
36	2 955	2 960	5,88	97,4	-	0,00
37	3 339	3 344	4,77	97,4	-	0,00
38	3 586	3 591	4,12	97,4	-	0,00
39	4 022	4 026	3,07	97,4	-	0,00
4	9 764	9 765	-5,28	97,4	-	0,00
40	4 182	4 186	2,71	97,4	-	0,00
41	4 151	4 155	2,78	97,4	-	0,00
5	9 201	9 202	-4,71	97,4	-	0,00
6	10 045	10 047	-5,56	97,4	-	0,00
7	10 543	10 545	-6,03	97,4	-	0,00
8	9 090	9 092	-4,59	97,4	-	0,00
9	8 637	8 638	-4,10	97,4	-	0,00
Sum			18,25			

- Data undefined due to calculation with octave data

Noise sensitive area: EF Vecsturi š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 439	11 441	-6,82	97,4	-	0,00
10	10 040	10 041	-5,55	97,4	-	0,00
11	8 424	8 426	-3,86	97,4	-	0,00
12	8 894	8 895	-4,38	97,4	-	0,00
13	7 999	8 001	-3,36	97,4	-	0,00
14	7 333	7 335	-2,54	97,4	-	0,00
15	7 012	7 014	-2,11	97,4	-	0,00
16	6 837	6 839	-1,87	97,4	-	0,00
17	6 593	6 595	-1,53	97,4	-	0,00
18	5 545	5 548	0,09	97,4	-	0,00
19	5 046	5 049	0,97	97,4	-	0,00
2	10 853	10 854	-6,31	97,4	-	0,00
20	5 711	5 714	-0,18	97,4	-	0,00
21	4 946	4 949	1,16	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 253	5 256	0,60	97,4	-	0,00
23	4 845	4 848	1,35	97,4	-	0,00
24	4 402	4 405	2,24	97,4	-	0,00
25	4 932	4 935	1,18	97,4	-	0,00
26	4 513	4 517	2,01	97,4	-	0,00
27	4 349	4 353	2,35	97,4	-	0,00
28	4 336	4 339	2,38	97,4	-	0,00
29	4 003	4 006	3,11	97,4	-	0,00
3	10 195	10 197	-5,70	97,4	-	0,00
30	3 796	3 800	3,60	97,4	-	0,00
31	3 789	3 793	3,61	97,4	-	0,00
32	3 517	3 522	4,29	97,4	-	0,00
33	2 845	2 851	6,21	97,4	-	0,00
34	2 663	2 668	6,82	97,4	-	0,00
35	3 247	3 252	5,02	97,4	-	0,00
36	3 156	3 161	5,28	97,4	-	0,00
37	3 393	3 397	4,62	97,4	-	0,00
38	3 490	3 495	4,36	97,4	-	0,00
39	4 083	4 087	2,93	97,4	-	0,00
4	10 293	10 295	-5,79	97,4	-	0,00
40	4 000	4 004	3,12	97,4	-	0,00
41	3 878	3 882	3,40	97,4	-	0,00
5	9 737	9 738	-5,25	97,4	-	0,00
6	10 547	10 548	-6,03	97,4	-	0,00
7	11 040	11 042	-6,47	97,4	-	0,00
8	9 435	9 436	-4,95	97,4	-	0,00
9	8 956	8 957	-4,45	97,4	-	0,00
Sum			17,65			

- Data undefined due to calculation with octave data

Noise sensitive area: EF Vecsturi š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 439	11 441	-6,82	97,4	-	0,00
10	10 040	10 041	-5,55	97,4	-	0,00
11	8 424	8 426	-3,86	97,4	-	0,00
12	8 894	8 895	-4,38	97,4	-	0,00
13	7 999	8 001	-3,36	97,4	-	0,00
14	7 333	7 335	-2,54	97,4	-	0,00
15	7 012	7 014	-2,11	97,4	-	0,00
16	6 837	6 839	-1,87	97,4	-	0,00
17	6 593	6 595	-1,53	97,4	-	0,00
18	5 545	5 548	0,09	97,4	-	0,00
19	5 046	5 049	0,97	97,4	-	0,00
2	10 853	10 854	-6,31	97,4	-	0,00
20	5 711	5 714	-0,18	97,4	-	0,00
21	4 946	4 949	1,16	97,4	-	0,00
22	5 253	5 256	0,60	97,4	-	0,00
23	4 845	4 848	1,35	97,4	-	0,00
24	4 402	4 405	2,24	97,4	-	0,00
25	4 932	4 935	1,18	97,4	-	0,00
26	4 513	4 517	2,01	97,4	-	0,00
27	4 349	4 353	2,35	97,4	-	0,00
28	4 336	4 339	2,38	97,4	-	0,00
29	4 003	4 006	3,11	97,4	-	0,00
3	10 195	10 197	-5,70	97,4	-	0,00
30	3 796	3 800	3,60	97,4	-	0,00
31	3 789	3 793	3,61	97,4	-	0,00
32	3 517	3 522	4,29	97,4	-	0,00
33	2 845	2 851	6,21	97,4	-	0,00
34	2 663	2 668	6,82	97,4	-	0,00
35	3 247	3 252	5,02	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 156	3 161	5,28	97,4	-	0,00
37	3 393	3 397	4,62	97,4	-	0,00
38	3 490	3 495	4,36	97,4	-	0,00
39	4 083	4 087	2,93	97,4	-	0,00
4	10 293	10 295	-5,79	97,4	-	0,00
40	4 000	4 004	3,12	97,4	-	0,00
41	3 878	3 882	3,40	97,4	-	0,00
5	9 737	9 738	-5,25	97,4	-	0,00
6	10 547	10 548	-6,03	97,4	-	0,00
7	11 040	11 042	-6,47	97,4	-	0,00
8	9 435	9 436	-4,95	97,4	-	0,00
9	8 956	8 957	-4,45	97,4	-	0,00
Sum			17,65			

- Data undefined due to calculation with octave data

Noise sensitive area: EG Loci

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 538	11 539	-6,91	97,4	-	0,00
10	9 939	9 941	-5,45	97,4	-	0,00
11	8 240	8 242	-3,65	97,4	-	0,00
12	8 677	8 679	-4,14	97,4	-	0,00
13	7 798	7 800	-3,12	97,4	-	0,00
14	7 158	7 160	-2,31	97,4	-	0,00
15	6 809	6 811	-1,83	97,4	-	0,00
16	6 610	6 612	-1,55	97,4	-	0,00
17	6 339	6 342	-1,16	97,4	-	0,00
18	5 405	5 408	0,33	97,4	-	0,00
19	4 901	4 904	1,24	97,4	-	0,00
2	10 954	10 955	-6,40	97,4	-	0,00
20	5 484	5 486	0,20	97,4	-	0,00
21	4 758	4 761	1,52	97,4	-	0,00
22	5 011	5 014	1,04	97,4	-	0,00
23	4 578	4 582	1,87	97,4	-	0,00
24	4 192	4 195	2,69	97,4	-	0,00
25	4 877	4 881	1,29	97,4	-	0,00
26	4 525	4 528	1,98	97,4	-	0,00
27	4 221	4 225	2,62	97,4	-	0,00
28	4 280	4 283	2,50	97,4	-	0,00
29	4 014	4 018	3,09	97,4	-	0,00
3	10 278	10 280	-5,78	97,4	-	0,00
30	3 732	3 736	3,75	97,4	-	0,00
31	3 649	3 653	3,96	97,4	-	0,00
32	3 549	3 554	4,21	97,4	-	0,00
33	2 893	2 898	6,07	97,4	-	0,00
34	2 624	2 630	6,95	97,4	-	0,00
35	3 187	3 192	5,19	97,4	-	0,00
36	3 018	3 023	5,69	97,4	-	0,00
37	3 160	3 165	5,27	97,4	-	0,00
38	3 176	3 181	5,22	97,4	-	0,00
39	3 844	3 848	3,48	97,4	-	0,00
4	10 347	10 349	-5,84	97,4	-	0,00
40	3 640	3 644	3,98	97,4	-	0,00
41	3 483	3 487	4,38	97,4	-	0,00
5	9 799	9 800	-5,32	97,4	-	0,00
6	10 575	10 576	-6,06	97,4	-	0,00
7	11 063	11 065	-6,50	97,4	-	0,00
8	9 341	9 343	-4,85	97,4	-	0,00
9	8 845	8 847	-4,33	97,4	-	0,00
Sum			17,96			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EG Loci

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 538	11 539	-6,91	97,4	-	0,00
10	9 939	9 941	-5,45	97,4	-	0,00
11	8 240	8 242	-3,65	97,4	-	0,00
12	8 677	8 679	-4,14	97,4	-	0,00
13	7 798	7 800	-3,12	97,4	-	0,00
14	7 158	7 160	-2,31	97,4	-	0,00
15	6 809	6 811	-1,83	97,4	-	0,00
16	6 610	6 612	-1,55	97,4	-	0,00
17	6 339	6 342	-1,16	97,4	-	0,00
18	5 405	5 408	0,33	97,4	-	0,00
19	4 901	4 904	1,24	97,4	-	0,00
2	10 954	10 955	-6,40	97,4	-	0,00
20	5 484	5 486	0,20	97,4	-	0,00
21	4 758	4 761	1,52	97,4	-	0,00
22	5 011	5 014	1,04	97,4	-	0,00
23	4 578	4 582	1,87	97,4	-	0,00
24	4 192	4 195	2,69	97,4	-	0,00
25	4 877	4 881	1,29	97,4	-	0,00
26	4 525	4 528	1,98	97,4	-	0,00
27	4 221	4 225	2,62	97,4	-	0,00
28	4 280	4 283	2,50	97,4	-	0,00
29	4 014	4 018	3,09	97,4	-	0,00
3	10 278	10 280	-5,78	97,4	-	0,00
30	3 732	3 736	3,75	97,4	-	0,00
31	3 649	3 653	3,96	97,4	-	0,00
32	3 549	3 554	4,21	97,4	-	0,00
33	2 893	2 898	6,07	97,4	-	0,00
34	2 624	2 630	6,95	97,4	-	0,00
35	3 187	3 192	5,19	97,4	-	0,00
36	3 018	3 023	5,69	97,4	-	0,00
37	3 160	3 165	5,27	97,4	-	0,00
38	3 176	3 181	5,22	97,4	-	0,00
39	3 844	3 848	3,48	97,4	-	0,00
4	10 347	10 349	-5,84	97,4	-	0,00
40	3 640	3 644	3,98	97,4	-	0,00
41	3 483	3 487	4,38	97,4	-	0,00
5	9 799	9 800	-5,32	97,4	-	0,00
6	10 575	10 576	-6,06	97,4	-	0,00
7	11 063	11 065	-6,50	97,4	-	0,00
8	9 341	9 343	-4,85	97,4	-	0,00
9	8 845	8 847	-4,33	97,4	-	0,00
Sum			17,96			

- Data undefined due to calculation with octave data

Noise sensitive area: EH Drava

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 017	11 018	-6,45	97,4	-	0,00
10	9 552	9 554	-5,07	97,4	-	0,00
11	7 940	7 942	-3,29	97,4	-	0,00
12	8 416	8 418	-3,85	97,4	-	0,00
13	7 518	7 520	-2,77	97,4	-	0,00
14	6 847	6 850	-1,89	97,4	-	0,00
15	6 532	6 535	-1,44	97,4	-	0,00
16	6 364	6 366	-1,20	97,4	-	0,00
17	6 130	6 132	-0,84	97,4	-	0,00
18	5 057	5 060	0,95	97,4	-	0,00
19	4 558	4 561	1,91	97,4	-	0,00
2	10 431	10 433	-5,92	97,4	-	0,00
20	5 239	5 242	0,62	97,4	-	0,00
21	4 464	4 467	2,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 787	4 791	1,46	97,4	-	0,00
23	4 390	4 393	2,26	97,4	-	0,00
24	3 926	3 930	3,29	97,4	-	0,00
25	4 449	4 453	2,14	97,4	-	0,00
26	4 047	4 051	3,01	97,4	-	0,00
27	3 860	3 865	3,44	97,4	-	0,00
28	3 852	3 856	3,46	97,4	-	0,00
29	3 536	3 540	4,25	97,4	-	0,00
3	9 764	9 765	-5,28	97,4	-	0,00
30	3 311	3 315	4,84	97,4	-	0,00
31	3 301	3 306	4,87	97,4	-	0,00
32	3 058	3 063	5,57	97,4	-	0,00
33	2 390	2 397	7,78	97,4	-	0,00
34	2 180	2 187	8,61	97,4	-	0,00
35	2 762	2 768	6,48	97,4	-	0,00
36	2 669	2 674	6,79	97,4	-	0,00
37	2 928	2 933	5,96	97,4	-	0,00
38	3 072	3 077	5,52	97,4	-	0,00
39	3 618	3 623	4,03	97,4	-	0,00
4	9 848	9 849	-5,36	97,4	-	0,00
40	3 622	3 626	4,03	97,4	-	0,00
41	3 549	3 554	4,21	97,4	-	0,00
5	9 295	9 296	-4,81	97,4	-	0,00
6	10 090	10 092	-5,60	97,4	-	0,00
7	10 582	10 583	-6,06	97,4	-	0,00
8	8 948	8 950	-4,44	97,4	-	0,00
9	8 468	8 469	-3,91	97,4	-	0,00
Sum			18,82			

- Data undefined due to calculation with octave data

Noise sensitive area: EH Drava

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 017	11 018	-6,45	97,4	-	0,00
10	9 552	9 554	-5,07	97,4	-	0,00
11	7 940	7 942	-3,29	97,4	-	0,00
12	8 416	8 418	-3,85	97,4	-	0,00
13	7 518	7 520	-2,77	97,4	-	0,00
14	6 847	6 850	-1,89	97,4	-	0,00
15	6 532	6 535	-1,44	97,4	-	0,00
16	6 364	6 366	-1,20	97,4	-	0,00
17	6 130	6 132	-0,84	97,4	-	0,00
18	5 057	5 060	0,95	97,4	-	0,00
19	4 558	4 561	1,91	97,4	-	0,00
2	10 431	10 433	-5,92	97,4	-	0,00
20	5 239	5 242	0,62	97,4	-	0,00
21	4 464	4 467	2,11	97,4	-	0,00
22	4 787	4 791	1,46	97,4	-	0,00
23	4 390	4 393	2,26	97,4	-	0,00
24	3 926	3 930	3,29	97,4	-	0,00
25	4 449	4 453	2,14	97,4	-	0,00
26	4 047	4 051	3,01	97,4	-	0,00
27	3 860	3 865	3,44	97,4	-	0,00
28	3 852	3 856	3,46	97,4	-	0,00
29	3 536	3 540	4,25	97,4	-	0,00
3	9 764	9 765	-5,28	97,4	-	0,00
30	3 311	3 315	4,84	97,4	-	0,00
31	3 301	3 306	4,87	97,4	-	0,00
32	3 058	3 063	5,57	97,4	-	0,00
33	2 390	2 397	7,78	97,4	-	0,00
34	2 180	2 187	8,61	97,4	-	0,00
35	2 762	2 768	6,48	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 669	2 674	6,79	97,4	-	0,00
37	2 928	2 933	5,96	97,4	-	0,00
38	3 072	3 077	5,52	97,4	-	0,00
39	3 618	3 623	4,03	97,4	-	0,00
4	9 848	9 849	-5,36	97,4	-	0,00
40	3 622	3 626	4,03	97,4	-	0,00
41	3 549	3 554	4,21	97,4	-	0,00
5	9 295	9 296	-4,81	97,4	-	0,00
6	10 090	10 092	-5,60	97,4	-	0,00
7	10 582	10 583	-6,06	97,4	-	0,00
8	8 948	8 950	-4,44	97,4	-	0,00
9	8 468	8 469	-3,91	97,4	-	0,00
Sum			18,82			

- Data undefined due to calculation with octave data

Noise sensitive area: EI Pamales

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 376	11 378	-6,77	97,4	-	0,00
10	9 793	9 794	-5,31	97,4	-	0,00
11	8 110	8 112	-3,50	97,4	-	0,00
12	8 556	8 558	-4,01	97,4	-	0,00
13	7 673	7 675	-2,97	97,4	-	0,00
14	7 026	7 028	-2,13	97,4	-	0,00
15	6 683	6 686	-1,66	97,4	-	0,00
16	6 491	6 493	-1,38	97,4	-	0,00
17	6 228	6 231	-0,99	97,4	-	0,00
18	5 265	5 268	0,58	97,4	-	0,00
19	4 761	4 764	1,51	97,4	-	0,00
2	10 792	10 793	-6,25	97,4	-	0,00
20	5 364	5 367	0,40	97,4	-	0,00
21	4 627	4 631	1,78	97,4	-	0,00
22	4 896	4 899	1,25	97,4	-	0,00
23	4 471	4 474	2,09	97,4	-	0,00
24	4 066	4 070	2,97	97,4	-	0,00
25	4 724	4 727	1,58	97,4	-	0,00
26	4 365	4 369	2,31	97,4	-	0,00
27	4 078	4 082	2,94	97,4	-	0,00
28	4 126	4 130	2,83	97,4	-	0,00
29	3 854	3 858	3,46	97,4	-	0,00
3	10 116	10 118	-5,62	97,4	-	0,00
30	3 578	3 583	4,14	97,4	-	0,00
31	3 507	3 512	4,32	97,4	-	0,00
32	3 388	3 393	4,63	97,4	-	0,00
33	2 731	2 737	6,58	97,4	-	0,00
34	2 467	2 473	7,50	97,4	-	0,00
35	3 033	3 038	5,64	97,4	-	0,00
36	2 875	2 880	6,12	97,4	-	0,00
37	3 040	3 045	5,62	97,4	-	0,00
38	3 086	3 091	5,48	97,4	-	0,00
39	3 727	3 731	3,76	97,4	-	0,00
4	10 186	10 188	-5,69	97,4	-	0,00
40	3 573	3 578	4,15	97,4	-	0,00
41	3 439	3 444	4,50	97,4	-	0,00
5	9 638	9 639	-5,15	97,4	-	0,00
6	10 415	10 417	-5,91	97,4	-	0,00
7	10 904	10 905	-6,35	97,4	-	0,00
8	9 194	9 195	-4,70	97,4	-	0,00
9	8 700	8 702	-4,17	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EI Pamales

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 376	11 378	-6,77	97,4	-	0,00
10	9 793	9 794	-5,31	97,4	-	0,00
11	8 110	8 112	-3,50	97,4	-	0,00
12	8 556	8 558	-4,01	97,4	-	0,00
13	7 673	7 675	-2,97	97,4	-	0,00
14	7 026	7 028	-2,13	97,4	-	0,00
15	6 683	6 686	-1,66	97,4	-	0,00
16	6 491	6 493	-1,38	97,4	-	0,00
17	6 228	6 231	-0,99	97,4	-	0,00
18	5 265	5 268	0,58	97,4	-	0,00
19	4 761	4 764	1,51	97,4	-	0,00
2	10 792	10 793	-6,25	97,4	-	0,00
20	5 364	5 367	0,40	97,4	-	0,00
21	4 627	4 631	1,78	97,4	-	0,00
22	4 896	4 899	1,25	97,4	-	0,00
23	4 471	4 474	2,09	97,4	-	0,00
24	4 066	4 070	2,97	97,4	-	0,00
25	4 724	4 727	1,58	97,4	-	0,00
26	4 365	4 369	2,31	97,4	-	0,00
27	4 078	4 082	2,94	97,4	-	0,00
28	4 126	4 130	2,83	97,4	-	0,00
29	3 854	3 858	3,46	97,4	-	0,00
3	10 116	10 118	-5,62	97,4	-	0,00
30	3 578	3 583	4,14	97,4	-	0,00
31	3 507	3 512	4,32	97,4	-	0,00
32	3 388	3 393	4,63	97,4	-	0,00
33	2 731	2 737	6,58	97,4	-	0,00
34	2 467	2 473	7,50	97,4	-	0,00
35	3 033	3 038	5,64	97,4	-	0,00
36	2 875	2 880	6,12	97,4	-	0,00
37	3 040	3 045	5,62	97,4	-	0,00
38	3 086	3 091	5,48	97,4	-	0,00
39	3 727	3 731	3,76	97,4	-	0,00
4	10 186	10 188	-5,69	97,4	-	0,00
40	3 573	3 578	4,15	97,4	-	0,00
41	3 439	3 444	4,50	97,4	-	0,00
5	9 638	9 639	-5,15	97,4	-	0,00
6	10 415	10 417	-5,91	97,4	-	0,00
7	10 904	10 905	-6,35	97,4	-	0,00
8	9 194	9 195	-4,70	97,4	-	0,00
9	8 700	8 702	-4,17	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: EJ Purmali

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 400	1 411	12,52	97,4	-	0,00
10	6 203	6 205	-0,95	97,4	-	0,00
11	8 282	8 283	-3,70	97,4	-	0,00
12	8 914	8 916	-4,40	97,4	-	0,00
13	8 684	8 686	-4,15	97,4	-	0,00
14	8 380	8 382	-3,81	97,4	-	0,00
15	8 953	8 955	-4,44	97,4	-	0,00
16	9 391	9 393	-4,90	97,4	-	0,00
17	9 901	9 902	-5,42	97,4	-	0,00
18	8 731	8 732	-4,20	97,4	-	0,00
19	9 085	9 087	-4,59	97,4	-	0,00
2	1 915	1 923	9,76	97,4	-	0,00
20	9 719	9 721	-5,24	97,4	-	0,00
21	9 571	9 573	-5,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 077	10 079	-5,59	97,4	-	0,00
23	10 504	10 505	-5,99	97,4	-	0,00
24	10 062	10 064	-5,57	97,4	-	0,00
25	8 425	8 426	-3,86	97,4	-	0,00
26	8 430	8 432	-3,87	97,4	-	0,00
27	9 393	9 395	-4,91	97,4	-	0,00
28	8 924	8 926	-4,41	97,4	-	0,00
29	8 909	8 911	-4,40	97,4	-	0,00
3	2 694	2 699	6,71	97,4	-	0,00
30	9 420	9 422	-4,93	97,4	-	0,00
31	9 865	9 867	-5,38	97,4	-	0,00
32	9 306	9 308	-4,82	97,4	-	0,00
33	9 925	9 926	-5,44	97,4	-	0,00
34	10 309	10 310	-5,81	97,4	-	0,00
35	9 868	9 870	-5,38	97,4	-	0,00
36	10 311	10 312	-5,81	97,4	-	0,00
37	10 763	10 765	-6,23	97,4	-	0,00
38	11 436	11 437	-6,82	97,4	-	0,00
39	10 492	10 494	-5,98	97,4	-	0,00
4	2 981	2 986	5,80	97,4	-	0,00
40	11 895	11 896	-7,20	97,4	-	0,00
41	12 437	12 438	-7,64	97,4	-	0,00
5	3 329	3 333	4,79	97,4	-	0,00
6	3 273	3 278	4,95	97,4	-	0,00
7	3 126	3 130	5,37	97,4	-	0,00
8	6 212	6 215	-0,97	97,4	-	0,00
9	6 697	6 699	-1,68	97,4	-	0,00
Sum			17,59			

- Data undefined due to calculation with octave data

Noise sensitive area: EJ Purmali

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 400	1 411	12,52	97,4	-	0,00
10	6 203	6 205	-0,95	97,4	-	0,00
11	8 282	8 283	-3,70	97,4	-	0,00
12	8 914	8 916	-4,40	97,4	-	0,00
13	8 684	8 686	-4,15	97,4	-	0,00
14	8 380	8 382	-3,81	97,4	-	0,00
15	8 953	8 955	-4,44	97,4	-	0,00
16	9 391	9 393	-4,90	97,4	-	0,00
17	9 901	9 902	-5,42	97,4	-	0,00
18	8 731	8 732	-4,20	97,4	-	0,00
19	9 085	9 087	-4,59	97,4	-	0,00
2	1 915	1 923	9,76	97,4	-	0,00
20	9 719	9 721	-5,24	97,4	-	0,00
21	9 571	9 573	-5,09	97,4	-	0,00
22	10 077	10 079	-5,59	97,4	-	0,00
23	10 504	10 505	-5,99	97,4	-	0,00
24	10 062	10 064	-5,57	97,4	-	0,00
25	8 425	8 426	-3,86	97,4	-	0,00
26	8 430	8 432	-3,87	97,4	-	0,00
27	9 393	9 395	-4,91	97,4	-	0,00
28	8 924	8 926	-4,41	97,4	-	0,00
29	8 909	8 911	-4,40	97,4	-	0,00
3	2 694	2 699	6,71	97,4	-	0,00
30	9 420	9 422	-4,93	97,4	-	0,00
31	9 865	9 867	-5,38	97,4	-	0,00
32	9 306	9 308	-4,82	97,4	-	0,00
33	9 925	9 926	-5,44	97,4	-	0,00
34	10 309	10 310	-5,81	97,4	-	0,00
35	9 868	9 870	-5,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 311	10 312	-5,81	97,4	-	0,00
37	10 763	10 765	-6,23	97,4	-	0,00
38	11 436	11 437	-6,82	97,4	-	0,00
39	10 492	10 494	-5,98	97,4	-	0,00
4	2 981	2 986	5,80	97,4	-	0,00
40	11 895	11 896	-7,20	97,4	-	0,00
41	12 437	12 438	-7,64	97,4	-	0,00
5	3 329	3 333	4,79	97,4	-	0,00
6	3 273	3 278	4,95	97,4	-	0,00
7	3 126	3 130	5,37	97,4	-	0,00
8	6 212	6 215	-0,97	97,4	-	0,00
9	6 697	6 699	-1,68	97,4	-	0,00
Sum			17,59			

- Data undefined due to calculation with octave data

Noise sensitive area: EK Ploni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 996	2 004	9,39	97,4	-	0,00
10	6 874	6 876	-1,92	97,4	-	0,00
11	8 658	8 660	-4,12	97,4	-	0,00
12	9 371	9 373	-4,88	97,4	-	0,00
13	8 990	8 991	-4,48	97,4	-	0,00
14	8 555	8 557	-4,01	97,4	-	0,00
15	9 089	9 090	-4,59	97,4	-	0,00
16	9 507	9 509	-5,02	97,4	-	0,00
17	9 985	9 986	-5,50	97,4	-	0,00
18	8 568	8 570	-4,02	97,4	-	0,00
19	8 853	8 855	-4,34	97,4	-	0,00
2	2 121	2 128	8,85	97,4	-	0,00
20	9 654	9 656	-5,17	97,4	-	0,00
21	9 363	9 364	-4,88	97,4	-	0,00
22	9 949	9 951	-5,46	97,4	-	0,00
23	10 325	10 326	-5,82	97,4	-	0,00
24	9 790	9 792	-5,31	97,4	-	0,00
25	8 063	8 066	-3,44	97,4	-	0,00
26	7 923	7 925	-3,27	97,4	-	0,00
27	9 048	9 049	-4,55	97,4	-	0,00
28	8 497	8 498	-3,94	97,4	-	0,00
29	8 363	8 365	-3,79	97,4	-	0,00
3	2 825	2 831	6,28	97,4	-	0,00
30	8 946	8 947	-4,44	97,4	-	0,00
31	9 460	9 462	-4,98	97,4	-	0,00
32	8 703	8 705	-4,17	97,4	-	0,00
33	9 272	9 274	-4,78	97,4	-	0,00
34	9 715	9 716	-5,23	97,4	-	0,00
35	9 338	9 339	-4,85	97,4	-	0,00
36	9 831	9 833	-5,35	97,4	-	0,00
37	10 367	10 369	-5,86	97,4	-	0,00
38	11 082	11 083	-6,51	97,4	-	0,00
39	10 193	10 194	-5,70	97,4	-	0,00
4	3 378	3 382	4,66	97,4	-	0,00
40	11 613	11 615	-6,97	97,4	-	0,00
41	12 133	12 134	-7,40	97,4	-	0,00
5	3 475	3 479	4,40	97,4	-	0,00
6	3 896	3 900	3,36	97,4	-	0,00
7	3 946	3 950	3,24	97,4	-	0,00
8	6 746	6 748	-1,75	97,4	-	0,00
9	7 140	7 142	-2,28	97,4	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EK Ploni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 996	2 004	9,39	97,4	-	0,00
10	6 874	6 876	-1,92	97,4	-	0,00
11	8 658	8 660	-4,12	97,4	-	0,00
12	9 371	9 373	-4,88	97,4	-	0,00
13	8 990	8 991	-4,48	97,4	-	0,00
14	8 555	8 557	-4,01	97,4	-	0,00
15	9 089	9 090	-4,59	97,4	-	0,00
16	9 507	9 509	-5,02	97,4	-	0,00
17	9 985	9 986	-5,50	97,4	-	0,00
18	8 568	8 570	-4,02	97,4	-	0,00
19	8 853	8 855	-4,34	97,4	-	0,00
2	2 121	2 128	8,85	97,4	-	0,00
20	9 654	9 656	-5,17	97,4	-	0,00
21	9 363	9 364	-4,88	97,4	-	0,00
22	9 949	9 951	-5,46	97,4	-	0,00
23	10 325	10 326	-5,82	97,4	-	0,00
24	9 790	9 792	-5,31	97,4	-	0,00
25	8 063	8 066	-3,44	97,4	-	0,00
26	7 923	7 925	-3,27	97,4	-	0,00
27	9 048	9 049	-4,55	97,4	-	0,00
28	8 497	8 498	-3,94	97,4	-	0,00
29	8 363	8 365	-3,79	97,4	-	0,00
3	2 825	2 831	6,28	97,4	-	0,00
30	8 946	8 947	-4,44	97,4	-	0,00
31	9 460	9 462	-4,98	97,4	-	0,00
32	8 703	8 705	-4,17	97,4	-	0,00
33	9 272	9 274	-4,78	97,4	-	0,00
34	9 715	9 716	-5,23	97,4	-	0,00
35	9 338	9 339	-4,85	97,4	-	0,00
36	9 831	9 833	-5,35	97,4	-	0,00
37	10 367	10 369	-5,86	97,4	-	0,00
38	11 082	11 083	-6,51	97,4	-	0,00
39	10 193	10 194	-5,70	97,4	-	0,00
4	3 378	3 382	4,66	97,4	-	0,00
40	11 613	11 615	-6,97	97,4	-	0,00
41	12 133	12 134	-7,40	97,4	-	0,00
5	3 475	3 479	4,40	97,4	-	0,00
6	3 896	3 900	3,36	97,4	-	0,00
7	3 946	3 950	3,24	97,4	-	0,00
8	6 746	6 748	-1,75	97,4	-	0,00
9	7 140	7 142	-2,28	97,4	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Noise sensitive area: EL Riekstini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 226	3 231	5,08	97,4	-	0,00
10	7 151	7 153	-2,30	97,4	-	0,00
11	8 417	8 419	-3,85	97,4	-	0,00
12	9 206	9 208	-4,71	97,4	-	0,00
13	8 635	8 637	-4,10	97,4	-	0,00
14	8 048	8 050	-3,42	97,4	-	0,00
15	8 502	8 504	-3,95	97,4	-	0,00
16	8 876	8 877	-4,36	97,4	-	0,00
17	9 292	9 293	-4,80	97,4	-	0,00
18	7 616	7 618	-2,90	97,4	-	0,00
19	7 799	7 801	-3,12	97,4	-	0,00
2	2 922	2 928	5,97	97,4	-	0,00
20	8 780	8 782	-4,26	97,4	-	0,00
21	8 317	8 319	-3,74	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 984	8 986	-4,48	97,4	-	0,00
23	9 283	9 284	-4,79	97,4	-	0,00
24	8 650	8 652	-4,11	97,4	-	0,00
25	6 882	6 885	-1,94	97,4	-	0,00
26	6 566	6 568	-1,49	97,4	-	0,00
27	7 843	7 845	-3,18	97,4	-	0,00
28	7 212	7 214	-2,38	97,4	-	0,00
29	6 940	6 942	-2,01	97,4	-	0,00
3	3 177	3 182	5,22	97,4	-	0,00
30	7 586	7 588	-2,86	97,4	-	0,00
31	8 167	8 169	-3,56	97,4	-	0,00
32	7 199	7 202	-2,36	97,4	-	0,00
33	7 695	7 698	-3,00	97,4	-	0,00
34	8 192	8 194	-3,59	97,4	-	0,00
35	7 899	7 901	-3,24	97,4	-	0,00
36	8 438	8 440	-3,88	97,4	-	0,00
37	9 058	9 060	-4,56	97,4	-	0,00
38	9 804	9 806	-5,32	97,4	-	0,00
39	9 005	9 006	-4,50	97,4	-	0,00
4	3 844	3 848	3,48	97,4	-	0,00
40	10 410	10 411	-5,90	97,4	-	0,00
41	10 891	10 893	-6,34	97,4	-	0,00
5	3 604	3 608	4,07	97,4	-	0,00
6	4 497	4 500	2,04	97,4	-	0,00
7	4 770	4 774	1,49	97,4	-	0,00
8	6 846	6 848	-1,89	97,4	-	0,00
9	7 086	7 088	-2,21	97,4	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Noise sensitive area: EL Riekstini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 226	3 231	5,08	97,4	-	0,00
10	7 151	7 153	-2,30	97,4	-	0,00
11	8 417	8 419	-3,85	97,4	-	0,00
12	9 206	9 208	-4,71	97,4	-	0,00
13	8 635	8 637	-4,10	97,4	-	0,00
14	8 048	8 050	-3,42	97,4	-	0,00
15	8 502	8 504	-3,95	97,4	-	0,00
16	8 876	8 877	-4,36	97,4	-	0,00
17	9 292	9 293	-4,80	97,4	-	0,00
18	7 616	7 618	-2,90	97,4	-	0,00
19	7 799	7 801	-3,12	97,4	-	0,00
2	2 922	2 928	5,97	97,4	-	0,00
20	8 780	8 782	-4,26	97,4	-	0,00
21	8 317	8 319	-3,74	97,4	-	0,00
22	8 984	8 986	-4,48	97,4	-	0,00
23	9 283	9 284	-4,79	97,4	-	0,00
24	8 650	8 652	-4,11	97,4	-	0,00
25	6 882	6 885	-1,94	97,4	-	0,00
26	6 566	6 568	-1,49	97,4	-	0,00
27	7 843	7 845	-3,18	97,4	-	0,00
28	7 212	7 214	-2,38	97,4	-	0,00
29	6 940	6 942	-2,01	97,4	-	0,00
3	3 177	3 182	5,22	97,4	-	0,00
30	7 586	7 588	-2,86	97,4	-	0,00
31	8 167	8 169	-3,56	97,4	-	0,00
32	7 199	7 202	-2,36	97,4	-	0,00
33	7 695	7 698	-3,00	97,4	-	0,00
34	8 192	8 194	-3,59	97,4	-	0,00
35	7 899	7 901	-3,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 438	8 440	-3,88	97,4	-	0,00
37	9 058	9 060	-4,56	97,4	-	0,00
38	9 804	9 806	-5,32	97,4	-	0,00
39	9 005	9 006	-4,50	97,4	-	0,00
4	3 844	3 848	3,48	97,4	-	0,00
40	10 410	10 411	-5,90	97,4	-	0,00
41	10 891	10 893	-6,34	97,4	-	0,00
5	3 604	3 608	4,07	97,4	-	0,00
6	4 497	4 500	2,04	97,4	-	0,00
7	4 770	4 774	1,49	97,4	-	0,00
8	6 846	6 848	-1,89	97,4	-	0,00
9	7 086	7 088	-2,21	97,4	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Noise sensitive area: EM Dek š ni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 855	1 863	10,04	97,4	-	0,00
10	6 330	6 332	-1,15	97,4	-	0,00
11	7 936	7 938	-3,29	97,4	-	0,00
12	8 679	8 681	-4,15	97,4	-	0,00
13	8 233	8 235	-3,64	97,4	-	0,00
14	7 751	7 753	-3,06	97,4	-	0,00
15	8 265	8 267	-3,68	97,4	-	0,00
16	8 674	8 675	-4,14	97,4	-	0,00
17	9 137	9 139	-4,64	97,4	-	0,00
18	7 656	7 658	-2,95	97,4	-	0,00
19	7 923	7 925	-3,27	97,4	-	0,00
2	1 690	1 699	10,87	97,4	-	0,00
20	8 763	8 765	-4,24	97,4	-	0,00
21	8 436	8 438	-3,87	97,4	-	0,00
22	9 039	9 041	-4,54	97,4	-	0,00
23	9 402	9 403	-4,92	97,4	-	0,00
24	8 849	8 850	-4,33	97,4	-	0,00
25	7 110	7 113	-2,24	97,4	-	0,00
26	6 949	6 951	-2,03	97,4	-	0,00
27	8 094	8 096	-3,48	97,4	-	0,00
28	7 531	7 533	-2,79	97,4	-	0,00
29	7 385	7 387	-2,60	97,4	-	0,00
3	2 205	2 211	8,51	97,4	-	0,00
30	7 974	7 975	-3,33	97,4	-	0,00
31	8 496	8 498	-3,94	97,4	-	0,00
32	7 720	7 722	-3,03	97,4	-	0,00
33	8 287	8 289	-3,70	97,4	-	0,00
34	8 732	8 733	-4,20	97,4	-	0,00
35	8 359	8 361	-3,79	97,4	-	0,00
36	8 857	8 859	-4,34	97,4	-	0,00
37	9 403	9 405	-4,92	97,4	-	0,00
38	10 122	10 124	-5,63	97,4	-	0,00
39	9 244	9 246	-4,75	97,4	-	0,00
4	2 841	2 846	6,23	97,4	-	0,00
40	10 665	10 667	-6,14	97,4	-	0,00
41	11 180	11 181	-6,60	97,4	-	0,00
5	2 795	2 799	6,38	97,4	-	0,00
6	3 444	3 449	4,48	97,4	-	0,00
7	3 615	3 619	4,04	97,4	-	0,00
8	6 129	6 131	-0,84	97,4	-	0,00
9	6 469	6 472	-1,35	97,4	-	0,00
Sum			17,67			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EM Dek š ni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 855	1 863	10,04	97,4	-	0,00
10	6 330	6 332	-1,15	97,4	-	0,00
11	7 936	7 938	-3,29	97,4	-	0,00
12	8 679	8 681	-4,15	97,4	-	0,00
13	8 233	8 235	-3,64	97,4	-	0,00
14	7 751	7 753	-3,06	97,4	-	0,00
15	8 265	8 267	-3,68	97,4	-	0,00
16	8 674	8 675	-4,14	97,4	-	0,00
17	9 137	9 139	-4,64	97,4	-	0,00
18	7 656	7 658	-2,95	97,4	-	0,00
19	7 923	7 925	-3,27	97,4	-	0,00
2	1 690	1 699	10,87	97,4	-	0,00
20	8 763	8 765	-4,24	97,4	-	0,00
21	8 436	8 438	-3,87	97,4	-	0,00
22	9 039	9 041	-4,54	97,4	-	0,00
23	9 402	9 403	-4,92	97,4	-	0,00
24	8 849	8 850	-4,33	97,4	-	0,00
25	7 110	7 113	-2,24	97,4	-	0,00
26	6 949	6 951	-2,03	97,4	-	0,00
27	8 094	8 096	-3,48	97,4	-	0,00
28	7 531	7 533	-2,79	97,4	-	0,00
29	7 385	7 387	-2,60	97,4	-	0,00
3	2 205	2 211	8,51	97,4	-	0,00
30	7 974	7 975	-3,33	97,4	-	0,00
31	8 496	8 498	-3,94	97,4	-	0,00
32	7 720	7 722	-3,03	97,4	-	0,00
33	8 287	8 289	-3,70	97,4	-	0,00
34	8 732	8 733	-4,20	97,4	-	0,00
35	8 359	8 361	-3,79	97,4	-	0,00
36	8 857	8 859	-4,34	97,4	-	0,00
37	9 403	9 405	-4,92	97,4	-	0,00
38	10 122	10 124	-5,63	97,4	-	0,00
39	9 244	9 246	-4,75	97,4	-	0,00
4	2 841	2 846	6,23	97,4	-	0,00
40	10 665	10 667	-6,14	97,4	-	0,00
41	11 180	11 181	-6,60	97,4	-	0,00
5	2 795	2 799	6,38	97,4	-	0,00
6	3 444	3 449	4,48	97,4	-	0,00
7	3 615	3 619	4,04	97,4	-	0,00
8	6 129	6 131	-0,84	97,4	-	0,00
9	6 469	6 472	-1,35	97,4	-	0,00
Sum			17,67			

- Data undefined due to calculation with octave data

Noise sensitive area: EN Ausekli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 867	2 872	6,15	97,4	-	0,00
10	7 831	7 833	-3,16	97,4	-	0,00
11	9 756	9 758	-5,27	97,4	-	0,00
12	10 440	10 441	-5,93	97,4	-	0,00
13	10 114	10 116	-5,62	97,4	-	0,00
14	9 720	9 722	-5,24	97,4	-	0,00
15	10 266	10 268	-5,77	97,4	-	0,00
16	10 691	10 693	-6,16	97,4	-	0,00
17	11 178	11 180	-6,60	97,4	-	0,00
18	9 808	9 809	-5,32	97,4	-	0,00
19	10 102	10 104	-5,61	97,4	-	0,00
2	3 170	3 175	5,24	97,4	-	0,00
20	10 880	10 881	-6,33	97,4	-	0,00
21	10 610	10 611	-6,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	11 186	11 187	-6,60	97,4	-	0,00
23	11 570	11 571	-6,93	97,4	-	0,00
24	11 045	11 046	-6,48	97,4	-	0,00
25	9 323	9 325	-4,83	97,4	-	0,00
26	9 186	9 188	-4,69	97,4	-	0,00
27	10 307	10 309	-5,81	97,4	-	0,00
28	9 759	9 761	-5,28	97,4	-	0,00
29	9 625	9 627	-5,14	97,4	-	0,00
3	3 938	3 942	3,26	97,4	-	0,00
30	10 209	10 210	-5,71	97,4	-	0,00
31	10 722	10 724	-6,19	97,4	-	0,00
32	9 962	9 963	-5,48	97,4	-	0,00
33	10 526	10 527	-6,01	97,4	-	0,00
34	10 973	10 974	-6,42	97,4	-	0,00
35	10 600	10 601	-6,08	97,4	-	0,00
36	11 094	11 096	-6,52	97,4	-	0,00
37	11 630	11 631	-6,98	97,4	-	0,00
38	12 343	12 344	-7,57	97,4	-	0,00
39	11 450	11 451	-6,83	97,4	-	0,00
4	4 413	4 416	2,21	97,4	-	0,00
40	12 870	12 871	-7,98	97,4	-	0,00
41	13 391	13 393	-8,37	97,4	-	0,00
5	4 603	4 606	1,83	97,4	-	0,00
6	4 844	4 847	1,35	97,4	-	0,00
7	4 791	4 795	1,45	97,4	-	0,00
8	7 769	7 771	-3,09	97,4	-	0,00
9	8 204	8 206	-3,61	97,4	-	0,00
Sum			13,92			

- Data undefined due to calculation with octave data

Noise sensitive area: EN Ausekli

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 867	2 872	6,15	97,4	-	0,00
10	7 831	7 833	-3,16	97,4	-	0,00
11	9 756	9 758	-5,27	97,4	-	0,00
12	10 440	10 441	-5,93	97,4	-	0,00
13	10 114	10 116	-5,62	97,4	-	0,00
14	9 720	9 722	-5,24	97,4	-	0,00
15	10 266	10 268	-5,77	97,4	-	0,00
16	10 691	10 693	-6,16	97,4	-	0,00
17	11 178	11 180	-6,60	97,4	-	0,00
18	9 808	9 809	-5,32	97,4	-	0,00
19	10 102	10 104	-5,61	97,4	-	0,00
2	3 170	3 175	5,24	97,4	-	0,00
20	10 880	10 881	-6,33	97,4	-	0,00
21	10 610	10 611	-6,09	97,4	-	0,00
22	11 186	11 187	-6,60	97,4	-	0,00
23	11 570	11 571	-6,93	97,4	-	0,00
24	11 045	11 046	-6,48	97,4	-	0,00
25	9 323	9 325	-4,83	97,4	-	0,00
26	9 186	9 188	-4,69	97,4	-	0,00
27	10 307	10 309	-5,81	97,4	-	0,00
28	9 759	9 761	-5,28	97,4	-	0,00
29	9 625	9 627	-5,14	97,4	-	0,00
3	3 938	3 942	3,26	97,4	-	0,00
30	10 209	10 210	-5,71	97,4	-	0,00
31	10 722	10 724	-6,19	97,4	-	0,00
32	9 962	9 963	-5,48	97,4	-	0,00
33	10 526	10 527	-6,01	97,4	-	0,00
34	10 973	10 974	-6,42	97,4	-	0,00
35	10 600	10 601	-6,08	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	11 094	11 096	-6,52	97,4	-	0,00
37	11 630	11 631	-6,98	97,4	-	0,00
38	12 343	12 344	-7,57	97,4	-	0,00
39	11 450	11 451	-6,83	97,4	-	0,00
4	4 413	4 416	2,21	97,4	-	0,00
40	12 870	12 871	-7,98	97,4	-	0,00
41	13 391	13 393	-8,37	97,4	-	0,00
5	4 603	4 606	1,83	97,4	-	0,00
6	4 844	4 847	1,35	97,4	-	0,00
7	4 791	4 795	1,45	97,4	-	0,00
8	7 769	7 771	-3,09	97,4	-	0,00
9	8 204	8 206	-3,61	97,4	-	0,00
Sum			13,92			

- Data undefined due to calculation with octave data

Noise sensitive area: EO Jaunas Sarmas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 122	2 129	8,85	97,4	-	0,00
10	6 401	6 404	-1,25	97,4	-	0,00
11	7 917	7 919	-3,27	97,4	-	0,00
12	8 674	8 675	-4,14	97,4	-	0,00
13	8 194	8 196	-3,59	97,4	-	0,00
14	7 684	7 686	-2,98	97,4	-	0,00
15	8 185	8 187	-3,58	97,4	-	0,00
16	8 586	8 588	-4,04	97,4	-	0,00
17	9 040	9 041	-4,54	97,4	-	0,00
18	7 510	7 512	-2,76	97,4	-	0,00
19	7 760	7 762	-3,07	97,4	-	0,00
2	1 881	1 889	9,92	97,4	-	0,00
20	8 633	8 635	-4,09	97,4	-	0,00
21	8 275	8 277	-3,69	97,4	-	0,00
22	8 894	8 896	-4,38	97,4	-	0,00
23	9 243	9 244	-4,75	97,4	-	0,00
24	8 672	8 674	-4,14	97,4	-	0,00
25	6 923	6 925	-1,99	97,4	-	0,00
26	6 730	6 733	-1,72	97,4	-	0,00
27	7 905	7 907	-3,25	97,4	-	0,00
28	7 327	7 329	-2,53	97,4	-	0,00
29	7 156	7 158	-2,30	97,4	-	0,00
3	2 294	2 301	8,15	97,4	-	0,00
30	7 757	7 759	-3,07	97,4	-	0,00
31	8 292	8 294	-3,71	97,4	-	0,00
32	7 478	7 480	-2,72	97,4	-	0,00
33	8 034	8 036	-3,41	97,4	-	0,00
34	8 488	8 490	-3,93	97,4	-	0,00
35	8 130	8 132	-3,52	97,4	-	0,00
36	8 636	8 638	-4,10	97,4	-	0,00
37	9 198	9 199	-4,70	97,4	-	0,00
38	9 924	9 925	-5,44	97,4	-	0,00
39	9 060	9 062	-4,56	97,4	-	0,00
4	2 951	2 956	5,89	97,4	-	0,00
40	10 480	10 482	-5,97	97,4	-	0,00
41	10 989	10 990	-6,43	97,4	-	0,00
5	2 837	2 842	6,24	97,4	-	0,00
6	3 578	3 583	4,14	97,4	-	0,00
7	3 789	3 793	3,61	97,4	-	0,00
8	6 169	6 171	-0,90	97,4	-	0,00
9	6 482	6 484	-1,37	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EO Jaunas Sarmas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 122	2 129	8,85	97,4	-	0,00
10	6 401	6 404	-1,25	97,4	-	0,00
11	7 917	7 919	-3,27	97,4	-	0,00
12	8 674	8 675	-4,14	97,4	-	0,00
13	8 194	8 196	-3,59	97,4	-	0,00
14	7 684	7 686	-2,98	97,4	-	0,00
15	8 185	8 187	-3,58	97,4	-	0,00
16	8 586	8 588	-4,04	97,4	-	0,00
17	9 040	9 041	-4,54	97,4	-	0,00
18	7 510	7 512	-2,76	97,4	-	0,00
19	7 760	7 762	-3,07	97,4	-	0,00
2	1 881	1 889	9,92	97,4	-	0,00
20	8 633	8 635	-4,09	97,4	-	0,00
21	8 275	8 277	-3,69	97,4	-	0,00
22	8 894	8 896	-4,38	97,4	-	0,00
23	9 243	9 244	-4,75	97,4	-	0,00
24	8 672	8 674	-4,14	97,4	-	0,00
25	6 923	6 925	-1,99	97,4	-	0,00
26	6 730	6 733	-1,72	97,4	-	0,00
27	7 905	7 907	-3,25	97,4	-	0,00
28	7 327	7 329	-2,53	97,4	-	0,00
29	7 156	7 158	-2,30	97,4	-	0,00
3	2 294	2 301	8,15	97,4	-	0,00
30	7 757	7 759	-3,07	97,4	-	0,00
31	8 292	8 294	-3,71	97,4	-	0,00
32	7 478	7 480	-2,72	97,4	-	0,00
33	8 034	8 036	-3,41	97,4	-	0,00
34	8 488	8 490	-3,93	97,4	-	0,00
35	8 130	8 132	-3,52	97,4	-	0,00
36	8 636	8 638	-4,10	97,4	-	0,00
37	9 198	9 199	-4,70	97,4	-	0,00
38	9 924	9 925	-5,44	97,4	-	0,00
39	9 060	9 062	-4,56	97,4	-	0,00
4	2 951	2 956	5,89	97,4	-	0,00
40	10 480	10 482	-5,97	97,4	-	0,00
41	10 989	10 990	-6,43	97,4	-	0,00
5	2 837	2 842	6,24	97,4	-	0,00
6	3 578	3 583	4,14	97,4	-	0,00
7	3 789	3 793	3,61	97,4	-	0,00
8	6 169	6 171	-0,90	97,4	-	0,00
9	6 482	6 484	-1,37	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: EP Me ž ziedi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 713	1 722	10,75	97,4	-	0,00
10	6 199	6 201	-0,95	97,4	-	0,00
11	7 826	7 828	-3,16	97,4	-	0,00
12	8 565	8 567	-4,02	97,4	-	0,00
13	8 129	8 131	-3,52	97,4	-	0,00
14	7 655	7 657	-2,95	97,4	-	0,00
15	8 174	8 175	-3,57	97,4	-	0,00
16	8 585	8 586	-4,04	97,4	-	0,00
17	9 052	9 054	-4,55	97,4	-	0,00
18	7 589	7 591	-2,86	97,4	-	0,00
19	7 864	7 866	-3,20	97,4	-	0,00
2	1 546	1 556	11,65	97,4	-	0,00
20	8 690	8 691	-4,16	97,4	-	0,00
21	8 375	8 377	-3,80	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 972	8 974	-4,47	97,4	-	0,00
23	9 340	9 341	-4,85	97,4	-	0,00
24	8 795	8 796	-4,27	97,4	-	0,00
25	7 062	7 065	-2,18	97,4	-	0,00
26	6 917	6 919	-1,98	97,4	-	0,00
27	8 046	8 048	-3,42	97,4	-	0,00
28	7 491	7 493	-2,74	97,4	-	0,00
29	7 358	7 360	-2,57	97,4	-	0,00
3	2 075	2 082	9,05	97,4	-	0,00
30	7 939	7 941	-3,29	97,4	-	0,00
31	8 455	8 457	-3,90	97,4	-	0,00
32	7 700	7 702	-3,00	97,4	-	0,00
33	8 274	8 276	-3,69	97,4	-	0,00
34	8 712	8 713	-4,18	97,4	-	0,00
35	8 332	8 334	-3,75	97,4	-	0,00
36	8 825	8 827	-4,31	97,4	-	0,00
37	9 363	9 364	-4,88	97,4	-	0,00
38	10 079	10 080	-5,59	97,4	-	0,00
39	9 194	9 195	-4,70	97,4	-	0,00
4	2 706	2 711	6,67	97,4	-	0,00
40	10 615	10 616	-6,09	97,4	-	0,00
41	11 132	11 134	-6,56	97,4	-	0,00
5	2 673	2 678	6,78	97,4	-	0,00
6	3 305	3 310	4,86	97,4	-	0,00
7	3 471	3 475	4,41	97,4	-	0,00
8	6 005	6 007	-0,65	97,4	-	0,00
9	6 352	6 354	-1,18	97,4	-	0,00
Sum			18,15			

- Data undefined due to calculation with octave data

Noise sensitive area: EP Me ž ziedi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 713	1 722	10,75	97,4	-	0,00
10	6 199	6 201	-0,95	97,4	-	0,00
11	7 826	7 828	-3,16	97,4	-	0,00
12	8 565	8 567	-4,02	97,4	-	0,00
13	8 129	8 131	-3,52	97,4	-	0,00
14	7 655	7 657	-2,95	97,4	-	0,00
15	8 174	8 175	-3,57	97,4	-	0,00
16	8 585	8 586	-4,04	97,4	-	0,00
17	9 052	9 054	-4,55	97,4	-	0,00
18	7 589	7 591	-2,86	97,4	-	0,00
19	7 864	7 866	-3,20	97,4	-	0,00
2	1 546	1 556	11,65	97,4	-	0,00
20	8 690	8 691	-4,16	97,4	-	0,00
21	8 375	8 377	-3,80	97,4	-	0,00
22	8 972	8 974	-4,47	97,4	-	0,00
23	9 340	9 341	-4,85	97,4	-	0,00
24	8 795	8 796	-4,27	97,4	-	0,00
25	7 062	7 065	-2,18	97,4	-	0,00
26	6 917	6 919	-1,98	97,4	-	0,00
27	8 046	8 048	-3,42	97,4	-	0,00
28	7 491	7 493	-2,74	97,4	-	0,00
29	7 358	7 360	-2,57	97,4	-	0,00
3	2 075	2 082	9,05	97,4	-	0,00
30	7 939	7 941	-3,29	97,4	-	0,00
31	8 455	8 457	-3,90	97,4	-	0,00
32	7 700	7 702	-3,00	97,4	-	0,00
33	8 274	8 276	-3,69	97,4	-	0,00
34	8 712	8 713	-4,18	97,4	-	0,00
35	8 332	8 334	-3,75	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 825	8 827	-4,31	97,4	-	0,00
37	9 363	9 364	-4,88	97,4	-	0,00
38	10 079	10 080	-5,59	97,4	-	0,00
39	9 194	9 195	-4,70	97,4	-	0,00
4	2 706	2 711	6,67	97,4	-	0,00
40	10 615	10 616	-6,09	97,4	-	0,00
41	11 132	11 134	-6,56	97,4	-	0,00
5	2 673	2 678	6,78	97,4	-	0,00
6	3 305	3 310	4,86	97,4	-	0,00
7	3 471	3 475	4,41	97,4	-	0,00
8	6 005	6 007	-0,65	97,4	-	0,00
9	6 352	6 354	-1,18	97,4	-	0,00
Sum			18,15			

- Data undefined due to calculation with octave data

Noise sensitive area: EQ Auseika

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 542	2 549	7,23	97,4	-	0,00
10	7 434	7 435	-2,67	97,4	-	0,00
11	9 205	9 207	-4,71	97,4	-	0,00
12	9 923	9 924	-5,44	97,4	-	0,00
13	9 530	9 532	-5,05	97,4	-	0,00
14	9 083	9 085	-4,58	97,4	-	0,00
15	9 611	9 612	-5,13	97,4	-	0,00
16	10 026	10 027	-5,54	97,4	-	0,00
17	10 498	10 500	-5,98	97,4	-	0,00
18	9 046	9 048	-4,54	97,4	-	0,00
19	9 316	9 318	-4,83	97,4	-	0,00
2	2 680	2 686	6,76	97,4	-	0,00
20	10 146	10 147	-5,65	97,4	-	0,00
21	9 829	9 831	-5,35	97,4	-	0,00
22	10 429	10 431	-5,92	97,4	-	0,00
23	10 794	10 796	-6,26	97,4	-	0,00
24	10 242	10 244	-5,74	97,4	-	0,00
25	8 503	8 505	-3,95	97,4	-	0,00
26	8 327	8 329	-3,75	97,4	-	0,00
27	9 486	9 488	-5,00	97,4	-	0,00
28	8 918	8 920	-4,41	97,4	-	0,00
29	8 755	8 757	-4,23	97,4	-	0,00
3	3 377	3 381	4,66	97,4	-	0,00
30	9 353	9 355	-4,87	97,4	-	0,00
31	9 883	9 885	-5,40	97,4	-	0,00
32	9 076	9 078	-4,58	97,4	-	0,00
33	9 628	9 630	-5,15	97,4	-	0,00
34	10 086	10 088	-5,60	97,4	-	0,00
35	9 729	9 731	-5,25	97,4	-	0,00
36	10 234	10 236	-5,74	97,4	-	0,00
37	10 790	10 791	-6,25	97,4	-	0,00
38	11 512	11 513	-6,88	97,4	-	0,00
39	10 637	10 639	-6,11	97,4	-	0,00
4	3 936	3 940	3,26	97,4	-	0,00
40	12 058	12 060	-7,34	97,4	-	0,00
41	12 572	12 573	-7,75	97,4	-	0,00
5	4 022	4 026	3,07	97,4	-	0,00
6	4 455	4 458	2,13	97,4	-	0,00
7	4 498	4 502	2,04	97,4	-	0,00
8	7 303	7 305	-2,50	97,4	-	0,00
9	7 693	7 695	-2,99	97,4	-	0,00
Sum			14,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EQ Auseika

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 542	2 549	7,23	97,4	-	0,00
10	7 434	7 435	-2,67	97,4	-	0,00
11	9 205	9 207	-4,71	97,4	-	0,00
12	9 923	9 924	-5,44	97,4	-	0,00
13	9 530	9 532	-5,05	97,4	-	0,00
14	9 083	9 085	-4,58	97,4	-	0,00
15	9 611	9 612	-5,13	97,4	-	0,00
16	10 026	10 027	-5,54	97,4	-	0,00
17	10 498	10 500	-5,98	97,4	-	0,00
18	9 046	9 048	-4,54	97,4	-	0,00
19	9 316	9 318	-4,83	97,4	-	0,00
2	2 680	2 686	6,76	97,4	-	0,00
20	10 146	10 147	-5,65	97,4	-	0,00
21	9 829	9 831	-5,35	97,4	-	0,00
22	10 429	10 431	-5,92	97,4	-	0,00
23	10 794	10 796	-6,26	97,4	-	0,00
24	10 242	10 244	-5,74	97,4	-	0,00
25	8 503	8 505	-3,95	97,4	-	0,00
26	8 327	8 329	-3,75	97,4	-	0,00
27	9 486	9 488	-5,00	97,4	-	0,00
28	8 918	8 920	-4,41	97,4	-	0,00
29	8 755	8 757	-4,23	97,4	-	0,00
3	3 377	3 381	4,66	97,4	-	0,00
30	9 353	9 355	-4,87	97,4	-	0,00
31	9 883	9 885	-5,40	97,4	-	0,00
32	9 076	9 078	-4,58	97,4	-	0,00
33	9 628	9 630	-5,15	97,4	-	0,00
34	10 086	10 088	-5,60	97,4	-	0,00
35	9 729	9 731	-5,25	97,4	-	0,00
36	10 234	10 236	-5,74	97,4	-	0,00
37	10 790	10 791	-6,25	97,4	-	0,00
38	11 512	11 513	-6,88	97,4	-	0,00
39	10 637	10 639	-6,11	97,4	-	0,00
4	3 936	3 940	3,26	97,4	-	0,00
40	12 058	12 060	-7,34	97,4	-	0,00
41	12 572	12 573	-7,75	97,4	-	0,00
5	4 022	4 026	3,07	97,4	-	0,00
6	4 455	4 458	2,13	97,4	-	0,00
7	4 498	4 502	2,04	97,4	-	0,00
8	7 303	7 305	-2,50	97,4	-	0,00
9	7 693	7 695	-2,99	97,4	-	0,00
Sum			14,93			

- Data undefined due to calculation with octave data

Noise sensitive area: ER Malgals

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 930	2 935	5,95	97,4	-	0,00
10	7 508	7 510	-2,76	97,4	-	0,00
11	9 056	9 058	-4,55	97,4	-	0,00
12	9 813	9 814	-5,33	97,4	-	0,00
13	9 331	9 333	-4,84	97,4	-	0,00
14	8 812	8 814	-4,29	97,4	-	0,00
15	9 306	9 308	-4,82	97,4	-	0,00
16	9 703	9 705	-5,22	97,4	-	0,00
17	10 149	10 151	-5,66	97,4	-	0,00
18	8 575	8 577	-4,03	97,4	-	0,00
19	8 800	8 802	-4,28	97,4	-	0,00
2	2 854	2 860	6,19	97,4	-	0,00
20	9 714	9 715	-5,23	97,4	-	0,00
21	9 318	9 320	-4,83	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 956	9 958	-5,47	97,4	-	0,00
23	10 287	10 289	-5,79	97,4	-	0,00
24	9 690	9 691	-5,21	97,4	-	0,00
25	7 928	7 930	-3,28	97,4	-	0,00
26	7 674	7 676	-2,97	97,4	-	0,00
27	8 903	8 905	-4,39	97,4	-	0,00
28	8 298	8 300	-3,72	97,4	-	0,00
29	8 072	8 074	-3,45	97,4	-	0,00
3	3 385	3 389	4,64	97,4	-	0,00
30	8 700	8 702	-4,17	97,4	-	0,00
31	9 260	9 262	-4,77	97,4	-	0,00
32	8 358	8 360	-3,78	97,4	-	0,00
33	8 877	8 878	-4,36	97,4	-	0,00
34	9 359	9 361	-4,87	97,4	-	0,00
35	9 040	9 042	-4,54	97,4	-	0,00
36	9 567	9 568	-5,08	97,4	-	0,00
37	10 161	10 162	-5,67	97,4	-	0,00
38	10 898	10 900	-6,35	97,4	-	0,00
39	10 064	10 065	-5,57	97,4	-	0,00
4	4 023	4 027	3,06	97,4	-	0,00
40	11 479	11 481	-6,86	97,4	-	0,00
41	11 976	11 977	-7,27	97,4	-	0,00
5	3 959	3 963	3,21	97,4	-	0,00
6	4 624	4 628	1,78	97,4	-	0,00
7	4 777	4 780	1,48	97,4	-	0,00
8	7 295	7 297	-2,49	97,4	-	0,00
9	7 618	7 620	-2,90	97,4	-	0,00
Sum			14,77			

- Data undefined due to calculation with octave data

Noise sensitive area: ER Malgals

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 930	2 935	5,95	97,4	-	0,00
10	7 508	7 510	-2,76	97,4	-	0,00
11	9 056	9 058	-4,55	97,4	-	0,00
12	9 813	9 814	-5,33	97,4	-	0,00
13	9 331	9 333	-4,84	97,4	-	0,00
14	8 812	8 814	-4,29	97,4	-	0,00
15	9 306	9 308	-4,82	97,4	-	0,00
16	9 703	9 705	-5,22	97,4	-	0,00
17	10 149	10 151	-5,66	97,4	-	0,00
18	8 575	8 577	-4,03	97,4	-	0,00
19	8 800	8 802	-4,28	97,4	-	0,00
2	2 854	2 860	6,19	97,4	-	0,00
20	9 714	9 715	-5,23	97,4	-	0,00
21	9 318	9 320	-4,83	97,4	-	0,00
22	9 956	9 958	-5,47	97,4	-	0,00
23	10 287	10 289	-5,79	97,4	-	0,00
24	9 690	9 691	-5,21	97,4	-	0,00
25	7 928	7 930	-3,28	97,4	-	0,00
26	7 674	7 676	-2,97	97,4	-	0,00
27	8 903	8 905	-4,39	97,4	-	0,00
28	8 298	8 300	-3,72	97,4	-	0,00
29	8 072	8 074	-3,45	97,4	-	0,00
3	3 385	3 389	4,64	97,4	-	0,00
30	8 700	8 702	-4,17	97,4	-	0,00
31	9 260	9 262	-4,77	97,4	-	0,00
32	8 358	8 360	-3,78	97,4	-	0,00
33	8 877	8 878	-4,36	97,4	-	0,00
34	9 359	9 361	-4,87	97,4	-	0,00
35	9 040	9 042	-4,54	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 567	9 568	-5,08	97,4	-	0,00
37	10 161	10 162	-5,67	97,4	-	0,00
38	10 898	10 900	-6,35	97,4	-	0,00
39	10 064	10 065	-5,57	97,4	-	0,00
4	4 023	4 027	3,06	97,4	-	0,00
40	11 479	11 481	-6,86	97,4	-	0,00
41	11 976	11 977	-7,27	97,4	-	0,00
5	3 959	3 963	3,21	97,4	-	0,00
6	4 624	4 628	1,78	97,4	-	0,00
7	4 777	4 780	1,48	97,4	-	0,00
8	7 295	7 297	-2,49	97,4	-	0,00
9	7 618	7 620	-2,90	97,4	-	0,00
Sum			14,77			

- Data undefined due to calculation with octave data

Noise sensitive area: ES Vingri

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 976	1 983	9,48	97,4	-	0,00
10	6 473	6 475	-1,36	97,4	-	0,00
11	8 073	8 075	-3,45	97,4	-	0,00
12	8 817	8 819	-4,30	97,4	-	0,00
13	8 367	8 369	-3,79	97,4	-	0,00
14	7 880	7 882	-3,22	97,4	-	0,00
15	8 392	8 394	-3,82	97,4	-	0,00
16	8 799	8 801	-4,28	97,4	-	0,00
17	9 261	9 263	-4,77	97,4	-	0,00
18	7 767	7 769	-3,08	97,4	-	0,00
19	8 029	8 031	-3,40	97,4	-	0,00
2	1 829	1 837	10,17	97,4	-	0,00
20	8 879	8 880	-4,36	97,4	-	0,00
21	8 543	8 545	-3,99	97,4	-	0,00
22	9 151	9 153	-4,66	97,4	-	0,00
23	9 509	9 511	-5,03	97,4	-	0,00
24	8 951	8 952	-4,44	97,4	-	0,00
25	7 208	7 211	-2,37	97,4	-	0,00
26	7 035	7 037	-2,14	97,4	-	0,00
27	8 192	8 194	-3,59	97,4	-	0,00
28	7 623	7 625	-2,91	97,4	-	0,00
29	7 466	7 468	-2,71	97,4	-	0,00
3	2 348	2 354	7,95	97,4	-	0,00
30	8 061	8 062	-3,44	97,4	-	0,00
31	8 588	8 590	-4,04	97,4	-	0,00
32	7 796	7 798	-3,12	97,4	-	0,00
33	8 357	8 359	-3,78	97,4	-	0,00
34	8 807	8 808	-4,29	97,4	-	0,00
35	8 441	8 443	-3,88	97,4	-	0,00
36	8 943	8 944	-4,43	97,4	-	0,00
37	9 495	9 496	-5,01	97,4	-	0,00
38	10 217	10 218	-5,72	97,4	-	0,00
39	9 344	9 345	-4,86	97,4	-	0,00
4	2 984	2 989	5,79	97,4	-	0,00
40	10 765	10 766	-6,23	97,4	-	0,00
41	11 277	11 279	-6,68	97,4	-	0,00
5	2 936	2 941	5,94	97,4	-	0,00
6	3 587	3 591	4,12	97,4	-	0,00
7	3 754	3 757	3,70	97,4	-	0,00
8	6 271	6 273	-1,06	97,4	-	0,00
9	6 609	6 611	-1,55	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: ES Vingri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 976	1 983	9,48	97,4	-	0,00
10	6 473	6 475	-1,36	97,4	-	0,00
11	8 073	8 075	-3,45	97,4	-	0,00
12	8 817	8 819	-4,30	97,4	-	0,00
13	8 367	8 369	-3,79	97,4	-	0,00
14	7 880	7 882	-3,22	97,4	-	0,00
15	8 392	8 394	-3,82	97,4	-	0,00
16	8 799	8 801	-4,28	97,4	-	0,00
17	9 261	9 263	-4,77	97,4	-	0,00
18	7 767	7 769	-3,08	97,4	-	0,00
19	8 029	8 031	-3,40	97,4	-	0,00
2	1 829	1 837	10,17	97,4	-	0,00
20	8 879	8 880	-4,36	97,4	-	0,00
21	8 543	8 545	-3,99	97,4	-	0,00
22	9 151	9 153	-4,66	97,4	-	0,00
23	9 509	9 511	-5,03	97,4	-	0,00
24	8 951	8 952	-4,44	97,4	-	0,00
25	7 208	7 211	-2,37	97,4	-	0,00
26	7 035	7 037	-2,14	97,4	-	0,00
27	8 192	8 194	-3,59	97,4	-	0,00
28	7 623	7 625	-2,91	97,4	-	0,00
29	7 466	7 468	-2,71	97,4	-	0,00
3	2 348	2 354	7,95	97,4	-	0,00
30	8 061	8 062	-3,44	97,4	-	0,00
31	8 588	8 590	-4,04	97,4	-	0,00
32	7 796	7 798	-3,12	97,4	-	0,00
33	8 357	8 359	-3,78	97,4	-	0,00
34	8 807	8 808	-4,29	97,4	-	0,00
35	8 441	8 443	-3,88	97,4	-	0,00
36	8 943	8 944	-4,43	97,4	-	0,00
37	9 495	9 496	-5,01	97,4	-	0,00
38	10 217	10 218	-5,72	97,4	-	0,00
39	9 344	9 345	-4,86	97,4	-	0,00
4	2 984	2 989	5,79	97,4	-	0,00
40	10 765	10 766	-6,23	97,4	-	0,00
41	11 277	11 279	-6,68	97,4	-	0,00
5	2 936	2 941	5,94	97,4	-	0,00
6	3 587	3 591	4,12	97,4	-	0,00
7	3 754	3 757	3,70	97,4	-	0,00
8	6 271	6 273	-1,06	97,4	-	0,00
9	6 609	6 611	-1,55	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Noise sensitive area: ET Irbites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 137	2 144	8,79	97,4	-	0,00
10	6 394	6 396	-1,24	97,4	-	0,00
11	7 901	7 903	-3,25	97,4	-	0,00
12	8 659	8 661	-4,12	97,4	-	0,00
13	8 176	8 178	-3,57	97,4	-	0,00
14	7 664	7 666	-2,96	97,4	-	0,00
15	8 164	8 166	-3,56	97,4	-	0,00
16	8 564	8 566	-4,02	97,4	-	0,00
17	9 017	9 019	-4,51	97,4	-	0,00
18	7 484	7 486	-2,73	97,4	-	0,00
19	7 733	7 735	-3,04	97,4	-	0,00
2	1 887	1 896	9,89	97,4	-	0,00
20	8 608	8 610	-4,07	97,4	-	0,00
21	8 248	8 250	-3,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 868	8 870	-4,35	97,4	-	0,00
23	9 216	9 218	-4,72	97,4	-	0,00
24	8 644	8 646	-4,11	97,4	-	0,00
25	6 894	6 897	-1,95	97,4	-	0,00
26	6 700	6 702	-1,68	97,4	-	0,00
27	7 876	7 878	-3,22	97,4	-	0,00
28	7 297	7 299	-2,49	97,4	-	0,00
29	7 125	7 127	-2,26	97,4	-	0,00
3	2 290	2 297	8,17	97,4	-	0,00
30	7 727	7 729	-3,03	97,4	-	0,00
31	8 262	8 264	-3,67	97,4	-	0,00
32	7 446	7 449	-2,68	97,4	-	0,00
33	8 002	8 004	-3,37	97,4	-	0,00
34	8 457	8 458	-3,90	97,4	-	0,00
35	8 099	8 101	-3,48	97,4	-	0,00
36	8 606	8 608	-4,06	97,4	-	0,00
37	9 168	9 170	-4,67	97,4	-	0,00
38	9 894	9 896	-5,41	97,4	-	0,00
39	9 031	9 033	-4,53	97,4	-	0,00
4	2 948	2 953	5,90	97,4	-	0,00
40	10 452	10 453	-5,94	97,4	-	0,00
41	10 960	10 961	-6,40	97,4	-	0,00
5	2 828	2 833	6,27	97,4	-	0,00
6	3 577	3 582	4,14	97,4	-	0,00
7	3 792	3 796	3,61	97,4	-	0,00
8	6 158	6 161	-0,89	97,4	-	0,00
9	6 469	6 471	-1,35	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: ET Irbites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 137	2 144	8,79	97,4	-	0,00
10	6 394	6 396	-1,24	97,4	-	0,00
11	7 901	7 903	-3,25	97,4	-	0,00
12	8 659	8 661	-4,12	97,4	-	0,00
13	8 176	8 178	-3,57	97,4	-	0,00
14	7 664	7 666	-2,96	97,4	-	0,00
15	8 164	8 166	-3,56	97,4	-	0,00
16	8 564	8 566	-4,02	97,4	-	0,00
17	9 017	9 019	-4,51	97,4	-	0,00
18	7 484	7 486	-2,73	97,4	-	0,00
19	7 733	7 735	-3,04	97,4	-	0,00
2	1 887	1 896	9,89	97,4	-	0,00
20	8 608	8 610	-4,07	97,4	-	0,00
21	8 248	8 250	-3,66	97,4	-	0,00
22	8 868	8 870	-4,35	97,4	-	0,00
23	9 216	9 218	-4,72	97,4	-	0,00
24	8 644	8 646	-4,11	97,4	-	0,00
25	6 894	6 897	-1,95	97,4	-	0,00
26	6 700	6 702	-1,68	97,4	-	0,00
27	7 876	7 878	-3,22	97,4	-	0,00
28	7 297	7 299	-2,49	97,4	-	0,00
29	7 125	7 127	-2,26	97,4	-	0,00
3	2 290	2 297	8,17	97,4	-	0,00
30	7 727	7 729	-3,03	97,4	-	0,00
31	8 262	8 264	-3,67	97,4	-	0,00
32	7 446	7 449	-2,68	97,4	-	0,00
33	8 002	8 004	-3,37	97,4	-	0,00
34	8 457	8 458	-3,90	97,4	-	0,00
35	8 099	8 101	-3,48	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 606	8 608	-4,06	97,4	-	0,00
37	9 168	9 170	-4,67	97,4	-	0,00
38	9 894	9 896	-5,41	97,4	-	0,00
39	9 031	9 033	-4,53	97,4	-	0,00
4	2 948	2 953	5,90	97,4	-	0,00
40	10 452	10 453	-5,94	97,4	-	0,00
41	10 960	10 961	-6,40	97,4	-	0,00
5	2 828	2 833	6,27	97,4	-	0,00
6	3 577	3 582	4,14	97,4	-	0,00
7	3 792	3 796	3,61	97,4	-	0,00
8	6 158	6 161	-0,89	97,4	-	0,00
9	6 469	6 471	-1,35	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: EU Peonijas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 671	1 680	10,97	97,4	-	0,00
10	6 162	6 164	-0,89	97,4	-	0,00
11	7 795	7 797	-3,12	97,4	-	0,00
12	8 533	8 535	-3,98	97,4	-	0,00
13	8 099	8 101	-3,48	97,4	-	0,00
14	7 628	7 630	-2,91	97,4	-	0,00
15	8 148	8 150	-3,54	97,4	-	0,00
16	8 560	8 562	-4,01	97,4	-	0,00
17	9 028	9 030	-4,52	97,4	-	0,00
18	7 572	7 573	-2,84	97,4	-	0,00
19	7 848	7 850	-3,18	97,4	-	0,00
2	1 504	1 514	11,89	97,4	-	0,00
20	8 670	8 671	-4,14	97,4	-	0,00
21	8 359	8 361	-3,79	97,4	-	0,00
22	8 954	8 956	-4,45	97,4	-	0,00
23	9 323	9 325	-4,83	97,4	-	0,00
24	8 781	8 782	-4,26	97,4	-	0,00
25	7 050	7 052	-2,16	97,4	-	0,00
26	6 909	6 911	-1,97	97,4	-	0,00
27	8 034	8 036	-3,41	97,4	-	0,00
28	7 482	7 484	-2,73	97,4	-	0,00
29	7 352	7 354	-2,56	97,4	-	0,00
3	2 037	2 044	9,21	97,4	-	0,00
30	7 931	7 933	-3,28	97,4	-	0,00
31	8 445	8 447	-3,88	97,4	-	0,00
32	7 696	7 698	-3,00	97,4	-	0,00
33	8 272	8 274	-3,68	97,4	-	0,00
34	8 708	8 710	-4,18	97,4	-	0,00
35	8 326	8 328	-3,75	97,4	-	0,00
36	8 817	8 819	-4,30	97,4	-	0,00
37	9 352	9 354	-4,86	97,4	-	0,00
38	10 067	10 069	-5,58	97,4	-	0,00
39	9 181	9 182	-4,69	97,4	-	0,00
4	2 667	2 672	6,80	97,4	-	0,00
40	10 602	10 603	-6,08	97,4	-	0,00
41	11 120	11 121	-6,54	97,4	-	0,00
5	2 639	2 644	6,90	97,4	-	0,00
6	3 264	3 269	4,97	97,4	-	0,00
7	3 429	3 433	4,52	97,4	-	0,00
8	5 969	5 972	-0,59	97,4	-	0,00
9	6 318	6 321	-1,13	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EU Peonijas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 671	1 680	10,97	97,4	-	0,00
10	6 162	6 164	-0,89	97,4	-	0,00
11	7 795	7 797	-3,12	97,4	-	0,00
12	8 533	8 535	-3,98	97,4	-	0,00
13	8 099	8 101	-3,48	97,4	-	0,00
14	7 628	7 630	-2,91	97,4	-	0,00
15	8 148	8 150	-3,54	97,4	-	0,00
16	8 560	8 562	-4,01	97,4	-	0,00
17	9 028	9 030	-4,52	97,4	-	0,00
18	7 572	7 573	-2,84	97,4	-	0,00
19	7 848	7 850	-3,18	97,4	-	0,00
2	1 504	1 514	11,89	97,4	-	0,00
20	8 670	8 671	-4,14	97,4	-	0,00
21	8 359	8 361	-3,79	97,4	-	0,00
22	8 954	8 956	-4,45	97,4	-	0,00
23	9 323	9 325	-4,83	97,4	-	0,00
24	8 781	8 782	-4,26	97,4	-	0,00
25	7 050	7 052	-2,16	97,4	-	0,00
26	6 909	6 911	-1,97	97,4	-	0,00
27	8 034	8 036	-3,41	97,4	-	0,00
28	7 482	7 484	-2,73	97,4	-	0,00
29	7 352	7 354	-2,56	97,4	-	0,00
3	2 037	2 044	9,21	97,4	-	0,00
30	7 931	7 933	-3,28	97,4	-	0,00
31	8 445	8 447	-3,88	97,4	-	0,00
32	7 696	7 698	-3,00	97,4	-	0,00
33	8 272	8 274	-3,68	97,4	-	0,00
34	8 708	8 710	-4,18	97,4	-	0,00
35	8 326	8 328	-3,75	97,4	-	0,00
36	8 817	8 819	-4,30	97,4	-	0,00
37	9 352	9 354	-4,86	97,4	-	0,00
38	10 067	10 069	-5,58	97,4	-	0,00
39	9 181	9 182	-4,69	97,4	-	0,00
4	2 667	2 672	6,80	97,4	-	0,00
40	10 602	10 603	-6,08	97,4	-	0,00
41	11 120	11 121	-6,54	97,4	-	0,00
5	2 639	2 644	6,90	97,4	-	0,00
6	3 264	3 269	4,97	97,4	-	0,00
7	3 429	3 433	4,52	97,4	-	0,00
8	5 969	5 972	-0,59	97,4	-	0,00
9	6 318	6 321	-1,13	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: EV Zemenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 340	2 347	7,97	97,4	-	0,00
10	6 325	6 328	-1,14	97,4	-	0,00
11	7 733	7 735	-3,04	97,4	-	0,00
12	8 503	8 505	-3,95	97,4	-	0,00
13	7 988	7 990	-3,35	97,4	-	0,00
14	7 450	7 453	-2,69	97,4	-	0,00
15	7 937	7 939	-3,29	97,4	-	0,00
16	8 330	8 332	-3,75	97,4	-	0,00
17	8 773	8 775	-4,25	97,4	-	0,00
18	7 201	7 203	-2,36	97,4	-	0,00
19	7 435	7 437	-2,67	97,4	-	0,00
2	2 008	2 015	9,34	97,4	-	0,00
20	8 337	8 338	-3,76	97,4	-	0,00
21	7 952	7 954	-3,31	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 583	8 585	-4,04	97,4	-	0,00
23	8 921	8 922	-4,41	97,4	-	0,00
24	8 335	8 337	-3,76	97,4	-	0,00
25	6 579	6 581	-1,51	97,4	-	0,00
26	6 363	6 365	-1,19	97,4	-	0,00
27	7 558	7 560	-2,82	97,4	-	0,00
28	6 969	6 971	-2,05	97,4	-	0,00
29	6 780	6 783	-1,79	97,4	-	0,00
3	2 283	2 289	8,20	97,4	-	0,00
30	7 390	7 392	-2,61	97,4	-	0,00
31	7 934	7 936	-3,29	97,4	-	0,00
32	7 094	7 096	-2,22	97,4	-	0,00
33	7 642	7 644	-2,93	97,4	-	0,00
34	8 103	8 104	-3,49	97,4	-	0,00
35	7 753	7 755	-3,07	97,4	-	0,00
36	8 266	8 268	-3,68	97,4	-	0,00
37	8 838	8 840	-4,32	97,4	-	0,00
38	9 568	9 570	-5,09	97,4	-	0,00
39	8 716	8 718	-4,19	97,4	-	0,00
4	2 950	2 955	5,89	97,4	-	0,00
40	10 135	10 137	-5,64	97,4	-	0,00
41	10 639	10 640	-6,11	97,4	-	0,00
5	2 757	2 762	6,50	97,4	-	0,00
6	3 598	3 602	4,09	97,4	-	0,00
7	3 858	3 862	3,45	97,4	-	0,00
8	6 057	6 059	-0,73	97,4	-	0,00
9	6 337	6 339	-1,16	97,4	-	0,00
Sum			17,13			

- Data undefined due to calculation with octave data

Noise sensitive area: EV Zemenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 340	2 347	7,97	97,4	-	0,00
10	6 325	6 328	-1,14	97,4	-	0,00
11	7 733	7 735	-3,04	97,4	-	0,00
12	8 503	8 505	-3,95	97,4	-	0,00
13	7 988	7 990	-3,35	97,4	-	0,00
14	7 450	7 453	-2,69	97,4	-	0,00
15	7 937	7 939	-3,29	97,4	-	0,00
16	8 330	8 332	-3,75	97,4	-	0,00
17	8 773	8 775	-4,25	97,4	-	0,00
18	7 201	7 203	-2,36	97,4	-	0,00
19	7 435	7 437	-2,67	97,4	-	0,00
2	2 008	2 015	9,34	97,4	-	0,00
20	8 337	8 338	-3,76	97,4	-	0,00
21	7 952	7 954	-3,31	97,4	-	0,00
22	8 583	8 585	-4,04	97,4	-	0,00
23	8 921	8 922	-4,41	97,4	-	0,00
24	8 335	8 337	-3,76	97,4	-	0,00
25	6 579	6 581	-1,51	97,4	-	0,00
26	6 363	6 365	-1,19	97,4	-	0,00
27	7 558	7 560	-2,82	97,4	-	0,00
28	6 969	6 971	-2,05	97,4	-	0,00
29	6 780	6 783	-1,79	97,4	-	0,00
3	2 283	2 289	8,20	97,4	-	0,00
30	7 390	7 392	-2,61	97,4	-	0,00
31	7 934	7 936	-3,29	97,4	-	0,00
32	7 094	7 096	-2,22	97,4	-	0,00
33	7 642	7 644	-2,93	97,4	-	0,00
34	8 103	8 104	-3,49	97,4	-	0,00
35	7 753	7 755	-3,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 266	8 268	-3,68	97,4	-	0,00
37	8 838	8 840	-4,32	97,4	-	0,00
38	9 568	9 570	-5,09	97,4	-	0,00
39	8 716	8 718	-4,19	97,4	-	0,00
4	2 950	2 955	5,89	97,4	-	0,00
40	10 135	10 137	-5,64	97,4	-	0,00
41	10 639	10 640	-6,11	97,4	-	0,00
5	2 757	2 762	6,50	97,4	-	0,00
6	3 598	3 602	4,09	97,4	-	0,00
7	3 858	3 862	3,45	97,4	-	0,00
8	6 057	6 059	-0,73	97,4	-	0,00
9	6 337	6 339	-1,16	97,4	-	0,00
Sum			17,13			

- Data undefined due to calculation with octave data

Noise sensitive area: EW Sniedzes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 976	2 981	5,81	97,4	-	0,00
10	7 483	7 485	-2,73	97,4	-	0,00
11	8 994	8 996	-4,49	97,4	-	0,00
12	9 755	9 757	-5,27	97,4	-	0,00
13	9 261	9 262	-4,77	97,4	-	0,00
14	8 732	8 734	-4,20	97,4	-	0,00
15	9 220	9 222	-4,73	97,4	-	0,00
16	9 614	9 616	-5,13	97,4	-	0,00
17	10 056	10 057	-5,57	97,4	-	0,00
18	8 465	8 467	-3,91	97,4	-	0,00
19	8 684	8 686	-4,15	97,4	-	0,00
2	2 867	2 873	6,15	97,4	-	0,00
20	9 609	9 610	-5,13	97,4	-	0,00
21	9 203	9 204	-4,71	97,4	-	0,00
22	9 845	9 847	-5,36	97,4	-	0,00
23	10 171	10 173	-5,68	97,4	-	0,00
24	9 568	9 569	-5,08	97,4	-	0,00
25	7 804	7 806	-3,13	97,4	-	0,00
26	7 540	7 542	-2,80	97,4	-	0,00
27	8 777	8 779	-4,25	97,4	-	0,00
28	8 168	8 170	-3,56	97,4	-	0,00
29	7 934	7 936	-3,29	97,4	-	0,00
3	3 365	3 370	4,70	97,4	-	0,00
30	8 566	8 568	-4,02	97,4	-	0,00
31	9 130	9 131	-4,63	97,4	-	0,00
32	8 215	8 217	-3,62	97,4	-	0,00
33	8 730	8 732	-4,20	97,4	-	0,00
34	9 215	9 217	-4,72	97,4	-	0,00
35	8 901	8 903	-4,39	97,4	-	0,00
36	9 430	9 432	-4,94	97,4	-	0,00
37	10 029	10 030	-5,54	97,4	-	0,00
38	10 768	10 769	-6,23	97,4	-	0,00
39	9 939	9 940	-5,45	97,4	-	0,00
4	4 012	4 016	3,09	97,4	-	0,00
40	11 353	11 354	-6,75	97,4	-	0,00
41	11 847	11 848	-7,16	97,4	-	0,00
5	3 924	3 927	3,29	97,4	-	0,00
6	4 622	4 626	1,78	97,4	-	0,00
7	4 792	4 796	1,45	97,4	-	0,00
8	7 257	7 259	-2,44	97,4	-	0,00
9	7 569	7 571	-2,84	97,4	-	0,00
Sum			14,81			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EW Sniedzes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 976	2 981	5,81	97,4	-	0,00
10	7 483	7 485	-2,73	97,4	-	0,00
11	8 994	8 996	-4,49	97,4	-	0,00
12	9 755	9 757	-5,27	97,4	-	0,00
13	9 261	9 262	-4,77	97,4	-	0,00
14	8 732	8 734	-4,20	97,4	-	0,00
15	9 220	9 222	-4,73	97,4	-	0,00
16	9 614	9 616	-5,13	97,4	-	0,00
17	10 056	10 057	-5,57	97,4	-	0,00
18	8 465	8 467	-3,91	97,4	-	0,00
19	8 684	8 686	-4,15	97,4	-	0,00
2	2 867	2 873	6,15	97,4	-	0,00
20	9 609	9 610	-5,13	97,4	-	0,00
21	9 203	9 204	-4,71	97,4	-	0,00
22	9 845	9 847	-5,36	97,4	-	0,00
23	10 171	10 173	-5,68	97,4	-	0,00
24	9 568	9 569	-5,08	97,4	-	0,00
25	7 804	7 806	-3,13	97,4	-	0,00
26	7 540	7 542	-2,80	97,4	-	0,00
27	8 777	8 779	-4,25	97,4	-	0,00
28	8 168	8 170	-3,56	97,4	-	0,00
29	7 934	7 936	-3,29	97,4	-	0,00
3	3 365	3 370	4,70	97,4	-	0,00
30	8 566	8 568	-4,02	97,4	-	0,00
31	9 130	9 131	-4,63	97,4	-	0,00
32	8 215	8 217	-3,62	97,4	-	0,00
33	8 730	8 732	-4,20	97,4	-	0,00
34	9 215	9 217	-4,72	97,4	-	0,00
35	8 901	8 903	-4,39	97,4	-	0,00
36	9 430	9 432	-4,94	97,4	-	0,00
37	10 029	10 030	-5,54	97,4	-	0,00
38	10 768	10 769	-6,23	97,4	-	0,00
39	9 939	9 940	-5,45	97,4	-	0,00
4	4 012	4 016	3,09	97,4	-	0,00
40	11 353	11 354	-6,75	97,4	-	0,00
41	11 847	11 848	-7,16	97,4	-	0,00
5	3 924	3 927	3,29	97,4	-	0,00
6	4 622	4 626	1,78	97,4	-	0,00
7	4 792	4 796	1,45	97,4	-	0,00
8	7 257	7 259	-2,44	97,4	-	0,00
9	7 569	7 571	-2,84	97,4	-	0,00
Sum			14,81			

- Data undefined due to calculation with octave data

Noise sensitive area: EX Lidakas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 776	2 781	6,44	97,4	-	0,00
10	7 567	7 569	-2,83	97,4	-	0,00
11	9 246	9 248	-4,75	97,4	-	0,00
12	9 982	9 983	-5,49	97,4	-	0,00
13	9 550	9 551	-5,07	97,4	-	0,00
14	9 070	9 072	-4,57	97,4	-	0,00
15	9 584	9 585	-5,10	97,4	-	0,00
16	9 991	9 992	-5,50	97,4	-	0,00
17	10 452	10 453	-5,94	97,4	-	0,00
18	8 942	8 943	-4,43	97,4	-	0,00
19	9 191	9 193	-4,70	97,4	-	0,00
2	2 825	2 831	6,28	97,4	-	0,00
20	10 061	10 063	-5,57	97,4	-	0,00
21	9 707	9 709	-5,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 325	10 327	-5,82	97,4	-	0,00
23	10 675	10 676	-6,15	97,4	-	0,00
24	10 101	10 102	-5,61	97,4	-	0,00
25	8 348	8 350	-3,77	97,4	-	0,00
26	8 134	8 136	-3,52	97,4	-	0,00
27	9 329	9 331	-4,84	97,4	-	0,00
28	8 742	8 744	-4,22	97,4	-	0,00
29	8 548	8 550	-4,00	97,4	-	0,00
3	3 461	3 465	4,44	97,4	-	0,00
30	9 162	9 163	-4,67	97,4	-	0,00
31	9 707	9 709	-5,22	97,4	-	0,00
32	8 852	8 853	-4,33	97,4	-	0,00
33	9 387	9 388	-4,90	97,4	-	0,00
34	9 858	9 859	-5,37	97,4	-	0,00
35	9 520	9 522	-5,04	97,4	-	0,00
36	10 036	10 038	-5,55	97,4	-	0,00
37	10 611	10 613	-6,09	97,4	-	0,00
38	11 342	11 343	-6,74	97,4	-	0,00
39	10 486	10 487	-5,97	97,4	-	0,00
4	4 059	4 063	2,98	97,4	-	0,00
40	11 905	11 907	-7,21	97,4	-	0,00
41	12 411	12 412	-7,62	97,4	-	0,00
5	4 082	4 085	2,93	97,4	-	0,00
6	4 616	4 619	1,80	97,4	-	0,00
7	4 705	4 708	1,62	97,4	-	0,00
8	7 401	7 403	-2,62	97,4	-	0,00
9	7 763	7 765	-3,08	97,4	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Noise sensitive area: EX Lidakas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 776	2 781	6,44	97,4	-	0,00
10	7 567	7 569	-2,83	97,4	-	0,00
11	9 246	9 248	-4,75	97,4	-	0,00
12	9 982	9 983	-5,49	97,4	-	0,00
13	9 550	9 551	-5,07	97,4	-	0,00
14	9 070	9 072	-4,57	97,4	-	0,00
15	9 584	9 585	-5,10	97,4	-	0,00
16	9 991	9 992	-5,50	97,4	-	0,00
17	10 452	10 453	-5,94	97,4	-	0,00
18	8 942	8 943	-4,43	97,4	-	0,00
19	9 191	9 193	-4,70	97,4	-	0,00
2	2 825	2 831	6,28	97,4	-	0,00
20	10 061	10 063	-5,57	97,4	-	0,00
21	9 707	9 709	-5,22	97,4	-	0,00
22	10 325	10 327	-5,82	97,4	-	0,00
23	10 675	10 676	-6,15	97,4	-	0,00
24	10 101	10 102	-5,61	97,4	-	0,00
25	8 348	8 350	-3,77	97,4	-	0,00
26	8 134	8 136	-3,52	97,4	-	0,00
27	9 329	9 331	-4,84	97,4	-	0,00
28	8 742	8 744	-4,22	97,4	-	0,00
29	8 548	8 550	-4,00	97,4	-	0,00
3	3 461	3 465	4,44	97,4	-	0,00
30	9 162	9 163	-4,67	97,4	-	0,00
31	9 707	9 709	-5,22	97,4	-	0,00
32	8 852	8 853	-4,33	97,4	-	0,00
33	9 387	9 388	-4,90	97,4	-	0,00
34	9 858	9 859	-5,37	97,4	-	0,00
35	9 520	9 522	-5,04	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 036	10 038	-5,55	97,4	-	0,00
37	10 611	10 613	-6,09	97,4	-	0,00
38	11 342	11 343	-6,74	97,4	-	0,00
39	10 486	10 487	-5,97	97,4	-	0,00
4	4 059	4 063	2,98	97,4	-	0,00
40	11 905	11 907	-7,21	97,4	-	0,00
41	12 411	12 412	-7,62	97,4	-	0,00
5	4 082	4 085	2,93	97,4	-	0,00
6	4 616	4 619	1,80	97,4	-	0,00
7	4 705	4 708	1,62	97,4	-	0,00
8	7 401	7 403	-2,62	97,4	-	0,00
9	7 763	7 765	-3,08	97,4	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Noise sensitive area: EY Abeles

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 816	1 824	10,23	97,4	-	0,00
10	6 306	6 308	-1,11	97,4	-	0,00
11	7 922	7 923	-3,27	97,4	-	0,00
12	8 663	8 665	-4,13	97,4	-	0,00
13	8 221	8 222	-3,63	97,4	-	0,00
14	7 741	7 744	-3,05	97,4	-	0,00
15	8 257	8 259	-3,67	97,4	-	0,00
16	8 667	8 669	-4,13	97,4	-	0,00
17	9 132	9 134	-4,63	97,4	-	0,00
18	7 657	7 659	-2,95	97,4	-	0,00
19	7 926	7 928	-3,28	97,4	-	0,00
2	1 657	1 666	11,04	97,4	-	0,00
20	8 762	8 763	-4,24	97,4	-	0,00
21	8 439	8 440	-3,88	97,4	-	0,00
22	9 040	9 042	-4,54	97,4	-	0,00
23	9 404	9 405	-4,92	97,4	-	0,00
24	8 853	8 855	-4,34	97,4	-	0,00
25	7 117	7 119	-2,25	97,4	-	0,00
26	6 960	6 962	-2,04	97,4	-	0,00
27	8 101	8 103	-3,49	97,4	-	0,00
28	7 540	7 542	-2,80	97,4	-	0,00
29	7 397	7 399	-2,62	97,4	-	0,00
3	2 181	2 188	8,61	97,4	-	0,00
30	7 984	7 986	-3,35	97,4	-	0,00
31	8 505	8 506	-3,95	97,4	-	0,00
32	7 735	7 736	-3,04	97,4	-	0,00
33	8 303	8 305	-3,72	97,4	-	0,00
34	8 746	8 748	-4,22	97,4	-	0,00
35	8 372	8 374	-3,80	97,4	-	0,00
36	8 868	8 870	-4,35	97,4	-	0,00
37	9 412	9 413	-4,93	97,4	-	0,00
38	10 130	10 132	-5,64	97,4	-	0,00
39	9 250	9 252	-4,76	97,4	-	0,00
4	2 814	2 819	6,32	97,4	-	0,00
40	10 671	10 673	-6,14	97,4	-	0,00
41	11 187	11 188	-6,60	97,4	-	0,00
5	2 775	2 780	6,44	97,4	-	0,00
6	3 415	3 420	4,56	97,4	-	0,00
7	3 582	3 586	4,13	97,4	-	0,00
8	6 108	6 110	-0,81	97,4	-	0,00
9	6 451	6 454	-1,32	97,4	-	0,00
Sum			17,77			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: EY Abeles

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 816	1 824	10,23	97,4	-	0,00
10	6 306	6 308	-1,11	97,4	-	0,00
11	7 922	7 923	-3,27	97,4	-	0,00
12	8 663	8 665	-4,13	97,4	-	0,00
13	8 221	8 222	-3,63	97,4	-	0,00
14	7 741	7 744	-3,05	97,4	-	0,00
15	8 257	8 259	-3,67	97,4	-	0,00
16	8 667	8 669	-4,13	97,4	-	0,00
17	9 132	9 134	-4,63	97,4	-	0,00
18	7 657	7 659	-2,95	97,4	-	0,00
19	7 926	7 928	-3,28	97,4	-	0,00
2	1 657	1 666	11,04	97,4	-	0,00
20	8 762	8 763	-4,24	97,4	-	0,00
21	8 439	8 440	-3,88	97,4	-	0,00
22	9 040	9 042	-4,54	97,4	-	0,00
23	9 404	9 405	-4,92	97,4	-	0,00
24	8 853	8 855	-4,34	97,4	-	0,00
25	7 117	7 119	-2,25	97,4	-	0,00
26	6 960	6 962	-2,04	97,4	-	0,00
27	8 101	8 103	-3,49	97,4	-	0,00
28	7 540	7 542	-2,80	97,4	-	0,00
29	7 397	7 399	-2,62	97,4	-	0,00
3	2 181	2 188	8,61	97,4	-	0,00
30	7 984	7 986	-3,35	97,4	-	0,00
31	8 505	8 506	-3,95	97,4	-	0,00
32	7 735	7 736	-3,04	97,4	-	0,00
33	8 303	8 305	-3,72	97,4	-	0,00
34	8 746	8 748	-4,22	97,4	-	0,00
35	8 372	8 374	-3,80	97,4	-	0,00
36	8 868	8 870	-4,35	97,4	-	0,00
37	9 412	9 413	-4,93	97,4	-	0,00
38	10 130	10 132	-5,64	97,4	-	0,00
39	9 250	9 252	-4,76	97,4	-	0,00
4	2 814	2 819	6,32	97,4	-	0,00
40	10 671	10 673	-6,14	97,4	-	0,00
41	11 187	11 188	-6,60	97,4	-	0,00
5	2 775	2 780	6,44	97,4	-	0,00
6	3 415	3 420	4,56	97,4	-	0,00
7	3 582	3 586	4,13	97,4	-	0,00
8	6 108	6 110	-0,81	97,4	-	0,00
9	6 451	6 454	-1,32	97,4	-	0,00
Sum			17,77			

- Data undefined due to calculation with octave data

Noise sensitive area: EZ Kalves

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 730	1 739	10,66	97,4	-	0,00
10	6 228	6 230	-0,99	97,4	-	0,00
11	7 857	7 858	-3,19	97,4	-	0,00
12	8 595	8 597	-4,05	97,4	-	0,00
13	8 159	8 161	-3,55	97,4	-	0,00
14	7 685	7 687	-2,98	97,4	-	0,00
15	8 204	8 205	-3,61	97,4	-	0,00
16	8 614	8 616	-4,07	97,4	-	0,00
17	9 081	9 083	-4,58	97,4	-	0,00
18	7 618	7 620	-2,90	97,4	-	0,00
19	7 891	7 893	-3,24	97,4	-	0,00
2	1 571	1 580	11,51	97,4	-	0,00
20	8 718	8 720	-4,19	97,4	-	0,00
21	8 403	8 405	-3,84	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 001	9 003	-4,50	97,4	-	0,00
23	9 368	9 369	-4,88	97,4	-	0,00
24	8 822	8 824	-4,30	97,4	-	0,00
25	7 089	7 091	-2,22	97,4	-	0,00
26	6 942	6 944	-2,02	97,4	-	0,00
27	8 073	8 075	-3,45	97,4	-	0,00
28	7 517	7 519	-2,77	97,4	-	0,00
29	7 382	7 384	-2,60	97,4	-	0,00
3	2 104	2 110	8,93	97,4	-	0,00
30	7 965	7 966	-3,32	97,4	-	0,00
31	8 481	8 483	-3,92	97,4	-	0,00
32	7 723	7 725	-3,03	97,4	-	0,00
33	8 296	8 298	-3,71	97,4	-	0,00
34	8 735	8 737	-4,21	97,4	-	0,00
35	8 356	8 358	-3,78	97,4	-	0,00
36	8 850	8 852	-4,33	97,4	-	0,00
37	9 389	9 390	-4,90	97,4	-	0,00
38	10 105	10 107	-5,61	97,4	-	0,00
39	9 221	9 222	-4,73	97,4	-	0,00
4	2 734	2 739	6,58	97,4	-	0,00
40	10 642	10 643	-6,12	97,4	-	0,00
41	11 159	11 160	-6,58	97,4	-	0,00
5	2 703	2 708	6,68	97,4	-	0,00
6	3 332	3 337	4,79	97,4	-	0,00
7	3 496	3 500	4,35	97,4	-	0,00
8	6 034	6 037	-0,70	97,4	-	0,00
9	6 382	6 384	-1,22	97,4	-	0,00
Sum			18,05			

- Data undefined due to calculation with octave data

Noise sensitive area: EZ Kalves

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 730	1 739	10,66	97,4	-	0,00
10	6 228	6 230	-0,99	97,4	-	0,00
11	7 857	7 858	-3,19	97,4	-	0,00
12	8 595	8 597	-4,05	97,4	-	0,00
13	8 159	8 161	-3,55	97,4	-	0,00
14	7 685	7 687	-2,98	97,4	-	0,00
15	8 204	8 205	-3,61	97,4	-	0,00
16	8 614	8 616	-4,07	97,4	-	0,00
17	9 081	9 083	-4,58	97,4	-	0,00
18	7 618	7 620	-2,90	97,4	-	0,00
19	7 891	7 893	-3,24	97,4	-	0,00
2	1 571	1 580	11,51	97,4	-	0,00
20	8 718	8 720	-4,19	97,4	-	0,00
21	8 403	8 405	-3,84	97,4	-	0,00
22	9 001	9 003	-4,50	97,4	-	0,00
23	9 368	9 369	-4,88	97,4	-	0,00
24	8 822	8 824	-4,30	97,4	-	0,00
25	7 089	7 091	-2,22	97,4	-	0,00
26	6 942	6 944	-2,02	97,4	-	0,00
27	8 073	8 075	-3,45	97,4	-	0,00
28	7 517	7 519	-2,77	97,4	-	0,00
29	7 382	7 384	-2,60	97,4	-	0,00
3	2 104	2 110	8,93	97,4	-	0,00
30	7 965	7 966	-3,32	97,4	-	0,00
31	8 481	8 483	-3,92	97,4	-	0,00
32	7 723	7 725	-3,03	97,4	-	0,00
33	8 296	8 298	-3,71	97,4	-	0,00
34	8 735	8 737	-4,21	97,4	-	0,00
35	8 356	8 358	-3,78	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 850	8 852	-4,33	97,4	-	0,00
37	9 389	9 390	-4,90	97,4	-	0,00
38	10 105	10 107	-5,61	97,4	-	0,00
39	9 221	9 222	-4,73	97,4	-	0,00
4	2 734	2 739	6,58	97,4	-	0,00
40	10 642	10 643	-6,12	97,4	-	0,00
41	11 159	11 160	-6,58	97,4	-	0,00
5	2 703	2 708	6,68	97,4	-	0,00
6	3 332	3 337	4,79	97,4	-	0,00
7	3 496	3 500	4,35	97,4	-	0,00
8	6 034	6 037	-0,70	97,4	-	0,00
9	6 382	6 384	-1,22	97,4	-	0,00
Sum			18,05			

- Data undefined due to calculation with octave data

Noise sensitive area: FA Aspazijas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 453	2 460	7,55	97,4	-	0,00
10	6 123	6 126	-0,83	97,4	-	0,00
11	7 443	7 445	-2,68	97,4	-	0,00
12	8 222	8 224	-3,63	97,4	-	0,00
13	7 682	7 684	-2,98	97,4	-	0,00
14	7 127	7 129	-2,27	97,4	-	0,00
15	7 603	7 605	-2,88	97,4	-	0,00
16	7 992	7 994	-3,36	97,4	-	0,00
17	8 428	8 430	-3,86	97,4	-	0,00
18	6 833	6 836	-1,87	97,4	-	0,00
19	7 060	7 062	-2,18	97,4	-	0,00
2	2 042	2 049	9,19	97,4	-	0,00
20	7 975	7 977	-3,34	97,4	-	0,00
21	7 578	7 580	-2,85	97,4	-	0,00
22	8 214	8 216	-3,62	97,4	-	0,00
23	8 546	8 548	-4,00	97,4	-	0,00
24	7 955	7 957	-3,31	97,4	-	0,00
25	6 197	6 200	-0,95	97,4	-	0,00
26	5 975	5 978	-0,60	97,4	-	0,00
27	7 175	7 178	-2,33	97,4	-	0,00
28	6 583	6 586	-1,52	97,4	-	0,00
29	6 392	6 395	-1,24	97,4	-	0,00
3	2 177	2 185	8,62	97,4	-	0,00
30	7 002	7 005	-2,10	97,4	-	0,00
31	7 548	7 550	-2,81	97,4	-	0,00
32	6 706	6 708	-1,69	97,4	-	0,00
33	7 256	7 258	-2,44	97,4	-	0,00
34	7 715	7 717	-3,02	97,4	-	0,00
35	7 365	7 367	-2,58	97,4	-	0,00
36	7 878	7 880	-3,22	97,4	-	0,00
37	8 452	8 453	-3,89	97,4	-	0,00
38	9 183	9 185	-4,69	97,4	-	0,00
39	8 334	8 336	-3,76	97,4	-	0,00
4	2 839	2 845	6,23	97,4	-	0,00
40	9 752	9 754	-5,27	97,4	-	0,00
41	10 254	10 256	-5,76	97,4	-	0,00
5	2 577	2 583	7,11	97,4	-	0,00
6	3 496	3 501	4,35	97,4	-	0,00
7	3 800	3 804	3,59	97,4	-	0,00
8	5 825	5 828	-0,37	97,4	-	0,00
9	6 079	6 081	-0,77	97,4	-	0,00
Sum			17,37			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FA Aspazijas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 453	2 460	7,55	97,4	-	0,00
10	6 123	6 126	-0,83	97,4	-	0,00
11	7 443	7 445	-2,68	97,4	-	0,00
12	8 222	8 224	-3,63	97,4	-	0,00
13	7 682	7 684	-2,98	97,4	-	0,00
14	7 127	7 129	-2,27	97,4	-	0,00
15	7 603	7 605	-2,88	97,4	-	0,00
16	7 992	7 994	-3,36	97,4	-	0,00
17	8 428	8 430	-3,86	97,4	-	0,00
18	6 833	6 836	-1,87	97,4	-	0,00
19	7 060	7 062	-2,18	97,4	-	0,00
2	2 042	2 049	9,19	97,4	-	0,00
20	7 975	7 977	-3,34	97,4	-	0,00
21	7 578	7 580	-2,85	97,4	-	0,00
22	8 214	8 216	-3,62	97,4	-	0,00
23	8 546	8 548	-4,00	97,4	-	0,00
24	7 955	7 957	-3,31	97,4	-	0,00
25	6 197	6 200	-0,95	97,4	-	0,00
26	5 975	5 978	-0,60	97,4	-	0,00
27	7 175	7 178	-2,33	97,4	-	0,00
28	6 583	6 586	-1,52	97,4	-	0,00
29	6 392	6 395	-1,24	97,4	-	0,00
3	2 177	2 185	8,62	97,4	-	0,00
30	7 002	7 005	-2,10	97,4	-	0,00
31	7 548	7 550	-2,81	97,4	-	0,00
32	6 706	6 708	-1,69	97,4	-	0,00
33	7 256	7 258	-2,44	97,4	-	0,00
34	7 715	7 717	-3,02	97,4	-	0,00
35	7 365	7 367	-2,58	97,4	-	0,00
36	7 878	7 880	-3,22	97,4	-	0,00
37	8 452	8 453	-3,89	97,4	-	0,00
38	9 183	9 185	-4,69	97,4	-	0,00
39	8 334	8 336	-3,76	97,4	-	0,00
4	2 839	2 845	6,23	97,4	-	0,00
40	9 752	9 754	-5,27	97,4	-	0,00
41	10 254	10 256	-5,76	97,4	-	0,00
5	2 577	2 583	7,11	97,4	-	0,00
6	3 496	3 501	4,35	97,4	-	0,00
7	3 800	3 804	3,59	97,4	-	0,00
8	5 825	5 828	-0,37	97,4	-	0,00
9	6 079	6 081	-0,77	97,4	-	0,00
Sum			17,37			

- Data undefined due to calculation with octave data

Noise sensitive area: FB Žugri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 773	2 778	6,45	97,4	-	0,00
10	7 676	7 678	-2,97	97,4	-	0,00
11	9 452	9 453	-4,97	97,4	-	0,00
12	10 169	10 171	-5,68	97,4	-	0,00
13	9 776	9 777	-5,29	97,4	-	0,00
14	9 327	9 329	-4,84	97,4	-	0,00
15	9 854	9 855	-5,37	97,4	-	0,00
16	10 268	10 269	-5,77	97,4	-	0,00
17	10 739	10 741	-6,21	97,4	-	0,00
18	9 278	9 280	-4,79	97,4	-	0,00
19	9 545	9 546	-5,06	97,4	-	0,00
2	2 924	2 929	5,97	97,4	-	0,00
20	10 382	10 383	-5,88	97,4	-	0,00
21	10 058	10 060	-5,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 662	10 663	-6,13	97,4	-	0,00
23	11 024	11 025	-6,46	97,4	-	0,00
24	10 467	10 469	-5,96	97,4	-	0,00
25	8 724	8 726	-4,20	97,4	-	0,00
26	8 538	8 540	-3,99	97,4	-	0,00
27	9 707	9 709	-5,22	97,4	-	0,00
28	9 134	9 135	-4,64	97,4	-	0,00
29	8 961	8 963	-4,45	97,4	-	0,00
3	3 623	3 627	4,02	97,4	-	0,00
30	9 565	9 566	-5,08	97,4	-	0,00
31	10 099	10 100	-5,61	97,4	-	0,00
32	9 277	9 278	-4,79	97,4	-	0,00
33	9 822	9 824	-5,34	97,4	-	0,00
34	10 285	10 287	-5,79	97,4	-	0,00
35	9 935	9 936	-5,45	97,4	-	0,00
36	10 444	10 445	-5,93	97,4	-	0,00
37	11 005	11 006	-6,44	97,4	-	0,00
38	11 730	11 731	-7,07	97,4	-	0,00
39	10 860	10 861	-6,31	97,4	-	0,00
4	4 181	4 184	2,71	97,4	-	0,00
40	12 281	12 282	-7,52	97,4	-	0,00
41	12 792	12 793	-7,92	97,4	-	0,00
5	4 269	4 272	2,52	97,4	-	0,00
6	4 695	4 698	1,64	97,4	-	0,00
7	4 731	4 734	1,57	97,4	-	0,00
8	7 548	7 550	-2,81	97,4	-	0,00
9	7 939	7 941	-3,29	97,4	-	0,00
Sum			14,42			

- Data undefined due to calculation with octave data

Noise sensitive area: FB Žugri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 773	2 778	6,45	97,4	-	0,00
10	7 676	7 678	-2,97	97,4	-	0,00
11	9 452	9 453	-4,97	97,4	-	0,00
12	10 169	10 171	-5,68	97,4	-	0,00
13	9 776	9 777	-5,29	97,4	-	0,00
14	9 327	9 329	-4,84	97,4	-	0,00
15	9 854	9 855	-5,37	97,4	-	0,00
16	10 268	10 269	-5,77	97,4	-	0,00
17	10 739	10 741	-6,21	97,4	-	0,00
18	9 278	9 280	-4,79	97,4	-	0,00
19	9 545	9 546	-5,06	97,4	-	0,00
2	2 924	2 929	5,97	97,4	-	0,00
20	10 382	10 383	-5,88	97,4	-	0,00
21	10 058	10 060	-5,57	97,4	-	0,00
22	10 662	10 663	-6,13	97,4	-	0,00
23	11 024	11 025	-6,46	97,4	-	0,00
24	10 467	10 469	-5,96	97,4	-	0,00
25	8 724	8 726	-4,20	97,4	-	0,00
26	8 538	8 540	-3,99	97,4	-	0,00
27	9 707	9 709	-5,22	97,4	-	0,00
28	9 134	9 135	-4,64	97,4	-	0,00
29	8 961	8 963	-4,45	97,4	-	0,00
3	3 623	3 627	4,02	97,4	-	0,00
30	9 565	9 566	-5,08	97,4	-	0,00
31	10 099	10 100	-5,61	97,4	-	0,00
32	9 277	9 278	-4,79	97,4	-	0,00
33	9 822	9 824	-5,34	97,4	-	0,00
34	10 285	10 287	-5,79	97,4	-	0,00
35	9 935	9 936	-5,45	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 444	10 445	-5,93	97,4	-	0,00
37	11 005	11 006	-6,44	97,4	-	0,00
38	11 730	11 731	-7,07	97,4	-	0,00
39	10 860	10 861	-6,31	97,4	-	0,00
4	4 181	4 184	2,71	97,4	-	0,00
40	12 281	12 282	-7,52	97,4	-	0,00
41	12 792	12 793	-7,92	97,4	-	0,00
5	4 269	4 272	2,52	97,4	-	0,00
6	4 695	4 698	1,64	97,4	-	0,00
7	4 731	4 734	1,57	97,4	-	0,00
8	7 548	7 550	-2,81	97,4	-	0,00
9	7 939	7 941	-3,29	97,4	-	0,00
Sum			14,42			

- Data undefined due to calculation with octave data

Noise sensitive area: FC Pakalni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 475	2 481	7,47	97,4	-	0,00
10	6 219	6 221	-0,98	97,4	-	0,00
11	7 550	7 552	-2,81	97,4	-	0,00
12	8 328	8 330	-3,75	97,4	-	0,00
13	7 790	7 792	-3,11	97,4	-	0,00
14	7 235	7 238	-2,41	97,4	-	0,00
15	7 712	7 714	-3,02	97,4	-	0,00
16	8 101	8 103	-3,48	97,4	-	0,00
17	8 537	8 539	-3,99	97,4	-	0,00
18	6 940	6 942	-2,01	97,4	-	0,00
19	7 165	7 167	-2,32	97,4	-	0,00
2	2 083	2 090	9,01	97,4	-	0,00
20	8 082	8 084	-3,46	97,4	-	0,00
21	7 683	7 685	-2,98	97,4	-	0,00
22	8 321	8 323	-3,74	97,4	-	0,00
23	8 652	8 653	-4,12	97,4	-	0,00
24	8 058	8 060	-3,43	97,4	-	0,00
25	6 299	6 302	-1,10	97,4	-	0,00
26	6 072	6 074	-0,75	97,4	-	0,00
27	7 277	7 279	-2,46	97,4	-	0,00
28	6 682	6 685	-1,66	97,4	-	0,00
29	6 486	6 489	-1,38	97,4	-	0,00
3	2 252	2 259	8,32	97,4	-	0,00
30	7 099	7 101	-2,23	97,4	-	0,00
31	7 647	7 649	-2,94	97,4	-	0,00
32	6 796	6 799	-1,82	97,4	-	0,00
33	7 343	7 345	-2,55	97,4	-	0,00
34	7 805	7 807	-3,13	97,4	-	0,00
35	7 459	7 461	-2,70	97,4	-	0,00
36	7 973	7 976	-3,33	97,4	-	0,00
37	8 550	8 552	-4,00	97,4	-	0,00
38	9 283	9 284	-4,79	97,4	-	0,00
39	8 436	8 438	-3,87	97,4	-	0,00
4	2 916	2 922	5,99	97,4	-	0,00
40	9 854	9 856	-5,37	97,4	-	0,00
41	10 355	10 357	-5,85	97,4	-	0,00
5	2 667	2 672	6,80	97,4	-	0,00
6	3 572	3 577	4,15	97,4	-	0,00
7	3 866	3 870	3,43	97,4	-	0,00
8	5 925	5 928	-0,53	97,4	-	0,00
9	6 182	6 185	-0,92	97,4	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FC Pakalni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 475	2 481	7,47	97,4	-	0,00
10	6 219	6 221	-0,98	97,4	-	0,00
11	7 550	7 552	-2,81	97,4	-	0,00
12	8 328	8 330	-3,75	97,4	-	0,00
13	7 790	7 792	-3,11	97,4	-	0,00
14	7 235	7 238	-2,41	97,4	-	0,00
15	7 712	7 714	-3,02	97,4	-	0,00
16	8 101	8 103	-3,48	97,4	-	0,00
17	8 537	8 539	-3,99	97,4	-	0,00
18	6 940	6 942	-2,01	97,4	-	0,00
19	7 165	7 167	-2,32	97,4	-	0,00
2	2 083	2 090	9,01	97,4	-	0,00
20	8 082	8 084	-3,46	97,4	-	0,00
21	7 683	7 685	-2,98	97,4	-	0,00
22	8 321	8 323	-3,74	97,4	-	0,00
23	8 652	8 653	-4,12	97,4	-	0,00
24	8 058	8 060	-3,43	97,4	-	0,00
25	6 299	6 302	-1,10	97,4	-	0,00
26	6 072	6 074	-0,75	97,4	-	0,00
27	7 277	7 279	-2,46	97,4	-	0,00
28	6 682	6 685	-1,66	97,4	-	0,00
29	6 486	6 489	-1,38	97,4	-	0,00
3	2 252	2 259	8,32	97,4	-	0,00
30	7 099	7 101	-2,23	97,4	-	0,00
31	7 647	7 649	-2,94	97,4	-	0,00
32	6 796	6 799	-1,82	97,4	-	0,00
33	7 343	7 345	-2,55	97,4	-	0,00
34	7 805	7 807	-3,13	97,4	-	0,00
35	7 459	7 461	-2,70	97,4	-	0,00
36	7 973	7 976	-3,33	97,4	-	0,00
37	8 550	8 552	-4,00	97,4	-	0,00
38	9 283	9 284	-4,79	97,4	-	0,00
39	8 436	8 438	-3,87	97,4	-	0,00
4	2 916	2 922	5,99	97,4	-	0,00
40	9 854	9 856	-5,37	97,4	-	0,00
41	10 355	10 357	-5,85	97,4	-	0,00
5	2 667	2 672	6,80	97,4	-	0,00
6	3 572	3 577	4,15	97,4	-	0,00
7	3 866	3 870	3,43	97,4	-	0,00
8	5 925	5 928	-0,53	97,4	-	0,00
9	6 182	6 185	-0,92	97,4	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Noise sensitive area: FD Veldres

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 050	3 055	5,59	97,4	-	0,00
10	7 471	7 473	-2,71	97,4	-	0,00
11	8 938	8 939	-4,43	97,4	-	0,00
12	9 705	9 707	-5,22	97,4	-	0,00
13	9 195	9 197	-4,70	97,4	-	0,00
14	8 654	8 656	-4,12	97,4	-	0,00
15	9 136	9 137	-4,64	97,4	-	0,00
16	9 525	9 527	-5,04	97,4	-	0,00
17	9 962	9 964	-5,48	97,4	-	0,00
18	8 352	8 354	-3,78	97,4	-	0,00
19	8 563	8 565	-4,02	97,4	-	0,00
2	2 906	2 912	6,03	97,4	-	0,00
20	9 501	9 503	-5,02	97,4	-	0,00
21	9 082	9 083	-4,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 730	9 732	-5,25	97,4	-	0,00
23	10 050	10 052	-5,56	97,4	-	0,00
24	9 439	9 441	-4,95	97,4	-	0,00
25	7 674	7 676	-2,97	97,4	-	0,00
26	7 397	7 399	-2,62	97,4	-	0,00
27	8 645	8 647	-4,11	97,4	-	0,00
28	8 030	8 032	-3,40	97,4	-	0,00
29	7 786	7 788	-3,11	97,4	-	0,00
3	3 365	3 370	4,70	97,4	-	0,00
30	8 421	8 423	-3,86	97,4	-	0,00
31	8 990	8 992	-4,48	97,4	-	0,00
32	8 061	8 063	-3,44	97,4	-	0,00
33	8 569	8 571	-4,02	97,4	-	0,00
34	9 058	9 060	-4,56	97,4	-	0,00
35	8 751	8 753	-4,22	97,4	-	0,00
36	9 282	9 284	-4,79	97,4	-	0,00
37	9 887	9 889	-5,40	97,4	-	0,00
38	10 628	10 630	-6,10	97,4	-	0,00
39	9 806	9 808	-5,32	97,4	-	0,00
4	4 020	4 024	3,07	97,4	-	0,00
40	11 219	11 220	-6,63	97,4	-	0,00
41	11 710	11 711	-7,05	97,4	-	0,00
5	3 904	3 908	3,34	97,4	-	0,00
6	4 640	4 644	1,75	97,4	-	0,00
7	4 829	4 832	1,38	97,4	-	0,00
8	7 230	7 232	-2,40	97,4	-	0,00
9	7 529	7 531	-2,79	97,4	-	0,00
Sum			14,81			

- Data undefined due to calculation with octave data

Noise sensitive area: FD Veldres

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 050	3 055	5,59	97,4	-	0,00
10	7 471	7 473	-2,71	97,4	-	0,00
11	8 938	8 939	-4,43	97,4	-	0,00
12	9 705	9 707	-5,22	97,4	-	0,00
13	9 195	9 197	-4,70	97,4	-	0,00
14	8 654	8 656	-4,12	97,4	-	0,00
15	9 136	9 137	-4,64	97,4	-	0,00
16	9 525	9 527	-5,04	97,4	-	0,00
17	9 962	9 964	-5,48	97,4	-	0,00
18	8 352	8 354	-3,78	97,4	-	0,00
19	8 563	8 565	-4,02	97,4	-	0,00
2	2 906	2 912	6,03	97,4	-	0,00
20	9 501	9 503	-5,02	97,4	-	0,00
21	9 082	9 083	-4,58	97,4	-	0,00
22	9 730	9 732	-5,25	97,4	-	0,00
23	10 050	10 052	-5,56	97,4	-	0,00
24	9 439	9 441	-4,95	97,4	-	0,00
25	7 674	7 676	-2,97	97,4	-	0,00
26	7 397	7 399	-2,62	97,4	-	0,00
27	8 645	8 647	-4,11	97,4	-	0,00
28	8 030	8 032	-3,40	97,4	-	0,00
29	7 786	7 788	-3,11	97,4	-	0,00
3	3 365	3 370	4,70	97,4	-	0,00
30	8 421	8 423	-3,86	97,4	-	0,00
31	8 990	8 992	-4,48	97,4	-	0,00
32	8 061	8 063	-3,44	97,4	-	0,00
33	8 569	8 571	-4,02	97,4	-	0,00
34	9 058	9 060	-4,56	97,4	-	0,00
35	8 751	8 753	-4,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 282	9 284	-4,79	97,4	-	0,00
37	9 887	9 889	-5,40	97,4	-	0,00
38	10 628	10 630	-6,10	97,4	-	0,00
39	9 806	9 808	-5,32	97,4	-	0,00
4	4 020	4 024	3,07	97,4	-	0,00
40	11 219	11 220	-6,63	97,4	-	0,00
41	11 710	11 711	-7,05	97,4	-	0,00
5	3 904	3 908	3,34	97,4	-	0,00
6	4 640	4 644	1,75	97,4	-	0,00
7	4 829	4 832	1,38	97,4	-	0,00
8	7 230	7 232	-2,40	97,4	-	0,00
9	7 529	7 531	-2,79	97,4	-	0,00
Sum			14,81			

- Data undefined due to calculation with octave data

Noise sensitive area: FE Sidrabenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 145	2 153	8,75	97,4	-	0,00
10	6 576	6 579	-1,51	97,4	-	0,00
11	8 135	8 137	-3,53	97,4	-	0,00
12	8 887	8 888	-4,37	97,4	-	0,00
13	8 420	8 422	-3,85	97,4	-	0,00
14	7 919	7 921	-3,27	97,4	-	0,00
15	8 424	8 426	-3,86	97,4	-	0,00
16	8 827	8 829	-4,31	97,4	-	0,00
17	9 284	9 285	-4,79	97,4	-	0,00
18	7 764	7 766	-3,08	97,4	-	0,00
19	8 016	8 018	-3,38	97,4	-	0,00
2	1 973	1 981	9,50	97,4	-	0,00
20	8 884	8 886	-4,37	97,4	-	0,00
21	8 531	8 533	-3,98	97,4	-	0,00
22	9 148	9 149	-4,65	97,4	-	0,00
23	9 499	9 500	-5,01	97,4	-	0,00
24	8 929	8 931	-4,42	97,4	-	0,00
25	7 181	7 183	-2,34	97,4	-	0,00
26	6 988	6 991	-2,08	97,4	-	0,00
27	8 163	8 165	-3,56	97,4	-	0,00
28	7 585	7 587	-2,86	97,4	-	0,00
29	7 413	7 415	-2,64	97,4	-	0,00
3	2 455	2 461	7,54	97,4	-	0,00
30	8 015	8 017	-3,38	97,4	-	0,00
31	8 550	8 552	-4,00	97,4	-	0,00
32	7 733	7 735	-3,04	97,4	-	0,00
33	8 287	8 289	-3,70	97,4	-	0,00
34	8 743	8 745	-4,22	97,4	-	0,00
35	8 387	8 389	-3,82	97,4	-	0,00
36	8 894	8 896	-4,38	97,4	-	0,00
37	9 456	9 458	-4,97	97,4	-	0,00
38	10 182	10 184	-5,69	97,4	-	0,00
39	9 318	9 319	-4,83	97,4	-	0,00
4	3 101	3 106	5,44	97,4	-	0,00
40	10 738	10 739	-6,20	97,4	-	0,00
41	11 247	11 248	-6,66	97,4	-	0,00
5	3 025	3 029	5,67	97,4	-	0,00
6	3 714	3 718	3,80	97,4	-	0,00
7	3 896	3 900	3,36	97,4	-	0,00
8	6 360	6 363	-1,19	97,4	-	0,00
9	6 686	6 689	-1,66	97,4	-	0,00
Sum			16,86			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FE Sidrabenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 145	2 153	8,75	97,4	-	0,00
10	6 576	6 579	-1,51	97,4	-	0,00
11	8 135	8 137	-3,53	97,4	-	0,00
12	8 887	8 888	-4,37	97,4	-	0,00
13	8 420	8 422	-3,85	97,4	-	0,00
14	7 919	7 921	-3,27	97,4	-	0,00
15	8 424	8 426	-3,86	97,4	-	0,00
16	8 827	8 829	-4,31	97,4	-	0,00
17	9 284	9 285	-4,79	97,4	-	0,00
18	7 764	7 766	-3,08	97,4	-	0,00
19	8 016	8 018	-3,38	97,4	-	0,00
2	1 973	1 981	9,50	97,4	-	0,00
20	8 884	8 886	-4,37	97,4	-	0,00
21	8 531	8 533	-3,98	97,4	-	0,00
22	9 148	9 149	-4,65	97,4	-	0,00
23	9 499	9 500	-5,01	97,4	-	0,00
24	8 929	8 931	-4,42	97,4	-	0,00
25	7 181	7 183	-2,34	97,4	-	0,00
26	6 988	6 991	-2,08	97,4	-	0,00
27	8 163	8 165	-3,56	97,4	-	0,00
28	7 585	7 587	-2,86	97,4	-	0,00
29	7 413	7 415	-2,64	97,4	-	0,00
3	2 455	2 461	7,54	97,4	-	0,00
30	8 015	8 017	-3,38	97,4	-	0,00
31	8 550	8 552	-4,00	97,4	-	0,00
32	7 733	7 735	-3,04	97,4	-	0,00
33	8 287	8 289	-3,70	97,4	-	0,00
34	8 743	8 745	-4,22	97,4	-	0,00
35	8 387	8 389	-3,82	97,4	-	0,00
36	8 894	8 896	-4,38	97,4	-	0,00
37	9 456	9 458	-4,97	97,4	-	0,00
38	10 182	10 184	-5,69	97,4	-	0,00
39	9 318	9 319	-4,83	97,4	-	0,00
4	3 101	3 106	5,44	97,4	-	0,00
40	10 738	10 739	-6,20	97,4	-	0,00
41	11 247	11 248	-6,66	97,4	-	0,00
5	3 025	3 029	5,67	97,4	-	0,00
6	3 714	3 718	3,80	97,4	-	0,00
7	3 896	3 900	3,36	97,4	-	0,00
8	6 360	6 363	-1,19	97,4	-	0,00
9	6 686	6 689	-1,66	97,4	-	0,00
Sum			16,86			

- Data undefined due to calculation with octave data

Noise sensitive area: FF Skujinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 101	2 109	8,94	97,4	-	0,00
10	6 926	6 928	-1,99	97,4	-	0,00
11	8 666	8 668	-4,13	97,4	-	0,00
12	9 388	9 390	-4,90	97,4	-	0,00
13	8 987	8 989	-4,48	97,4	-	0,00
14	8 537	8 539	-3,99	97,4	-	0,00
15	9 063	9 065	-4,56	97,4	-	0,00
16	9 479	9 480	-4,99	97,4	-	0,00
17	9 951	9 953	-5,46	97,4	-	0,00
18	8 506	8 508	-3,95	97,4	-	0,00
19	8 781	8 783	-4,26	97,4	-	0,00
2	2 173	2 181	8,63	97,4	-	0,00
20	9 602	9 604	-5,12	97,4	-	0,00
21	9 293	9 295	-4,80	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 889	9 890	-5,40	97,4	-	0,00
23	10 257	10 259	-5,76	97,4	-	0,00
24	9 712	9 714	-5,23	97,4	-	0,00
25	7 977	7 979	-3,34	97,4	-	0,00
26	7 819	7 821	-3,15	97,4	-	0,00
27	8 961	8 963	-4,45	97,4	-	0,00
28	8 401	8 403	-3,83	97,4	-	0,00
29	8 253	8 255	-3,66	97,4	-	0,00
3	2 845	2 850	6,22	97,4	-	0,00
30	8 843	8 845	-4,33	97,4	-	0,00
31	9 365	9 367	-4,88	97,4	-	0,00
32	8 585	8 587	-4,04	97,4	-	0,00
33	9 148	9 150	-4,65	97,4	-	0,00
34	9 597	9 598	-5,11	97,4	-	0,00
35	9 228	9 230	-4,74	97,4	-	0,00
36	9 727	9 729	-5,24	97,4	-	0,00
37	10 273	10 274	-5,77	97,4	-	0,00
38	10 991	10 993	-6,43	97,4	-	0,00
39	10 110	10 111	-5,62	97,4	-	0,00
4	3 421	3 425	4,55	97,4	-	0,00
40	11 531	11 532	-6,90	97,4	-	0,00
41	12 047	12 048	-7,33	97,4	-	0,00
5	3 485	3 489	4,38	97,4	-	0,00
6	3 960	3 964	3,21	97,4	-	0,00
7	4 035	4 039	3,04	97,4	-	0,00
8	6 780	6 782	-1,79	97,4	-	0,00
9	7 161	7 163	-2,31	97,4	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Noise sensitive area: FF Skujinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 101	2 109	8,94	97,4	-	0,00
10	6 926	6 928	-1,99	97,4	-	0,00
11	8 666	8 668	-4,13	97,4	-	0,00
12	9 388	9 390	-4,90	97,4	-	0,00
13	8 987	8 989	-4,48	97,4	-	0,00
14	8 537	8 539	-3,99	97,4	-	0,00
15	9 063	9 065	-4,56	97,4	-	0,00
16	9 479	9 480	-4,99	97,4	-	0,00
17	9 951	9 953	-5,46	97,4	-	0,00
18	8 506	8 508	-3,95	97,4	-	0,00
19	8 781	8 783	-4,26	97,4	-	0,00
2	2 173	2 181	8,63	97,4	-	0,00
20	9 602	9 604	-5,12	97,4	-	0,00
21	9 293	9 295	-4,80	97,4	-	0,00
22	9 889	9 890	-5,40	97,4	-	0,00
23	10 257	10 259	-5,76	97,4	-	0,00
24	9 712	9 714	-5,23	97,4	-	0,00
25	7 977	7 979	-3,34	97,4	-	0,00
26	7 819	7 821	-3,15	97,4	-	0,00
27	8 961	8 963	-4,45	97,4	-	0,00
28	8 401	8 403	-3,83	97,4	-	0,00
29	8 253	8 255	-3,66	97,4	-	0,00
3	2 845	2 850	6,22	97,4	-	0,00
30	8 843	8 845	-4,33	97,4	-	0,00
31	9 365	9 367	-4,88	97,4	-	0,00
32	8 585	8 587	-4,04	97,4	-	0,00
33	9 148	9 150	-4,65	97,4	-	0,00
34	9 597	9 598	-5,11	97,4	-	0,00
35	9 228	9 230	-4,74	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 727	9 729	-5,24	97,4	-	0,00
37	10 273	10 274	-5,77	97,4	-	0,00
38	10 991	10 993	-6,43	97,4	-	0,00
39	10 110	10 111	-5,62	97,4	-	0,00
4	3 421	3 425	4,55	97,4	-	0,00
40	11 531	11 532	-6,90	97,4	-	0,00
41	12 047	12 048	-7,33	97,4	-	0,00
5	3 485	3 489	4,38	97,4	-	0,00
6	3 960	3 964	3,21	97,4	-	0,00
7	4 035	4 039	3,04	97,4	-	0,00
8	6 780	6 782	-1,79	97,4	-	0,00
9	7 161	7 163	-2,31	97,4	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Noise sensitive area: FG Gravi š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 354	2 360	7,92	97,4	-	0,00
10	6 315	6 317	-1,12	97,4	-	0,00
11	7 715	7 717	-3,02	97,4	-	0,00
12	8 486	8 488	-3,93	97,4	-	0,00
13	7 969	7 971	-3,33	97,4	-	0,00
14	7 429	7 431	-2,66	97,4	-	0,00
15	7 915	7 917	-3,26	97,4	-	0,00
16	8 308	8 309	-3,73	97,4	-	0,00
17	8 750	8 752	-4,22	97,4	-	0,00
18	7 175	7 177	-2,33	97,4	-	0,00
19	7 408	7 410	-2,63	97,4	-	0,00
2	2 014	2 022	9,31	97,4	-	0,00
20	8 311	8 313	-3,73	97,4	-	0,00
21	7 925	7 927	-3,28	97,4	-	0,00
22	8 557	8 559	-4,01	97,4	-	0,00
23	8 894	8 895	-4,38	97,4	-	0,00
24	8 307	8 309	-3,73	97,4	-	0,00
25	6 551	6 553	-1,47	97,4	-	0,00
26	6 333	6 336	-1,15	97,4	-	0,00
27	7 530	7 532	-2,79	97,4	-	0,00
28	6 940	6 942	-2,01	97,4	-	0,00
29	6 751	6 753	-1,75	97,4	-	0,00
3	2 279	2 286	8,21	97,4	-	0,00
30	7 361	7 363	-2,57	97,4	-	0,00
31	7 905	7 907	-3,25	97,4	-	0,00
32	7 064	7 066	-2,18	97,4	-	0,00
33	7 612	7 614	-2,89	97,4	-	0,00
34	8 073	8 074	-3,45	97,4	-	0,00
35	7 724	7 726	-3,03	97,4	-	0,00
36	8 237	8 238	-3,64	97,4	-	0,00
37	8 809	8 811	-4,29	97,4	-	0,00
38	9 540	9 542	-5,06	97,4	-	0,00
39	8 688	8 690	-4,16	97,4	-	0,00
4	2 947	2 951	5,90	97,4	-	0,00
40	10 107	10 108	-5,62	97,4	-	0,00
41	10 610	10 612	-6,09	97,4	-	0,00
5	2 747	2 752	6,53	97,4	-	0,00
6	3 595	3 599	4,09	97,4	-	0,00
7	3 858	3 862	3,45	97,4	-	0,00
8	6 044	6 046	-0,71	97,4	-	0,00
9	6 322	6 324	-1,13	97,4	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FG Gravi š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 354	2 360	7,92	97,4	-	0,00
10	6 315	6 317	-1,12	97,4	-	0,00
11	7 715	7 717	-3,02	97,4	-	0,00
12	8 486	8 488	-3,93	97,4	-	0,00
13	7 969	7 971	-3,33	97,4	-	0,00
14	7 429	7 431	-2,66	97,4	-	0,00
15	7 915	7 917	-3,26	97,4	-	0,00
16	8 308	8 309	-3,73	97,4	-	0,00
17	8 750	8 752	-4,22	97,4	-	0,00
18	7 175	7 177	-2,33	97,4	-	0,00
19	7 408	7 410	-2,63	97,4	-	0,00
2	2 014	2 022	9,31	97,4	-	0,00
20	8 311	8 313	-3,73	97,4	-	0,00
21	7 925	7 927	-3,28	97,4	-	0,00
22	8 557	8 559	-4,01	97,4	-	0,00
23	8 894	8 895	-4,38	97,4	-	0,00
24	8 307	8 309	-3,73	97,4	-	0,00
25	6 551	6 553	-1,47	97,4	-	0,00
26	6 333	6 336	-1,15	97,4	-	0,00
27	7 530	7 532	-2,79	97,4	-	0,00
28	6 940	6 942	-2,01	97,4	-	0,00
29	6 751	6 753	-1,75	97,4	-	0,00
3	2 279	2 286	8,21	97,4	-	0,00
30	7 361	7 363	-2,57	97,4	-	0,00
31	7 905	7 907	-3,25	97,4	-	0,00
32	7 064	7 066	-2,18	97,4	-	0,00
33	7 612	7 614	-2,89	97,4	-	0,00
34	8 073	8 074	-3,45	97,4	-	0,00
35	7 724	7 726	-3,03	97,4	-	0,00
36	8 237	8 238	-3,64	97,4	-	0,00
37	8 809	8 811	-4,29	97,4	-	0,00
38	9 540	9 542	-5,06	97,4	-	0,00
39	8 688	8 690	-4,16	97,4	-	0,00
4	2 947	2 951	5,90	97,4	-	0,00
40	10 107	10 108	-5,62	97,4	-	0,00
41	10 610	10 612	-6,09	97,4	-	0,00
5	2 747	2 752	6,53	97,4	-	0,00
6	3 595	3 599	4,09	97,4	-	0,00
7	3 858	3 862	3,45	97,4	-	0,00
8	6 044	6 046	-0,71	97,4	-	0,00
9	6 322	6 324	-1,13	97,4	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Noise sensitive area: FH Parslas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 976	2 981	5,81	97,4	-	0,00
10	7 739	7 740	-3,05	97,4	-	0,00
11	9 388	9 390	-4,90	97,4	-	0,00
12	10 130	10 131	-5,64	97,4	-	0,00
13	9 684	9 686	-5,20	97,4	-	0,00
14	9 193	9 195	-4,70	97,4	-	0,00
15	9 701	9 702	-5,22	97,4	-	0,00
16	10 105	10 106	-5,61	97,4	-	0,00
17	10 561	10 562	-6,04	97,4	-	0,00
18	9 027	9 029	-4,52	97,4	-	0,00
19	9 267	9 269	-4,78	97,4	-	0,00
2	3 007	3 012	5,72	97,4	-	0,00
20	10 154	10 156	-5,66	97,4	-	0,00
21	9 784	9 786	-5,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 410	10 412	-5,90	97,4	-	0,00
23	10 752	10 754	-6,22	97,4	-	0,00
24	10 168	10 170	-5,67	97,4	-	0,00
25	8 411	8 413	-3,85	97,4	-	0,00
26	8 179	8 181	-3,58	97,4	-	0,00
27	9 390	9 391	-4,90	97,4	-	0,00
28	8 794	8 796	-4,27	97,4	-	0,00
29	8 584	8 586	-4,04	97,4	-	0,00
3	3 624	3 628	4,02	97,4	-	0,00
30	9 206	9 207	-4,71	97,4	-	0,00
31	9 758	9 760	-5,28	97,4	-	0,00
32	8 878	8 880	-4,36	97,4	-	0,00
33	9 404	9 406	-4,92	97,4	-	0,00
34	9 882	9 883	-5,40	97,4	-	0,00
35	9 554	9 556	-5,07	97,4	-	0,00
36	10 076	10 078	-5,59	97,4	-	0,00
37	10 661	10 662	-6,13	97,4	-	0,00
38	11 395	11 396	-6,78	97,4	-	0,00
39	10 549	10 550	-6,03	97,4	-	0,00
4	4 232	4 236	2,60	97,4	-	0,00
40	11 967	11 968	-7,26	97,4	-	0,00
41	12 468	12 469	-7,67	97,4	-	0,00
5	4 236	4 239	2,59	97,4	-	0,00
6	4 798	4 801	1,44	97,4	-	0,00
7	4 897	4 900	1,25	97,4	-	0,00
8	7 562	7 565	-2,83	97,4	-	0,00
9	7 916	7 918	-3,26	97,4	-	0,00
Sum			14,35			

- Data undefined due to calculation with octave data

Noise sensitive area: FH Parslas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 976	2 981	5,81	97,4	-	0,00
10	7 739	7 740	-3,05	97,4	-	0,00
11	9 388	9 390	-4,90	97,4	-	0,00
12	10 130	10 131	-5,64	97,4	-	0,00
13	9 684	9 686	-5,20	97,4	-	0,00
14	9 193	9 195	-4,70	97,4	-	0,00
15	9 701	9 702	-5,22	97,4	-	0,00
16	10 105	10 106	-5,61	97,4	-	0,00
17	10 561	10 562	-6,04	97,4	-	0,00
18	9 027	9 029	-4,52	97,4	-	0,00
19	9 267	9 269	-4,78	97,4	-	0,00
2	3 007	3 012	5,72	97,4	-	0,00
20	10 154	10 156	-5,66	97,4	-	0,00
21	9 784	9 786	-5,30	97,4	-	0,00
22	10 410	10 412	-5,90	97,4	-	0,00
23	10 752	10 754	-6,22	97,4	-	0,00
24	10 168	10 170	-5,67	97,4	-	0,00
25	8 411	8 413	-3,85	97,4	-	0,00
26	8 179	8 181	-3,58	97,4	-	0,00
27	9 390	9 391	-4,90	97,4	-	0,00
28	8 794	8 796	-4,27	97,4	-	0,00
29	8 584	8 586	-4,04	97,4	-	0,00
3	3 624	3 628	4,02	97,4	-	0,00
30	9 206	9 207	-4,71	97,4	-	0,00
31	9 758	9 760	-5,28	97,4	-	0,00
32	8 878	8 880	-4,36	97,4	-	0,00
33	9 404	9 406	-4,92	97,4	-	0,00
34	9 882	9 883	-5,40	97,4	-	0,00
35	9 554	9 556	-5,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 076	10 078	-5,59	97,4	-	0,00
37	10 661	10 662	-6,13	97,4	-	0,00
38	11 395	11 396	-6,78	97,4	-	0,00
39	10 549	10 550	-6,03	97,4	-	0,00
4	4 232	4 236	2,60	97,4	-	0,00
40	11 967	11 968	-7,26	97,4	-	0,00
41	12 468	12 469	-7,67	97,4	-	0,00
5	4 236	4 239	2,59	97,4	-	0,00
6	4 798	4 801	1,44	97,4	-	0,00
7	4 897	4 900	1,25	97,4	-	0,00
8	7 562	7 565	-2,83	97,4	-	0,00
9	7 916	7 918	-3,26	97,4	-	0,00
Sum			14,35			

- Data undefined due to calculation with octave data

Noise sensitive area: FI Lidums

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 124	2 131	8,84	97,4	-	0,00
10	6 337	6 339	-1,16	97,4	-	0,00
11	7 833	7 835	-3,16	97,4	-	0,00
12	8 593	8 594	-4,05	97,4	-	0,00
13	8 107	8 109	-3,49	97,4	-	0,00
14	7 593	7 595	-2,87	97,4	-	0,00
15	8 092	8 094	-3,48	97,4	-	0,00
16	8 493	8 494	-3,94	97,4	-	0,00
17	8 945	8 947	-4,44	97,4	-	0,00
18	7 411	7 413	-2,64	97,4	-	0,00
19	7 659	7 661	-2,95	97,4	-	0,00
2	1 856	1 865	10,04	97,4	-	0,00
20	8 535	8 537	-3,98	97,4	-	0,00
21	8 175	8 177	-3,57	97,4	-	0,00
22	8 795	8 796	-4,27	97,4	-	0,00
23	9 143	9 144	-4,65	97,4	-	0,00
24	8 571	8 573	-4,03	97,4	-	0,00
25	6 822	6 824	-1,85	97,4	-	0,00
26	6 629	6 631	-1,58	97,4	-	0,00
27	7 803	7 805	-3,13	97,4	-	0,00
28	7 225	7 227	-2,40	97,4	-	0,00
29	7 054	7 057	-2,17	97,4	-	0,00
3	2 239	2 245	8,37	97,4	-	0,00
30	7 655	7 657	-2,95	97,4	-	0,00
31	8 190	8 192	-3,59	97,4	-	0,00
32	7 377	7 379	-2,59	97,4	-	0,00
33	7 933	7 936	-3,29	97,4	-	0,00
34	8 387	8 389	-3,82	97,4	-	0,00
35	8 028	8 030	-3,40	97,4	-	0,00
36	8 535	8 537	-3,98	97,4	-	0,00
37	9 096	9 098	-4,60	97,4	-	0,00
38	9 822	9 824	-5,34	97,4	-	0,00
39	8 959	8 960	-4,45	97,4	-	0,00
4	2 899	2 904	6,05	97,4	-	0,00
40	10 379	10 380	-5,87	97,4	-	0,00
41	10 887	10 889	-6,34	97,4	-	0,00
5	2 769	2 774	6,46	97,4	-	0,00
6	3 531	3 536	4,26	97,4	-	0,00
7	3 754	3 758	3,70	97,4	-	0,00
8	6 097	6 100	-0,79	97,4	-	0,00
9	6 405	6 407	-1,26	97,4	-	0,00
Sum			17,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FI Lidums

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 124	2 131	8,84	97,4	-	0,00
10	6 337	6 339	-1,16	97,4	-	0,00
11	7 833	7 835	-3,16	97,4	-	0,00
12	8 593	8 594	-4,05	97,4	-	0,00
13	8 107	8 109	-3,49	97,4	-	0,00
14	7 593	7 595	-2,87	97,4	-	0,00
15	8 092	8 094	-3,48	97,4	-	0,00
16	8 493	8 494	-3,94	97,4	-	0,00
17	8 945	8 947	-4,44	97,4	-	0,00
18	7 411	7 413	-2,64	97,4	-	0,00
19	7 659	7 661	-2,95	97,4	-	0,00
2	1 856	1 865	10,04	97,4	-	0,00
20	8 535	8 537	-3,98	97,4	-	0,00
21	8 175	8 177	-3,57	97,4	-	0,00
22	8 795	8 796	-4,27	97,4	-	0,00
23	9 143	9 144	-4,65	97,4	-	0,00
24	8 571	8 573	-4,03	97,4	-	0,00
25	6 822	6 824	-1,85	97,4	-	0,00
26	6 629	6 631	-1,58	97,4	-	0,00
27	7 803	7 805	-3,13	97,4	-	0,00
28	7 225	7 227	-2,40	97,4	-	0,00
29	7 054	7 057	-2,17	97,4	-	0,00
3	2 239	2 245	8,37	97,4	-	0,00
30	7 655	7 657	-2,95	97,4	-	0,00
31	8 190	8 192	-3,59	97,4	-	0,00
32	7 377	7 379	-2,59	97,4	-	0,00
33	7 933	7 936	-3,29	97,4	-	0,00
34	8 387	8 389	-3,82	97,4	-	0,00
35	8 028	8 030	-3,40	97,4	-	0,00
36	8 535	8 537	-3,98	97,4	-	0,00
37	9 096	9 098	-4,60	97,4	-	0,00
38	9 822	9 824	-5,34	97,4	-	0,00
39	8 959	8 960	-4,45	97,4	-	0,00
4	2 899	2 904	6,05	97,4	-	0,00
40	10 379	10 380	-5,87	97,4	-	0,00
41	10 887	10 889	-6,34	97,4	-	0,00
5	2 769	2 774	6,46	97,4	-	0,00
6	3 531	3 536	4,26	97,4	-	0,00
7	3 754	3 758	3,70	97,4	-	0,00
8	6 097	6 100	-0,79	97,4	-	0,00
9	6 405	6 407	-1,26	97,4	-	0,00
Sum			17,34			

- Data undefined due to calculation with octave data

Noise sensitive area: FJ Eglites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 124	3 129	5,37	97,4	-	0,00
10	7 248	7 250	-2,43	97,4	-	0,00
11	8 592	8 594	-4,05	97,4	-	0,00
12	9 373	9 375	-4,89	97,4	-	0,00
13	8 825	8 827	-4,31	97,4	-	0,00
14	8 256	8 258	-3,67	97,4	-	0,00
15	8 721	8 722	-4,19	97,4	-	0,00
16	9 101	9 103	-4,60	97,4	-	0,00
17	9 525	9 527	-5,04	97,4	-	0,00
18	7 875	7 877	-3,22	97,4	-	0,00
19	8 069	8 071	-3,45	97,4	-	0,00
2	2 875	2 881	6,12	97,4	-	0,00
20	9 034	9 035	-4,53	97,4	-	0,00
21	8 588	8 590	-4,04	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 247	9 249	-4,76	97,4	-	0,00
23	9 555	9 556	-5,07	97,4	-	0,00
24	8 930	8 932	-4,42	97,4	-	0,00
25	7 163	7 166	-2,31	97,4	-	0,00
26	6 863	6 866	-1,91	97,4	-	0,00
27	8 128	8 130	-3,52	97,4	-	0,00
28	7 504	7 506	-2,76	97,4	-	0,00
29	7 244	7 246	-2,42	97,4	-	0,00
3	3 209	3 214	5,13	97,4	-	0,00
30	7 886	7 888	-3,23	97,4	-	0,00
31	8 461	8 463	-3,90	97,4	-	0,00
32	7 510	7 512	-2,76	97,4	-	0,00
33	8 011	8 013	-3,38	97,4	-	0,00
34	8 504	8 506	-3,95	97,4	-	0,00
35	8 205	8 207	-3,61	97,4	-	0,00
36	8 741	8 743	-4,21	97,4	-	0,00
37	9 355	9 357	-4,87	97,4	-	0,00
38	10 099	10 101	-5,61	97,4	-	0,00
39	9 290	9 292	-4,80	97,4	-	0,00
4	3 876	3 880	3,41	97,4	-	0,00
40	10 699	10 700	-6,17	97,4	-	0,00
41	11 184	11 186	-6,60	97,4	-	0,00
5	3 682	3 686	3,88	97,4	-	0,00
6	4 520	4 523	1,99	97,4	-	0,00
7	4 763	4 766	1,51	97,4	-	0,00
8	6 966	6 969	-2,05	97,4	-	0,00
9	7 229	7 231	-2,40	97,4	-	0,00
Sum			15,14			

- Data undefined due to calculation with octave data

Noise sensitive area: FJ Eglites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 124	3 129	5,37	97,4	-	0,00
10	7 248	7 250	-2,43	97,4	-	0,00
11	8 592	8 594	-4,05	97,4	-	0,00
12	9 373	9 375	-4,89	97,4	-	0,00
13	8 825	8 827	-4,31	97,4	-	0,00
14	8 256	8 258	-3,67	97,4	-	0,00
15	8 721	8 722	-4,19	97,4	-	0,00
16	9 101	9 103	-4,60	97,4	-	0,00
17	9 525	9 527	-5,04	97,4	-	0,00
18	7 875	7 877	-3,22	97,4	-	0,00
19	8 069	8 071	-3,45	97,4	-	0,00
2	2 875	2 881	6,12	97,4	-	0,00
20	9 034	9 035	-4,53	97,4	-	0,00
21	8 588	8 590	-4,04	97,4	-	0,00
22	9 247	9 249	-4,76	97,4	-	0,00
23	9 555	9 556	-5,07	97,4	-	0,00
24	8 930	8 932	-4,42	97,4	-	0,00
25	7 163	7 166	-2,31	97,4	-	0,00
26	6 863	6 866	-1,91	97,4	-	0,00
27	8 128	8 130	-3,52	97,4	-	0,00
28	7 504	7 506	-2,76	97,4	-	0,00
29	7 244	7 246	-2,42	97,4	-	0,00
3	3 209	3 214	5,13	97,4	-	0,00
30	7 886	7 888	-3,23	97,4	-	0,00
31	8 461	8 463	-3,90	97,4	-	0,00
32	7 510	7 512	-2,76	97,4	-	0,00
33	8 011	8 013	-3,38	97,4	-	0,00
34	8 504	8 506	-3,95	97,4	-	0,00
35	8 205	8 207	-3,61	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 741	8 743	-4,21	97,4	-	0,00
37	9 355	9 357	-4,87	97,4	-	0,00
38	10 099	10 101	-5,61	97,4	-	0,00
39	9 290	9 292	-4,80	97,4	-	0,00
4	3 876	3 880	3,41	97,4	-	0,00
40	10 699	10 700	-6,17	97,4	-	0,00
41	11 184	11 186	-6,60	97,4	-	0,00
5	3 682	3 686	3,88	97,4	-	0,00
6	4 520	4 523	1,99	97,4	-	0,00
7	4 763	4 766	1,51	97,4	-	0,00
8	6 966	6 969	-2,05	97,4	-	0,00
9	7 229	7 231	-2,40	97,4	-	0,00
Sum			15,14			

- Data undefined due to calculation with octave data

Noise sensitive area: FK Annas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 378	2 384	7,83	97,4	-	0,00
10	6 248	6 250	-1,02	97,4	-	0,00
11	7 623	7 625	-2,91	97,4	-	0,00
12	8 397	8 399	-3,83	97,4	-	0,00
13	7 872	7 874	-3,21	97,4	-	0,00
14	7 328	7 330	-2,53	97,4	-	0,00
15	7 811	7 813	-3,14	97,4	-	0,00
16	8 202	8 204	-3,60	97,4	-	0,00
17	8 643	8 645	-4,11	97,4	-	0,00
18	7 062	7 064	-2,18	97,4	-	0,00
19	7 293	7 295	-2,48	97,4	-	0,00
2	2 013	2 021	9,32	97,4	-	0,00
20	8 200	8 202	-3,60	97,4	-	0,00
21	7 811	7 812	-3,14	97,4	-	0,00
22	8 444	8 446	-3,88	97,4	-	0,00
23	8 779	8 781	-4,26	97,4	-	0,00
24	8 191	8 193	-3,59	97,4	-	0,00
25	6 434	6 437	-1,30	97,4	-	0,00
26	6 216	6 219	-0,98	97,4	-	0,00
27	7 413	7 416	-2,64	97,4	-	0,00
28	6 823	6 825	-1,85	97,4	-	0,00
29	6 633	6 636	-1,59	97,4	-	0,00
3	2 237	2 244	8,38	97,4	-	0,00
30	7 243	7 245	-2,42	97,4	-	0,00
31	7 788	7 790	-3,11	97,4	-	0,00
32	6 947	6 949	-2,02	97,4	-	0,00
33	7 496	7 498	-2,75	97,4	-	0,00
34	7 956	7 958	-3,31	97,4	-	0,00
35	7 607	7 609	-2,88	97,4	-	0,00
36	8 119	8 121	-3,51	97,4	-	0,00
37	8 692	8 694	-4,16	97,4	-	0,00
38	9 423	9 425	-4,94	97,4	-	0,00
39	8 572	8 574	-4,03	97,4	-	0,00
4	2 904	2 909	6,03	97,4	-	0,00
40	9 990	9 992	-5,50	97,4	-	0,00
41	10 493	10 495	-5,98	97,4	-	0,00
5	2 685	2 690	6,74	97,4	-	0,00
6	3 556	3 560	4,19	97,4	-	0,00
7	3 832	3 837	3,51	97,4	-	0,00
8	5 968	5 971	-0,59	97,4	-	0,00
9	6 239	6 241	-1,01	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FK Annas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 378	2 384	7,83	97,4	-	0,00
10	6 248	6 250	-1,02	97,4	-	0,00
11	7 623	7 625	-2,91	97,4	-	0,00
12	8 397	8 399	-3,83	97,4	-	0,00
13	7 872	7 874	-3,21	97,4	-	0,00
14	7 328	7 330	-2,53	97,4	-	0,00
15	7 811	7 813	-3,14	97,4	-	0,00
16	8 202	8 204	-3,60	97,4	-	0,00
17	8 643	8 645	-4,11	97,4	-	0,00
18	7 062	7 064	-2,18	97,4	-	0,00
19	7 293	7 295	-2,48	97,4	-	0,00
2	2 013	2 021	9,32	97,4	-	0,00
20	8 200	8 202	-3,60	97,4	-	0,00
21	7 811	7 812	-3,14	97,4	-	0,00
22	8 444	8 446	-3,88	97,4	-	0,00
23	8 779	8 781	-4,26	97,4	-	0,00
24	8 191	8 193	-3,59	97,4	-	0,00
25	6 434	6 437	-1,30	97,4	-	0,00
26	6 216	6 219	-0,98	97,4	-	0,00
27	7 413	7 416	-2,64	97,4	-	0,00
28	6 823	6 825	-1,85	97,4	-	0,00
29	6 633	6 636	-1,59	97,4	-	0,00
3	2 237	2 244	8,38	97,4	-	0,00
30	7 243	7 245	-2,42	97,4	-	0,00
31	7 788	7 790	-3,11	97,4	-	0,00
32	6 947	6 949	-2,02	97,4	-	0,00
33	7 496	7 498	-2,75	97,4	-	0,00
34	7 956	7 958	-3,31	97,4	-	0,00
35	7 607	7 609	-2,88	97,4	-	0,00
36	8 119	8 121	-3,51	97,4	-	0,00
37	8 692	8 694	-4,16	97,4	-	0,00
38	9 423	9 425	-4,94	97,4	-	0,00
39	8 572	8 574	-4,03	97,4	-	0,00
4	2 904	2 909	6,03	97,4	-	0,00
40	9 990	9 992	-5,50	97,4	-	0,00
41	10 493	10 495	-5,98	97,4	-	0,00
5	2 685	2 690	6,74	97,4	-	0,00
6	3 556	3 560	4,19	97,4	-	0,00
7	3 832	3 837	3,51	97,4	-	0,00
8	5 968	5 971	-0,59	97,4	-	0,00
9	6 239	6 241	-1,01	97,4	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Noise sensitive area: FL Virzas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 937	1 945	9,66	97,4	-	0,00
10	6 603	6 606	-1,54	97,4	-	0,00
11	8 272	8 274	-3,68	97,4	-	0,00
12	9 006	9 007	-4,50	97,4	-	0,00
13	8 579	8 581	-4,03	97,4	-	0,00
14	8 111	8 113	-3,50	97,4	-	0,00
15	8 631	8 633	-4,09	97,4	-	0,00
16	9 043	9 044	-4,54	97,4	-	0,00
17	9 510	9 512	-5,03	97,4	-	0,00
18	8 044	8 046	-3,42	97,4	-	0,00
19	8 314	8 316	-3,73	97,4	-	0,00
2	1 888	1 896	9,89	97,4	-	0,00
20	9 147	9 148	-4,65	97,4	-	0,00
21	8 827	8 828	-4,31	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 427	9 429	-4,94	97,4	-	0,00
23	9 792	9 793	-5,31	97,4	-	0,00
24	9 241	9 243	-4,75	97,4	-	0,00
25	7 504	7 507	-2,76	97,4	-	0,00
26	7 343	7 345	-2,55	97,4	-	0,00
27	8 488	8 490	-3,93	97,4	-	0,00
28	7 926	7 928	-3,28	97,4	-	0,00
29	7 777	7 779	-3,10	97,4	-	0,00
3	2 488	2 494	7,43	97,4	-	0,00
30	8 368	8 369	-3,80	97,4	-	0,00
31	8 890	8 892	-4,38	97,4	-	0,00
32	8 110	8 112	-3,50	97,4	-	0,00
33	8 675	8 677	-4,14	97,4	-	0,00
34	9 122	9 123	-4,62	97,4	-	0,00
35	8 752	8 754	-4,23	97,4	-	0,00
36	9 251	9 253	-4,76	97,4	-	0,00
37	9 797	9 799	-5,31	97,4	-	0,00
38	10 517	10 518	-6,00	97,4	-	0,00
39	9 638	9 640	-5,16	97,4	-	0,00
4	3 099	3 103	5,45	97,4	-	0,00
40	11 059	11 060	-6,49	97,4	-	0,00
41	11 574	11 575	-6,94	97,4	-	0,00
5	3 105	3 110	5,43	97,4	-	0,00
6	3 674	3 678	3,90	97,4	-	0,00
7	3 800	3 804	3,59	97,4	-	0,00
8	6 428	6 430	-1,29	97,4	-	0,00
9	6 787	6 789	-1,80	97,4	-	0,00
Sum			16,99			

- Data undefined due to calculation with octave data

Noise sensitive area: FL Virzas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 937	1 945	9,66	97,4	-	0,00
10	6 603	6 606	-1,54	97,4	-	0,00
11	8 272	8 274	-3,68	97,4	-	0,00
12	9 006	9 007	-4,50	97,4	-	0,00
13	8 579	8 581	-4,03	97,4	-	0,00
14	8 111	8 113	-3,50	97,4	-	0,00
15	8 631	8 633	-4,09	97,4	-	0,00
16	9 043	9 044	-4,54	97,4	-	0,00
17	9 510	9 512	-5,03	97,4	-	0,00
18	8 044	8 046	-3,42	97,4	-	0,00
19	8 314	8 316	-3,73	97,4	-	0,00
2	1 888	1 896	9,89	97,4	-	0,00
20	9 147	9 148	-4,65	97,4	-	0,00
21	8 827	8 828	-4,31	97,4	-	0,00
22	9 427	9 429	-4,94	97,4	-	0,00
23	9 792	9 793	-5,31	97,4	-	0,00
24	9 241	9 243	-4,75	97,4	-	0,00
25	7 504	7 507	-2,76	97,4	-	0,00
26	7 343	7 345	-2,55	97,4	-	0,00
27	8 488	8 490	-3,93	97,4	-	0,00
28	7 926	7 928	-3,28	97,4	-	0,00
29	7 777	7 779	-3,10	97,4	-	0,00
3	2 488	2 494	7,43	97,4	-	0,00
30	8 368	8 369	-3,80	97,4	-	0,00
31	8 890	8 892	-4,38	97,4	-	0,00
32	8 110	8 112	-3,50	97,4	-	0,00
33	8 675	8 677	-4,14	97,4	-	0,00
34	9 122	9 123	-4,62	97,4	-	0,00
35	8 752	8 754	-4,23	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 251	9 253	-4,76	97,4	-	0,00
37	9 797	9 799	-5,31	97,4	-	0,00
38	10 517	10 518	-6,00	97,4	-	0,00
39	9 638	9 640	-5,16	97,4	-	0,00
4	3 099	3 103	5,45	97,4	-	0,00
40	11 059	11 060	-6,49	97,4	-	0,00
41	11 574	11 575	-6,94	97,4	-	0,00
5	3 105	3 110	5,43	97,4	-	0,00
6	3 674	3 678	3,90	97,4	-	0,00
7	3 800	3 804	3,59	97,4	-	0,00
8	6 428	6 430	-1,29	97,4	-	0,00
9	6 787	6 789	-1,80	97,4	-	0,00
Sum			16,99			

- Data undefined due to calculation with octave data

Noise sensitive area: FM Tiltnieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 370	3 375	4,68	97,4	-	0,00
10	6 992	6 994	-2,09	97,4	-	0,00
11	8 148	8 150	-3,54	97,4	-	0,00
12	8 945	8 947	-4,44	97,4	-	0,00
13	8 344	8 346	-3,77	97,4	-	0,00
14	7 734	7 736	-3,04	97,4	-	0,00
15	8 172	8 174	-3,57	97,4	-	0,00
16	8 537	8 539	-3,99	97,4	-	0,00
17	8 942	8 944	-4,43	97,4	-	0,00
18	7 235	7 237	-2,41	97,4	-	0,00
19	7 402	7 405	-2,63	97,4	-	0,00
2	2 998	3 004	5,74	97,4	-	0,00
20	8 406	8 408	-3,84	97,4	-	0,00
21	7 920	7 922	-3,27	97,4	-	0,00
22	8 596	8 598	-4,05	97,4	-	0,00
23	8 884	8 885	-4,37	97,4	-	0,00
24	8 240	8 242	-3,65	97,4	-	0,00
25	6 473	6 476	-1,36	97,4	-	0,00
26	6 138	6 140	-0,86	97,4	-	0,00
27	7 427	7 430	-2,66	97,4	-	0,00
28	6 789	6 792	-1,81	97,4	-	0,00
29	6 504	6 507	-1,40	97,4	-	0,00
3	3 139	3 144	5,33	97,4	-	0,00
30	7 155	7 157	-2,30	97,4	-	0,00
31	7 741	7 743	-3,05	97,4	-	0,00
32	6 756	6 759	-1,76	97,4	-	0,00
33	7 247	7 249	-2,42	97,4	-	0,00
34	7 746	7 748	-3,06	97,4	-	0,00
35	7 460	7 462	-2,70	97,4	-	0,00
36	8 002	8 004	-3,37	97,4	-	0,00
37	8 629	8 631	-4,09	97,4	-	0,00
38	9 377	9 379	-4,89	97,4	-	0,00
39	8 588	8 590	-4,05	97,4	-	0,00
4	3 796	3 800	3,60	97,4	-	0,00
40	9 990	9 991	-5,50	97,4	-	0,00
41	10 467	10 468	-5,96	97,4	-	0,00
5	3 494	3 499	4,35	97,4	-	0,00
6	4 454	4 458	2,13	97,4	-	0,00
7	4 769	4 772	1,50	97,4	-	0,00
8	6 655	6 658	-1,62	97,4	-	0,00
9	6 862	6 864	-1,91	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FM Tiltnieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 370	3 375	4,68	97,4	-	0,00
10	6 992	6 994	-2,09	97,4	-	0,00
11	8 148	8 150	-3,54	97,4	-	0,00
12	8 945	8 947	-4,44	97,4	-	0,00
13	8 344	8 346	-3,77	97,4	-	0,00
14	7 734	7 736	-3,04	97,4	-	0,00
15	8 172	8 174	-3,57	97,4	-	0,00
16	8 537	8 539	-3,99	97,4	-	0,00
17	8 942	8 944	-4,43	97,4	-	0,00
18	7 235	7 237	-2,41	97,4	-	0,00
19	7 402	7 405	-2,63	97,4	-	0,00
2	2 998	3 004	5,74	97,4	-	0,00
20	8 406	8 408	-3,84	97,4	-	0,00
21	7 920	7 922	-3,27	97,4	-	0,00
22	8 596	8 598	-4,05	97,4	-	0,00
23	8 884	8 885	-4,37	97,4	-	0,00
24	8 240	8 242	-3,65	97,4	-	0,00
25	6 473	6 476	-1,36	97,4	-	0,00
26	6 138	6 140	-0,86	97,4	-	0,00
27	7 427	7 430	-2,66	97,4	-	0,00
28	6 789	6 792	-1,81	97,4	-	0,00
29	6 504	6 507	-1,40	97,4	-	0,00
3	3 139	3 144	5,33	97,4	-	0,00
30	7 155	7 157	-2,30	97,4	-	0,00
31	7 741	7 743	-3,05	97,4	-	0,00
32	6 756	6 759	-1,76	97,4	-	0,00
33	7 247	7 249	-2,42	97,4	-	0,00
34	7 746	7 748	-3,06	97,4	-	0,00
35	7 460	7 462	-2,70	97,4	-	0,00
36	8 002	8 004	-3,37	97,4	-	0,00
37	8 629	8 631	-4,09	97,4	-	0,00
38	9 377	9 379	-4,89	97,4	-	0,00
39	8 588	8 590	-4,05	97,4	-	0,00
4	3 796	3 800	3,60	97,4	-	0,00
40	9 990	9 991	-5,50	97,4	-	0,00
41	10 467	10 468	-5,96	97,4	-	0,00
5	3 494	3 499	4,35	97,4	-	0,00
6	4 454	4 458	2,13	97,4	-	0,00
7	4 769	4 772	1,50	97,4	-	0,00
8	6 655	6 658	-1,62	97,4	-	0,00
9	6 862	6 864	-1,91	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: FN Kamolini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 106	2 113	8,92	97,4	-	0,00
10	6 409	6 411	-1,26	97,4	-	0,00
11	7 933	7 935	-3,29	97,4	-	0,00
12	8 689	8 691	-4,16	97,4	-	0,00
13	8 212	8 214	-3,62	97,4	-	0,00
14	7 704	7 706	-3,01	97,4	-	0,00
15	8 206	8 208	-3,61	97,4	-	0,00
16	8 608	8 610	-4,07	97,4	-	0,00
17	9 062	9 064	-4,56	97,4	-	0,00
18	7 537	7 539	-2,80	97,4	-	0,00
19	7 787	7 789	-3,11	97,4	-	0,00
2	1 874	1 882	9,95	97,4	-	0,00
20	8 658	8 660	-4,12	97,4	-	0,00
21	8 303	8 304	-3,72	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 920	8 922	-4,41	97,4	-	0,00
23	9 270	9 272	-4,78	97,4	-	0,00
24	8 700	8 702	-4,17	97,4	-	0,00
25	6 952	6 954	-2,03	97,4	-	0,00
26	6 762	6 764	-1,77	97,4	-	0,00
27	7 934	7 936	-3,29	97,4	-	0,00
28	7 357	7 359	-2,57	97,4	-	0,00
29	7 187	7 190	-2,35	97,4	-	0,00
3	2 299	2 305	8,13	97,4	-	0,00
30	7 788	7 790	-3,11	97,4	-	0,00
31	8 322	8 324	-3,74	97,4	-	0,00
32	7 510	7 512	-2,76	97,4	-	0,00
33	8 067	8 069	-3,44	97,4	-	0,00
34	8 521	8 522	-3,97	97,4	-	0,00
35	8 162	8 163	-3,56	97,4	-	0,00
36	8 668	8 669	-4,13	97,4	-	0,00
37	9 228	9 230	-4,74	97,4	-	0,00
38	9 954	9 955	-5,47	97,4	-	0,00
39	9 089	9 091	-4,59	97,4	-	0,00
4	2 954	2 959	5,88	97,4	-	0,00
40	10 509	10 511	-5,99	97,4	-	0,00
41	11 018	11 020	-6,46	97,4	-	0,00
5	2 847	2 852	6,21	97,4	-	0,00
6	3 579	3 583	4,13	97,4	-	0,00
7	3 785	3 789	3,62	97,4	-	0,00
8	6 179	6 182	-0,92	97,4	-	0,00
9	6 495	6 498	-1,39	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: FN Kamolini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 106	2 113	8,92	97,4	-	0,00
10	6 409	6 411	-1,26	97,4	-	0,00
11	7 933	7 935	-3,29	97,4	-	0,00
12	8 689	8 691	-4,16	97,4	-	0,00
13	8 212	8 214	-3,62	97,4	-	0,00
14	7 704	7 706	-3,01	97,4	-	0,00
15	8 206	8 208	-3,61	97,4	-	0,00
16	8 608	8 610	-4,07	97,4	-	0,00
17	9 062	9 064	-4,56	97,4	-	0,00
18	7 537	7 539	-2,80	97,4	-	0,00
19	7 787	7 789	-3,11	97,4	-	0,00
2	1 874	1 882	9,95	97,4	-	0,00
20	8 658	8 660	-4,12	97,4	-	0,00
21	8 303	8 304	-3,72	97,4	-	0,00
22	8 920	8 922	-4,41	97,4	-	0,00
23	9 270	9 272	-4,78	97,4	-	0,00
24	8 700	8 702	-4,17	97,4	-	0,00
25	6 952	6 954	-2,03	97,4	-	0,00
26	6 762	6 764	-1,77	97,4	-	0,00
27	7 934	7 936	-3,29	97,4	-	0,00
28	7 357	7 359	-2,57	97,4	-	0,00
29	7 187	7 190	-2,35	97,4	-	0,00
3	2 299	2 305	8,13	97,4	-	0,00
30	7 788	7 790	-3,11	97,4	-	0,00
31	8 322	8 324	-3,74	97,4	-	0,00
32	7 510	7 512	-2,76	97,4	-	0,00
33	8 067	8 069	-3,44	97,4	-	0,00
34	8 521	8 522	-3,97	97,4	-	0,00
35	8 162	8 163	-3,56	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 668	8 669	-4,13	97,4	-	0,00
37	9 228	9 230	-4,74	97,4	-	0,00
38	9 954	9 955	-5,47	97,4	-	0,00
39	9 089	9 091	-4,59	97,4	-	0,00
4	2 954	2 959	5,88	97,4	-	0,00
40	10 509	10 511	-5,99	97,4	-	0,00
41	11 018	11 020	-6,46	97,4	-	0,00
5	2 847	2 852	6,21	97,4	-	0,00
6	3 579	3 583	4,13	97,4	-	0,00
7	3 785	3 789	3,62	97,4	-	0,00
8	6 179	6 182	-0,92	97,4	-	0,00
9	6 495	6 498	-1,39	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: FO Strausi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 123	3 128	5,37	97,4	-	0,00
10	6 375	6 378	-1,21	97,4	-	0,00
11	7 481	7 483	-2,73	97,4	-	0,00
12	8 280	8 282	-3,69	97,4	-	0,00
13	7 673	7 676	-2,97	97,4	-	0,00
14	7 063	7 066	-2,18	97,4	-	0,00
15	7 504	7 506	-2,76	97,4	-	0,00
16	7 871	7 873	-3,21	97,4	-	0,00
17	8 279	8 281	-3,69	97,4	-	0,00
18	6 590	6 593	-1,53	97,4	-	0,00
19	6 772	6 775	-1,78	97,4	-	0,00
2	2 668	2 674	6,79	97,4	-	0,00
20	7 756	7 759	-3,07	97,4	-	0,00
21	7 291	7 293	-2,48	97,4	-	0,00
22	7 957	7 959	-3,31	97,4	-	0,00
23	8 256	8 258	-3,67	97,4	-	0,00
24	7 627	7 629	-2,91	97,4	-	0,00
25	5 859	5 862	-0,42	97,4	-	0,00
26	5 561	5 565	0,07	97,4	-	0,00
27	6 823	6 826	-1,85	97,4	-	0,00
28	6 199	6 202	-0,95	97,4	-	0,00
29	5 949	5 952	-0,56	97,4	-	0,00
3	2 661	2 668	6,82	97,4	-	0,00
30	6 585	6 588	-1,52	97,4	-	0,00
31	7 157	7 160	-2,31	97,4	-	0,00
32	6 228	6 230	-0,99	97,4	-	0,00
33	6 747	6 750	-1,75	97,4	-	0,00
34	7 228	7 230	-2,40	97,4	-	0,00
35	6 914	6 917	-1,98	97,4	-	0,00
36	7 445	7 448	-2,68	97,4	-	0,00
37	8 053	8 055	-3,43	97,4	-	0,00
38	8 796	8 798	-4,27	97,4	-	0,00
39	7 985	7 988	-3,35	97,4	-	0,00
4	3 294	3 299	4,89	97,4	-	0,00
40	9 394	9 396	-4,91	97,4	-	0,00
41	9 880	9 882	-5,40	97,4	-	0,00
5	2 935	2 940	5,94	97,4	-	0,00
6	3 950	3 955	3,23	97,4	-	0,00
7	4 304	4 308	2,44	97,4	-	0,00
8	6 019	6 022	-0,67	97,4	-	0,00
9	6 210	6 212	-0,97	97,4	-	0,00
Sum			16,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FO Strausi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 123	3 128	5,37	97,4	-	0,00
10	6 375	6 378	-1,21	97,4	-	0,00
11	7 481	7 483	-2,73	97,4	-	0,00
12	8 280	8 282	-3,69	97,4	-	0,00
13	7 673	7 676	-2,97	97,4	-	0,00
14	7 063	7 066	-2,18	97,4	-	0,00
15	7 504	7 506	-2,76	97,4	-	0,00
16	7 871	7 873	-3,21	97,4	-	0,00
17	8 279	8 281	-3,69	97,4	-	0,00
18	6 590	6 593	-1,53	97,4	-	0,00
19	6 772	6 775	-1,78	97,4	-	0,00
2	2 668	2 674	6,79	97,4	-	0,00
20	7 756	7 759	-3,07	97,4	-	0,00
21	7 291	7 293	-2,48	97,4	-	0,00
22	7 957	7 959	-3,31	97,4	-	0,00
23	8 256	8 258	-3,67	97,4	-	0,00
24	7 627	7 629	-2,91	97,4	-	0,00
25	5 859	5 862	-0,42	97,4	-	0,00
26	5 561	5 565	0,07	97,4	-	0,00
27	6 823	6 826	-1,85	97,4	-	0,00
28	6 199	6 202	-0,95	97,4	-	0,00
29	5 949	5 952	-0,56	97,4	-	0,00
3	2 661	2 668	6,82	97,4	-	0,00
30	6 585	6 588	-1,52	97,4	-	0,00
31	7 157	7 160	-2,31	97,4	-	0,00
32	6 228	6 230	-0,99	97,4	-	0,00
33	6 747	6 750	-1,75	97,4	-	0,00
34	7 228	7 230	-2,40	97,4	-	0,00
35	6 914	6 917	-1,98	97,4	-	0,00
36	7 445	7 448	-2,68	97,4	-	0,00
37	8 053	8 055	-3,43	97,4	-	0,00
38	8 796	8 798	-4,27	97,4	-	0,00
39	7 985	7 988	-3,35	97,4	-	0,00
4	3 294	3 299	4,89	97,4	-	0,00
40	9 394	9 396	-4,91	97,4	-	0,00
41	9 880	9 882	-5,40	97,4	-	0,00
5	2 935	2 940	5,94	97,4	-	0,00
6	3 950	3 955	3,23	97,4	-	0,00
7	4 304	4 308	2,44	97,4	-	0,00
8	6 019	6 022	-0,67	97,4	-	0,00
9	6 210	6 212	-0,97	97,4	-	0,00
Sum			16,47			

- Data undefined due to calculation with octave data

Noise sensitive area: FP Straumes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 573	2 579	7,12	97,4	-	0,00
10	7 311	7 313	-2,51	97,4	-	0,00
11	8 969	8 971	-4,46	97,4	-	0,00
12	9 707	9 709	-5,22	97,4	-	0,00
13	9 269	9 271	-4,78	97,4	-	0,00
14	8 786	8 788	-4,26	97,4	-	0,00
15	9 298	9 300	-4,81	97,4	-	0,00
16	9 705	9 707	-5,22	97,4	-	0,00
17	10 166	10 167	-5,67	97,4	-	0,00
18	8 656	8 658	-4,12	97,4	-	0,00
19	8 907	8 909	-4,39	97,4	-	0,00
2	2 583	2 590	7,09	97,4	-	0,00
20	9 775	9 776	-5,29	97,4	-	0,00
21	9 422	9 424	-4,94	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 039	10 041	-5,55	97,4	-	0,00
23	10 390	10 392	-5,88	97,4	-	0,00
24	9 818	9 819	-5,33	97,4	-	0,00
25	8 067	8 069	-3,45	97,4	-	0,00
26	7 859	7 861	-3,20	97,4	-	0,00
27	9 048	9 050	-4,55	97,4	-	0,00
28	8 464	8 466	-3,91	97,4	-	0,00
29	8 276	8 278	-3,69	97,4	-	0,00
3	3 197	3 202	5,16	97,4	-	0,00
30	8 887	8 888	-4,37	97,4	-	0,00
31	9 429	9 431	-4,94	97,4	-	0,00
32	8 584	8 586	-4,04	97,4	-	0,00
33	9 124	9 126	-4,63	97,4	-	0,00
34	9 592	9 593	-5,11	97,4	-	0,00
35	9 249	9 250	-4,76	97,4	-	0,00
36	9 762	9 764	-5,28	97,4	-	0,00
37	10 334	10 335	-5,83	97,4	-	0,00
38	11 063	11 064	-6,49	97,4	-	0,00
39	10 204	10 206	-5,71	97,4	-	0,00
4	3 805	3 809	3,57	97,4	-	0,00
40	11 624	11 625	-6,98	97,4	-	0,00
41	12 131	12 132	-7,40	97,4	-	0,00
5	3 811	3 815	3,56	97,4	-	0,00
6	4 373	4 377	2,30	97,4	-	0,00
7	4 480	4 484	2,07	97,4	-	0,00
8	7 136	7 138	-2,28	97,4	-	0,00
9	7 492	7 494	-2,74	97,4	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: FP Straumes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 573	2 579	7,12	97,4	-	0,00
10	7 311	7 313	-2,51	97,4	-	0,00
11	8 969	8 971	-4,46	97,4	-	0,00
12	9 707	9 709	-5,22	97,4	-	0,00
13	9 269	9 271	-4,78	97,4	-	0,00
14	8 786	8 788	-4,26	97,4	-	0,00
15	9 298	9 300	-4,81	97,4	-	0,00
16	9 705	9 707	-5,22	97,4	-	0,00
17	10 166	10 167	-5,67	97,4	-	0,00
18	8 656	8 658	-4,12	97,4	-	0,00
19	8 907	8 909	-4,39	97,4	-	0,00
2	2 583	2 590	7,09	97,4	-	0,00
20	9 775	9 776	-5,29	97,4	-	0,00
21	9 422	9 424	-4,94	97,4	-	0,00
22	10 039	10 041	-5,55	97,4	-	0,00
23	10 390	10 392	-5,88	97,4	-	0,00
24	9 818	9 819	-5,33	97,4	-	0,00
25	8 067	8 069	-3,45	97,4	-	0,00
26	7 859	7 861	-3,20	97,4	-	0,00
27	9 048	9 050	-4,55	97,4	-	0,00
28	8 464	8 466	-3,91	97,4	-	0,00
29	8 276	8 278	-3,69	97,4	-	0,00
3	3 197	3 202	5,16	97,4	-	0,00
30	8 887	8 888	-4,37	97,4	-	0,00
31	9 429	9 431	-4,94	97,4	-	0,00
32	8 584	8 586	-4,04	97,4	-	0,00
33	9 124	9 126	-4,63	97,4	-	0,00
34	9 592	9 593	-5,11	97,4	-	0,00
35	9 249	9 250	-4,76	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 762	9 764	-5,28	97,4	-	0,00
37	10 334	10 335	-5,83	97,4	-	0,00
38	11 063	11 064	-6,49	97,4	-	0,00
39	10 204	10 206	-5,71	97,4	-	0,00
4	3 805	3 809	3,57	97,4	-	0,00
40	11 624	11 625	-6,98	97,4	-	0,00
41	12 131	12 132	-7,40	97,4	-	0,00
5	3 811	3 815	3,56	97,4	-	0,00
6	4 373	4 377	2,30	97,4	-	0,00
7	4 480	4 484	2,07	97,4	-	0,00
8	7 136	7 138	-2,28	97,4	-	0,00
9	7 492	7 494	-2,74	97,4	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: FQ Sterstes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 293	2 300	8,16	97,4	-	0,00
10	6 292	6 295	-1,09	97,4	-	0,00
11	7 711	7 713	-3,01	97,4	-	0,00
12	8 480	8 482	-3,92	97,4	-	0,00
13	7 969	7 971	-3,33	97,4	-	0,00
14	7 434	7 437	-2,67	97,4	-	0,00
15	7 923	7 925	-3,27	97,4	-	0,00
16	8 318	8 319	-3,74	97,4	-	0,00
17	8 762	8 764	-4,24	97,4	-	0,00
18	7 197	7 199	-2,36	97,4	-	0,00
19	7 433	7 435	-2,67	97,4	-	0,00
2	1 961	1 969	9,55	97,4	-	0,00
20	8 330	8 332	-3,75	97,4	-	0,00
21	7 950	7 952	-3,31	97,4	-	0,00
22	8 579	8 581	-4,03	97,4	-	0,00
23	8 919	8 920	-4,41	97,4	-	0,00
24	8 336	8 338	-3,76	97,4	-	0,00
25	6 581	6 584	-1,51	97,4	-	0,00
26	6 370	6 373	-1,21	97,4	-	0,00
27	7 561	7 563	-2,83	97,4	-	0,00
28	6 974	6 977	-2,06	97,4	-	0,00
29	6 790	6 793	-1,81	97,4	-	0,00
3	2 244	2 250	8,35	97,4	-	0,00
30	7 398	7 400	-2,62	97,4	-	0,00
31	7 939	7 941	-3,29	97,4	-	0,00
32	7 106	7 108	-2,24	97,4	-	0,00
33	7 657	7 659	-2,95	97,4	-	0,00
34	8 116	8 117	-3,50	97,4	-	0,00
35	7 764	7 766	-3,08	97,4	-	0,00
36	8 275	8 276	-3,69	97,4	-	0,00
37	8 844	8 846	-4,33	97,4	-	0,00
38	9 573	9 575	-5,09	97,4	-	0,00
39	8 719	8 720	-4,19	97,4	-	0,00
4	2 911	2 916	6,01	97,4	-	0,00
40	10 138	10 139	-5,65	97,4	-	0,00
41	10 642	10 644	-6,12	97,4	-	0,00
5	2 723	2 728	6,62	97,4	-	0,00
6	3 557	3 561	4,19	97,4	-	0,00
7	3 814	3 818	3,55	97,4	-	0,00
8	6 027	6 029	-0,68	97,4	-	0,00
9	6 310	6 313	-1,12	97,4	-	0,00
Sum			17,24			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FQ Sterstes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 293	2 300	8,16	97,4	-	0,00
10	6 292	6 295	-1,09	97,4	-	0,00
11	7 711	7 713	-3,01	97,4	-	0,00
12	8 480	8 482	-3,92	97,4	-	0,00
13	7 969	7 971	-3,33	97,4	-	0,00
14	7 434	7 437	-2,67	97,4	-	0,00
15	7 923	7 925	-3,27	97,4	-	0,00
16	8 318	8 319	-3,74	97,4	-	0,00
17	8 762	8 764	-4,24	97,4	-	0,00
18	7 197	7 199	-2,36	97,4	-	0,00
19	7 433	7 435	-2,67	97,4	-	0,00
2	1 961	1 969	9,55	97,4	-	0,00
20	8 330	8 332	-3,75	97,4	-	0,00
21	7 950	7 952	-3,31	97,4	-	0,00
22	8 579	8 581	-4,03	97,4	-	0,00
23	8 919	8 920	-4,41	97,4	-	0,00
24	8 336	8 338	-3,76	97,4	-	0,00
25	6 581	6 584	-1,51	97,4	-	0,00
26	6 370	6 373	-1,21	97,4	-	0,00
27	7 561	7 563	-2,83	97,4	-	0,00
28	6 974	6 977	-2,06	97,4	-	0,00
29	6 790	6 793	-1,81	97,4	-	0,00
3	2 244	2 250	8,35	97,4	-	0,00
30	7 398	7 400	-2,62	97,4	-	0,00
31	7 939	7 941	-3,29	97,4	-	0,00
32	7 106	7 108	-2,24	97,4	-	0,00
33	7 657	7 659	-2,95	97,4	-	0,00
34	8 116	8 117	-3,50	97,4	-	0,00
35	7 764	7 766	-3,08	97,4	-	0,00
36	8 275	8 276	-3,69	97,4	-	0,00
37	8 844	8 846	-4,33	97,4	-	0,00
38	9 573	9 575	-5,09	97,4	-	0,00
39	8 719	8 720	-4,19	97,4	-	0,00
4	2 911	2 916	6,01	97,4	-	0,00
40	10 138	10 139	-5,65	97,4	-	0,00
41	10 642	10 644	-6,12	97,4	-	0,00
5	2 723	2 728	6,62	97,4	-	0,00
6	3 557	3 561	4,19	97,4	-	0,00
7	3 814	3 818	3,55	97,4	-	0,00
8	6 027	6 029	-0,68	97,4	-	0,00
9	6 310	6 313	-1,12	97,4	-	0,00
Sum			17,24			

- Data undefined due to calculation with octave data

Noise sensitive area: FR Teikas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 940	2 946	5,92	97,4	-	0,00
10	7 898	7 900	-3,24	97,4	-	0,00
11	9 759	9 761	-5,28	97,4	-	0,00
12	10 459	10 460	-5,95	97,4	-	0,00
13	10 102	10 104	-5,61	97,4	-	0,00
14	9 682	9 683	-5,20	97,4	-	0,00
15	10 219	10 220	-5,72	97,4	-	0,00
16	10 639	10 640	-6,11	97,4	-	0,00
17	11 118	11 120	-6,54	97,4	-	0,00
18	9 701	9 703	-5,22	97,4	-	0,00
19	9 981	9 983	-5,49	97,4	-	0,00
2	3 182	3 186	5,21	97,4	-	0,00
20	10 790	10 791	-6,25	97,4	-	0,00
21	10 492	10 493	-5,98	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	11 083	11 084	-6,51	97,4	-	0,00
23	11 455	11 457	-6,84	97,4	-	0,00
24	10 913	10 915	-6,36	97,4	-	0,00
25	9 179	9 181	-4,68	97,4	-	0,00
26	9 014	9 016	-4,51	97,4	-	0,00
27	10 163	10 165	-5,67	97,4	-	0,00
28	9 601	9 602	-5,12	97,4	-	0,00
29	9 444	9 446	-4,96	97,4	-	0,00
3	3 924	3 928	3,29	97,4	-	0,00
30	10 040	10 041	-5,55	97,4	-	0,00
31	10 565	10 567	-6,05	97,4	-	0,00
32	9 768	9 770	-5,29	97,4	-	0,00
33	10 321	10 322	-5,82	97,4	-	0,00
34	10 778	10 779	-6,24	97,4	-	0,00
35	10 418	10 420	-5,91	97,4	-	0,00
36	10 922	10 923	-6,37	97,4	-	0,00
37	11 472	11 474	-6,85	97,4	-	0,00
38	12 192	12 193	-7,45	97,4	-	0,00
39	11 312	11 313	-6,71	97,4	-	0,00
4	4 438	4 441	2,16	97,4	-	0,00
40	12 733	12 734	-7,87	97,4	-	0,00
41	13 249	13 250	-8,27	97,4	-	0,00
5	4 583	4 586	1,87	97,4	-	0,00
6	4 907	4 910	1,23	97,4	-	0,00
7	4 891	4 894	1,26	97,4	-	0,00
8	7 808	7 810	-3,13	97,4	-	0,00
9	8 224	8 226	-3,63	97,4	-	0,00
Sum			13,89			

- Data undefined due to calculation with octave data

Noise sensitive area: FR Teikas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 940	2 946	5,92	97,4	-	0,00
10	7 898	7 900	-3,24	97,4	-	0,00
11	9 759	9 761	-5,28	97,4	-	0,00
12	10 459	10 460	-5,95	97,4	-	0,00
13	10 102	10 104	-5,61	97,4	-	0,00
14	9 682	9 683	-5,20	97,4	-	0,00
15	10 219	10 220	-5,72	97,4	-	0,00
16	10 639	10 640	-6,11	97,4	-	0,00
17	11 118	11 120	-6,54	97,4	-	0,00
18	9 701	9 703	-5,22	97,4	-	0,00
19	9 981	9 983	-5,49	97,4	-	0,00
2	3 182	3 186	5,21	97,4	-	0,00
20	10 790	10 791	-6,25	97,4	-	0,00
21	10 492	10 493	-5,98	97,4	-	0,00
22	11 083	11 084	-6,51	97,4	-	0,00
23	11 455	11 457	-6,84	97,4	-	0,00
24	10 913	10 915	-6,36	97,4	-	0,00
25	9 179	9 181	-4,68	97,4	-	0,00
26	9 014	9 016	-4,51	97,4	-	0,00
27	10 163	10 165	-5,67	97,4	-	0,00
28	9 601	9 602	-5,12	97,4	-	0,00
29	9 444	9 446	-4,96	97,4	-	0,00
3	3 924	3 928	3,29	97,4	-	0,00
30	10 040	10 041	-5,55	97,4	-	0,00
31	10 565	10 567	-6,05	97,4	-	0,00
32	9 768	9 770	-5,29	97,4	-	0,00
33	10 321	10 322	-5,82	97,4	-	0,00
34	10 778	10 779	-6,24	97,4	-	0,00
35	10 418	10 420	-5,91	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 922	10 923	-6,37	97,4	-	0,00
37	11 472	11 474	-6,85	97,4	-	0,00
38	12 192	12 193	-7,45	97,4	-	0,00
39	11 312	11 313	-6,71	97,4	-	0,00
4	4 438	4 441	2,16	97,4	-	0,00
40	12 733	12 734	-7,87	97,4	-	0,00
41	13 249	13 250	-8,27	97,4	-	0,00
5	4 583	4 586	1,87	97,4	-	0,00
6	4 907	4 910	1,23	97,4	-	0,00
7	4 891	4 894	1,26	97,4	-	0,00
8	7 808	7 810	-3,13	97,4	-	0,00
9	8 224	8 226	-3,63	97,4	-	0,00
Sum			13,89			

- Data undefined due to calculation with octave data

Noise sensitive area: FS Magones

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 757	1 766	10,52	97,4	-	0,00
10	6 561	6 563	-1,48	97,4	-	0,00
11	8 311	8 312	-3,73	97,4	-	0,00
12	9 029	9 031	-4,53	97,4	-	0,00
13	8 636	8 638	-4,10	97,4	-	0,00
14	8 195	8 197	-3,60	97,4	-	0,00
15	8 726	8 728	-4,20	97,4	-	0,00
16	9 144	9 145	-4,65	97,4	-	0,00
17	9 620	9 622	-5,14	97,4	-	0,00
18	8 201	8 203	-3,60	97,4	-	0,00
19	8 487	8 489	-3,93	97,4	-	0,00
2	1 809	1 817	10,27	97,4	-	0,00
20	9 287	9 289	-4,80	97,4	-	0,00
21	8 996	8 998	-4,49	97,4	-	0,00
22	9 582	9 584	-5,10	97,4	-	0,00
23	9 958	9 960	-5,47	97,4	-	0,00
24	9 425	9 427	-4,94	97,4	-	0,00
25	7 700	7 702	-3,00	97,4	-	0,00
26	7 567	7 569	-2,84	97,4	-	0,00
27	8 684	8 686	-4,15	97,4	-	0,00
28	8 137	8 139	-3,53	97,4	-	0,00
29	8 011	8 013	-3,38	97,4	-	0,00
3	2 484	2 490	7,44	97,4	-	0,00
30	8 589	8 590	-4,05	97,4	-	0,00
31	9 100	9 101	-4,60	97,4	-	0,00
32	8 355	8 357	-3,78	97,4	-	0,00
33	8 929	8 931	-4,42	97,4	-	0,00
34	9 367	9 369	-4,88	97,4	-	0,00
35	8 985	8 987	-4,48	97,4	-	0,00
36	9 475	9 477	-4,99	97,4	-	0,00
37	10 007	10 008	-5,52	97,4	-	0,00
38	10 720	10 721	-6,19	97,4	-	0,00
39	9 828	9 830	-5,34	97,4	-	0,00
4	3 057	3 061	5,57	97,4	-	0,00
40	11 249	11 250	-6,66	97,4	-	0,00
41	11 769	11 771	-7,10	97,4	-	0,00
5	3 128	3 132	5,36	97,4	-	0,00
6	3 597	3 601	4,09	97,4	-	0,00
7	3 678	3 682	3,89	97,4	-	0,00
8	6 417	6 419	-1,27	97,4	-	0,00
9	6 801	6 803	-1,82	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FS Magones

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 757	1 766	10,52	97,4	-	0,00
10	6 561	6 563	-1,48	97,4	-	0,00
11	8 311	8 312	-3,73	97,4	-	0,00
12	9 029	9 031	-4,53	97,4	-	0,00
13	8 636	8 638	-4,10	97,4	-	0,00
14	8 195	8 197	-3,60	97,4	-	0,00
15	8 726	8 728	-4,20	97,4	-	0,00
16	9 144	9 145	-4,65	97,4	-	0,00
17	9 620	9 622	-5,14	97,4	-	0,00
18	8 201	8 203	-3,60	97,4	-	0,00
19	8 487	8 489	-3,93	97,4	-	0,00
2	1 809	1 817	10,27	97,4	-	0,00
20	9 287	9 289	-4,80	97,4	-	0,00
21	8 996	8 998	-4,49	97,4	-	0,00
22	9 582	9 584	-5,10	97,4	-	0,00
23	9 958	9 960	-5,47	97,4	-	0,00
24	9 425	9 427	-4,94	97,4	-	0,00
25	7 700	7 702	-3,00	97,4	-	0,00
26	7 567	7 569	-2,84	97,4	-	0,00
27	8 684	8 686	-4,15	97,4	-	0,00
28	8 137	8 139	-3,53	97,4	-	0,00
29	8 011	8 013	-3,38	97,4	-	0,00
3	2 484	2 490	7,44	97,4	-	0,00
30	8 589	8 590	-4,05	97,4	-	0,00
31	9 100	9 101	-4,60	97,4	-	0,00
32	8 355	8 357	-3,78	97,4	-	0,00
33	8 929	8 931	-4,42	97,4	-	0,00
34	9 367	9 369	-4,88	97,4	-	0,00
35	8 985	8 987	-4,48	97,4	-	0,00
36	9 475	9 477	-4,99	97,4	-	0,00
37	10 007	10 008	-5,52	97,4	-	0,00
38	10 720	10 721	-6,19	97,4	-	0,00
39	9 828	9 830	-5,34	97,4	-	0,00
4	3 057	3 061	5,57	97,4	-	0,00
40	11 249	11 250	-6,66	97,4	-	0,00
41	11 769	11 771	-7,10	97,4	-	0,00
5	3 128	3 132	5,36	97,4	-	0,00
6	3 597	3 601	4,09	97,4	-	0,00
7	3 678	3 682	3,89	97,4	-	0,00
8	6 417	6 419	-1,27	97,4	-	0,00
9	6 801	6 803	-1,82	97,4	-	0,00
Sum			17,22			

- Data undefined due to calculation with octave data

Noise sensitive area: FT Nokalne

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 113	2 120	8,88	97,4	-	0,00
10	5 838	5 840	-0,39	97,4	-	0,00
11	7 235	7 237	-2,41	97,4	-	0,00
12	8 004	8 006	-3,37	97,4	-	0,00
13	7 493	7 495	-2,74	97,4	-	0,00
14	6 963	6 965	-2,05	97,4	-	0,00
15	7 455	7 457	-2,69	97,4	-	0,00
16	7 852	7 854	-3,19	97,4	-	0,00
17	8 301	8 303	-3,72	97,4	-	0,00
18	6 758	6 760	-1,76	97,4	-	0,00
19	7 008	7 010	-2,11	97,4	-	0,00
2	1 688	1 697	10,88	97,4	-	0,00
20	7 883	7 885	-3,23	97,4	-	0,00
21	7 523	7 525	-2,78	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 142	8 144	-3,53	97,4	-	0,00
23	8 491	8 492	-3,93	97,4	-	0,00
24	7 922	7 923	-3,27	97,4	-	0,00
25	6 175	6 178	-0,91	97,4	-	0,00
26	5 998	6 001	-0,64	97,4	-	0,00
27	7 158	7 160	-2,31	97,4	-	0,00
28	6 586	6 588	-1,52	97,4	-	0,00
29	6 431	6 434	-1,30	97,4	-	0,00
3	1 840	1 848	10,12	97,4	-	0,00
30	7 023	7 025	-2,13	97,4	-	0,00
31	7 551	7 553	-2,82	97,4	-	0,00
32	6 766	6 768	-1,77	97,4	-	0,00
33	7 335	7 337	-2,54	97,4	-	0,00
34	7 777	7 779	-3,10	97,4	-	0,00
35	7 406	7 408	-2,63	97,4	-	0,00
36	7 906	7 908	-3,25	97,4	-	0,00
37	8 458	8 459	-3,90	97,4	-	0,00
38	9 180	9 182	-4,69	97,4	-	0,00
39	8 311	8 313	-3,73	97,4	-	0,00
4	2 505	2 511	7,36	97,4	-	0,00
40	9 732	9 734	-5,25	97,4	-	0,00
41	10 243	10 244	-5,74	97,4	-	0,00
5	2 274	2 281	8,23	97,4	-	0,00
6	3 160	3 165	5,27	97,4	-	0,00
7	3 452	3 457	4,46	97,4	-	0,00
8	5 561	5 563	0,07	97,4	-	0,00
9	5 838	5 840	-0,39	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: FT Nokalne

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 113	2 120	8,88	97,4	-	0,00
10	5 838	5 840	-0,39	97,4	-	0,00
11	7 235	7 237	-2,41	97,4	-	0,00
12	8 004	8 006	-3,37	97,4	-	0,00
13	7 493	7 495	-2,74	97,4	-	0,00
14	6 963	6 965	-2,05	97,4	-	0,00
15	7 455	7 457	-2,69	97,4	-	0,00
16	7 852	7 854	-3,19	97,4	-	0,00
17	8 301	8 303	-3,72	97,4	-	0,00
18	6 758	6 760	-1,76	97,4	-	0,00
19	7 008	7 010	-2,11	97,4	-	0,00
2	1 688	1 697	10,88	97,4	-	0,00
20	7 883	7 885	-3,23	97,4	-	0,00
21	7 523	7 525	-2,78	97,4	-	0,00
22	8 142	8 144	-3,53	97,4	-	0,00
23	8 491	8 492	-3,93	97,4	-	0,00
24	7 922	7 923	-3,27	97,4	-	0,00
25	6 175	6 178	-0,91	97,4	-	0,00
26	5 998	6 001	-0,64	97,4	-	0,00
27	7 158	7 160	-2,31	97,4	-	0,00
28	6 586	6 588	-1,52	97,4	-	0,00
29	6 431	6 434	-1,30	97,4	-	0,00
3	1 840	1 848	10,12	97,4	-	0,00
30	7 023	7 025	-2,13	97,4	-	0,00
31	7 551	7 553	-2,82	97,4	-	0,00
32	6 766	6 768	-1,77	97,4	-	0,00
33	7 335	7 337	-2,54	97,4	-	0,00
34	7 777	7 779	-3,10	97,4	-	0,00
35	7 406	7 408	-2,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 906	7 908	-3,25	97,4	-	0,00
37	8 458	8 459	-3,90	97,4	-	0,00
38	9 180	9 182	-4,69	97,4	-	0,00
39	8 311	8 313	-3,73	97,4	-	0,00
4	2 505	2 511	7,36	97,4	-	0,00
40	9 732	9 734	-5,25	97,4	-	0,00
41	10 243	10 244	-5,74	97,4	-	0,00
5	2 274	2 281	8,23	97,4	-	0,00
6	3 160	3 165	5,27	97,4	-	0,00
7	3 452	3 457	4,46	97,4	-	0,00
8	5 561	5 563	0,07	97,4	-	0,00
9	5 838	5 840	-0,39	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: FU Diki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 161	2 168	8,68	97,4	-	0,00
10	6 454	6 457	-1,33	97,4	-	0,00
11	7 969	7 970	-3,33	97,4	-	0,00
12	8 726	8 728	-4,20	97,4	-	0,00
13	8 245	8 247	-3,65	97,4	-	0,00
14	7 733	7 736	-3,04	97,4	-	0,00
15	8 234	8 235	-3,64	97,4	-	0,00
16	8 634	8 636	-4,10	97,4	-	0,00
17	9 087	9 089	-4,59	97,4	-	0,00
18	7 554	7 556	-2,82	97,4	-	0,00
19	7 801	7 803	-3,13	97,4	-	0,00
2	1 928	1 936	9,70	97,4	-	0,00
20	8 678	8 680	-4,14	97,4	-	0,00
21	8 317	8 319	-3,74	97,4	-	0,00
22	8 937	8 939	-4,43	97,4	-	0,00
23	9 285	9 287	-4,80	97,4	-	0,00
24	8 712	8 714	-4,18	97,4	-	0,00
25	6 962	6 964	-2,04	97,4	-	0,00
26	6 765	6 767	-1,77	97,4	-	0,00
27	7 943	7 945	-3,30	97,4	-	0,00
28	7 364	7 366	-2,58	97,4	-	0,00
29	7 189	7 191	-2,35	97,4	-	0,00
3	2 347	2 353	7,95	97,4	-	0,00
30	7 792	7 794	-3,11	97,4	-	0,00
31	8 329	8 331	-3,75	97,4	-	0,00
32	7 509	7 511	-2,76	97,4	-	0,00
33	8 062	8 064	-3,44	97,4	-	0,00
34	8 519	8 520	-3,97	97,4	-	0,00
35	8 163	8 165	-3,56	97,4	-	0,00
36	8 671	8 672	-4,14	97,4	-	0,00
37	9 234	9 236	-4,74	97,4	-	0,00
38	9 961	9 963	-5,47	97,4	-	0,00
39	9 099	9 101	-4,60	97,4	-	0,00
4	3 003	3 008	5,73	97,4	-	0,00
40	10 519	10 521	-6,00	97,4	-	0,00
41	11 027	11 028	-6,46	97,4	-	0,00
5	2 890	2 895	6,08	97,4	-	0,00
6	3 630	3 634	4,01	97,4	-	0,00
7	3 838	3 842	3,50	97,4	-	0,00
8	6 222	6 224	-0,98	97,4	-	0,00
9	6 535	6 537	-1,45	97,4	-	0,00
Sum			17,08			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FU Diki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 161	2 168	8,68	97,4	-	0,00
10	6 454	6 457	-1,33	97,4	-	0,00
11	7 969	7 970	-3,33	97,4	-	0,00
12	8 726	8 728	-4,20	97,4	-	0,00
13	8 245	8 247	-3,65	97,4	-	0,00
14	7 733	7 736	-3,04	97,4	-	0,00
15	8 234	8 235	-3,64	97,4	-	0,00
16	8 634	8 636	-4,10	97,4	-	0,00
17	9 087	9 089	-4,59	97,4	-	0,00
18	7 554	7 556	-2,82	97,4	-	0,00
19	7 801	7 803	-3,13	97,4	-	0,00
2	1 928	1 936	9,70	97,4	-	0,00
20	8 678	8 680	-4,14	97,4	-	0,00
21	8 317	8 319	-3,74	97,4	-	0,00
22	8 937	8 939	-4,43	97,4	-	0,00
23	9 285	9 287	-4,80	97,4	-	0,00
24	8 712	8 714	-4,18	97,4	-	0,00
25	6 962	6 964	-2,04	97,4	-	0,00
26	6 765	6 767	-1,77	97,4	-	0,00
27	7 943	7 945	-3,30	97,4	-	0,00
28	7 364	7 366	-2,58	97,4	-	0,00
29	7 189	7 191	-2,35	97,4	-	0,00
3	2 347	2 353	7,95	97,4	-	0,00
30	7 792	7 794	-3,11	97,4	-	0,00
31	8 329	8 331	-3,75	97,4	-	0,00
32	7 509	7 511	-2,76	97,4	-	0,00
33	8 062	8 064	-3,44	97,4	-	0,00
34	8 519	8 520	-3,97	97,4	-	0,00
35	8 163	8 165	-3,56	97,4	-	0,00
36	8 671	8 672	-4,14	97,4	-	0,00
37	9 234	9 236	-4,74	97,4	-	0,00
38	9 961	9 963	-5,47	97,4	-	0,00
39	9 099	9 101	-4,60	97,4	-	0,00
4	3 003	3 008	5,73	97,4	-	0,00
40	10 519	10 521	-6,00	97,4	-	0,00
41	11 027	11 028	-6,46	97,4	-	0,00
5	2 890	2 895	6,08	97,4	-	0,00
6	3 630	3 634	4,01	97,4	-	0,00
7	3 838	3 842	3,50	97,4	-	0,00
8	6 222	6 224	-0,98	97,4	-	0,00
9	6 535	6 537	-1,45	97,4	-	0,00
Sum			17,08			

- Data undefined due to calculation with octave data

Noise sensitive area: FV Lazdas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 866	2 872	6,15	97,4	-	0,00
10	7 689	7 691	-2,99	97,4	-	0,00
11	9 387	9 388	-4,90	97,4	-	0,00
12	10 119	10 121	-5,63	97,4	-	0,00
13	9 694	9 695	-5,21	97,4	-	0,00
14	9 219	9 221	-4,73	97,4	-	0,00
15	9 734	9 735	-5,25	97,4	-	0,00
16	10 142	10 143	-5,65	97,4	-	0,00
17	10 604	10 606	-6,08	97,4	-	0,00
18	9 098	9 100	-4,60	97,4	-	0,00
19	9 349	9 351	-4,86	97,4	-	0,00
2	2 940	2 946	5,92	97,4	-	0,00
20	10 217	10 218	-5,72	97,4	-	0,00
21	9 865	9 866	-5,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	10 482	10 484	-5,97	97,4	-	0,00
23	10 833	10 834	-6,29	97,4	-	0,00
24	10 259	10 261	-5,76	97,4	-	0,00
25	8 507	8 509	-3,95	97,4	-	0,00
26	8 293	8 295	-3,71	97,4	-	0,00
27	9 488	9 489	-5,00	97,4	-	0,00
28	8 901	8 903	-4,39	97,4	-	0,00
29	8 706	8 708	-4,18	97,4	-	0,00
3	3 591	3 595	4,11	97,4	-	0,00
30	9 321	9 322	-4,83	97,4	-	0,00
31	9 866	9 868	-5,38	97,4	-	0,00
32	9 009	9 011	-4,50	97,4	-	0,00
33	9 543	9 545	-5,06	97,4	-	0,00
34	10 015	10 017	-5,53	97,4	-	0,00
35	9 678	9 680	-5,20	97,4	-	0,00
36	10 195	10 196	-5,70	97,4	-	0,00
37	10 770	10 772	-6,23	97,4	-	0,00
38	11 500	11 502	-6,87	97,4	-	0,00
39	10 645	10 646	-6,12	97,4	-	0,00
4	4 182	4 185	2,71	97,4	-	0,00
40	12 064	12 065	-7,34	97,4	-	0,00
41	12 570	12 571	-7,75	97,4	-	0,00
5	4 217	4 220	2,63	97,4	-	0,00
6	4 729	4 733	1,57	97,4	-	0,00
7	4 806	4 809	1,43	97,4	-	0,00
8	7 531	7 533	-2,79	97,4	-	0,00
9	7 898	7 900	-3,24	97,4	-	0,00
Sum			14,43			

- Data undefined due to calculation with octave data

Noise sensitive area: FV Lazdas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 866	2 872	6,15	97,4	-	0,00
10	7 689	7 691	-2,99	97,4	-	0,00
11	9 387	9 388	-4,90	97,4	-	0,00
12	10 119	10 121	-5,63	97,4	-	0,00
13	9 694	9 695	-5,21	97,4	-	0,00
14	9 219	9 221	-4,73	97,4	-	0,00
15	9 734	9 735	-5,25	97,4	-	0,00
16	10 142	10 143	-5,65	97,4	-	0,00
17	10 604	10 606	-6,08	97,4	-	0,00
18	9 098	9 100	-4,60	97,4	-	0,00
19	9 349	9 351	-4,86	97,4	-	0,00
2	2 940	2 946	5,92	97,4	-	0,00
20	10 217	10 218	-5,72	97,4	-	0,00
21	9 865	9 866	-5,38	97,4	-	0,00
22	10 482	10 484	-5,97	97,4	-	0,00
23	10 833	10 834	-6,29	97,4	-	0,00
24	10 259	10 261	-5,76	97,4	-	0,00
25	8 507	8 509	-3,95	97,4	-	0,00
26	8 293	8 295	-3,71	97,4	-	0,00
27	9 488	9 489	-5,00	97,4	-	0,00
28	8 901	8 903	-4,39	97,4	-	0,00
29	8 706	8 708	-4,18	97,4	-	0,00
3	3 591	3 595	4,11	97,4	-	0,00
30	9 321	9 322	-4,83	97,4	-	0,00
31	9 866	9 868	-5,38	97,4	-	0,00
32	9 009	9 011	-4,50	97,4	-	0,00
33	9 543	9 545	-5,06	97,4	-	0,00
34	10 015	10 017	-5,53	97,4	-	0,00
35	9 678	9 680	-5,20	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 195	10 196	-5,70	97,4	-	0,00
37	10 770	10 772	-6,23	97,4	-	0,00
38	11 500	11 502	-6,87	97,4	-	0,00
39	10 645	10 646	-6,12	97,4	-	0,00
4	4 182	4 185	2,71	97,4	-	0,00
40	12 064	12 065	-7,34	97,4	-	0,00
41	12 570	12 571	-7,75	97,4	-	0,00
5	4 217	4 220	2,63	97,4	-	0,00
6	4 729	4 733	1,57	97,4	-	0,00
7	4 806	4 809	1,43	97,4	-	0,00
8	7 531	7 533	-2,79	97,4	-	0,00
9	7 898	7 900	-3,24	97,4	-	0,00
Sum			14,43			

- Data undefined due to calculation with octave data

Noise sensitive area: FW Kazupe

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 916	1 924	9,76	97,4	-	0,00
10	6 784	6 786	-1,80	97,4	-	0,00
11	8 565	8 567	-4,02	97,4	-	0,00
12	9 279	9 280	-4,79	97,4	-	0,00
13	8 896	8 898	-4,38	97,4	-	0,00
14	8 462	8 464	-3,90	97,4	-	0,00
15	8 996	8 997	-4,49	97,4	-	0,00
16	9 414	9 416	-4,93	97,4	-	0,00
17	9 892	9 894	-5,41	97,4	-	0,00
18	8 479	8 481	-3,92	97,4	-	0,00
19	8 765	8 767	-4,24	97,4	-	0,00
2	2 031	2 038	9,24	97,4	-	0,00
20	9 564	9 565	-5,08	97,4	-	0,00
21	9 275	9 276	-4,78	97,4	-	0,00
22	9 860	9 861	-5,38	97,4	-	0,00
23	10 236	10 238	-5,74	97,4	-	0,00
24	9 704	9 705	-5,22	97,4	-	0,00
25	7 978	7 980	-3,34	97,4	-	0,00
26	7 842	7 844	-3,17	97,4	-	0,00
27	8 962	8 964	-4,45	97,4	-	0,00
28	8 413	8 415	-3,85	97,4	-	0,00
29	8 283	8 285	-3,70	97,4	-	0,00
3	2 732	2 738	6,58	97,4	-	0,00
30	8 864	8 866	-4,35	97,4	-	0,00
31	9 376	9 378	-4,89	97,4	-	0,00
32	8 625	8 627	-4,09	97,4	-	0,00
33	9 197	9 198	-4,70	97,4	-	0,00
34	9 637	9 639	-5,15	97,4	-	0,00
35	9 258	9 260	-4,77	97,4	-	0,00
36	9 750	9 751	-5,27	97,4	-	0,00
37	10 284	10 285	-5,78	97,4	-	0,00
38	10 997	10 999	-6,44	97,4	-	0,00
39	10 106	10 108	-5,62	97,4	-	0,00
4	3 287	3 291	4,91	97,4	-	0,00
40	11 527	11 528	-6,90	97,4	-	0,00
41	12 047	12 048	-7,33	97,4	-	0,00
5	3 382	3 386	4,65	97,4	-	0,00
6	3 807	3 812	3,57	97,4	-	0,00
7	3 863	3 867	3,44	97,4	-	0,00
8	6 654	6 657	-1,62	97,4	-	0,00
9	7 047	7 050	-2,16	97,4	-	0,00
Sum			16,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FW Kazupe

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 916	1 924	9,76	97,4	-	0,00
10	6 784	6 786	-1,80	97,4	-	0,00
11	8 565	8 567	-4,02	97,4	-	0,00
12	9 279	9 280	-4,79	97,4	-	0,00
13	8 896	8 898	-4,38	97,4	-	0,00
14	8 462	8 464	-3,90	97,4	-	0,00
15	8 996	8 997	-4,49	97,4	-	0,00
16	9 414	9 416	-4,93	97,4	-	0,00
17	9 892	9 894	-5,41	97,4	-	0,00
18	8 479	8 481	-3,92	97,4	-	0,00
19	8 765	8 767	-4,24	97,4	-	0,00
2	2 031	2 038	9,24	97,4	-	0,00
20	9 564	9 565	-5,08	97,4	-	0,00
21	9 275	9 276	-4,78	97,4	-	0,00
22	9 860	9 861	-5,38	97,4	-	0,00
23	10 236	10 238	-5,74	97,4	-	0,00
24	9 704	9 705	-5,22	97,4	-	0,00
25	7 978	7 980	-3,34	97,4	-	0,00
26	7 842	7 844	-3,17	97,4	-	0,00
27	8 962	8 964	-4,45	97,4	-	0,00
28	8 413	8 415	-3,85	97,4	-	0,00
29	8 283	8 285	-3,70	97,4	-	0,00
3	2 732	2 738	6,58	97,4	-	0,00
30	8 864	8 866	-4,35	97,4	-	0,00
31	9 376	9 378	-4,89	97,4	-	0,00
32	8 625	8 627	-4,09	97,4	-	0,00
33	9 197	9 198	-4,70	97,4	-	0,00
34	9 637	9 639	-5,15	97,4	-	0,00
35	9 258	9 260	-4,77	97,4	-	0,00
36	9 750	9 751	-5,27	97,4	-	0,00
37	10 284	10 285	-5,78	97,4	-	0,00
38	10 997	10 999	-6,44	97,4	-	0,00
39	10 106	10 108	-5,62	97,4	-	0,00
4	3 287	3 291	4,91	97,4	-	0,00
40	11 527	11 528	-6,90	97,4	-	0,00
41	12 047	12 048	-7,33	97,4	-	0,00
5	3 382	3 386	4,65	97,4	-	0,00
6	3 807	3 812	3,57	97,4	-	0,00
7	3 863	3 867	3,44	97,4	-	0,00
8	6 654	6 657	-1,62	97,4	-	0,00
9	7 047	7 050	-2,16	97,4	-	0,00
Sum			16,56			

- Data undefined due to calculation with octave data

Noise sensitive area: FX Kaktusi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 068	3 073	5,54	97,4	-	0,00
10	7 304	7 306	-2,50	97,4	-	0,00
11	8 694	8 696	-4,16	97,4	-	0,00
12	9 470	9 472	-4,99	97,4	-	0,00
13	8 937	8 939	-4,43	97,4	-	0,00
14	8 378	8 380	-3,81	97,4	-	0,00
15	8 850	8 852	-4,33	97,4	-	0,00
16	9 234	9 236	-4,74	97,4	-	0,00
17	9 663	9 665	-5,18	97,4	-	0,00
18	8 029	8 031	-3,40	97,4	-	0,00
19	8 230	8 232	-3,64	97,4	-	0,00
2	2 854	2 859	6,19	97,4	-	0,00
20	9 184	9 186	-4,69	97,4	-	0,00
21	8 749	8 751	-4,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 404	9 406	-4,92	97,4	-	0,00
23	9 717	9 718	-5,23	97,4	-	0,00
24	9 098	9 100	-4,60	97,4	-	0,00
25	7 332	7 334	-2,53	97,4	-	0,00
26	7 042	7 044	-2,15	97,4	-	0,00
27	8 299	8 301	-3,72	97,4	-	0,00
28	7 679	7 681	-2,97	97,4	-	0,00
29	7 426	7 428	-2,66	97,4	-	0,00
3	3 234	3 239	5,06	97,4	-	0,00
30	8 065	8 067	-3,44	97,4	-	0,00
31	8 637	8 639	-4,10	97,4	-	0,00
32	7 696	7 698	-3,00	97,4	-	0,00
33	8 201	8 204	-3,60	97,4	-	0,00
34	8 692	8 694	-4,16	97,4	-	0,00
35	8 389	8 391	-3,82	97,4	-	0,00
36	8 923	8 925	-4,41	97,4	-	0,00
37	9 533	9 535	-5,05	97,4	-	0,00
38	10 276	10 277	-5,78	97,4	-	0,00
39	9 461	9 463	-4,98	97,4	-	0,00
4	3 898	3 902	3,35	97,4	-	0,00
40	10 871	10 873	-6,32	97,4	-	0,00
41	11 359	11 361	-6,75	97,4	-	0,00
5	3 733	3 737	3,75	97,4	-	0,00
6	4 535	4 539	1,96	97,4	-	0,00
7	4 759	4 763	1,51	97,4	-	0,00
8	7 037	7 039	-2,15	97,4	-	0,00
9	7 313	7 316	-2,51	97,4	-	0,00
Sum			15,08			

- Data undefined due to calculation with octave data

Noise sensitive area: FX Kaktusi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 068	3 073	5,54	97,4	-	0,00
10	7 304	7 306	-2,50	97,4	-	0,00
11	8 694	8 696	-4,16	97,4	-	0,00
12	9 470	9 472	-4,99	97,4	-	0,00
13	8 937	8 939	-4,43	97,4	-	0,00
14	8 378	8 380	-3,81	97,4	-	0,00
15	8 850	8 852	-4,33	97,4	-	0,00
16	9 234	9 236	-4,74	97,4	-	0,00
17	9 663	9 665	-5,18	97,4	-	0,00
18	8 029	8 031	-3,40	97,4	-	0,00
19	8 230	8 232	-3,64	97,4	-	0,00
2	2 854	2 859	6,19	97,4	-	0,00
20	9 184	9 186	-4,69	97,4	-	0,00
21	8 749	8 751	-4,22	97,4	-	0,00
22	9 404	9 406	-4,92	97,4	-	0,00
23	9 717	9 718	-5,23	97,4	-	0,00
24	9 098	9 100	-4,60	97,4	-	0,00
25	7 332	7 334	-2,53	97,4	-	0,00
26	7 042	7 044	-2,15	97,4	-	0,00
27	8 299	8 301	-3,72	97,4	-	0,00
28	7 679	7 681	-2,97	97,4	-	0,00
29	7 426	7 428	-2,66	97,4	-	0,00
3	3 234	3 239	5,06	97,4	-	0,00
30	8 065	8 067	-3,44	97,4	-	0,00
31	8 637	8 639	-4,10	97,4	-	0,00
32	7 696	7 698	-3,00	97,4	-	0,00
33	8 201	8 204	-3,60	97,4	-	0,00
34	8 692	8 694	-4,16	97,4	-	0,00
35	8 389	8 391	-3,82	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 923	8 925	-4,41	97,4	-	0,00
37	9 533	9 535	-5,05	97,4	-	0,00
38	10 276	10 277	-5,78	97,4	-	0,00
39	9 461	9 463	-4,98	97,4	-	0,00
4	3 898	3 902	3,35	97,4	-	0,00
40	10 871	10 873	-6,32	97,4	-	0,00
41	11 359	11 361	-6,75	97,4	-	0,00
5	3 733	3 737	3,75	97,4	-	0,00
6	4 535	4 539	1,96	97,4	-	0,00
7	4 759	4 763	1,51	97,4	-	0,00
8	7 037	7 039	-2,15	97,4	-	0,00
9	7 313	7 316	-2,51	97,4	-	0,00
Sum			15,08			

- Data undefined due to calculation with octave data

Noise sensitive area: FY Gruzduli

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 772	2 778	6,45	97,4	-	0,00
10	6 447	6 449	-1,32	97,4	-	0,00
11	7 710	7 712	-3,01	97,4	-	0,00
12	8 496	8 499	-3,94	97,4	-	0,00
13	7 935	7 937	-3,29	97,4	-	0,00
14	7 359	7 361	-2,57	97,4	-	0,00
15	7 822	7 824	-3,15	97,4	-	0,00
16	8 203	8 205	-3,60	97,4	-	0,00
17	8 628	8 630	-4,09	97,4	-	0,00
18	6 990	6 993	-2,08	97,4	-	0,00
19	7 196	7 198	-2,36	97,4	-	0,00
2	2 382	2 389	7,81	97,4	-	0,00
20	8 144	8 147	-3,54	97,4	-	0,00
21	7 715	7 717	-3,02	97,4	-	0,00
22	8 366	8 368	-3,79	97,4	-	0,00
23	8 683	8 685	-4,15	97,4	-	0,00
24	8 072	8 074	-3,45	97,4	-	0,00
25	6 307	6 310	-1,11	97,4	-	0,00
26	6 043	6 046	-0,71	97,4	-	0,00
27	7 279	7 281	-2,47	97,4	-	0,00
28	6 669	6 671	-1,64	97,4	-	0,00
29	6 443	6 445	-1,31	97,4	-	0,00
3	2 529	2 535	7,28	97,4	-	0,00
30	7 069	7 072	-2,19	97,4	-	0,00
31	7 631	7 633	-2,91	97,4	-	0,00
32	6 735	6 737	-1,73	97,4	-	0,00
33	7 264	7 267	-2,45	97,4	-	0,00
34	7 739	7 741	-3,05	97,4	-	0,00
35	7 412	7 414	-2,64	97,4	-	0,00
36	7 936	7 938	-3,29	97,4	-	0,00
37	8 530	8 532	-3,98	97,4	-	0,00
38	9 269	9 271	-4,78	97,4	-	0,00
39	8 440	8 442	-3,88	97,4	-	0,00
4	3 190	3 195	5,18	97,4	-	0,00
40	9 854	9 856	-5,37	97,4	-	0,00
41	10 348	10 349	-5,84	97,4	-	0,00
5	2 914	2 920	6,00	97,4	-	0,00
6	3 847	3 852	3,47	97,4	-	0,00
7	4 152	4 156	2,77	97,4	-	0,00
8	6 135	6 138	-0,85	97,4	-	0,00
9	6 373	6 375	-1,21	97,4	-	0,00
Sum			16,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: FY Gruzduli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 772	2 778	6,45	97,4	-	0,00
10	6 447	6 449	-1,32	97,4	-	0,00
11	7 710	7 712	-3,01	97,4	-	0,00
12	8 496	8 499	-3,94	97,4	-	0,00
13	7 935	7 937	-3,29	97,4	-	0,00
14	7 359	7 361	-2,57	97,4	-	0,00
15	7 822	7 824	-3,15	97,4	-	0,00
16	8 203	8 205	-3,60	97,4	-	0,00
17	8 628	8 630	-4,09	97,4	-	0,00
18	6 990	6 993	-2,08	97,4	-	0,00
19	7 196	7 198	-2,36	97,4	-	0,00
2	2 382	2 389	7,81	97,4	-	0,00
20	8 144	8 147	-3,54	97,4	-	0,00
21	7 715	7 717	-3,02	97,4	-	0,00
22	8 366	8 368	-3,79	97,4	-	0,00
23	8 683	8 685	-4,15	97,4	-	0,00
24	8 072	8 074	-3,45	97,4	-	0,00
25	6 307	6 310	-1,11	97,4	-	0,00
26	6 043	6 046	-0,71	97,4	-	0,00
27	7 279	7 281	-2,47	97,4	-	0,00
28	6 669	6 671	-1,64	97,4	-	0,00
29	6 443	6 445	-1,31	97,4	-	0,00
3	2 529	2 535	7,28	97,4	-	0,00
30	7 069	7 072	-2,19	97,4	-	0,00
31	7 631	7 633	-2,91	97,4	-	0,00
32	6 735	6 737	-1,73	97,4	-	0,00
33	7 264	7 267	-2,45	97,4	-	0,00
34	7 739	7 741	-3,05	97,4	-	0,00
35	7 412	7 414	-2,64	97,4	-	0,00
36	7 936	7 938	-3,29	97,4	-	0,00
37	8 530	8 532	-3,98	97,4	-	0,00
38	9 269	9 271	-4,78	97,4	-	0,00
39	8 440	8 442	-3,88	97,4	-	0,00
4	3 190	3 195	5,18	97,4	-	0,00
40	9 854	9 856	-5,37	97,4	-	0,00
41	10 348	10 349	-5,84	97,4	-	0,00
5	2 914	2 920	6,00	97,4	-	0,00
6	3 847	3 852	3,47	97,4	-	0,00
7	4 152	4 156	2,77	97,4	-	0,00
8	6 135	6 138	-0,85	97,4	-	0,00
9	6 373	6 375	-1,21	97,4	-	0,00
Sum			16,56			

- Data undefined due to calculation with octave data

Noise sensitive area: FZ Krievi 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 767	1 776	10,47	97,4	-	0,00
10	5 196	5 199	0,70	97,4	-	0,00
11	6 649	6 651	-1,61	97,4	-	0,00
12	7 407	7 409	-2,63	97,4	-	0,00
13	6 927	6 929	-2,00	97,4	-	0,00
14	6 427	6 429	-1,29	97,4	-	0,00
15	6 936	6 938	-2,01	97,4	-	0,00
16	7 343	7 345	-2,55	97,4	-	0,00
17	7 806	7 808	-3,13	97,4	-	0,00
18	6 341	6 344	-1,16	97,4	-	0,00
19	6 623	6 626	-1,57	97,4	-	0,00
2	1 240	1 252	13,58	97,4	-	0,00
20	7 438	7 440	-2,67	97,4	-	0,00
21	7 133	7 135	-2,27	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 723	7 726	-3,03	97,4	-	0,00
23	8 096	8 097	-3,48	97,4	-	0,00
24	7 562	7 565	-2,83	97,4	-	0,00
25	5 843	5 846	-0,40	97,4	-	0,00
26	5 742	5 744	-0,23	97,4	-	0,00
27	6 827	6 829	-1,86	97,4	-	0,00
28	6 292	6 294	-1,09	97,4	-	0,00
29	6 200	6 202	-0,95	97,4	-	0,00
3	1 216	1 228	13,75	97,4	-	0,00
30	6 756	6 759	-1,76	97,4	-	0,00
31	7 252	7 254	-2,43	97,4	-	0,00
32	6 568	6 571	-1,49	97,4	-	0,00
33	7 167	7 169	-2,32	97,4	-	0,00
34	7 578	7 580	-2,85	97,4	-	0,00
35	7 171	7 173	-2,32	97,4	-	0,00
36	7 646	7 648	-2,93	97,4	-	0,00
37	8 159	8 161	-3,55	97,4	-	0,00
38	8 866	8 868	-4,35	97,4	-	0,00
39	7 968	7 970	-3,33	97,4	-	0,00
4	1 875	1 882	9,95	97,4	-	0,00
40	9 388	9 389	-4,90	97,4	-	0,00
41	9 910	9 912	-5,42	97,4	-	0,00
5	1 630	1 638	11,19	97,4	-	0,00
6	2 532	2 539	7,27	97,4	-	0,00
7	2 850	2 856	6,20	97,4	-	0,00
8	4 930	4 933	1,19	97,4	-	0,00
9	5 223	5 226	0,65	97,4	-	0,00
Sum			20,51			

- Data undefined due to calculation with octave data

Noise sensitive area: FZ Krievi 1

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 767	1 776	10,47	97,4	-	0,00
10	5 196	5 199	0,70	97,4	-	0,00
11	6 649	6 651	-1,61	97,4	-	0,00
12	7 407	7 409	-2,63	97,4	-	0,00
13	6 927	6 929	-2,00	97,4	-	0,00
14	6 427	6 429	-1,29	97,4	-	0,00
15	6 936	6 938	-2,01	97,4	-	0,00
16	7 343	7 345	-2,55	97,4	-	0,00
17	7 806	7 808	-3,13	97,4	-	0,00
18	6 341	6 344	-1,16	97,4	-	0,00
19	6 623	6 626	-1,57	97,4	-	0,00
2	1 240	1 252	13,58	97,4	-	0,00
20	7 438	7 440	-2,67	97,4	-	0,00
21	7 133	7 135	-2,27	97,4	-	0,00
22	7 723	7 726	-3,03	97,4	-	0,00
23	8 096	8 097	-3,48	97,4	-	0,00
24	7 562	7 565	-2,83	97,4	-	0,00
25	5 843	5 846	-0,40	97,4	-	0,00
26	5 742	5 744	-0,23	97,4	-	0,00
27	6 827	6 829	-1,86	97,4	-	0,00
28	6 292	6 294	-1,09	97,4	-	0,00
29	6 200	6 202	-0,95	97,4	-	0,00
3	1 216	1 228	13,75	97,4	-	0,00
30	6 756	6 759	-1,76	97,4	-	0,00
31	7 252	7 254	-2,43	97,4	-	0,00
32	6 568	6 571	-1,49	97,4	-	0,00
33	7 167	7 169	-2,32	97,4	-	0,00
34	7 578	7 580	-2,85	97,4	-	0,00
35	7 171	7 173	-2,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 646	7 648	-2,93	97,4	-	0,00
37	8 159	8 161	-3,55	97,4	-	0,00
38	8 866	8 868	-4,35	97,4	-	0,00
39	7 968	7 970	-3,33	97,4	-	0,00
4	1 875	1 882	9,95	97,4	-	0,00
40	9 388	9 389	-4,90	97,4	-	0,00
41	9 910	9 912	-5,42	97,4	-	0,00
5	1 630	1 638	11,19	97,4	-	0,00
6	2 532	2 539	7,27	97,4	-	0,00
7	2 850	2 856	6,20	97,4	-	0,00
8	4 930	4 933	1,19	97,4	-	0,00
9	5 223	5 226	0,65	97,4	-	0,00
Sum			20,51			

- Data undefined due to calculation with octave data

Noise sensitive area: GA Puces

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 629	1 638	11,19	97,4	-	0,00
10	5 218	5 220	0,66	97,4	-	0,00
11	6 718	6 720	-1,71	97,4	-	0,00
12	7 471	7 473	-2,71	97,4	-	0,00
13	7 005	7 008	-2,10	97,4	-	0,00
14	6 518	6 520	-1,42	97,4	-	0,00
15	7 033	7 035	-2,14	97,4	-	0,00
16	7 443	7 445	-2,68	97,4	-	0,00
17	7 909	7 912	-3,26	97,4	-	0,00
18	6 464	6 466	-1,34	97,4	-	0,00
19	6 751	6 754	-1,75	97,4	-	0,00
2	1 116	1 130	14,49	97,4	-	0,00
20	7 554	7 556	-2,82	97,4	-	0,00
21	7 260	7 262	-2,44	97,4	-	0,00
22	7 845	7 847	-3,18	97,4	-	0,00
23	8 221	8 223	-3,63	97,4	-	0,00
24	7 694	7 696	-2,99	97,4	-	0,00
25	5 980	5 982	-0,61	97,4	-	0,00
26	5 886	5 889	-0,46	97,4	-	0,00
27	6 963	6 965	-2,05	97,4	-	0,00
28	6 433	6 435	-1,30	97,4	-	0,00
29	6 346	6 349	-1,17	97,4	-	0,00
3	1 178	1 191	14,03	97,4	-	0,00
30	6 900	6 902	-1,96	97,4	-	0,00
31	7 392	7 394	-2,61	97,4	-	0,00
32	6 717	6 719	-1,71	97,4	-	0,00
33	7 318	7 320	-2,52	97,4	-	0,00
34	7 727	7 729	-3,03	97,4	-	0,00
35	7 317	7 319	-2,52	97,4	-	0,00
36	7 790	7 792	-3,11	97,4	-	0,00
37	8 299	8 300	-3,72	97,4	-	0,00
38	9 003	9 005	-4,50	97,4	-	0,00
39	8 101	8 103	-3,49	97,4	-	0,00
4	1 844	1 852	10,10	97,4	-	0,00
40	9 521	9 523	-5,04	97,4	-	0,00
41	10 045	10 047	-5,56	97,4	-	0,00
5	1 647	1 655	11,10	97,4	-	0,00
6	2 498	2 505	7,39	97,4	-	0,00
7	2 794	2 800	6,38	97,4	-	0,00
8	4 968	4 971	1,12	97,4	-	0,00
9	5 276	5 279	0,56	97,4	-	0,00
Sum			20,82			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GA Puces

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 629	1 638	11,19	97,4	-	0,00
10	5 218	5 220	0,66	97,4	-	0,00
11	6 718	6 720	-1,71	97,4	-	0,00
12	7 471	7 473	-2,71	97,4	-	0,00
13	7 005	7 008	-2,10	97,4	-	0,00
14	6 518	6 520	-1,42	97,4	-	0,00
15	7 033	7 035	-2,14	97,4	-	0,00
16	7 443	7 445	-2,68	97,4	-	0,00
17	7 909	7 912	-3,26	97,4	-	0,00
18	6 464	6 466	-1,34	97,4	-	0,00
19	6 751	6 754	-1,75	97,4	-	0,00
2	1 116	1 130	14,49	97,4	-	0,00
20	7 554	7 556	-2,82	97,4	-	0,00
21	7 260	7 262	-2,44	97,4	-	0,00
22	7 845	7 847	-3,18	97,4	-	0,00
23	8 221	8 223	-3,63	97,4	-	0,00
24	7 694	7 696	-2,99	97,4	-	0,00
25	5 980	5 982	-0,61	97,4	-	0,00
26	5 886	5 889	-0,46	97,4	-	0,00
27	6 963	6 965	-2,05	97,4	-	0,00
28	6 433	6 435	-1,30	97,4	-	0,00
29	6 346	6 349	-1,17	97,4	-	0,00
3	1 178	1 191	14,03	97,4	-	0,00
30	6 900	6 902	-1,96	97,4	-	0,00
31	7 392	7 394	-2,61	97,4	-	0,00
32	6 717	6 719	-1,71	97,4	-	0,00
33	7 318	7 320	-2,52	97,4	-	0,00
34	7 727	7 729	-3,03	97,4	-	0,00
35	7 317	7 319	-2,52	97,4	-	0,00
36	7 790	7 792	-3,11	97,4	-	0,00
37	8 299	8 300	-3,72	97,4	-	0,00
38	9 003	9 005	-4,50	97,4	-	0,00
39	8 101	8 103	-3,49	97,4	-	0,00
4	1 844	1 852	10,10	97,4	-	0,00
40	9 521	9 523	-5,04	97,4	-	0,00
41	10 045	10 047	-5,56	97,4	-	0,00
5	1 647	1 655	11,10	97,4	-	0,00
6	2 498	2 505	7,39	97,4	-	0,00
7	2 794	2 800	6,38	97,4	-	0,00
8	4 968	4 971	1,12	97,4	-	0,00
9	5 276	5 279	0,56	97,4	-	0,00
Sum			20,82			

- Data undefined due to calculation with octave data

Noise sensitive area: GB Flok š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 132	2 140	8,80	97,4	-	0,00
10	4 879	4 882	1,28	97,4	-	0,00
11	6 194	6 197	-0,94	97,4	-	0,00
12	6 967	6 969	-2,05	97,4	-	0,00
13	6 451	6 454	-1,32	97,4	-	0,00
14	5 926	5 929	-0,53	97,4	-	0,00
15	6 425	6 427	-1,29	97,4	-	0,00
16	6 826	6 829	-1,86	97,4	-	0,00
17	7 282	7 285	-2,47	97,4	-	0,00
18	5 795	5 797	-0,32	97,4	-	0,00
19	6 073	6 076	-0,76	97,4	-	0,00
2	1 555	1 565	11,60	97,4	-	0,00
20	6 898	6 900	-1,96	97,4	-	0,00
21	6 583	6 585	-1,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 177	7 180	-2,33	97,4	-	0,00
23	7 547	7 549	-2,81	97,4	-	0,00
24	7 011	7 014	-2,11	97,4	-	0,00
25	5 293	5 296	0,53	97,4	-	0,00
26	5 201	5 204	0,69	97,4	-	0,00
27	6 276	6 279	-1,07	97,4	-	0,00
28	5 745	5 747	-0,24	97,4	-	0,00
29	5 663	5 666	-0,10	97,4	-	0,00
3	1 219	1 231	13,73	97,4	-	0,00
30	6 213	6 215	-0,97	97,4	-	0,00
31	6 704	6 706	-1,69	97,4	-	0,00
32	6 040	6 042	-0,71	97,4	-	0,00
33	6 646	6 649	-1,61	97,4	-	0,00
34	7 048	7 050	-2,16	97,4	-	0,00
35	6 633	6 635	-1,59	97,4	-	0,00
36	7 103	7 105	-2,23	97,4	-	0,00
37	7 611	7 613	-2,89	97,4	-	0,00
38	8 316	8 318	-3,74	97,4	-	0,00
39	7 416	7 419	-2,64	97,4	-	0,00
4	1 794	1 802	10,34	97,4	-	0,00
40	8 836	8 838	-4,32	97,4	-	0,00
41	9 359	9 361	-4,87	97,4	-	0,00
5	1 398	1 408	12,54	97,4	-	0,00
6	2 439	2 445	7,60	97,4	-	0,00
7	2 831	2 836	6,26	97,4	-	0,00
8	4 565	4 568	1,90	97,4	-	0,00
9	4 815	4 818	1,41	97,4	-	0,00
Sum			20,44			

- Data undefined due to calculation with octave data

Noise sensitive area: GB Flok š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 132	2 140	8,80	97,4	-	0,00
10	4 879	4 882	1,28	97,4	-	0,00
11	6 194	6 197	-0,94	97,4	-	0,00
12	6 967	6 969	-2,05	97,4	-	0,00
13	6 451	6 454	-1,32	97,4	-	0,00
14	5 926	5 929	-0,53	97,4	-	0,00
15	6 425	6 427	-1,29	97,4	-	0,00
16	6 826	6 829	-1,86	97,4	-	0,00
17	7 282	7 285	-2,47	97,4	-	0,00
18	5 795	5 797	-0,32	97,4	-	0,00
19	6 073	6 076	-0,76	97,4	-	0,00
2	1 555	1 565	11,60	97,4	-	0,00
20	6 898	6 900	-1,96	97,4	-	0,00
21	6 583	6 585	-1,52	97,4	-	0,00
22	7 177	7 180	-2,33	97,4	-	0,00
23	7 547	7 549	-2,81	97,4	-	0,00
24	7 011	7 014	-2,11	97,4	-	0,00
25	5 293	5 296	0,53	97,4	-	0,00
26	5 201	5 204	0,69	97,4	-	0,00
27	6 276	6 279	-1,07	97,4	-	0,00
28	5 745	5 747	-0,24	97,4	-	0,00
29	5 663	5 666	-0,10	97,4	-	0,00
3	1 219	1 231	13,73	97,4	-	0,00
30	6 213	6 215	-0,97	97,4	-	0,00
31	6 704	6 706	-1,69	97,4	-	0,00
32	6 040	6 042	-0,71	97,4	-	0,00
33	6 646	6 649	-1,61	97,4	-	0,00
34	7 048	7 050	-2,16	97,4	-	0,00
35	6 633	6 635	-1,59	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 103	7 105	-2,23	97,4	-	0,00
37	7 611	7 613	-2,89	97,4	-	0,00
38	8 316	8 318	-3,74	97,4	-	0,00
39	7 416	7 419	-2,64	97,4	-	0,00
4	1 794	1 802	10,34	97,4	-	0,00
40	8 836	8 838	-4,32	97,4	-	0,00
41	9 359	9 361	-4,87	97,4	-	0,00
5	1 398	1 408	12,54	97,4	-	0,00
6	2 439	2 445	7,60	97,4	-	0,00
7	2 831	2 836	6,26	97,4	-	0,00
8	4 565	4 568	1,90	97,4	-	0,00
9	4 815	4 818	1,41	97,4	-	0,00
Sum			20,44			

- Data undefined due to calculation with octave data

Noise sensitive area: GC Puduri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 014	3 019	5,70	97,4	-	0,00
10	4 439	4 442	2,16	97,4	-	0,00
11	5 401	5 404	0,34	97,4	-	0,00
12	6 200	6 203	-0,95	97,4	-	0,00
13	5 602	5 605	0,00	97,4	-	0,00
14	5 016	5 019	1,03	97,4	-	0,00
15	5 483	5 486	0,20	97,4	-	0,00
16	5 869	5 872	-0,44	97,4	-	0,00
17	6 306	6 309	-1,11	97,4	-	0,00
18	4 756	4 759	1,52	97,4	-	0,00
19	5 022	5 025	1,02	97,4	-	0,00
2	2 427	2 433	7,65	97,4	-	0,00
20	5 876	5 879	-0,45	97,4	-	0,00
21	5 534	5 537	0,11	97,4	-	0,00
22	6 140	6 143	-0,86	97,4	-	0,00
23	6 500	6 502	-1,39	97,4	-	0,00
24	5 956	5 958	-0,57	97,4	-	0,00
25	4 236	4 240	2,59	97,4	-	0,00
26	4 162	4 166	2,75	97,4	-	0,00
27	5 219	5 222	0,66	97,4	-	0,00
28	4 692	4 695	1,65	97,4	-	0,00
29	4 634	4 637	1,76	97,4	-	0,00
3	1 814	1 822	10,24	97,4	-	0,00
30	5 167	5 170	0,75	97,4	-	0,00
31	5 650	5 653	-0,08	97,4	-	0,00
32	5 027	5 030	1,01	97,4	-	0,00
33	5 649	5 652	-0,08	97,4	-	0,00
34	6 030	6 033	-0,69	97,4	-	0,00
35	5 598	5 601	0,01	97,4	-	0,00
36	6 058	6 061	-0,73	97,4	-	0,00
37	6 556	6 558	-1,48	97,4	-	0,00
38	7 259	7 262	-2,44	97,4	-	0,00
39	6 359	6 362	-1,19	97,4	-	0,00
4	2 119	2 126	8,86	97,4	-	0,00
40	7 780	7 782	-3,10	97,4	-	0,00
41	8 302	8 304	-3,72	97,4	-	0,00
5	1 552	1 561	11,62	97,4	-	0,00
6	2 634	2 641	6,91	97,4	-	0,00
7	3 116	3 121	5,39	97,4	-	0,00
8	4 020	4 024	3,07	97,4	-	0,00
9	4 158	4 161	2,76	97,4	-	0,00
Sum			19,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GC Puduri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 014	3 019	5,70	97,4	-	0,00
10	4 439	4 442	2,16	97,4	-	0,00
11	5 401	5 404	0,34	97,4	-	0,00
12	6 200	6 203	-0,95	97,4	-	0,00
13	5 602	5 605	0,00	97,4	-	0,00
14	5 016	5 019	1,03	97,4	-	0,00
15	5 483	5 486	0,20	97,4	-	0,00
16	5 869	5 872	-0,44	97,4	-	0,00
17	6 306	6 309	-1,11	97,4	-	0,00
18	4 756	4 759	1,52	97,4	-	0,00
19	5 022	5 025	1,02	97,4	-	0,00
2	2 427	2 433	7,65	97,4	-	0,00
20	5 876	5 879	-0,45	97,4	-	0,00
21	5 534	5 537	0,11	97,4	-	0,00
22	6 140	6 143	-0,86	97,4	-	0,00
23	6 500	6 502	-1,39	97,4	-	0,00
24	5 956	5 958	-0,57	97,4	-	0,00
25	4 236	4 240	2,59	97,4	-	0,00
26	4 162	4 166	2,75	97,4	-	0,00
27	5 219	5 222	0,66	97,4	-	0,00
28	4 692	4 695	1,65	97,4	-	0,00
29	4 634	4 637	1,76	97,4	-	0,00
3	1 814	1 822	10,24	97,4	-	0,00
30	5 167	5 170	0,75	97,4	-	0,00
31	5 650	5 653	-0,08	97,4	-	0,00
32	5 027	5 030	1,01	97,4	-	0,00
33	5 649	5 652	-0,08	97,4	-	0,00
34	6 030	6 033	-0,69	97,4	-	0,00
35	5 598	5 601	0,01	97,4	-	0,00
36	6 058	6 061	-0,73	97,4	-	0,00
37	6 556	6 558	-1,48	97,4	-	0,00
38	7 259	7 262	-2,44	97,4	-	0,00
39	6 359	6 362	-1,19	97,4	-	0,00
4	2 119	2 126	8,86	97,4	-	0,00
40	7 780	7 782	-3,10	97,4	-	0,00
41	8 302	8 304	-3,72	97,4	-	0,00
5	1 552	1 561	11,62	97,4	-	0,00
6	2 634	2 641	6,91	97,4	-	0,00
7	3 116	3 121	5,39	97,4	-	0,00
8	4 020	4 024	3,07	97,4	-	0,00
9	4 158	4 161	2,76	97,4	-	0,00
Sum			19,45			

- Data undefined due to calculation with octave data

Noise sensitive area: GD Nade ž das

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 118	2 125	8,86	97,4	-	0,00
10	4 358	4 361	2,33	97,4	-	0,00
11	5 706	5 709	-0,17	97,4	-	0,00
12	6 471	6 474	-1,35	97,4	-	0,00
13	5 979	5 982	-0,61	97,4	-	0,00
14	5 480	5 484	0,20	97,4	-	0,00
15	5 994	5 997	-0,63	97,4	-	0,00
16	6 404	6 407	-1,26	97,4	-	0,00
17	6 873	6 875	-1,92	97,4	-	0,00
18	5 460	5 463	0,24	97,4	-	0,00
19	5 768	5 771	-0,27	97,4	-	0,00
2	1 532	1 542	11,73	97,4	-	0,00
20	6 533	6 536	-1,44	97,4	-	0,00
21	6 271	6 273	-1,06	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 837	6 839	-1,87	97,4	-	0,00
23	7 226	7 228	-2,40	97,4	-	0,00
24	6 726	6 728	-1,72	97,4	-	0,00
25	5 043	5 046	0,98	97,4	-	0,00
26	5 024	5 028	1,01	97,4	-	0,00
27	6 021	6 024	-0,68	97,4	-	0,00
28	5 527	5 530	0,13	97,4	-	0,00
29	5 505	5 508	0,16	97,4	-	0,00
3	948	964	15,89	97,4	-	0,00
30	6 017	6 020	-0,67	97,4	-	0,00
31	6 475	6 478	-1,36	97,4	-	0,00
32	5 910	5 912	-0,50	97,4	-	0,00
33	6 538	6 541	-1,45	97,4	-	0,00
34	6 909	6 911	-1,97	97,4	-	0,00
35	6 463	6 465	-1,34	97,4	-	0,00
36	6 908	6 910	-1,97	97,4	-	0,00
37	7 378	7 380	-2,59	97,4	-	0,00
38	8 066	8 068	-3,44	97,4	-	0,00
39	7 143	7 145	-2,29	97,4	-	0,00
4	1 395	1 406	12,56	97,4	-	0,00
40	8 558	8 560	-4,01	97,4	-	0,00
41	9 090	9 092	-4,59	97,4	-	0,00
5	920	936	16,16	97,4	-	0,00
6	2 007	2 016	9,34	97,4	-	0,00
7	2 438	2 444	7,61	97,4	-	0,00
8	4 045	4 049	3,01	97,4	-	0,00
9	4 305	4 309	2,44	97,4	-	0,00
Sum			22,17			

- Data undefined due to calculation with octave data

Noise sensitive area: GD Nade ž das

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 118	2 125	8,86	97,4	-	0,00
10	4 358	4 361	2,33	97,4	-	0,00
11	5 706	5 709	-0,17	97,4	-	0,00
12	6 471	6 474	-1,35	97,4	-	0,00
13	5 979	5 982	-0,61	97,4	-	0,00
14	5 480	5 484	0,20	97,4	-	0,00
15	5 994	5 997	-0,63	97,4	-	0,00
16	6 404	6 407	-1,26	97,4	-	0,00
17	6 873	6 875	-1,92	97,4	-	0,00
18	5 460	5 463	0,24	97,4	-	0,00
19	5 768	5 771	-0,27	97,4	-	0,00
2	1 532	1 542	11,73	97,4	-	0,00
20	6 533	6 536	-1,44	97,4	-	0,00
21	6 271	6 273	-1,06	97,4	-	0,00
22	6 837	6 839	-1,87	97,4	-	0,00
23	7 226	7 228	-2,40	97,4	-	0,00
24	6 726	6 728	-1,72	97,4	-	0,00
25	5 043	5 046	0,98	97,4	-	0,00
26	5 024	5 028	1,01	97,4	-	0,00
27	6 021	6 024	-0,68	97,4	-	0,00
28	5 527	5 530	0,13	97,4	-	0,00
29	5 505	5 508	0,16	97,4	-	0,00
3	948	964	15,89	97,4	-	0,00
30	6 017	6 020	-0,67	97,4	-	0,00
31	6 475	6 478	-1,36	97,4	-	0,00
32	5 910	5 912	-0,50	97,4	-	0,00
33	6 538	6 541	-1,45	97,4	-	0,00
34	6 909	6 911	-1,97	97,4	-	0,00
35	6 463	6 465	-1,34	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 908	6 910	-1,97	97,4	-	0,00
37	7 378	7 380	-2,59	97,4	-	0,00
38	8 066	8 068	-3,44	97,4	-	0,00
39	7 143	7 145	-2,29	97,4	-	0,00
4	1 395	1 406	12,56	97,4	-	0,00
40	8 558	8 560	-4,01	97,4	-	0,00
41	9 090	9 092	-4,59	97,4	-	0,00
5	920	936	16,16	97,4	-	0,00
6	2 007	2 016	9,34	97,4	-	0,00
7	2 438	2 444	7,61	97,4	-	0,00
8	4 045	4 049	3,01	97,4	-	0,00
9	4 305	4 309	2,44	97,4	-	0,00
Sum			22,17			

- Data undefined due to calculation with octave data

Noise sensitive area: GE Smilgas

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 055	2 063	9,13	97,4	-	0,00
10	5 274	5 276	0,56	97,4	-	0,00
11	6 629	6 631	-1,58	97,4	-	0,00
12	7 400	7 402	-2,62	97,4	-	0,00
13	6 887	6 889	-1,94	97,4	-	0,00
14	6 360	6 362	-1,19	97,4	-	0,00
15	6 856	6 858	-1,90	97,4	-	0,00
16	7 256	7 258	-2,44	97,4	-	0,00
17	7 708	7 711	-3,01	97,4	-	0,00
18	6 197	6 199	-0,95	97,4	-	0,00
19	6 462	6 465	-1,34	97,4	-	0,00
2	1 521	1 532	11,79	97,4	-	0,00
20	7 310	7 312	-2,51	97,4	-	0,00
21	6 975	6 977	-2,06	97,4	-	0,00
22	7 580	7 583	-2,85	97,4	-	0,00
23	7 941	7 943	-3,29	97,4	-	0,00
24	7 390	7 393	-2,61	97,4	-	0,00
25	5 658	5 661	-0,09	97,4	-	0,00
26	5 528	5 531	0,12	97,4	-	0,00
27	6 642	6 645	-1,60	97,4	-	0,00
28	6 092	6 095	-0,79	97,4	-	0,00
29	5 978	5 981	-0,61	97,4	-	0,00
3	1 415	1 425	12,43	97,4	-	0,00
30	6 547	6 550	-1,46	97,4	-	0,00
31	7 055	7 057	-2,17	97,4	-	0,00
32	6 337	6 339	-1,16	97,4	-	0,00
33	6 928	6 930	-2,00	97,4	-	0,00
34	7 348	7 350	-2,56	97,4	-	0,00
35	6 951	6 954	-2,03	97,4	-	0,00
36	7 435	7 437	-2,67	97,4	-	0,00
37	7 963	7 964	-3,32	97,4	-	0,00
38	8 676	8 678	-4,14	97,4	-	0,00
39	7 789	7 791	-3,11	97,4	-	0,00
4	2 053	2 060	9,14	97,4	-	0,00
40	9 210	9 212	-4,72	97,4	-	0,00
41	9 728	9 730	-5,25	97,4	-	0,00
5	1 739	1 747	10,62	97,4	-	0,00
6	2 710	2 716	6,65	97,4	-	0,00
7	3 058	3 063	5,57	97,4	-	0,00
8	4 977	4 980	1,10	97,4	-	0,00
9	5 240	5 243	0,62	97,4	-	0,00
Sum			19,63			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GE Smilgas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 055	2 063	9,13	97,4	-	0,00
10	5 274	5 276	0,56	97,4	-	0,00
11	6 629	6 631	-1,58	97,4	-	0,00
12	7 400	7 402	-2,62	97,4	-	0,00
13	6 887	6 889	-1,94	97,4	-	0,00
14	6 360	6 362	-1,19	97,4	-	0,00
15	6 856	6 858	-1,90	97,4	-	0,00
16	7 256	7 258	-2,44	97,4	-	0,00
17	7 708	7 711	-3,01	97,4	-	0,00
18	6 197	6 199	-0,95	97,4	-	0,00
19	6 462	6 465	-1,34	97,4	-	0,00
2	1 521	1 532	11,79	97,4	-	0,00
20	7 310	7 312	-2,51	97,4	-	0,00
21	6 975	6 977	-2,06	97,4	-	0,00
22	7 580	7 583	-2,85	97,4	-	0,00
23	7 941	7 943	-3,29	97,4	-	0,00
24	7 390	7 393	-2,61	97,4	-	0,00
25	5 658	5 661	-0,09	97,4	-	0,00
26	5 528	5 531	0,12	97,4	-	0,00
27	6 642	6 645	-1,60	97,4	-	0,00
28	6 092	6 095	-0,79	97,4	-	0,00
29	5 978	5 981	-0,61	97,4	-	0,00
3	1 415	1 425	12,43	97,4	-	0,00
30	6 547	6 550	-1,46	97,4	-	0,00
31	7 055	7 057	-2,17	97,4	-	0,00
32	6 337	6 339	-1,16	97,4	-	0,00
33	6 928	6 930	-2,00	97,4	-	0,00
34	7 348	7 350	-2,56	97,4	-	0,00
35	6 951	6 954	-2,03	97,4	-	0,00
36	7 435	7 437	-2,67	97,4	-	0,00
37	7 963	7 964	-3,32	97,4	-	0,00
38	8 676	8 678	-4,14	97,4	-	0,00
39	7 789	7 791	-3,11	97,4	-	0,00
4	2 053	2 060	9,14	97,4	-	0,00
40	9 210	9 212	-4,72	97,4	-	0,00
41	9 728	9 730	-5,25	97,4	-	0,00
5	1 739	1 747	10,62	97,4	-	0,00
6	2 710	2 716	6,65	97,4	-	0,00
7	3 058	3 063	5,57	97,4	-	0,00
8	4 977	4 980	1,10	97,4	-	0,00
9	5 240	5 243	0,62	97,4	-	0,00
Sum			19,63			

- Data undefined due to calculation with octave data

Noise sensitive area: GF Plavas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 128	2 136	8,82	97,4	-	0,00
10	4 798	4 801	1,44	97,4	-	0,00
11	6 115	6 118	-0,82	97,4	-	0,00
12	6 887	6 890	-1,94	97,4	-	0,00
13	6 374	6 376	-1,21	97,4	-	0,00
14	5 852	5 855	-0,41	97,4	-	0,00
15	6 353	6 355	-1,18	97,4	-	0,00
16	6 756	6 758	-1,76	97,4	-	0,00
17	7 213	7 216	-2,38	97,4	-	0,00
18	5 735	5 738	-0,22	97,4	-	0,00
19	6 018	6 021	-0,67	97,4	-	0,00
2	1 546	1 556	11,65	97,4	-	0,00
20	6 834	6 837	-1,87	97,4	-	0,00
21	6 527	6 530	-1,44	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 118	7 120	-2,25	97,4	-	0,00
23	7 490	7 492	-2,74	97,4	-	0,00
24	6 959	6 962	-2,04	97,4	-	0,00
25	5 245	5 249	0,61	97,4	-	0,00
26	5 164	5 167	0,76	97,4	-	0,00
27	6 228	6 231	-0,99	97,4	-	0,00
28	5 702	5 705	-0,17	97,4	-	0,00
29	5 629	5 632	-0,05	97,4	-	0,00
3	1 170	1 183	14,08	97,4	-	0,00
30	6 174	6 176	-0,91	97,4	-	0,00
31	6 660	6 663	-1,63	97,4	-	0,00
32	6 010	6 013	-0,66	97,4	-	0,00
33	6 621	6 623	-1,57	97,4	-	0,00
34	7 018	7 020	-2,12	97,4	-	0,00
35	6 597	6 600	-1,54	97,4	-	0,00
36	7 064	7 066	-2,18	97,4	-	0,00
37	7 566	7 568	-2,83	97,4	-	0,00
38	8 269	8 271	-3,68	97,4	-	0,00
39	7 366	7 368	-2,58	97,4	-	0,00
4	1 731	1 740	10,65	97,4	-	0,00
40	8 786	8 788	-4,26	97,4	-	0,00
41	9 310	9 312	-4,82	97,4	-	0,00
5	1 323	1 334	13,02	97,4	-	0,00
6	2 372	2 379	7,85	97,4	-	0,00
7	2 770	2 776	6,46	97,4	-	0,00
8	4 483	4 486	2,07	97,4	-	0,00
9	4 734	4 737	1,57	97,4	-	0,00
Sum			20,67			

- Data undefined due to calculation with octave data

Noise sensitive area: GF Plavas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 128	2 136	8,82	97,4	-	0,00
10	4 798	4 801	1,44	97,4	-	0,00
11	6 115	6 118	-0,82	97,4	-	0,00
12	6 887	6 890	-1,94	97,4	-	0,00
13	6 374	6 376	-1,21	97,4	-	0,00
14	5 852	5 855	-0,41	97,4	-	0,00
15	6 353	6 355	-1,18	97,4	-	0,00
16	6 756	6 758	-1,76	97,4	-	0,00
17	7 213	7 216	-2,38	97,4	-	0,00
18	5 735	5 738	-0,22	97,4	-	0,00
19	6 018	6 021	-0,67	97,4	-	0,00
2	1 546	1 556	11,65	97,4	-	0,00
20	6 834	6 837	-1,87	97,4	-	0,00
21	6 527	6 530	-1,44	97,4	-	0,00
22	7 118	7 120	-2,25	97,4	-	0,00
23	7 490	7 492	-2,74	97,4	-	0,00
24	6 959	6 962	-2,04	97,4	-	0,00
25	5 245	5 249	0,61	97,4	-	0,00
26	5 164	5 167	0,76	97,4	-	0,00
27	6 228	6 231	-0,99	97,4	-	0,00
28	5 702	5 705	-0,17	97,4	-	0,00
29	5 629	5 632	-0,05	97,4	-	0,00
3	1 170	1 183	14,08	97,4	-	0,00
30	6 174	6 176	-0,91	97,4	-	0,00
31	6 660	6 663	-1,63	97,4	-	0,00
32	6 010	6 013	-0,66	97,4	-	0,00
33	6 621	6 623	-1,57	97,4	-	0,00
34	7 018	7 020	-2,12	97,4	-	0,00
35	6 597	6 600	-1,54	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 064	7 066	-2,18	97,4	-	0,00
37	7 566	7 568	-2,83	97,4	-	0,00
38	8 269	8 271	-3,68	97,4	-	0,00
39	7 366	7 368	-2,58	97,4	-	0,00
4	1 731	1 740	10,65	97,4	-	0,00
40	8 786	8 788	-4,26	97,4	-	0,00
41	9 310	9 312	-4,82	97,4	-	0,00
5	1 323	1 334	13,02	97,4	-	0,00
6	2 372	2 379	7,85	97,4	-	0,00
7	2 770	2 776	6,46	97,4	-	0,00
8	4 483	4 486	2,07	97,4	-	0,00
9	4 734	4 737	1,57	97,4	-	0,00
Sum			20,67			

- Data undefined due to calculation with octave data

Noise sensitive area: GG Plavmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 689	2 695	6,72	97,4	-	0,00
10	4 978	4 981	1,10	97,4	-	0,00
11	6 078	6 081	-0,76	97,4	-	0,00
12	6 871	6 874	-1,92	97,4	-	0,00
13	6 292	6 295	-1,09	97,4	-	0,00
14	5 716	5 719	-0,19	97,4	-	0,00
15	6 185	6 188	-0,93	97,4	-	0,00
16	6 571	6 573	-1,50	97,4	-	0,00
17	7 006	7 008	-2,10	97,4	-	0,00
18	5 432	5 435	0,29	97,4	-	0,00
19	5 679	5 682	-0,13	97,4	-	0,00
2	2 109	2 117	8,90	97,4	-	0,00
20	6 563	6 565	-1,49	97,4	-	0,00
21	6 194	6 197	-0,94	97,4	-	0,00
22	6 815	6 817	-1,84	97,4	-	0,00
23	7 162	7 164	-2,31	97,4	-	0,00
24	6 596	6 599	-1,53	97,4	-	0,00
25	4 856	4 859	1,33	97,4	-	0,00
26	4 715	4 719	1,60	97,4	-	0,00
27	5 840	5 843	-0,39	97,4	-	0,00
28	5 282	5 285	0,55	97,4	-	0,00
29	5 166	5 169	0,75	97,4	-	0,00
3	1 697	1 706	10,83	97,4	-	0,00
30	5 735	5 738	-0,22	97,4	-	0,00
31	6 246	6 249	-1,02	97,4	-	0,00
32	5 528	5 531	0,12	97,4	-	0,00
33	6 124	6 127	-0,84	97,4	-	0,00
34	6 539	6 541	-1,45	97,4	-	0,00
35	6 139	6 141	-0,86	97,4	-	0,00
36	6 622	6 625	-1,57	97,4	-	0,00
37	7 153	7 155	-2,30	97,4	-	0,00
38	7 869	7 872	-3,21	97,4	-	0,00
39	6 990	6 992	-2,08	97,4	-	0,00
4	2 193	2 200	8,55	97,4	-	0,00
40	8 411	8 413	-3,84	97,4	-	0,00
41	8 925	8 927	-4,41	97,4	-	0,00
5	1 705	1 714	10,79	97,4	-	0,00
6	2 803	2 809	6,35	97,4	-	0,00
7	3 236	3 242	5,05	97,4	-	0,00
8	4 604	4 607	1,82	97,4	-	0,00
9	4 787	4 791	1,46	97,4	-	0,00
Sum			19,06			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GG Plavmalas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 689	2 695	6,72	97,4	-	0,00
10	4 978	4 981	1,10	97,4	-	0,00
11	6 078	6 081	-0,76	97,4	-	0,00
12	6 871	6 874	-1,92	97,4	-	0,00
13	6 292	6 295	-1,09	97,4	-	0,00
14	5 716	5 719	-0,19	97,4	-	0,00
15	6 185	6 188	-0,93	97,4	-	0,00
16	6 571	6 573	-1,50	97,4	-	0,00
17	7 006	7 008	-2,10	97,4	-	0,00
18	5 432	5 435	0,29	97,4	-	0,00
19	5 679	5 682	-0,13	97,4	-	0,00
2	2 109	2 117	8,90	97,4	-	0,00
20	6 563	6 565	-1,49	97,4	-	0,00
21	6 194	6 197	-0,94	97,4	-	0,00
22	6 815	6 817	-1,84	97,4	-	0,00
23	7 162	7 164	-2,31	97,4	-	0,00
24	6 596	6 599	-1,53	97,4	-	0,00
25	4 856	4 859	1,33	97,4	-	0,00
26	4 715	4 719	1,60	97,4	-	0,00
27	5 840	5 843	-0,39	97,4	-	0,00
28	5 282	5 285	0,55	97,4	-	0,00
29	5 166	5 169	0,75	97,4	-	0,00
3	1 697	1 706	10,83	97,4	-	0,00
30	5 735	5 738	-0,22	97,4	-	0,00
31	6 246	6 249	-1,02	97,4	-	0,00
32	5 528	5 531	0,12	97,4	-	0,00
33	6 124	6 127	-0,84	97,4	-	0,00
34	6 539	6 541	-1,45	97,4	-	0,00
35	6 139	6 141	-0,86	97,4	-	0,00
36	6 622	6 625	-1,57	97,4	-	0,00
37	7 153	7 155	-2,30	97,4	-	0,00
38	7 869	7 872	-3,21	97,4	-	0,00
39	6 990	6 992	-2,08	97,4	-	0,00
4	2 193	2 200	8,55	97,4	-	0,00
40	8 411	8 413	-3,84	97,4	-	0,00
41	8 925	8 927	-4,41	97,4	-	0,00
5	1 705	1 714	10,79	97,4	-	0,00
6	2 803	2 809	6,35	97,4	-	0,00
7	3 236	3 242	5,05	97,4	-	0,00
8	4 604	4 607	1,82	97,4	-	0,00
9	4 787	4 791	1,46	97,4	-	0,00
Sum			19,06			

- Data undefined due to calculation with octave data

Noise sensitive area: GH Kalinas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 643	2 649	6,88	97,4	-	0,00
10	4 671	4 675	1,69	97,4	-	0,00
11	5 788	5 791	-0,31	97,4	-	0,00
12	6 578	6 580	-1,51	97,4	-	0,00
13	6 012	6 014	-0,66	97,4	-	0,00
14	5 449	5 452	0,26	97,4	-	0,00
15	5 928	5 931	-0,53	97,4	-	0,00
16	6 320	6 322	-1,13	97,4	-	0,00
17	6 763	6 766	-1,77	97,4	-	0,00
18	5 230	5 233	0,64	97,4	-	0,00
19	5 497	5 500	0,18	97,4	-	0,00
2	2 055	2 063	9,13	97,4	-	0,00
20	6 346	6 349	-1,17	97,4	-	0,00
21	6 009	6 011	-0,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 614	6 616	-1,56	97,4	-	0,00
23	6 974	6 976	-2,06	97,4	-	0,00
24	6 429	6 431	-1,29	97,4	-	0,00
25	4 705	4 708	1,62	97,4	-	0,00
26	4 610	4 614	1,81	97,4	-	0,00
27	5 688	5 691	-0,14	97,4	-	0,00
28	5 153	5 156	0,78	97,4	-	0,00
29	5 075	5 078	0,92	97,4	-	0,00
3	1 541	1 551	11,68	97,4	-	0,00
30	5 621	5 624	-0,03	97,4	-	0,00
31	6 113	6 116	-0,82	97,4	-	0,00
32	5 456	5 459	0,25	97,4	-	0,00
33	6 068	6 070	-0,75	97,4	-	0,00
34	6 463	6 465	-1,34	97,4	-	0,00
35	6 043	6 046	-0,71	97,4	-	0,00
36	6 512	6 514	-1,41	97,4	-	0,00
37	7 020	7 022	-2,12	97,4	-	0,00
38	7 727	7 729	-3,03	97,4	-	0,00
39	6 831	6 833	-1,86	97,4	-	0,00
4	1 974	1 982	9,49	97,4	-	0,00
40	8 252	8 253	-3,66	97,4	-	0,00
41	8 772	8 774	-4,25	97,4	-	0,00
5	1 455	1 465	12,19	97,4	-	0,00
6	2 561	2 567	7,16	97,4	-	0,00
7	3 011	3 016	5,70	97,4	-	0,00
8	4 296	4 300	2,46	97,4	-	0,00
9	4 484	4 487	2,07	97,4	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Noise sensitive area: GH Kalinas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 643	2 649	6,88	97,4	-	0,00
10	4 671	4 675	1,69	97,4	-	0,00
11	5 788	5 791	-0,31	97,4	-	0,00
12	6 578	6 580	-1,51	97,4	-	0,00
13	6 012	6 014	-0,66	97,4	-	0,00
14	5 449	5 452	0,26	97,4	-	0,00
15	5 928	5 931	-0,53	97,4	-	0,00
16	6 320	6 322	-1,13	97,4	-	0,00
17	6 763	6 766	-1,77	97,4	-	0,00
18	5 230	5 233	0,64	97,4	-	0,00
19	5 497	5 500	0,18	97,4	-	0,00
2	2 055	2 063	9,13	97,4	-	0,00
20	6 346	6 349	-1,17	97,4	-	0,00
21	6 009	6 011	-0,66	97,4	-	0,00
22	6 614	6 616	-1,56	97,4	-	0,00
23	6 974	6 976	-2,06	97,4	-	0,00
24	6 429	6 431	-1,29	97,4	-	0,00
25	4 705	4 708	1,62	97,4	-	0,00
26	4 610	4 614	1,81	97,4	-	0,00
27	5 688	5 691	-0,14	97,4	-	0,00
28	5 153	5 156	0,78	97,4	-	0,00
29	5 075	5 078	0,92	97,4	-	0,00
3	1 541	1 551	11,68	97,4	-	0,00
30	5 621	5 624	-0,03	97,4	-	0,00
31	6 113	6 116	-0,82	97,4	-	0,00
32	5 456	5 459	0,25	97,4	-	0,00
33	6 068	6 070	-0,75	97,4	-	0,00
34	6 463	6 465	-1,34	97,4	-	0,00
35	6 043	6 046	-0,71	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 512	6 514	-1,41	97,4	-	0,00
37	7 020	7 022	-2,12	97,4	-	0,00
38	7 727	7 729	-3,03	97,4	-	0,00
39	6 831	6 833	-1,86	97,4	-	0,00
4	1 974	1 982	9,49	97,4	-	0,00
40	8 252	8 253	-3,66	97,4	-	0,00
41	8 772	8 774	-4,25	97,4	-	0,00
5	1 455	1 465	12,19	97,4	-	0,00
6	2 561	2 567	7,16	97,4	-	0,00
7	3 011	3 016	5,70	97,4	-	0,00
8	4 296	4 300	2,46	97,4	-	0,00
9	4 484	4 487	2,07	97,4	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Noise sensitive area: GI Ozoli 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 956	1 964	9,57	97,4	-	0,00
10	4 414	4 418	2,21	97,4	-	0,00
11	5 821	5 823	-0,36	97,4	-	0,00
12	6 579	6 582	-1,51	97,4	-	0,00
13	6 103	6 105	-0,80	97,4	-	0,00
14	5 616	5 619	-0,02	97,4	-	0,00
15	6 135	6 137	-0,85	97,4	-	0,00
16	6 547	6 550	-1,46	97,4	-	0,00
17	7 019	7 021	-2,12	97,4	-	0,00
18	5 621	5 623	-0,03	97,4	-	0,00
19	5 932	5 934	-0,54	97,4	-	0,00
2	1 369	1 380	12,71	97,4	-	0,00
20	6 689	6 691	-1,67	97,4	-	0,00
21	6 434	6 436	-1,30	97,4	-	0,00
22	6 996	6 999	-2,09	97,4	-	0,00
23	7 388	7 390	-2,61	97,4	-	0,00
24	6 891	6 893	-1,95	97,4	-	0,00
25	5 210	5 213	0,67	97,4	-	0,00
26	5 192	5 195	0,71	97,4	-	0,00
27	6 188	6 190	-0,93	97,4	-	0,00
28	5 695	5 698	-0,15	97,4	-	0,00
29	5 672	5 675	-0,12	97,4	-	0,00
3	824	842	17,08	97,4	-	0,00
30	6 185	6 188	-0,93	97,4	-	0,00
31	6 643	6 645	-1,60	97,4	-	0,00
32	6 076	6 078	-0,76	97,4	-	0,00
33	6 703	6 706	-1,69	97,4	-	0,00
34	7 075	7 077	-2,20	97,4	-	0,00
35	6 630	6 633	-1,58	97,4	-	0,00
36	7 076	7 078	-2,20	97,4	-	0,00
37	7 545	7 547	-2,81	97,4	-	0,00
38	8 232	8 235	-3,64	97,4	-	0,00
39	7 309	7 311	-2,50	97,4	-	0,00
4	1 330	1 341	12,97	97,4	-	0,00
40	8 723	8 725	-4,19	97,4	-	0,00
41	9 256	9 257	-4,76	97,4	-	0,00
5	908	924	16,27	97,4	-	0,00
6	1 963	1 971	9,54	97,4	-	0,00
7	2 373	2 380	7,85	97,4	-	0,00
8	4 121	4 125	2,84	97,4	-	0,00
9	4 400	4 403	2,24	97,4	-	0,00
Sum			22,66			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GI Ozoli 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 956	1 964	9,57	97,4	-	0,00
10	4 414	4 418	2,21	97,4	-	0,00
11	5 821	5 823	-0,36	97,4	-	0,00
12	6 579	6 582	-1,51	97,4	-	0,00
13	6 103	6 105	-0,80	97,4	-	0,00
14	5 616	5 619	-0,02	97,4	-	0,00
15	6 135	6 137	-0,85	97,4	-	0,00
16	6 547	6 550	-1,46	97,4	-	0,00
17	7 019	7 021	-2,12	97,4	-	0,00
18	5 621	5 623	-0,03	97,4	-	0,00
19	5 932	5 934	-0,54	97,4	-	0,00
2	1 369	1 380	12,71	97,4	-	0,00
20	6 689	6 691	-1,67	97,4	-	0,00
21	6 434	6 436	-1,30	97,4	-	0,00
22	6 996	6 999	-2,09	97,4	-	0,00
23	7 388	7 390	-2,61	97,4	-	0,00
24	6 891	6 893	-1,95	97,4	-	0,00
25	5 210	5 213	0,67	97,4	-	0,00
26	5 192	5 195	0,71	97,4	-	0,00
27	6 188	6 190	-0,93	97,4	-	0,00
28	5 695	5 698	-0,15	97,4	-	0,00
29	5 672	5 675	-0,12	97,4	-	0,00
3	824	842	17,08	97,4	-	0,00
30	6 185	6 188	-0,93	97,4	-	0,00
31	6 643	6 645	-1,60	97,4	-	0,00
32	6 076	6 078	-0,76	97,4	-	0,00
33	6 703	6 706	-1,69	97,4	-	0,00
34	7 075	7 077	-2,20	97,4	-	0,00
35	6 630	6 633	-1,58	97,4	-	0,00
36	7 076	7 078	-2,20	97,4	-	0,00
37	7 545	7 547	-2,81	97,4	-	0,00
38	8 232	8 235	-3,64	97,4	-	0,00
39	7 309	7 311	-2,50	97,4	-	0,00
4	1 330	1 341	12,97	97,4	-	0,00
40	8 723	8 725	-4,19	97,4	-	0,00
41	9 256	9 257	-4,76	97,4	-	0,00
5	908	924	16,27	97,4	-	0,00
6	1 963	1 971	9,54	97,4	-	0,00
7	2 373	2 380	7,85	97,4	-	0,00
8	4 121	4 125	2,84	97,4	-	0,00
9	4 400	4 403	2,24	97,4	-	0,00
Sum			22,66			

- Data undefined due to calculation with octave data

Noise sensitive area: GJ Žuburi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 394	2 401	7,77	97,4	-	0,00
10	4 988	4 991	1,08	97,4	-	0,00
11	6 205	6 207	-0,96	97,4	-	0,00
12	6 988	6 991	-2,08	97,4	-	0,00
13	6 441	6 444	-1,31	97,4	-	0,00
14	5 890	5 893	-0,47	97,4	-	0,00
15	6 374	6 376	-1,21	97,4	-	0,00
16	6 768	6 770	-1,78	97,4	-	0,00
17	7 213	7 215	-2,38	97,4	-	0,00
18	5 678	5 680	-0,13	97,4	-	0,00
19	5 939	5 942	-0,55	97,4	-	0,00
2	1 819	1 828	10,21	97,4	-	0,00
20	6 797	6 799	-1,82	97,4	-	0,00
21	6 452	6 455	-1,33	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 061	7 064	-2,18	97,4	-	0,00
23	7 418	7 420	-2,65	97,4	-	0,00
24	6 865	6 868	-1,91	97,4	-	0,00
25	5 133	5 136	0,81	97,4	-	0,00
26	5 010	5 014	1,04	97,4	-	0,00
27	6 117	6 120	-0,82	97,4	-	0,00
28	5 569	5 572	0,05	97,4	-	0,00
29	5 465	5 468	0,23	97,4	-	0,00
3	1 470	1 481	12,09	97,4	-	0,00
30	6 028	6 030	-0,69	97,4	-	0,00
31	6 532	6 534	-1,44	97,4	-	0,00
32	5 831	5 834	-0,38	97,4	-	0,00
33	6 430	6 433	-1,29	97,4	-	0,00
34	6 842	6 844	-1,88	97,4	-	0,00
35	6 437	6 439	-1,30	97,4	-	0,00
36	6 916	6 919	-1,98	97,4	-	0,00
37	7 439	7 441	-2,67	97,4	-	0,00
38	8 151	8 153	-3,54	97,4	-	0,00
39	7 264	7 266	-2,45	97,4	-	0,00
4	2 019	2 027	9,29	97,4	-	0,00
40	8 685	8 687	-4,15	97,4	-	0,00
41	9 203	9 204	-4,71	97,4	-	0,00
5	1 582	1 592	11,45	97,4	-	0,00
6	2 653	2 659	6,84	97,4	-	0,00
7	3 061	3 067	5,55	97,4	-	0,00
8	4 646	4 649	1,74	97,4	-	0,00
9	4 866	4 869	1,31	97,4	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Noise sensitive area: GJ Žuburi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 394	2 401	7,77	97,4	-	0,00
10	4 988	4 991	1,08	97,4	-	0,00
11	6 205	6 207	-0,96	97,4	-	0,00
12	6 988	6 991	-2,08	97,4	-	0,00
13	6 441	6 444	-1,31	97,4	-	0,00
14	5 890	5 893	-0,47	97,4	-	0,00
15	6 374	6 376	-1,21	97,4	-	0,00
16	6 768	6 770	-1,78	97,4	-	0,00
17	7 213	7 215	-2,38	97,4	-	0,00
18	5 678	5 680	-0,13	97,4	-	0,00
19	5 939	5 942	-0,55	97,4	-	0,00
2	1 819	1 828	10,21	97,4	-	0,00
20	6 797	6 799	-1,82	97,4	-	0,00
21	6 452	6 455	-1,33	97,4	-	0,00
22	7 061	7 064	-2,18	97,4	-	0,00
23	7 418	7 420	-2,65	97,4	-	0,00
24	6 865	6 868	-1,91	97,4	-	0,00
25	5 133	5 136	0,81	97,4	-	0,00
26	5 010	5 014	1,04	97,4	-	0,00
27	6 117	6 120	-0,82	97,4	-	0,00
28	5 569	5 572	0,05	97,4	-	0,00
29	5 465	5 468	0,23	97,4	-	0,00
3	1 470	1 481	12,09	97,4	-	0,00
30	6 028	6 030	-0,69	97,4	-	0,00
31	6 532	6 534	-1,44	97,4	-	0,00
32	5 831	5 834	-0,38	97,4	-	0,00
33	6 430	6 433	-1,29	97,4	-	0,00
34	6 842	6 844	-1,88	97,4	-	0,00
35	6 437	6 439	-1,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 916	6 919	-1,98	97,4	-	0,00
37	7 439	7 441	-2,67	97,4	-	0,00
38	8 151	8 153	-3,54	97,4	-	0,00
39	7 264	7 266	-2,45	97,4	-	0,00
4	2 019	2 027	9,29	97,4	-	0,00
40	8 685	8 687	-4,15	97,4	-	0,00
41	9 203	9 204	-4,71	97,4	-	0,00
5	1 582	1 592	11,45	97,4	-	0,00
6	2 653	2 659	6,84	97,4	-	0,00
7	3 061	3 067	5,55	97,4	-	0,00
8	4 646	4 649	1,74	97,4	-	0,00
9	4 866	4 869	1,31	97,4	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Noise sensitive area: GK Stropi

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 098	2 106	8,95	97,4	-	0,00
10	5 109	5 111	0,86	97,4	-	0,00
11	6 440	6 442	-1,31	97,4	-	0,00
12	7 212	7 215	-2,38	97,4	-	0,00
13	6 696	6 698	-1,68	97,4	-	0,00
14	6 168	6 170	-0,90	97,4	-	0,00
15	6 664	6 666	-1,63	97,4	-	0,00
16	7 064	7 066	-2,18	97,4	-	0,00
17	7 517	7 519	-2,77	97,4	-	0,00
18	6 012	6 014	-0,66	97,4	-	0,00
19	6 281	6 284	-1,07	97,4	-	0,00
2	1 541	1 552	11,67	97,4	-	0,00
20	7 122	7 124	-2,26	97,4	-	0,00
21	6 794	6 796	-1,81	97,4	-	0,00
22	7 395	7 398	-2,62	97,4	-	0,00
23	7 758	7 760	-3,07	97,4	-	0,00
24	7 213	7 215	-2,38	97,4	-	0,00
25	5 485	5 489	0,20	97,4	-	0,00
26	5 369	5 372	0,40	97,4	-	0,00
27	6 470	6 472	-1,35	97,4	-	0,00
28	5 926	5 929	-0,53	97,4	-	0,00
29	5 824	5 827	-0,36	97,4	-	0,00
3	1 333	1 344	12,95	97,4	-	0,00
30	6 386	6 388	-1,23	97,4	-	0,00
31	6 888	6 890	-1,94	97,4	-	0,00
32	6 189	6 192	-0,94	97,4	-	0,00
33	6 787	6 789	-1,80	97,4	-	0,00
34	7 200	7 202	-2,36	97,4	-	0,00
35	6 796	6 798	-1,82	97,4	-	0,00
36	7 275	7 277	-2,46	97,4	-	0,00
37	7 795	7 797	-3,12	97,4	-	0,00
38	8 505	8 508	-3,95	97,4	-	0,00
39	7 614	7 616	-2,89	97,4	-	0,00
4	1 948	1 956	9,61	97,4	-	0,00
40	9 035	9 037	-4,53	97,4	-	0,00
41	9 554	9 556	-5,07	97,4	-	0,00
5	1 596	1 605	11,37	97,4	-	0,00
6	2 602	2 608	7,02	97,4	-	0,00
7	2 970	2 975	5,83	97,4	-	0,00
8	4 802	4 806	1,43	97,4	-	0,00
9	5 058	5 061	0,95	97,4	-	0,00
Sum			19,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GK Stropi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 098	2 106	8,95	97,4	-	0,00
10	5 109	5 111	0,86	97,4	-	0,00
11	6 440	6 442	-1,31	97,4	-	0,00
12	7 212	7 215	-2,38	97,4	-	0,00
13	6 696	6 698	-1,68	97,4	-	0,00
14	6 168	6 170	-0,90	97,4	-	0,00
15	6 664	6 666	-1,63	97,4	-	0,00
16	7 064	7 066	-2,18	97,4	-	0,00
17	7 517	7 519	-2,77	97,4	-	0,00
18	6 012	6 014	-0,66	97,4	-	0,00
19	6 281	6 284	-1,07	97,4	-	0,00
2	1 541	1 552	11,67	97,4	-	0,00
20	7 122	7 124	-2,26	97,4	-	0,00
21	6 794	6 796	-1,81	97,4	-	0,00
22	7 395	7 398	-2,62	97,4	-	0,00
23	7 758	7 760	-3,07	97,4	-	0,00
24	7 213	7 215	-2,38	97,4	-	0,00
25	5 485	5 489	0,20	97,4	-	0,00
26	5 369	5 372	0,40	97,4	-	0,00
27	6 470	6 472	-1,35	97,4	-	0,00
28	5 926	5 929	-0,53	97,4	-	0,00
29	5 824	5 827	-0,36	97,4	-	0,00
3	1 333	1 344	12,95	97,4	-	0,00
30	6 386	6 388	-1,23	97,4	-	0,00
31	6 888	6 890	-1,94	97,4	-	0,00
32	6 189	6 192	-0,94	97,4	-	0,00
33	6 787	6 789	-1,80	97,4	-	0,00
34	7 200	7 202	-2,36	97,4	-	0,00
35	6 796	6 798	-1,82	97,4	-	0,00
36	7 275	7 277	-2,46	97,4	-	0,00
37	7 795	7 797	-3,12	97,4	-	0,00
38	8 505	8 508	-3,95	97,4	-	0,00
39	7 614	7 616	-2,89	97,4	-	0,00
4	1 948	1 956	9,61	97,4	-	0,00
40	9 035	9 037	-4,53	97,4	-	0,00
41	9 554	9 556	-5,07	97,4	-	0,00
5	1 596	1 605	11,37	97,4	-	0,00
6	2 602	2 608	7,02	97,4	-	0,00
7	2 970	2 975	5,83	97,4	-	0,00
8	4 802	4 806	1,43	97,4	-	0,00
9	5 058	5 061	0,95	97,4	-	0,00
Sum			19,93			

- Data undefined due to calculation with octave data

Noise sensitive area: GL Krievi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 089	2 097	8,99	97,4	-	0,00
10	5 462	5 465	0,24	97,4	-	0,00
11	6 820	6 822	-1,85	97,4	-	0,00
12	7 592	7 594	-2,87	97,4	-	0,00
13	7 076	7 078	-2,20	97,4	-	0,00
14	6 545	6 547	-1,46	97,4	-	0,00
15	7 038	7 040	-2,15	97,4	-	0,00
16	7 436	7 438	-2,67	97,4	-	0,00
17	7 886	7 888	-3,23	97,4	-	0,00
18	6 358	6 360	-1,19	97,4	-	0,00
19	6 616	6 619	-1,56	97,4	-	0,00
2	1 584	1 594	11,43	97,4	-	0,00
20	7 477	7 479	-2,72	97,4	-	0,00
21	7 130	7 132	-2,27	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 742	7 744	-3,05	97,4	-	0,00
23	8 097	8 099	-3,48	97,4	-	0,00
24	7 538	7 540	-2,80	97,4	-	0,00
25	5 799	5 802	-0,32	97,4	-	0,00
26	5 650	5 653	-0,08	97,4	-	0,00
27	6 783	6 786	-1,80	97,4	-	0,00
28	6 224	6 226	-0,99	97,4	-	0,00
29	6 093	6 096	-0,79	97,4	-	0,00
3	1 561	1 570	11,57	97,4	-	0,00
30	6 672	6 674	-1,64	97,4	-	0,00
31	7 188	7 190	-2,35	97,4	-	0,00
32	6 443	6 445	-1,31	97,4	-	0,00
33	7 026	7 028	-2,13	97,4	-	0,00
34	7 455	7 457	-2,69	97,4	-	0,00
35	7 068	7 070	-2,19	97,4	-	0,00
36	7 558	7 560	-2,82	97,4	-	0,00
37	8 095	8 097	-3,48	97,4	-	0,00
38	8 813	8 815	-4,29	97,4	-	0,00
39	7 933	7 935	-3,29	97,4	-	0,00
4	2 210	2 217	8,48	97,4	-	0,00
40	9 354	9 356	-4,87	97,4	-	0,00
41	9 869	9 871	-5,38	97,4	-	0,00
5	1 919	1 926	9,74	97,4	-	0,00
6	2 869	2 874	6,14	97,4	-	0,00
7	3 201	3 206	5,15	97,4	-	0,00
8	5 169	5 172	0,75	97,4	-	0,00
9	5 433	5 436	0,29	97,4	-	0,00
Sum			19,13			

- Data undefined due to calculation with octave data

Noise sensitive area: GL Krievi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 089	2 097	8,99	97,4	-	0,00
10	5 462	5 465	0,24	97,4	-	0,00
11	6 820	6 822	-1,85	97,4	-	0,00
12	7 592	7 594	-2,87	97,4	-	0,00
13	7 076	7 078	-2,20	97,4	-	0,00
14	6 545	6 547	-1,46	97,4	-	0,00
15	7 038	7 040	-2,15	97,4	-	0,00
16	7 436	7 438	-2,67	97,4	-	0,00
17	7 886	7 888	-3,23	97,4	-	0,00
18	6 358	6 360	-1,19	97,4	-	0,00
19	6 616	6 619	-1,56	97,4	-	0,00
2	1 584	1 594	11,43	97,4	-	0,00
20	7 477	7 479	-2,72	97,4	-	0,00
21	7 130	7 132	-2,27	97,4	-	0,00
22	7 742	7 744	-3,05	97,4	-	0,00
23	8 097	8 099	-3,48	97,4	-	0,00
24	7 538	7 540	-2,80	97,4	-	0,00
25	5 799	5 802	-0,32	97,4	-	0,00
26	5 650	5 653	-0,08	97,4	-	0,00
27	6 783	6 786	-1,80	97,4	-	0,00
28	6 224	6 226	-0,99	97,4	-	0,00
29	6 093	6 096	-0,79	97,4	-	0,00
3	1 561	1 570	11,57	97,4	-	0,00
30	6 672	6 674	-1,64	97,4	-	0,00
31	7 188	7 190	-2,35	97,4	-	0,00
32	6 443	6 445	-1,31	97,4	-	0,00
33	7 026	7 028	-2,13	97,4	-	0,00
34	7 455	7 457	-2,69	97,4	-	0,00
35	7 068	7 070	-2,19	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 558	7 560	-2,82	97,4	-	0,00
37	8 095	8 097	-3,48	97,4	-	0,00
38	8 813	8 815	-4,29	97,4	-	0,00
39	7 933	7 935	-3,29	97,4	-	0,00
4	2 210	2 217	8,48	97,4	-	0,00
40	9 354	9 356	-4,87	97,4	-	0,00
41	9 869	9 871	-5,38	97,4	-	0,00
5	1 919	1 926	9,74	97,4	-	0,00
6	2 869	2 874	6,14	97,4	-	0,00
7	3 201	3 206	5,15	97,4	-	0,00
8	5 169	5 172	0,75	97,4	-	0,00
9	5 433	5 436	0,29	97,4	-	0,00
Sum			19,13			

- Data undefined due to calculation with octave data

Noise sensitive area: GM Leonovi

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 938	2 943	5,93	97,4	-	0,00
10	4 446	4 449	2,15	97,4	-	0,00
11	5 442	5 445	0,27	97,4	-	0,00
12	6 239	6 242	-1,01	97,4	-	0,00
13	5 649	5 652	-0,08	97,4	-	0,00
14	5 070	5 073	0,93	97,4	-	0,00
15	5 541	5 543	0,10	97,4	-	0,00
16	5 929	5 931	-0,53	97,4	-	0,00
17	6 368	6 371	-1,20	97,4	-	0,00
18	4 827	4 830	1,38	97,4	-	0,00
19	5 096	5 099	0,88	97,4	-	0,00
2	2 350	2 357	7,93	97,4	-	0,00
20	5 944	5 947	-0,56	97,4	-	0,00
21	5 607	5 610	-0,01	97,4	-	0,00
22	6 211	6 214	-0,97	97,4	-	0,00
23	6 572	6 575	-1,50	97,4	-	0,00
24	6 031	6 033	-0,69	97,4	-	0,00
25	4 312	4 316	2,43	97,4	-	0,00
26	4 241	4 244	2,58	97,4	-	0,00
27	5 296	5 299	0,52	97,4	-	0,00
28	4 770	4 773	1,49	97,4	-	0,00
29	4 712	4 716	1,61	97,4	-	0,00
3	1 744	1 752	10,59	97,4	-	0,00
30	5 246	5 249	0,61	97,4	-	0,00
31	5 727	5 730	-0,21	97,4	-	0,00
32	5 106	5 109	0,86	97,4	-	0,00
33	5 728	5 730	-0,21	97,4	-	0,00
34	6 109	6 111	-0,81	97,4	-	0,00
35	5 677	5 679	-0,12	97,4	-	0,00
36	6 137	6 139	-0,85	97,4	-	0,00
37	6 634	6 636	-1,59	97,4	-	0,00
38	7 336	7 339	-2,54	97,4	-	0,00
39	6 435	6 438	-1,30	97,4	-	0,00
4	2 063	2 070	9,10	97,4	-	0,00
40	7 855	7 857	-3,19	97,4	-	0,00
41	8 378	8 380	-3,81	97,4	-	0,00
5	1 499	1 509	11,93	97,4	-	0,00
6	2 589	2 595	7,07	97,4	-	0,00
7	3 067	3 072	5,54	97,4	-	0,00
8	4 035	4 039	3,04	97,4	-	0,00
9	4 184	4 187	2,70	97,4	-	0,00
Sum			19,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GM Leonovi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 938	2 943	5,93	97,4	-	0,00
10	4 446	4 449	2,15	97,4	-	0,00
11	5 442	5 445	0,27	97,4	-	0,00
12	6 239	6 242	-1,01	97,4	-	0,00
13	5 649	5 652	-0,08	97,4	-	0,00
14	5 070	5 073	0,93	97,4	-	0,00
15	5 541	5 543	0,10	97,4	-	0,00
16	5 929	5 931	-0,53	97,4	-	0,00
17	6 368	6 371	-1,20	97,4	-	0,00
18	4 827	4 830	1,38	97,4	-	0,00
19	5 096	5 099	0,88	97,4	-	0,00
2	2 350	2 357	7,93	97,4	-	0,00
20	5 944	5 947	-0,56	97,4	-	0,00
21	5 607	5 610	-0,01	97,4	-	0,00
22	6 211	6 214	-0,97	97,4	-	0,00
23	6 572	6 575	-1,50	97,4	-	0,00
24	6 031	6 033	-0,69	97,4	-	0,00
25	4 312	4 316	2,43	97,4	-	0,00
26	4 241	4 244	2,58	97,4	-	0,00
27	5 296	5 299	0,52	97,4	-	0,00
28	4 770	4 773	1,49	97,4	-	0,00
29	4 712	4 716	1,61	97,4	-	0,00
3	1 744	1 752	10,59	97,4	-	0,00
30	5 246	5 249	0,61	97,4	-	0,00
31	5 727	5 730	-0,21	97,4	-	0,00
32	5 106	5 109	0,86	97,4	-	0,00
33	5 728	5 730	-0,21	97,4	-	0,00
34	6 109	6 111	-0,81	97,4	-	0,00
35	5 677	5 679	-0,12	97,4	-	0,00
36	6 137	6 139	-0,85	97,4	-	0,00
37	6 634	6 636	-1,59	97,4	-	0,00
38	7 336	7 339	-2,54	97,4	-	0,00
39	6 435	6 438	-1,30	97,4	-	0,00
4	2 063	2 070	9,10	97,4	-	0,00
40	7 855	7 857	-3,19	97,4	-	0,00
41	8 378	8 380	-3,81	97,4	-	0,00
5	1 499	1 509	11,93	97,4	-	0,00
6	2 589	2 595	7,07	97,4	-	0,00
7	3 067	3 072	5,54	97,4	-	0,00
8	4 035	4 039	3,04	97,4	-	0,00
9	4 184	4 187	2,70	97,4	-	0,00
Sum			19,56			

- Data undefined due to calculation with octave data

Noise sensitive area: GN Skujas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 288	2 295	8,18	97,4	-	0,00
10	4 213	4 216	2,64	97,4	-	0,00
11	5 509	5 512	0,16	97,4	-	0,00
12	6 278	6 281	-1,07	97,4	-	0,00
13	5 775	5 778	-0,29	97,4	-	0,00
14	5 270	5 273	0,57	97,4	-	0,00
15	5 782	5 784	-0,30	97,4	-	0,00
16	6 191	6 193	-0,94	97,4	-	0,00
17	6 658	6 661	-1,62	97,4	-	0,00
18	5 247	5 249	0,61	97,4	-	0,00
19	5 557	5 560	0,07	97,4	-	0,00
2	1 707	1 716	10,78	97,4	-	0,00
20	6 318	6 320	-1,13	97,4	-	0,00
21	6 059	6 061	-0,73	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 623	6 625	-1,57	97,4	-	0,00
23	7 013	7 015	-2,11	97,4	-	0,00
24	6 517	6 519	-1,42	97,4	-	0,00
25	4 840	4 844	1,36	97,4	-	0,00
26	4 836	4 839	1,37	97,4	-	0,00
27	5 816	5 819	-0,35	97,4	-	0,00
28	5 329	5 332	0,46	97,4	-	0,00
29	5 320	5 323	0,48	97,4	-	0,00
3	1 061	1 075	14,93	97,4	-	0,00
30	5 823	5 826	-0,36	97,4	-	0,00
31	6 275	6 278	-1,06	97,4	-	0,00
32	5 731	5 733	-0,21	97,4	-	0,00
33	6 364	6 367	-1,20	97,4	-	0,00
34	6 726	6 729	-1,72	97,4	-	0,00
35	6 274	6 277	-1,06	97,4	-	0,00
36	6 714	6 716	-1,70	97,4	-	0,00
37	7 176	7 178	-2,33	97,4	-	0,00
38	7 861	7 863	-3,20	97,4	-	0,00
39	6 935	6 938	-2,01	97,4	-	0,00
4	1 416	1 427	12,42	97,4	-	0,00
40	8 349	8 351	-3,77	97,4	-	0,00
41	8 882	8 884	-4,37	97,4	-	0,00
5	887	903	16,47	97,4	-	0,00
6	1 993	2 001	9,40	97,4	-	0,00
7	2 447	2 454	7,57	97,4	-	0,00
8	3 881	3 885	3,39	97,4	-	0,00
9	4 124	4 127	2,84	97,4	-	0,00
Sum			21,98			

- Data undefined due to calculation with octave data

Noise sensitive area: GN Skujas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 288	2 295	8,18	97,4	-	0,00
10	4 213	4 216	2,64	97,4	-	0,00
11	5 509	5 512	0,16	97,4	-	0,00
12	6 278	6 281	-1,07	97,4	-	0,00
13	5 775	5 778	-0,29	97,4	-	0,00
14	5 270	5 273	0,57	97,4	-	0,00
15	5 782	5 784	-0,30	97,4	-	0,00
16	6 191	6 193	-0,94	97,4	-	0,00
17	6 658	6 661	-1,62	97,4	-	0,00
18	5 247	5 249	0,61	97,4	-	0,00
19	5 557	5 560	0,07	97,4	-	0,00
2	1 707	1 716	10,78	97,4	-	0,00
20	6 318	6 320	-1,13	97,4	-	0,00
21	6 059	6 061	-0,73	97,4	-	0,00
22	6 623	6 625	-1,57	97,4	-	0,00
23	7 013	7 015	-2,11	97,4	-	0,00
24	6 517	6 519	-1,42	97,4	-	0,00
25	4 840	4 844	1,36	97,4	-	0,00
26	4 836	4 839	1,37	97,4	-	0,00
27	5 816	5 819	-0,35	97,4	-	0,00
28	5 329	5 332	0,46	97,4	-	0,00
29	5 320	5 323	0,48	97,4	-	0,00
3	1 061	1 075	14,93	97,4	-	0,00
30	5 823	5 826	-0,36	97,4	-	0,00
31	6 275	6 278	-1,06	97,4	-	0,00
32	5 731	5 733	-0,21	97,4	-	0,00
33	6 364	6 367	-1,20	97,4	-	0,00
34	6 726	6 729	-1,72	97,4	-	0,00
35	6 274	6 277	-1,06	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 714	6 716	-1,70	97,4	-	0,00
37	7 176	7 178	-2,33	97,4	-	0,00
38	7 861	7 863	-3,20	97,4	-	0,00
39	6 935	6 938	-2,01	97,4	-	0,00
4	1 416	1 427	12,42	97,4	-	0,00
40	8 349	8 351	-3,77	97,4	-	0,00
41	8 882	8 884	-4,37	97,4	-	0,00
5	887	903	16,47	97,4	-	0,00
6	1 993	2 001	9,40	97,4	-	0,00
7	2 447	2 454	7,57	97,4	-	0,00
8	3 881	3 885	3,39	97,4	-	0,00
9	4 124	4 127	2,84	97,4	-	0,00
Sum			21,98			

- Data undefined due to calculation with octave data

Noise sensitive area: GO Janogas

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 539	4 542	1,95	97,4	-	0,00
10	5 298	5 301	0,52	97,4	-	0,00
11	5 590	5 592	0,02	97,4	-	0,00
12	6 409	6 412	-1,26	97,4	-	0,00
13	5 641	5 644	-0,07	97,4	-	0,00
14	4 916	4 920	1,21	97,4	-	0,00
15	5 251	5 254	0,60	97,4	-	0,00
16	5 561	5 564	0,07	97,4	-	0,00
17	5 904	5 907	-0,49	97,4	-	0,00
18	4 085	4 089	2,92	97,4	-	0,00
19	4 208	4 212	2,65	97,4	-	0,00
2	3 950	3 955	3,23	97,4	-	0,00
20	5 271	5 274	0,57	97,4	-	0,00
21	4 723	4 727	1,59	97,4	-	0,00
22	5 417	5 420	0,31	97,4	-	0,00
23	5 680	5 683	-0,13	97,4	-	0,00
24	5 025	5 028	1,01	97,4	-	0,00
25	3 259	3 265	4,98	97,4	-	0,00
26	2 948	2 954	5,89	97,4	-	0,00
27	4 212	4 216	2,64	97,4	-	0,00
28	3 581	3 586	4,13	97,4	-	0,00
29	3 354	3 359	4,72	97,4	-	0,00
3	3 379	3 384	4,66	97,4	-	0,00
30	3 974	3 978	3,18	97,4	-	0,00
31	4 540	4 544	1,95	97,4	-	0,00
32	3 674	3 679	3,89	97,4	-	0,00
33	4 246	4 250	2,57	97,4	-	0,00
34	4 685	4 689	1,66	97,4	-	0,00
35	4 327	4 331	2,39	97,4	-	0,00
36	4 843	4 847	1,35	97,4	-	0,00
37	5 437	5 440	0,28	97,4	-	0,00
38	6 178	6 181	-0,92	97,4	-	0,00
39	5 373	5 376	0,39	97,4	-	0,00
4	3 658	3 663	3,93	97,4	-	0,00
40	6 778	6 780	-1,79	97,4	-	0,00
41	7 262	7 264	-2,44	97,4	-	0,00
5	3 081	3 086	5,50	97,4	-	0,00
6	4 115	4 119	2,86	97,4	-	0,00
7	4 613	4 617	1,80	97,4	-	0,00
8	4 766	4 769	1,50	97,4	-	0,00
9	4 710	4 713	1,61	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GO Janogas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 539	4 542	1,95	97,4	-	0,00
10	5 298	5 301	0,52	97,4	-	0,00
11	5 590	5 592	0,02	97,4	-	0,00
12	6 409	6 412	-1,26	97,4	-	0,00
13	5 641	5 644	-0,07	97,4	-	0,00
14	4 916	4 920	1,21	97,4	-	0,00
15	5 251	5 254	0,60	97,4	-	0,00
16	5 561	5 564	0,07	97,4	-	0,00
17	5 904	5 907	-0,49	97,4	-	0,00
18	4 085	4 089	2,92	97,4	-	0,00
19	4 208	4 212	2,65	97,4	-	0,00
2	3 950	3 955	3,23	97,4	-	0,00
20	5 271	5 274	0,57	97,4	-	0,00
21	4 723	4 727	1,59	97,4	-	0,00
22	5 417	5 420	0,31	97,4	-	0,00
23	5 680	5 683	-0,13	97,4	-	0,00
24	5 025	5 028	1,01	97,4	-	0,00
25	3 259	3 265	4,98	97,4	-	0,00
26	2 948	2 954	5,89	97,4	-	0,00
27	4 212	4 216	2,64	97,4	-	0,00
28	3 581	3 586	4,13	97,4	-	0,00
29	3 354	3 359	4,72	97,4	-	0,00
3	3 379	3 384	4,66	97,4	-	0,00
30	3 974	3 978	3,18	97,4	-	0,00
31	4 540	4 544	1,95	97,4	-	0,00
32	3 674	3 679	3,89	97,4	-	0,00
33	4 246	4 250	2,57	97,4	-	0,00
34	4 685	4 689	1,66	97,4	-	0,00
35	4 327	4 331	2,39	97,4	-	0,00
36	4 843	4 847	1,35	97,4	-	0,00
37	5 437	5 440	0,28	97,4	-	0,00
38	6 178	6 181	-0,92	97,4	-	0,00
39	5 373	5 376	0,39	97,4	-	0,00
4	3 658	3 663	3,93	97,4	-	0,00
40	6 778	6 780	-1,79	97,4	-	0,00
41	7 262	7 264	-2,44	97,4	-	0,00
5	3 081	3 086	5,50	97,4	-	0,00
6	4 115	4 119	2,86	97,4	-	0,00
7	4 613	4 617	1,80	97,4	-	0,00
8	4 766	4 769	1,50	97,4	-	0,00
9	4 710	4 713	1,61	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: GP Kaki š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 552	4 556	1,93	97,4	-	0,00
10	5 325	5 328	0,47	97,4	-	0,00
11	5 614	5 617	-0,02	97,4	-	0,00
12	6 434	6 437	-1,30	97,4	-	0,00
13	5 665	5 668	-0,10	97,4	-	0,00
14	4 938	4 942	1,17	97,4	-	0,00
15	5 272	5 275	0,57	97,4	-	0,00
16	5 580	5 583	0,04	97,4	-	0,00
17	5 923	5 926	-0,52	97,4	-	0,00
18	4 101	4 105	2,89	97,4	-	0,00
19	4 221	4 225	2,62	97,4	-	0,00
2	3 964	3 968	3,20	97,4	-	0,00
20	5 286	5 289	0,54	97,4	-	0,00
21	4 736	4 739	1,56	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 431	5 434	0,29	97,4	-	0,00
23	5 692	5 695	-0,15	97,4	-	0,00
24	5 035	5 038	0,99	97,4	-	0,00
25	3 269	3 275	4,96	97,4	-	0,00
26	2 952	2 958	5,88	97,4	-	0,00
27	4 220	4 224	2,62	97,4	-	0,00
28	3 588	3 592	4,11	97,4	-	0,00
29	3 356	3 361	4,72	97,4	-	0,00
3	3 395	3 400	4,61	97,4	-	0,00
30	3 978	3 982	3,17	97,4	-	0,00
31	4 545	4 549	1,94	97,4	-	0,00
32	3 672	3 677	3,90	97,4	-	0,00
33	4 242	4 246	2,58	97,4	-	0,00
34	4 684	4 687	1,66	97,4	-	0,00
35	4 328	4 332	2,39	97,4	-	0,00
36	4 846	4 849	1,35	97,4	-	0,00
37	5 442	5 445	0,27	97,4	-	0,00
38	6 184	6 187	-0,93	97,4	-	0,00
39	5 381	5 385	0,37	97,4	-	0,00
4	3 678	3 683	3,88	97,4	-	0,00
40	6 785	6 787	-1,80	97,4	-	0,00
41	7 268	7 271	-2,45	97,4	-	0,00
5	3 101	3 106	5,44	97,4	-	0,00
6	4 137	4 141	2,81	97,4	-	0,00
7	4 635	4 639	1,76	97,4	-	0,00
8	4 793	4 796	1,45	97,4	-	0,00
9	4 736	4 740	1,56	97,4	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Noise sensitive area: GP Kaki š i

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 552	4 556	1,93	97,4	-	0,00
10	5 325	5 328	0,47	97,4	-	0,00
11	5 614	5 617	-0,02	97,4	-	0,00
12	6 434	6 437	-1,30	97,4	-	0,00
13	5 665	5 668	-0,10	97,4	-	0,00
14	4 938	4 942	1,17	97,4	-	0,00
15	5 272	5 275	0,57	97,4	-	0,00
16	5 580	5 583	0,04	97,4	-	0,00
17	5 923	5 926	-0,52	97,4	-	0,00
18	4 101	4 105	2,89	97,4	-	0,00
19	4 221	4 225	2,62	97,4	-	0,00
2	3 964	3 968	3,20	97,4	-	0,00
20	5 286	5 289	0,54	97,4	-	0,00
21	4 736	4 739	1,56	97,4	-	0,00
22	5 431	5 434	0,29	97,4	-	0,00
23	5 692	5 695	-0,15	97,4	-	0,00
24	5 035	5 038	0,99	97,4	-	0,00
25	3 269	3 275	4,96	97,4	-	0,00
26	2 952	2 958	5,88	97,4	-	0,00
27	4 220	4 224	2,62	97,4	-	0,00
28	3 588	3 592	4,11	97,4	-	0,00
29	3 356	3 361	4,72	97,4	-	0,00
3	3 395	3 400	4,61	97,4	-	0,00
30	3 978	3 982	3,17	97,4	-	0,00
31	4 545	4 549	1,94	97,4	-	0,00
32	3 672	3 677	3,90	97,4	-	0,00
33	4 242	4 246	2,58	97,4	-	0,00
34	4 684	4 687	1,66	97,4	-	0,00
35	4 328	4 332	2,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 846	4 849	1,35	97,4	-	0,00
37	5 442	5 445	0,27	97,4	-	0,00
38	6 184	6 187	-0,93	97,4	-	0,00
39	5 381	5 385	0,37	97,4	-	0,00
4	3 678	3 683	3,88	97,4	-	0,00
40	6 785	6 787	-1,80	97,4	-	0,00
41	7 268	7 271	-2,45	97,4	-	0,00
5	3 101	3 106	5,44	97,4	-	0,00
6	4 137	4 141	2,81	97,4	-	0,00
7	4 635	4 639	1,76	97,4	-	0,00
8	4 793	4 796	1,45	97,4	-	0,00
9	4 736	4 740	1,56	97,4	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Noise sensitive area: GQ Sarmas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 545	4 549	1,94	97,4	-	0,00
10	4 968	4 971	1,12	97,4	-	0,00
11	5 211	5 214	0,67	97,4	-	0,00
12	6 031	6 033	-0,69	97,4	-	0,00
13	5 263	5 266	0,58	97,4	-	0,00
14	4 540	4 543	1,95	97,4	-	0,00
15	4 881	4 884	1,28	97,4	-	0,00
16	5 197	5 200	0,70	97,4	-	0,00
17	5 549	5 552	0,09	97,4	-	0,00
18	3 755	3 759	3,70	97,4	-	0,00
19	3 903	3 907	3,34	97,4	-	0,00
2	3 957	3 962	3,21	97,4	-	0,00
20	4 937	4 940	1,18	97,4	-	0,00
21	4 420	4 424	2,20	97,4	-	0,00
22	5 102	5 105	0,87	97,4	-	0,00
23	5 383	5 386	0,37	97,4	-	0,00
24	4 749	4 752	1,54	97,4	-	0,00
25	2 982	2 987	5,79	97,4	-	0,00
26	2 743	2 749	6,54	97,4	-	0,00
27	3 950	3 954	3,23	97,4	-	0,00
28	3 345	3 350	4,75	97,4	-	0,00
29	3 181	3 186	5,21	97,4	-	0,00
3	3 332	3 336	4,79	97,4	-	0,00
30	3 769	3 773	3,66	97,4	-	0,00
31	4 310	4 314	2,43	97,4	-	0,00
32	3 538	3 543	4,24	97,4	-	0,00
33	4 141	4 145	2,80	97,4	-	0,00
34	4 549	4 552	1,93	97,4	-	0,00
35	4 155	4 159	2,77	97,4	-	0,00
36	4 651	4 654	1,73	97,4	-	0,00
37	5 213	5 216	0,67	97,4	-	0,00
38	5 946	5 949	-0,56	97,4	-	0,00
39	5 112	5 115	0,85	97,4	-	0,00
4	3 545	3 550	4,22	97,4	-	0,00
40	6 525	6 528	-1,43	97,4	-	0,00
41	7 021	7 023	-2,12	97,4	-	0,00
5	2 967	2 972	5,84	97,4	-	0,00
6	3 956	3 960	3,22	97,4	-	0,00
7	4 459	4 463	2,12	97,4	-	0,00
8	4 425	4 428	2,19	97,4	-	0,00
9	4 350	4 354	2,35	97,4	-	0,00
Sum			18,80			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GQ Sarmas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 545	4 549	1,94	97,4	-	0,00
10	4 968	4 971	1,12	97,4	-	0,00
11	5 211	5 214	0,67	97,4	-	0,00
12	6 031	6 033	-0,69	97,4	-	0,00
13	5 263	5 266	0,58	97,4	-	0,00
14	4 540	4 543	1,95	97,4	-	0,00
15	4 881	4 884	1,28	97,4	-	0,00
16	5 197	5 200	0,70	97,4	-	0,00
17	5 549	5 552	0,09	97,4	-	0,00
18	3 755	3 759	3,70	97,4	-	0,00
19	3 903	3 907	3,34	97,4	-	0,00
2	3 957	3 962	3,21	97,4	-	0,00
20	4 937	4 940	1,18	97,4	-	0,00
21	4 420	4 424	2,20	97,4	-	0,00
22	5 102	5 105	0,87	97,4	-	0,00
23	5 383	5 386	0,37	97,4	-	0,00
24	4 749	4 752	1,54	97,4	-	0,00
25	2 982	2 987	5,79	97,4	-	0,00
26	2 743	2 749	6,54	97,4	-	0,00
27	3 950	3 954	3,23	97,4	-	0,00
28	3 345	3 350	4,75	97,4	-	0,00
29	3 181	3 186	5,21	97,4	-	0,00
3	3 332	3 336	4,79	97,4	-	0,00
30	3 769	3 773	3,66	97,4	-	0,00
31	4 310	4 314	2,43	97,4	-	0,00
32	3 538	3 543	4,24	97,4	-	0,00
33	4 141	4 145	2,80	97,4	-	0,00
34	4 549	4 552	1,93	97,4	-	0,00
35	4 155	4 159	2,77	97,4	-	0,00
36	4 651	4 654	1,73	97,4	-	0,00
37	5 213	5 216	0,67	97,4	-	0,00
38	5 946	5 949	-0,56	97,4	-	0,00
39	5 112	5 115	0,85	97,4	-	0,00
4	3 545	3 550	4,22	97,4	-	0,00
40	6 525	6 528	-1,43	97,4	-	0,00
41	7 021	7 023	-2,12	97,4	-	0,00
5	2 967	2 972	5,84	97,4	-	0,00
6	3 956	3 960	3,22	97,4	-	0,00
7	4 459	4 463	2,12	97,4	-	0,00
8	4 425	4 428	2,19	97,4	-	0,00
9	4 350	4 354	2,35	97,4	-	0,00
Sum			18,80			

- Data undefined due to calculation with octave data

Noise sensitive area: GR Kalites

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 406	6 409	-1,26	97,4	-	0,00
10	7 090	7 092	-2,22	97,4	-	0,00
11	6 874	6 876	-1,92	97,4	-	0,00
12	7 663	7 665	-2,96	97,4	-	0,00
13	6 783	6 785	-1,80	97,4	-	0,00
14	5 982	5 985	-0,62	97,4	-	0,00
15	6 144	6 146	-0,86	97,4	-	0,00
16	6 337	6 340	-1,16	97,4	-	0,00
17	6 538	6 541	-1,45	97,4	-	0,00
18	4 590	4 593	1,85	97,4	-	0,00
19	4 480	4 484	2,07	97,4	-	0,00
2	5 828	5 830	-0,37	97,4	-	0,00
20	5 700	5 703	-0,16	97,4	-	0,00
21	4 920	4 923	1,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 662	5 665	-0,10	97,4	-	0,00
23	5 749	5 751	-0,24	97,4	-	0,00
24	4 983	4 986	1,09	97,4	-	0,00
25	3 470	3 474	4,42	97,4	-	0,00
26	2 774	2 780	6,45	97,4	-	0,00
27	4 154	4 158	2,77	97,4	-	0,00
28	3 452	3 457	4,46	97,4	-	0,00
29	2 892	2 898	6,07	97,4	-	0,00
3	5 340	5 343	0,45	97,4	-	0,00
30	3 581	3 586	4,13	97,4	-	0,00
31	4 228	4 232	2,61	97,4	-	0,00
32	2 927	2 933	5,96	97,4	-	0,00
33	3 240	3 245	5,04	97,4	-	0,00
34	3 795	3 799	3,60	97,4	-	0,00
35	3 684	3 688	3,87	97,4	-	0,00
36	4 262	4 266	2,53	97,4	-	0,00
37	4 992	4 995	1,07	97,4	-	0,00
38	5 739	5 742	-0,23	97,4	-	0,00
39	5 191	5 194	0,71	97,4	-	0,00
4	5 671	5 673	-0,11	97,4	-	0,00
40	6 441	6 443	-1,31	97,4	-	0,00
41	6 824	6 826	-1,85	97,4	-	0,00
5	5 096	5 099	0,88	97,4	-	0,00
6	6 142	6 144	-0,86	97,4	-	0,00
7	6 639	6 641	-1,59	97,4	-	0,00
8	6 512	6 515	-1,41	97,4	-	0,00
9	6 337	6 339	-1,16	97,4	-	0,00
Sum			17,85			

- Data undefined due to calculation with octave data

Noise sensitive area: GR Kalites

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 406	6 409	-1,26	97,4	-	0,00
10	7 090	7 092	-2,22	97,4	-	0,00
11	6 874	6 876	-1,92	97,4	-	0,00
12	7 663	7 665	-2,96	97,4	-	0,00
13	6 783	6 785	-1,80	97,4	-	0,00
14	5 982	5 985	-0,62	97,4	-	0,00
15	6 144	6 146	-0,86	97,4	-	0,00
16	6 337	6 340	-1,16	97,4	-	0,00
17	6 538	6 541	-1,45	97,4	-	0,00
18	4 590	4 593	1,85	97,4	-	0,00
19	4 480	4 484	2,07	97,4	-	0,00
2	5 828	5 830	-0,37	97,4	-	0,00
20	5 700	5 703	-0,16	97,4	-	0,00
21	4 920	4 923	1,21	97,4	-	0,00
22	5 662	5 665	-0,10	97,4	-	0,00
23	5 749	5 751	-0,24	97,4	-	0,00
24	4 983	4 986	1,09	97,4	-	0,00
25	3 470	3 474	4,42	97,4	-	0,00
26	2 774	2 780	6,45	97,4	-	0,00
27	4 154	4 158	2,77	97,4	-	0,00
28	3 452	3 457	4,46	97,4	-	0,00
29	2 892	2 898	6,07	97,4	-	0,00
3	5 340	5 343	0,45	97,4	-	0,00
30	3 581	3 586	4,13	97,4	-	0,00
31	4 228	4 232	2,61	97,4	-	0,00
32	2 927	2 933	5,96	97,4	-	0,00
33	3 240	3 245	5,04	97,4	-	0,00
34	3 795	3 799	3,60	97,4	-	0,00
35	3 684	3 688	3,87	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 262	4 266	2,53	97,4	-	0,00
37	4 992	4 995	1,07	97,4	-	0,00
38	5 739	5 742	-0,23	97,4	-	0,00
39	5 191	5 194	0,71	97,4	-	0,00
4	5 671	5 673	-0,11	97,4	-	0,00
40	6 441	6 443	-1,31	97,4	-	0,00
41	6 824	6 826	-1,85	97,4	-	0,00
5	5 096	5 099	0,88	97,4	-	0,00
6	6 142	6 144	-0,86	97,4	-	0,00
7	6 639	6 641	-1,59	97,4	-	0,00
8	6 512	6 515	-1,41	97,4	-	0,00
9	6 337	6 339	-1,16	97,4	-	0,00
Sum			17,85			

- Data undefined due to calculation with octave data

Noise sensitive area: GS Taurini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 765	4 769	1,50	97,4	-	0,00
10	5 100	5 103	0,87	97,4	-	0,00
11	5 246	5 249	0,61	97,4	-	0,00
12	6 063	6 066	-0,74	97,4	-	0,00
13	5 275	5 278	0,56	97,4	-	0,00
14	4 535	4 539	1,96	97,4	-	0,00
15	4 853	4 857	1,33	97,4	-	0,00
16	5 155	5 158	0,77	97,4	-	0,00
17	5 491	5 494	0,19	97,4	-	0,00
18	3 663	3 668	3,92	97,4	-	0,00
19	3 786	3 790	3,62	97,4	-	0,00
2	4 177	4 181	2,72	97,4	-	0,00
20	4 849	4 852	1,34	97,4	-	0,00
21	4 301	4 305	2,45	97,4	-	0,00
22	4 994	4 998	1,07	97,4	-	0,00
23	5 259	5 262	0,59	97,4	-	0,00
24	4 609	4 613	1,81	97,4	-	0,00
25	2 842	2 848	6,22	97,4	-	0,00
26	2 562	2 569	7,16	97,4	-	0,00
27	3 800	3 805	3,58	97,4	-	0,00
28	3 180	3 185	5,21	97,4	-	0,00
29	2 988	2 994	5,77	97,4	-	0,00
3	3 554	3 558	4,20	97,4	-	0,00
30	3 590	3 594	4,11	97,4	-	0,00
31	4 142	4 147	2,79	97,4	-	0,00
32	3 335	3 340	4,78	97,4	-	0,00
33	3 931	3 935	3,28	97,4	-	0,00
34	4 346	4 350	2,35	97,4	-	0,00
35	3 963	3 967	3,20	97,4	-	0,00
36	4 467	4 470	2,10	97,4	-	0,00
37	5 043	5 046	0,98	97,4	-	0,00
38	5 780	5 783	-0,29	97,4	-	0,00
39	4 963	4 966	1,13	97,4	-	0,00
4	3 764	3 768	3,67	97,4	-	0,00
40	6 371	6 373	-1,21	97,4	-	0,00
41	6 860	6 863	-1,91	97,4	-	0,00
5	3 186	3 191	5,19	97,4	-	0,00
6	4 168	4 172	2,74	97,4	-	0,00
7	4 672	4 676	1,69	97,4	-	0,00
8	4 546	4 549	1,94	97,4	-	0,00
9	4 445	4 448	2,15	97,4	-	0,00
Sum			18,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GS Taurini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 765	4 769	1,50	97,4	-	0,00
10	5 100	5 103	0,87	97,4	-	0,00
11	5 246	5 249	0,61	97,4	-	0,00
12	6 063	6 066	-0,74	97,4	-	0,00
13	5 275	5 278	0,56	97,4	-	0,00
14	4 535	4 539	1,96	97,4	-	0,00
15	4 853	4 857	1,33	97,4	-	0,00
16	5 155	5 158	0,77	97,4	-	0,00
17	5 491	5 494	0,19	97,4	-	0,00
18	3 663	3 668	3,92	97,4	-	0,00
19	3 786	3 790	3,62	97,4	-	0,00
2	4 177	4 181	2,72	97,4	-	0,00
20	4 849	4 852	1,34	97,4	-	0,00
21	4 301	4 305	2,45	97,4	-	0,00
22	4 994	4 998	1,07	97,4	-	0,00
23	5 259	5 262	0,59	97,4	-	0,00
24	4 609	4 613	1,81	97,4	-	0,00
25	2 842	2 848	6,22	97,4	-	0,00
26	2 562	2 569	7,16	97,4	-	0,00
27	3 800	3 805	3,58	97,4	-	0,00
28	3 180	3 185	5,21	97,4	-	0,00
29	2 988	2 994	5,77	97,4	-	0,00
3	3 554	3 558	4,20	97,4	-	0,00
30	3 590	3 594	4,11	97,4	-	0,00
31	4 142	4 147	2,79	97,4	-	0,00
32	3 335	3 340	4,78	97,4	-	0,00
33	3 931	3 935	3,28	97,4	-	0,00
34	4 346	4 350	2,35	97,4	-	0,00
35	3 963	3 967	3,20	97,4	-	0,00
36	4 467	4 470	2,10	97,4	-	0,00
37	5 043	5 046	0,98	97,4	-	0,00
38	5 780	5 783	-0,29	97,4	-	0,00
39	4 963	4 966	1,13	97,4	-	0,00
4	3 764	3 768	3,67	97,4	-	0,00
40	6 371	6 373	-1,21	97,4	-	0,00
41	6 860	6 863	-1,91	97,4	-	0,00
5	3 186	3 191	5,19	97,4	-	0,00
6	4 168	4 172	2,74	97,4	-	0,00
7	4 672	4 676	1,69	97,4	-	0,00
8	4 546	4 549	1,94	97,4	-	0,00
9	4 445	4 448	2,15	97,4	-	0,00
Sum			18,93			

- Data undefined due to calculation with octave data

Noise sensitive area: GT Brik š ni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 572	4 576	1,89	97,4	-	0,00
10	5 365	5 367	0,40	97,4	-	0,00
11	5 650	5 653	-0,08	97,4	-	0,00
12	6 469	6 472	-1,35	97,4	-	0,00
13	5 698	5 701	-0,16	97,4	-	0,00
14	4 971	4 974	1,11	97,4	-	0,00
15	5 302	5 305	0,51	97,4	-	0,00
16	5 609	5 612	-0,01	97,4	-	0,00
17	5 949	5 952	-0,56	97,4	-	0,00
18	4 123	4 127	2,84	97,4	-	0,00
19	4 239	4 243	2,58	97,4	-	0,00
2	3 984	3 988	3,15	97,4	-	0,00
20	5 309	5 312	0,50	97,4	-	0,00
21	4 753	4 756	1,53	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 450	5 453	0,26	97,4	-	0,00
23	5 708	5 711	-0,18	97,4	-	0,00
24	5 048	5 052	0,97	97,4	-	0,00
25	3 284	3 289	4,92	97,4	-	0,00
26	2 957	2 963	5,87	97,4	-	0,00
27	4 232	4 236	2,60	97,4	-	0,00
28	3 596	3 601	4,09	97,4	-	0,00
29	3 357	3 362	4,72	97,4	-	0,00
3	3 421	3 425	4,55	97,4	-	0,00
30	3 983	3 987	3,16	97,4	-	0,00
31	4 553	4 557	1,92	97,4	-	0,00
32	3 670	3 674	3,91	97,4	-	0,00
33	4 236	4 240	2,59	97,4	-	0,00
34	4 680	4 683	1,67	97,4	-	0,00
35	4 329	4 333	2,39	97,4	-	0,00
36	4 849	4 852	1,34	97,4	-	0,00
37	5 448	5 451	0,26	97,4	-	0,00
38	6 191	6 194	-0,94	97,4	-	0,00
39	5 393	5 396	0,35	97,4	-	0,00
4	3 708	3 713	3,81	97,4	-	0,00
40	6 795	6 797	-1,81	97,4	-	0,00
41	7 276	7 279	-2,46	97,4	-	0,00
5	3 132	3 137	5,35	97,4	-	0,00
6	4 170	4 174	2,73	97,4	-	0,00
7	4 668	4 671	1,70	97,4	-	0,00
8	4 832	4 836	1,37	97,4	-	0,00
9	4 775	4 778	1,48	97,4	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Noise sensitive area: GT Brik š ni

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 572	4 576	1,89	97,4	-	0,00
10	5 365	5 367	0,40	97,4	-	0,00
11	5 650	5 653	-0,08	97,4	-	0,00
12	6 469	6 472	-1,35	97,4	-	0,00
13	5 698	5 701	-0,16	97,4	-	0,00
14	4 971	4 974	1,11	97,4	-	0,00
15	5 302	5 305	0,51	97,4	-	0,00
16	5 609	5 612	-0,01	97,4	-	0,00
17	5 949	5 952	-0,56	97,4	-	0,00
18	4 123	4 127	2,84	97,4	-	0,00
19	4 239	4 243	2,58	97,4	-	0,00
2	3 984	3 988	3,15	97,4	-	0,00
20	5 309	5 312	0,50	97,4	-	0,00
21	4 753	4 756	1,53	97,4	-	0,00
22	5 450	5 453	0,26	97,4	-	0,00
23	5 708	5 711	-0,18	97,4	-	0,00
24	5 048	5 052	0,97	97,4	-	0,00
25	3 284	3 289	4,92	97,4	-	0,00
26	2 957	2 963	5,87	97,4	-	0,00
27	4 232	4 236	2,60	97,4	-	0,00
28	3 596	3 601	4,09	97,4	-	0,00
29	3 357	3 362	4,72	97,4	-	0,00
3	3 421	3 425	4,55	97,4	-	0,00
30	3 983	3 987	3,16	97,4	-	0,00
31	4 553	4 557	1,92	97,4	-	0,00
32	3 670	3 674	3,91	97,4	-	0,00
33	4 236	4 240	2,59	97,4	-	0,00
34	4 680	4 683	1,67	97,4	-	0,00
35	4 329	4 333	2,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 849	4 852	1,34	97,4	-	0,00
37	5 448	5 451	0,26	97,4	-	0,00
38	6 191	6 194	-0,94	97,4	-	0,00
39	5 393	5 396	0,35	97,4	-	0,00
4	3 708	3 713	3,81	97,4	-	0,00
40	6 795	6 797	-1,81	97,4	-	0,00
41	7 276	7 279	-2,46	97,4	-	0,00
5	3 132	3 137	5,35	97,4	-	0,00
6	4 170	4 174	2,73	97,4	-	0,00
7	4 668	4 671	1,70	97,4	-	0,00
8	4 832	4 836	1,37	97,4	-	0,00
9	4 775	4 778	1,48	97,4	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Noise sensitive area: GU Upeskrasti

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 941	6 944	-2,02	97,4	-	0,00
10	7 024	7 026	-2,13	97,4	-	0,00
11	6 512	6 514	-1,41	97,4	-	0,00
12	7 271	7 273	-2,46	97,4	-	0,00
13	6 358	6 361	-1,19	97,4	-	0,00
14	5 546	5 549	0,09	97,4	-	0,00
15	5 634	5 637	-0,05	97,4	-	0,00
16	5 781	5 784	-0,29	97,4	-	0,00
17	5 928	5 931	-0,53	97,4	-	0,00
18	3 997	4 002	3,12	97,4	-	0,00
19	3 818	3 823	3,54	97,4	-	0,00
2	6 354	6 357	-1,18	97,4	-	0,00
20	5 046	5 049	0,97	97,4	-	0,00
21	4 220	4 223	2,63	97,4	-	0,00
22	4 956	4 959	1,14	97,4	-	0,00
23	4 996	4 999	1,06	97,4	-	0,00
24	4 220	4 224	2,62	97,4	-	0,00
25	2 846	2 852	6,21	97,4	-	0,00
26	2 086	2 094	9,00	97,4	-	0,00
27	3 413	3 418	4,57	97,4	-	0,00
28	2 724	2 730	6,61	97,4	-	0,00
29	2 109	2 117	8,90	97,4	-	0,00
3	5 793	5 796	-0,31	97,4	-	0,00
30	2 781	2 787	6,42	97,4	-	0,00
31	3 426	3 431	4,53	97,4	-	0,00
32	2 083	2 091	9,01	97,4	-	0,00
33	2 369	2 377	7,86	97,4	-	0,00
34	2 926	2 931	5,96	97,4	-	0,00
35	2 837	2 843	6,24	97,4	-	0,00
36	3 415	3 420	4,56	97,4	-	0,00
37	4 154	4 158	2,77	97,4	-	0,00
38	4 895	4 899	1,25	97,4	-	0,00
39	4 394	4 398	2,25	97,4	-	0,00
4	6 043	6 046	-0,71	97,4	-	0,00
40	5 605	5 608	-0,01	97,4	-	0,00
41	5 973	5 976	-0,60	97,4	-	0,00
5	5 464	5 467	0,23	97,4	-	0,00
6	6 449	6 452	-1,32	97,4	-	0,00
7	6 954	6 956	-2,03	97,4	-	0,00
8	6 422	6 425	-1,28	97,4	-	0,00
9	6 171	6 173	-0,91	97,4	-	0,00
Sum			19,63			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GU Upeskrasti

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 941	6 944	-2,02	97,4	-	0,00
10	7 024	7 026	-2,13	97,4	-	0,00
11	6 512	6 514	-1,41	97,4	-	0,00
12	7 271	7 273	-2,46	97,4	-	0,00
13	6 358	6 361	-1,19	97,4	-	0,00
14	5 546	5 549	0,09	97,4	-	0,00
15	5 634	5 637	-0,05	97,4	-	0,00
16	5 781	5 784	-0,29	97,4	-	0,00
17	5 928	5 931	-0,53	97,4	-	0,00
18	3 997	4 002	3,12	97,4	-	0,00
19	3 818	3 823	3,54	97,4	-	0,00
2	6 354	6 357	-1,18	97,4	-	0,00
20	5 046	5 049	0,97	97,4	-	0,00
21	4 220	4 223	2,63	97,4	-	0,00
22	4 956	4 959	1,14	97,4	-	0,00
23	4 996	4 999	1,06	97,4	-	0,00
24	4 220	4 224	2,62	97,4	-	0,00
25	2 846	2 852	6,21	97,4	-	0,00
26	2 086	2 094	9,00	97,4	-	0,00
27	3 413	3 418	4,57	97,4	-	0,00
28	2 724	2 730	6,61	97,4	-	0,00
29	2 109	2 117	8,90	97,4	-	0,00
3	5 793	5 796	-0,31	97,4	-	0,00
30	2 781	2 787	6,42	97,4	-	0,00
31	3 426	3 431	4,53	97,4	-	0,00
32	2 083	2 091	9,01	97,4	-	0,00
33	2 369	2 377	7,86	97,4	-	0,00
34	2 926	2 931	5,96	97,4	-	0,00
35	2 837	2 843	6,24	97,4	-	0,00
36	3 415	3 420	4,56	97,4	-	0,00
37	4 154	4 158	2,77	97,4	-	0,00
38	4 895	4 899	1,25	97,4	-	0,00
39	4 394	4 398	2,25	97,4	-	0,00
4	6 043	6 046	-0,71	97,4	-	0,00
40	5 605	5 608	-0,01	97,4	-	0,00
41	5 973	5 976	-0,60	97,4	-	0,00
5	5 464	5 467	0,23	97,4	-	0,00
6	6 449	6 452	-1,32	97,4	-	0,00
7	6 954	6 956	-2,03	97,4	-	0,00
8	6 422	6 425	-1,28	97,4	-	0,00
9	6 171	6 173	-0,91	97,4	-	0,00
Sum			19,63			

- Data undefined due to calculation with octave data

Noise sensitive area: GV Me ž ares

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 261	5 265	0,58	97,4	-	0,00
10	5 926	5 928	-0,53	97,4	-	0,00
11	5 972	5 975	-0,60	97,4	-	0,00
12	6 784	6 786	-1,80	97,4	-	0,00
13	5 959	5 962	-0,58	97,4	-	0,00
14	5 192	5 195	0,71	97,4	-	0,00
15	5 454	5 457	0,25	97,4	-	0,00
16	5 717	5 720	-0,19	97,4	-	0,00
17	6 004	6 007	-0,65	97,4	-	0,00
18	4 099	4 103	2,89	97,4	-	0,00
19	4 128	4 133	2,83	97,4	-	0,00
2	4 675	4 679	1,68	97,4	-	0,00
20	5 277	5 280	0,56	97,4	-	0,00
21	4 625	4 629	1,78	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 351	5 355	0,43	97,4	-	0,00
23	5 549	5 552	0,09	97,4	-	0,00
24	4 840	4 844	1,36	97,4	-	0,00
25	3 121	3 127	5,38	97,4	-	0,00
26	2 640	2 647	6,89	97,4	-	0,00
27	4 002	4 006	3,11	97,4	-	0,00
28	3 322	3 328	4,81	97,4	-	0,00
29	2 964	2 970	5,85	97,4	-	0,00
3	4 134	4 138	2,81	97,4	-	0,00
30	3 633	3 637	4,00	97,4	-	0,00
31	4 244	4 248	2,57	97,4	-	0,00
32	3 202	3 207	5,15	97,4	-	0,00
33	3 710	3 715	3,80	97,4	-	0,00
34	4 195	4 199	2,68	97,4	-	0,00
35	3 909	3 914	3,33	97,4	-	0,00
36	4 459	4 463	2,12	97,4	-	0,00
37	5 111	5 114	0,85	97,4	-	0,00
38	5 865	5 869	-0,43	97,4	-	0,00
39	5 142	5 145	0,80	97,4	-	0,00
4	4 429	4 432	2,18	97,4	-	0,00
40	6 509	6 512	-1,41	97,4	-	0,00
41	6 961	6 964	-2,04	97,4	-	0,00
5	3 852	3 856	3,46	97,4	-	0,00
6	4 885	4 889	1,27	97,4	-	0,00
7	5 384	5 387	0,37	97,4	-	0,00
8	5 368	5 371	0,40	97,4	-	0,00
9	5 250	5 253	0,60	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: GV Me ž ares

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 261	5 265	0,58	97,4	-	0,00
10	5 926	5 928	-0,53	97,4	-	0,00
11	5 972	5 975	-0,60	97,4	-	0,00
12	6 784	6 786	-1,80	97,4	-	0,00
13	5 959	5 962	-0,58	97,4	-	0,00
14	5 192	5 195	0,71	97,4	-	0,00
15	5 454	5 457	0,25	97,4	-	0,00
16	5 717	5 720	-0,19	97,4	-	0,00
17	6 004	6 007	-0,65	97,4	-	0,00
18	4 099	4 103	2,89	97,4	-	0,00
19	4 128	4 133	2,83	97,4	-	0,00
2	4 675	4 679	1,68	97,4	-	0,00
20	5 277	5 280	0,56	97,4	-	0,00
21	4 625	4 629	1,78	97,4	-	0,00
22	5 351	5 355	0,43	97,4	-	0,00
23	5 549	5 552	0,09	97,4	-	0,00
24	4 840	4 844	1,36	97,4	-	0,00
25	3 121	3 127	5,38	97,4	-	0,00
26	2 640	2 647	6,89	97,4	-	0,00
27	4 002	4 006	3,11	97,4	-	0,00
28	3 322	3 328	4,81	97,4	-	0,00
29	2 964	2 970	5,85	97,4	-	0,00
3	4 134	4 138	2,81	97,4	-	0,00
30	3 633	3 637	4,00	97,4	-	0,00
31	4 244	4 248	2,57	97,4	-	0,00
32	3 202	3 207	5,15	97,4	-	0,00
33	3 710	3 715	3,80	97,4	-	0,00
34	4 195	4 199	2,68	97,4	-	0,00
35	3 909	3 914	3,33	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 459	4 463	2,12	97,4	-	0,00
37	5 111	5 114	0,85	97,4	-	0,00
38	5 865	5 869	-0,43	97,4	-	0,00
39	5 142	5 145	0,80	97,4	-	0,00
4	4 429	4 432	2,18	97,4	-	0,00
40	6 509	6 512	-1,41	97,4	-	0,00
41	6 961	6 964	-2,04	97,4	-	0,00
5	3 852	3 856	3,46	97,4	-	0,00
6	4 885	4 889	1,27	97,4	-	0,00
7	5 384	5 387	0,37	97,4	-	0,00
8	5 368	5 371	0,40	97,4	-	0,00
9	5 250	5 253	0,60	97,4	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: GW Jaunlaci

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 796	6 799	-1,82	97,4	-	0,00
10	7 176	7 179	-2,33	97,4	-	0,00
11	6 789	6 791	-1,81	97,4	-	0,00
12	7 561	7 563	-2,83	97,4	-	0,00
13	6 660	6 662	-1,62	97,4	-	0,00
14	5 850	5 853	-0,41	97,4	-	0,00
15	5 967	5 969	-0,59	97,4	-	0,00
16	6 130	6 133	-0,84	97,4	-	0,00
17	6 296	6 299	-1,10	97,4	-	0,00
18	4 356	4 360	2,33	97,4	-	0,00
19	4 199	4 204	2,67	97,4	-	0,00
2	6 213	6 216	-0,97	97,4	-	0,00
20	5 427	5 430	0,30	97,4	-	0,00
21	4 613	4 617	1,80	97,4	-	0,00
22	5 352	5 355	0,43	97,4	-	0,00
23	5 404	5 407	0,34	97,4	-	0,00
24	4 630	4 633	1,77	97,4	-	0,00
25	3 212	3 217	5,12	97,4	-	0,00
26	2 470	2 477	7,49	97,4	-	0,00
27	3 816	3 821	3,55	97,4	-	0,00
28	3 123	3 128	5,37	97,4	-	0,00
29	2 520	2 527	7,31	97,4	-	0,00
3	5 691	5 693	-0,15	97,4	-	0,00
30	3 197	3 202	5,16	97,4	-	0,00
31	3 842	3 847	3,48	97,4	-	0,00
32	2 501	2 508	7,37	97,4	-	0,00
33	2 771	2 777	6,45	97,4	-	0,00
34	3 332	3 337	4,79	97,4	-	0,00
35	3 256	3 261	5,00	97,4	-	0,00
36	3 833	3 837	3,51	97,4	-	0,00
37	4 572	4 576	1,89	97,4	-	0,00
38	5 313	5 317	0,49	97,4	-	0,00
39	4 810	4 814	1,42	97,4	-	0,00
4	5 983	5 986	-0,62	97,4	-	0,00
40	6 024	6 026	-0,68	97,4	-	0,00
41	6 390	6 393	-1,24	97,4	-	0,00
5	5 405	5 408	0,33	97,4	-	0,00
6	6 423	6 426	-1,28	97,4	-	0,00
7	6 925	6 927	-1,99	97,4	-	0,00
8	6 584	6 587	-1,52	97,4	-	0,00
9	6 365	6 368	-1,20	97,4	-	0,00
Sum			18,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GW Jaunlaci

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 796	6 799	-1,82	97,4	-	0,00
10	7 176	7 179	-2,33	97,4	-	0,00
11	6 789	6 791	-1,81	97,4	-	0,00
12	7 561	7 563	-2,83	97,4	-	0,00
13	6 660	6 662	-1,62	97,4	-	0,00
14	5 850	5 853	-0,41	97,4	-	0,00
15	5 967	5 969	-0,59	97,4	-	0,00
16	6 130	6 133	-0,84	97,4	-	0,00
17	6 296	6 299	-1,10	97,4	-	0,00
18	4 356	4 360	2,33	97,4	-	0,00
19	4 199	4 204	2,67	97,4	-	0,00
2	6 213	6 216	-0,97	97,4	-	0,00
20	5 427	5 430	0,30	97,4	-	0,00
21	4 613	4 617	1,80	97,4	-	0,00
22	5 352	5 355	0,43	97,4	-	0,00
23	5 404	5 407	0,34	97,4	-	0,00
24	4 630	4 633	1,77	97,4	-	0,00
25	3 212	3 217	5,12	97,4	-	0,00
26	2 470	2 477	7,49	97,4	-	0,00
27	3 816	3 821	3,55	97,4	-	0,00
28	3 123	3 128	5,37	97,4	-	0,00
29	2 520	2 527	7,31	97,4	-	0,00
3	5 691	5 693	-0,15	97,4	-	0,00
30	3 197	3 202	5,16	97,4	-	0,00
31	3 842	3 847	3,48	97,4	-	0,00
32	2 501	2 508	7,37	97,4	-	0,00
33	2 771	2 777	6,45	97,4	-	0,00
34	3 332	3 337	4,79	97,4	-	0,00
35	3 256	3 261	5,00	97,4	-	0,00
36	3 833	3 837	3,51	97,4	-	0,00
37	4 572	4 576	1,89	97,4	-	0,00
38	5 313	5 317	0,49	97,4	-	0,00
39	4 810	4 814	1,42	97,4	-	0,00
4	5 983	5 986	-0,62	97,4	-	0,00
40	6 024	6 026	-0,68	97,4	-	0,00
41	6 390	6 393	-1,24	97,4	-	0,00
5	5 405	5 408	0,33	97,4	-	0,00
6	6 423	6 426	-1,28	97,4	-	0,00
7	6 925	6 927	-1,99	97,4	-	0,00
8	6 584	6 587	-1,52	97,4	-	0,00
9	6 365	6 368	-1,20	97,4	-	0,00
Sum			18,59			

- Data undefined due to calculation with octave data

Noise sensitive area: GX Me ž malas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 450	4 453	2,14	97,4	-	0,00
10	4 837	4 840	1,36	97,4	-	0,00
11	5 115	5 118	0,85	97,4	-	0,00
12	5 935	5 938	-0,54	97,4	-	0,00
13	5 177	5 180	0,73	97,4	-	0,00
14	4 463	4 467	2,11	97,4	-	0,00
15	4 817	4 820	1,40	97,4	-	0,00
16	5 140	5 143	0,80	97,4	-	0,00
17	5 502	5 505	0,17	97,4	-	0,00
18	3 730	3 735	3,76	97,4	-	0,00
19	3 895	3 900	3,36	97,4	-	0,00
2	3 863	3 867	3,44	97,4	-	0,00
20	4 908	4 912	1,23	97,4	-	0,00
21	4 414	4 417	2,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 086	5 090	0,90	97,4	-	0,00
23	5 379	5 382	0,38	97,4	-	0,00
24	4 758	4 761	1,52	97,4	-	0,00
25	2 993	2 999	5,76	97,4	-	0,00
26	2 790	2 796	6,39	97,4	-	0,00
27	3 968	3 972	3,19	97,4	-	0,00
28	3 377	3 381	4,66	97,4	-	0,00
29	3 239	3 244	5,04	97,4	-	0,00
3	3 224	3 229	5,08	97,4	-	0,00
30	3 813	3 817	3,55	97,4	-	0,00
31	4 342	4 346	2,36	97,4	-	0,00
32	3 609	3 613	4,06	97,4	-	0,00
33	4 220	4 224	2,62	97,4	-	0,00
34	4 618	4 621	1,80	97,4	-	0,00
35	4 211	4 215	2,64	97,4	-	0,00
36	4 698	4 702	1,63	97,4	-	0,00
37	5 248	5 250	0,61	97,4	-	0,00
38	5 975	5 978	-0,60	97,4	-	0,00
39	5 128	5 132	0,82	97,4	-	0,00
4	3 424	3 428	4,54	97,4	-	0,00
40	6 545	6 547	-1,46	97,4	-	0,00
41	7 045	7 047	-2,16	97,4	-	0,00
5	2 846	2 851	6,22	97,4	-	0,00
6	3 827	3 831	3,52	97,4	-	0,00
7	4 331	4 334	2,39	97,4	-	0,00
8	4 297	4 301	2,46	97,4	-	0,00
9	4 230	4 234	2,60	97,4	-	0,00
Sum			18,86			

- Data undefined due to calculation with octave data

Noise sensitive area: GX Me ž malas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 450	4 453	2,14	97,4	-	0,00
10	4 837	4 840	1,36	97,4	-	0,00
11	5 115	5 118	0,85	97,4	-	0,00
12	5 935	5 938	-0,54	97,4	-	0,00
13	5 177	5 180	0,73	97,4	-	0,00
14	4 463	4 467	2,11	97,4	-	0,00
15	4 817	4 820	1,40	97,4	-	0,00
16	5 140	5 143	0,80	97,4	-	0,00
17	5 502	5 505	0,17	97,4	-	0,00
18	3 730	3 735	3,76	97,4	-	0,00
19	3 895	3 900	3,36	97,4	-	0,00
2	3 863	3 867	3,44	97,4	-	0,00
20	4 908	4 912	1,23	97,4	-	0,00
21	4 414	4 417	2,21	97,4	-	0,00
22	5 086	5 090	0,90	97,4	-	0,00
23	5 379	5 382	0,38	97,4	-	0,00
24	4 758	4 761	1,52	97,4	-	0,00
25	2 993	2 999	5,76	97,4	-	0,00
26	2 790	2 796	6,39	97,4	-	0,00
27	3 968	3 972	3,19	97,4	-	0,00
28	3 377	3 381	4,66	97,4	-	0,00
29	3 239	3 244	5,04	97,4	-	0,00
3	3 224	3 229	5,08	97,4	-	0,00
30	3 813	3 817	3,55	97,4	-	0,00
31	4 342	4 346	2,36	97,4	-	0,00
32	3 609	3 613	4,06	97,4	-	0,00
33	4 220	4 224	2,62	97,4	-	0,00
34	4 618	4 621	1,80	97,4	-	0,00
35	4 211	4 215	2,64	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 698	4 702	1,63	97,4	-	0,00
37	5 248	5 250	0,61	97,4	-	0,00
38	5 975	5 978	-0,60	97,4	-	0,00
39	5 128	5 132	0,82	97,4	-	0,00
4	3 424	3 428	4,54	97,4	-	0,00
40	6 545	6 547	-1,46	97,4	-	0,00
41	7 045	7 047	-2,16	97,4	-	0,00
5	2 846	2 851	6,22	97,4	-	0,00
6	3 827	3 831	3,52	97,4	-	0,00
7	4 331	4 334	2,39	97,4	-	0,00
8	4 297	4 301	2,46	97,4	-	0,00
9	4 230	4 234	2,60	97,4	-	0,00
Sum			18,86			

- Data undefined due to calculation with octave data

Noise sensitive area: GY Atmatas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 167	5 170	0,75	97,4	-	0,00
10	5 857	5 859	-0,42	97,4	-	0,00
11	5 936	5 939	-0,54	97,4	-	0,00
12	6 749	6 752	-1,75	97,4	-	0,00
13	5 931	5 934	-0,54	97,4	-	0,00
14	5 168	5 172	0,75	97,4	-	0,00
15	5 440	5 443	0,27	97,4	-	0,00
16	5 709	5 712	-0,18	97,4	-	0,00
17	6 004	6 007	-0,65	97,4	-	0,00
18	4 107	4 111	2,87	97,4	-	0,00
19	4 148	4 152	2,78	97,4	-	0,00
2	4 580	4 584	1,87	97,4	-	0,00
20	5 287	5 291	0,54	97,4	-	0,00
21	4 648	4 651	1,73	97,4	-	0,00
22	5 371	5 374	0,39	97,4	-	0,00
23	5 577	5 580	0,04	97,4	-	0,00
24	4 873	4 877	1,30	97,4	-	0,00
25	3 145	3 151	5,31	97,4	-	0,00
26	2 684	2 690	6,74	97,4	-	0,00
27	4 037	4 041	3,03	97,4	-	0,00
28	3 362	3 367	4,70	97,4	-	0,00
29	3 019	3 025	5,68	97,4	-	0,00
3	4 038	4 042	3,03	97,4	-	0,00
30	3 683	3 688	3,87	97,4	-	0,00
31	4 290	4 294	2,47	97,4	-	0,00
32	3 268	3 273	4,96	97,4	-	0,00
33	3 784	3 789	3,62	97,4	-	0,00
34	4 265	4 268	2,53	97,4	-	0,00
35	3 970	3 974	3,19	97,4	-	0,00
36	4 516	4 520	2,00	97,4	-	0,00
37	5 162	5 165	0,76	97,4	-	0,00
38	5 915	5 918	-0,51	97,4	-	0,00
39	5 181	5 185	0,73	97,4	-	0,00
4	4 334	4 338	2,38	97,4	-	0,00
40	6 554	6 556	-1,47	97,4	-	0,00
41	7 010	7 013	-2,11	97,4	-	0,00
5	3 757	3 761	3,69	97,4	-	0,00
6	4 792	4 796	1,45	97,4	-	0,00
7	5 291	5 294	0,53	97,4	-	0,00
8	5 302	5 305	0,51	97,4	-	0,00
9	5 193	5 196	0,71	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: GY Atmatas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 167	5 170	0,75	97,4	-	0,00
10	5 857	5 859	-0,42	97,4	-	0,00
11	5 936	5 939	-0,54	97,4	-	0,00
12	6 749	6 752	-1,75	97,4	-	0,00
13	5 931	5 934	-0,54	97,4	-	0,00
14	5 168	5 172	0,75	97,4	-	0,00
15	5 440	5 443	0,27	97,4	-	0,00
16	5 709	5 712	-0,18	97,4	-	0,00
17	6 004	6 007	-0,65	97,4	-	0,00
18	4 107	4 111	2,87	97,4	-	0,00
19	4 148	4 152	2,78	97,4	-	0,00
2	4 580	4 584	1,87	97,4	-	0,00
20	5 287	5 291	0,54	97,4	-	0,00
21	4 648	4 651	1,73	97,4	-	0,00
22	5 371	5 374	0,39	97,4	-	0,00
23	5 577	5 580	0,04	97,4	-	0,00
24	4 873	4 877	1,30	97,4	-	0,00
25	3 145	3 151	5,31	97,4	-	0,00
26	2 684	2 690	6,74	97,4	-	0,00
27	4 037	4 041	3,03	97,4	-	0,00
28	3 362	3 367	4,70	97,4	-	0,00
29	3 019	3 025	5,68	97,4	-	0,00
3	4 038	4 042	3,03	97,4	-	0,00
30	3 683	3 688	3,87	97,4	-	0,00
31	4 290	4 294	2,47	97,4	-	0,00
32	3 268	3 273	4,96	97,4	-	0,00
33	3 784	3 789	3,62	97,4	-	0,00
34	4 265	4 268	2,53	97,4	-	0,00
35	3 970	3 974	3,19	97,4	-	0,00
36	4 516	4 520	2,00	97,4	-	0,00
37	5 162	5 165	0,76	97,4	-	0,00
38	5 915	5 918	-0,51	97,4	-	0,00
39	5 181	5 185	0,73	97,4	-	0,00
4	4 334	4 338	2,38	97,4	-	0,00
40	6 554	6 556	-1,47	97,4	-	0,00
41	7 010	7 013	-2,11	97,4	-	0,00
5	3 757	3 761	3,69	97,4	-	0,00
6	4 792	4 796	1,45	97,4	-	0,00
7	5 291	5 294	0,53	97,4	-	0,00
8	5 302	5 305	0,51	97,4	-	0,00
9	5 193	5 196	0,71	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: GZ Krastini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 714	6 716	-1,70	97,4	-	0,00
10	7 155	7 157	-2,30	97,4	-	0,00
11	6 803	6 805	-1,83	97,4	-	0,00
12	7 579	7 581	-2,85	97,4	-	0,00
13	6 682	6 684	-1,66	97,4	-	0,00
14	5 874	5 877	-0,44	97,4	-	0,00
15	6 000	6 002	-0,64	97,4	-	0,00
16	6 170	6 172	-0,91	97,4	-	0,00
17	6 343	6 346	-1,17	97,4	-	0,00
18	4 400	4 404	2,24	97,4	-	0,00
19	4 254	4 258	2,55	97,4	-	0,00
2	6 132	6 134	-0,85	97,4	-	0,00
20	5 480	5 483	0,20	97,4	-	0,00
21	4 673	4 677	1,68	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 413	5 416	0,32	97,4	-	0,00
23	5 473	5 476	0,22	97,4	-	0,00
24	4 700	4 704	1,63	97,4	-	0,00
25	3 260	3 265	4,98	97,4	-	0,00
26	2 527	2 534	7,28	97,4	-	0,00
27	3 883	3 888	3,39	97,4	-	0,00
28	3 187	3 193	5,19	97,4	-	0,00
29	2 593	2 600	7,05	97,4	-	0,00
3	5 615	5 618	-0,02	97,4	-	0,00
30	3 274	3 279	4,95	97,4	-	0,00
31	3 920	3 924	3,30	97,4	-	0,00
32	2 587	2 594	7,07	97,4	-	0,00
33	2 867	2 873	6,14	97,4	-	0,00
34	3 427	3 432	4,53	97,4	-	0,00
35	3 342	3 348	4,76	97,4	-	0,00
36	3 920	3 924	3,30	97,4	-	0,00
37	4 658	4 661	1,71	97,4	-	0,00
38	5 400	5 403	0,34	97,4	-	0,00
39	4 887	4 890	1,27	97,4	-	0,00
4	5 916	5 918	-0,51	97,4	-	0,00
40	6 109	6 111	-0,81	97,4	-	0,00
41	6 479	6 482	-1,37	97,4	-	0,00
5	5 338	5 341	0,45	97,4	-	0,00
6	6 362	6 365	-1,19	97,4	-	0,00
7	6 863	6 866	-1,91	97,4	-	0,00
8	6 565	6 568	-1,49	97,4	-	0,00
9	6 355	6 358	-1,18	97,4	-	0,00
Sum			18,43			

- Data undefined due to calculation with octave data

Noise sensitive area: GZ Krastini

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 714	6 716	-1,70	97,4	-	0,00
10	7 155	7 157	-2,30	97,4	-	0,00
11	6 803	6 805	-1,83	97,4	-	0,00
12	7 579	7 581	-2,85	97,4	-	0,00
13	6 682	6 684	-1,66	97,4	-	0,00
14	5 874	5 877	-0,44	97,4	-	0,00
15	6 000	6 002	-0,64	97,4	-	0,00
16	6 170	6 172	-0,91	97,4	-	0,00
17	6 343	6 346	-1,17	97,4	-	0,00
18	4 400	4 404	2,24	97,4	-	0,00
19	4 254	4 258	2,55	97,4	-	0,00
2	6 132	6 134	-0,85	97,4	-	0,00
20	5 480	5 483	0,20	97,4	-	0,00
21	4 673	4 677	1,68	97,4	-	0,00
22	5 413	5 416	0,32	97,4	-	0,00
23	5 473	5 476	0,22	97,4	-	0,00
24	4 700	4 704	1,63	97,4	-	0,00
25	3 260	3 265	4,98	97,4	-	0,00
26	2 527	2 534	7,28	97,4	-	0,00
27	3 883	3 888	3,39	97,4	-	0,00
28	3 187	3 193	5,19	97,4	-	0,00
29	2 593	2 600	7,05	97,4	-	0,00
3	5 615	5 618	-0,02	97,4	-	0,00
30	3 274	3 279	4,95	97,4	-	0,00
31	3 920	3 924	3,30	97,4	-	0,00
32	2 587	2 594	7,07	97,4	-	0,00
33	2 867	2 873	6,14	97,4	-	0,00
34	3 427	3 432	4,53	97,4	-	0,00
35	3 342	3 348	4,76	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 920	3 924	3,30	97,4	-	0,00
37	4 658	4 661	1,71	97,4	-	0,00
38	5 400	5 403	0,34	97,4	-	0,00
39	4 887	4 890	1,27	97,4	-	0,00
4	5 916	5 918	-0,51	97,4	-	0,00
40	6 109	6 111	-0,81	97,4	-	0,00
41	6 479	6 482	-1,37	97,4	-	0,00
5	5 338	5 341	0,45	97,4	-	0,00
6	6 362	6 365	-1,19	97,4	-	0,00
7	6 863	6 866	-1,91	97,4	-	0,00
8	6 565	6 568	-1,49	97,4	-	0,00
9	6 355	6 358	-1,18	97,4	-	0,00
Sum			18,43			

- Data undefined due to calculation with octave data

Noise sensitive area: HA Janupe

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 221	6 224	-0,98	97,4	-	0,00
10	6 294	6 297	-1,09	97,4	-	0,00
11	5 936	5 939	-0,54	97,4	-	0,00
12	6 718	6 721	-1,71	97,4	-	0,00
13	5 831	5 833	-0,38	97,4	-	0,00
14	5 027	5 030	1,01	97,4	-	0,00
15	5 182	5 185	0,72	97,4	-	0,00
16	5 378	5 381	0,38	97,4	-	0,00
17	5 586	5 590	0,02	97,4	-	0,00
18	3 639	3 643	3,98	97,4	-	0,00
19	3 553	3 558	4,20	97,4	-	0,00
2	5 633	5 636	-0,05	97,4	-	0,00
20	4 764	4 767	1,51	97,4	-	0,00
21	4 009	4 013	3,10	97,4	-	0,00
22	4 751	4 755	1,53	97,4	-	0,00
23	4 873	4 876	1,30	97,4	-	0,00
24	4 122	4 126	2,84	97,4	-	0,00
25	2 534	2 541	7,26	97,4	-	0,00
26	1 886	1 895	9,89	97,4	-	0,00
27	3 282	3 288	4,92	97,4	-	0,00
28	2 579	2 586	7,10	97,4	-	0,00
29	2 097	2 105	8,95	97,4	-	0,00
3	5 046	5 049	0,97	97,4	-	0,00
30	2 789	2 795	6,39	97,4	-	0,00
31	3 427	3 433	4,53	97,4	-	0,00
32	2 254	2 262	8,31	97,4	-	0,00
33	2 716	2 723	6,63	97,4	-	0,00
34	3 222	3 227	5,09	97,4	-	0,00
35	2 991	2 997	5,76	97,4	-	0,00
36	3 558	3 563	4,19	97,4	-	0,00
37	4 251	4 255	2,56	97,4	-	0,00
38	5 007	5 011	1,04	97,4	-	0,00
39	4 369	4 373	2,30	97,4	-	0,00
4	5 274	5 277	0,56	97,4	-	0,00
40	5 682	5 685	-0,13	97,4	-	0,00
41	6 103	6 106	-0,80	97,4	-	0,00
5	4 696	4 700	1,64	97,4	-	0,00
6	5 671	5 674	-0,12	97,4	-	0,00
7	6 176	6 178	-0,91	97,4	-	0,00
8	5 700	5 703	-0,16	97,4	-	0,00
9	5 479	5 482	0,21	97,4	-	0,00
Sum			19,84			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HA Janupe

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 221	6 224	-0,98	97,4	-	0,00
10	6 294	6 297	-1,09	97,4	-	0,00
11	5 936	5 939	-0,54	97,4	-	0,00
12	6 718	6 721	-1,71	97,4	-	0,00
13	5 831	5 833	-0,38	97,4	-	0,00
14	5 027	5 030	1,01	97,4	-	0,00
15	5 182	5 185	0,72	97,4	-	0,00
16	5 378	5 381	0,38	97,4	-	0,00
17	5 586	5 590	0,02	97,4	-	0,00
18	3 639	3 643	3,98	97,4	-	0,00
19	3 553	3 558	4,20	97,4	-	0,00
2	5 633	5 636	-0,05	97,4	-	0,00
20	4 764	4 767	1,51	97,4	-	0,00
21	4 009	4 013	3,10	97,4	-	0,00
22	4 751	4 755	1,53	97,4	-	0,00
23	4 873	4 876	1,30	97,4	-	0,00
24	4 122	4 126	2,84	97,4	-	0,00
25	2 534	2 541	7,26	97,4	-	0,00
26	1 886	1 895	9,89	97,4	-	0,00
27	3 282	3 288	4,92	97,4	-	0,00
28	2 579	2 586	7,10	97,4	-	0,00
29	2 097	2 105	8,95	97,4	-	0,00
3	5 046	5 049	0,97	97,4	-	0,00
30	2 789	2 795	6,39	97,4	-	0,00
31	3 427	3 433	4,53	97,4	-	0,00
32	2 254	2 262	8,31	97,4	-	0,00
33	2 716	2 723	6,63	97,4	-	0,00
34	3 222	3 227	5,09	97,4	-	0,00
35	2 991	2 997	5,76	97,4	-	0,00
36	3 558	3 563	4,19	97,4	-	0,00
37	4 251	4 255	2,56	97,4	-	0,00
38	5 007	5 011	1,04	97,4	-	0,00
39	4 369	4 373	2,30	97,4	-	0,00
4	5 274	5 277	0,56	97,4	-	0,00
40	5 682	5 685	-0,13	97,4	-	0,00
41	6 103	6 106	-0,80	97,4	-	0,00
5	4 696	4 700	1,64	97,4	-	0,00
6	5 671	5 674	-0,12	97,4	-	0,00
7	6 176	6 178	-0,91	97,4	-	0,00
8	5 700	5 703	-0,16	97,4	-	0,00
9	5 479	5 482	0,21	97,4	-	0,00
Sum			19,84			

- Data undefined due to calculation with octave data

Noise sensitive area: HB Iesalnieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 325	4 329	2,40	97,4	-	0,00
10	4 527	4 530	1,98	97,4	-	0,00
11	4 843	4 846	1,35	97,4	-	0,00
12	5 663	5 666	-0,10	97,4	-	0,00
13	4 923	4 926	1,20	97,4	-	0,00
14	4 225	4 229	2,61	97,4	-	0,00
15	4 601	4 604	1,83	97,4	-	0,00
16	4 939	4 942	1,17	97,4	-	0,00
17	5 318	5 322	0,48	97,4	-	0,00
18	3 599	3 603	4,08	97,4	-	0,00
19	3 800	3 804	3,59	97,4	-	0,00
2	3 743	3 747	3,73	97,4	-	0,00
20	4 765	4 768	1,50	97,4	-	0,00
21	4 319	4 322	2,41	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 970	4 973	1,11	97,4	-	0,00
23	5 287	5 290	0,54	97,4	-	0,00
24	4 695	4 698	1,64	97,4	-	0,00
25	2 945	2 950	5,91	97,4	-	0,00
26	2 825	2 831	6,28	97,4	-	0,00
27	3 928	3 932	3,28	97,4	-	0,00
28	3 371	3 376	4,68	97,4	-	0,00
29	3 296	3 301	4,88	97,4	-	0,00
3	3 069	3 073	5,53	97,4	-	0,00
30	3 835	3 839	3,50	97,4	-	0,00
31	4 334	4 337	2,38	97,4	-	0,00
32	3 696	3 700	3,84	97,4	-	0,00
33	4 327	4 330	2,39	97,4	-	0,00
34	4 696	4 699	1,64	97,4	-	0,00
35	4 261	4 264	2,54	97,4	-	0,00
36	4 725	4 729	1,58	97,4	-	0,00
37	5 241	5 244	0,62	97,4	-	0,00
38	5 956	5 958	-0,57	97,4	-	0,00
39	5 081	5 084	0,91	97,4	-	0,00
4	3 218	3 222	5,10	97,4	-	0,00
40	6 502	6 504	-1,40	97,4	-	0,00
41	7 013	7 015	-2,11	97,4	-	0,00
5	2 644	2 650	6,88	97,4	-	0,00
6	3 588	3 592	4,11	97,4	-	0,00
7	4 093	4 097	2,91	97,4	-	0,00
8	3 987	3 990	3,15	97,4	-	0,00
9	3 926	3 930	3,29	97,4	-	0,00
Sum			19,09			

- Data undefined due to calculation with octave data

Noise sensitive area: HB Iesalnieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 325	4 329	2,40	97,4	-	0,00
10	4 527	4 530	1,98	97,4	-	0,00
11	4 843	4 846	1,35	97,4	-	0,00
12	5 663	5 666	-0,10	97,4	-	0,00
13	4 923	4 926	1,20	97,4	-	0,00
14	4 225	4 229	2,61	97,4	-	0,00
15	4 601	4 604	1,83	97,4	-	0,00
16	4 939	4 942	1,17	97,4	-	0,00
17	5 318	5 322	0,48	97,4	-	0,00
18	3 599	3 603	4,08	97,4	-	0,00
19	3 800	3 804	3,59	97,4	-	0,00
2	3 743	3 747	3,73	97,4	-	0,00
20	4 765	4 768	1,50	97,4	-	0,00
21	4 319	4 322	2,41	97,4	-	0,00
22	4 970	4 973	1,11	97,4	-	0,00
23	5 287	5 290	0,54	97,4	-	0,00
24	4 695	4 698	1,64	97,4	-	0,00
25	2 945	2 950	5,91	97,4	-	0,00
26	2 825	2 831	6,28	97,4	-	0,00
27	3 928	3 932	3,28	97,4	-	0,00
28	3 371	3 376	4,68	97,4	-	0,00
29	3 296	3 301	4,88	97,4	-	0,00
3	3 069	3 073	5,53	97,4	-	0,00
30	3 835	3 839	3,50	97,4	-	0,00
31	4 334	4 337	2,38	97,4	-	0,00
32	3 696	3 700	3,84	97,4	-	0,00
33	4 327	4 330	2,39	97,4	-	0,00
34	4 696	4 699	1,64	97,4	-	0,00
35	4 261	4 264	2,54	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 725	4 729	1,58	97,4	-	0,00
37	5 241	5 244	0,62	97,4	-	0,00
38	5 956	5 958	-0,57	97,4	-	0,00
39	5 081	5 084	0,91	97,4	-	0,00
4	3 218	3 222	5,10	97,4	-	0,00
40	6 502	6 504	-1,40	97,4	-	0,00
41	7 013	7 015	-2,11	97,4	-	0,00
5	2 644	2 650	6,88	97,4	-	0,00
6	3 588	3 592	4,11	97,4	-	0,00
7	4 093	4 097	2,91	97,4	-	0,00
8	3 987	3 990	3,15	97,4	-	0,00
9	3 926	3 930	3,29	97,4	-	0,00
Sum			19,09			

- Data undefined due to calculation with octave data

Noise sensitive area: HC Bruveri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 405	5 408	0,33	97,4	-	0,00
10	6 227	6 229	-0,99	97,4	-	0,00
11	6 272	6 275	-1,06	97,4	-	0,00
12	7 083	7 085	-2,21	97,4	-	0,00
13	6 253	6 255	-1,03	97,4	-	0,00
14	5 481	5 484	0,20	97,4	-	0,00
15	5 731	5 734	-0,21	97,4	-	0,00
16	5 985	5 988	-0,62	97,4	-	0,00
17	6 261	6 264	-1,04	97,4	-	0,00
18	4 342	4 346	2,36	97,4	-	0,00
19	4 347	4 351	2,35	97,4	-	0,00
2	4 822	4 826	1,39	97,4	-	0,00
20	5 514	5 517	0,15	97,4	-	0,00
21	4 836	4 840	1,37	97,4	-	0,00
22	5 569	5 572	0,05	97,4	-	0,00
23	5 747	5 749	-0,24	97,4	-	0,00
24	5 023	5 027	1,01	97,4	-	0,00
25	3 331	3 337	4,79	97,4	-	0,00
26	2 800	2 806	6,36	97,4	-	0,00
27	4 182	4 186	2,71	97,4	-	0,00
28	3 492	3 496	4,36	97,4	-	0,00
29	3 085	3 090	5,48	97,4	-	0,00
3	4 315	4 319	2,42	97,4	-	0,00
30	3 767	3 771	3,67	97,4	-	0,00
31	4 391	4 395	2,26	97,4	-	0,00
32	3 280	3 285	4,93	97,4	-	0,00
33	3 748	3 753	3,71	97,4	-	0,00
34	4 255	4 259	2,55	97,4	-	0,00
35	4 007	4 012	3,10	97,4	-	0,00
36	4 568	4 572	1,89	97,4	-	0,00
37	5 241	5 244	0,62	97,4	-	0,00
38	5 998	6 001	-0,64	97,4	-	0,00
39	5 308	5 311	0,50	97,4	-	0,00
4	4 642	4 646	1,75	97,4	-	0,00
40	6 656	6 658	-1,62	97,4	-	0,00
41	7 095	7 097	-2,22	97,4	-	0,00
5	4 068	4 072	2,96	97,4	-	0,00
6	5 119	5 122	0,84	97,4	-	0,00
7	5 614	5 617	-0,02	97,4	-	0,00
8	5 671	5 674	-0,12	97,4	-	0,00
9	5 557	5 560	0,07	97,4	-	0,00
Sum			17,95			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HC Bruveri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 405	5 408	0,33	97,4	-	0,00
10	6 227	6 229	-0,99	97,4	-	0,00
11	6 272	6 275	-1,06	97,4	-	0,00
12	7 083	7 085	-2,21	97,4	-	0,00
13	6 253	6 255	-1,03	97,4	-	0,00
14	5 481	5 484	0,20	97,4	-	0,00
15	5 731	5 734	-0,21	97,4	-	0,00
16	5 985	5 988	-0,62	97,4	-	0,00
17	6 261	6 264	-1,04	97,4	-	0,00
18	4 342	4 346	2,36	97,4	-	0,00
19	4 347	4 351	2,35	97,4	-	0,00
2	4 822	4 826	1,39	97,4	-	0,00
20	5 514	5 517	0,15	97,4	-	0,00
21	4 836	4 840	1,37	97,4	-	0,00
22	5 569	5 572	0,05	97,4	-	0,00
23	5 747	5 749	-0,24	97,4	-	0,00
24	5 023	5 027	1,01	97,4	-	0,00
25	3 331	3 337	4,79	97,4	-	0,00
26	2 800	2 806	6,36	97,4	-	0,00
27	4 182	4 186	2,71	97,4	-	0,00
28	3 492	3 496	4,36	97,4	-	0,00
29	3 085	3 090	5,48	97,4	-	0,00
3	4 315	4 319	2,42	97,4	-	0,00
30	3 767	3 771	3,67	97,4	-	0,00
31	4 391	4 395	2,26	97,4	-	0,00
32	3 280	3 285	4,93	97,4	-	0,00
33	3 748	3 753	3,71	97,4	-	0,00
34	4 255	4 259	2,55	97,4	-	0,00
35	4 007	4 012	3,10	97,4	-	0,00
36	4 568	4 572	1,89	97,4	-	0,00
37	5 241	5 244	0,62	97,4	-	0,00
38	5 998	6 001	-0,64	97,4	-	0,00
39	5 308	5 311	0,50	97,4	-	0,00
4	4 642	4 646	1,75	97,4	-	0,00
40	6 656	6 658	-1,62	97,4	-	0,00
41	7 095	7 097	-2,22	97,4	-	0,00
5	4 068	4 072	2,96	97,4	-	0,00
6	5 119	5 122	0,84	97,4	-	0,00
7	5 614	5 617	-0,02	97,4	-	0,00
8	5 671	5 674	-0,12	97,4	-	0,00
9	5 557	5 560	0,07	97,4	-	0,00
Sum			17,95			

- Data undefined due to calculation with octave data

Noise sensitive area: HD Dreiski

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 565	5 568	0,06	97,4	-	0,00
10	6 020	6 022	-0,67	97,4	-	0,00
11	5 933	5 936	-0,54	97,4	-	0,00
12	6 738	6 740	-1,74	97,4	-	0,00
13	5 891	5 894	-0,47	97,4	-	0,00
14	5 109	5 113	0,86	97,4	-	0,00
15	5 339	5 342	0,45	97,4	-	0,00
16	5 582	5 585	0,03	97,4	-	0,00
17	5 847	5 850	-0,40	97,4	-	0,00
18	3 921	3 926	3,30	97,4	-	0,00
19	3 917	3 922	3,31	97,4	-	0,00
2	4 977	4 981	1,10	97,4	-	0,00
20	5 089	5 092	0,89	97,4	-	0,00
21	4 405	4 409	2,23	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 138	5 141	0,80	97,4	-	0,00
23	5 314	5 317	0,49	97,4	-	0,00
24	4 592	4 595	1,85	97,4	-	0,00
25	2 900	2 906	6,04	97,4	-	0,00
26	2 371	2 379	7,85	97,4	-	0,00
27	3 750	3 755	3,71	97,4	-	0,00
28	3 062	3 067	5,55	97,4	-	0,00
29	2 670	2 676	6,79	97,4	-	0,00
3	4 418	4 421	2,20	97,4	-	0,00
30	3 347	3 352	4,74	97,4	-	0,00
31	3 967	3 971	3,19	97,4	-	0,00
32	2 890	2 896	6,07	97,4	-	0,00
33	3 388	3 393	4,63	97,4	-	0,00
34	3 878	3 882	3,40	97,4	-	0,00
35	3 605	3 610	4,07	97,4	-	0,00
36	4 160	4 164	2,76	97,4	-	0,00
37	4 824	4 827	1,39	97,4	-	0,00
38	5 580	5 583	0,04	97,4	-	0,00
39	4 879	4 883	1,28	97,4	-	0,00
4	4 688	4 692	1,65	97,4	-	0,00
40	6 233	6 235	-1,00	97,4	-	0,00
41	6 677	6 679	-1,65	97,4	-	0,00
5	4 110	4 113	2,87	97,4	-	0,00
6	5 123	5 127	0,83	97,4	-	0,00
7	5 625	5 628	-0,04	97,4	-	0,00
8	5 448	5 451	0,26	97,4	-	0,00
9	5 295	5 299	0,52	97,4	-	0,00
Sum			18,75			

- Data undefined due to calculation with octave data

Noise sensitive area: HD Dreiski

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 565	5 568	0,06	97,4	-	0,00
10	6 020	6 022	-0,67	97,4	-	0,00
11	5 933	5 936	-0,54	97,4	-	0,00
12	6 738	6 740	-1,74	97,4	-	0,00
13	5 891	5 894	-0,47	97,4	-	0,00
14	5 109	5 113	0,86	97,4	-	0,00
15	5 339	5 342	0,45	97,4	-	0,00
16	5 582	5 585	0,03	97,4	-	0,00
17	5 847	5 850	-0,40	97,4	-	0,00
18	3 921	3 926	3,30	97,4	-	0,00
19	3 917	3 922	3,31	97,4	-	0,00
2	4 977	4 981	1,10	97,4	-	0,00
20	5 089	5 092	0,89	97,4	-	0,00
21	4 405	4 409	2,23	97,4	-	0,00
22	5 138	5 141	0,80	97,4	-	0,00
23	5 314	5 317	0,49	97,4	-	0,00
24	4 592	4 595	1,85	97,4	-	0,00
25	2 900	2 906	6,04	97,4	-	0,00
26	2 371	2 379	7,85	97,4	-	0,00
27	3 750	3 755	3,71	97,4	-	0,00
28	3 062	3 067	5,55	97,4	-	0,00
29	2 670	2 676	6,79	97,4	-	0,00
3	4 418	4 421	2,20	97,4	-	0,00
30	3 347	3 352	4,74	97,4	-	0,00
31	3 967	3 971	3,19	97,4	-	0,00
32	2 890	2 896	6,07	97,4	-	0,00
33	3 388	3 393	4,63	97,4	-	0,00
34	3 878	3 882	3,40	97,4	-	0,00
35	3 605	3 610	4,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 160	4 164	2,76	97,4	-	0,00
37	4 824	4 827	1,39	97,4	-	0,00
38	5 580	5 583	0,04	97,4	-	0,00
39	4 879	4 883	1,28	97,4	-	0,00
4	4 688	4 692	1,65	97,4	-	0,00
40	6 233	6 235	-1,00	97,4	-	0,00
41	6 677	6 679	-1,65	97,4	-	0,00
5	4 110	4 113	2,87	97,4	-	0,00
6	5 123	5 127	0,83	97,4	-	0,00
7	5 625	5 628	-0,04	97,4	-	0,00
8	5 448	5 451	0,26	97,4	-	0,00
9	5 295	5 299	0,52	97,4	-	0,00
Sum			18,75			

- Data undefined due to calculation with octave data

Noise sensitive area: HE Celmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 090	7 092	-2,22	97,4	-	0,00
10	7 148	7 150	-2,29	97,4	-	0,00
11	6 599	6 602	-1,54	97,4	-	0,00
12	7 352	7 355	-2,56	97,4	-	0,00
13	6 436	6 438	-1,30	97,4	-	0,00
14	5 623	5 626	-0,04	97,4	-	0,00
15	5 697	5 700	-0,16	97,4	-	0,00
16	5 833	5 836	-0,38	97,4	-	0,00
17	5 969	5 972	-0,59	97,4	-	0,00
18	4 046	4 050	3,01	97,4	-	0,00
19	3 849	3 854	3,47	97,4	-	0,00
2	6 503	6 506	-1,40	97,4	-	0,00
20	5 076	5 079	0,92	97,4	-	0,00
21	4 239	4 242	2,58	97,4	-	0,00
22	4 971	4 975	1,11	97,4	-	0,00
23	4 996	4 999	1,07	97,4	-	0,00
24	4 218	4 222	2,63	97,4	-	0,00
25	2 892	2 898	6,07	97,4	-	0,00
26	2 120	2 128	8,85	97,4	-	0,00
27	3 420	3 425	4,55	97,4	-	0,00
28	2 740	2 746	6,56	97,4	-	0,00
29	2 107	2 115	8,91	97,4	-	0,00
3	5 942	5 945	-0,55	97,4	-	0,00
30	2 767	2 773	6,47	97,4	-	0,00
31	3 408	3 414	4,58	97,4	-	0,00
32	2 045	2 053	9,17	97,4	-	0,00
33	2 292	2 300	8,15	97,4	-	0,00
34	2 855	2 860	6,19	97,4	-	0,00
35	2 795	2 801	6,38	97,4	-	0,00
36	3 370	3 375	4,68	97,4	-	0,00
37	4 114	4 118	2,86	97,4	-	0,00
38	4 850	4 854	1,34	97,4	-	0,00
39	4 377	4 381	2,29	97,4	-	0,00
4	6 192	6 195	-0,94	97,4	-	0,00
40	5 565	5 568	0,06	97,4	-	0,00
41	5 923	5 926	-0,52	97,4	-	0,00
5	5 613	5 616	-0,02	97,4	-	0,00
6	6 597	6 600	-1,54	97,4	-	0,00
7	7 102	7 104	-2,23	97,4	-	0,00
8	6 544	6 547	-1,46	97,4	-	0,00
9	6 285	6 288	-1,08	97,4	-	0,00
Sum			19,64			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HE Celmalas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 090	7 092	-2,22	97,4	-	0,00
10	7 148	7 150	-2,29	97,4	-	0,00
11	6 599	6 602	-1,54	97,4	-	0,00
12	7 352	7 355	-2,56	97,4	-	0,00
13	6 436	6 438	-1,30	97,4	-	0,00
14	5 623	5 626	-0,04	97,4	-	0,00
15	5 697	5 700	-0,16	97,4	-	0,00
16	5 833	5 836	-0,38	97,4	-	0,00
17	5 969	5 972	-0,59	97,4	-	0,00
18	4 046	4 050	3,01	97,4	-	0,00
19	3 849	3 854	3,47	97,4	-	0,00
2	6 503	6 506	-1,40	97,4	-	0,00
20	5 076	5 079	0,92	97,4	-	0,00
21	4 239	4 242	2,58	97,4	-	0,00
22	4 971	4 975	1,11	97,4	-	0,00
23	4 996	4 999	1,07	97,4	-	0,00
24	4 218	4 222	2,63	97,4	-	0,00
25	2 892	2 898	6,07	97,4	-	0,00
26	2 120	2 128	8,85	97,4	-	0,00
27	3 420	3 425	4,55	97,4	-	0,00
28	2 740	2 746	6,56	97,4	-	0,00
29	2 107	2 115	8,91	97,4	-	0,00
3	5 942	5 945	-0,55	97,4	-	0,00
30	2 767	2 773	6,47	97,4	-	0,00
31	3 408	3 414	4,58	97,4	-	0,00
32	2 045	2 053	9,17	97,4	-	0,00
33	2 292	2 300	8,15	97,4	-	0,00
34	2 855	2 860	6,19	97,4	-	0,00
35	2 795	2 801	6,38	97,4	-	0,00
36	3 370	3 375	4,68	97,4	-	0,00
37	4 114	4 118	2,86	97,4	-	0,00
38	4 850	4 854	1,34	97,4	-	0,00
39	4 377	4 381	2,29	97,4	-	0,00
4	6 192	6 195	-0,94	97,4	-	0,00
40	5 565	5 568	0,06	97,4	-	0,00
41	5 923	5 926	-0,52	97,4	-	0,00
5	5 613	5 616	-0,02	97,4	-	0,00
6	6 597	6 600	-1,54	97,4	-	0,00
7	7 102	7 104	-2,23	97,4	-	0,00
8	6 544	6 547	-1,46	97,4	-	0,00
9	6 285	6 288	-1,08	97,4	-	0,00
Sum			19,64			

- Data undefined due to calculation with octave data

Noise sensitive area: HF Gobas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 740	4 744	1,55	97,4	-	0,00
10	5 390	5 393	0,36	97,4	-	0,00
11	5 594	5 597	0,01	97,4	-	0,00
12	6 413	6 415	-1,27	97,4	-	0,00
13	5 627	5 630	-0,04	97,4	-	0,00
14	4 888	4 891	1,27	97,4	-	0,00
15	5 203	5 206	0,69	97,4	-	0,00
16	5 501	5 504	0,17	97,4	-	0,00
17	5 831	5 834	-0,38	97,4	-	0,00
18	3 987	3 991	3,15	97,4	-	0,00
19	4 089	4 093	2,91	97,4	-	0,00
2	4 152	4 156	2,77	97,4	-	0,00
20	5 174	5 177	0,74	97,4	-	0,00
21	4 602	4 605	1,83	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 304	5 307	0,51	97,4	-	0,00
23	5 554	5 557	0,08	97,4	-	0,00
24	4 887	4 890	1,27	97,4	-	0,00
25	3 125	3 130	5,37	97,4	-	0,00
26	2 782	2 788	6,42	97,4	-	0,00
27	4 067	4 071	2,96	97,4	-	0,00
28	3 426	3 430	4,53	97,4	-	0,00
29	3 177	3 182	5,22	97,4	-	0,00
3	3 576	3 580	4,14	97,4	-	0,00
30	3 806	3 810	3,57	97,4	-	0,00
31	4 380	4 384	2,28	97,4	-	0,00
32	3 487	3 492	4,37	97,4	-	0,00
33	4 053	4 057	3,00	97,4	-	0,00
34	4 497	4 501	2,04	97,4	-	0,00
35	4 148	4 152	2,78	97,4	-	0,00
36	4 670	4 674	1,69	97,4	-	0,00
37	5 273	5 276	0,56	97,4	-	0,00
38	6 018	6 021	-0,67	97,4	-	0,00
39	5 226	5 230	0,65	97,4	-	0,00
4	3 845	3 849	3,48	97,4	-	0,00
40	6 626	6 628	-1,58	97,4	-	0,00
41	7 105	7 107	-2,24	97,4	-	0,00
5	3 267	3 272	4,96	97,4	-	0,00
6	4 291	4 295	2,47	97,4	-	0,00
7	4 791	4 795	1,45	97,4	-	0,00
8	4 846	4 850	1,35	97,4	-	0,00
9	4 766	4 770	1,50	97,4	-	0,00
Sum			18,44			

- Data undefined due to calculation with octave data

Noise sensitive area: HF Gobas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 740	4 744	1,55	97,4	-	0,00
10	5 390	5 393	0,36	97,4	-	0,00
11	5 594	5 597	0,01	97,4	-	0,00
12	6 413	6 415	-1,27	97,4	-	0,00
13	5 627	5 630	-0,04	97,4	-	0,00
14	4 888	4 891	1,27	97,4	-	0,00
15	5 203	5 206	0,69	97,4	-	0,00
16	5 501	5 504	0,17	97,4	-	0,00
17	5 831	5 834	-0,38	97,4	-	0,00
18	3 987	3 991	3,15	97,4	-	0,00
19	4 089	4 093	2,91	97,4	-	0,00
2	4 152	4 156	2,77	97,4	-	0,00
20	5 174	5 177	0,74	97,4	-	0,00
21	4 602	4 605	1,83	97,4	-	0,00
22	5 304	5 307	0,51	97,4	-	0,00
23	5 554	5 557	0,08	97,4	-	0,00
24	4 887	4 890	1,27	97,4	-	0,00
25	3 125	3 130	5,37	97,4	-	0,00
26	2 782	2 788	6,42	97,4	-	0,00
27	4 067	4 071	2,96	97,4	-	0,00
28	3 426	3 430	4,53	97,4	-	0,00
29	3 177	3 182	5,22	97,4	-	0,00
3	3 576	3 580	4,14	97,4	-	0,00
30	3 806	3 810	3,57	97,4	-	0,00
31	4 380	4 384	2,28	97,4	-	0,00
32	3 487	3 492	4,37	97,4	-	0,00
33	4 053	4 057	3,00	97,4	-	0,00
34	4 497	4 501	2,04	97,4	-	0,00
35	4 148	4 152	2,78	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 670	4 674	1,69	97,4	-	0,00
37	5 273	5 276	0,56	97,4	-	0,00
38	6 018	6 021	-0,67	97,4	-	0,00
39	5 226	5 230	0,65	97,4	-	0,00
4	3 845	3 849	3,48	97,4	-	0,00
40	6 626	6 628	-1,58	97,4	-	0,00
41	7 105	7 107	-2,24	97,4	-	0,00
5	3 267	3 272	4,96	97,4	-	0,00
6	4 291	4 295	2,47	97,4	-	0,00
7	4 791	4 795	1,45	97,4	-	0,00
8	4 846	4 850	1,35	97,4	-	0,00
9	4 766	4 770	1,50	97,4	-	0,00
Sum			18,44			

- Data undefined due to calculation with octave data

Noise sensitive area: HG Akas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 440	5 443	0,27	97,4	-	0,00
10	6 321	6 323	-1,13	97,4	-	0,00
11	6 372	6 375	-1,21	97,4	-	0,00
12	7 183	7 185	-2,34	97,4	-	0,00
13	6 352	6 355	-1,18	97,4	-	0,00
14	5 579	5 583	0,04	97,4	-	0,00
15	5 828	5 830	-0,37	97,4	-	0,00
16	6 080	6 083	-0,77	97,4	-	0,00
17	6 353	6 356	-1,18	97,4	-	0,00
18	4 432	4 436	2,17	97,4	-	0,00
19	4 431	4 435	2,17	97,4	-	0,00
2	4 859	4 862	1,32	97,4	-	0,00
20	5 602	5 604	0,00	97,4	-	0,00
21	4 918	4 921	1,21	97,4	-	0,00
22	5 652	5 655	-0,08	97,4	-	0,00
23	5 825	5 827	-0,37	97,4	-	0,00
24	5 098	5 101	0,88	97,4	-	0,00
25	3 414	3 419	4,56	97,4	-	0,00
26	2 870	2 876	6,14	97,4	-	0,00
27	4 256	4 260	2,55	97,4	-	0,00
28	3 563	3 568	4,17	97,4	-	0,00
29	3 144	3 149	5,31	97,4	-	0,00
3	4 364	4 367	2,32	97,4	-	0,00
30	3 829	3 833	3,52	97,4	-	0,00
31	4 456	4 460	2,12	97,4	-	0,00
32	3 327	3 332	4,80	97,4	-	0,00
33	3 782	3 787	3,63	97,4	-	0,00
34	4 295	4 299	2,46	97,4	-	0,00
35	4 059	4 063	2,98	97,4	-	0,00
36	4 622	4 626	1,79	97,4	-	0,00
37	5 301	5 304	0,51	97,4	-	0,00
38	6 058	6 061	-0,73	97,4	-	0,00
39	5 377	5 381	0,38	97,4	-	0,00
4	4 701	4 705	1,63	97,4	-	0,00
40	6 720	6 722	-1,71	97,4	-	0,00
41	7 155	7 157	-2,30	97,4	-	0,00
5	4 129	4 133	2,83	97,4	-	0,00
6	5 186	5 189	0,72	97,4	-	0,00
7	5 679	5 682	-0,13	97,4	-	0,00
8	5 767	5 770	-0,27	97,4	-	0,00
9	5 655	5 658	-0,09	97,4	-	0,00
Sum			17,80			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HG Akas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 440	5 443	0,27	97,4	-	0,00
10	6 321	6 323	-1,13	97,4	-	0,00
11	6 372	6 375	-1,21	97,4	-	0,00
12	7 183	7 185	-2,34	97,4	-	0,00
13	6 352	6 355	-1,18	97,4	-	0,00
14	5 579	5 583	0,04	97,4	-	0,00
15	5 828	5 830	-0,37	97,4	-	0,00
16	6 080	6 083	-0,77	97,4	-	0,00
17	6 353	6 356	-1,18	97,4	-	0,00
18	4 432	4 436	2,17	97,4	-	0,00
19	4 431	4 435	2,17	97,4	-	0,00
2	4 859	4 862	1,32	97,4	-	0,00
20	5 602	5 604	0,00	97,4	-	0,00
21	4 918	4 921	1,21	97,4	-	0,00
22	5 652	5 655	-0,08	97,4	-	0,00
23	5 825	5 827	-0,37	97,4	-	0,00
24	5 098	5 101	0,88	97,4	-	0,00
25	3 414	3 419	4,56	97,4	-	0,00
26	2 870	2 876	6,14	97,4	-	0,00
27	4 256	4 260	2,55	97,4	-	0,00
28	3 563	3 568	4,17	97,4	-	0,00
29	3 144	3 149	5,31	97,4	-	0,00
3	4 364	4 367	2,32	97,4	-	0,00
30	3 829	3 833	3,52	97,4	-	0,00
31	4 456	4 460	2,12	97,4	-	0,00
32	3 327	3 332	4,80	97,4	-	0,00
33	3 782	3 787	3,63	97,4	-	0,00
34	4 295	4 299	2,46	97,4	-	0,00
35	4 059	4 063	2,98	97,4	-	0,00
36	4 622	4 626	1,79	97,4	-	0,00
37	5 301	5 304	0,51	97,4	-	0,00
38	6 058	6 061	-0,73	97,4	-	0,00
39	5 377	5 381	0,38	97,4	-	0,00
4	4 701	4 705	1,63	97,4	-	0,00
40	6 720	6 722	-1,71	97,4	-	0,00
41	7 155	7 157	-2,30	97,4	-	0,00
5	4 129	4 133	2,83	97,4	-	0,00
6	5 186	5 189	0,72	97,4	-	0,00
7	5 679	5 682	-0,13	97,4	-	0,00
8	5 767	5 770	-0,27	97,4	-	0,00
9	5 655	5 658	-0,09	97,4	-	0,00
Sum			17,80			

- Data undefined due to calculation with octave data

Noise sensitive area: HH Lici

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 326	8 328	-3,75	97,4	-	0,00
10	8 064	8 066	-3,44	97,4	-	0,00
11	7 201	7 203	-2,36	97,4	-	0,00
12	7 897	7 899	-3,24	97,4	-	0,00
13	6 955	6 958	-2,04	97,4	-	0,00
14	6 151	6 154	-0,88	97,4	-	0,00
15	6 109	6 112	-0,81	97,4	-	0,00
16	6 159	6 161	-0,89	97,4	-	0,00
17	6 188	6 191	-0,93	97,4	-	0,00
18	4 395	4 399	2,25	97,4	-	0,00
19	4 070	4 075	2,96	97,4	-	0,00
2	7 739	7 741	-3,05	97,4	-	0,00
20	5 238	5 241	0,63	97,4	-	0,00
21	4 341	4 345	2,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 015	5 019	1,03	97,4	-	0,00
23	4 910	4 914	1,23	97,4	-	0,00
24	4 145	4 150	2,79	97,4	-	0,00
25	3 291	3 296	4,90	97,4	-	0,00
26	2 515	2 521	7,33	97,4	-	0,00
27	3 478	3 483	4,39	97,4	-	0,00
28	2 921	2 926	5,98	97,4	-	0,00
29	2 237	2 244	8,37	97,4	-	0,00
3	7 166	7 168	-2,32	97,4	-	0,00
30	2 707	2 713	6,66	97,4	-	0,00
31	3 259	3 265	4,98	97,4	-	0,00
32	1 899	1 908	9,83	97,4	-	0,00
33	1 743	1 754	10,59	97,4	-	0,00
34	2 286	2 293	8,18	97,4	-	0,00
35	2 488	2 495	7,42	97,4	-	0,00
36	2 992	2 998	5,76	97,4	-	0,00
37	3 737	3 742	3,74	97,4	-	0,00
38	4 398	4 402	2,24	97,4	-	0,00
39	4 175	4 179	2,72	97,4	-	0,00
4	7 391	7 393	-2,61	97,4	-	0,00
40	5 132	5 135	0,82	97,4	-	0,00
41	5 393	5 396	0,35	97,4	-	0,00
5	6 814	6 816	-1,84	97,4	-	0,00
6	7 768	7 770	-3,09	97,4	-	0,00
7	8 273	8 275	-3,69	97,4	-	0,00
8	7 449	7 451	-2,69	97,4	-	0,00
9	7 122	7 124	-2,26	97,4	-	0,00
Sum			19,83			

- Data undefined due to calculation with octave data

Noise sensitive area: HH Lici

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 326	8 328	-3,75	97,4	-	0,00
10	8 064	8 066	-3,44	97,4	-	0,00
11	7 201	7 203	-2,36	97,4	-	0,00
12	7 897	7 899	-3,24	97,4	-	0,00
13	6 955	6 958	-2,04	97,4	-	0,00
14	6 151	6 154	-0,88	97,4	-	0,00
15	6 109	6 112	-0,81	97,4	-	0,00
16	6 159	6 161	-0,89	97,4	-	0,00
17	6 188	6 191	-0,93	97,4	-	0,00
18	4 395	4 399	2,25	97,4	-	0,00
19	4 070	4 075	2,96	97,4	-	0,00
2	7 739	7 741	-3,05	97,4	-	0,00
20	5 238	5 241	0,63	97,4	-	0,00
21	4 341	4 345	2,36	97,4	-	0,00
22	5 015	5 019	1,03	97,4	-	0,00
23	4 910	4 914	1,23	97,4	-	0,00
24	4 145	4 150	2,79	97,4	-	0,00
25	3 291	3 296	4,90	97,4	-	0,00
26	2 515	2 521	7,33	97,4	-	0,00
27	3 478	3 483	4,39	97,4	-	0,00
28	2 921	2 926	5,98	97,4	-	0,00
29	2 237	2 244	8,37	97,4	-	0,00
3	7 166	7 168	-2,32	97,4	-	0,00
30	2 707	2 713	6,66	97,4	-	0,00
31	3 259	3 265	4,98	97,4	-	0,00
32	1 899	1 908	9,83	97,4	-	0,00
33	1 743	1 754	10,59	97,4	-	0,00
34	2 286	2 293	8,18	97,4	-	0,00
35	2 488	2 495	7,42	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 992	2 998	5,76	97,4	-	0,00
37	3 737	3 742	3,74	97,4	-	0,00
38	4 398	4 402	2,24	97,4	-	0,00
39	4 175	4 179	2,72	97,4	-	0,00
4	7 391	7 393	-2,61	97,4	-	0,00
40	5 132	5 135	0,82	97,4	-	0,00
41	5 393	5 396	0,35	97,4	-	0,00
5	6 814	6 816	-1,84	97,4	-	0,00
6	7 768	7 770	-3,09	97,4	-	0,00
7	8 273	8 275	-3,69	97,4	-	0,00
8	7 449	7 451	-2,69	97,4	-	0,00
9	7 122	7 124	-2,26	97,4	-	0,00
Sum			19,83			

- Data undefined due to calculation with octave data

Noise sensitive area: HI Cimdini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 672	8 674	-4,14	97,4	-	0,00
10	8 112	8 114	-3,50	97,4	-	0,00
11	7 090	7 092	-2,22	97,4	-	0,00
12	7 753	7 755	-3,07	97,4	-	0,00
13	6 808	6 811	-1,83	97,4	-	0,00
14	6 016	6 019	-0,67	97,4	-	0,00
15	5 924	5 926	-0,52	97,4	-	0,00
16	5 936	5 939	-0,54	97,4	-	0,00
17	5 924	5 927	-0,52	97,4	-	0,00
18	4 212	4 215	2,64	97,4	-	0,00
19	3 843	3 847	3,48	97,4	-	0,00
2	8 083	8 085	-3,46	97,4	-	0,00
20	4 963	4 966	1,13	97,4	-	0,00
21	4 060	4 063	2,98	97,4	-	0,00
22	4 699	4 703	1,63	97,4	-	0,00
23	4 550	4 553	1,93	97,4	-	0,00
24	3 803	3 807	3,58	97,4	-	0,00
25	3 165	3 170	5,25	97,4	-	0,00
26	2 433	2 440	7,62	97,4	-	0,00
27	3 203	3 208	5,14	97,4	-	0,00
28	2 721	2 726	6,62	97,4	-	0,00
29	2 065	2 073	9,09	97,4	-	0,00
3	7 480	7 482	-2,73	97,4	-	0,00
30	2 420	2 426	7,67	97,4	-	0,00
31	2 913	2 919	6,00	97,4	-	0,00
32	1 643	1 653	11,11	97,4	-	0,00
33	1 327	1 340	12,98	97,4	-	0,00
34	1 829	1 837	10,17	97,4	-	0,00
35	2 116	2 124	8,87	97,4	-	0,00
36	2 574	2 580	7,12	97,4	-	0,00
37	3 302	3 307	4,87	97,4	-	0,00
38	3 932	3 936	3,27	97,4	-	0,00
39	3 787	3 791	3,62	97,4	-	0,00
4	7 667	7 669	-2,96	97,4	-	0,00
40	4 664	4 667	1,70	97,4	-	0,00
41	4 901	4 904	1,24	97,4	-	0,00
5	7 093	7 095	-2,22	97,4	-	0,00
6	8 010	8 012	-3,38	97,4	-	0,00
7	8 514	8 516	-3,96	97,4	-	0,00
8	7 493	7 495	-2,74	97,4	-	0,00
9	7 130	7 132	-2,27	97,4	-	0,00
Sum			20,94			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HI Cimdini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 672	8 674	-4,14	97,4	-	0,00
10	8 112	8 114	-3,50	97,4	-	0,00
11	7 090	7 092	-2,22	97,4	-	0,00
12	7 753	7 755	-3,07	97,4	-	0,00
13	6 808	6 811	-1,83	97,4	-	0,00
14	6 016	6 019	-0,67	97,4	-	0,00
15	5 924	5 926	-0,52	97,4	-	0,00
16	5 936	5 939	-0,54	97,4	-	0,00
17	5 924	5 927	-0,52	97,4	-	0,00
18	4 212	4 215	2,64	97,4	-	0,00
19	3 843	3 847	3,48	97,4	-	0,00
2	8 083	8 085	-3,46	97,4	-	0,00
20	4 963	4 966	1,13	97,4	-	0,00
21	4 060	4 063	2,98	97,4	-	0,00
22	4 699	4 703	1,63	97,4	-	0,00
23	4 550	4 553	1,93	97,4	-	0,00
24	3 803	3 807	3,58	97,4	-	0,00
25	3 165	3 170	5,25	97,4	-	0,00
26	2 433	2 440	7,62	97,4	-	0,00
27	3 203	3 208	5,14	97,4	-	0,00
28	2 721	2 726	6,62	97,4	-	0,00
29	2 065	2 073	9,09	97,4	-	0,00
3	7 480	7 482	-2,73	97,4	-	0,00
30	2 420	2 426	7,67	97,4	-	0,00
31	2 913	2 919	6,00	97,4	-	0,00
32	1 643	1 653	11,11	97,4	-	0,00
33	1 327	1 340	12,98	97,4	-	0,00
34	1 829	1 837	10,17	97,4	-	0,00
35	2 116	2 124	8,87	97,4	-	0,00
36	2 574	2 580	7,12	97,4	-	0,00
37	3 302	3 307	4,87	97,4	-	0,00
38	3 932	3 936	3,27	97,4	-	0,00
39	3 787	3 791	3,62	97,4	-	0,00
4	7 667	7 669	-2,96	97,4	-	0,00
40	4 664	4 667	1,70	97,4	-	0,00
41	4 901	4 904	1,24	97,4	-	0,00
5	7 093	7 095	-2,22	97,4	-	0,00
6	8 010	8 012	-3,38	97,4	-	0,00
7	8 514	8 516	-3,96	97,4	-	0,00
8	7 493	7 495	-2,74	97,4	-	0,00
9	7 130	7 132	-2,27	97,4	-	0,00
Sum			20,94			

- Data undefined due to calculation with octave data

Noise sensitive area: HJ Ritini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 515	8 517	-3,96	97,4	-	0,00
10	7 793	7 794	-3,11	97,4	-	0,00
11	6 730	6 732	-1,72	97,4	-	0,00
12	7 388	7 390	-2,61	97,4	-	0,00
13	6 444	6 446	-1,31	97,4	-	0,00
14	5 654	5 656	-0,09	97,4	-	0,00
15	5 556	5 558	0,08	97,4	-	0,00
16	5 567	5 570	0,06	97,4	-	0,00
17	5 555	5 558	0,08	97,4	-	0,00
18	3 845	3 849	3,48	97,4	-	0,00
19	3 473	3 478	4,41	97,4	-	0,00
2	7 927	7 929	-3,28	97,4	-	0,00
20	4 596	4 599	1,84	97,4	-	0,00
21	3 692	3 696	3,85	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 337	4 340	2,37	97,4	-	0,00
23	4 198	4 201	2,67	97,4	-	0,00
24	3 445	3 450	4,48	97,4	-	0,00
25	2 808	2 813	6,34	97,4	-	0,00
26	2 090	2 097	8,98	97,4	-	0,00
27	2 834	2 840	6,25	97,4	-	0,00
28	2 353	2 360	7,92	97,4	-	0,00
29	1 704	1 713	10,79	97,4	-	0,00
3	7 302	7 304	-2,50	97,4	-	0,00
30	2 051	2 059	9,15	97,4	-	0,00
31	2 555	2 561	7,18	97,4	-	0,00
32	1 274	1 286	13,34	97,4	-	0,00
33	991	1 007	15,51	97,4	-	0,00
34	1 524	1 533	11,78	97,4	-	0,00
35	1 764	1 772	10,49	97,4	-	0,00
36	2 243	2 250	8,35	97,4	-	0,00
37	2 982	2 987	5,79	97,4	-	0,00
38	3 636	3 641	3,99	97,4	-	0,00
39	3 443	3 448	4,49	97,4	-	0,00
4	7 461	7 463	-2,70	97,4	-	0,00
40	4 370	4 373	2,30	97,4	-	0,00
41	4 632	4 636	1,77	97,4	-	0,00
5	6 891	6 893	-1,95	97,4	-	0,00
6	7 783	7 785	-3,10	97,4	-	0,00
7	8 286	8 287	-3,70	97,4	-	0,00
8	7 174	7 176	-2,33	97,4	-	0,00
9	6 799	6 801	-1,82	97,4	-	0,00
Sum			22,49			

- Data undefined due to calculation with octave data

Noise sensitive area: HJ Ritini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 515	8 517	-3,96	97,4	-	0,00
10	7 793	7 794	-3,11	97,4	-	0,00
11	6 730	6 732	-1,72	97,4	-	0,00
12	7 388	7 390	-2,61	97,4	-	0,00
13	6 444	6 446	-1,31	97,4	-	0,00
14	5 654	5 656	-0,09	97,4	-	0,00
15	5 556	5 558	0,08	97,4	-	0,00
16	5 567	5 570	0,06	97,4	-	0,00
17	5 555	5 558	0,08	97,4	-	0,00
18	3 845	3 849	3,48	97,4	-	0,00
19	3 473	3 478	4,41	97,4	-	0,00
2	7 927	7 929	-3,28	97,4	-	0,00
20	4 596	4 599	1,84	97,4	-	0,00
21	3 692	3 696	3,85	97,4	-	0,00
22	4 337	4 340	2,37	97,4	-	0,00
23	4 198	4 201	2,67	97,4	-	0,00
24	3 445	3 450	4,48	97,4	-	0,00
25	2 808	2 813	6,34	97,4	-	0,00
26	2 090	2 097	8,98	97,4	-	0,00
27	2 834	2 840	6,25	97,4	-	0,00
28	2 353	2 360	7,92	97,4	-	0,00
29	1 704	1 713	10,79	97,4	-	0,00
3	7 302	7 304	-2,50	97,4	-	0,00
30	2 051	2 059	9,15	97,4	-	0,00
31	2 555	2 561	7,18	97,4	-	0,00
32	1 274	1 286	13,34	97,4	-	0,00
33	991	1 007	15,51	97,4	-	0,00
34	1 524	1 533	11,78	97,4	-	0,00
35	1 764	1 772	10,49	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 243	2 250	8,35	97,4	-	0,00
37	2 982	2 987	5,79	97,4	-	0,00
38	3 636	3 641	3,99	97,4	-	0,00
39	3 443	3 448	4,49	97,4	-	0,00
4	7 461	7 463	-2,70	97,4	-	0,00
40	4 370	4 373	2,30	97,4	-	0,00
41	4 632	4 636	1,77	97,4	-	0,00
5	6 891	6 893	-1,95	97,4	-	0,00
6	7 783	7 785	-3,10	97,4	-	0,00
7	8 286	8 287	-3,70	97,4	-	0,00
8	7 174	7 176	-2,33	97,4	-	0,00
9	6 799	6 801	-1,82	97,4	-	0,00
Sum			22,49			

- Data undefined due to calculation with octave data

Noise sensitive area: HK Palejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 233	7 236	-2,41	97,4	-	0,00
10	6 431	6 433	-1,29	97,4	-	0,00
11	5 563	5 566	0,06	97,4	-	0,00
12	6 279	6 281	-1,07	97,4	-	0,00
13	5 344	5 347	0,44	97,4	-	0,00
14	4 533	4 537	1,97	97,4	-	0,00
15	4 543	4 547	1,95	97,4	-	0,00
16	4 643	4 647	1,74	97,4	-	0,00
17	4 747	4 750	1,54	97,4	-	0,00
18	2 853	2 858	6,19	97,4	-	0,00
19	2 616	2 622	6,97	97,4	-	0,00
2	6 648	6 650	-1,61	97,4	-	0,00
20	3 838	3 842	3,49	97,4	-	0,00
21	2 991	2 996	5,77	97,4	-	0,00
22	3 722	3 726	3,78	97,4	-	0,00
23	3 752	3 756	3,70	97,4	-	0,00
24	2 976	2 981	5,81	97,4	-	0,00
25	1 705	1 715	10,79	97,4	-	0,00
26	912	929	16,22	97,4	-	0,00
27	2 171	2 179	8,64	97,4	-	0,00
28	1 492	1 502	11,97	97,4	-	0,00
29	865	884	16,66	97,4	-	0,00
3	5 987	5 989	-0,62	97,4	-	0,00
30	1 547	1 558	11,64	97,4	-	0,00
31	2 195	2 202	8,55	97,4	-	0,00
32	943	959	15,94	97,4	-	0,00
33	1 455	1 466	12,18	97,4	-	0,00
34	1 924	1 932	9,72	97,4	-	0,00
35	1 684	1 693	10,90	97,4	-	0,00
36	2 257	2 264	8,30	97,4	-	0,00
37	2 968	2 973	5,83	97,4	-	0,00
38	3 721	3 726	3,78	97,4	-	0,00
39	3 160	3 165	5,27	97,4	-	0,00
4	6 104	6 107	-0,80	97,4	-	0,00
40	4 413	4 416	2,21	97,4	-	0,00
41	4 813	4 817	1,41	97,4	-	0,00
5	5 541	5 544	0,10	97,4	-	0,00
6	6 400	6 402	-1,25	97,4	-	0,00
7	6 901	6 903	-1,96	97,4	-	0,00
8	5 813	5 816	-0,35	97,4	-	0,00
9	5 469	5 472	0,22	97,4	-	0,00
Sum			24,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HK Palejas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 233	7 236	-2,41	97,4	-	0,00
10	6 431	6 433	-1,29	97,4	-	0,00
11	5 563	5 566	0,06	97,4	-	0,00
12	6 279	6 281	-1,07	97,4	-	0,00
13	5 344	5 347	0,44	97,4	-	0,00
14	4 533	4 537	1,97	97,4	-	0,00
15	4 543	4 547	1,95	97,4	-	0,00
16	4 643	4 647	1,74	97,4	-	0,00
17	4 747	4 750	1,54	97,4	-	0,00
18	2 853	2 858	6,19	97,4	-	0,00
19	2 616	2 622	6,97	97,4	-	0,00
2	6 648	6 650	-1,61	97,4	-	0,00
20	3 838	3 842	3,49	97,4	-	0,00
21	2 991	2 996	5,77	97,4	-	0,00
22	3 722	3 726	3,78	97,4	-	0,00
23	3 752	3 756	3,70	97,4	-	0,00
24	2 976	2 981	5,81	97,4	-	0,00
25	1 705	1 715	10,79	97,4	-	0,00
26	912	929	16,22	97,4	-	0,00
27	2 171	2 179	8,64	97,4	-	0,00
28	1 492	1 502	11,97	97,4	-	0,00
29	865	884	16,66	97,4	-	0,00
3	5 987	5 989	-0,62	97,4	-	0,00
30	1 547	1 558	11,64	97,4	-	0,00
31	2 195	2 202	8,55	97,4	-	0,00
32	943	959	15,94	97,4	-	0,00
33	1 455	1 466	12,18	97,4	-	0,00
34	1 924	1 932	9,72	97,4	-	0,00
35	1 684	1 693	10,90	97,4	-	0,00
36	2 257	2 264	8,30	97,4	-	0,00
37	2 968	2 973	5,83	97,4	-	0,00
38	3 721	3 726	3,78	97,4	-	0,00
39	3 160	3 165	5,27	97,4	-	0,00
4	6 104	6 107	-0,80	97,4	-	0,00
40	4 413	4 416	2,21	97,4	-	0,00
41	4 813	4 817	1,41	97,4	-	0,00
5	5 541	5 544	0,10	97,4	-	0,00
6	6 400	6 402	-1,25	97,4	-	0,00
7	6 901	6 903	-1,96	97,4	-	0,00
8	5 813	5 816	-0,35	97,4	-	0,00
9	5 469	5 472	0,22	97,4	-	0,00
Sum			24,51			

- Data undefined due to calculation with octave data

Noise sensitive area: HL Me ž setas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 508	7 510	-2,76	97,4	-	0,00
10	6 705	6 707	-1,69	97,4	-	0,00
11	5 780	5 783	-0,29	97,4	-	0,00
12	6 481	6 484	-1,37	97,4	-	0,00
13	5 542	5 545	0,10	97,4	-	0,00
14	4 735	4 739	1,56	97,4	-	0,00
15	4 716	4 719	1,60	97,4	-	0,00
16	4 794	4 797	1,45	97,4	-	0,00
17	4 869	4 872	1,30	97,4	-	0,00
18	3 011	3 016	5,71	97,4	-	0,00
19	2 733	2 739	6,58	97,4	-	0,00
2	6 921	6 923	-1,99	97,4	-	0,00
20	3 942	3 946	3,25	97,4	-	0,00
21	3 072	3 076	5,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 789	3 793	3,61	97,4	-	0,00
23	3 779	3 783	3,64	97,4	-	0,00
24	2 999	3 004	5,74	97,4	-	0,00
25	1 882	1 890	9,91	97,4	-	0,00
26	1 096	1 110	14,65	97,4	-	0,00
27	2 227	2 234	8,42	97,4	-	0,00
28	1 584	1 593	11,44	97,4	-	0,00
29	908	925	16,26	97,4	-	0,00
3	6 267	6 269	-1,05	97,4	-	0,00
30	1 537	1 546	11,71	97,4	-	0,00
31	2 174	2 181	8,63	97,4	-	0,00
32	819	838	17,13	97,4	-	0,00
33	1 227	1 240	13,67	97,4	-	0,00
34	1 735	1 743	10,64	97,4	-	0,00
35	1 575	1 585	11,49	97,4	-	0,00
36	2 153	2 160	8,72	97,4	-	0,00
37	2 888	2 893	6,08	97,4	-	0,00
38	3 632	3 637	4,00	97,4	-	0,00
39	3 142	3 147	5,32	97,4	-	0,00
4	6 392	6 394	-1,24	97,4	-	0,00
40	4 339	4 343	2,37	97,4	-	0,00
41	4 715	4 718	1,60	97,4	-	0,00
5	5 827	5 829	-0,37	97,4	-	0,00
6	6 691	6 693	-1,67	97,4	-	0,00
7	7 192	7 194	-2,35	97,4	-	0,00
8	6 087	6 089	-0,78	97,4	-	0,00
9	5 733	5 735	-0,22	97,4	-	0,00
Sum			24,52			

- Data undefined due to calculation with octave data

Noise sensitive area: HL Me ž setas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 508	7 510	-2,76	97,4	-	0,00
10	6 705	6 707	-1,69	97,4	-	0,00
11	5 780	5 783	-0,29	97,4	-	0,00
12	6 481	6 484	-1,37	97,4	-	0,00
13	5 542	5 545	0,10	97,4	-	0,00
14	4 735	4 739	1,56	97,4	-	0,00
15	4 716	4 719	1,60	97,4	-	0,00
16	4 794	4 797	1,45	97,4	-	0,00
17	4 869	4 872	1,30	97,4	-	0,00
18	3 011	3 016	5,71	97,4	-	0,00
19	2 733	2 739	6,58	97,4	-	0,00
2	6 921	6 923	-1,99	97,4	-	0,00
20	3 942	3 946	3,25	97,4	-	0,00
21	3 072	3 076	5,52	97,4	-	0,00
22	3 789	3 793	3,61	97,4	-	0,00
23	3 779	3 783	3,64	97,4	-	0,00
24	2 999	3 004	5,74	97,4	-	0,00
25	1 882	1 890	9,91	97,4	-	0,00
26	1 096	1 110	14,65	97,4	-	0,00
27	2 227	2 234	8,42	97,4	-	0,00
28	1 584	1 593	11,44	97,4	-	0,00
29	908	925	16,26	97,4	-	0,00
3	6 267	6 269	-1,05	97,4	-	0,00
30	1 537	1 546	11,71	97,4	-	0,00
31	2 174	2 181	8,63	97,4	-	0,00
32	819	838	17,13	97,4	-	0,00
33	1 227	1 240	13,67	97,4	-	0,00
34	1 735	1 743	10,64	97,4	-	0,00
35	1 575	1 585	11,49	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	2 153	2 160	8,72	97,4	-	0,00
37	2 888	2 893	6,08	97,4	-	0,00
38	3 632	3 637	4,00	97,4	-	0,00
39	3 142	3 147	5,32	97,4	-	0,00
4	6 392	6 394	-1,24	97,4	-	0,00
40	4 339	4 343	2,37	97,4	-	0,00
41	4 715	4 718	1,60	97,4	-	0,00
5	5 827	5 829	-0,37	97,4	-	0,00
6	6 691	6 693	-1,67	97,4	-	0,00
7	7 192	7 194	-2,35	97,4	-	0,00
8	6 087	6 089	-0,78	97,4	-	0,00
9	5 733	5 735	-0,22	97,4	-	0,00
Sum			24,52			

- Data undefined due to calculation with octave data

Noise sensitive area: HM Atputa

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 609	7 611	-2,89	97,4	-	0,00
10	6 847	6 849	-1,89	97,4	-	0,00
11	5 917	5 919	-0,51	97,4	-	0,00
12	6 615	6 618	-1,56	97,4	-	0,00
13	5 675	5 678	-0,12	97,4	-	0,00
14	4 869	4 873	1,30	97,4	-	0,00
15	4 843	4 846	1,35	97,4	-	0,00
16	4 914	4 917	1,22	97,4	-	0,00
17	4 980	4 984	1,09	97,4	-	0,00
18	3 135	3 140	5,34	97,4	-	0,00
19	2 846	2 852	6,21	97,4	-	0,00
2	7 022	7 024	-2,13	97,4	-	0,00
20	4 048	4 052	3,01	97,4	-	0,00
21	3 172	3 176	5,23	97,4	-	0,00
22	3 883	3 887	3,39	97,4	-	0,00
23	3 857	3 861	3,45	97,4	-	0,00
24	3 077	3 082	5,51	97,4	-	0,00
25	2 012	2 021	9,32	97,4	-	0,00
26	1 231	1 243	13,64	97,4	-	0,00
27	2 321	2 328	8,05	97,4	-	0,00
28	1 693	1 702	10,85	97,4	-	0,00
29	1 009	1 025	15,35	97,4	-	0,00
3	6 374	6 376	-1,21	97,4	-	0,00
30	1 609	1 619	11,30	97,4	-	0,00
31	2 237	2 244	8,38	97,4	-	0,00
32	853	871	16,78	97,4	-	0,00
33	1 180	1 194	14,00	97,4	-	0,00
34	1 711	1 719	10,76	97,4	-	0,00
35	1 601	1 611	11,34	97,4	-	0,00
36	2 177	2 185	8,62	97,4	-	0,00
37	2 921	2 926	5,98	97,4	-	0,00
38	3 658	3 663	3,93	97,4	-	0,00
39	3 203	3 208	5,14	97,4	-	0,00
4	6 508	6 510	-1,41	97,4	-	0,00
40	4 372	4 375	2,30	97,4	-	0,00
41	4 734	4 738	1,56	97,4	-	0,00
5	5 942	5 944	-0,55	97,4	-	0,00
6	6 814	6 816	-1,84	97,4	-	0,00
7	7 316	7 318	-2,51	97,4	-	0,00
8	6 229	6 231	-0,99	97,4	-	0,00
9	5 875	5 878	-0,45	97,4	-	0,00
Sum			24,14			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HM Atputa

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 609	7 611	-2,89	97,4	-	0,00
10	6 847	6 849	-1,89	97,4	-	0,00
11	5 917	5 919	-0,51	97,4	-	0,00
12	6 615	6 618	-1,56	97,4	-	0,00
13	5 675	5 678	-0,12	97,4	-	0,00
14	4 869	4 873	1,30	97,4	-	0,00
15	4 843	4 846	1,35	97,4	-	0,00
16	4 914	4 917	1,22	97,4	-	0,00
17	4 980	4 984	1,09	97,4	-	0,00
18	3 135	3 140	5,34	97,4	-	0,00
19	2 846	2 852	6,21	97,4	-	0,00
2	7 022	7 024	-2,13	97,4	-	0,00
20	4 048	4 052	3,01	97,4	-	0,00
21	3 172	3 176	5,23	97,4	-	0,00
22	3 883	3 887	3,39	97,4	-	0,00
23	3 857	3 861	3,45	97,4	-	0,00
24	3 077	3 082	5,51	97,4	-	0,00
25	2 012	2 021	9,32	97,4	-	0,00
26	1 231	1 243	13,64	97,4	-	0,00
27	2 321	2 328	8,05	97,4	-	0,00
28	1 693	1 702	10,85	97,4	-	0,00
29	1 009	1 025	15,35	97,4	-	0,00
3	6 374	6 376	-1,21	97,4	-	0,00
30	1 609	1 619	11,30	97,4	-	0,00
31	2 237	2 244	8,38	97,4	-	0,00
32	853	871	16,78	97,4	-	0,00
33	1 180	1 194	14,00	97,4	-	0,00
34	1 711	1 719	10,76	97,4	-	0,00
35	1 601	1 611	11,34	97,4	-	0,00
36	2 177	2 185	8,62	97,4	-	0,00
37	2 921	2 926	5,98	97,4	-	0,00
38	3 658	3 663	3,93	97,4	-	0,00
39	3 203	3 208	5,14	97,4	-	0,00
4	6 508	6 510	-1,41	97,4	-	0,00
40	4 372	4 375	2,30	97,4	-	0,00
41	4 734	4 738	1,56	97,4	-	0,00
5	5 942	5 944	-0,55	97,4	-	0,00
6	6 814	6 816	-1,84	97,4	-	0,00
7	7 316	7 318	-2,51	97,4	-	0,00
8	6 229	6 231	-0,99	97,4	-	0,00
9	5 875	5 878	-0,45	97,4	-	0,00
Sum			24,14			

- Data undefined due to calculation with octave data

Noise sensitive area: HN Strautmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 572	7 574	-2,84	97,4	-	0,00
10	7 434	7 436	-2,67	97,4	-	0,00
11	6 732	6 735	-1,73	97,4	-	0,00
12	7 461	7 464	-2,70	97,4	-	0,00
13	6 531	6 533	-1,44	97,4	-	0,00
14	5 718	5 721	-0,19	97,4	-	0,00
15	5 741	5 744	-0,23	97,4	-	0,00
16	5 840	5 843	-0,39	97,4	-	0,00
17	5 931	5 934	-0,54	97,4	-	0,00
18	4 051	4 055	3,00	97,4	-	0,00
19	3 796	3 801	3,59	97,4	-	0,00
2	6 984	6 987	-2,07	97,4	-	0,00
20	5 009	5 012	1,04	97,4	-	0,00
21	4 140	4 144	2,80	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 855	4 859	1,33	97,4	-	0,00
23	4 829	4 833	1,38	97,4	-	0,00
24	4 049	4 054	3,00	97,4	-	0,00
25	2 903	2 909	6,03	97,4	-	0,00
26	2 110	2 118	8,90	97,4	-	0,00
27	3 293	3 299	4,89	97,4	-	0,00
28	2 651	2 657	6,85	97,4	-	0,00
29	1 976	1 985	9,48	97,4	-	0,00
3	6 410	6 413	-1,26	97,4	-	0,00
30	2 580	2 586	7,10	97,4	-	0,00
31	3 200	3 205	5,15	97,4	-	0,00
32	1 799	1 809	10,31	97,4	-	0,00
33	1 920	1 930	9,73	97,4	-	0,00
34	2 491	2 498	7,41	97,4	-	0,00
35	2 516	2 523	7,32	97,4	-	0,00
36	3 078	3 084	5,50	97,4	-	0,00
37	3 833	3 837	3,51	97,4	-	0,00
38	4 549	4 553	1,93	97,4	-	0,00
39	4 161	4 165	2,75	97,4	-	0,00
4	6 640	6 643	-1,60	97,4	-	0,00
40	5 274	5 278	0,56	97,4	-	0,00
41	5 601	5 604	0,00	97,4	-	0,00
5	6 062	6 065	-0,74	97,4	-	0,00
6	7 026	7 028	-2,13	97,4	-	0,00
7	7 531	7 533	-2,79	97,4	-	0,00
8	6 823	6 826	-1,85	97,4	-	0,00
9	6 529	6 532	-1,44	97,4	-	0,00
Sum			20,16			

- Data undefined due to calculation with octave data

Noise sensitive area: HN Strautmalas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 572	7 574	-2,84	97,4	-	0,00
10	7 434	7 436	-2,67	97,4	-	0,00
11	6 732	6 735	-1,73	97,4	-	0,00
12	7 461	7 464	-2,70	97,4	-	0,00
13	6 531	6 533	-1,44	97,4	-	0,00
14	5 718	5 721	-0,19	97,4	-	0,00
15	5 741	5 744	-0,23	97,4	-	0,00
16	5 840	5 843	-0,39	97,4	-	0,00
17	5 931	5 934	-0,54	97,4	-	0,00
18	4 051	4 055	3,00	97,4	-	0,00
19	3 796	3 801	3,59	97,4	-	0,00
2	6 984	6 987	-2,07	97,4	-	0,00
20	5 009	5 012	1,04	97,4	-	0,00
21	4 140	4 144	2,80	97,4	-	0,00
22	4 855	4 859	1,33	97,4	-	0,00
23	4 829	4 833	1,38	97,4	-	0,00
24	4 049	4 054	3,00	97,4	-	0,00
25	2 903	2 909	6,03	97,4	-	0,00
26	2 110	2 118	8,90	97,4	-	0,00
27	3 293	3 299	4,89	97,4	-	0,00
28	2 651	2 657	6,85	97,4	-	0,00
29	1 976	1 985	9,48	97,4	-	0,00
3	6 410	6 413	-1,26	97,4	-	0,00
30	2 580	2 586	7,10	97,4	-	0,00
31	3 200	3 205	5,15	97,4	-	0,00
32	1 799	1 809	10,31	97,4	-	0,00
33	1 920	1 930	9,73	97,4	-	0,00
34	2 491	2 498	7,41	97,4	-	0,00
35	2 516	2 523	7,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 078	3 084	5,50	97,4	-	0,00
37	3 833	3 837	3,51	97,4	-	0,00
38	4 549	4 553	1,93	97,4	-	0,00
39	4 161	4 165	2,75	97,4	-	0,00
4	6 640	6 643	-1,60	97,4	-	0,00
40	5 274	5 278	0,56	97,4	-	0,00
41	5 601	5 604	0,00	97,4	-	0,00
5	6 062	6 065	-0,74	97,4	-	0,00
6	7 026	7 028	-2,13	97,4	-	0,00
7	7 531	7 533	-2,79	97,4	-	0,00
8	6 823	6 826	-1,85	97,4	-	0,00
9	6 529	6 532	-1,44	97,4	-	0,00
Sum			20,16			

- Data undefined due to calculation with octave data

Noise sensitive area: HO Riti

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 118	3 123	5,39	97,4	-	0,00
10	5 001	5 004	1,06	97,4	-	0,00
11	7 427	7 429	-2,66	97,4	-	0,00
12	7 831	7 834	-3,16	97,4	-	0,00
13	7 936	7 938	-3,29	97,4	-	0,00
14	7 927	7 929	-3,28	97,4	-	0,00
15	8 522	8 524	-3,97	97,4	-	0,00
16	8 961	8 963	-4,45	97,4	-	0,00
17	9 495	9 496	-5,01	97,4	-	0,00
18	8 904	8 906	-4,39	97,4	-	0,00
19	9 360	9 362	-4,87	97,4	-	0,00
2	3 578	3 582	4,14	97,4	-	0,00
20	9 620	9 622	-5,14	97,4	-	0,00
21	9 762	9 763	-5,28	97,4	-	0,00
22	10 074	10 076	-5,58	97,4	-	0,00
23	10 571	10 573	-6,05	97,4	-	0,00
24	10 339	10 341	-5,84	97,4	-	0,00
25	9 001	9 003	-4,50	97,4	-	0,00
26	9 275	9 276	-4,78	97,4	-	0,00
27	9 859	9 861	-5,37	97,4	-	0,00
28	9 582	9 583	-5,10	97,4	-	0,00
29	9 786	9 788	-5,30	97,4	-	0,00
3	3 882	3 886	3,39	97,4	-	0,00
30	10 127	10 129	-5,63	97,4	-	0,00
31	10 410	10 412	-5,90	97,4	-	0,00
32	10 260	10 262	-5,76	97,4	-	0,00
33	10 930	10 932	-6,38	97,4	-	0,00
34	11 183	11 184	-6,60	97,4	-	0,00
35	10 649	10 650	-6,12	97,4	-	0,00
36	10 967	10 968	-6,41	97,4	-	0,00
37	11 233	11 234	-6,64	97,4	-	0,00
38	11 787	11 789	-7,12	97,4	-	0,00
39	10 794	10 796	-6,25	97,4	-	0,00
4	3 560	3 564	4,18	97,4	-	0,00
40	12 082	12 084	-7,36	97,4	-	0,00
41	12 641	12 643	-7,80	97,4	-	0,00
5	4 139	4 142	2,80	97,4	-	0,00
6	3 229	3 234	5,07	97,4	-	0,00
7	2 736	2 742	6,57	97,4	-	0,00
8	5 317	5 320	0,49	97,4	-	0,00
9	5 912	5 915	-0,50	97,4	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HO Riti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 118	3 123	5,39	97,4	-	0,00
10	5 001	5 004	1,06	97,4	-	0,00
11	7 427	7 429	-2,66	97,4	-	0,00
12	7 831	7 834	-3,16	97,4	-	0,00
13	7 936	7 938	-3,29	97,4	-	0,00
14	7 927	7 929	-3,28	97,4	-	0,00
15	8 522	8 524	-3,97	97,4	-	0,00
16	8 961	8 963	-4,45	97,4	-	0,00
17	9 495	9 496	-5,01	97,4	-	0,00
18	8 904	8 906	-4,39	97,4	-	0,00
19	9 360	9 362	-4,87	97,4	-	0,00
2	3 578	3 582	4,14	97,4	-	0,00
20	9 620	9 622	-5,14	97,4	-	0,00
21	9 762	9 763	-5,28	97,4	-	0,00
22	10 074	10 076	-5,58	97,4	-	0,00
23	10 571	10 573	-6,05	97,4	-	0,00
24	10 339	10 341	-5,84	97,4	-	0,00
25	9 001	9 003	-4,50	97,4	-	0,00
26	9 275	9 276	-4,78	97,4	-	0,00
27	9 859	9 861	-5,37	97,4	-	0,00
28	9 582	9 583	-5,10	97,4	-	0,00
29	9 786	9 788	-5,30	97,4	-	0,00
3	3 882	3 886	3,39	97,4	-	0,00
30	10 127	10 129	-5,63	97,4	-	0,00
31	10 410	10 412	-5,90	97,4	-	0,00
32	10 260	10 262	-5,76	97,4	-	0,00
33	10 930	10 932	-6,38	97,4	-	0,00
34	11 183	11 184	-6,60	97,4	-	0,00
35	10 649	10 650	-6,12	97,4	-	0,00
36	10 967	10 968	-6,41	97,4	-	0,00
37	11 233	11 234	-6,64	97,4	-	0,00
38	11 787	11 789	-7,12	97,4	-	0,00
39	10 794	10 796	-6,25	97,4	-	0,00
4	3 560	3 564	4,18	97,4	-	0,00
40	12 082	12 084	-7,36	97,4	-	0,00
41	12 641	12 643	-7,80	97,4	-	0,00
5	4 139	4 142	2,80	97,4	-	0,00
6	3 229	3 234	5,07	97,4	-	0,00
7	2 736	2 742	6,57	97,4	-	0,00
8	5 317	5 320	0,49	97,4	-	0,00
9	5 912	5 915	-0,50	97,4	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: HP Maurini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 802	6 805	-1,82	97,4	-	0,00
10	2 853	2 859	6,19	97,4	-	0,00
11	4 219	4 222	2,63	97,4	-	0,00
12	4 029	4 033	3,05	97,4	-	0,00
13	4 723	4 726	1,59	97,4	-	0,00
14	5 262	5 265	0,58	97,4	-	0,00
15	5 684	5 687	-0,14	97,4	-	0,00
16	5 990	5 992	-0,63	97,4	-	0,00
17	6 422	6 424	-1,28	97,4	-	0,00
18	7 017	7 019	-2,12	97,4	-	0,00
19	7 516	7 518	-2,77	97,4	-	0,00
2	6 801	6 804	-1,82	97,4	-	0,00
20	7 052	7 054	-2,17	97,4	-	0,00
21	7 662	7 664	-2,95	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 562	7 565	-2,83	97,4	-	0,00
23	8 071	8 073	-3,45	97,4	-	0,00
24	8 252	8 254	-3,66	97,4	-	0,00
25	7 788	7 790	-3,11	97,4	-	0,00
26	8 446	8 448	-3,88	97,4	-	0,00
27	8 215	8 217	-3,62	97,4	-	0,00
28	8 344	8 345	-3,77	97,4	-	0,00
29	8 878	8 880	-4,36	97,4	-	0,00
3	6 375	6 377	-1,21	97,4	-	0,00
30	8 838	8 840	-4,32	97,4	-	0,00
31	8 773	8 775	-4,25	97,4	-	0,00
32	9 373	9 375	-4,89	97,4	-	0,00
33	9 992	9 993	-5,50	97,4	-	0,00
34	9 963	9 964	-5,48	97,4	-	0,00
35	9 372	9 374	-4,89	97,4	-	0,00
36	9 406	9 408	-4,92	97,4	-	0,00
37	9 296	9 297	-4,81	97,4	-	0,00
38	9 548	9 550	-5,06	97,4	-	0,00
39	8 653	8 655	-4,12	97,4	-	0,00
4	5 708	5 710	-0,17	97,4	-	0,00
40	9 516	9 518	-5,03	97,4	-	0,00
41	10 023	10 025	-5,53	97,4	-	0,00
5	5 976	5 978	-0,60	97,4	-	0,00
6	5 064	5 067	0,94	97,4	-	0,00
7	4 880	4 883	1,28	97,4	-	0,00
8	3 443	3 447	4,49	97,4	-	0,00
9	3 739	3 743	3,74	97,4	-	0,00
Sum			15,38			

- Data undefined due to calculation with octave data

Noise sensitive area: HP Maurini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 802	6 805	-1,82	97,4	-	0,00
10	2 853	2 859	6,19	97,4	-	0,00
11	4 219	4 222	2,63	97,4	-	0,00
12	4 029	4 033	3,05	97,4	-	0,00
13	4 723	4 726	1,59	97,4	-	0,00
14	5 262	5 265	0,58	97,4	-	0,00
15	5 684	5 687	-0,14	97,4	-	0,00
16	5 990	5 992	-0,63	97,4	-	0,00
17	6 422	6 424	-1,28	97,4	-	0,00
18	7 017	7 019	-2,12	97,4	-	0,00
19	7 516	7 518	-2,77	97,4	-	0,00
2	6 801	6 804	-1,82	97,4	-	0,00
20	7 052	7 054	-2,17	97,4	-	0,00
21	7 662	7 664	-2,95	97,4	-	0,00
22	7 562	7 565	-2,83	97,4	-	0,00
23	8 071	8 073	-3,45	97,4	-	0,00
24	8 252	8 254	-3,66	97,4	-	0,00
25	7 788	7 790	-3,11	97,4	-	0,00
26	8 446	8 448	-3,88	97,4	-	0,00
27	8 215	8 217	-3,62	97,4	-	0,00
28	8 344	8 345	-3,77	97,4	-	0,00
29	8 878	8 880	-4,36	97,4	-	0,00
3	6 375	6 377	-1,21	97,4	-	0,00
30	8 838	8 840	-4,32	97,4	-	0,00
31	8 773	8 775	-4,25	97,4	-	0,00
32	9 373	9 375	-4,89	97,4	-	0,00
33	9 992	9 993	-5,50	97,4	-	0,00
34	9 963	9 964	-5,48	97,4	-	0,00
35	9 372	9 374	-4,89	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 406	9 408	-4,92	97,4	-	0,00
37	9 296	9 297	-4,81	97,4	-	0,00
38	9 548	9 550	-5,06	97,4	-	0,00
39	8 653	8 655	-4,12	97,4	-	0,00
4	5 708	5 710	-0,17	97,4	-	0,00
40	9 516	9 518	-5,03	97,4	-	0,00
41	10 023	10 025	-5,53	97,4	-	0,00
5	5 976	5 978	-0,60	97,4	-	0,00
6	5 064	5 067	0,94	97,4	-	0,00
7	4 880	4 883	1,28	97,4	-	0,00
8	3 443	3 447	4,49	97,4	-	0,00
9	3 739	3 743	3,74	97,4	-	0,00
Sum			15,38			

- Data undefined due to calculation with octave data

Noise sensitive area: HQ Sauli š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 807	2 813	6,34	97,4	-	0,00
10	2 200	2 207	8,53	97,4	-	0,00
11	4 421	4 424	2,20	97,4	-	0,00
12	4 974	4 978	1,11	97,4	-	0,00
13	4 884	4 887	1,28	97,4	-	0,00
14	4 762	4 766	1,51	97,4	-	0,00
15	5 359	5 362	0,41	97,4	-	0,00
16	5 804	5 806	-0,33	97,4	-	0,00
17	6 336	6 339	-1,16	97,4	-	0,00
18	5 676	5 679	-0,12	97,4	-	0,00
19	6 137	6 140	-0,86	97,4	-	0,00
2	2 688	2 693	6,73	97,4	-	0,00
20	6 403	6 405	-1,25	97,4	-	0,00
21	6 532	6 535	-1,44	97,4	-	0,00
22	6 849	6 852	-1,89	97,4	-	0,00
23	7 343	7 345	-2,55	97,4	-	0,00
24	7 112	7 115	-2,25	97,4	-	0,00
25	5 834	5 837	-0,38	97,4	-	0,00
26	6 186	6 188	-0,93	97,4	-	0,00
27	6 656	6 659	-1,62	97,4	-	0,00
28	6 425	6 427	-1,29	97,4	-	0,00
29	6 695	6 698	-1,67	97,4	-	0,00
3	2 219	2 226	8,45	97,4	-	0,00
30	6 974	6 977	-2,06	97,4	-	0,00
31	7 216	7 218	-2,38	97,4	-	0,00
32	7 186	7 189	-2,35	97,4	-	0,00
33	7 861	7 863	-3,20	97,4	-	0,00
34	8 063	8 065	-3,44	97,4	-	0,00
35	7 508	7 511	-2,76	97,4	-	0,00
36	7 790	7 792	-3,11	97,4	-	0,00
37	8 020	8 022	-3,39	97,4	-	0,00
38	8 561	8 563	-4,01	97,4	-	0,00
39	7 568	7 570	-2,84	97,4	-	0,00
4	1 551	1 561	11,62	97,4	-	0,00
40	8 852	8 854	-4,34	97,4	-	0,00
41	9 411	9 413	-4,93	97,4	-	0,00
5	1 883	1 890	9,91	97,4	-	0,00
6	910	928	16,23	97,4	-	0,00
7	878	896	16,54	97,4	-	0,00
8	2 282	2 289	8,20	97,4	-	0,00
9	2 833	2 838	6,26	97,4	-	0,00
Sum			22,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HQ Sauli š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 807	2 813	6,34	97,4	-	0,00
10	2 200	2 207	8,53	97,4	-	0,00
11	4 421	4 424	2,20	97,4	-	0,00
12	4 974	4 978	1,11	97,4	-	0,00
13	4 884	4 887	1,28	97,4	-	0,00
14	4 762	4 766	1,51	97,4	-	0,00
15	5 359	5 362	0,41	97,4	-	0,00
16	5 804	5 806	-0,33	97,4	-	0,00
17	6 336	6 339	-1,16	97,4	-	0,00
18	5 676	5 679	-0,12	97,4	-	0,00
19	6 137	6 140	-0,86	97,4	-	0,00
2	2 688	2 693	6,73	97,4	-	0,00
20	6 403	6 405	-1,25	97,4	-	0,00
21	6 532	6 535	-1,44	97,4	-	0,00
22	6 849	6 852	-1,89	97,4	-	0,00
23	7 343	7 345	-2,55	97,4	-	0,00
24	7 112	7 115	-2,25	97,4	-	0,00
25	5 834	5 837	-0,38	97,4	-	0,00
26	6 186	6 188	-0,93	97,4	-	0,00
27	6 656	6 659	-1,62	97,4	-	0,00
28	6 425	6 427	-1,29	97,4	-	0,00
29	6 695	6 698	-1,67	97,4	-	0,00
3	2 219	2 226	8,45	97,4	-	0,00
30	6 974	6 977	-2,06	97,4	-	0,00
31	7 216	7 218	-2,38	97,4	-	0,00
32	7 186	7 189	-2,35	97,4	-	0,00
33	7 861	7 863	-3,20	97,4	-	0,00
34	8 063	8 065	-3,44	97,4	-	0,00
35	7 508	7 511	-2,76	97,4	-	0,00
36	7 790	7 792	-3,11	97,4	-	0,00
37	8 020	8 022	-3,39	97,4	-	0,00
38	8 561	8 563	-4,01	97,4	-	0,00
39	7 568	7 570	-2,84	97,4	-	0,00
4	1 551	1 561	11,62	97,4	-	0,00
40	8 852	8 854	-4,34	97,4	-	0,00
41	9 411	9 413	-4,93	97,4	-	0,00
5	1 883	1 890	9,91	97,4	-	0,00
6	910	928	16,23	97,4	-	0,00
7	878	896	16,54	97,4	-	0,00
8	2 282	2 289	8,20	97,4	-	0,00
9	2 833	2 838	6,26	97,4	-	0,00
Sum			22,27			

- Data undefined due to calculation with octave data

Noise sensitive area: HR Ezerini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 392	6 394	-1,24	97,4	-	0,00
10	2 614	2 619	6,98	97,4	-	0,00
11	4 207	4 210	2,65	97,4	-	0,00
12	4 099	4 103	2,89	97,4	-	0,00
13	4 728	4 731	1,58	97,4	-	0,00
14	5 214	5 217	0,67	97,4	-	0,00
15	5 668	5 670	-0,11	97,4	-	0,00
16	5 995	5 998	-0,64	97,4	-	0,00
17	6 448	6 450	-1,32	97,4	-	0,00
18	6 926	6 928	-2,00	97,4	-	0,00
19	7 429	7 431	-2,66	97,4	-	0,00
2	6 400	6 403	-1,25	97,4	-	0,00
20	7 031	7 033	-2,14	97,4	-	0,00
21	7 603	7 605	-2,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 543	7 546	-2,81	97,4	-	0,00
23	8 058	8 060	-3,43	97,4	-	0,00
24	8 199	8 201	-3,60	97,4	-	0,00
25	7 648	7 650	-2,94	97,4	-	0,00
26	8 284	8 286	-3,70	97,4	-	0,00
27	8 120	8 122	-3,51	97,4	-	0,00
28	8 214	8 216	-3,62	97,4	-	0,00
29	8 728	8 730	-4,20	97,4	-	0,00
3	5 989	5 992	-0,63	97,4	-	0,00
30	8 720	8 722	-4,19	97,4	-	0,00
31	8 685	8 686	-4,15	97,4	-	0,00
32	9 227	9 229	-4,74	97,4	-	0,00
33	9 856	9 858	-5,37	97,4	-	0,00
34	9 851	9 852	-5,37	97,4	-	0,00
35	9 259	9 260	-4,77	97,4	-	0,00
36	9 318	9 320	-4,83	97,4	-	0,00
37	9 241	9 242	-4,75	97,4	-	0,00
38	9 524	9 526	-5,04	97,4	-	0,00
39	8 610	8 612	-4,07	97,4	-	0,00
4	5 322	5 325	0,48	97,4	-	0,00
40	9 525	9 527	-5,04	97,4	-	0,00
41	10 041	10 043	-5,55	97,4	-	0,00
5	5 607	5 609	-0,01	97,4	-	0,00
6	4 675	4 678	1,68	97,4	-	0,00
7	4 477	4 480	2,08	97,4	-	0,00
8	3 221	3 226	5,09	97,4	-	0,00
9	3 571	3 575	4,16	97,4	-	0,00
Sum			15,71			

- Data undefined due to calculation with octave data

Noise sensitive area: HR Ezerini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 392	6 394	-1,24	97,4	-	0,00
10	2 614	2 619	6,98	97,4	-	0,00
11	4 207	4 210	2,65	97,4	-	0,00
12	4 099	4 103	2,89	97,4	-	0,00
13	4 728	4 731	1,58	97,4	-	0,00
14	5 214	5 217	0,67	97,4	-	0,00
15	5 668	5 670	-0,11	97,4	-	0,00
16	5 995	5 998	-0,64	97,4	-	0,00
17	6 448	6 450	-1,32	97,4	-	0,00
18	6 926	6 928	-2,00	97,4	-	0,00
19	7 429	7 431	-2,66	97,4	-	0,00
2	6 400	6 403	-1,25	97,4	-	0,00
20	7 031	7 033	-2,14	97,4	-	0,00
21	7 603	7 605	-2,88	97,4	-	0,00
22	7 543	7 546	-2,81	97,4	-	0,00
23	8 058	8 060	-3,43	97,4	-	0,00
24	8 199	8 201	-3,60	97,4	-	0,00
25	7 648	7 650	-2,94	97,4	-	0,00
26	8 284	8 286	-3,70	97,4	-	0,00
27	8 120	8 122	-3,51	97,4	-	0,00
28	8 214	8 216	-3,62	97,4	-	0,00
29	8 728	8 730	-4,20	97,4	-	0,00
3	5 989	5 992	-0,63	97,4	-	0,00
30	8 720	8 722	-4,19	97,4	-	0,00
31	8 685	8 686	-4,15	97,4	-	0,00
32	9 227	9 229	-4,74	97,4	-	0,00
33	9 856	9 858	-5,37	97,4	-	0,00
34	9 851	9 852	-5,37	97,4	-	0,00
35	9 259	9 260	-4,77	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 318	9 320	-4,83	97,4	-	0,00
37	9 241	9 242	-4,75	97,4	-	0,00
38	9 524	9 526	-5,04	97,4	-	0,00
39	8 610	8 612	-4,07	97,4	-	0,00
4	5 322	5 325	0,48	97,4	-	0,00
40	9 525	9 527	-5,04	97,4	-	0,00
41	10 041	10 043	-5,55	97,4	-	0,00
5	5 607	5 609	-0,01	97,4	-	0,00
6	4 675	4 678	1,68	97,4	-	0,00
7	4 477	4 480	2,08	97,4	-	0,00
8	3 221	3 226	5,09	97,4	-	0,00
9	3 571	3 575	4,16	97,4	-	0,00
Sum			15,71			

- Data undefined due to calculation with octave data

Noise sensitive area: HS Ozolnieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 429	5 431	0,29	97,4	-	0,00
10	2 121	2 128	8,85	97,4	-	0,00
11	4 184	4 187	2,70	97,4	-	0,00
12	4 265	4 269	2,53	97,4	-	0,00
13	4 728	4 731	1,58	97,4	-	0,00
14	5 077	5 080	0,92	97,4	-	0,00
15	5 593	5 595	0,02	97,4	-	0,00
16	5 966	5 969	-0,59	97,4	-	0,00
17	6 457	6 459	-1,33	97,4	-	0,00
18	6 658	6 660	-1,62	97,4	-	0,00
19	7 165	7 167	-2,32	97,4	-	0,00
2	5 448	5 451	0,26	97,4	-	0,00
20	6 924	6 926	-1,99	97,4	-	0,00
21	7 399	7 401	-2,62	97,4	-	0,00
22	7 434	7 436	-2,67	97,4	-	0,00
23	7 955	7 957	-3,31	97,4	-	0,00
24	8 005	8 007	-3,37	97,4	-	0,00
25	7 260	7 262	-2,44	97,4	-	0,00
26	7 838	7 840	-3,17	97,4	-	0,00
27	7 829	7 831	-3,16	97,4	-	0,00
28	7 844	7 846	-3,18	97,4	-	0,00
29	8 306	8 308	-3,72	97,4	-	0,00
3	5 062	5 065	0,94	97,4	-	0,00
30	8 370	8 372	-3,80	97,4	-	0,00
31	8 404	8 406	-3,84	97,4	-	0,00
32	8 811	8 813	-4,29	97,4	-	0,00
33	9 460	9 462	-4,98	97,4	-	0,00
34	9 507	9 509	-5,02	97,4	-	0,00
35	8 916	8 918	-4,40	97,4	-	0,00
36	9 033	9 034	-4,53	97,4	-	0,00
37	9 032	9 034	-4,53	97,4	-	0,00
38	9 386	9 388	-4,90	97,4	-	0,00
39	8 436	8 438	-3,87	97,4	-	0,00
4	4 396	4 400	2,25	97,4	-	0,00
40	9 461	9 463	-4,98	97,4	-	0,00
41	9 996	9 997	-5,51	97,4	-	0,00
5	4 713	4 716	1,61	97,4	-	0,00
6	3 743	3 747	3,72	97,4	-	0,00
7	3 523	3 527	4,28	97,4	-	0,00
8	2 735	2 741	6,57	97,4	-	0,00
9	3 204	3 209	5,14	97,4	-	0,00
Sum			16,68			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HS Ozolnieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 429	5 431	0,29	97,4	-	0,00
10	2 121	2 128	8,85	97,4	-	0,00
11	4 184	4 187	2,70	97,4	-	0,00
12	4 265	4 269	2,53	97,4	-	0,00
13	4 728	4 731	1,58	97,4	-	0,00
14	5 077	5 080	0,92	97,4	-	0,00
15	5 593	5 595	0,02	97,4	-	0,00
16	5 966	5 969	-0,59	97,4	-	0,00
17	6 457	6 459	-1,33	97,4	-	0,00
18	6 658	6 660	-1,62	97,4	-	0,00
19	7 165	7 167	-2,32	97,4	-	0,00
2	5 448	5 451	0,26	97,4	-	0,00
20	6 924	6 926	-1,99	97,4	-	0,00
21	7 399	7 401	-2,62	97,4	-	0,00
22	7 434	7 436	-2,67	97,4	-	0,00
23	7 955	7 957	-3,31	97,4	-	0,00
24	8 005	8 007	-3,37	97,4	-	0,00
25	7 260	7 262	-2,44	97,4	-	0,00
26	7 838	7 840	-3,17	97,4	-	0,00
27	7 829	7 831	-3,16	97,4	-	0,00
28	7 844	7 846	-3,18	97,4	-	0,00
29	8 306	8 308	-3,72	97,4	-	0,00
3	5 062	5 065	0,94	97,4	-	0,00
30	8 370	8 372	-3,80	97,4	-	0,00
31	8 404	8 406	-3,84	97,4	-	0,00
32	8 811	8 813	-4,29	97,4	-	0,00
33	9 460	9 462	-4,98	97,4	-	0,00
34	9 507	9 509	-5,02	97,4	-	0,00
35	8 916	8 918	-4,40	97,4	-	0,00
36	9 033	9 034	-4,53	97,4	-	0,00
37	9 032	9 034	-4,53	97,4	-	0,00
38	9 386	9 388	-4,90	97,4	-	0,00
39	8 436	8 438	-3,87	97,4	-	0,00
4	4 396	4 400	2,25	97,4	-	0,00
40	9 461	9 463	-4,98	97,4	-	0,00
41	9 996	9 997	-5,51	97,4	-	0,00
5	4 713	4 716	1,61	97,4	-	0,00
6	3 743	3 747	3,72	97,4	-	0,00
7	3 523	3 527	4,28	97,4	-	0,00
8	2 735	2 741	6,57	97,4	-	0,00
9	3 204	3 209	5,14	97,4	-	0,00
Sum			16,68			

- Data undefined due to calculation with octave data

Noise sensitive area: HT 76640030065

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 656	5 659	-0,09	97,4	-	0,00
10	2 761	2 766	6,49	97,4	-	0,00
11	4 796	4 799	1,44	97,4	-	0,00
12	4 832	4 835	1,38	97,4	-	0,00
13	5 338	5 340	0,45	97,4	-	0,00
14	5 709	5 712	-0,18	97,4	-	0,00
15	6 218	6 220	-0,98	97,4	-	0,00
16	6 584	6 587	-1,52	97,4	-	0,00
17	7 069	7 071	-2,19	97,4	-	0,00
18	7 300	7 303	-2,49	97,4	-	0,00
19	7 807	7 809	-3,13	97,4	-	0,00
2	5 737	5 740	-0,22	97,4	-	0,00
20	7 555	7 557	-2,82	97,4	-	0,00
21	8 039	8 041	-3,41	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 066	8 068	-3,44	97,4	-	0,00
23	8 587	8 589	-4,04	97,4	-	0,00
24	8 645	8 647	-4,11	97,4	-	0,00
25	7 898	7 901	-3,24	97,4	-	0,00
26	8 471	8 472	-3,91	97,4	-	0,00
27	8 472	8 474	-3,91	97,4	-	0,00
28	8 484	8 486	-3,93	97,4	-	0,00
29	8 941	8 943	-4,43	97,4	-	0,00
3	5 425	5 427	0,30	97,4	-	0,00
30	9 011	9 013	-4,51	97,4	-	0,00
31	9 046	9 048	-4,54	97,4	-	0,00
32	9 447	9 448	-4,96	97,4	-	0,00
33	10 097	10 099	-5,61	97,4	-	0,00
34	10 148	10 149	-5,65	97,4	-	0,00
35	9 558	9 559	-5,07	97,4	-	0,00
36	9 675	9 677	-5,19	97,4	-	0,00
37	9 673	9 675	-5,19	97,4	-	0,00
38	10 022	10 024	-5,53	97,4	-	0,00
39	9 075	9 076	-4,57	97,4	-	0,00
4	4 767	4 770	1,50	97,4	-	0,00
40	10 089	10 090	-5,60	97,4	-	0,00
41	10 621	10 623	-6,10	97,4	-	0,00
5	5 133	5 136	0,81	97,4	-	0,00
6	4 109	4 113	2,87	97,4	-	0,00
7	3 825	3 829	3,53	97,4	-	0,00
8	3 373	3 378	4,67	97,4	-	0,00
9	3 847	3 851	3,47	97,4	-	0,00
Sum			15,48			

- Data undefined due to calculation with octave data

Noise sensitive area: HT 76640030065

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 656	5 659	-0,09	97,4	-	0,00
10	2 761	2 766	6,49	97,4	-	0,00
11	4 796	4 799	1,44	97,4	-	0,00
12	4 832	4 835	1,38	97,4	-	0,00
13	5 338	5 340	0,45	97,4	-	0,00
14	5 709	5 712	-0,18	97,4	-	0,00
15	6 218	6 220	-0,98	97,4	-	0,00
16	6 584	6 587	-1,52	97,4	-	0,00
17	7 069	7 071	-2,19	97,4	-	0,00
18	7 300	7 303	-2,49	97,4	-	0,00
19	7 807	7 809	-3,13	97,4	-	0,00
2	5 737	5 740	-0,22	97,4	-	0,00
20	7 555	7 557	-2,82	97,4	-	0,00
21	8 039	8 041	-3,41	97,4	-	0,00
22	8 066	8 068	-3,44	97,4	-	0,00
23	8 587	8 589	-4,04	97,4	-	0,00
24	8 645	8 647	-4,11	97,4	-	0,00
25	7 898	7 901	-3,24	97,4	-	0,00
26	8 471	8 472	-3,91	97,4	-	0,00
27	8 472	8 474	-3,91	97,4	-	0,00
28	8 484	8 486	-3,93	97,4	-	0,00
29	8 941	8 943	-4,43	97,4	-	0,00
3	5 425	5 427	0,30	97,4	-	0,00
30	9 011	9 013	-4,51	97,4	-	0,00
31	9 046	9 048	-4,54	97,4	-	0,00
32	9 447	9 448	-4,96	97,4	-	0,00
33	10 097	10 099	-5,61	97,4	-	0,00
34	10 148	10 149	-5,65	97,4	-	0,00
35	9 558	9 559	-5,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 675	9 677	-5,19	97,4	-	0,00
37	9 673	9 675	-5,19	97,4	-	0,00
38	10 022	10 024	-5,53	97,4	-	0,00
39	9 075	9 076	-4,57	97,4	-	0,00
4	4 767	4 770	1,50	97,4	-	0,00
40	10 089	10 090	-5,60	97,4	-	0,00
41	10 621	10 623	-6,10	97,4	-	0,00
5	5 133	5 136	0,81	97,4	-	0,00
6	4 109	4 113	2,87	97,4	-	0,00
7	3 825	3 829	3,53	97,4	-	0,00
8	3 373	3 378	4,67	97,4	-	0,00
9	3 847	3 851	3,47	97,4	-	0,00
Sum			15,48			

- Data undefined due to calculation with octave data

Noise sensitive area: HU Avotini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 976	3 980	3,17	97,4	-	0,00
10	1 240	1 251	13,59	97,4	-	0,00
11	3 663	3 667	3,92	97,4	-	0,00
12	4 086	4 090	2,92	97,4	-	0,00
13	4 178	4 182	2,72	97,4	-	0,00
14	4 238	4 242	2,59	97,4	-	0,00
15	4 824	4 827	1,39	97,4	-	0,00
16	5 253	5 256	0,60	97,4	-	0,00
17	5 783	5 786	-0,30	97,4	-	0,00
18	5 487	5 490	0,19	97,4	-	0,00
19	5 981	5 984	-0,61	97,4	-	0,00
2	3 870	3 874	3,42	97,4	-	0,00
20	6 018	6 021	-0,67	97,4	-	0,00
21	6 307	6 309	-1,11	97,4	-	0,00
22	6 502	6 504	-1,40	97,4	-	0,00
23	7 017	7 019	-2,12	97,4	-	0,00
24	6 909	6 912	-1,97	97,4	-	0,00
25	5 877	5 880	-0,45	97,4	-	0,00
26	6 359	6 362	-1,19	97,4	-	0,00
27	6 582	6 584	-1,51	97,4	-	0,00
28	6 474	6 476	-1,36	97,4	-	0,00
29	6 852	6 855	-1,89	97,4	-	0,00
3	3 369	3 373	4,69	97,4	-	0,00
30	7 019	7 021	-2,12	97,4	-	0,00
31	7 158	7 160	-2,31	97,4	-	0,00
32	7 357	7 359	-2,57	97,4	-	0,00
33	8 025	8 027	-3,39	97,4	-	0,00
34	8 146	8 147	-3,54	97,4	-	0,00
35	7 566	7 568	-2,83	97,4	-	0,00
36	7 766	7 768	-3,08	97,4	-	0,00
37	7 887	7 889	-3,23	97,4	-	0,00
38	8 347	8 349	-3,77	97,4	-	0,00
39	7 360	7 363	-2,57	97,4	-	0,00
4	2 705	2 710	6,67	97,4	-	0,00
40	8 545	8 547	-4,00	97,4	-	0,00
41	9 100	9 102	-4,60	97,4	-	0,00
5	2 947	2 951	5,90	97,4	-	0,00
6	2 085	2 093	9,00	97,4	-	0,00
7	2 020	2 028	9,29	97,4	-	0,00
8	1 593	1 602	11,39	97,4	-	0,00
9	2 192	2 199	8,56	97,4	-	0,00
Sum			20,11			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HU Avotini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 976	3 980	3,17	97,4	-	0,00
10	1 240	1 251	13,59	97,4	-	0,00
11	3 663	3 667	3,92	97,4	-	0,00
12	4 086	4 090	2,92	97,4	-	0,00
13	4 178	4 182	2,72	97,4	-	0,00
14	4 238	4 242	2,59	97,4	-	0,00
15	4 824	4 827	1,39	97,4	-	0,00
16	5 253	5 256	0,60	97,4	-	0,00
17	5 783	5 786	-0,30	97,4	-	0,00
18	5 487	5 490	0,19	97,4	-	0,00
19	5 981	5 984	-0,61	97,4	-	0,00
2	3 870	3 874	3,42	97,4	-	0,00
20	6 018	6 021	-0,67	97,4	-	0,00
21	6 307	6 309	-1,11	97,4	-	0,00
22	6 502	6 504	-1,40	97,4	-	0,00
23	7 017	7 019	-2,12	97,4	-	0,00
24	6 909	6 912	-1,97	97,4	-	0,00
25	5 877	5 880	-0,45	97,4	-	0,00
26	6 359	6 362	-1,19	97,4	-	0,00
27	6 582	6 584	-1,51	97,4	-	0,00
28	6 474	6 476	-1,36	97,4	-	0,00
29	6 852	6 855	-1,89	97,4	-	0,00
3	3 369	3 373	4,69	97,4	-	0,00
30	7 019	7 021	-2,12	97,4	-	0,00
31	7 158	7 160	-2,31	97,4	-	0,00
32	7 357	7 359	-2,57	97,4	-	0,00
33	8 025	8 027	-3,39	97,4	-	0,00
34	8 146	8 147	-3,54	97,4	-	0,00
35	7 566	7 568	-2,83	97,4	-	0,00
36	7 766	7 768	-3,08	97,4	-	0,00
37	7 887	7 889	-3,23	97,4	-	0,00
38	8 347	8 349	-3,77	97,4	-	0,00
39	7 360	7 363	-2,57	97,4	-	0,00
4	2 705	2 710	6,67	97,4	-	0,00
40	8 545	8 547	-4,00	97,4	-	0,00
41	9 100	9 102	-4,60	97,4	-	0,00
5	2 947	2 951	5,90	97,4	-	0,00
6	2 085	2 093	9,00	97,4	-	0,00
7	2 020	2 028	9,29	97,4	-	0,00
8	1 593	1 602	11,39	97,4	-	0,00
9	2 192	2 199	8,56	97,4	-	0,00
Sum			20,11			

- Data undefined due to calculation with octave data

Noise sensitive area: HV Ap š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 632	4 636	1,77	97,4	-	0,00
10	1 448	1 458	12,23	97,4	-	0,00
11	3 805	3 809	3,58	97,4	-	0,00
12	4 065	4 069	2,97	97,4	-	0,00
13	4 346	4 349	2,35	97,4	-	0,00
14	4 557	4 561	1,92	97,4	-	0,00
15	5 115	5 118	0,85	97,4	-	0,00
16	5 520	5 523	0,14	97,4	-	0,00
17	6 036	6 039	-0,70	97,4	-	0,00
18	5 994	5 996	-0,63	97,4	-	0,00
19	6 498	6 500	-1,39	97,4	-	0,00
2	4 595	4 598	1,84	97,4	-	0,00
20	6 391	6 393	-1,24	97,4	-	0,00
21	6 777	6 779	-1,79	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 891	6 894	-1,95	97,4	-	0,00
23	7 413	7 415	-2,64	97,4	-	0,00
24	7 385	7 387	-2,60	97,4	-	0,00
25	6 497	6 500	-1,39	97,4	-	0,00
26	7 032	7 035	-2,14	97,4	-	0,00
27	7 134	7 137	-2,28	97,4	-	0,00
28	7 090	7 092	-2,22	97,4	-	0,00
29	7 513	7 516	-2,77	97,4	-	0,00
3	4 156	4 160	2,77	97,4	-	0,00
30	7 627	7 629	-2,91	97,4	-	0,00
31	7 712	7 714	-3,02	97,4	-	0,00
32	8 020	8 022	-3,39	97,4	-	0,00
33	8 679	8 681	-4,15	97,4	-	0,00
34	8 762	8 764	-4,24	97,4	-	0,00
35	8 175	8 177	-3,57	97,4	-	0,00
36	8 333	8 335	-3,76	97,4	-	0,00
37	8 392	8 394	-3,82	97,4	-	0,00
38	8 800	8 801	-4,28	97,4	-	0,00
39	7 827	7 830	-3,16	97,4	-	0,00
4	3 489	3 493	4,37	97,4	-	0,00
40	8 937	8 938	-4,43	97,4	-	0,00
41	9 483	9 485	-5,00	97,4	-	0,00
5	3 774	3 778	3,65	97,4	-	0,00
6	2 845	2 851	6,22	97,4	-	0,00
7	2 684	2 690	6,74	97,4	-	0,00
8	2 007	2 015	9,34	97,4	-	0,00
9	2 556	2 562	7,18	97,4	-	0,00
Sum			18,63			

- Data undefined due to calculation with octave data

Noise sensitive area: HV Ap š i

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 632	4 636	1,77	97,4	-	0,00
10	1 448	1 458	12,23	97,4	-	0,00
11	3 805	3 809	3,58	97,4	-	0,00
12	4 065	4 069	2,97	97,4	-	0,00
13	4 346	4 349	2,35	97,4	-	0,00
14	4 557	4 561	1,92	97,4	-	0,00
15	5 115	5 118	0,85	97,4	-	0,00
16	5 520	5 523	0,14	97,4	-	0,00
17	6 036	6 039	-0,70	97,4	-	0,00
18	5 994	5 996	-0,63	97,4	-	0,00
19	6 498	6 500	-1,39	97,4	-	0,00
2	4 595	4 598	1,84	97,4	-	0,00
20	6 391	6 393	-1,24	97,4	-	0,00
21	6 777	6 779	-1,79	97,4	-	0,00
22	6 891	6 894	-1,95	97,4	-	0,00
23	7 413	7 415	-2,64	97,4	-	0,00
24	7 385	7 387	-2,60	97,4	-	0,00
25	6 497	6 500	-1,39	97,4	-	0,00
26	7 032	7 035	-2,14	97,4	-	0,00
27	7 134	7 137	-2,28	97,4	-	0,00
28	7 090	7 092	-2,22	97,4	-	0,00
29	7 513	7 516	-2,77	97,4	-	0,00
3	4 156	4 160	2,77	97,4	-	0,00
30	7 627	7 629	-2,91	97,4	-	0,00
31	7 712	7 714	-3,02	97,4	-	0,00
32	8 020	8 022	-3,39	97,4	-	0,00
33	8 679	8 681	-4,15	97,4	-	0,00
34	8 762	8 764	-4,24	97,4	-	0,00
35	8 175	8 177	-3,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 333	8 335	-3,76	97,4	-	0,00
37	8 392	8 394	-3,82	97,4	-	0,00
38	8 800	8 801	-4,28	97,4	-	0,00
39	7 827	7 830	-3,16	97,4	-	0,00
4	3 489	3 493	4,37	97,4	-	0,00
40	8 937	8 938	-4,43	97,4	-	0,00
41	9 483	9 485	-5,00	97,4	-	0,00
5	3 774	3 778	3,65	97,4	-	0,00
6	2 845	2 851	6,22	97,4	-	0,00
7	2 684	2 690	6,74	97,4	-	0,00
8	2 007	2 015	9,34	97,4	-	0,00
9	2 556	2 562	7,18	97,4	-	0,00
Sum			18,63			

- Data undefined due to calculation with octave data

Noise sensitive area: HW Lejini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 689	5 692	-0,15	97,4	-	0,00
10	3 070	3 075	5,53	97,4	-	0,00
11	5 132	5 135	0,82	97,4	-	0,00
12	5 166	5 169	0,75	97,4	-	0,00
13	5 673	5 676	-0,12	97,4	-	0,00
14	6 041	6 044	-0,71	97,4	-	0,00
15	6 552	6 554	-1,47	97,4	-	0,00
16	6 919	6 922	-1,99	97,4	-	0,00
17	7 405	7 407	-2,63	97,4	-	0,00
18	7 620	7 622	-2,90	97,4	-	0,00
19	8 127	8 129	-3,52	97,4	-	0,00
2	5 804	5 807	-0,33	97,4	-	0,00
20	7 887	7 889	-3,23	97,4	-	0,00
21	8 364	8 366	-3,79	97,4	-	0,00
22	8 397	8 399	-3,83	97,4	-	0,00
23	8 919	8 920	-4,41	97,4	-	0,00
24	8 970	8 972	-4,46	97,4	-	0,00
25	8 202	8 204	-3,60	97,4	-	0,00
26	8 764	8 766	-4,24	97,4	-	0,00
27	8 788	8 790	-4,27	97,4	-	0,00
28	8 790	8 791	-4,27	97,4	-	0,00
29	9 238	9 240	-4,75	97,4	-	0,00
3	5 534	5 537	0,11	97,4	-	0,00
30	9 319	9 321	-4,83	97,4	-	0,00
31	9 363	9 365	-4,88	97,4	-	0,00
32	9 744	9 746	-5,26	97,4	-	0,00
33	10 398	10 399	-5,89	97,4	-	0,00
34	10 456	10 458	-5,95	97,4	-	0,00
35	9 866	9 868	-5,38	97,4	-	0,00
36	9 991	9 993	-5,50	97,4	-	0,00
37	9 997	9 999	-5,51	97,4	-	0,00
38	10 351	10 353	-5,85	97,4	-	0,00
39	9 401	9 403	-4,92	97,4	-	0,00
4	4 886	4 889	1,27	97,4	-	0,00
40	10 422	10 423	-5,91	97,4	-	0,00
41	10 955	10 957	-6,40	97,4	-	0,00
5	5 279	5 281	0,55	97,4	-	0,00
6	4 229	4 233	2,61	97,4	-	0,00
7	3 913	3 917	3,32	97,4	-	0,00
8	3 678	3 682	3,89	97,4	-	0,00
9	4 164	4 167	2,75	97,4	-	0,00
Sum			15,00			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HW Lejini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 689	5 692	-0,15	97,4	-	0,00
10	3 070	3 075	5,53	97,4	-	0,00
11	5 132	5 135	0,82	97,4	-	0,00
12	5 166	5 169	0,75	97,4	-	0,00
13	5 673	5 676	-0,12	97,4	-	0,00
14	6 041	6 044	-0,71	97,4	-	0,00
15	6 552	6 554	-1,47	97,4	-	0,00
16	6 919	6 922	-1,99	97,4	-	0,00
17	7 405	7 407	-2,63	97,4	-	0,00
18	7 620	7 622	-2,90	97,4	-	0,00
19	8 127	8 129	-3,52	97,4	-	0,00
2	5 804	5 807	-0,33	97,4	-	0,00
20	7 887	7 889	-3,23	97,4	-	0,00
21	8 364	8 366	-3,79	97,4	-	0,00
22	8 397	8 399	-3,83	97,4	-	0,00
23	8 919	8 920	-4,41	97,4	-	0,00
24	8 970	8 972	-4,46	97,4	-	0,00
25	8 202	8 204	-3,60	97,4	-	0,00
26	8 764	8 766	-4,24	97,4	-	0,00
27	8 788	8 790	-4,27	97,4	-	0,00
28	8 790	8 791	-4,27	97,4	-	0,00
29	9 238	9 240	-4,75	97,4	-	0,00
3	5 534	5 537	0,11	97,4	-	0,00
30	9 319	9 321	-4,83	97,4	-	0,00
31	9 363	9 365	-4,88	97,4	-	0,00
32	9 744	9 746	-5,26	97,4	-	0,00
33	10 398	10 399	-5,89	97,4	-	0,00
34	10 456	10 458	-5,95	97,4	-	0,00
35	9 866	9 868	-5,38	97,4	-	0,00
36	9 991	9 993	-5,50	97,4	-	0,00
37	9 997	9 999	-5,51	97,4	-	0,00
38	10 351	10 353	-5,85	97,4	-	0,00
39	9 401	9 403	-4,92	97,4	-	0,00
4	4 886	4 889	1,27	97,4	-	0,00
40	10 422	10 423	-5,91	97,4	-	0,00
41	10 955	10 957	-6,40	97,4	-	0,00
5	5 279	5 281	0,55	97,4	-	0,00
6	4 229	4 233	2,61	97,4	-	0,00
7	3 913	3 917	3,32	97,4	-	0,00
8	3 678	3 682	3,89	97,4	-	0,00
9	4 164	4 167	2,75	97,4	-	0,00
Sum			15,00			

- Data undefined due to calculation with octave data

Noise sensitive area: HX Smilgas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 096	3 101	5,45	97,4	-	0,00
10	4 204	4 207	2,66	97,4	-	0,00
11	6 637	6 639	-1,59	97,4	-	0,00
12	7 027	7 029	-2,13	97,4	-	0,00
13	7 151	7 153	-2,30	97,4	-	0,00
14	7 168	7 170	-2,32	97,4	-	0,00
15	7 761	7 763	-3,08	97,4	-	0,00
16	8 198	8 199	-3,60	97,4	-	0,00
17	8 730	8 732	-4,20	97,4	-	0,00
18	8 214	8 216	-3,62	97,4	-	0,00
19	8 680	8 682	-4,15	97,4	-	0,00
2	3 453	3 458	4,46	97,4	-	0,00
20	8 888	8 890	-4,37	97,4	-	0,00
21	9 066	9 068	-4,56	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 351	9 352	-4,86	97,4	-	0,00
23	9 853	9 855	-5,37	97,4	-	0,00
24	9 651	9 653	-5,17	97,4	-	0,00
25	8 374	8 376	-3,80	97,4	-	0,00
26	8 692	8 694	-4,16	97,4	-	0,00
27	9 204	9 205	-4,71	97,4	-	0,00
28	8 961	8 963	-4,45	97,4	-	0,00
29	9 204	9 205	-4,71	97,4	-	0,00
3	3 592	3 596	4,10	97,4	-	0,00
30	9 510	9 512	-5,03	97,4	-	0,00
31	9 763	9 764	-5,28	97,4	-	0,00
32	9 687	9 689	-5,20	97,4	-	0,00
33	10 361	10 362	-5,86	97,4	-	0,00
34	10 586	10 588	-6,07	97,4	-	0,00
35	10 040	10 041	-5,55	97,4	-	0,00
36	10 333	10 335	-5,83	97,4	-	0,00
37	10 567	10 568	-6,05	97,4	-	0,00
38	11 100	11 102	-6,53	97,4	-	0,00
39	10 106	10 108	-5,62	97,4	-	0,00
4	3 157	3 162	5,28	97,4	-	0,00
40	11 372	11 373	-6,76	97,4	-	0,00
41	11 930	11 932	-7,23	97,4	-	0,00
5	3 728	3 732	3,76	97,4	-	0,00
6	2 713	2 719	6,64	97,4	-	0,00
7	2 208	2 215	8,49	97,4	-	0,00
8	4 542	4 545	1,95	97,4	-	0,00
9	5 140	5 143	0,80	97,4	-	0,00
Sum			16,24			

- Data undefined due to calculation with octave data

Noise sensitive area: HX Smilgas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 096	3 101	5,45	97,4	-	0,00
10	4 204	4 207	2,66	97,4	-	0,00
11	6 637	6 639	-1,59	97,4	-	0,00
12	7 027	7 029	-2,13	97,4	-	0,00
13	7 151	7 153	-2,30	97,4	-	0,00
14	7 168	7 170	-2,32	97,4	-	0,00
15	7 761	7 763	-3,08	97,4	-	0,00
16	8 198	8 199	-3,60	97,4	-	0,00
17	8 730	8 732	-4,20	97,4	-	0,00
18	8 214	8 216	-3,62	97,4	-	0,00
19	8 680	8 682	-4,15	97,4	-	0,00
2	3 453	3 458	4,46	97,4	-	0,00
20	8 888	8 890	-4,37	97,4	-	0,00
21	9 066	9 068	-4,56	97,4	-	0,00
22	9 351	9 352	-4,86	97,4	-	0,00
23	9 853	9 855	-5,37	97,4	-	0,00
24	9 651	9 653	-5,17	97,4	-	0,00
25	8 374	8 376	-3,80	97,4	-	0,00
26	8 692	8 694	-4,16	97,4	-	0,00
27	9 204	9 205	-4,71	97,4	-	0,00
28	8 961	8 963	-4,45	97,4	-	0,00
29	9 204	9 205	-4,71	97,4	-	0,00
3	3 592	3 596	4,10	97,4	-	0,00
30	9 510	9 512	-5,03	97,4	-	0,00
31	9 763	9 764	-5,28	97,4	-	0,00
32	9 687	9 689	-5,20	97,4	-	0,00
33	10 361	10 362	-5,86	97,4	-	0,00
34	10 586	10 588	-6,07	97,4	-	0,00
35	10 040	10 041	-5,55	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 333	10 335	-5,83	97,4	-	0,00
37	10 567	10 568	-6,05	97,4	-	0,00
38	11 100	11 102	-6,53	97,4	-	0,00
39	10 106	10 108	-5,62	97,4	-	0,00
4	3 157	3 162	5,28	97,4	-	0,00
40	11 372	11 373	-6,76	97,4	-	0,00
41	11 930	11 932	-7,23	97,4	-	0,00
5	3 728	3 732	3,76	97,4	-	0,00
6	2 713	2 719	6,64	97,4	-	0,00
7	2 208	2 215	8,49	97,4	-	0,00
8	4 542	4 545	1,95	97,4	-	0,00
9	5 140	5 143	0,80	97,4	-	0,00
Sum			16,24			

- Data undefined due to calculation with octave data

Noise sensitive area: HY Vingri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 866	6 868	-1,91	97,4	-	0,00
10	3 010	3 015	5,71	97,4	-	0,00
11	4 397	4 401	2,25	97,4	-	0,00
12	4 202	4 206	2,66	97,4	-	0,00
13	4 900	4 904	1,24	97,4	-	0,00
14	5 440	5 443	0,27	97,4	-	0,00
15	5 863	5 865	-0,43	97,4	-	0,00
16	6 167	6 170	-0,90	97,4	-	0,00
17	6 598	6 601	-1,54	97,4	-	0,00
18	7 195	7 197	-2,36	97,4	-	0,00
19	7 694	7 696	-2,99	97,4	-	0,00
2	6 879	6 881	-1,93	97,4	-	0,00
20	7 230	7 232	-2,40	97,4	-	0,00
21	7 841	7 843	-3,17	97,4	-	0,00
22	7 741	7 743	-3,05	97,4	-	0,00
23	8 249	8 251	-3,66	97,4	-	0,00
24	8 430	8 432	-3,87	97,4	-	0,00
25	7 962	7 965	-3,32	97,4	-	0,00
26	8 618	8 620	-4,08	97,4	-	0,00
27	8 393	8 395	-3,82	97,4	-	0,00
28	8 519	8 521	-3,97	97,4	-	0,00
29	9 052	9 054	-4,55	97,4	-	0,00
3	6 468	6 471	-1,35	97,4	-	0,00
30	9 015	9 017	-4,51	97,4	-	0,00
31	8 951	8 953	-4,44	97,4	-	0,00
32	9 547	9 549	-5,06	97,4	-	0,00
33	10 167	10 168	-5,67	97,4	-	0,00
34	10 140	10 141	-5,65	97,4	-	0,00
35	9 549	9 551	-5,07	97,4	-	0,00
36	9 584	9 586	-5,10	97,4	-	0,00
37	9 474	9 476	-4,99	97,4	-	0,00
38	9 726	9 728	-5,24	97,4	-	0,00
39	8 831	8 833	-4,31	97,4	-	0,00
4	5 801	5 804	-0,33	97,4	-	0,00
40	9 693	9 695	-5,21	97,4	-	0,00
41	10 199	10 201	-5,70	97,4	-	0,00
5	6 082	6 085	-0,77	97,4	-	0,00
6	5 154	5 157	0,78	97,4	-	0,00
7	4 955	4 958	1,14	97,4	-	0,00
8	3 603	3 608	4,07	97,4	-	0,00
9	3 909	3 913	3,33	97,4	-	0,00
Sum			15,09			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: HY Vingri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 866	6 868	-1,91	97,4	-	0,00
10	3 010	3 015	5,71	97,4	-	0,00
11	4 397	4 401	2,25	97,4	-	0,00
12	4 202	4 206	2,66	97,4	-	0,00
13	4 900	4 904	1,24	97,4	-	0,00
14	5 440	5 443	0,27	97,4	-	0,00
15	5 863	5 865	-0,43	97,4	-	0,00
16	6 167	6 170	-0,90	97,4	-	0,00
17	6 598	6 601	-1,54	97,4	-	0,00
18	7 195	7 197	-2,36	97,4	-	0,00
19	7 694	7 696	-2,99	97,4	-	0,00
2	6 879	6 881	-1,93	97,4	-	0,00
20	7 230	7 232	-2,40	97,4	-	0,00
21	7 841	7 843	-3,17	97,4	-	0,00
22	7 741	7 743	-3,05	97,4	-	0,00
23	8 249	8 251	-3,66	97,4	-	0,00
24	8 430	8 432	-3,87	97,4	-	0,00
25	7 962	7 965	-3,32	97,4	-	0,00
26	8 618	8 620	-4,08	97,4	-	0,00
27	8 393	8 395	-3,82	97,4	-	0,00
28	8 519	8 521	-3,97	97,4	-	0,00
29	9 052	9 054	-4,55	97,4	-	0,00
3	6 468	6 471	-1,35	97,4	-	0,00
30	9 015	9 017	-4,51	97,4	-	0,00
31	8 951	8 953	-4,44	97,4	-	0,00
32	9 547	9 549	-5,06	97,4	-	0,00
33	10 167	10 168	-5,67	97,4	-	0,00
34	10 140	10 141	-5,65	97,4	-	0,00
35	9 549	9 551	-5,07	97,4	-	0,00
36	9 584	9 586	-5,10	97,4	-	0,00
37	9 474	9 476	-4,99	97,4	-	0,00
38	9 726	9 728	-5,24	97,4	-	0,00
39	8 831	8 833	-4,31	97,4	-	0,00
4	5 801	5 804	-0,33	97,4	-	0,00
40	9 693	9 695	-5,21	97,4	-	0,00
41	10 199	10 201	-5,70	97,4	-	0,00
5	6 082	6 085	-0,77	97,4	-	0,00
6	5 154	5 157	0,78	97,4	-	0,00
7	4 955	4 958	1,14	97,4	-	0,00
8	3 603	3 608	4,07	97,4	-	0,00
9	3 909	3 913	3,33	97,4	-	0,00
Sum			15,09			

- Data undefined due to calculation with octave data

Noise sensitive area: HZ Vingri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 792	6 795	-1,81	97,4	-	0,00
10	2 942	2 947	5,92	97,4	-	0,00
11	4 358	4 361	2,33	97,4	-	0,00
12	4 176	4 180	2,72	97,4	-	0,00
13	4 864	4 867	1,31	97,4	-	0,00
14	5 396	5 399	0,35	97,4	-	0,00
15	5 823	5 826	-0,36	97,4	-	0,00
16	6 131	6 134	-0,85	97,4	-	0,00
17	6 565	6 568	-1,49	97,4	-	0,00
18	7 145	7 148	-2,29	97,4	-	0,00
19	7 645	7 647	-2,93	97,4	-	0,00
2	6 804	6 807	-1,83	97,4	-	0,00
20	7 191	7 193	-2,35	97,4	-	0,00
21	7 796	7 798	-3,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 702	7 704	-3,00	97,4	-	0,00
23	8 211	8 213	-3,61	97,4	-	0,00
24	8 386	8 388	-3,82	97,4	-	0,00
25	7 907	7 909	-3,25	97,4	-	0,00
26	8 560	8 562	-4,01	97,4	-	0,00
27	8 343	8 345	-3,77	97,4	-	0,00
28	8 465	8 467	-3,91	97,4	-	0,00
29	8 995	8 997	-4,49	97,4	-	0,00
3	6 393	6 395	-1,24	97,4	-	0,00
30	8 962	8 964	-4,45	97,4	-	0,00
31	8 902	8 904	-4,39	97,4	-	0,00
32	9 491	9 493	-5,01	97,4	-	0,00
33	10 112	10 113	-5,62	97,4	-	0,00
34	10 088	10 089	-5,60	97,4	-	0,00
35	9 497	9 499	-5,01	97,4	-	0,00
36	9 535	9 537	-5,05	97,4	-	0,00
37	9 430	9 432	-4,94	97,4	-	0,00
38	9 687	9 689	-5,20	97,4	-	0,00
39	8 789	8 791	-4,27	97,4	-	0,00
4	5 726	5 728	-0,20	97,4	-	0,00
40	9 659	9 660	-5,18	97,4	-	0,00
41	10 166	10 168	-5,67	97,4	-	0,00
5	6 007	6 009	-0,65	97,4	-	0,00
6	5 079	5 082	0,91	97,4	-	0,00
7	4 880	4 884	1,28	97,4	-	0,00
8	3 538	3 542	4,24	97,4	-	0,00
9	3 849	3 853	3,47	97,4	-	0,00
Sum			15,19			

- Data undefined due to calculation with octave data

Noise sensitive area: HZ Vingri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 792	6 795	-1,81	97,4	-	0,00
10	2 942	2 947	5,92	97,4	-	0,00
11	4 358	4 361	2,33	97,4	-	0,00
12	4 176	4 180	2,72	97,4	-	0,00
13	4 864	4 867	1,31	97,4	-	0,00
14	5 396	5 399	0,35	97,4	-	0,00
15	5 823	5 826	-0,36	97,4	-	0,00
16	6 131	6 134	-0,85	97,4	-	0,00
17	6 565	6 568	-1,49	97,4	-	0,00
18	7 145	7 148	-2,29	97,4	-	0,00
19	7 645	7 647	-2,93	97,4	-	0,00
2	6 804	6 807	-1,83	97,4	-	0,00
20	7 191	7 193	-2,35	97,4	-	0,00
21	7 796	7 798	-3,12	97,4	-	0,00
22	7 702	7 704	-3,00	97,4	-	0,00
23	8 211	8 213	-3,61	97,4	-	0,00
24	8 386	8 388	-3,82	97,4	-	0,00
25	7 907	7 909	-3,25	97,4	-	0,00
26	8 560	8 562	-4,01	97,4	-	0,00
27	8 343	8 345	-3,77	97,4	-	0,00
28	8 465	8 467	-3,91	97,4	-	0,00
29	8 995	8 997	-4,49	97,4	-	0,00
3	6 393	6 395	-1,24	97,4	-	0,00
30	8 962	8 964	-4,45	97,4	-	0,00
31	8 902	8 904	-4,39	97,4	-	0,00
32	9 491	9 493	-5,01	97,4	-	0,00
33	10 112	10 113	-5,62	97,4	-	0,00
34	10 088	10 089	-5,60	97,4	-	0,00
35	9 497	9 499	-5,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 535	9 537	-5,05	97,4	-	0,00
37	9 430	9 432	-4,94	97,4	-	0,00
38	9 687	9 689	-5,20	97,4	-	0,00
39	8 789	8 791	-4,27	97,4	-	0,00
4	5 726	5 728	-0,20	97,4	-	0,00
40	9 659	9 660	-5,18	97,4	-	0,00
41	10 166	10 168	-5,67	97,4	-	0,00
5	6 007	6 009	-0,65	97,4	-	0,00
6	5 079	5 082	0,91	97,4	-	0,00
7	4 880	4 884	1,28	97,4	-	0,00
8	3 538	3 542	4,24	97,4	-	0,00
9	3 849	3 853	3,47	97,4	-	0,00
Sum			15,19			

- Data undefined due to calculation with octave data

Noise sensitive area: IA Jaundanci š i

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 299	4 302	2,45	97,4	-	0,00
10	853	870	16,80	97,4	-	0,00
11	3 286	3 291	4,91	97,4	-	0,00
12	3 697	3 702	3,84	97,4	-	0,00
13	3 806	3 810	3,57	97,4	-	0,00
14	3 897	3 902	3,35	97,4	-	0,00
15	4 478	4 481	2,08	97,4	-	0,00
16	4 902	4 905	1,24	97,4	-	0,00
17	5 430	5 433	0,29	97,4	-	0,00
18	5 214	5 217	0,67	97,4	-	0,00
19	5 713	5 715	-0,18	97,4	-	0,00
2	4 159	4 162	2,76	97,4	-	0,00
20	5 696	5 699	-0,16	97,4	-	0,00
21	6 020	6 022	-0,67	97,4	-	0,00
22	6 186	6 189	-0,93	97,4	-	0,00
23	6 704	6 706	-1,69	97,4	-	0,00
24	6 625	6 627	-1,58	97,4	-	0,00
25	5 662	5 665	-0,10	97,4	-	0,00
26	6 179	6 181	-0,92	97,4	-	0,00
27	6 331	6 334	-1,15	97,4	-	0,00
28	6 257	6 259	-1,04	97,4	-	0,00
29	6 664	6 666	-1,63	97,4	-	0,00
3	3 612	3 616	4,05	97,4	-	0,00
30	6 798	6 800	-1,82	97,4	-	0,00
31	6 908	6 910	-1,97	97,4	-	0,00
32	7 170	7 172	-2,32	97,4	-	0,00
33	7 832	7 834	-3,16	97,4	-	0,00
34	7 930	7 932	-3,28	97,4	-	0,00
35	7 346	7 348	-2,55	97,4	-	0,00
36	7 523	7 525	-2,78	97,4	-	0,00
37	7 616	7 617	-2,90	97,4	-	0,00
38	8 055	8 057	-3,43	97,4	-	0,00
39	7 073	7 075	-2,19	97,4	-	0,00
4	2 958	2 963	5,87	97,4	-	0,00
40	8 232	8 234	-3,64	97,4	-	0,00
41	8 785	8 787	-4,26	97,4	-	0,00
5	3 142	3 146	5,32	97,4	-	0,00
6	2 368	2 375	7,87	97,4	-	0,00
7	2 356	2 363	7,91	97,4	-	0,00
8	1 259	1 272	13,44	97,4	-	0,00
9	1 852	1 860	10,06	97,4	-	0,00
Sum			21,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IA Jaundanci š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 299	4 302	2,45	97,4	-	0,00
10	853	870	16,80	97,4	-	0,00
11	3 286	3 291	4,91	97,4	-	0,00
12	3 697	3 702	3,84	97,4	-	0,00
13	3 806	3 810	3,57	97,4	-	0,00
14	3 897	3 902	3,35	97,4	-	0,00
15	4 478	4 481	2,08	97,4	-	0,00
16	4 902	4 905	1,24	97,4	-	0,00
17	5 430	5 433	0,29	97,4	-	0,00
18	5 214	5 217	0,67	97,4	-	0,00
19	5 713	5 715	-0,18	97,4	-	0,00
2	4 159	4 162	2,76	97,4	-	0,00
20	5 696	5 699	-0,16	97,4	-	0,00
21	6 020	6 022	-0,67	97,4	-	0,00
22	6 186	6 189	-0,93	97,4	-	0,00
23	6 704	6 706	-1,69	97,4	-	0,00
24	6 625	6 627	-1,58	97,4	-	0,00
25	5 662	5 665	-0,10	97,4	-	0,00
26	6 179	6 181	-0,92	97,4	-	0,00
27	6 331	6 334	-1,15	97,4	-	0,00
28	6 257	6 259	-1,04	97,4	-	0,00
29	6 664	6 666	-1,63	97,4	-	0,00
3	3 612	3 616	4,05	97,4	-	0,00
30	6 798	6 800	-1,82	97,4	-	0,00
31	6 908	6 910	-1,97	97,4	-	0,00
32	7 170	7 172	-2,32	97,4	-	0,00
33	7 832	7 834	-3,16	97,4	-	0,00
34	7 930	7 932	-3,28	97,4	-	0,00
35	7 346	7 348	-2,55	97,4	-	0,00
36	7 523	7 525	-2,78	97,4	-	0,00
37	7 616	7 617	-2,90	97,4	-	0,00
38	8 055	8 057	-3,43	97,4	-	0,00
39	7 073	7 075	-2,19	97,4	-	0,00
4	2 958	2 963	5,87	97,4	-	0,00
40	8 232	8 234	-3,64	97,4	-	0,00
41	8 785	8 787	-4,26	97,4	-	0,00
5	3 142	3 146	5,32	97,4	-	0,00
6	2 368	2 375	7,87	97,4	-	0,00
7	2 356	2 363	7,91	97,4	-	0,00
8	1 259	1 272	13,44	97,4	-	0,00
9	1 852	1 860	10,06	97,4	-	0,00
Sum			21,34			

- Data undefined due to calculation with octave data

Noise sensitive area: IB Vecvingri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 803	6 806	-1,83	97,4	-	0,00
10	2 918	2 923	5,99	97,4	-	0,00
11	4 313	4 317	2,42	97,4	-	0,00
12	4 127	4 131	2,83	97,4	-	0,00
13	4 819	4 822	1,40	97,4	-	0,00
14	5 354	5 357	0,42	97,4	-	0,00
15	5 779	5 782	-0,29	97,4	-	0,00
16	6 086	6 088	-0,78	97,4	-	0,00
17	6 519	6 521	-1,42	97,4	-	0,00
18	7 106	7 108	-2,24	97,4	-	0,00
19	7 605	7 607	-2,88	97,4	-	0,00
2	6 811	6 813	-1,84	97,4	-	0,00
20	7 146	7 149	-2,29	97,4	-	0,00
21	7 754	7 756	-3,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 657	7 659	-2,95	97,4	-	0,00
23	8 166	8 168	-3,56	97,4	-	0,00
24	8 344	8 346	-3,77	97,4	-	0,00
25	7 871	7 873	-3,21	97,4	-	0,00
26	8 526	8 528	-3,98	97,4	-	0,00
27	8 304	8 306	-3,72	97,4	-	0,00
28	8 428	8 430	-3,86	97,4	-	0,00
29	8 960	8 962	-4,45	97,4	-	0,00
3	6 394	6 397	-1,24	97,4	-	0,00
30	8 924	8 926	-4,41	97,4	-	0,00
31	8 862	8 864	-4,35	97,4	-	0,00
32	9 456	9 458	-4,97	97,4	-	0,00
33	10 076	10 077	-5,59	97,4	-	0,00
34	10 050	10 051	-5,56	97,4	-	0,00
35	9 459	9 461	-4,97	97,4	-	0,00
36	9 495	9 497	-5,01	97,4	-	0,00
37	9 388	9 390	-4,90	97,4	-	0,00
38	9 642	9 644	-5,16	97,4	-	0,00
39	8 746	8 748	-4,22	97,4	-	0,00
4	5 727	5 730	-0,21	97,4	-	0,00
40	9 613	9 614	-5,13	97,4	-	0,00
41	10 120	10 121	-5,63	97,4	-	0,00
5	6 003	6 006	-0,65	97,4	-	0,00
6	5 081	5 084	0,91	97,4	-	0,00
7	4 888	4 891	1,27	97,4	-	0,00
8	3 511	3 516	4,31	97,4	-	0,00
9	3 816	3 820	3,55	97,4	-	0,00
Sum			15,25			

- Data undefined due to calculation with octave data

Noise sensitive area: IB Vecvingri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 803	6 806	-1,83	97,4	-	0,00
10	2 918	2 923	5,99	97,4	-	0,00
11	4 313	4 317	2,42	97,4	-	0,00
12	4 127	4 131	2,83	97,4	-	0,00
13	4 819	4 822	1,40	97,4	-	0,00
14	5 354	5 357	0,42	97,4	-	0,00
15	5 779	5 782	-0,29	97,4	-	0,00
16	6 086	6 088	-0,78	97,4	-	0,00
17	6 519	6 521	-1,42	97,4	-	0,00
18	7 106	7 108	-2,24	97,4	-	0,00
19	7 605	7 607	-2,88	97,4	-	0,00
2	6 811	6 813	-1,84	97,4	-	0,00
20	7 146	7 149	-2,29	97,4	-	0,00
21	7 754	7 756	-3,07	97,4	-	0,00
22	7 657	7 659	-2,95	97,4	-	0,00
23	8 166	8 168	-3,56	97,4	-	0,00
24	8 344	8 346	-3,77	97,4	-	0,00
25	7 871	7 873	-3,21	97,4	-	0,00
26	8 526	8 528	-3,98	97,4	-	0,00
27	8 304	8 306	-3,72	97,4	-	0,00
28	8 428	8 430	-3,86	97,4	-	0,00
29	8 960	8 962	-4,45	97,4	-	0,00
3	6 394	6 397	-1,24	97,4	-	0,00
30	8 924	8 926	-4,41	97,4	-	0,00
31	8 862	8 864	-4,35	97,4	-	0,00
32	9 456	9 458	-4,97	97,4	-	0,00
33	10 076	10 077	-5,59	97,4	-	0,00
34	10 050	10 051	-5,56	97,4	-	0,00
35	9 459	9 461	-4,97	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 495	9 497	-5,01	97,4	-	0,00
37	9 388	9 390	-4,90	97,4	-	0,00
38	9 642	9 644	-5,16	97,4	-	0,00
39	8 746	8 748	-4,22	97,4	-	0,00
4	5 727	5 730	-0,21	97,4	-	0,00
40	9 613	9 614	-5,13	97,4	-	0,00
41	10 120	10 121	-5,63	97,4	-	0,00
5	6 003	6 006	-0,65	97,4	-	0,00
6	5 081	5 084	0,91	97,4	-	0,00
7	4 888	4 891	1,27	97,4	-	0,00
8	3 511	3 516	4,31	97,4	-	0,00
9	3 816	3 820	3,55	97,4	-	0,00
Sum			15,25			

- Data undefined due to calculation with octave data

Noise sensitive area: IC Bir ž i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 957	2 962	5,87	97,4	-	0,00
10	2 274	2 280	8,23	97,4	-	0,00
11	4 621	4 624	1,79	97,4	-	0,00
12	5 113	5 116	0,85	97,4	-	0,00
13	5 110	5 113	0,86	97,4	-	0,00
14	5 057	5 060	0,95	97,4	-	0,00
15	5 654	5 656	-0,09	97,4	-	0,00
16	6 095	6 097	-0,79	97,4	-	0,00
17	6 628	6 631	-1,58	97,4	-	0,00
18	6 075	6 077	-0,76	97,4	-	0,00
19	6 545	6 548	-1,46	97,4	-	0,00
2	2 931	2 937	5,95	97,4	-	0,00
20	6 751	6 753	-1,75	97,4	-	0,00
21	6 925	6 927	-1,99	97,4	-	0,00
22	7 210	7 212	-2,38	97,4	-	0,00
23	7 711	7 713	-3,01	97,4	-	0,00
24	7 512	7 514	-2,77	97,4	-	0,00
25	6 282	6 285	-1,07	97,4	-	0,00
26	6 655	6 658	-1,62	97,4	-	0,00
27	7 084	7 086	-2,21	97,4	-	0,00
28	6 876	6 878	-1,93	97,4	-	0,00
29	7 164	7 166	-2,31	97,4	-	0,00
3	2 567	2 572	7,15	97,4	-	0,00
30	7 426	7 428	-2,66	97,4	-	0,00
31	7 648	7 651	-2,94	97,4	-	0,00
32	7 658	7 660	-2,95	97,4	-	0,00
33	8 332	8 334	-3,75	97,4	-	0,00
34	8 522	8 524	-3,97	97,4	-	0,00
35	7 963	7 965	-3,32	97,4	-	0,00
36	8 230	8 232	-3,64	97,4	-	0,00
37	8 438	8 440	-3,88	97,4	-	0,00
38	8 961	8 963	-4,45	97,4	-	0,00
39	7 967	7 969	-3,33	97,4	-	0,00
4	1 910	1 918	9,78	97,4	-	0,00
40	9 229	9 230	-4,74	97,4	-	0,00
41	9 787	9 789	-5,30	97,4	-	0,00
5	2 313	2 319	8,08	97,4	-	0,00
6	1 252	1 265	13,49	97,4	-	0,00
7	1 010	1 025	15,35	97,4	-	0,00
8	2 481	2 487	7,45	97,4	-	0,00
9	3 064	3 069	5,55	97,4	-	0,00
Sum			20,86			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IC Bir ž i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 957	2 962	5,87	97,4	-	0,00
10	2 274	2 280	8,23	97,4	-	0,00
11	4 621	4 624	1,79	97,4	-	0,00
12	5 113	5 116	0,85	97,4	-	0,00
13	5 110	5 113	0,86	97,4	-	0,00
14	5 057	5 060	0,95	97,4	-	0,00
15	5 654	5 656	-0,09	97,4	-	0,00
16	6 095	6 097	-0,79	97,4	-	0,00
17	6 628	6 631	-1,58	97,4	-	0,00
18	6 075	6 077	-0,76	97,4	-	0,00
19	6 545	6 548	-1,46	97,4	-	0,00
2	2 931	2 937	5,95	97,4	-	0,00
20	6 751	6 753	-1,75	97,4	-	0,00
21	6 925	6 927	-1,99	97,4	-	0,00
22	7 210	7 212	-2,38	97,4	-	0,00
23	7 711	7 713	-3,01	97,4	-	0,00
24	7 512	7 514	-2,77	97,4	-	0,00
25	6 282	6 285	-1,07	97,4	-	0,00
26	6 655	6 658	-1,62	97,4	-	0,00
27	7 084	7 086	-2,21	97,4	-	0,00
28	6 876	6 878	-1,93	97,4	-	0,00
29	7 164	7 166	-2,31	97,4	-	0,00
3	2 567	2 572	7,15	97,4	-	0,00
30	7 426	7 428	-2,66	97,4	-	0,00
31	7 648	7 651	-2,94	97,4	-	0,00
32	7 658	7 660	-2,95	97,4	-	0,00
33	8 332	8 334	-3,75	97,4	-	0,00
34	8 522	8 524	-3,97	97,4	-	0,00
35	7 963	7 965	-3,32	97,4	-	0,00
36	8 230	8 232	-3,64	97,4	-	0,00
37	8 438	8 440	-3,88	97,4	-	0,00
38	8 961	8 963	-4,45	97,4	-	0,00
39	7 967	7 969	-3,33	97,4	-	0,00
4	1 910	1 918	9,78	97,4	-	0,00
40	9 229	9 230	-4,74	97,4	-	0,00
41	9 787	9 789	-5,30	97,4	-	0,00
5	2 313	2 319	8,08	97,4	-	0,00
6	1 252	1 265	13,49	97,4	-	0,00
7	1 010	1 025	15,35	97,4	-	0,00
8	2 481	2 487	7,45	97,4	-	0,00
9	3 064	3 069	5,55	97,4	-	0,00
Sum			20,86			

- Data undefined due to calculation with octave data

Noise sensitive area: ID Vasaraji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 106	6 109	-0,81	97,4	-	0,00
10	2 626	2 632	6,94	97,4	-	0,00
11	4 413	4 416	2,21	97,4	-	0,00
12	4 364	4 367	2,32	97,4	-	0,00
13	4 944	4 947	1,16	97,4	-	0,00
14	5 386	5 389	0,37	97,4	-	0,00
15	5 863	5 865	-0,43	97,4	-	0,00
16	6 207	6 209	-0,96	97,4	-	0,00
17	6 673	6 675	-1,64	97,4	-	0,00
18	7 055	7 057	-2,17	97,4	-	0,00
19	7 560	7 563	-2,83	97,4	-	0,00
2	6 140	6 143	-0,86	97,4	-	0,00
20	7 219	7 221	-2,39	97,4	-	0,00
21	7 757	7 759	-3,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 731	7 733	-3,04	97,4	-	0,00
23	8 249	8 251	-3,66	97,4	-	0,00
24	8 358	8 360	-3,78	97,4	-	0,00
25	7 730	7 732	-3,04	97,4	-	0,00
26	8 343	8 345	-3,77	97,4	-	0,00
27	8 242	8 244	-3,65	97,4	-	0,00
28	8 305	8 307	-3,72	97,4	-	0,00
29	8 798	8 800	-4,28	97,4	-	0,00
3	5 764	5 766	-0,27	97,4	-	0,00
30	8 820	8 821	-4,30	97,4	-	0,00
31	8 811	8 813	-4,29	97,4	-	0,00
32	9 300	9 302	-4,81	97,4	-	0,00
33	9 938	9 940	-5,45	97,4	-	0,00
34	9 954	9 956	-5,47	97,4	-	0,00
35	9 362	9 364	-4,87	97,4	-	0,00
36	9 444	9 445	-4,96	97,4	-	0,00
37	9 396	9 397	-4,91	97,4	-	0,00
38	9 705	9 707	-5,22	97,4	-	0,00
39	8 777	8 779	-4,25	97,4	-	0,00
4	5 098	5 101	0,88	97,4	-	0,00
40	9 731	9 733	-5,25	97,4	-	0,00
41	10 254	10 256	-5,76	97,4	-	0,00
5	5 412	5 415	0,32	97,4	-	0,00
6	4 444	4 448	2,15	97,4	-	0,00
7	4 216	4 219	2,63	97,4	-	0,00
8	3 244	3 249	5,03	97,4	-	0,00
9	3 646	3 650	3,96	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: ID Vasaraji

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 106	6 109	-0,81	97,4	-	0,00
10	2 626	2 632	6,94	97,4	-	0,00
11	4 413	4 416	2,21	97,4	-	0,00
12	4 364	4 367	2,32	97,4	-	0,00
13	4 944	4 947	1,16	97,4	-	0,00
14	5 386	5 389	0,37	97,4	-	0,00
15	5 863	5 865	-0,43	97,4	-	0,00
16	6 207	6 209	-0,96	97,4	-	0,00
17	6 673	6 675	-1,64	97,4	-	0,00
18	7 055	7 057	-2,17	97,4	-	0,00
19	7 560	7 563	-2,83	97,4	-	0,00
2	6 140	6 143	-0,86	97,4	-	0,00
20	7 219	7 221	-2,39	97,4	-	0,00
21	7 757	7 759	-3,07	97,4	-	0,00
22	7 731	7 733	-3,04	97,4	-	0,00
23	8 249	8 251	-3,66	97,4	-	0,00
24	8 358	8 360	-3,78	97,4	-	0,00
25	7 730	7 732	-3,04	97,4	-	0,00
26	8 343	8 345	-3,77	97,4	-	0,00
27	8 242	8 244	-3,65	97,4	-	0,00
28	8 305	8 307	-3,72	97,4	-	0,00
29	8 798	8 800	-4,28	97,4	-	0,00
3	5 764	5 766	-0,27	97,4	-	0,00
30	8 820	8 821	-4,30	97,4	-	0,00
31	8 811	8 813	-4,29	97,4	-	0,00
32	9 300	9 302	-4,81	97,4	-	0,00
33	9 938	9 940	-5,45	97,4	-	0,00
34	9 954	9 956	-5,47	97,4	-	0,00
35	9 362	9 364	-4,87	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 444	9 445	-4,96	97,4	-	0,00
37	9 396	9 397	-4,91	97,4	-	0,00
38	9 705	9 707	-5,22	97,4	-	0,00
39	8 777	8 779	-4,25	97,4	-	0,00
4	5 098	5 101	0,88	97,4	-	0,00
40	9 731	9 733	-5,25	97,4	-	0,00
41	10 254	10 256	-5,76	97,4	-	0,00
5	5 412	5 415	0,32	97,4	-	0,00
6	4 444	4 448	2,15	97,4	-	0,00
7	4 216	4 219	2,63	97,4	-	0,00
8	3 244	3 249	5,03	97,4	-	0,00
9	3 646	3 650	3,96	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: IE Kalnaji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 010	6 013	-0,66	97,4	-	0,00
10	2 424	2 429	7,66	97,4	-	0,00
11	4 219	4 223	2,63	97,4	-	0,00
12	4 187	4 191	2,70	97,4	-	0,00
13	4 753	4 756	1,53	97,4	-	0,00
14	5 186	5 189	0,72	97,4	-	0,00
15	5 666	5 669	-0,11	97,4	-	0,00
16	6 014	6 016	-0,66	97,4	-	0,00
17	6 483	6 485	-1,37	97,4	-	0,00
18	6 850	6 853	-1,89	97,4	-	0,00
19	7 356	7 358	-2,57	97,4	-	0,00
2	6 027	6 030	-0,69	97,4	-	0,00
20	7 021	7 023	-2,12	97,4	-	0,00
21	7 555	7 556	-2,82	97,4	-	0,00
22	7 533	7 535	-2,79	97,4	-	0,00
23	8 051	8 053	-3,43	97,4	-	0,00
24	8 156	8 158	-3,55	97,4	-	0,00
25	7 525	7 527	-2,78	97,4	-	0,00
26	8 138	8 140	-3,53	97,4	-	0,00
27	8 037	8 039	-3,41	97,4	-	0,00
28	8 099	8 101	-3,48	97,4	-	0,00
29	8 593	8 594	-4,05	97,4	-	0,00
3	5 631	5 634	-0,05	97,4	-	0,00
30	8 614	8 616	-4,07	97,4	-	0,00
31	8 607	8 609	-4,07	97,4	-	0,00
32	9 095	9 097	-4,60	97,4	-	0,00
33	9 733	9 734	-5,25	97,4	-	0,00
34	9 749	9 750	-5,27	97,4	-	0,00
35	9 157	9 158	-4,66	97,4	-	0,00
36	9 239	9 241	-4,75	97,4	-	0,00
37	9 193	9 195	-4,70	97,4	-	0,00
38	9 506	9 507	-5,02	97,4	-	0,00
39	8 576	8 578	-4,03	97,4	-	0,00
4	4 964	4 967	1,12	97,4	-	0,00
40	9 536	9 538	-5,05	97,4	-	0,00
41	10 061	10 062	-5,57	97,4	-	0,00
5	5 265	5 267	0,58	97,4	-	0,00
6	4 314	4 317	2,42	97,4	-	0,00
7	4 103	4 106	2,88	97,4	-	0,00
8	3 041	3 046	5,62	97,4	-	0,00
9	3 441	3 445	4,49	97,4	-	0,00
Sum			16,03			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IE Kalnaji

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 010	6 013	-0,66	97,4	-	0,00
10	2 424	2 429	7,66	97,4	-	0,00
11	4 219	4 223	2,63	97,4	-	0,00
12	4 187	4 191	2,70	97,4	-	0,00
13	4 753	4 756	1,53	97,4	-	0,00
14	5 186	5 189	0,72	97,4	-	0,00
15	5 666	5 669	-0,11	97,4	-	0,00
16	6 014	6 016	-0,66	97,4	-	0,00
17	6 483	6 485	-1,37	97,4	-	0,00
18	6 850	6 853	-1,89	97,4	-	0,00
19	7 356	7 358	-2,57	97,4	-	0,00
2	6 027	6 030	-0,69	97,4	-	0,00
20	7 021	7 023	-2,12	97,4	-	0,00
21	7 555	7 556	-2,82	97,4	-	0,00
22	7 533	7 535	-2,79	97,4	-	0,00
23	8 051	8 053	-3,43	97,4	-	0,00
24	8 156	8 158	-3,55	97,4	-	0,00
25	7 525	7 527	-2,78	97,4	-	0,00
26	8 138	8 140	-3,53	97,4	-	0,00
27	8 037	8 039	-3,41	97,4	-	0,00
28	8 099	8 101	-3,48	97,4	-	0,00
29	8 593	8 594	-4,05	97,4	-	0,00
3	5 631	5 634	-0,05	97,4	-	0,00
30	8 614	8 616	-4,07	97,4	-	0,00
31	8 607	8 609	-4,07	97,4	-	0,00
32	9 095	9 097	-4,60	97,4	-	0,00
33	9 733	9 734	-5,25	97,4	-	0,00
34	9 749	9 750	-5,27	97,4	-	0,00
35	9 157	9 158	-4,66	97,4	-	0,00
36	9 239	9 241	-4,75	97,4	-	0,00
37	9 193	9 195	-4,70	97,4	-	0,00
38	9 506	9 507	-5,02	97,4	-	0,00
39	8 576	8 578	-4,03	97,4	-	0,00
4	4 964	4 967	1,12	97,4	-	0,00
40	9 536	9 538	-5,05	97,4	-	0,00
41	10 061	10 062	-5,57	97,4	-	0,00
5	5 265	5 267	0,58	97,4	-	0,00
6	4 314	4 317	2,42	97,4	-	0,00
7	4 103	4 106	2,88	97,4	-	0,00
8	3 041	3 046	5,62	97,4	-	0,00
9	3 441	3 445	4,49	97,4	-	0,00
Sum			16,03			

- Data undefined due to calculation with octave data

Noise sensitive area: IF Raznas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 247	4 251	2,57	97,4	-	0,00
10	2 524	2 530	7,30	97,4	-	0,00
11	4 922	4 925	1,20	97,4	-	0,00
12	5 185	5 188	0,72	97,4	-	0,00
13	5 461	5 464	0,24	97,4	-	0,00
14	5 637	5 640	-0,06	97,4	-	0,00
15	6 205	6 208	-0,96	97,4	-	0,00
16	6 618	6 621	-1,57	97,4	-	0,00
17	7 138	7 141	-2,28	97,4	-	0,00
18	6 985	6 987	-2,08	97,4	-	0,00
19	7 483	7 485	-2,73	97,4	-	0,00
2	4 351	4 355	2,34	97,4	-	0,00
20	7 455	7 458	-2,69	97,4	-	0,00
21	7 793	7 795	-3,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 949	7 952	-3,31	97,4	-	0,00
23	8 469	8 470	-3,91	97,4	-	0,00
24	8 398	8 400	-3,83	97,4	-	0,00
25	7 393	7 395	-2,61	97,4	-	0,00
26	7 867	7 869	-3,21	97,4	-	0,00
27	8 093	8 095	-3,48	97,4	-	0,00
28	7 990	7 992	-3,35	97,4	-	0,00
29	8 363	8 365	-3,79	97,4	-	0,00
3	4 097	4 101	2,90	97,4	-	0,00
30	8 535	8 537	-3,99	97,4	-	0,00
31	8 669	8 671	-4,13	97,4	-	0,00
32	8 867	8 868	-4,35	97,4	-	0,00
33	9 536	9 537	-5,05	97,4	-	0,00
34	9 661	9 663	-5,18	97,4	-	0,00
35	9 082	9 084	-4,58	97,4	-	0,00
36	9 280	9 282	-4,79	97,4	-	0,00
37	9 387	9 388	-4,90	97,4	-	0,00
38	9 828	9 830	-5,34	97,4	-	0,00
39	8 846	8 848	-4,33	97,4	-	0,00
4	3 458	3 462	4,45	97,4	-	0,00
40	9 996	9 998	-5,51	97,4	-	0,00
41	10 547	10 549	-6,03	97,4	-	0,00
5	3 883	3 887	3,39	97,4	-	0,00
6	2 807	2 813	6,34	97,4	-	0,00
7	2 465	2 472	7,50	97,4	-	0,00
8	3 025	3 030	5,66	97,4	-	0,00
9	3 605	3 609	4,07	97,4	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Noise sensitive area: IF Raznas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 247	4 251	2,57	97,4	-	0,00
10	2 524	2 530	7,30	97,4	-	0,00
11	4 922	4 925	1,20	97,4	-	0,00
12	5 185	5 188	0,72	97,4	-	0,00
13	5 461	5 464	0,24	97,4	-	0,00
14	5 637	5 640	-0,06	97,4	-	0,00
15	6 205	6 208	-0,96	97,4	-	0,00
16	6 618	6 621	-1,57	97,4	-	0,00
17	7 138	7 141	-2,28	97,4	-	0,00
18	6 985	6 987	-2,08	97,4	-	0,00
19	7 483	7 485	-2,73	97,4	-	0,00
2	4 351	4 355	2,34	97,4	-	0,00
20	7 455	7 458	-2,69	97,4	-	0,00
21	7 793	7 795	-3,12	97,4	-	0,00
22	7 949	7 952	-3,31	97,4	-	0,00
23	8 469	8 470	-3,91	97,4	-	0,00
24	8 398	8 400	-3,83	97,4	-	0,00
25	7 393	7 395	-2,61	97,4	-	0,00
26	7 867	7 869	-3,21	97,4	-	0,00
27	8 093	8 095	-3,48	97,4	-	0,00
28	7 990	7 992	-3,35	97,4	-	0,00
29	8 363	8 365	-3,79	97,4	-	0,00
3	4 097	4 101	2,90	97,4	-	0,00
30	8 535	8 537	-3,99	97,4	-	0,00
31	8 669	8 671	-4,13	97,4	-	0,00
32	8 867	8 868	-4,35	97,4	-	0,00
33	9 536	9 537	-5,05	97,4	-	0,00
34	9 661	9 663	-5,18	97,4	-	0,00
35	9 082	9 084	-4,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 280	9 282	-4,79	97,4	-	0,00
37	9 387	9 388	-4,90	97,4	-	0,00
38	9 828	9 830	-5,34	97,4	-	0,00
39	8 846	8 848	-4,33	97,4	-	0,00
4	3 458	3 462	4,45	97,4	-	0,00
40	9 996	9 998	-5,51	97,4	-	0,00
41	10 547	10 549	-6,03	97,4	-	0,00
5	3 883	3 887	3,39	97,4	-	0,00
6	2 807	2 813	6,34	97,4	-	0,00
7	2 465	2 472	7,50	97,4	-	0,00
8	3 025	3 030	5,66	97,4	-	0,00
9	3 605	3 609	4,07	97,4	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Noise sensitive area: IG Varpas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 942	2 948	5,91	97,4	-	0,00
10	4 626	4 630	1,78	97,4	-	0,00
11	7 049	7 052	-2,16	97,4	-	0,00
12	7 461	7 464	-2,70	97,4	-	0,00
13	7 557	7 559	-2,82	97,4	-	0,00
14	7 544	7 546	-2,81	97,4	-	0,00
15	8 140	8 141	-3,53	97,4	-	0,00
16	8 579	8 581	-4,03	97,4	-	0,00
17	9 112	9 114	-4,61	97,4	-	0,00
18	8 526	8 528	-3,97	97,4	-	0,00
19	8 984	8 985	-4,48	97,4	-	0,00
2	3 363	3 368	4,70	97,4	-	0,00
20	9 238	9 240	-4,75	97,4	-	0,00
21	9 383	9 384	-4,90	97,4	-	0,00
22	9 692	9 694	-5,21	97,4	-	0,00
23	10 190	10 191	-5,69	97,4	-	0,00
24	9 961	9 963	-5,47	97,4	-	0,00
25	8 634	8 636	-4,10	97,4	-	0,00
26	8 918	8 920	-4,41	97,4	-	0,00
27	9 487	9 488	-5,00	97,4	-	0,00
28	9 216	9 218	-4,72	97,4	-	0,00
29	9 430	9 431	-4,94	97,4	-	0,00
3	3 606	3 610	4,07	97,4	-	0,00
30	9 763	9 764	-5,28	97,4	-	0,00
31	10 039	10 041	-5,55	97,4	-	0,00
32	9 906	9 908	-5,42	97,4	-	0,00
33	10 577	10 579	-6,06	97,4	-	0,00
34	10 824	10 825	-6,28	97,4	-	0,00
35	10 286	10 288	-5,79	97,4	-	0,00
36	10 599	10 600	-6,08	97,4	-	0,00
37	10 859	10 860	-6,31	97,4	-	0,00
38	11 410	11 411	-6,80	97,4	-	0,00
39	10 417	10 418	-5,91	97,4	-	0,00
4	3 246	3 250	5,03	97,4	-	0,00
40	11 702	11 703	-7,04	97,4	-	0,00
41	12 261	12 262	-7,50	97,4	-	0,00
5	3 824	3 828	3,53	97,4	-	0,00
6	2 881	2 887	6,10	97,4	-	0,00
7	2 383	2 390	7,81	97,4	-	0,00
8	4 936	4 939	1,18	97,4	-	0,00
9	5 531	5 533	0,12	97,4	-	0,00
Sum			15,92			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IG Varpas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 942	2 948	5,91	97,4	-	0,00
10	4 626	4 630	1,78	97,4	-	0,00
11	7 049	7 052	-2,16	97,4	-	0,00
12	7 461	7 464	-2,70	97,4	-	0,00
13	7 557	7 559	-2,82	97,4	-	0,00
14	7 544	7 546	-2,81	97,4	-	0,00
15	8 140	8 141	-3,53	97,4	-	0,00
16	8 579	8 581	-4,03	97,4	-	0,00
17	9 112	9 114	-4,61	97,4	-	0,00
18	8 526	8 528	-3,97	97,4	-	0,00
19	8 984	8 985	-4,48	97,4	-	0,00
2	3 363	3 368	4,70	97,4	-	0,00
20	9 238	9 240	-4,75	97,4	-	0,00
21	9 383	9 384	-4,90	97,4	-	0,00
22	9 692	9 694	-5,21	97,4	-	0,00
23	10 190	10 191	-5,69	97,4	-	0,00
24	9 961	9 963	-5,47	97,4	-	0,00
25	8 634	8 636	-4,10	97,4	-	0,00
26	8 918	8 920	-4,41	97,4	-	0,00
27	9 487	9 488	-5,00	97,4	-	0,00
28	9 216	9 218	-4,72	97,4	-	0,00
29	9 430	9 431	-4,94	97,4	-	0,00
3	3 606	3 610	4,07	97,4	-	0,00
30	9 763	9 764	-5,28	97,4	-	0,00
31	10 039	10 041	-5,55	97,4	-	0,00
32	9 906	9 908	-5,42	97,4	-	0,00
33	10 577	10 579	-6,06	97,4	-	0,00
34	10 824	10 825	-6,28	97,4	-	0,00
35	10 286	10 288	-5,79	97,4	-	0,00
36	10 599	10 600	-6,08	97,4	-	0,00
37	10 859	10 860	-6,31	97,4	-	0,00
38	11 410	11 411	-6,80	97,4	-	0,00
39	10 417	10 418	-5,91	97,4	-	0,00
4	3 246	3 250	5,03	97,4	-	0,00
40	11 702	11 703	-7,04	97,4	-	0,00
41	12 261	12 262	-7,50	97,4	-	0,00
5	3 824	3 828	3,53	97,4	-	0,00
6	2 881	2 887	6,10	97,4	-	0,00
7	2 383	2 390	7,81	97,4	-	0,00
8	4 936	4 939	1,18	97,4	-	0,00
9	5 531	5 533	0,12	97,4	-	0,00
Sum			15,92			

- Data undefined due to calculation with octave data

Noise sensitive area: IH Saules iela 22

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 517	5 520	0,14	97,4	-	0,00
10	2 809	2 814	6,33	97,4	-	0,00
11	4 904	4 907	1,24	97,4	-	0,00
12	4 964	4 967	1,13	97,4	-	0,00
13	5 447	5 450	0,26	97,4	-	0,00
14	5 798	5 801	-0,32	97,4	-	0,00
15	6 315	6 317	-1,12	97,4	-	0,00
16	6 688	6 690	-1,66	97,4	-	0,00
17	7 177	7 179	-2,33	97,4	-	0,00
18	7 364	7 366	-2,58	97,4	-	0,00
19	7 871	7 873	-3,21	97,4	-	0,00
2	5 612	5 615	-0,02	97,4	-	0,00
20	7 645	7 647	-2,93	97,4	-	0,00
21	8 113	8 114	-3,50	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 155	8 157	-3,55	97,4	-	0,00
23	8 677	8 678	-4,14	97,4	-	0,00
24	8 719	8 721	-4,19	97,4	-	0,00
25	7 939	7 941	-3,29	97,4	-	0,00
26	8 498	8 500	-3,94	97,4	-	0,00
27	8 529	8 531	-3,98	97,4	-	0,00
28	8 526	8 528	-3,98	97,4	-	0,00
29	8 973	8 975	-4,47	97,4	-	0,00
3	5 319	5 322	0,48	97,4	-	0,00
30	9 057	9 058	-4,56	97,4	-	0,00
31	9 105	9 107	-4,61	97,4	-	0,00
32	9 479	9 480	-4,99	97,4	-	0,00
33	10 133	10 134	-5,64	97,4	-	0,00
34	10 194	10 195	-5,70	97,4	-	0,00
35	9 604	9 606	-5,12	97,4	-	0,00
36	9 732	9 734	-5,25	97,4	-	0,00
37	9 744	9 746	-5,26	97,4	-	0,00
38	10 105	10 106	-5,61	97,4	-	0,00
39	9 152	9 154	-4,66	97,4	-	0,00
4	4 666	4 669	1,70	97,4	-	0,00
40	10 183	10 184	-5,69	97,4	-	0,00
41	10 718	10 720	-6,19	97,4	-	0,00
5	5 047	5 049	0,97	97,4	-	0,00
6	4 008	4 012	3,10	97,4	-	0,00
7	3 708	3 713	3,81	97,4	-	0,00
8	3 415	3 419	4,56	97,4	-	0,00
9	3 906	3 910	3,34	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: IH Saules iela 22

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 517	5 520	0,14	97,4	-	0,00
10	2 809	2 814	6,33	97,4	-	0,00
11	4 904	4 907	1,24	97,4	-	0,00
12	4 964	4 967	1,13	97,4	-	0,00
13	5 447	5 450	0,26	97,4	-	0,00
14	5 798	5 801	-0,32	97,4	-	0,00
15	6 315	6 317	-1,12	97,4	-	0,00
16	6 688	6 690	-1,66	97,4	-	0,00
17	7 177	7 179	-2,33	97,4	-	0,00
18	7 364	7 366	-2,58	97,4	-	0,00
19	7 871	7 873	-3,21	97,4	-	0,00
2	5 612	5 615	-0,02	97,4	-	0,00
20	7 645	7 647	-2,93	97,4	-	0,00
21	8 113	8 114	-3,50	97,4	-	0,00
22	8 155	8 157	-3,55	97,4	-	0,00
23	8 677	8 678	-4,14	97,4	-	0,00
24	8 719	8 721	-4,19	97,4	-	0,00
25	7 939	7 941	-3,29	97,4	-	0,00
26	8 498	8 500	-3,94	97,4	-	0,00
27	8 529	8 531	-3,98	97,4	-	0,00
28	8 526	8 528	-3,98	97,4	-	0,00
29	8 973	8 975	-4,47	97,4	-	0,00
3	5 319	5 322	0,48	97,4	-	0,00
30	9 057	9 058	-4,56	97,4	-	0,00
31	9 105	9 107	-4,61	97,4	-	0,00
32	9 479	9 480	-4,99	97,4	-	0,00
33	10 133	10 134	-5,64	97,4	-	0,00
34	10 194	10 195	-5,70	97,4	-	0,00
35	9 604	9 606	-5,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 732	9 734	-5,25	97,4	-	0,00
37	9 744	9 746	-5,26	97,4	-	0,00
38	10 105	10 106	-5,61	97,4	-	0,00
39	9 152	9 154	-4,66	97,4	-	0,00
4	4 666	4 669	1,70	97,4	-	0,00
40	10 183	10 184	-5,69	97,4	-	0,00
41	10 718	10 720	-6,19	97,4	-	0,00
5	5 047	5 049	0,97	97,4	-	0,00
6	4 008	4 012	3,10	97,4	-	0,00
7	3 708	3 713	3,81	97,4	-	0,00
8	3 415	3 419	4,56	97,4	-	0,00
9	3 906	3 910	3,34	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: II Aboli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 597	6 600	-1,54	97,4	-	0,00
10	1 699	1 707	10,82	97,4	-	0,00
11	2 238	2 245	8,37	97,4	-	0,00
12	2 098	2 105	8,95	97,4	-	0,00
13	2 741	2 746	6,55	97,4	-	0,00
14	3 298	3 303	4,88	97,4	-	0,00
15	3 703	3 707	3,82	97,4	-	0,00
16	4 008	4 012	3,10	97,4	-	0,00
17	4 448	4 451	2,14	97,4	-	0,00
18	5 090	5 093	0,89	97,4	-	0,00
19	5 581	5 584	0,03	97,4	-	0,00
2	6 425	6 427	-1,29	97,4	-	0,00
20	5 071	5 074	0,93	97,4	-	0,00
21	5 700	5 703	-0,16	97,4	-	0,00
22	5 581	5 584	0,03	97,4	-	0,00
23	6 089	6 092	-0,78	97,4	-	0,00
24	6 284	6 286	-1,08	97,4	-	0,00
25	5 937	5 940	-0,54	97,4	-	0,00
26	6 639	6 641	-1,60	97,4	-	0,00
27	6 288	6 291	-1,08	97,4	-	0,00
28	6 469	6 472	-1,35	97,4	-	0,00
29	7 041	7 043	-2,15	97,4	-	0,00
3	5 817	5 820	-0,35	97,4	-	0,00
30	6 943	6 946	-2,02	97,4	-	0,00
31	6 837	6 839	-1,87	97,4	-	0,00
32	7 525	7 527	-2,78	97,4	-	0,00
33	8 120	8 122	-3,51	97,4	-	0,00
34	8 054	8 055	-3,43	97,4	-	0,00
35	7 467	7 469	-2,71	97,4	-	0,00
36	7 468	7 470	-2,71	97,4	-	0,00
37	7 328	7 330	-2,53	97,4	-	0,00
38	7 567	7 569	-2,84	97,4	-	0,00
39	6 678	6 681	-1,65	97,4	-	0,00
4	5 190	5 192	0,71	97,4	-	0,00
40	7 537	7 539	-2,80	97,4	-	0,00
41	8 047	8 049	-3,42	97,4	-	0,00
5	5 270	5 272	0,57	97,4	-	0,00
6	4 643	4 646	1,74	97,4	-	0,00
7	4 661	4 665	1,71	97,4	-	0,00
8	2 059	2 066	9,12	97,4	-	0,00
9	2 087	2 094	9,00	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: II Aboli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 597	6 600	-1,54	97,4	-	0,00
10	1 699	1 707	10,82	97,4	-	0,00
11	2 238	2 245	8,37	97,4	-	0,00
12	2 098	2 105	8,95	97,4	-	0,00
13	2 741	2 746	6,55	97,4	-	0,00
14	3 298	3 303	4,88	97,4	-	0,00
15	3 703	3 707	3,82	97,4	-	0,00
16	4 008	4 012	3,10	97,4	-	0,00
17	4 448	4 451	2,14	97,4	-	0,00
18	5 090	5 093	0,89	97,4	-	0,00
19	5 581	5 584	0,03	97,4	-	0,00
2	6 425	6 427	-1,29	97,4	-	0,00
20	5 071	5 074	0,93	97,4	-	0,00
21	5 700	5 703	-0,16	97,4	-	0,00
22	5 581	5 584	0,03	97,4	-	0,00
23	6 089	6 092	-0,78	97,4	-	0,00
24	6 284	6 286	-1,08	97,4	-	0,00
25	5 937	5 940	-0,54	97,4	-	0,00
26	6 639	6 641	-1,60	97,4	-	0,00
27	6 288	6 291	-1,08	97,4	-	0,00
28	6 469	6 472	-1,35	97,4	-	0,00
29	7 041	7 043	-2,15	97,4	-	0,00
3	5 817	5 820	-0,35	97,4	-	0,00
30	6 943	6 946	-2,02	97,4	-	0,00
31	6 837	6 839	-1,87	97,4	-	0,00
32	7 525	7 527	-2,78	97,4	-	0,00
33	8 120	8 122	-3,51	97,4	-	0,00
34	8 054	8 055	-3,43	97,4	-	0,00
35	7 467	7 469	-2,71	97,4	-	0,00
36	7 468	7 470	-2,71	97,4	-	0,00
37	7 328	7 330	-2,53	97,4	-	0,00
38	7 567	7 569	-2,84	97,4	-	0,00
39	6 678	6 681	-1,65	97,4	-	0,00
4	5 190	5 192	0,71	97,4	-	0,00
40	7 537	7 539	-2,80	97,4	-	0,00
41	8 047	8 049	-3,42	97,4	-	0,00
5	5 270	5 272	0,57	97,4	-	0,00
6	4 643	4 646	1,74	97,4	-	0,00
7	4 661	4 665	1,71	97,4	-	0,00
8	2 059	2 066	9,12	97,4	-	0,00
9	2 087	2 094	9,00	97,4	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: IJ Plankalni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 786	3 790	3,62	97,4	-	0,00
10	3 661	3 665	3,93	97,4	-	0,00
11	6 094	6 096	-0,79	97,4	-	0,00
12	6 403	6 405	-1,25	97,4	-	0,00
13	6 625	6 627	-1,58	97,4	-	0,00
14	6 734	6 737	-1,73	97,4	-	0,00
15	7 317	7 319	-2,52	97,4	-	0,00
16	7 742	7 744	-3,05	97,4	-	0,00
17	8 269	8 271	-3,68	97,4	-	0,00
18	7 947	7 949	-3,30	97,4	-	0,00
19	8 432	8 434	-3,87	97,4	-	0,00
2	4 052	4 055	3,00	97,4	-	0,00
20	8 517	8 519	-3,96	97,4	-	0,00
21	8 781	8 782	-4,26	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 998	9 000	-4,49	97,4	-	0,00
23	9 512	9 513	-5,03	97,4	-	0,00
24	9 379	9 380	-4,89	97,4	-	0,00
25	8 231	8 233	-3,64	97,4	-	0,00
26	8 627	8 628	-4,09	97,4	-	0,00
27	9 002	9 004	-4,50	97,4	-	0,00
28	8 827	8 829	-4,31	97,4	-	0,00
29	9 134	9 135	-4,64	97,4	-	0,00
3	4 030	4 034	3,05	97,4	-	0,00
30	9 377	9 379	-4,89	97,4	-	0,00
31	9 572	9 574	-5,09	97,4	-	0,00
32	9 630	9 631	-5,15	97,4	-	0,00
33	10 304	10 306	-5,80	97,4	-	0,00
34	10 483	10 484	-5,97	97,4	-	0,00
35	9 918	9 920	-5,43	97,4	-	0,00
36	10 165	10 167	-5,67	97,4	-	0,00
37	10 336	10 337	-5,83	97,4	-	0,00
38	10 823	10 824	-6,28	97,4	-	0,00
39	9 832	9 834	-5,35	97,4	-	0,00
4	3 489	3 493	4,37	97,4	-	0,00
40	11 040	11 041	-6,47	97,4	-	0,00
41	11 595	11 597	-6,95	97,4	-	0,00
5	4 020	4 023	3,07	97,4	-	0,00
6	2 925	2 930	5,97	97,4	-	0,00
7	2 451	2 457	7,56	97,4	-	0,00
8	4 090	4 094	2,91	97,4	-	0,00
9	4 687	4 691	1,66	97,4	-	0,00
Sum			15,89			

- Data undefined due to calculation with octave data

Noise sensitive area: IJ Plankalni

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 786	3 790	3,62	97,4	-	0,00
10	3 661	3 665	3,93	97,4	-	0,00
11	6 094	6 096	-0,79	97,4	-	0,00
12	6 403	6 405	-1,25	97,4	-	0,00
13	6 625	6 627	-1,58	97,4	-	0,00
14	6 734	6 737	-1,73	97,4	-	0,00
15	7 317	7 319	-2,52	97,4	-	0,00
16	7 742	7 744	-3,05	97,4	-	0,00
17	8 269	8 271	-3,68	97,4	-	0,00
18	7 947	7 949	-3,30	97,4	-	0,00
19	8 432	8 434	-3,87	97,4	-	0,00
2	4 052	4 055	3,00	97,4	-	0,00
20	8 517	8 519	-3,96	97,4	-	0,00
21	8 781	8 782	-4,26	97,4	-	0,00
22	8 998	9 000	-4,49	97,4	-	0,00
23	9 512	9 513	-5,03	97,4	-	0,00
24	9 379	9 380	-4,89	97,4	-	0,00
25	8 231	8 233	-3,64	97,4	-	0,00
26	8 627	8 628	-4,09	97,4	-	0,00
27	9 002	9 004	-4,50	97,4	-	0,00
28	8 827	8 829	-4,31	97,4	-	0,00
29	9 134	9 135	-4,64	97,4	-	0,00
3	4 030	4 034	3,05	97,4	-	0,00
30	9 377	9 379	-4,89	97,4	-	0,00
31	9 572	9 574	-5,09	97,4	-	0,00
32	9 630	9 631	-5,15	97,4	-	0,00
33	10 304	10 306	-5,80	97,4	-	0,00
34	10 483	10 484	-5,97	97,4	-	0,00
35	9 918	9 920	-5,43	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 165	10 167	-5,67	97,4	-	0,00
37	10 336	10 337	-5,83	97,4	-	0,00
38	10 823	10 824	-6,28	97,4	-	0,00
39	9 832	9 834	-5,35	97,4	-	0,00
4	3 489	3 493	4,37	97,4	-	0,00
40	11 040	11 041	-6,47	97,4	-	0,00
41	11 595	11 597	-6,95	97,4	-	0,00
5	4 020	4 023	3,07	97,4	-	0,00
6	2 925	2 930	5,97	97,4	-	0,00
7	2 451	2 457	7,56	97,4	-	0,00
8	4 090	4 094	2,91	97,4	-	0,00
9	4 687	4 691	1,66	97,4	-	0,00
Sum			15,89			

- Data undefined due to calculation with octave data

Noise sensitive area: IK Liepas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 816	2 822	6,31	97,4	-	0,00
10	2 397	2 403	7,76	97,4	-	0,00
11	4 726	4 729	1,58	97,4	-	0,00
12	5 230	5 233	0,64	97,4	-	0,00
13	5 210	5 213	0,68	97,4	-	0,00
14	5 140	5 143	0,80	97,4	-	0,00
15	5 737	5 740	-0,22	97,4	-	0,00
16	6 179	6 182	-0,92	97,4	-	0,00
17	6 713	6 715	-1,70	97,4	-	0,00
18	6 123	6 125	-0,83	97,4	-	0,00
19	6 589	6 592	-1,52	97,4	-	0,00
2	2 796	2 802	6,37	97,4	-	0,00
20	6 818	6 820	-1,85	97,4	-	0,00
21	6 976	6 978	-2,06	97,4	-	0,00
22	7 273	7 275	-2,46	97,4	-	0,00
23	7 772	7 774	-3,09	97,4	-	0,00
24	7 560	7 562	-2,83	97,4	-	0,00
25	6 305	6 308	-1,11	97,4	-	0,00
26	6 663	6 665	-1,63	97,4	-	0,00
27	7 119	7 121	-2,26	97,4	-	0,00
28	6 897	6 899	-1,96	97,4	-	0,00
29	7 172	7 174	-2,33	97,4	-	0,00
3	2 448	2 454	7,57	97,4	-	0,00
30	7 446	7 449	-2,68	97,4	-	0,00
31	7 680	7 683	-2,98	97,4	-	0,00
32	7 664	7 666	-2,96	97,4	-	0,00
33	8 339	8 341	-3,76	97,4	-	0,00
34	8 538	8 539	-3,99	97,4	-	0,00
35	7 982	7 984	-3,34	97,4	-	0,00
36	8 258	8 259	-3,67	97,4	-	0,00
37	8 478	8 480	-3,92	97,4	-	0,00
38	9 009	9 011	-4,50	97,4	-	0,00
39	8 015	8 017	-3,38	97,4	-	0,00
4	1 797	1 805	10,33	97,4	-	0,00
40	9 286	9 288	-4,80	97,4	-	0,00
41	9 845	9 847	-5,36	97,4	-	0,00
5	2 218	2 224	8,46	97,4	-	0,00
6	1 141	1 155	14,30	97,4	-	0,00
7	873	890	16,60	97,4	-	0,00
8	2 583	2 589	7,09	97,4	-	0,00
9	3 161	3 165	5,27	97,4	-	0,00
Sum			21,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IK Liepas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 816	2 822	6,31	97,4	-	0,00
10	2 397	2 403	7,76	97,4	-	0,00
11	4 726	4 729	1,58	97,4	-	0,00
12	5 230	5 233	0,64	97,4	-	0,00
13	5 210	5 213	0,68	97,4	-	0,00
14	5 140	5 143	0,80	97,4	-	0,00
15	5 737	5 740	-0,22	97,4	-	0,00
16	6 179	6 182	-0,92	97,4	-	0,00
17	6 713	6 715	-1,70	97,4	-	0,00
18	6 123	6 125	-0,83	97,4	-	0,00
19	6 589	6 592	-1,52	97,4	-	0,00
2	2 796	2 802	6,37	97,4	-	0,00
20	6 818	6 820	-1,85	97,4	-	0,00
21	6 976	6 978	-2,06	97,4	-	0,00
22	7 273	7 275	-2,46	97,4	-	0,00
23	7 772	7 774	-3,09	97,4	-	0,00
24	7 560	7 562	-2,83	97,4	-	0,00
25	6 305	6 308	-1,11	97,4	-	0,00
26	6 663	6 665	-1,63	97,4	-	0,00
27	7 119	7 121	-2,26	97,4	-	0,00
28	6 897	6 899	-1,96	97,4	-	0,00
29	7 172	7 174	-2,33	97,4	-	0,00
3	2 448	2 454	7,57	97,4	-	0,00
30	7 446	7 449	-2,68	97,4	-	0,00
31	7 680	7 683	-2,98	97,4	-	0,00
32	7 664	7 666	-2,96	97,4	-	0,00
33	8 339	8 341	-3,76	97,4	-	0,00
34	8 538	8 539	-3,99	97,4	-	0,00
35	7 982	7 984	-3,34	97,4	-	0,00
36	8 258	8 259	-3,67	97,4	-	0,00
37	8 478	8 480	-3,92	97,4	-	0,00
38	9 009	9 011	-4,50	97,4	-	0,00
39	8 015	8 017	-3,38	97,4	-	0,00
4	1 797	1 805	10,33	97,4	-	0,00
40	9 286	9 288	-4,80	97,4	-	0,00
41	9 845	9 847	-5,36	97,4	-	0,00
5	2 218	2 224	8,46	97,4	-	0,00
6	1 141	1 155	14,30	97,4	-	0,00
7	873	890	16,60	97,4	-	0,00
8	2 583	2 589	7,09	97,4	-	0,00
9	3 161	3 165	5,27	97,4	-	0,00
Sum			21,44			

- Data undefined due to calculation with octave data

Noise sensitive area: IL Dabolini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 968	2 974	5,83	97,4	-	0,00
10	2 005	2 012	9,36	97,4	-	0,00
11	4 178	4 182	2,72	97,4	-	0,00
12	4 746	4 750	1,54	97,4	-	0,00
13	4 637	4 640	1,76	97,4	-	0,00
14	4 506	4 509	2,02	97,4	-	0,00
15	5 103	5 106	0,87	97,4	-	0,00
16	5 547	5 550	0,09	97,4	-	0,00
17	6 079	6 082	-0,77	97,4	-	0,00
18	5 423	5 426	0,30	97,4	-	0,00
19	5 886	5 888	-0,46	97,4	-	0,00
2	2 805	2 810	6,35	97,4	-	0,00
20	6 144	6 147	-0,87	97,4	-	0,00
21	6 278	6 280	-1,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 592	6 594	-1,53	97,4	-	0,00
23	7 086	7 088	-2,21	97,4	-	0,00
24	6 859	6 862	-1,90	97,4	-	0,00
25	5 596	5 599	0,01	97,4	-	0,00
26	5 961	5 964	-0,58	97,4	-	0,00
27	6 410	6 413	-1,27	97,4	-	0,00
28	6 188	6 191	-0,93	97,4	-	0,00
29	6 470	6 472	-1,35	97,4	-	0,00
3	2 275	2 282	8,23	97,4	-	0,00
30	6 738	6 740	-1,74	97,4	-	0,00
31	6 972	6 974	-2,06	97,4	-	0,00
32	6 963	6 966	-2,05	97,4	-	0,00
33	7 638	7 640	-2,92	97,4	-	0,00
34	7 831	7 833	-3,16	97,4	-	0,00
35	7 274	7 276	-2,46	97,4	-	0,00
36	7 548	7 550	-2,81	97,4	-	0,00
37	7 772	7 774	-3,09	97,4	-	0,00
38	8 308	8 311	-3,73	97,4	-	0,00
39	7 315	7 317	-2,51	97,4	-	0,00
4	1 613	1 622	11,28	97,4	-	0,00
40	8 596	8 598	-4,05	97,4	-	0,00
41	9 155	9 157	-4,66	97,4	-	0,00
5	1 870	1 878	9,97	97,4	-	0,00
6	1 014	1 030	15,31	97,4	-	0,00
7	1 087	1 101	14,72	97,4	-	0,00
8	2 046	2 054	9,17	97,4	-	0,00
9	2 588	2 594	7,07	97,4	-	0,00
Sum			21,73			

- Data undefined due to calculation with octave data

Noise sensitive area: IL Dabolini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 968	2 974	5,83	97,4	-	0,00
10	2 005	2 012	9,36	97,4	-	0,00
11	4 178	4 182	2,72	97,4	-	0,00
12	4 746	4 750	1,54	97,4	-	0,00
13	4 637	4 640	1,76	97,4	-	0,00
14	4 506	4 509	2,02	97,4	-	0,00
15	5 103	5 106	0,87	97,4	-	0,00
16	5 547	5 550	0,09	97,4	-	0,00
17	6 079	6 082	-0,77	97,4	-	0,00
18	5 423	5 426	0,30	97,4	-	0,00
19	5 886	5 888	-0,46	97,4	-	0,00
2	2 805	2 810	6,35	97,4	-	0,00
20	6 144	6 147	-0,87	97,4	-	0,00
21	6 278	6 280	-1,07	97,4	-	0,00
22	6 592	6 594	-1,53	97,4	-	0,00
23	7 086	7 088	-2,21	97,4	-	0,00
24	6 859	6 862	-1,90	97,4	-	0,00
25	5 596	5 599	0,01	97,4	-	0,00
26	5 961	5 964	-0,58	97,4	-	0,00
27	6 410	6 413	-1,27	97,4	-	0,00
28	6 188	6 191	-0,93	97,4	-	0,00
29	6 470	6 472	-1,35	97,4	-	0,00
3	2 275	2 282	8,23	97,4	-	0,00
30	6 738	6 740	-1,74	97,4	-	0,00
31	6 972	6 974	-2,06	97,4	-	0,00
32	6 963	6 966	-2,05	97,4	-	0,00
33	7 638	7 640	-2,92	97,4	-	0,00
34	7 831	7 833	-3,16	97,4	-	0,00
35	7 274	7 276	-2,46	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 548	7 550	-2,81	97,4	-	0,00
37	7 772	7 774	-3,09	97,4	-	0,00
38	8 308	8 311	-3,73	97,4	-	0,00
39	7 315	7 317	-2,51	97,4	-	0,00
4	1 613	1 622	11,28	97,4	-	0,00
40	8 596	8 598	-4,05	97,4	-	0,00
41	9 155	9 157	-4,66	97,4	-	0,00
5	1 870	1 878	9,97	97,4	-	0,00
6	1 014	1 030	15,31	97,4	-	0,00
7	1 087	1 101	14,72	97,4	-	0,00
8	2 046	2 054	9,17	97,4	-	0,00
9	2 588	2 594	7,07	97,4	-	0,00
Sum			21,73			

- Data undefined due to calculation with octave data

Noise sensitive area: IM Saules iela 4

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 096	5 099	0,88	97,4	-	0,00
10	3 026	3 031	5,66	97,4	-	0,00
11	5 269	5 272	0,57	97,4	-	0,00
12	5 397	5 400	0,35	97,4	-	0,00
13	5 814	5 817	-0,35	97,4	-	0,00
14	6 103	6 106	-0,80	97,4	-	0,00
15	6 642	6 644	-1,60	97,4	-	0,00
16	7 031	7 034	-2,14	97,4	-	0,00
17	7 534	7 536	-2,79	97,4	-	0,00
18	7 586	7 588	-2,86	97,4	-	0,00
19	8 091	8 093	-3,47	97,4	-	0,00
2	5 238	5 241	0,63	97,4	-	0,00
20	7 947	7 949	-3,30	97,4	-	0,00
21	8 363	8 364	-3,79	97,4	-	0,00
22	8 452	8 454	-3,89	97,4	-	0,00
23	8 974	8 975	-4,47	97,4	-	0,00
24	8 970	8 972	-4,46	97,4	-	0,00
25	8 087	8 089	-3,47	97,4	-	0,00
26	8 606	8 608	-4,06	97,4	-	0,00
27	8 730	8 732	-4,20	97,4	-	0,00
28	8 681	8 682	-4,15	97,4	-	0,00
29	9 092	9 094	-4,59	97,4	-	0,00
3	5 013	5 016	1,03	97,4	-	0,00
30	9 219	9 221	-4,73	97,4	-	0,00
31	9 307	9 309	-4,82	97,4	-	0,00
32	9 598	9 600	-5,12	97,4	-	0,00
33	10 261	10 262	-5,76	97,4	-	0,00
34	10 353	10 355	-5,85	97,4	-	0,00
35	9 768	9 769	-5,28	97,4	-	0,00
36	9 928	9 930	-5,44	97,4	-	0,00
37	9 982	9 984	-5,49	97,4	-	0,00
38	10 377	10 379	-5,87	97,4	-	0,00
39	9 410	9 412	-4,92	97,4	-	0,00
4	4 378	4 381	2,29	97,4	-	0,00
40	10 492	10 493	-5,98	97,4	-	0,00
41	11 034	11 036	-6,47	97,4	-	0,00
5	4 805	4 808	1,43	97,4	-	0,00
6	3 728	3 732	3,76	97,4	-	0,00
7	3 376	3 380	4,67	97,4	-	0,00
8	3 601	3 605	4,08	97,4	-	0,00
9	4 138	4 141	2,81	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IM Saules iela 4

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 096	5 099	0,88	97,4	-	0,00
10	3 026	3 031	5,66	97,4	-	0,00
11	5 269	5 272	0,57	97,4	-	0,00
12	5 397	5 400	0,35	97,4	-	0,00
13	5 814	5 817	-0,35	97,4	-	0,00
14	6 103	6 106	-0,80	97,4	-	0,00
15	6 642	6 644	-1,60	97,4	-	0,00
16	7 031	7 034	-2,14	97,4	-	0,00
17	7 534	7 536	-2,79	97,4	-	0,00
18	7 586	7 588	-2,86	97,4	-	0,00
19	8 091	8 093	-3,47	97,4	-	0,00
2	5 238	5 241	0,63	97,4	-	0,00
20	7 947	7 949	-3,30	97,4	-	0,00
21	8 363	8 364	-3,79	97,4	-	0,00
22	8 452	8 454	-3,89	97,4	-	0,00
23	8 974	8 975	-4,47	97,4	-	0,00
24	8 970	8 972	-4,46	97,4	-	0,00
25	8 087	8 089	-3,47	97,4	-	0,00
26	8 606	8 608	-4,06	97,4	-	0,00
27	8 730	8 732	-4,20	97,4	-	0,00
28	8 681	8 682	-4,15	97,4	-	0,00
29	9 092	9 094	-4,59	97,4	-	0,00
3	5 013	5 016	1,03	97,4	-	0,00
30	9 219	9 221	-4,73	97,4	-	0,00
31	9 307	9 309	-4,82	97,4	-	0,00
32	9 598	9 600	-5,12	97,4	-	0,00
33	10 261	10 262	-5,76	97,4	-	0,00
34	10 353	10 355	-5,85	97,4	-	0,00
35	9 768	9 769	-5,28	97,4	-	0,00
36	9 928	9 930	-5,44	97,4	-	0,00
37	9 982	9 984	-5,49	97,4	-	0,00
38	10 377	10 379	-5,87	97,4	-	0,00
39	9 410	9 412	-4,92	97,4	-	0,00
4	4 378	4 381	2,29	97,4	-	0,00
40	10 492	10 493	-5,98	97,4	-	0,00
41	11 034	11 036	-6,47	97,4	-	0,00
5	4 805	4 808	1,43	97,4	-	0,00
6	3 728	3 732	3,76	97,4	-	0,00
7	3 376	3 380	4,67	97,4	-	0,00
8	3 601	3 605	4,08	97,4	-	0,00
9	4 138	4 141	2,81	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: IN Saules iela 20

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 494	5 497	0,18	97,4	-	0,00
10	2 821	2 826	6,30	97,4	-	0,00
11	4 926	4 929	1,20	97,4	-	0,00
12	4 989	4 993	1,08	97,4	-	0,00
13	5 469	5 472	0,22	97,4	-	0,00
14	5 817	5 820	-0,35	97,4	-	0,00
15	6 335	6 337	-1,15	97,4	-	0,00
16	6 708	6 711	-1,69	97,4	-	0,00
17	7 199	7 201	-2,36	97,4	-	0,00
18	7 378	7 380	-2,59	97,4	-	0,00
19	7 885	7 887	-3,23	97,4	-	0,00
2	5 591	5 594	0,02	97,4	-	0,00
20	7 664	7 666	-2,96	97,4	-	0,00
21	8 128	8 130	-3,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 173	8 175	-3,57	97,4	-	0,00
23	8 695	8 697	-4,16	97,4	-	0,00
24	8 735	8 737	-4,21	97,4	-	0,00
25	7 948	7 950	-3,30	97,4	-	0,00
26	8 506	8 508	-3,95	97,4	-	0,00
27	8 542	8 544	-3,99	97,4	-	0,00
28	8 537	8 538	-3,99	97,4	-	0,00
29	8 981	8 983	-4,47	97,4	-	0,00
3	5 302	5 305	0,51	97,4	-	0,00
30	9 067	9 069	-4,57	97,4	-	0,00
31	9 118	9 120	-4,62	97,4	-	0,00
32	9 487	9 489	-5,00	97,4	-	0,00
33	10 142	10 143	-5,65	97,4	-	0,00
34	10 204	10 206	-5,71	97,4	-	0,00
35	9 615	9 617	-5,13	97,4	-	0,00
36	9 745	9 747	-5,26	97,4	-	0,00
37	9 759	9 761	-5,28	97,4	-	0,00
38	10 122	10 123	-5,63	97,4	-	0,00
39	9 168	9 170	-4,67	97,4	-	0,00
4	4 650	4 653	1,73	97,4	-	0,00
40	10 202	10 204	-5,71	97,4	-	0,00
41	10 738	10 739	-6,20	97,4	-	0,00
5	5 033	5 036	1,00	97,4	-	0,00
6	3 992	3 996	3,13	97,4	-	0,00
7	3 689	3 694	3,86	97,4	-	0,00
8	3 425	3 430	4,53	97,4	-	0,00
9	3 920	3 923	3,30	97,4	-	0,00
Sum			15,44			

- Data undefined due to calculation with octave data

Noise sensitive area: IN Saules iela 20

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 494	5 497	0,18	97,4	-	0,00
10	2 821	2 826	6,30	97,4	-	0,00
11	4 926	4 929	1,20	97,4	-	0,00
12	4 989	4 993	1,08	97,4	-	0,00
13	5 469	5 472	0,22	97,4	-	0,00
14	5 817	5 820	-0,35	97,4	-	0,00
15	6 335	6 337	-1,15	97,4	-	0,00
16	6 708	6 711	-1,69	97,4	-	0,00
17	7 199	7 201	-2,36	97,4	-	0,00
18	7 378	7 380	-2,59	97,4	-	0,00
19	7 885	7 887	-3,23	97,4	-	0,00
2	5 591	5 594	0,02	97,4	-	0,00
20	7 664	7 666	-2,96	97,4	-	0,00
21	8 128	8 130	-3,52	97,4	-	0,00
22	8 173	8 175	-3,57	97,4	-	0,00
23	8 695	8 697	-4,16	97,4	-	0,00
24	8 735	8 737	-4,21	97,4	-	0,00
25	7 948	7 950	-3,30	97,4	-	0,00
26	8 506	8 508	-3,95	97,4	-	0,00
27	8 542	8 544	-3,99	97,4	-	0,00
28	8 537	8 538	-3,99	97,4	-	0,00
29	8 981	8 983	-4,47	97,4	-	0,00
3	5 302	5 305	0,51	97,4	-	0,00
30	9 067	9 069	-4,57	97,4	-	0,00
31	9 118	9 120	-4,62	97,4	-	0,00
32	9 487	9 489	-5,00	97,4	-	0,00
33	10 142	10 143	-5,65	97,4	-	0,00
34	10 204	10 206	-5,71	97,4	-	0,00
35	9 615	9 617	-5,13	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 745	9 747	-5,26	97,4	-	0,00
37	9 759	9 761	-5,28	97,4	-	0,00
38	10 122	10 123	-5,63	97,4	-	0,00
39	9 168	9 170	-4,67	97,4	-	0,00
4	4 650	4 653	1,73	97,4	-	0,00
40	10 202	10 204	-5,71	97,4	-	0,00
41	10 738	10 739	-6,20	97,4	-	0,00
5	5 033	5 036	1,00	97,4	-	0,00
6	3 992	3 996	3,13	97,4	-	0,00
7	3 689	3 694	3,86	97,4	-	0,00
8	3 425	3 430	4,53	97,4	-	0,00
9	3 920	3 923	3,30	97,4	-	0,00
Sum			15,44			

- Data undefined due to calculation with octave data

Noise sensitive area: IO Saules iela 16

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 288	5 291	0,54	97,4	-	0,00
10	2 905	2 910	6,03	97,4	-	0,00
11	5 086	5 089	0,90	97,4	-	0,00
12	5 184	5 187	0,72	97,4	-	0,00
13	5 631	5 634	-0,05	97,4	-	0,00
14	5 948	5 951	-0,56	97,4	-	0,00
15	6 478	6 480	-1,36	97,4	-	0,00
16	6 860	6 862	-1,90	97,4	-	0,00
17	7 357	7 359	-2,57	97,4	-	0,00
18	7 471	7 473	-2,71	97,4	-	0,00
19	7 977	7 979	-3,34	97,4	-	0,00
2	5 407	5 409	0,33	97,4	-	0,00
20	7 795	7 797	-3,12	97,4	-	0,00
21	8 235	8 237	-3,64	97,4	-	0,00
22	8 302	8 304	-3,72	97,4	-	0,00
23	8 824	8 826	-4,31	97,4	-	0,00
24	8 842	8 844	-4,32	97,4	-	0,00
25	8 006	8 008	-3,37	97,4	-	0,00
26	8 545	8 546	-4,00	97,4	-	0,00
27	8 625	8 627	-4,09	97,4	-	0,00
28	8 598	8 599	-4,06	97,4	-	0,00
29	9 026	9 028	-4,52	97,4	-	0,00
3	5 148	5 151	0,79	97,4	-	0,00
30	9 133	9 134	-4,64	97,4	-	0,00
31	9 202	9 204	-4,71	97,4	-	0,00
32	9 532	9 533	-5,05	97,4	-	0,00
33	10 191	10 192	-5,70	97,4	-	0,00
34	10 269	10 270	-5,77	97,4	-	0,00
35	9 681	9 682	-5,20	97,4	-	0,00
36	9 826	9 828	-5,34	97,4	-	0,00
37	9 861	9 862	-5,38	97,4	-	0,00
38	10 240	10 241	-5,74	97,4	-	0,00
39	9 279	9 281	-4,79	97,4	-	0,00
4	4 503	4 506	2,03	97,4	-	0,00
40	10 338	10 339	-5,83	97,4	-	0,00
41	10 877	10 878	-6,33	97,4	-	0,00
5	4 907	4 910	1,23	97,4	-	0,00
6	3 847	3 852	3,47	97,4	-	0,00
7	3 521	3 525	4,28	97,4	-	0,00
8	3 496	3 501	4,35	97,4	-	0,00
9	4 014	4 017	3,09	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IO Saules iela 16

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 288	5 291	0,54	97,4	-	0,00
10	2 905	2 910	6,03	97,4	-	0,00
11	5 086	5 089	0,90	97,4	-	0,00
12	5 184	5 187	0,72	97,4	-	0,00
13	5 631	5 634	-0,05	97,4	-	0,00
14	5 948	5 951	-0,56	97,4	-	0,00
15	6 478	6 480	-1,36	97,4	-	0,00
16	6 860	6 862	-1,90	97,4	-	0,00
17	7 357	7 359	-2,57	97,4	-	0,00
18	7 471	7 473	-2,71	97,4	-	0,00
19	7 977	7 979	-3,34	97,4	-	0,00
2	5 407	5 409	0,33	97,4	-	0,00
20	7 795	7 797	-3,12	97,4	-	0,00
21	8 235	8 237	-3,64	97,4	-	0,00
22	8 302	8 304	-3,72	97,4	-	0,00
23	8 824	8 826	-4,31	97,4	-	0,00
24	8 842	8 844	-4,32	97,4	-	0,00
25	8 006	8 008	-3,37	97,4	-	0,00
26	8 545	8 546	-4,00	97,4	-	0,00
27	8 625	8 627	-4,09	97,4	-	0,00
28	8 598	8 599	-4,06	97,4	-	0,00
29	9 026	9 028	-4,52	97,4	-	0,00
3	5 148	5 151	0,79	97,4	-	0,00
30	9 133	9 134	-4,64	97,4	-	0,00
31	9 202	9 204	-4,71	97,4	-	0,00
32	9 532	9 533	-5,05	97,4	-	0,00
33	10 191	10 192	-5,70	97,4	-	0,00
34	10 269	10 270	-5,77	97,4	-	0,00
35	9 681	9 682	-5,20	97,4	-	0,00
36	9 826	9 828	-5,34	97,4	-	0,00
37	9 861	9 862	-5,38	97,4	-	0,00
38	10 240	10 241	-5,74	97,4	-	0,00
39	9 279	9 281	-4,79	97,4	-	0,00
4	4 503	4 506	2,03	97,4	-	0,00
40	10 338	10 339	-5,83	97,4	-	0,00
41	10 877	10 878	-6,33	97,4	-	0,00
5	4 907	4 910	1,23	97,4	-	0,00
6	3 847	3 852	3,47	97,4	-	0,00
7	3 521	3 525	4,28	97,4	-	0,00
8	3 496	3 501	4,35	97,4	-	0,00
9	4 014	4 017	3,09	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Noise sensitive area: IP Saules iela 15

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 565	5 568	0,06	97,4	-	0,00
10	2 875	2 880	6,12	97,4	-	0,00
11	4 959	4 963	1,13	97,4	-	0,00
12	5 012	5 015	1,04	97,4	-	0,00
13	5 502	5 505	0,17	97,4	-	0,00
14	5 858	5 861	-0,42	97,4	-	0,00
15	6 373	6 376	-1,21	97,4	-	0,00
16	6 744	6 747	-1,74	97,4	-	0,00
17	7 233	7 235	-2,41	97,4	-	0,00
18	7 429	7 431	-2,66	97,4	-	0,00
19	7 935	7 937	-3,29	97,4	-	0,00
2	5 665	5 668	-0,11	97,4	-	0,00
20	7 705	7 707	-3,01	97,4	-	0,00
21	8 176	8 177	-3,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 215	8 217	-3,62	97,4	-	0,00
23	8 737	8 738	-4,21	97,4	-	0,00
24	8 782	8 784	-4,26	97,4	-	0,00
25	8 006	8 008	-3,37	97,4	-	0,00
26	8 566	8 568	-4,02	97,4	-	0,00
27	8 595	8 597	-4,05	97,4	-	0,00
28	8 593	8 595	-4,05	97,4	-	0,00
29	9 041	9 043	-4,54	97,4	-	0,00
3	5 378	5 381	0,38	97,4	-	0,00
30	9 123	9 125	-4,63	97,4	-	0,00
31	9 170	9 172	-4,68	97,4	-	0,00
32	9 547	9 548	-5,06	97,4	-	0,00
33	10 200	10 202	-5,70	97,4	-	0,00
34	10 260	10 262	-5,76	97,4	-	0,00
35	9 671	9 672	-5,19	97,4	-	0,00
36	9 798	9 799	-5,31	97,4	-	0,00
37	9 808	9 809	-5,32	97,4	-	0,00
38	10 166	10 168	-5,67	97,4	-	0,00
39	9 214	9 216	-4,72	97,4	-	0,00
4	4 726	4 729	1,58	97,4	-	0,00
40	10 242	10 243	-5,74	97,4	-	0,00
41	10 777	10 778	-6,24	97,4	-	0,00
5	5 109	5 112	0,86	97,4	-	0,00
6	4 068	4 072	2,96	97,4	-	0,00
7	3 764	3 768	3,67	97,4	-	0,00
8	3 481	3 486	4,39	97,4	-	0,00
9	3 971	3 975	3,18	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Noise sensitive area: IP Saules iela 15

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 565	5 568	0,06	97,4	-	0,00
10	2 875	2 880	6,12	97,4	-	0,00
11	4 959	4 963	1,13	97,4	-	0,00
12	5 012	5 015	1,04	97,4	-	0,00
13	5 502	5 505	0,17	97,4	-	0,00
14	5 858	5 861	-0,42	97,4	-	0,00
15	6 373	6 376	-1,21	97,4	-	0,00
16	6 744	6 747	-1,74	97,4	-	0,00
17	7 233	7 235	-2,41	97,4	-	0,00
18	7 429	7 431	-2,66	97,4	-	0,00
19	7 935	7 937	-3,29	97,4	-	0,00
2	5 665	5 668	-0,11	97,4	-	0,00
20	7 705	7 707	-3,01	97,4	-	0,00
21	8 176	8 177	-3,57	97,4	-	0,00
22	8 215	8 217	-3,62	97,4	-	0,00
23	8 737	8 738	-4,21	97,4	-	0,00
24	8 782	8 784	-4,26	97,4	-	0,00
25	8 006	8 008	-3,37	97,4	-	0,00
26	8 566	8 568	-4,02	97,4	-	0,00
27	8 595	8 597	-4,05	97,4	-	0,00
28	8 593	8 595	-4,05	97,4	-	0,00
29	9 041	9 043	-4,54	97,4	-	0,00
3	5 378	5 381	0,38	97,4	-	0,00
30	9 123	9 125	-4,63	97,4	-	0,00
31	9 170	9 172	-4,68	97,4	-	0,00
32	9 547	9 548	-5,06	97,4	-	0,00
33	10 200	10 202	-5,70	97,4	-	0,00
34	10 260	10 262	-5,76	97,4	-	0,00
35	9 671	9 672	-5,19	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 798	9 799	-5,31	97,4	-	0,00
37	9 808	9 809	-5,32	97,4	-	0,00
38	10 166	10 168	-5,67	97,4	-	0,00
39	9 214	9 216	-4,72	97,4	-	0,00
4	4 726	4 729	1,58	97,4	-	0,00
40	10 242	10 243	-5,74	97,4	-	0,00
41	10 777	10 778	-6,24	97,4	-	0,00
5	5 109	5 112	0,86	97,4	-	0,00
6	4 068	4 072	2,96	97,4	-	0,00
7	3 764	3 768	3,67	97,4	-	0,00
8	3 481	3 486	4,39	97,4	-	0,00
9	3 971	3 975	3,18	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Noise sensitive area: IQ Brazdovski

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 355	3 359	4,72	97,4	-	0,00
10	1 802	1 810	10,30	97,4	-	0,00
11	4 163	4 167	2,75	97,4	-	0,00
12	4 643	4 646	1,74	97,4	-	0,00
13	4 658	4 662	1,71	97,4	-	0,00
14	4 636	4 639	1,76	97,4	-	0,00
15	5 230	5 233	0,64	97,4	-	0,00
16	5 669	5 671	-0,11	97,4	-	0,00
17	6 202	6 205	-0,95	97,4	-	0,00
18	5 730	5 733	-0,21	97,4	-	0,00
19	6 210	6 213	-0,97	97,4	-	0,00
2	3 274	3 279	4,95	97,4	-	0,00
20	6 359	6 361	-1,19	97,4	-	0,00
21	6 572	6 574	-1,50	97,4	-	0,00
22	6 827	6 829	-1,86	97,4	-	0,00
23	7 333	7 335	-2,54	97,4	-	0,00
24	7 165	7 168	-2,32	97,4	-	0,00
25	6 004	6 007	-0,65	97,4	-	0,00
26	6 420	6 423	-1,28	97,4	-	0,00
27	6 772	6 775	-1,78	97,4	-	0,00
28	6 601	6 603	-1,54	97,4	-	0,00
29	6 924	6 926	-1,99	97,4	-	0,00
3	2 823	2 829	6,29	97,4	-	0,00
30	7 150	7 152	-2,30	97,4	-	0,00
31	7 342	7 344	-2,55	97,4	-	0,00
32	7 423	7 425	-2,65	97,4	-	0,00
33	8 097	8 099	-3,48	97,4	-	0,00
34	8 260	8 262	-3,67	97,4	-	0,00
35	7 692	7 694	-2,99	97,4	-	0,00
36	7 935	7 937	-3,29	97,4	-	0,00
37	8 111	8 113	-3,50	97,4	-	0,00
38	8 613	8 615	-4,07	97,4	-	0,00
39	7 620	7 622	-2,90	97,4	-	0,00
4	2 156	2 163	8,71	97,4	-	0,00
40	8 856	8 858	-4,34	97,4	-	0,00
41	9 414	9 416	-4,93	97,4	-	0,00
5	2 471	2 476	7,49	97,4	-	0,00
6	1 512	1 522	11,84	97,4	-	0,00
7	1 395	1 406	12,55	97,4	-	0,00
8	2 030	2 038	9,24	97,4	-	0,00
9	2 621	2 627	6,96	97,4	-	0,00
Sum			20,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IQ Brazdovski

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 355	3 359	4,72	97,4	-	0,00
10	1 802	1 810	10,30	97,4	-	0,00
11	4 163	4 167	2,75	97,4	-	0,00
12	4 643	4 646	1,74	97,4	-	0,00
13	4 658	4 662	1,71	97,4	-	0,00
14	4 636	4 639	1,76	97,4	-	0,00
15	5 230	5 233	0,64	97,4	-	0,00
16	5 669	5 671	-0,11	97,4	-	0,00
17	6 202	6 205	-0,95	97,4	-	0,00
18	5 730	5 733	-0,21	97,4	-	0,00
19	6 210	6 213	-0,97	97,4	-	0,00
2	3 274	3 279	4,95	97,4	-	0,00
20	6 359	6 361	-1,19	97,4	-	0,00
21	6 572	6 574	-1,50	97,4	-	0,00
22	6 827	6 829	-1,86	97,4	-	0,00
23	7 333	7 335	-2,54	97,4	-	0,00
24	7 165	7 168	-2,32	97,4	-	0,00
25	6 004	6 007	-0,65	97,4	-	0,00
26	6 420	6 423	-1,28	97,4	-	0,00
27	6 772	6 775	-1,78	97,4	-	0,00
28	6 601	6 603	-1,54	97,4	-	0,00
29	6 924	6 926	-1,99	97,4	-	0,00
3	2 823	2 829	6,29	97,4	-	0,00
30	7 150	7 152	-2,30	97,4	-	0,00
31	7 342	7 344	-2,55	97,4	-	0,00
32	7 423	7 425	-2,65	97,4	-	0,00
33	8 097	8 099	-3,48	97,4	-	0,00
34	8 260	8 262	-3,67	97,4	-	0,00
35	7 692	7 694	-2,99	97,4	-	0,00
36	7 935	7 937	-3,29	97,4	-	0,00
37	8 111	8 113	-3,50	97,4	-	0,00
38	8 613	8 615	-4,07	97,4	-	0,00
39	7 620	7 622	-2,90	97,4	-	0,00
4	2 156	2 163	8,71	97,4	-	0,00
40	8 856	8 858	-4,34	97,4	-	0,00
41	9 414	9 416	-4,93	97,4	-	0,00
5	2 471	2 476	7,49	97,4	-	0,00
6	1 512	1 522	11,84	97,4	-	0,00
7	1 395	1 406	12,55	97,4	-	0,00
8	2 030	2 038	9,24	97,4	-	0,00
9	2 621	2 627	6,96	97,4	-	0,00
Sum			20,18			

- Data undefined due to calculation with octave data

Noise sensitive area: IR Gobkalni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 351	5 354	0,43	97,4	-	0,00
10	2 224	2 231	8,43	97,4	-	0,00
11	4 330	4 333	2,39	97,4	-	0,00
12	4 422	4 426	2,19	97,4	-	0,00
13	4 874	4 877	1,29	97,4	-	0,00
14	5 211	5 214	0,67	97,4	-	0,00
15	5 732	5 734	-0,21	97,4	-	0,00
16	6 109	6 111	-0,81	97,4	-	0,00
17	6 602	6 604	-1,54	97,4	-	0,00
18	6 775	6 777	-1,79	97,4	-	0,00
19	7 282	7 284	-2,47	97,4	-	0,00
2	5 386	5 389	0,37	97,4	-	0,00
20	7 059	7 061	-2,17	97,4	-	0,00
21	7 522	7 524	-2,78	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 568	7 570	-2,84	97,4	-	0,00
23	8 089	8 091	-3,47	97,4	-	0,00
24	8 129	8 131	-3,52	97,4	-	0,00
25	7 359	7 361	-2,57	97,4	-	0,00
26	7 928	7 930	-3,28	97,4	-	0,00
27	7 942	7 944	-3,30	97,4	-	0,00
28	7 945	7 947	-3,30	97,4	-	0,00
29	8 399	8 401	-3,83	97,4	-	0,00
3	5 022	5 025	1,02	97,4	-	0,00
30	8 474	8 476	-3,92	97,4	-	0,00
31	8 517	8 519	-3,96	97,4	-	0,00
32	8 905	8 907	-4,39	97,4	-	0,00
33	9 556	9 558	-5,07	97,4	-	0,00
34	9 611	9 613	-5,13	97,4	-	0,00
35	9 021	9 023	-4,52	97,4	-	0,00
36	9 145	9 147	-4,65	97,4	-	0,00
37	9 154	9 156	-4,66	97,4	-	0,00
38	9 515	9 517	-5,03	97,4	-	0,00
39	8 562	8 564	-4,02	97,4	-	0,00
4	4 358	4 361	2,33	97,4	-	0,00
40	9 598	9 599	-5,11	97,4	-	0,00
41	10 134	10 136	-5,64	97,4	-	0,00
5	4 691	4 694	1,65	97,4	-	0,00
6	3 702	3 706	3,83	97,4	-	0,00
7	3 462	3 467	4,44	97,4	-	0,00
8	2 834	2 839	6,25	97,4	-	0,00
9	3 317	3 322	4,83	97,4	-	0,00
Sum			16,50			

- Data undefined due to calculation with octave data

Noise sensitive area: IR Gobkalni

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 351	5 354	0,43	97,4	-	0,00
10	2 224	2 231	8,43	97,4	-	0,00
11	4 330	4 333	2,39	97,4	-	0,00
12	4 422	4 426	2,19	97,4	-	0,00
13	4 874	4 877	1,29	97,4	-	0,00
14	5 211	5 214	0,67	97,4	-	0,00
15	5 732	5 734	-0,21	97,4	-	0,00
16	6 109	6 111	-0,81	97,4	-	0,00
17	6 602	6 604	-1,54	97,4	-	0,00
18	6 775	6 777	-1,79	97,4	-	0,00
19	7 282	7 284	-2,47	97,4	-	0,00
2	5 386	5 389	0,37	97,4	-	0,00
20	7 059	7 061	-2,17	97,4	-	0,00
21	7 522	7 524	-2,78	97,4	-	0,00
22	7 568	7 570	-2,84	97,4	-	0,00
23	8 089	8 091	-3,47	97,4	-	0,00
24	8 129	8 131	-3,52	97,4	-	0,00
25	7 359	7 361	-2,57	97,4	-	0,00
26	7 928	7 930	-3,28	97,4	-	0,00
27	7 942	7 944	-3,30	97,4	-	0,00
28	7 945	7 947	-3,30	97,4	-	0,00
29	8 399	8 401	-3,83	97,4	-	0,00
3	5 022	5 025	1,02	97,4	-	0,00
30	8 474	8 476	-3,92	97,4	-	0,00
31	8 517	8 519	-3,96	97,4	-	0,00
32	8 905	8 907	-4,39	97,4	-	0,00
33	9 556	9 558	-5,07	97,4	-	0,00
34	9 611	9 613	-5,13	97,4	-	0,00
35	9 021	9 023	-4,52	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 145	9 147	-4,65	97,4	-	0,00
37	9 154	9 156	-4,66	97,4	-	0,00
38	9 515	9 517	-5,03	97,4	-	0,00
39	8 562	8 564	-4,02	97,4	-	0,00
4	4 358	4 361	2,33	97,4	-	0,00
40	9 598	9 599	-5,11	97,4	-	0,00
41	10 134	10 136	-5,64	97,4	-	0,00
5	4 691	4 694	1,65	97,4	-	0,00
6	3 702	3 706	3,83	97,4	-	0,00
7	3 462	3 467	4,44	97,4	-	0,00
8	2 834	2 839	6,25	97,4	-	0,00
9	3 317	3 322	4,83	97,4	-	0,00
Sum			16,50			

- Data undefined due to calculation with octave data

Noise sensitive area: IS Saules iela 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 124	5 127	0,83	97,4	-	0,00
10	3 106	3 110	5,43	97,4	-	0,00
11	5 346	5 348	0,44	97,4	-	0,00
12	5 470	5 473	0,22	97,4	-	0,00
13	5 891	5 894	-0,47	97,4	-	0,00
14	6 181	6 184	-0,92	97,4	-	0,00
15	6 720	6 722	-1,71	97,4	-	0,00
16	7 109	7 111	-2,24	97,4	-	0,00
17	7 611	7 613	-2,89	97,4	-	0,00
18	7 665	7 667	-2,96	97,4	-	0,00
19	8 170	8 172	-3,57	97,4	-	0,00
2	5 274	5 277	0,56	97,4	-	0,00
20	8 025	8 027	-3,40	97,4	-	0,00
21	8 442	8 444	-3,88	97,4	-	0,00
22	8 530	8 532	-3,98	97,4	-	0,00
23	9 053	9 054	-4,55	97,4	-	0,00
24	9 050	9 051	-4,55	97,4	-	0,00
25	8 165	8 167	-3,56	97,4	-	0,00
26	8 683	8 685	-4,15	97,4	-	0,00
27	8 809	8 810	-4,29	97,4	-	0,00
28	8 759	8 761	-4,23	97,4	-	0,00
29	9 169	9 171	-4,67	97,4	-	0,00
3	5 060	5 062	0,95	97,4	-	0,00
30	9 298	9 299	-4,81	97,4	-	0,00
31	9 386	9 388	-4,90	97,4	-	0,00
32	9 675	9 677	-5,19	97,4	-	0,00
33	10 338	10 340	-5,84	97,4	-	0,00
34	10 432	10 433	-5,92	97,4	-	0,00
35	9 846	9 848	-5,36	97,4	-	0,00
36	10 007	10 009	-5,52	97,4	-	0,00
37	10 061	10 063	-5,57	97,4	-	0,00
38	10 456	10 458	-5,95	97,4	-	0,00
39	9 490	9 491	-5,01	97,4	-	0,00
4	4 427	4 430	2,18	97,4	-	0,00
40	10 571	10 572	-6,05	97,4	-	0,00
41	11 113	11 114	-6,54	97,4	-	0,00
5	4 859	4 862	1,32	97,4	-	0,00
6	3 779	3 783	3,64	97,4	-	0,00
7	3 420	3 425	4,55	97,4	-	0,00
8	3 680	3 684	3,88	97,4	-	0,00
9	4 217	4 220	2,63	97,4	-	0,00
Sum			15,23			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IS Saules iela 2

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 124	5 127	0,83	97,4	-	0,00
10	3 106	3 110	5,43	97,4	-	0,00
11	5 346	5 348	0,44	97,4	-	0,00
12	5 470	5 473	0,22	97,4	-	0,00
13	5 891	5 894	-0,47	97,4	-	0,00
14	6 181	6 184	-0,92	97,4	-	0,00
15	6 720	6 722	-1,71	97,4	-	0,00
16	7 109	7 111	-2,24	97,4	-	0,00
17	7 611	7 613	-2,89	97,4	-	0,00
18	7 665	7 667	-2,96	97,4	-	0,00
19	8 170	8 172	-3,57	97,4	-	0,00
2	5 274	5 277	0,56	97,4	-	0,00
20	8 025	8 027	-3,40	97,4	-	0,00
21	8 442	8 444	-3,88	97,4	-	0,00
22	8 530	8 532	-3,98	97,4	-	0,00
23	9 053	9 054	-4,55	97,4	-	0,00
24	9 050	9 051	-4,55	97,4	-	0,00
25	8 165	8 167	-3,56	97,4	-	0,00
26	8 683	8 685	-4,15	97,4	-	0,00
27	8 809	8 810	-4,29	97,4	-	0,00
28	8 759	8 761	-4,23	97,4	-	0,00
29	9 169	9 171	-4,67	97,4	-	0,00
3	5 060	5 062	0,95	97,4	-	0,00
30	9 298	9 299	-4,81	97,4	-	0,00
31	9 386	9 388	-4,90	97,4	-	0,00
32	9 675	9 677	-5,19	97,4	-	0,00
33	10 338	10 340	-5,84	97,4	-	0,00
34	10 432	10 433	-5,92	97,4	-	0,00
35	9 846	9 848	-5,36	97,4	-	0,00
36	10 007	10 009	-5,52	97,4	-	0,00
37	10 061	10 063	-5,57	97,4	-	0,00
38	10 456	10 458	-5,95	97,4	-	0,00
39	9 490	9 491	-5,01	97,4	-	0,00
4	4 427	4 430	2,18	97,4	-	0,00
40	10 571	10 572	-6,05	97,4	-	0,00
41	11 113	11 114	-6,54	97,4	-	0,00
5	4 859	4 862	1,32	97,4	-	0,00
6	3 779	3 783	3,64	97,4	-	0,00
7	3 420	3 425	4,55	97,4	-	0,00
8	3 680	3 684	3,88	97,4	-	0,00
9	4 217	4 220	2,63	97,4	-	0,00
Sum			15,23			

- Data undefined due to calculation with octave data

Noise sensitive area: IT Saules iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 142	5 145	0,80	97,4	-	0,00
10	3 044	3 048	5,61	97,4	-	0,00
11	5 276	5 278	0,56	97,4	-	0,00
12	5 397	5 400	0,35	97,4	-	0,00
13	5 821	5 824	-0,36	97,4	-	0,00
14	6 115	6 118	-0,82	97,4	-	0,00
15	6 652	6 655	-1,61	97,4	-	0,00
16	7 040	7 043	-2,15	97,4	-	0,00
17	7 542	7 544	-2,80	97,4	-	0,00
18	7 605	7 607	-2,88	97,4	-	0,00
19	8 110	8 112	-3,50	97,4	-	0,00
2	5 283	5 286	0,55	97,4	-	0,00
20	7 960	7 962	-3,32	97,4	-	0,00
21	8 380	8 382	-3,81	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 465	8 467	-3,91	97,4	-	0,00
23	8 987	8 989	-4,48	97,4	-	0,00
24	8 988	8 989	-4,48	97,4	-	0,00
25	8 111	8 113	-3,50	97,4	-	0,00
26	8 633	8 635	-4,09	97,4	-	0,00
27	8 751	8 753	-4,22	97,4	-	0,00
28	8 705	8 707	-4,17	97,4	-	0,00
29	9 119	9 120	-4,62	97,4	-	0,00
3	5 058	5 061	0,95	97,4	-	0,00
30	9 243	9 245	-4,75	97,4	-	0,00
31	9 328	9 330	-4,84	97,4	-	0,00
32	9 625	9 626	-5,14	97,4	-	0,00
33	10 287	10 288	-5,79	97,4	-	0,00
34	10 377	10 379	-5,87	97,4	-	0,00
35	9 791	9 793	-5,31	97,4	-	0,00
36	9 950	9 951	-5,46	97,4	-	0,00
37	10 000	10 002	-5,51	97,4	-	0,00
38	10 393	10 394	-5,89	97,4	-	0,00
39	9 427	9 429	-4,94	97,4	-	0,00
4	4 422	4 425	2,19	97,4	-	0,00
40	10 504	10 506	-5,99	97,4	-	0,00
41	11 046	11 048	-6,48	97,4	-	0,00
5	4 848	4 851	1,35	97,4	-	0,00
6	3 772	3 776	3,66	97,4	-	0,00
7	3 421	3 425	4,55	97,4	-	0,00
8	3 621	3 625	4,03	97,4	-	0,00
9	4 155	4 159	2,77	97,4	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: IT Saules iela 6

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 142	5 145	0,80	97,4	-	0,00
10	3 044	3 048	5,61	97,4	-	0,00
11	5 276	5 278	0,56	97,4	-	0,00
12	5 397	5 400	0,35	97,4	-	0,00
13	5 821	5 824	-0,36	97,4	-	0,00
14	6 115	6 118	-0,82	97,4	-	0,00
15	6 652	6 655	-1,61	97,4	-	0,00
16	7 040	7 043	-2,15	97,4	-	0,00
17	7 542	7 544	-2,80	97,4	-	0,00
18	7 605	7 607	-2,88	97,4	-	0,00
19	8 110	8 112	-3,50	97,4	-	0,00
2	5 283	5 286	0,55	97,4	-	0,00
20	7 960	7 962	-3,32	97,4	-	0,00
21	8 380	8 382	-3,81	97,4	-	0,00
22	8 465	8 467	-3,91	97,4	-	0,00
23	8 987	8 989	-4,48	97,4	-	0,00
24	8 988	8 989	-4,48	97,4	-	0,00
25	8 111	8 113	-3,50	97,4	-	0,00
26	8 633	8 635	-4,09	97,4	-	0,00
27	8 751	8 753	-4,22	97,4	-	0,00
28	8 705	8 707	-4,17	97,4	-	0,00
29	9 119	9 120	-4,62	97,4	-	0,00
3	5 058	5 061	0,95	97,4	-	0,00
30	9 243	9 245	-4,75	97,4	-	0,00
31	9 328	9 330	-4,84	97,4	-	0,00
32	9 625	9 626	-5,14	97,4	-	0,00
33	10 287	10 288	-5,79	97,4	-	0,00
34	10 377	10 379	-5,87	97,4	-	0,00
35	9 791	9 793	-5,31	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 950	9 951	-5,46	97,4	-	0,00
37	10 000	10 002	-5,51	97,4	-	0,00
38	10 393	10 394	-5,89	97,4	-	0,00
39	9 427	9 429	-4,94	97,4	-	0,00
4	4 422	4 425	2,19	97,4	-	0,00
40	10 504	10 506	-5,99	97,4	-	0,00
41	11 046	11 048	-6,48	97,4	-	0,00
5	4 848	4 851	1,35	97,4	-	0,00
6	3 772	3 776	3,66	97,4	-	0,00
7	3 421	3 425	4,55	97,4	-	0,00
8	3 621	3 625	4,03	97,4	-	0,00
9	4 155	4 159	2,77	97,4	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: IU Ainas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 971	5 973	-0,60	97,4	-	0,00
10	2 740	2 745	6,56	97,4	-	0,00
11	4 626	4 629	1,78	97,4	-	0,00
12	4 605	4 608	1,82	97,4	-	0,00
13	5 161	5 164	0,76	97,4	-	0,00
14	5 579	5 582	0,04	97,4	-	0,00
15	6 068	6 070	-0,75	97,4	-	0,00
16	6 420	6 422	-1,28	97,4	-	0,00
17	6 892	6 895	-1,95	97,4	-	0,00
18	7 221	7 223	-2,39	97,4	-	0,00
19	7 728	7 730	-3,04	97,4	-	0,00
2	6 029	6 031	-0,69	97,4	-	0,00
20	7 418	7 420	-2,65	97,4	-	0,00
21	7 937	7 939	-3,29	97,4	-	0,00
22	7 930	7 932	-3,28	97,4	-	0,00
23	8 450	8 451	-3,89	97,4	-	0,00
24	8 540	8 542	-3,99	97,4	-	0,00
25	7 868	7 870	-3,21	97,4	-	0,00
26	8 465	8 467	-3,91	97,4	-	0,00
27	8 404	8 406	-3,84	97,4	-	0,00
28	8 447	8 449	-3,89	97,4	-	0,00
29	8 927	8 928	-4,42	97,4	-	0,00
3	5 682	5 685	-0,13	97,4	-	0,00
30	8 967	8 969	-4,46	97,4	-	0,00
31	8 975	8 977	-4,47	97,4	-	0,00
32	9 430	9 432	-4,95	97,4	-	0,00
33	10 074	10 075	-5,58	97,4	-	0,00
34	10 103	10 104	-5,61	97,4	-	0,00
35	9 511	9 513	-5,03	97,4	-	0,00
36	9 607	9 608	-5,12	97,4	-	0,00
37	9 575	9 577	-5,09	97,4	-	0,00
38	9 899	9 901	-5,41	97,4	-	0,00
39	8 963	8 965	-4,46	97,4	-	0,00
4	5 020	5 023	1,02	97,4	-	0,00
40	9 939	9 941	-5,45	97,4	-	0,00
41	10 465	10 467	-5,95	97,4	-	0,00
5	5 359	5 361	0,41	97,4	-	0,00
6	4 363	4 366	2,32	97,4	-	0,00
7	4 108	4 111	2,87	97,4	-	0,00
8	3 358	3 363	4,71	97,4	-	0,00
9	3 790	3 794	3,61	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IU Ainas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 971	5 973	-0,60	97,4	-	0,00
10	2 740	2 745	6,56	97,4	-	0,00
11	4 626	4 629	1,78	97,4	-	0,00
12	4 605	4 608	1,82	97,4	-	0,00
13	5 161	5 164	0,76	97,4	-	0,00
14	5 579	5 582	0,04	97,4	-	0,00
15	6 068	6 070	-0,75	97,4	-	0,00
16	6 420	6 422	-1,28	97,4	-	0,00
17	6 892	6 895	-1,95	97,4	-	0,00
18	7 221	7 223	-2,39	97,4	-	0,00
19	7 728	7 730	-3,04	97,4	-	0,00
2	6 029	6 031	-0,69	97,4	-	0,00
20	7 418	7 420	-2,65	97,4	-	0,00
21	7 937	7 939	-3,29	97,4	-	0,00
22	7 930	7 932	-3,28	97,4	-	0,00
23	8 450	8 451	-3,89	97,4	-	0,00
24	8 540	8 542	-3,99	97,4	-	0,00
25	7 868	7 870	-3,21	97,4	-	0,00
26	8 465	8 467	-3,91	97,4	-	0,00
27	8 404	8 406	-3,84	97,4	-	0,00
28	8 447	8 449	-3,89	97,4	-	0,00
29	8 927	8 928	-4,42	97,4	-	0,00
3	5 682	5 685	-0,13	97,4	-	0,00
30	8 967	8 969	-4,46	97,4	-	0,00
31	8 975	8 977	-4,47	97,4	-	0,00
32	9 430	9 432	-4,95	97,4	-	0,00
33	10 074	10 075	-5,58	97,4	-	0,00
34	10 103	10 104	-5,61	97,4	-	0,00
35	9 511	9 513	-5,03	97,4	-	0,00
36	9 607	9 608	-5,12	97,4	-	0,00
37	9 575	9 577	-5,09	97,4	-	0,00
38	9 899	9 901	-5,41	97,4	-	0,00
39	8 963	8 965	-4,46	97,4	-	0,00
4	5 020	5 023	1,02	97,4	-	0,00
40	9 939	9 941	-5,45	97,4	-	0,00
41	10 465	10 467	-5,95	97,4	-	0,00
5	5 359	5 361	0,41	97,4	-	0,00
6	4 363	4 366	2,32	97,4	-	0,00
7	4 108	4 111	2,87	97,4	-	0,00
8	3 358	3 363	4,71	97,4	-	0,00
9	3 790	3 794	3,61	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: IV Vecpagasts

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 184	5 187	0,72	97,4	-	0,00
10	3 014	3 019	5,70	97,4	-	0,00
11	5 233	5 236	0,64	97,4	-	0,00
12	5 348	5 351	0,43	97,4	-	0,00
13	5 778	5 781	-0,29	97,4	-	0,00
14	6 079	6 081	-0,77	97,4	-	0,00
15	6 614	6 616	-1,56	97,4	-	0,00
16	7 000	7 002	-2,10	97,4	-	0,00
17	7 500	7 503	-2,75	97,4	-	0,00
18	7 578	7 580	-2,85	97,4	-	0,00
19	8 083	8 085	-3,46	97,4	-	0,00
2	5 320	5 323	0,48	97,4	-	0,00
20	7 924	7 926	-3,27	97,4	-	0,00
21	8 349	8 351	-3,77	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 430	8 432	-3,87	97,4	-	0,00
23	8 952	8 954	-4,44	97,4	-	0,00
24	8 957	8 959	-4,45	97,4	-	0,00
25	8 091	8 093	-3,47	97,4	-	0,00
26	8 618	8 619	-4,08	97,4	-	0,00
27	8 725	8 727	-4,20	97,4	-	0,00
28	8 684	8 686	-4,15	97,4	-	0,00
29	9 102	9 104	-4,60	97,4	-	0,00
3	5 086	5 089	0,90	97,4	-	0,00
30	9 222	9 223	-4,73	97,4	-	0,00
31	9 303	9 304	-4,81	97,4	-	0,00
32	9 608	9 610	-5,13	97,4	-	0,00
33	10 269	10 271	-5,77	97,4	-	0,00
34	10 357	10 358	-5,85	97,4	-	0,00
35	9 770	9 772	-5,29	97,4	-	0,00
36	9 925	9 927	-5,44	97,4	-	0,00
37	9 971	9 973	-5,48	97,4	-	0,00
38	10 360	10 362	-5,86	97,4	-	0,00
39	9 396	9 398	-4,91	97,4	-	0,00
4	4 448	4 451	2,14	97,4	-	0,00
40	10 468	10 470	-5,96	97,4	-	0,00
41	11 009	11 011	-6,45	97,4	-	0,00
5	4 869	4 872	1,31	97,4	-	0,00
6	3 796	3 801	3,60	97,4	-	0,00
7	3 451	3 456	4,47	97,4	-	0,00
8	3 595	3 600	4,09	97,4	-	0,00
9	4 125	4 129	2,83	97,4	-	0,00
Sum			15,32			

- Data undefined due to calculation with octave data

Noise sensitive area: IV Vecpagasts

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 184	5 187	0,72	97,4	-	0,00
10	3 014	3 019	5,70	97,4	-	0,00
11	5 233	5 236	0,64	97,4	-	0,00
12	5 348	5 351	0,43	97,4	-	0,00
13	5 778	5 781	-0,29	97,4	-	0,00
14	6 079	6 081	-0,77	97,4	-	0,00
15	6 614	6 616	-1,56	97,4	-	0,00
16	7 000	7 002	-2,10	97,4	-	0,00
17	7 500	7 503	-2,75	97,4	-	0,00
18	7 578	7 580	-2,85	97,4	-	0,00
19	8 083	8 085	-3,46	97,4	-	0,00
2	5 320	5 323	0,48	97,4	-	0,00
20	7 924	7 926	-3,27	97,4	-	0,00
21	8 349	8 351	-3,77	97,4	-	0,00
22	8 430	8 432	-3,87	97,4	-	0,00
23	8 952	8 954	-4,44	97,4	-	0,00
24	8 957	8 959	-4,45	97,4	-	0,00
25	8 091	8 093	-3,47	97,4	-	0,00
26	8 618	8 619	-4,08	97,4	-	0,00
27	8 725	8 727	-4,20	97,4	-	0,00
28	8 684	8 686	-4,15	97,4	-	0,00
29	9 102	9 104	-4,60	97,4	-	0,00
3	5 086	5 089	0,90	97,4	-	0,00
30	9 222	9 223	-4,73	97,4	-	0,00
31	9 303	9 304	-4,81	97,4	-	0,00
32	9 608	9 610	-5,13	97,4	-	0,00
33	10 269	10 271	-5,77	97,4	-	0,00
34	10 357	10 358	-5,85	97,4	-	0,00
35	9 770	9 772	-5,29	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 925	9 927	-5,44	97,4	-	0,00
37	9 971	9 973	-5,48	97,4	-	0,00
38	10 360	10 362	-5,86	97,4	-	0,00
39	9 396	9 398	-4,91	97,4	-	0,00
4	4 448	4 451	2,14	97,4	-	0,00
40	10 468	10 470	-5,96	97,4	-	0,00
41	11 009	11 011	-6,45	97,4	-	0,00
5	4 869	4 872	1,31	97,4	-	0,00
6	3 796	3 801	3,60	97,4	-	0,00
7	3 451	3 456	4,47	97,4	-	0,00
8	3 595	3 600	4,09	97,4	-	0,00
9	4 125	4 129	2,83	97,4	-	0,00
Sum			15,32			

- Data undefined due to calculation with octave data

Noise sensitive area: IW Lacu Druvas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 908	5 911	-0,50	97,4	-	0,00
10	2 801	2 806	6,36	97,4	-	0,00
11	4 729	4 732	1,57	97,4	-	0,00
12	4 720	4 723	1,59	97,4	-	0,00
13	5 266	5 269	0,58	97,4	-	0,00
14	5 673	5 676	-0,12	97,4	-	0,00
15	6 167	6 169	-0,90	97,4	-	0,00
16	6 522	6 525	-1,43	97,4	-	0,00
17	6 998	7 000	-2,09	97,4	-	0,00
18	7 302	7 304	-2,50	97,4	-	0,00
19	7 809	7 811	-3,13	97,4	-	0,00
2	5 978	5 980	-0,61	97,4	-	0,00
20	7 514	7 516	-2,77	97,4	-	0,00
21	8 024	8 026	-3,39	97,4	-	0,00
22	8 026	8 028	-3,40	97,4	-	0,00
23	8 546	8 548	-4,00	97,4	-	0,00
24	8 628	8 630	-4,09	97,4	-	0,00
25	7 935	7 937	-3,29	97,4	-	0,00
26	8 525	8 527	-3,97	97,4	-	0,00
27	8 482	8 484	-3,92	97,4	-	0,00
28	8 516	8 518	-3,96	97,4	-	0,00
29	8 989	8 991	-4,48	97,4	-	0,00
3	5 647	5 649	-0,07	97,4	-	0,00
30	9 038	9 040	-4,54	97,4	-	0,00
31	9 054	9 056	-4,55	97,4	-	0,00
32	9 494	9 495	-5,01	97,4	-	0,00
33	10 139	10 141	-5,65	97,4	-	0,00
34	10 175	10 176	-5,68	97,4	-	0,00
35	9 583	9 585	-5,10	97,4	-	0,00
36	9 685	9 687	-5,20	97,4	-	0,00
37	9 662	9 663	-5,18	97,4	-	0,00
38	9 992	9 993	-5,50	97,4	-	0,00
39	9 053	9 055	-4,55	97,4	-	0,00
4	4 986	4 989	1,08	97,4	-	0,00
40	10 039	10 040	-5,55	97,4	-	0,00
41	10 566	10 568	-6,05	97,4	-	0,00
5	5 337	5 339	0,45	97,4	-	0,00
6	4 328	4 332	2,39	97,4	-	0,00
7	4 061	4 064	2,98	97,4	-	0,00
8	3 418	3 423	4,55	97,4	-	0,00
9	3 863	3 867	3,44	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IW Lacu Druvas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 908	5 911	-0,50	97,4	-	0,00
10	2 801	2 806	6,36	97,4	-	0,00
11	4 729	4 732	1,57	97,4	-	0,00
12	4 720	4 723	1,59	97,4	-	0,00
13	5 266	5 269	0,58	97,4	-	0,00
14	5 673	5 676	-0,12	97,4	-	0,00
15	6 167	6 169	-0,90	97,4	-	0,00
16	6 522	6 525	-1,43	97,4	-	0,00
17	6 998	7 000	-2,09	97,4	-	0,00
18	7 302	7 304	-2,50	97,4	-	0,00
19	7 809	7 811	-3,13	97,4	-	0,00
2	5 978	5 980	-0,61	97,4	-	0,00
20	7 514	7 516	-2,77	97,4	-	0,00
21	8 024	8 026	-3,39	97,4	-	0,00
22	8 026	8 028	-3,40	97,4	-	0,00
23	8 546	8 548	-4,00	97,4	-	0,00
24	8 628	8 630	-4,09	97,4	-	0,00
25	7 935	7 937	-3,29	97,4	-	0,00
26	8 525	8 527	-3,97	97,4	-	0,00
27	8 482	8 484	-3,92	97,4	-	0,00
28	8 516	8 518	-3,96	97,4	-	0,00
29	8 989	8 991	-4,48	97,4	-	0,00
3	5 647	5 649	-0,07	97,4	-	0,00
30	9 038	9 040	-4,54	97,4	-	0,00
31	9 054	9 056	-4,55	97,4	-	0,00
32	9 494	9 495	-5,01	97,4	-	0,00
33	10 139	10 141	-5,65	97,4	-	0,00
34	10 175	10 176	-5,68	97,4	-	0,00
35	9 583	9 585	-5,10	97,4	-	0,00
36	9 685	9 687	-5,20	97,4	-	0,00
37	9 662	9 663	-5,18	97,4	-	0,00
38	9 992	9 993	-5,50	97,4	-	0,00
39	9 053	9 055	-4,55	97,4	-	0,00
4	4 986	4 989	1,08	97,4	-	0,00
40	10 039	10 040	-5,55	97,4	-	0,00
41	10 566	10 568	-6,05	97,4	-	0,00
5	5 337	5 339	0,45	97,4	-	0,00
6	4 328	4 332	2,39	97,4	-	0,00
7	4 061	4 064	2,98	97,4	-	0,00
8	3 418	3 423	4,55	97,4	-	0,00
9	3 863	3 867	3,44	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: IX Saules iela 14

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 233	5 236	0,63	97,4	-	0,00
10	2 937	2 941	5,93	97,4	-	0,00
11	5 136	5 139	0,81	97,4	-	0,00
12	5 243	5 246	0,62	97,4	-	0,00
13	5 681	5 684	-0,13	97,4	-	0,00
14	5 990	5 993	-0,63	97,4	-	0,00
15	6 522	6 525	-1,43	97,4	-	0,00
16	6 907	6 909	-1,97	97,4	-	0,00
17	7 405	7 407	-2,63	97,4	-	0,00
18	7 502	7 504	-2,75	97,4	-	0,00
19	8 007	8 009	-3,37	97,4	-	0,00
2	5 358	5 361	0,42	97,4	-	0,00
20	7 836	7 838	-3,17	97,4	-	0,00
21	8 269	8 271	-3,68	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 343	8 345	-3,77	97,4	-	0,00
23	8 865	8 867	-4,35	97,4	-	0,00
24	8 877	8 879	-4,36	97,4	-	0,00
25	8 027	8 029	-3,40	97,4	-	0,00
26	8 560	8 562	-4,01	97,4	-	0,00
27	8 653	8 655	-4,12	97,4	-	0,00
28	8 619	8 621	-4,08	97,4	-	0,00
29	9 043	9 045	-4,54	97,4	-	0,00
3	5 108	5 111	0,86	97,4	-	0,00
30	9 155	9 157	-4,66	97,4	-	0,00
31	9 230	9 232	-4,74	97,4	-	0,00
32	9 549	9 551	-5,07	97,4	-	0,00
33	10 209	10 211	-5,71	97,4	-	0,00
34	10 291	10 292	-5,79	97,4	-	0,00
35	9 704	9 705	-5,22	97,4	-	0,00
36	9 854	9 855	-5,37	97,4	-	0,00
37	9 893	9 895	-5,41	97,4	-	0,00
38	10 277	10 279	-5,78	97,4	-	0,00
39	9 315	9 316	-4,83	97,4	-	0,00
4	4 466	4 469	2,10	97,4	-	0,00
40	10 380	10 381	-5,87	97,4	-	0,00
41	10 920	10 921	-6,37	97,4	-	0,00
5	4 877	4 880	1,29	97,4	-	0,00
6	3 812	3 816	3,56	97,4	-	0,00
7	3 478	3 482	4,40	97,4	-	0,00
8	3 523	3 528	4,28	97,4	-	0,00
9	4 046	4 050	3,01	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: IX Saules iela 14

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 233	5 236	0,63	97,4	-	0,00
10	2 937	2 941	5,93	97,4	-	0,00
11	5 136	5 139	0,81	97,4	-	0,00
12	5 243	5 246	0,62	97,4	-	0,00
13	5 681	5 684	-0,13	97,4	-	0,00
14	5 990	5 993	-0,63	97,4	-	0,00
15	6 522	6 525	-1,43	97,4	-	0,00
16	6 907	6 909	-1,97	97,4	-	0,00
17	7 405	7 407	-2,63	97,4	-	0,00
18	7 502	7 504	-2,75	97,4	-	0,00
19	8 007	8 009	-3,37	97,4	-	0,00
2	5 358	5 361	0,42	97,4	-	0,00
20	7 836	7 838	-3,17	97,4	-	0,00
21	8 269	8 271	-3,68	97,4	-	0,00
22	8 343	8 345	-3,77	97,4	-	0,00
23	8 865	8 867	-4,35	97,4	-	0,00
24	8 877	8 879	-4,36	97,4	-	0,00
25	8 027	8 029	-3,40	97,4	-	0,00
26	8 560	8 562	-4,01	97,4	-	0,00
27	8 653	8 655	-4,12	97,4	-	0,00
28	8 619	8 621	-4,08	97,4	-	0,00
29	9 043	9 045	-4,54	97,4	-	0,00
3	5 108	5 111	0,86	97,4	-	0,00
30	9 155	9 157	-4,66	97,4	-	0,00
31	9 230	9 232	-4,74	97,4	-	0,00
32	9 549	9 551	-5,07	97,4	-	0,00
33	10 209	10 211	-5,71	97,4	-	0,00
34	10 291	10 292	-5,79	97,4	-	0,00
35	9 704	9 705	-5,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 854	9 855	-5,37	97,4	-	0,00
37	9 893	9 895	-5,41	97,4	-	0,00
38	10 277	10 279	-5,78	97,4	-	0,00
39	9 315	9 316	-4,83	97,4	-	0,00
4	4 466	4 469	2,10	97,4	-	0,00
40	10 380	10 381	-5,87	97,4	-	0,00
41	10 920	10 921	-6,37	97,4	-	0,00
5	4 877	4 880	1,29	97,4	-	0,00
6	3 812	3 816	3,56	97,4	-	0,00
7	3 478	3 482	4,40	97,4	-	0,00
8	3 523	3 528	4,28	97,4	-	0,00
9	4 046	4 050	3,01	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: IY Vecrimicani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 959	5 962	-0,58	97,4	-	0,00
10	2 766	2 771	6,47	97,4	-	0,00
11	4 663	4 666	1,70	97,4	-	0,00
12	4 644	4 648	1,74	97,4	-	0,00
13	5 199	5 202	0,70	97,4	-	0,00
14	5 614	5 617	-0,02	97,4	-	0,00
15	6 104	6 106	-0,80	97,4	-	0,00
16	6 457	6 459	-1,33	97,4	-	0,00
17	6 930	6 932	-2,00	97,4	-	0,00
18	7 253	7 255	-2,43	97,4	-	0,00
19	7 760	7 762	-3,07	97,4	-	0,00
2	6 021	6 024	-0,68	97,4	-	0,00
20	7 454	7 456	-2,69	97,4	-	0,00
21	7 971	7 973	-3,33	97,4	-	0,00
22	7 966	7 968	-3,32	97,4	-	0,00
23	8 485	8 487	-3,93	97,4	-	0,00
24	8 574	8 576	-4,03	97,4	-	0,00
25	7 897	7 899	-3,24	97,4	-	0,00
26	8 492	8 494	-3,94	97,4	-	0,00
27	8 435	8 437	-3,87	97,4	-	0,00
28	8 476	8 478	-3,92	97,4	-	0,00
29	8 954	8 956	-4,45	97,4	-	0,00
3	5 680	5 683	-0,13	97,4	-	0,00
30	8 996	8 998	-4,49	97,4	-	0,00
31	9 007	9 008	-4,50	97,4	-	0,00
32	9 458	9 459	-4,97	97,4	-	0,00
33	10 102	10 103	-5,61	97,4	-	0,00
34	10 133	10 134	-5,64	97,4	-	0,00
35	9 541	9 543	-5,06	97,4	-	0,00
36	9 638	9 640	-5,16	97,4	-	0,00
37	9 609	9 610	-5,13	97,4	-	0,00
38	9 934	9 936	-5,45	97,4	-	0,00
39	8 998	8 999	-4,49	97,4	-	0,00
4	5 018	5 021	1,02	97,4	-	0,00
40	9 976	9 977	-5,49	97,4	-	0,00
41	10 502	10 504	-5,99	97,4	-	0,00
5	5 361	5 363	0,41	97,4	-	0,00
6	4 361	4 364	2,32	97,4	-	0,00
7	4 101	4 105	2,89	97,4	-	0,00
8	3 385	3 389	4,64	97,4	-	0,00
9	3 820	3 824	3,54	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: IY Vecrimicani

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 959	5 962	-0,58	97,4	-	0,00
10	2 766	2 771	6,47	97,4	-	0,00
11	4 663	4 666	1,70	97,4	-	0,00
12	4 644	4 648	1,74	97,4	-	0,00
13	5 199	5 202	0,70	97,4	-	0,00
14	5 614	5 617	-0,02	97,4	-	0,00
15	6 104	6 106	-0,80	97,4	-	0,00
16	6 457	6 459	-1,33	97,4	-	0,00
17	6 930	6 932	-2,00	97,4	-	0,00
18	7 253	7 255	-2,43	97,4	-	0,00
19	7 760	7 762	-3,07	97,4	-	0,00
2	6 021	6 024	-0,68	97,4	-	0,00
20	7 454	7 456	-2,69	97,4	-	0,00
21	7 971	7 973	-3,33	97,4	-	0,00
22	7 966	7 968	-3,32	97,4	-	0,00
23	8 485	8 487	-3,93	97,4	-	0,00
24	8 574	8 576	-4,03	97,4	-	0,00
25	7 897	7 899	-3,24	97,4	-	0,00
26	8 492	8 494	-3,94	97,4	-	0,00
27	8 435	8 437	-3,87	97,4	-	0,00
28	8 476	8 478	-3,92	97,4	-	0,00
29	8 954	8 956	-4,45	97,4	-	0,00
3	5 680	5 683	-0,13	97,4	-	0,00
30	8 996	8 998	-4,49	97,4	-	0,00
31	9 007	9 008	-4,50	97,4	-	0,00
32	9 458	9 459	-4,97	97,4	-	0,00
33	10 102	10 103	-5,61	97,4	-	0,00
34	10 133	10 134	-5,64	97,4	-	0,00
35	9 541	9 543	-5,06	97,4	-	0,00
36	9 638	9 640	-5,16	97,4	-	0,00
37	9 609	9 610	-5,13	97,4	-	0,00
38	9 934	9 936	-5,45	97,4	-	0,00
39	8 998	8 999	-4,49	97,4	-	0,00
4	5 018	5 021	1,02	97,4	-	0,00
40	9 976	9 977	-5,49	97,4	-	0,00
41	10 502	10 504	-5,99	97,4	-	0,00
5	5 361	5 363	0,41	97,4	-	0,00
6	4 361	4 364	2,32	97,4	-	0,00
7	4 101	4 105	2,89	97,4	-	0,00
8	3 385	3 389	4,64	97,4	-	0,00
9	3 820	3 824	3,54	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: IZ Saules iela 3

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 164	5 167	0,76	97,4	-	0,00
10	3 138	3 143	5,33	97,4	-	0,00
11	5 370	5 373	0,39	97,4	-	0,00
12	5 489	5 492	0,19	97,4	-	0,00
13	5 915	5 918	-0,51	97,4	-	0,00
14	6 210	6 213	-0,97	97,4	-	0,00
15	6 747	6 750	-1,75	97,4	-	0,00
16	7 135	7 137	-2,28	97,4	-	0,00
17	7 637	7 639	-2,92	97,4	-	0,00
18	7 699	7 701	-3,00	97,4	-	0,00
19	8 204	8 206	-3,61	97,4	-	0,00
2	5 316	5 319	0,49	97,4	-	0,00
20	8 055	8 057	-3,43	97,4	-	0,00
21	8 474	8 476	-3,92	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 560	8 562	-4,01	97,4	-	0,00
23	9 082	9 084	-4,58	97,4	-	0,00
24	9 082	9 084	-4,58	97,4	-	0,00
25	8 202	8 204	-3,60	97,4	-	0,00
26	8 722	8 723	-4,19	97,4	-	0,00
27	8 844	8 845	-4,33	97,4	-	0,00
28	8 796	8 798	-4,27	97,4	-	0,00
29	9 208	9 210	-4,71	97,4	-	0,00
3	5 103	5 106	0,87	97,4	-	0,00
30	9 334	9 336	-4,85	97,4	-	0,00
31	9 421	9 423	-4,94	97,4	-	0,00
32	9 714	9 715	-5,23	97,4	-	0,00
33	10 376	10 378	-5,87	97,4	-	0,00
34	10 468	10 470	-5,96	97,4	-	0,00
35	9 883	9 884	-5,40	97,4	-	0,00
36	10 042	10 044	-5,55	97,4	-	0,00
37	10 094	10 096	-5,60	97,4	-	0,00
38	10 488	10 489	-5,97	97,4	-	0,00
39	9 522	9 523	-5,04	97,4	-	0,00
4	4 471	4 474	2,09	97,4	-	0,00
40	10 600	10 601	-6,08	97,4	-	0,00
41	11 141	11 143	-6,56	97,4	-	0,00
5	4 903	4 906	1,24	97,4	-	0,00
6	3 823	3 827	3,53	97,4	-	0,00
7	3 463	3 468	4,43	97,4	-	0,00
8	3 714	3 719	3,79	97,4	-	0,00
9	4 249	4 253	2,56	97,4	-	0,00
Sum			15,17			

- Data undefined due to calculation with octave data

Noise sensitive area: IZ Saules iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 164	5 167	0,76	97,4	-	0,00
10	3 138	3 143	5,33	97,4	-	0,00
11	5 370	5 373	0,39	97,4	-	0,00
12	5 489	5 492	0,19	97,4	-	0,00
13	5 915	5 918	-0,51	97,4	-	0,00
14	6 210	6 213	-0,97	97,4	-	0,00
15	6 747	6 750	-1,75	97,4	-	0,00
16	7 135	7 137	-2,28	97,4	-	0,00
17	7 637	7 639	-2,92	97,4	-	0,00
18	7 699	7 701	-3,00	97,4	-	0,00
19	8 204	8 206	-3,61	97,4	-	0,00
2	5 316	5 319	0,49	97,4	-	0,00
20	8 055	8 057	-3,43	97,4	-	0,00
21	8 474	8 476	-3,92	97,4	-	0,00
22	8 560	8 562	-4,01	97,4	-	0,00
23	9 082	9 084	-4,58	97,4	-	0,00
24	9 082	9 084	-4,58	97,4	-	0,00
25	8 202	8 204	-3,60	97,4	-	0,00
26	8 722	8 723	-4,19	97,4	-	0,00
27	8 844	8 845	-4,33	97,4	-	0,00
28	8 796	8 798	-4,27	97,4	-	0,00
29	9 208	9 210	-4,71	97,4	-	0,00
3	5 103	5 106	0,87	97,4	-	0,00
30	9 334	9 336	-4,85	97,4	-	0,00
31	9 421	9 423	-4,94	97,4	-	0,00
32	9 714	9 715	-5,23	97,4	-	0,00
33	10 376	10 378	-5,87	97,4	-	0,00
34	10 468	10 470	-5,96	97,4	-	0,00
35	9 883	9 884	-5,40	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 042	10 044	-5,55	97,4	-	0,00
37	10 094	10 096	-5,60	97,4	-	0,00
38	10 488	10 489	-5,97	97,4	-	0,00
39	9 522	9 523	-5,04	97,4	-	0,00
4	4 471	4 474	2,09	97,4	-	0,00
40	10 600	10 601	-6,08	97,4	-	0,00
41	11 141	11 143	-6,56	97,4	-	0,00
5	4 903	4 906	1,24	97,4	-	0,00
6	3 823	3 827	3,53	97,4	-	0,00
7	3 463	3 468	4,43	97,4	-	0,00
8	3 714	3 719	3,79	97,4	-	0,00
9	4 249	4 253	2,56	97,4	-	0,00
Sum			15,17			

- Data undefined due to calculation with octave data

Noise sensitive area: JA Agro

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 375	5 378	0,39	97,4	-	0,00
10	3 139	3 144	5,33	97,4	-	0,00
11	5 313	5 316	0,49	97,4	-	0,00
12	5 399	5 402	0,34	97,4	-	0,00
13	5 858	5 861	-0,42	97,4	-	0,00
14	6 181	6 183	-0,92	97,4	-	0,00
15	6 708	6 711	-1,69	97,4	-	0,00
16	7 089	7 091	-2,22	97,4	-	0,00
17	7 584	7 587	-2,86	97,4	-	0,00
18	7 705	7 707	-3,01	97,4	-	0,00
19	8 211	8 213	-3,61	97,4	-	0,00
2	5 516	5 519	0,14	97,4	-	0,00
20	8 027	8 029	-3,40	97,4	-	0,00
21	8 469	8 471	-3,91	97,4	-	0,00
22	8 535	8 537	-3,99	97,4	-	0,00
23	9 057	9 059	-4,56	97,4	-	0,00
24	9 076	9 078	-4,58	97,4	-	0,00
25	8 237	8 239	-3,65	97,4	-	0,00
26	8 773	8 774	-4,25	97,4	-	0,00
27	8 859	8 861	-4,34	97,4	-	0,00
28	8 829	8 831	-4,31	97,4	-	0,00
29	9 255	9 256	-4,76	97,4	-	0,00
3	5 285	5 288	0,54	97,4	-	0,00
30	9 364	9 366	-4,88	97,4	-	0,00
31	9 436	9 437	-4,95	97,4	-	0,00
32	9 761	9 762	-5,28	97,4	-	0,00
33	10 420	10 422	-5,91	97,4	-	0,00
34	10 500	10 502	-5,99	97,4	-	0,00
35	9 913	9 914	-5,43	97,4	-	0,00
36	10 060	10 061	-5,57	97,4	-	0,00
37	10 095	10 096	-5,60	97,4	-	0,00
38	10 473	10 475	-5,96	97,4	-	0,00
39	9 513	9 515	-5,03	97,4	-	0,00
4	4 647	4 650	1,74	97,4	-	0,00
40	10 570	10 571	-6,05	97,4	-	0,00
41	11 108	11 110	-6,53	97,4	-	0,00
5	5 067	5 070	0,93	97,4	-	0,00
6	3 995	3 999	3,13	97,4	-	0,00
7	3 650	3 654	3,96	97,4	-	0,00
8	3 729	3 734	3,76	97,4	-	0,00
9	4 248	4 251	2,56	97,4	-	0,00
Sum			15,04			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JA Agro

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 375	5 378	0,39	97,4	-	0,00
10	3 139	3 144	5,33	97,4	-	0,00
11	5 313	5 316	0,49	97,4	-	0,00
12	5 399	5 402	0,34	97,4	-	0,00
13	5 858	5 861	-0,42	97,4	-	0,00
14	6 181	6 183	-0,92	97,4	-	0,00
15	6 708	6 711	-1,69	97,4	-	0,00
16	7 089	7 091	-2,22	97,4	-	0,00
17	7 584	7 587	-2,86	97,4	-	0,00
18	7 705	7 707	-3,01	97,4	-	0,00
19	8 211	8 213	-3,61	97,4	-	0,00
2	5 516	5 519	0,14	97,4	-	0,00
20	8 027	8 029	-3,40	97,4	-	0,00
21	8 469	8 471	-3,91	97,4	-	0,00
22	8 535	8 537	-3,99	97,4	-	0,00
23	9 057	9 059	-4,56	97,4	-	0,00
24	9 076	9 078	-4,58	97,4	-	0,00
25	8 237	8 239	-3,65	97,4	-	0,00
26	8 773	8 774	-4,25	97,4	-	0,00
27	8 859	8 861	-4,34	97,4	-	0,00
28	8 829	8 831	-4,31	97,4	-	0,00
29	9 255	9 256	-4,76	97,4	-	0,00
3	5 285	5 288	0,54	97,4	-	0,00
30	9 364	9 366	-4,88	97,4	-	0,00
31	9 436	9 437	-4,95	97,4	-	0,00
32	9 761	9 762	-5,28	97,4	-	0,00
33	10 420	10 422	-5,91	97,4	-	0,00
34	10 500	10 502	-5,99	97,4	-	0,00
35	9 913	9 914	-5,43	97,4	-	0,00
36	10 060	10 061	-5,57	97,4	-	0,00
37	10 095	10 096	-5,60	97,4	-	0,00
38	10 473	10 475	-5,96	97,4	-	0,00
39	9 513	9 515	-5,03	97,4	-	0,00
4	4 647	4 650	1,74	97,4	-	0,00
40	10 570	10 571	-6,05	97,4	-	0,00
41	11 108	11 110	-6,53	97,4	-	0,00
5	5 067	5 070	0,93	97,4	-	0,00
6	3 995	3 999	3,13	97,4	-	0,00
7	3 650	3 654	3,96	97,4	-	0,00
8	3 729	3 734	3,76	97,4	-	0,00
9	4 248	4 251	2,56	97,4	-	0,00
Sum			15,04			

- Data undefined due to calculation with octave data

Noise sensitive area: JB Vitoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 717	5 720	-0,19	97,4	-	0,00
10	1 795	1 803	10,34	97,4	-	0,00
11	3 647	3 652	3,96	97,4	-	0,00
12	3 685	3 689	3,87	97,4	-	0,00
13	4 187	4 191	2,70	97,4	-	0,00
14	4 584	4 588	1,86	97,4	-	0,00
15	5 079	5 082	0,91	97,4	-	0,00
16	5 439	5 442	0,28	97,4	-	0,00
17	5 919	5 922	-0,52	97,4	-	0,00
18	6 226	6 228	-0,99	97,4	-	0,00
19	6 732	6 735	-1,73	97,4	-	0,00
2	5 680	5 682	-0,13	97,4	-	0,00
20	6 425	6 428	-1,29	97,4	-	0,00
21	6 939	6 941	-2,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 937	6 939	-2,01	97,4	-	0,00
23	7 457	7 459	-2,70	97,4	-	0,00
24	7 542	7 545	-2,80	97,4	-	0,00
25	6 891	6 894	-1,95	97,4	-	0,00
26	7 504	7 507	-2,76	97,4	-	0,00
27	7 410	7 413	-2,64	97,4	-	0,00
28	7 466	7 468	-2,71	97,4	-	0,00
29	7 959	7 961	-3,32	97,4	-	0,00
3	5 223	5 226	0,65	97,4	-	0,00
30	7 982	7 984	-3,34	97,4	-	0,00
31	7 981	7 983	-3,34	97,4	-	0,00
32	8 461	8 463	-3,90	97,4	-	0,00
33	9 099	9 101	-4,60	97,4	-	0,00
34	9 117	9 119	-4,62	97,4	-	0,00
35	8 525	8 527	-3,97	97,4	-	0,00
36	8 613	8 615	-4,07	97,4	-	0,00
37	8 577	8 579	-4,03	97,4	-	0,00
38	8 903	8 905	-4,39	97,4	-	0,00
39	7 966	7 968	-3,32	97,4	-	0,00
4	4 556	4 560	1,92	97,4	-	0,00
40	8 951	8 953	-4,44	97,4	-	0,00
41	9 480	9 482	-5,00	97,4	-	0,00
5	4 809	4 812	1,42	97,4	-	0,00
6	3 921	3 925	3,30	97,4	-	0,00
7	3 771	3 775	3,66	97,4	-	0,00
8	2 410	2 417	7,71	97,4	-	0,00
9	2 808	2 813	6,34	97,4	-	0,00
Sum			17,40			

- Data undefined due to calculation with octave data

Noise sensitive area: JB Vitoli

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 717	5 720	-0,19	97,4	-	0,00
10	1 795	1 803	10,34	97,4	-	0,00
11	3 647	3 652	3,96	97,4	-	0,00
12	3 685	3 689	3,87	97,4	-	0,00
13	4 187	4 191	2,70	97,4	-	0,00
14	4 584	4 588	1,86	97,4	-	0,00
15	5 079	5 082	0,91	97,4	-	0,00
16	5 439	5 442	0,28	97,4	-	0,00
17	5 919	5 922	-0,52	97,4	-	0,00
18	6 226	6 228	-0,99	97,4	-	0,00
19	6 732	6 735	-1,73	97,4	-	0,00
2	5 680	5 682	-0,13	97,4	-	0,00
20	6 425	6 428	-1,29	97,4	-	0,00
21	6 939	6 941	-2,01	97,4	-	0,00
22	6 937	6 939	-2,01	97,4	-	0,00
23	7 457	7 459	-2,70	97,4	-	0,00
24	7 542	7 545	-2,80	97,4	-	0,00
25	6 891	6 894	-1,95	97,4	-	0,00
26	7 504	7 507	-2,76	97,4	-	0,00
27	7 410	7 413	-2,64	97,4	-	0,00
28	7 466	7 468	-2,71	97,4	-	0,00
29	7 959	7 961	-3,32	97,4	-	0,00
3	5 223	5 226	0,65	97,4	-	0,00
30	7 982	7 984	-3,34	97,4	-	0,00
31	7 981	7 983	-3,34	97,4	-	0,00
32	8 461	8 463	-3,90	97,4	-	0,00
33	9 099	9 101	-4,60	97,4	-	0,00
34	9 117	9 119	-4,62	97,4	-	0,00
35	8 525	8 527	-3,97	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 613	8 615	-4,07	97,4	-	0,00
37	8 577	8 579	-4,03	97,4	-	0,00
38	8 903	8 905	-4,39	97,4	-	0,00
39	7 966	7 968	-3,32	97,4	-	0,00
4	4 556	4 560	1,92	97,4	-	0,00
40	8 951	8 953	-4,44	97,4	-	0,00
41	9 480	9 482	-5,00	97,4	-	0,00
5	4 809	4 812	1,42	97,4	-	0,00
6	3 921	3 925	3,30	97,4	-	0,00
7	3 771	3 775	3,66	97,4	-	0,00
8	2 410	2 417	7,71	97,4	-	0,00
9	2 808	2 813	6,34	97,4	-	0,00
Sum			17,40			

- Data undefined due to calculation with octave data

Noise sensitive area: JC Kapenieku majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 513	5 516	0,15	97,4	-	0,00
10	1 331	1 342	12,97	97,4	-	0,00
11	3 256	3 261	4,99	97,4	-	0,00
12	3 363	3 368	4,70	97,4	-	0,00
13	3 800	3 804	3,59	97,4	-	0,00
14	4 158	4 162	2,76	97,4	-	0,00
15	4 667	4 671	1,70	97,4	-	0,00
16	5 038	5 042	0,99	97,4	-	0,00
17	5 529	5 532	0,12	97,4	-	0,00
18	5 774	5 776	-0,28	97,4	-	0,00
19	6 280	6 283	-1,07	97,4	-	0,00
2	5 432	5 435	0,29	97,4	-	0,00
20	6 003	6 006	-0,65	97,4	-	0,00
21	6 497	6 499	-1,39	97,4	-	0,00
22	6 514	6 517	-1,42	97,4	-	0,00
23	7 035	7 037	-2,14	97,4	-	0,00
24	7 102	7 104	-2,23	97,4	-	0,00
25	6 427	6 430	-1,29	97,4	-	0,00
26	7 038	7 040	-2,15	97,4	-	0,00
27	6 955	6 957	-2,03	97,4	-	0,00
28	7 003	7 005	-2,10	97,4	-	0,00
29	7 493	7 495	-2,74	97,4	-	0,00
3	4 930	4 933	1,19	97,4	-	0,00
30	7 521	7 523	-2,78	97,4	-	0,00
31	7 527	7 529	-2,78	97,4	-	0,00
32	7 995	7 997	-3,36	97,4	-	0,00
33	8 634	8 636	-4,10	97,4	-	0,00
34	8 656	8 658	-4,12	97,4	-	0,00
35	8 064	8 066	-3,44	97,4	-	0,00
36	8 158	8 160	-3,55	97,4	-	0,00
37	8 134	8 136	-3,52	97,4	-	0,00
38	8 472	8 474	-3,91	97,4	-	0,00
39	7 528	7 531	-2,79	97,4	-	0,00
4	4 269	4 272	2,52	97,4	-	0,00
40	8 537	8 539	-3,99	97,4	-	0,00
41	9 071	9 073	-4,57	97,4	-	0,00
5	4 480	4 483	2,08	97,4	-	0,00
6	3 651	3 656	3,95	97,4	-	0,00
7	3 554	3 558	4,20	97,4	-	0,00
8	1 945	1 953	9,62	97,4	-	0,00
9	2 345	2 351	7,96	97,4	-	0,00
Sum			18,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JC Kapenieku majas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 513	5 516	0,15	97,4	-	0,00
10	1 331	1 342	12,97	97,4	-	0,00
11	3 256	3 261	4,99	97,4	-	0,00
12	3 363	3 368	4,70	97,4	-	0,00
13	3 800	3 804	3,59	97,4	-	0,00
14	4 158	4 162	2,76	97,4	-	0,00
15	4 667	4 671	1,70	97,4	-	0,00
16	5 038	5 042	0,99	97,4	-	0,00
17	5 529	5 532	0,12	97,4	-	0,00
18	5 774	5 776	-0,28	97,4	-	0,00
19	6 280	6 283	-1,07	97,4	-	0,00
2	5 432	5 435	0,29	97,4	-	0,00
20	6 003	6 006	-0,65	97,4	-	0,00
21	6 497	6 499	-1,39	97,4	-	0,00
22	6 514	6 517	-1,42	97,4	-	0,00
23	7 035	7 037	-2,14	97,4	-	0,00
24	7 102	7 104	-2,23	97,4	-	0,00
25	6 427	6 430	-1,29	97,4	-	0,00
26	7 038	7 040	-2,15	97,4	-	0,00
27	6 955	6 957	-2,03	97,4	-	0,00
28	7 003	7 005	-2,10	97,4	-	0,00
29	7 493	7 495	-2,74	97,4	-	0,00
3	4 930	4 933	1,19	97,4	-	0,00
30	7 521	7 523	-2,78	97,4	-	0,00
31	7 527	7 529	-2,78	97,4	-	0,00
32	7 995	7 997	-3,36	97,4	-	0,00
33	8 634	8 636	-4,10	97,4	-	0,00
34	8 656	8 658	-4,12	97,4	-	0,00
35	8 064	8 066	-3,44	97,4	-	0,00
36	8 158	8 160	-3,55	97,4	-	0,00
37	8 134	8 136	-3,52	97,4	-	0,00
38	8 472	8 474	-3,91	97,4	-	0,00
39	7 528	7 531	-2,79	97,4	-	0,00
4	4 269	4 272	2,52	97,4	-	0,00
40	8 537	8 539	-3,99	97,4	-	0,00
41	9 071	9 073	-4,57	97,4	-	0,00
5	4 480	4 483	2,08	97,4	-	0,00
6	3 651	3 656	3,95	97,4	-	0,00
7	3 554	3 558	4,20	97,4	-	0,00
8	1 945	1 953	9,62	97,4	-	0,00
9	2 345	2 351	7,96	97,4	-	0,00
Sum			18,74			

- Data undefined due to calculation with octave data

Noise sensitive area: JD Malnavina

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 076	6 078	-0,76	97,4	-	0,00
10	2 627	2 632	6,94	97,4	-	0,00
11	4 431	4 434	2,18	97,4	-	0,00
12	4 388	4 392	2,27	97,4	-	0,00
13	4 963	4 966	1,13	97,4	-	0,00
14	5 400	5 403	0,34	97,4	-	0,00
15	5 879	5 882	-0,45	97,4	-	0,00
16	6 225	6 228	-0,99	97,4	-	0,00
17	6 692	6 695	-1,67	97,4	-	0,00
18	7 065	7 067	-2,18	97,4	-	0,00
19	7 570	7 573	-2,84	97,4	-	0,00
2	6 112	6 115	-0,82	97,4	-	0,00
20	7 234	7 237	-2,41	97,4	-	0,00
21	7 769	7 771	-3,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 747	7 749	-3,06	97,4	-	0,00
23	8 265	8 267	-3,68	97,4	-	0,00
24	8 371	8 372	-3,80	97,4	-	0,00
25	7 735	7 738	-3,04	97,4	-	0,00
26	8 346	8 347	-3,77	97,4	-	0,00
27	8 251	8 253	-3,66	97,4	-	0,00
28	8 311	8 313	-3,73	97,4	-	0,00
29	8 801	8 803	-4,28	97,4	-	0,00
3	5 739	5 741	-0,23	97,4	-	0,00
30	8 826	8 828	-4,31	97,4	-	0,00
31	8 821	8 823	-4,30	97,4	-	0,00
32	9 304	9 306	-4,81	97,4	-	0,00
33	9 943	9 945	-5,46	97,4	-	0,00
34	9 961	9 963	-5,47	97,4	-	0,00
35	9 369	9 371	-4,88	97,4	-	0,00
36	9 453	9 455	-4,97	97,4	-	0,00
37	9 408	9 409	-4,92	97,4	-	0,00
38	9 720	9 722	-5,24	97,4	-	0,00
39	8 790	8 792	-4,27	97,4	-	0,00
4	5 073	5 076	0,92	97,4	-	0,00
40	9 749	9 750	-5,27	97,4	-	0,00
41	10 272	10 274	-5,77	97,4	-	0,00
5	5 391	5 393	0,36	97,4	-	0,00
6	4 419	4 423	2,20	97,4	-	0,00
7	4 188	4 191	2,70	97,4	-	0,00
8	3 245	3 249	5,03	97,4	-	0,00
9	3 652	3 656	3,95	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: JD Malnavina

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 076	6 078	-0,76	97,4	-	0,00
10	2 627	2 632	6,94	97,4	-	0,00
11	4 431	4 434	2,18	97,4	-	0,00
12	4 388	4 392	2,27	97,4	-	0,00
13	4 963	4 966	1,13	97,4	-	0,00
14	5 400	5 403	0,34	97,4	-	0,00
15	5 879	5 882	-0,45	97,4	-	0,00
16	6 225	6 228	-0,99	97,4	-	0,00
17	6 692	6 695	-1,67	97,4	-	0,00
18	7 065	7 067	-2,18	97,4	-	0,00
19	7 570	7 573	-2,84	97,4	-	0,00
2	6 112	6 115	-0,82	97,4	-	0,00
20	7 234	7 237	-2,41	97,4	-	0,00
21	7 769	7 771	-3,09	97,4	-	0,00
22	7 747	7 749	-3,06	97,4	-	0,00
23	8 265	8 267	-3,68	97,4	-	0,00
24	8 371	8 372	-3,80	97,4	-	0,00
25	7 735	7 738	-3,04	97,4	-	0,00
26	8 346	8 347	-3,77	97,4	-	0,00
27	8 251	8 253	-3,66	97,4	-	0,00
28	8 311	8 313	-3,73	97,4	-	0,00
29	8 801	8 803	-4,28	97,4	-	0,00
3	5 739	5 741	-0,23	97,4	-	0,00
30	8 826	8 828	-4,31	97,4	-	0,00
31	8 821	8 823	-4,30	97,4	-	0,00
32	9 304	9 306	-4,81	97,4	-	0,00
33	9 943	9 945	-5,46	97,4	-	0,00
34	9 961	9 963	-5,47	97,4	-	0,00
35	9 369	9 371	-4,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 453	9 455	-4,97	97,4	-	0,00
37	9 408	9 409	-4,92	97,4	-	0,00
38	9 720	9 722	-5,24	97,4	-	0,00
39	8 790	8 792	-4,27	97,4	-	0,00
4	5 073	5 076	0,92	97,4	-	0,00
40	9 749	9 750	-5,27	97,4	-	0,00
41	10 272	10 274	-5,77	97,4	-	0,00
5	5 391	5 393	0,36	97,4	-	0,00
6	4 419	4 423	2,20	97,4	-	0,00
7	4 188	4 191	2,70	97,4	-	0,00
8	3 245	3 249	5,03	97,4	-	0,00
9	3 652	3 656	3,95	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: JE Domkalni

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 179	6 181	-0,92	97,4	-	0,00
10	2 598	2 603	7,04	97,4	-	0,00
11	4 332	4 335	2,38	97,4	-	0,00
12	4 268	4 272	2,52	97,4	-	0,00
13	4 861	4 864	1,32	97,4	-	0,00
14	5 314	5 317	0,49	97,4	-	0,00
15	5 785	5 788	-0,30	97,4	-	0,00
16	6 125	6 128	-0,84	97,4	-	0,00
17	6 588	6 590	-1,52	97,4	-	0,00
18	6 996	6 998	-2,09	97,4	-	0,00
19	7 501	7 503	-2,75	97,4	-	0,00
2	6 203	6 206	-0,96	97,4	-	0,00
20	7 144	7 146	-2,29	97,4	-	0,00
21	7 691	7 693	-2,99	97,4	-	0,00
22	7 656	7 658	-2,95	97,4	-	0,00
23	8 173	8 175	-3,57	97,4	-	0,00
24	8 291	8 293	-3,71	97,4	-	0,00
25	7 685	7 687	-2,98	97,4	-	0,00
26	8 304	8 306	-3,72	97,4	-	0,00
27	8 185	8 187	-3,58	97,4	-	0,00
28	8 257	8 259	-3,67	97,4	-	0,00
29	8 756	8 758	-4,23	97,4	-	0,00
3	5 815	5 817	-0,35	97,4	-	0,00
30	8 769	8 771	-4,25	97,4	-	0,00
31	8 754	8 755	-4,23	97,4	-	0,00
32	9 258	9 260	-4,77	97,4	-	0,00
33	9 893	9 895	-5,41	97,4	-	0,00
34	9 903	9 904	-5,42	97,4	-	0,00
35	9 311	9 313	-4,82	97,4	-	0,00
36	9 386	9 388	-4,90	97,4	-	0,00
37	9 330	9 331	-4,84	97,4	-	0,00
38	9 632	9 634	-5,15	97,4	-	0,00
39	8 708	8 710	-4,18	97,4	-	0,00
4	5 148	5 151	0,79	97,4	-	0,00
40	9 652	9 653	-5,17	97,4	-	0,00
41	10 173	10 174	-5,68	97,4	-	0,00
5	5 452	5 455	0,25	97,4	-	0,00
6	4 496	4 500	2,04	97,4	-	0,00
7	4 278	4 282	2,50	97,4	-	0,00
8	3 213	3 218	5,12	97,4	-	0,00
9	3 601	3 605	4,08	97,4	-	0,00
Sum			15,70			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JE Domkalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 179	6 181	-0,92	97,4	-	0,00
10	2 598	2 603	7,04	97,4	-	0,00
11	4 332	4 335	2,38	97,4	-	0,00
12	4 268	4 272	2,52	97,4	-	0,00
13	4 861	4 864	1,32	97,4	-	0,00
14	5 314	5 317	0,49	97,4	-	0,00
15	5 785	5 788	-0,30	97,4	-	0,00
16	6 125	6 128	-0,84	97,4	-	0,00
17	6 588	6 590	-1,52	97,4	-	0,00
18	6 996	6 998	-2,09	97,4	-	0,00
19	7 501	7 503	-2,75	97,4	-	0,00
2	6 203	6 206	-0,96	97,4	-	0,00
20	7 144	7 146	-2,29	97,4	-	0,00
21	7 691	7 693	-2,99	97,4	-	0,00
22	7 656	7 658	-2,95	97,4	-	0,00
23	8 173	8 175	-3,57	97,4	-	0,00
24	8 291	8 293	-3,71	97,4	-	0,00
25	7 685	7 687	-2,98	97,4	-	0,00
26	8 304	8 306	-3,72	97,4	-	0,00
27	8 185	8 187	-3,58	97,4	-	0,00
28	8 257	8 259	-3,67	97,4	-	0,00
29	8 756	8 758	-4,23	97,4	-	0,00
3	5 815	5 817	-0,35	97,4	-	0,00
30	8 769	8 771	-4,25	97,4	-	0,00
31	8 754	8 755	-4,23	97,4	-	0,00
32	9 258	9 260	-4,77	97,4	-	0,00
33	9 893	9 895	-5,41	97,4	-	0,00
34	9 903	9 904	-5,42	97,4	-	0,00
35	9 311	9 313	-4,82	97,4	-	0,00
36	9 386	9 388	-4,90	97,4	-	0,00
37	9 330	9 331	-4,84	97,4	-	0,00
38	9 632	9 634	-5,15	97,4	-	0,00
39	8 708	8 710	-4,18	97,4	-	0,00
4	5 148	5 151	0,79	97,4	-	0,00
40	9 652	9 653	-5,17	97,4	-	0,00
41	10 173	10 174	-5,68	97,4	-	0,00
5	5 452	5 455	0,25	97,4	-	0,00
6	4 496	4 500	2,04	97,4	-	0,00
7	4 278	4 282	2,50	97,4	-	0,00
8	3 213	3 218	5,12	97,4	-	0,00
9	3 601	3 605	4,08	97,4	-	0,00
Sum			15,70			

- Data undefined due to calculation with octave data

Noise sensitive area: JF Saules

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 817	6 819	-1,85	97,4	-	0,00
10	2 709	2 714	6,66	97,4	-	0,00
11	3 984	3 987	3,15	97,4	-	0,00
12	3 783	3 787	3,63	97,4	-	0,00
13	4 484	4 488	2,07	97,4	-	0,00
14	5 033	5 037	1,00	97,4	-	0,00
15	5 449	5 452	0,26	97,4	-	0,00
16	5 750	5 753	-0,24	97,4	-	0,00
17	6 179	6 182	-0,92	97,4	-	0,00
18	6 799	6 801	-1,82	97,4	-	0,00
19	7 296	7 298	-2,49	97,4	-	0,00
2	6 794	6 797	-1,81	97,4	-	0,00
20	6 816	6 819	-1,84	97,4	-	0,00
21	7 435	7 437	-2,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 327	7 329	-2,53	97,4	-	0,00
23	7 834	7 836	-3,17	97,4	-	0,00
24	8 023	8 025	-3,39	97,4	-	0,00
25	7 585	7 587	-2,86	97,4	-	0,00
26	8 251	8 253	-3,66	97,4	-	0,00
27	7 997	8 000	-3,36	97,4	-	0,00
28	8 137	8 139	-3,53	97,4	-	0,00
29	8 679	8 680	-4,15	97,4	-	0,00
3	6 343	6 346	-1,17	97,4	-	0,00
30	8 628	8 630	-4,09	97,4	-	0,00
31	8 553	8 555	-4,01	97,4	-	0,00
32	9 172	9 174	-4,68	97,4	-	0,00
33	9 786	9 788	-5,30	97,4	-	0,00
34	9 750	9 751	-5,27	97,4	-	0,00
35	9 160	9 162	-4,66	97,4	-	0,00
36	9 186	9 188	-4,69	97,4	-	0,00
37	9 067	9 069	-4,57	97,4	-	0,00
38	9 312	9 314	-4,82	97,4	-	0,00
39	8 421	8 423	-3,86	97,4	-	0,00
4	5 677	5 679	-0,12	97,4	-	0,00
40	9 275	9 277	-4,78	97,4	-	0,00
41	9 780	9 782	-5,30	97,4	-	0,00
5	5 923	5 925	-0,52	97,4	-	0,00
6	5 041	5 044	0,98	97,4	-	0,00
7	4 880	4 883	1,28	97,4	-	0,00
8	3 284	3 289	4,92	97,4	-	0,00
9	3 553	3 558	4,20	97,4	-	0,00
Sum			15,71			

- Data undefined due to calculation with octave data

Noise sensitive area: JF Saules

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 817	6 819	-1,85	97,4	-	0,00
10	2 709	2 714	6,66	97,4	-	0,00
11	3 984	3 987	3,15	97,4	-	0,00
12	3 783	3 787	3,63	97,4	-	0,00
13	4 484	4 488	2,07	97,4	-	0,00
14	5 033	5 037	1,00	97,4	-	0,00
15	5 449	5 452	0,26	97,4	-	0,00
16	5 750	5 753	-0,24	97,4	-	0,00
17	6 179	6 182	-0,92	97,4	-	0,00
18	6 799	6 801	-1,82	97,4	-	0,00
19	7 296	7 298	-2,49	97,4	-	0,00
2	6 794	6 797	-1,81	97,4	-	0,00
20	6 816	6 819	-1,84	97,4	-	0,00
21	7 435	7 437	-2,67	97,4	-	0,00
22	7 327	7 329	-2,53	97,4	-	0,00
23	7 834	7 836	-3,17	97,4	-	0,00
24	8 023	8 025	-3,39	97,4	-	0,00
25	7 585	7 587	-2,86	97,4	-	0,00
26	8 251	8 253	-3,66	97,4	-	0,00
27	7 997	8 000	-3,36	97,4	-	0,00
28	8 137	8 139	-3,53	97,4	-	0,00
29	8 679	8 680	-4,15	97,4	-	0,00
3	6 343	6 346	-1,17	97,4	-	0,00
30	8 628	8 630	-4,09	97,4	-	0,00
31	8 553	8 555	-4,01	97,4	-	0,00
32	9 172	9 174	-4,68	97,4	-	0,00
33	9 786	9 788	-5,30	97,4	-	0,00
34	9 750	9 751	-5,27	97,4	-	0,00
35	9 160	9 162	-4,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 186	9 188	-4,69	97,4	-	0,00
37	9 067	9 069	-4,57	97,4	-	0,00
38	9 312	9 314	-4,82	97,4	-	0,00
39	8 421	8 423	-3,86	97,4	-	0,00
4	5 677	5 679	-0,12	97,4	-	0,00
40	9 275	9 277	-4,78	97,4	-	0,00
41	9 780	9 782	-5,30	97,4	-	0,00
5	5 923	5 925	-0,52	97,4	-	0,00
6	5 041	5 044	0,98	97,4	-	0,00
7	4 880	4 883	1,28	97,4	-	0,00
8	3 284	3 289	4,92	97,4	-	0,00
9	3 553	3 558	4,20	97,4	-	0,00
Sum			15,71			

- Data undefined due to calculation with octave data

Noise sensitive area: JG Bucenieki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 153	5 156	0,78	97,4	-	0,00
10	2 918	2 923	5,99	97,4	-	0,00
11	5 139	5 142	0,80	97,4	-	0,00
12	5 259	5 262	0,59	97,4	-	0,00
13	5 685	5 688	-0,14	97,4	-	0,00
14	5 983	5 986	-0,62	97,4	-	0,00
15	6 519	6 521	-1,42	97,4	-	0,00
16	6 906	6 908	-1,97	97,4	-	0,00
17	7 406	7 409	-2,63	97,4	-	0,00
18	7 482	7 484	-2,73	97,4	-	0,00
19	7 987	7 989	-3,35	97,4	-	0,00
2	5 279	5 282	0,55	97,4	-	0,00
20	7 828	7 830	-3,16	97,4	-	0,00
21	8 254	8 255	-3,66	97,4	-	0,00
22	8 334	8 336	-3,76	97,4	-	0,00
23	8 857	8 858	-4,34	97,4	-	0,00
24	8 861	8 863	-4,35	97,4	-	0,00
25	7 997	7 999	-3,36	97,4	-	0,00
26	8 525	8 527	-3,97	97,4	-	0,00
27	8 630	8 632	-4,09	97,4	-	0,00
28	8 590	8 592	-4,05	97,4	-	0,00
29	9 009	9 011	-4,50	97,4	-	0,00
3	5 033	5 036	1,00	97,4	-	0,00
30	9 127	9 129	-4,63	97,4	-	0,00
31	9 207	9 209	-4,71	97,4	-	0,00
32	9 515	9 517	-5,03	97,4	-	0,00
33	10 176	10 178	-5,68	97,4	-	0,00
34	10 262	10 264	-5,76	97,4	-	0,00
35	9 676	9 677	-5,19	97,4	-	0,00
36	9 830	9 831	-5,35	97,4	-	0,00
37	9 876	9 877	-5,39	97,4	-	0,00
38	10 265	10 266	-5,77	97,4	-	0,00
39	9 300	9 302	-4,81	97,4	-	0,00
4	4 392	4 395	2,26	97,4	-	0,00
40	10 373	10 374	-5,87	97,4	-	0,00
41	10 914	10 915	-6,36	97,4	-	0,00
5	4 806	4 809	1,42	97,4	-	0,00
6	3 739	3 743	3,74	97,4	-	0,00
7	3 402	3 406	4,60	97,4	-	0,00
8	3 500	3 504	4,34	97,4	-	0,00
9	4 029	4 033	3,05	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JG Bucenieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 153	5 156	0,78	97,4	-	0,00
10	2 918	2 923	5,99	97,4	-	0,00
11	5 139	5 142	0,80	97,4	-	0,00
12	5 259	5 262	0,59	97,4	-	0,00
13	5 685	5 688	-0,14	97,4	-	0,00
14	5 983	5 986	-0,62	97,4	-	0,00
15	6 519	6 521	-1,42	97,4	-	0,00
16	6 906	6 908	-1,97	97,4	-	0,00
17	7 406	7 409	-2,63	97,4	-	0,00
18	7 482	7 484	-2,73	97,4	-	0,00
19	7 987	7 989	-3,35	97,4	-	0,00
2	5 279	5 282	0,55	97,4	-	0,00
20	7 828	7 830	-3,16	97,4	-	0,00
21	8 254	8 255	-3,66	97,4	-	0,00
22	8 334	8 336	-3,76	97,4	-	0,00
23	8 857	8 858	-4,34	97,4	-	0,00
24	8 861	8 863	-4,35	97,4	-	0,00
25	7 997	7 999	-3,36	97,4	-	0,00
26	8 525	8 527	-3,97	97,4	-	0,00
27	8 630	8 632	-4,09	97,4	-	0,00
28	8 590	8 592	-4,05	97,4	-	0,00
29	9 009	9 011	-4,50	97,4	-	0,00
3	5 033	5 036	1,00	97,4	-	0,00
30	9 127	9 129	-4,63	97,4	-	0,00
31	9 207	9 209	-4,71	97,4	-	0,00
32	9 515	9 517	-5,03	97,4	-	0,00
33	10 176	10 178	-5,68	97,4	-	0,00
34	10 262	10 264	-5,76	97,4	-	0,00
35	9 676	9 677	-5,19	97,4	-	0,00
36	9 830	9 831	-5,35	97,4	-	0,00
37	9 876	9 877	-5,39	97,4	-	0,00
38	10 265	10 266	-5,77	97,4	-	0,00
39	9 300	9 302	-4,81	97,4	-	0,00
4	4 392	4 395	2,26	97,4	-	0,00
40	10 373	10 374	-5,87	97,4	-	0,00
41	10 914	10 915	-6,36	97,4	-	0,00
5	4 806	4 809	1,42	97,4	-	0,00
6	3 739	3 743	3,74	97,4	-	0,00
7	3 402	3 406	4,60	97,4	-	0,00
8	3 500	3 504	4,34	97,4	-	0,00
9	4 029	4 033	3,05	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: JH Ataugas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 894	2 899	6,06	97,4	-	0,00
10	4 377	4 380	2,29	97,4	-	0,00
11	6 800	6 802	-1,82	97,4	-	0,00
12	7 213	7 215	-2,38	97,4	-	0,00
13	7 308	7 310	-2,50	97,4	-	0,00
14	7 297	7 299	-2,49	97,4	-	0,00
15	7 893	7 895	-3,24	97,4	-	0,00
16	8 331	8 333	-3,75	97,4	-	0,00
17	8 865	8 867	-4,35	97,4	-	0,00
18	8 291	8 293	-3,71	97,4	-	0,00
19	8 751	8 753	-4,23	97,4	-	0,00
2	3 281	3 286	4,92	97,4	-	0,00
20	8 996	8 997	-4,49	97,4	-	0,00
21	9 147	9 149	-4,65	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 452	9 453	-4,97	97,4	-	0,00
23	9 950	9 952	-5,46	97,4	-	0,00
24	9 727	9 729	-5,24	97,4	-	0,00
25	8 413	8 415	-3,85	97,4	-	0,00
26	8 708	8 710	-4,18	97,4	-	0,00
27	9 260	9 261	-4,77	97,4	-	0,00
28	8 997	8 999	-4,49	97,4	-	0,00
29	9 220	9 221	-4,73	97,4	-	0,00
3	3 475	3 479	4,40	97,4	-	0,00
30	9 544	9 546	-5,06	97,4	-	0,00
31	9 814	9 816	-5,33	97,4	-	0,00
32	9 699	9 700	-5,22	97,4	-	0,00
33	10 371	10 372	-5,87	97,4	-	0,00
34	10 610	10 612	-6,09	97,4	-	0,00
35	10 070	10 072	-5,58	97,4	-	0,00
36	10 377	10 378	-5,87	97,4	-	0,00
37	10 630	10 631	-6,11	97,4	-	0,00
38	11 176	11 178	-6,59	97,4	-	0,00
39	10 183	10 184	-5,69	97,4	-	0,00
4	3 081	3 086	5,50	97,4	-	0,00
40	11 464	11 465	-6,84	97,4	-	0,00
41	12 023	12 024	-7,31	97,4	-	0,00
5	3 658	3 661	3,94	97,4	-	0,00
6	2 685	2 691	6,74	97,4	-	0,00
7	2 183	2 190	8,59	97,4	-	0,00
8	4 687	4 691	1,66	97,4	-	0,00
9	5 282	5 285	0,55	97,4	-	0,00
Sum			16,34			

- Data undefined due to calculation with octave data

Noise sensitive area: JH Ataugas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 894	2 899	6,06	97,4	-	0,00
10	4 377	4 380	2,29	97,4	-	0,00
11	6 800	6 802	-1,82	97,4	-	0,00
12	7 213	7 215	-2,38	97,4	-	0,00
13	7 308	7 310	-2,50	97,4	-	0,00
14	7 297	7 299	-2,49	97,4	-	0,00
15	7 893	7 895	-3,24	97,4	-	0,00
16	8 331	8 333	-3,75	97,4	-	0,00
17	8 865	8 867	-4,35	97,4	-	0,00
18	8 291	8 293	-3,71	97,4	-	0,00
19	8 751	8 753	-4,23	97,4	-	0,00
2	3 281	3 286	4,92	97,4	-	0,00
20	8 996	8 997	-4,49	97,4	-	0,00
21	9 147	9 149	-4,65	97,4	-	0,00
22	9 452	9 453	-4,97	97,4	-	0,00
23	9 950	9 952	-5,46	97,4	-	0,00
24	9 727	9 729	-5,24	97,4	-	0,00
25	8 413	8 415	-3,85	97,4	-	0,00
26	8 708	8 710	-4,18	97,4	-	0,00
27	9 260	9 261	-4,77	97,4	-	0,00
28	8 997	8 999	-4,49	97,4	-	0,00
29	9 220	9 221	-4,73	97,4	-	0,00
3	3 475	3 479	4,40	97,4	-	0,00
30	9 544	9 546	-5,06	97,4	-	0,00
31	9 814	9 816	-5,33	97,4	-	0,00
32	9 699	9 700	-5,22	97,4	-	0,00
33	10 371	10 372	-5,87	97,4	-	0,00
34	10 610	10 612	-6,09	97,4	-	0,00
35	10 070	10 072	-5,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 377	10 378	-5,87	97,4	-	0,00
37	10 630	10 631	-6,11	97,4	-	0,00
38	11 176	11 178	-6,59	97,4	-	0,00
39	10 183	10 184	-5,69	97,4	-	0,00
4	3 081	3 086	5,50	97,4	-	0,00
40	11 464	11 465	-6,84	97,4	-	0,00
41	12 023	12 024	-7,31	97,4	-	0,00
5	3 658	3 661	3,94	97,4	-	0,00
6	2 685	2 691	6,74	97,4	-	0,00
7	2 183	2 190	8,59	97,4	-	0,00
8	4 687	4 691	1,66	97,4	-	0,00
9	5 282	5 285	0,55	97,4	-	0,00
Sum			16,34			

- Data undefined due to calculation with octave data

Noise sensitive area: JI Saules iela 24

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 540	5 543	0,10	97,4	-	0,00
10	2 794	2 800	6,38	97,4	-	0,00
11	4 879	4 882	1,28	97,4	-	0,00
12	4 935	4 938	1,18	97,4	-	0,00
13	5 422	5 425	0,30	97,4	-	0,00
14	5 777	5 780	-0,29	97,4	-	0,00
15	6 292	6 295	-1,09	97,4	-	0,00
16	6 664	6 666	-1,63	97,4	-	0,00
17	7 152	7 155	-2,30	97,4	-	0,00
18	7 347	7 349	-2,55	97,4	-	0,00
19	7 854	7 856	-3,19	97,4	-	0,00
2	5 632	5 635	-0,05	97,4	-	0,00
20	7 624	7 626	-2,91	97,4	-	0,00
21	8 094	8 096	-3,48	97,4	-	0,00
22	8 134	8 136	-3,52	97,4	-	0,00
23	8 655	8 657	-4,12	97,4	-	0,00
24	8 701	8 702	-4,17	97,4	-	0,00
25	7 926	7 928	-3,28	97,4	-	0,00
26	8 488	8 490	-3,93	97,4	-	0,00
27	8 514	8 516	-3,96	97,4	-	0,00
28	8 514	8 515	-3,96	97,4	-	0,00
29	8 962	8 964	-4,45	97,4	-	0,00
3	5 335	5 338	0,45	97,4	-	0,00
30	9 043	9 045	-4,54	97,4	-	0,00
31	9 089	9 091	-4,59	97,4	-	0,00
32	9 468	9 469	-4,98	97,4	-	0,00
33	10 121	10 123	-5,63	97,4	-	0,00
34	10 180	10 182	-5,69	97,4	-	0,00
35	9 590	9 592	-5,11	97,4	-	0,00
36	9 717	9 718	-5,23	97,4	-	0,00
37	9 726	9 728	-5,24	97,4	-	0,00
38	10 085	10 086	-5,59	97,4	-	0,00
39	9 133	9 134	-4,64	97,4	-	0,00
4	4 681	4 684	1,67	97,4	-	0,00
40	10 161	10 162	-5,67	97,4	-	0,00
41	10 695	10 697	-6,17	97,4	-	0,00
5	5 059	5 062	0,95	97,4	-	0,00
6	4 023	4 027	3,06	97,4	-	0,00
7	3 727	3 731	3,76	97,4	-	0,00
8	3 401	3 406	4,60	97,4	-	0,00
9	3 890	3 894	3,37	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JI Saules iela 24

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 540	5 543	0,10	97,4	-	0,00
10	2 794	2 800	6,38	97,4	-	0,00
11	4 879	4 882	1,28	97,4	-	0,00
12	4 935	4 938	1,18	97,4	-	0,00
13	5 422	5 425	0,30	97,4	-	0,00
14	5 777	5 780	-0,29	97,4	-	0,00
15	6 292	6 295	-1,09	97,4	-	0,00
16	6 664	6 666	-1,63	97,4	-	0,00
17	7 152	7 155	-2,30	97,4	-	0,00
18	7 347	7 349	-2,55	97,4	-	0,00
19	7 854	7 856	-3,19	97,4	-	0,00
2	5 632	5 635	-0,05	97,4	-	0,00
20	7 624	7 626	-2,91	97,4	-	0,00
21	8 094	8 096	-3,48	97,4	-	0,00
22	8 134	8 136	-3,52	97,4	-	0,00
23	8 655	8 657	-4,12	97,4	-	0,00
24	8 701	8 702	-4,17	97,4	-	0,00
25	7 926	7 928	-3,28	97,4	-	0,00
26	8 488	8 490	-3,93	97,4	-	0,00
27	8 514	8 516	-3,96	97,4	-	0,00
28	8 514	8 515	-3,96	97,4	-	0,00
29	8 962	8 964	-4,45	97,4	-	0,00
3	5 335	5 338	0,45	97,4	-	0,00
30	9 043	9 045	-4,54	97,4	-	0,00
31	9 089	9 091	-4,59	97,4	-	0,00
32	9 468	9 469	-4,98	97,4	-	0,00
33	10 121	10 123	-5,63	97,4	-	0,00
34	10 180	10 182	-5,69	97,4	-	0,00
35	9 590	9 592	-5,11	97,4	-	0,00
36	9 717	9 718	-5,23	97,4	-	0,00
37	9 726	9 728	-5,24	97,4	-	0,00
38	10 085	10 086	-5,59	97,4	-	0,00
39	9 133	9 134	-4,64	97,4	-	0,00
4	4 681	4 684	1,67	97,4	-	0,00
40	10 161	10 162	-5,67	97,4	-	0,00
41	10 695	10 697	-6,17	97,4	-	0,00
5	5 059	5 062	0,95	97,4	-	0,00
6	4 023	4 027	3,06	97,4	-	0,00
7	3 727	3 731	3,76	97,4	-	0,00
8	3 401	3 406	4,60	97,4	-	0,00
9	3 890	3 894	3,37	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: JJ Ap š u majas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 797	4 800	1,44	97,4	-	0,00
10	1 062	1 075	14,93	97,4	-	0,00
11	3 395	3 399	4,62	97,4	-	0,00
12	3 663	3 667	3,92	97,4	-	0,00
13	3 936	3 940	3,26	97,4	-	0,00
14	4 158	4 162	2,76	97,4	-	0,00
15	4 711	4 714	1,61	97,4	-	0,00
16	5 115	5 118	0,85	97,4	-	0,00
17	5 629	5 632	-0,05	97,4	-	0,00
18	5 625	5 628	-0,04	97,4	-	0,00
19	6 130	6 133	-0,84	97,4	-	0,00
2	4 711	4 714	1,61	97,4	-	0,00
20	5 995	5 998	-0,64	97,4	-	0,00
21	6 399	6 401	-1,25	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 498	6 500	-1,39	97,4	-	0,00
23	7 019	7 021	-2,12	97,4	-	0,00
24	7 006	7 008	-2,10	97,4	-	0,00
25	6 164	6 167	-0,90	97,4	-	0,00
26	6 721	6 724	-1,71	97,4	-	0,00
27	6 776	6 778	-1,79	97,4	-	0,00
28	6 754	6 756	-1,76	97,4	-	0,00
29	7 196	7 198	-2,36	97,4	-	0,00
3	4 214	4 218	2,64	97,4	-	0,00
30	7 287	7 289	-2,48	97,4	-	0,00
31	7 353	7 355	-2,56	97,4	-	0,00
32	7 702	7 704	-3,00	97,4	-	0,00
33	8 356	8 358	-3,78	97,4	-	0,00
34	8 423	8 425	-3,86	97,4	-	0,00
35	7 835	7 836	-3,17	97,4	-	0,00
36	7 977	7 979	-3,34	97,4	-	0,00
37	8 019	8 021	-3,39	97,4	-	0,00
38	8 415	8 417	-3,85	97,4	-	0,00
39	7 447	7 449	-2,68	97,4	-	0,00
4	3 551	3 555	4,21	97,4	-	0,00
40	8 541	8 543	-3,99	97,4	-	0,00
41	9 087	9 089	-4,59	97,4	-	0,00
5	3 779	3 782	3,64	97,4	-	0,00
6	2 931	2 936	5,95	97,4	-	0,00
7	2 837	2 843	6,24	97,4	-	0,00
8	1 647	1 656	11,09	97,4	-	0,00
9	2 174	2 180	8,63	97,4	-	0,00
Sum			19,84			

- Data undefined due to calculation with octave data

Noise sensitive area: JJ Ap š u majas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 797	4 800	1,44	97,4	-	0,00
10	1 062	1 075	14,93	97,4	-	0,00
11	3 395	3 399	4,62	97,4	-	0,00
12	3 663	3 667	3,92	97,4	-	0,00
13	3 936	3 940	3,26	97,4	-	0,00
14	4 158	4 162	2,76	97,4	-	0,00
15	4 711	4 714	1,61	97,4	-	0,00
16	5 115	5 118	0,85	97,4	-	0,00
17	5 629	5 632	-0,05	97,4	-	0,00
18	5 625	5 628	-0,04	97,4	-	0,00
19	6 130	6 133	-0,84	97,4	-	0,00
2	4 711	4 714	1,61	97,4	-	0,00
20	5 995	5 998	-0,64	97,4	-	0,00
21	6 399	6 401	-1,25	97,4	-	0,00
22	6 498	6 500	-1,39	97,4	-	0,00
23	7 019	7 021	-2,12	97,4	-	0,00
24	7 006	7 008	-2,10	97,4	-	0,00
25	6 164	6 167	-0,90	97,4	-	0,00
26	6 721	6 724	-1,71	97,4	-	0,00
27	6 776	6 778	-1,79	97,4	-	0,00
28	6 754	6 756	-1,76	97,4	-	0,00
29	7 196	7 198	-2,36	97,4	-	0,00
3	4 214	4 218	2,64	97,4	-	0,00
30	7 287	7 289	-2,48	97,4	-	0,00
31	7 353	7 355	-2,56	97,4	-	0,00
32	7 702	7 704	-3,00	97,4	-	0,00
33	8 356	8 358	-3,78	97,4	-	0,00
34	8 423	8 425	-3,86	97,4	-	0,00
35	7 835	7 836	-3,17	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 977	7 979	-3,34	97,4	-	0,00
37	8 019	8 021	-3,39	97,4	-	0,00
38	8 415	8 417	-3,85	97,4	-	0,00
39	7 447	7 449	-2,68	97,4	-	0,00
4	3 551	3 555	4,21	97,4	-	0,00
40	8 541	8 543	-3,99	97,4	-	0,00
41	9 087	9 089	-4,59	97,4	-	0,00
5	3 779	3 782	3,64	97,4	-	0,00
6	2 931	2 936	5,95	97,4	-	0,00
7	2 837	2 843	6,24	97,4	-	0,00
8	1 647	1 656	11,09	97,4	-	0,00
9	2 174	2 180	8,63	97,4	-	0,00
Sum			19,84			

- Data undefined due to calculation with octave data

Noise sensitive area: JK Mirtas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 111	4 115	2,87	97,4	-	0,00
10	2 357	2 363	7,91	97,4	-	0,00
11	4 773	4 776	1,49	97,4	-	0,00
12	5 063	5 067	0,94	97,4	-	0,00
13	5 309	5 312	0,50	97,4	-	0,00
14	5 463	5 466	0,23	97,4	-	0,00
15	6 036	6 038	-0,70	97,4	-	0,00
16	6 453	6 455	-1,33	97,4	-	0,00
17	6 975	6 978	-2,06	97,4	-	0,00
18	6 786	6 789	-1,80	97,4	-	0,00
19	7 283	7 285	-2,47	97,4	-	0,00
2	4 192	4 196	2,69	97,4	-	0,00
20	7 274	7 276	-2,46	97,4	-	0,00
21	7 598	7 600	-2,87	97,4	-	0,00
22	7 766	7 768	-3,08	97,4	-	0,00
23	8 284	8 286	-3,70	97,4	-	0,00
24	8 203	8 205	-3,61	97,4	-	0,00
25	7 181	7 184	-2,34	97,4	-	0,00
26	7 650	7 652	-2,94	97,4	-	0,00
27	7 888	7 890	-3,23	97,4	-	0,00
28	7 779	7 781	-3,10	97,4	-	0,00
29	8 147	8 149	-3,54	97,4	-	0,00
3	3 913	3 917	3,32	97,4	-	0,00
30	8 324	8 326	-3,75	97,4	-	0,00
31	8 464	8 466	-3,91	97,4	-	0,00
32	8 650	8 652	-4,11	97,4	-	0,00
33	9 320	9 322	-4,83	97,4	-	0,00
34	9 449	9 451	-4,96	97,4	-	0,00
35	8 871	8 873	-4,36	97,4	-	0,00
36	9 073	9 075	-4,57	97,4	-	0,00
37	9 188	9 189	-4,69	97,4	-	0,00
38	9 636	9 637	-5,15	97,4	-	0,00
39	8 652	8 654	-4,12	97,4	-	0,00
4	3 268	3 272	4,96	97,4	-	0,00
40	9 813	9 814	-5,33	97,4	-	0,00
41	10 364	10 366	-5,86	97,4	-	0,00
5	3 681	3 685	3,88	97,4	-	0,00
6	2 613	2 620	6,98	97,4	-	0,00
7	2 291	2 298	8,16	97,4	-	0,00
8	2 839	2 844	6,24	97,4	-	0,00
9	3 425	3 429	4,54	97,4	-	0,00
Sum			17,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JK Mirtas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 111	4 115	2,87	97,4	-	0,00
10	2 357	2 363	7,91	97,4	-	0,00
11	4 773	4 776	1,49	97,4	-	0,00
12	5 063	5 067	0,94	97,4	-	0,00
13	5 309	5 312	0,50	97,4	-	0,00
14	5 463	5 466	0,23	97,4	-	0,00
15	6 036	6 038	-0,70	97,4	-	0,00
16	6 453	6 455	-1,33	97,4	-	0,00
17	6 975	6 978	-2,06	97,4	-	0,00
18	6 786	6 789	-1,80	97,4	-	0,00
19	7 283	7 285	-2,47	97,4	-	0,00
2	4 192	4 196	2,69	97,4	-	0,00
20	7 274	7 276	-2,46	97,4	-	0,00
21	7 598	7 600	-2,87	97,4	-	0,00
22	7 766	7 768	-3,08	97,4	-	0,00
23	8 284	8 286	-3,70	97,4	-	0,00
24	8 203	8 205	-3,61	97,4	-	0,00
25	7 181	7 184	-2,34	97,4	-	0,00
26	7 650	7 652	-2,94	97,4	-	0,00
27	7 888	7 890	-3,23	97,4	-	0,00
28	7 779	7 781	-3,10	97,4	-	0,00
29	8 147	8 149	-3,54	97,4	-	0,00
3	3 913	3 917	3,32	97,4	-	0,00
30	8 324	8 326	-3,75	97,4	-	0,00
31	8 464	8 466	-3,91	97,4	-	0,00
32	8 650	8 652	-4,11	97,4	-	0,00
33	9 320	9 322	-4,83	97,4	-	0,00
34	9 449	9 451	-4,96	97,4	-	0,00
35	8 871	8 873	-4,36	97,4	-	0,00
36	9 073	9 075	-4,57	97,4	-	0,00
37	9 188	9 189	-4,69	97,4	-	0,00
38	9 636	9 637	-5,15	97,4	-	0,00
39	8 652	8 654	-4,12	97,4	-	0,00
4	3 268	3 272	4,96	97,4	-	0,00
40	9 813	9 814	-5,33	97,4	-	0,00
41	10 364	10 366	-5,86	97,4	-	0,00
5	3 681	3 685	3,88	97,4	-	0,00
6	2 613	2 620	6,98	97,4	-	0,00
7	2 291	2 298	8,16	97,4	-	0,00
8	2 839	2 844	6,24	97,4	-	0,00
9	3 425	3 429	4,54	97,4	-	0,00
Sum			17,30			

- Data undefined due to calculation with octave data

Noise sensitive area: JL Lesini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 131	2,83	97,4	-	0,00
10	4 147	4 151	2,79	97,4	-	0,00
11	6 567	6 570	-1,49	97,4	-	0,00
12	6 841	6 843	-1,88	97,4	-	0,00
13	7 103	7 106	-2,23	97,4	-	0,00
14	7 240	7 243	-2,42	97,4	-	0,00
15	7 818	7 820	-3,15	97,4	-	0,00
16	8 239	8 241	-3,65	97,4	-	0,00
17	8 764	8 766	-4,24	97,4	-	0,00
18	8 482	8 484	-3,93	97,4	-	0,00
19	8 969	8 971	-4,46	97,4	-	0,00
2	4 443	4 447	2,15	97,4	-	0,00
20	9 034	9 036	-4,53	97,4	-	0,00
21	9 313	9 314	-4,82	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 519	9 521	-5,04	97,4	-	0,00
23	10 034	10 035	-5,55	97,4	-	0,00
24	9 912	9 914	-5,43	97,4	-	0,00
25	8 777	8 779	-4,25	97,4	-	0,00
26	9 174	9 175	-4,68	97,4	-	0,00
27	9 543	9 545	-5,06	97,4	-	0,00
28	9 373	9 375	-4,89	97,4	-	0,00
29	9 681	9 682	-5,20	97,4	-	0,00
3	4 486	4 490	2,06	97,4	-	0,00
30	9 923	9 924	-5,44	97,4	-	0,00
31	10 114	10 116	-5,62	97,4	-	0,00
32	10 176	10 178	-5,68	97,4	-	0,00
33	10 851	10 853	-6,31	97,4	-	0,00
34	11 029	11 030	-6,46	97,4	-	0,00
35	10 464	10 465	-5,95	97,4	-	0,00
36	10 709	10 710	-6,18	97,4	-	0,00
37	10 874	10 875	-6,33	97,4	-	0,00
38	11 355	11 356	-6,75	97,4	-	0,00
39	10 365	10 367	-5,86	97,4	-	0,00
4	3 973	3 977	3,18	97,4	-	0,00
40	11 562	11 564	-6,93	97,4	-	0,00
41	12 117	12 118	-7,39	97,4	-	0,00
5	4 517	4 520	2,00	97,4	-	0,00
6	3 433	3 438	4,51	97,4	-	0,00
7	2 948	2 953	5,90	97,4	-	0,00
8	4 600	4 604	1,83	97,4	-	0,00
9	5 195	5 198	0,70	97,4	-	0,00
Sum			14,89			

- Data undefined due to calculation with octave data

Noise sensitive area: JL Lesini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 131	2,83	97,4	-	0,00
10	4 147	4 151	2,79	97,4	-	0,00
11	6 567	6 570	-1,49	97,4	-	0,00
12	6 841	6 843	-1,88	97,4	-	0,00
13	7 103	7 106	-2,23	97,4	-	0,00
14	7 240	7 243	-2,42	97,4	-	0,00
15	7 818	7 820	-3,15	97,4	-	0,00
16	8 239	8 241	-3,65	97,4	-	0,00
17	8 764	8 766	-4,24	97,4	-	0,00
18	8 482	8 484	-3,93	97,4	-	0,00
19	8 969	8 971	-4,46	97,4	-	0,00
2	4 443	4 447	2,15	97,4	-	0,00
20	9 034	9 036	-4,53	97,4	-	0,00
21	9 313	9 314	-4,82	97,4	-	0,00
22	9 519	9 521	-5,04	97,4	-	0,00
23	10 034	10 035	-5,55	97,4	-	0,00
24	9 912	9 914	-5,43	97,4	-	0,00
25	8 777	8 779	-4,25	97,4	-	0,00
26	9 174	9 175	-4,68	97,4	-	0,00
27	9 543	9 545	-5,06	97,4	-	0,00
28	9 373	9 375	-4,89	97,4	-	0,00
29	9 681	9 682	-5,20	97,4	-	0,00
3	4 486	4 490	2,06	97,4	-	0,00
30	9 923	9 924	-5,44	97,4	-	0,00
31	10 114	10 116	-5,62	97,4	-	0,00
32	10 176	10 178	-5,68	97,4	-	0,00
33	10 851	10 853	-6,31	97,4	-	0,00
34	11 029	11 030	-6,46	97,4	-	0,00
35	10 464	10 465	-5,95	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 709	10 710	-6,18	97,4	-	0,00
37	10 874	10 875	-6,33	97,4	-	0,00
38	11 355	11 356	-6,75	97,4	-	0,00
39	10 365	10 367	-5,86	97,4	-	0,00
4	3 973	3 977	3,18	97,4	-	0,00
40	11 562	11 564	-6,93	97,4	-	0,00
41	12 117	12 118	-7,39	97,4	-	0,00
5	4 517	4 520	2,00	97,4	-	0,00
6	3 433	3 438	4,51	97,4	-	0,00
7	2 948	2 953	5,90	97,4	-	0,00
8	4 600	4 604	1,83	97,4	-	0,00
9	5 195	5 198	0,70	97,4	-	0,00
Sum			14,89			

- Data undefined due to calculation with octave data

Noise sensitive area: JM Meitenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 007	7 009	-2,11	97,4	-	0,00
10	2 704	2 709	6,68	97,4	-	0,00
11	3 771	3 775	3,66	97,4	-	0,00
12	3 521	3 526	4,28	97,4	-	0,00
13	4 257	4 261	2,54	97,4	-	0,00
14	4 839	4 842	1,36	97,4	-	0,00
15	5 232	5 235	0,64	97,4	-	0,00
16	5 518	5 521	0,14	97,4	-	0,00
17	5 934	5 937	-0,54	97,4	-	0,00
18	6 629	6 631	-1,58	97,4	-	0,00
19	7 122	7 124	-2,26	97,4	-	0,00
2	6 960	6 963	-2,04	97,4	-	0,00
20	6 598	6 601	-1,54	97,4	-	0,00
21	7 241	7 243	-2,42	97,4	-	0,00
22	7 106	7 109	-2,24	97,4	-	0,00
23	7 610	7 611	-2,89	97,4	-	0,00
24	7 823	7 825	-3,15	97,4	-	0,00
25	7 450	7 452	-2,69	97,4	-	0,00
26	8 133	8 135	-3,52	97,4	-	0,00
27	7 827	7 829	-3,16	97,4	-	0,00
28	7 992	7 994	-3,36	97,4	-	0,00
29	8 549	8 551	-4,00	97,4	-	0,00
3	6 480	6 483	-1,37	97,4	-	0,00
30	8 474	8 476	-3,92	97,4	-	0,00
31	8 377	8 379	-3,81	97,4	-	0,00
32	9 038	9 040	-4,54	97,4	-	0,00
33	9 643	9 645	-5,16	97,4	-	0,00
34	9 589	9 590	-5,11	97,4	-	0,00
35	9 001	9 003	-4,50	97,4	-	0,00
36	9 009	9 011	-4,50	97,4	-	0,00
37	8 867	8 869	-4,35	97,4	-	0,00
38	9 092	9 094	-4,59	97,4	-	0,00
39	8 214	8 216	-3,62	97,4	-	0,00
4	5 817	5 819	-0,35	97,4	-	0,00
40	9 035	9 037	-4,53	97,4	-	0,00
41	9 534	9 536	-5,05	97,4	-	0,00
5	6 035	6 037	-0,70	97,4	-	0,00
6	5 191	5 194	0,71	97,4	-	0,00
7	5 058	5 061	0,95	97,4	-	0,00
8	3 250	3 255	5,01	97,4	-	0,00
9	3 466	3 470	4,43	97,4	-	0,00
Sum			15,89			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JM Meitenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 007	7 009	-2,11	97,4	-	0,00
10	2 704	2 709	6,68	97,4	-	0,00
11	3 771	3 775	3,66	97,4	-	0,00
12	3 521	3 526	4,28	97,4	-	0,00
13	4 257	4 261	2,54	97,4	-	0,00
14	4 839	4 842	1,36	97,4	-	0,00
15	5 232	5 235	0,64	97,4	-	0,00
16	5 518	5 521	0,14	97,4	-	0,00
17	5 934	5 937	-0,54	97,4	-	0,00
18	6 629	6 631	-1,58	97,4	-	0,00
19	7 122	7 124	-2,26	97,4	-	0,00
2	6 960	6 963	-2,04	97,4	-	0,00
20	6 598	6 601	-1,54	97,4	-	0,00
21	7 241	7 243	-2,42	97,4	-	0,00
22	7 106	7 109	-2,24	97,4	-	0,00
23	7 610	7 611	-2,89	97,4	-	0,00
24	7 823	7 825	-3,15	97,4	-	0,00
25	7 450	7 452	-2,69	97,4	-	0,00
26	8 133	8 135	-3,52	97,4	-	0,00
27	7 827	7 829	-3,16	97,4	-	0,00
28	7 992	7 994	-3,36	97,4	-	0,00
29	8 549	8 551	-4,00	97,4	-	0,00
3	6 480	6 483	-1,37	97,4	-	0,00
30	8 474	8 476	-3,92	97,4	-	0,00
31	8 377	8 379	-3,81	97,4	-	0,00
32	9 038	9 040	-4,54	97,4	-	0,00
33	9 643	9 645	-5,16	97,4	-	0,00
34	9 589	9 590	-5,11	97,4	-	0,00
35	9 001	9 003	-4,50	97,4	-	0,00
36	9 009	9 011	-4,50	97,4	-	0,00
37	8 867	8 869	-4,35	97,4	-	0,00
38	9 092	9 094	-4,59	97,4	-	0,00
39	8 214	8 216	-3,62	97,4	-	0,00
4	5 817	5 819	-0,35	97,4	-	0,00
40	9 035	9 037	-4,53	97,4	-	0,00
41	9 534	9 536	-5,05	97,4	-	0,00
5	6 035	6 037	-0,70	97,4	-	0,00
6	5 191	5 194	0,71	97,4	-	0,00
7	5 058	5 061	0,95	97,4	-	0,00
8	3 250	3 255	5,01	97,4	-	0,00
9	3 466	3 470	4,43	97,4	-	0,00
Sum			15,89			

- Data undefined due to calculation with octave data

Noise sensitive area: JN Eglaji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 491	4 494	2,05	97,4	-	0,00
10	1 990	1 998	9,42	97,4	-	0,00
11	4 357	4 361	2,33	97,4	-	0,00
12	4 605	4 609	1,82	97,4	-	0,00
13	4 899	4 902	1,25	97,4	-	0,00
14	5 104	5 107	0,87	97,4	-	0,00
15	5 664	5 667	-0,10	97,4	-	0,00
16	6 072	6 074	-0,75	97,4	-	0,00
17	6 588	6 591	-1,52	97,4	-	0,00
18	6 510	6 513	-1,41	97,4	-	0,00
19	7 012	7 014	-2,11	97,4	-	0,00
2	4 523	4 526	1,99	97,4	-	0,00
20	6 934	6 936	-2,01	97,4	-	0,00
21	7 303	7 306	-2,50	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 432	7 434	-2,66	97,4	-	0,00
23	7 953	7 955	-3,31	97,4	-	0,00
24	7 910	7 913	-3,26	97,4	-	0,00
25	6 975	6 978	-2,06	97,4	-	0,00
26	7 485	7 487	-2,73	97,4	-	0,00
27	7 639	7 641	-2,92	97,4	-	0,00
28	7 570	7 573	-2,84	97,4	-	0,00
29	7 973	7 975	-3,33	97,4	-	0,00
3	4 172	4 175	2,73	97,4	-	0,00
30	8 111	8 113	-3,50	97,4	-	0,00
31	8 216	8 218	-3,62	97,4	-	0,00
32	8 478	8 480	-3,92	97,4	-	0,00
33	9 142	9 144	-4,65	97,4	-	0,00
34	9 243	9 245	-4,75	97,4	-	0,00
35	8 660	8 661	-4,12	97,4	-	0,00
36	8 833	8 835	-4,31	97,4	-	0,00
37	8 911	8 913	-4,40	97,4	-	0,00
38	9 331	9 333	-4,84	97,4	-	0,00
39	8 355	8 357	-3,78	97,4	-	0,00
4	3 511	3 515	4,31	97,4	-	0,00
40	9 478	9 480	-4,99	97,4	-	0,00
41	10 027	10 028	-5,54	97,4	-	0,00
5	3 868	3 872	3,42	97,4	-	0,00
6	2 853	2 858	6,19	97,4	-	0,00
7	2 599	2 605	7,03	97,4	-	0,00
8	2 527	2 533	7,28	97,4	-	0,00
9	3 090	3 095	5,47	97,4	-	0,00
Sum			17,50			

- Data undefined due to calculation with octave data

Noise sensitive area: JN Eglaji

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 491	4 494	2,05	97,4	-	0,00
10	1 990	1 998	9,42	97,4	-	0,00
11	4 357	4 361	2,33	97,4	-	0,00
12	4 605	4 609	1,82	97,4	-	0,00
13	4 899	4 902	1,25	97,4	-	0,00
14	5 104	5 107	0,87	97,4	-	0,00
15	5 664	5 667	-0,10	97,4	-	0,00
16	6 072	6 074	-0,75	97,4	-	0,00
17	6 588	6 591	-1,52	97,4	-	0,00
18	6 510	6 513	-1,41	97,4	-	0,00
19	7 012	7 014	-2,11	97,4	-	0,00
2	4 523	4 526	1,99	97,4	-	0,00
20	6 934	6 936	-2,01	97,4	-	0,00
21	7 303	7 306	-2,50	97,4	-	0,00
22	7 432	7 434	-2,66	97,4	-	0,00
23	7 953	7 955	-3,31	97,4	-	0,00
24	7 910	7 913	-3,26	97,4	-	0,00
25	6 975	6 978	-2,06	97,4	-	0,00
26	7 485	7 487	-2,73	97,4	-	0,00
27	7 639	7 641	-2,92	97,4	-	0,00
28	7 570	7 573	-2,84	97,4	-	0,00
29	7 973	7 975	-3,33	97,4	-	0,00
3	4 172	4 175	2,73	97,4	-	0,00
30	8 111	8 113	-3,50	97,4	-	0,00
31	8 216	8 218	-3,62	97,4	-	0,00
32	8 478	8 480	-3,92	97,4	-	0,00
33	9 142	9 144	-4,65	97,4	-	0,00
34	9 243	9 245	-4,75	97,4	-	0,00
35	8 660	8 661	-4,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 833	8 835	-4,31	97,4	-	0,00
37	8 911	8 913	-4,40	97,4	-	0,00
38	9 331	9 333	-4,84	97,4	-	0,00
39	8 355	8 357	-3,78	97,4	-	0,00
4	3 511	3 515	4,31	97,4	-	0,00
40	9 478	9 480	-4,99	97,4	-	0,00
41	10 027	10 028	-5,54	97,4	-	0,00
5	3 868	3 872	3,42	97,4	-	0,00
6	2 853	2 858	6,19	97,4	-	0,00
7	2 599	2 605	7,03	97,4	-	0,00
8	2 527	2 533	7,28	97,4	-	0,00
9	3 090	3 095	5,47	97,4	-	0,00
Sum			17,50			

- Data undefined due to calculation with octave data

Noise sensitive area: JO Ksaveri

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 326	5 329	0,47	97,4	-	0,00
10	2 814	2 819	6,32	97,4	-	0,00
11	4 976	4 979	1,10	97,4	-	0,00
12	5 067	5 071	0,93	97,4	-	0,00
13	5 521	5 523	0,14	97,4	-	0,00
14	5 845	5 848	-0,40	97,4	-	0,00
15	6 372	6 374	-1,21	97,4	-	0,00
16	6 752	6 754	-1,75	97,4	-	0,00
17	7 247	7 249	-2,42	97,4	-	0,00
18	7 379	7 381	-2,60	97,4	-	0,00
19	7 885	7 887	-3,23	97,4	-	0,00
2	5 432	5 435	0,29	97,4	-	0,00
20	7 692	7 694	-2,99	97,4	-	0,00
21	8 139	8 141	-3,53	97,4	-	0,00
22	8 200	8 202	-3,60	97,4	-	0,00
23	8 722	8 724	-4,19	97,4	-	0,00
24	8 746	8 748	-4,22	97,4	-	0,00
25	7 925	7 927	-3,28	97,4	-	0,00
26	8 470	8 472	-3,91	97,4	-	0,00
27	8 536	8 538	-3,99	97,4	-	0,00
28	8 516	8 517	-3,96	97,4	-	0,00
29	8 949	8 951	-4,44	97,4	-	0,00
3	5 156	5 159	0,77	97,4	-	0,00
30	9 049	9 051	-4,55	97,4	-	0,00
31	9 113	9 115	-4,61	97,4	-	0,00
32	9 455	9 457	-4,97	97,4	-	0,00
33	10 113	10 114	-5,62	97,4	-	0,00
34	10 186	10 187	-5,69	97,4	-	0,00
35	9 597	9 599	-5,11	97,4	-	0,00
36	9 738	9 740	-5,26	97,4	-	0,00
37	9 766	9 768	-5,28	97,4	-	0,00
38	10 141	10 142	-5,65	97,4	-	0,00
39	9 182	9 184	-4,69	97,4	-	0,00
4	4 507	4 510	2,02	97,4	-	0,00
40	10 234	10 235	-5,74	97,4	-	0,00
41	10 772	10 774	-6,24	97,4	-	0,00
5	4 901	4 904	1,24	97,4	-	0,00
6	3 850	3 854	3,47	97,4	-	0,00
7	3 536	3 541	4,24	97,4	-	0,00
8	3 410	3 414	4,58	97,4	-	0,00
9	3 920	3 924	3,30	97,4	-	0,00
Sum			15,53			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JO Ksaveri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 326	5 329	0,47	97,4	-	0,00
10	2 814	2 819	6,32	97,4	-	0,00
11	4 976	4 979	1,10	97,4	-	0,00
12	5 067	5 071	0,93	97,4	-	0,00
13	5 521	5 523	0,14	97,4	-	0,00
14	5 845	5 848	-0,40	97,4	-	0,00
15	6 372	6 374	-1,21	97,4	-	0,00
16	6 752	6 754	-1,75	97,4	-	0,00
17	7 247	7 249	-2,42	97,4	-	0,00
18	7 379	7 381	-2,60	97,4	-	0,00
19	7 885	7 887	-3,23	97,4	-	0,00
2	5 432	5 435	0,29	97,4	-	0,00
20	7 692	7 694	-2,99	97,4	-	0,00
21	8 139	8 141	-3,53	97,4	-	0,00
22	8 200	8 202	-3,60	97,4	-	0,00
23	8 722	8 724	-4,19	97,4	-	0,00
24	8 746	8 748	-4,22	97,4	-	0,00
25	7 925	7 927	-3,28	97,4	-	0,00
26	8 470	8 472	-3,91	97,4	-	0,00
27	8 536	8 538	-3,99	97,4	-	0,00
28	8 516	8 517	-3,96	97,4	-	0,00
29	8 949	8 951	-4,44	97,4	-	0,00
3	5 156	5 159	0,77	97,4	-	0,00
30	9 049	9 051	-4,55	97,4	-	0,00
31	9 113	9 115	-4,61	97,4	-	0,00
32	9 455	9 457	-4,97	97,4	-	0,00
33	10 113	10 114	-5,62	97,4	-	0,00
34	10 186	10 187	-5,69	97,4	-	0,00
35	9 597	9 599	-5,11	97,4	-	0,00
36	9 738	9 740	-5,26	97,4	-	0,00
37	9 766	9 768	-5,28	97,4	-	0,00
38	10 141	10 142	-5,65	97,4	-	0,00
39	9 182	9 184	-4,69	97,4	-	0,00
4	4 507	4 510	2,02	97,4	-	0,00
40	10 234	10 235	-5,74	97,4	-	0,00
41	10 772	10 774	-6,24	97,4	-	0,00
5	4 901	4 904	1,24	97,4	-	0,00
6	3 850	3 854	3,47	97,4	-	0,00
7	3 536	3 541	4,24	97,4	-	0,00
8	3 410	3 414	4,58	97,4	-	0,00
9	3 920	3 924	3,30	97,4	-	0,00
Sum			15,53			

- Data undefined due to calculation with octave data

Noise sensitive area: JP And ž ani

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 160	3 165	5,27	97,4	-	0,00
10	4 677	4 680	1,68	97,4	-	0,00
11	7 109	7 111	-2,24	97,4	-	0,00
12	7 500	7 502	-2,75	97,4	-	0,00
13	7 622	7 624	-2,90	97,4	-	0,00
14	7 630	7 633	-2,91	97,4	-	0,00
15	8 225	8 227	-3,63	97,4	-	0,00
16	8 662	8 664	-4,13	97,4	-	0,00
17	9 195	9 197	-4,70	97,4	-	0,00
18	8 649	8 651	-4,11	97,4	-	0,00
19	9 111	9 113	-4,61	97,4	-	0,00
2	3 579	3 583	4,13	97,4	-	0,00
20	9 341	9 343	-4,85	97,4	-	0,00
21	9 504	9 505	-5,02	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	9 800	9 802	-5,32	97,4	-	0,00
23	10 301	10 302	-5,80	97,4	-	0,00
24	10 086	10 087	-5,60	97,4	-	0,00
25	8 780	8 782	-4,26	97,4	-	0,00
26	9 077	9 079	-4,58	97,4	-	0,00
27	9 623	9 625	-5,14	97,4	-	0,00
28	9 365	9 366	-4,88	97,4	-	0,00
29	9 589	9 590	-5,11	97,4	-	0,00
3	3 812	3 816	3,56	97,4	-	0,00
30	9 912	9 913	-5,43	97,4	-	0,00
31	10 179	10 181	-5,68	97,4	-	0,00
32	10 068	10 069	-5,58	97,4	-	0,00
33	10 740	10 741	-6,21	97,4	-	0,00
34	10 979	10 980	-6,42	97,4	-	0,00
35	10 438	10 439	-5,93	97,4	-	0,00
36	10 743	10 744	-6,21	97,4	-	0,00
37	10 992	10 993	-6,43	97,4	-	0,00
38	11 535	11 536	-6,90	97,4	-	0,00
39	10 541	10 543	-6,02	97,4	-	0,00
4	3 438	3 442	4,50	97,4	-	0,00
40	11 816	11 818	-7,14	97,4	-	0,00
41	12 375	12 377	-7,59	97,4	-	0,00
5	4 016	4 019	3,08	97,4	-	0,00
6	3 053	3 059	5,58	97,4	-	0,00
7	2 552	2 558	7,20	97,4	-	0,00
8	5 009	5 013	1,04	97,4	-	0,00
9	5 607	5 609	-0,01	97,4	-	0,00
Sum			15,53			

- Data undefined due to calculation with octave data

Noise sensitive area: JP And ž ani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 160	3 165	5,27	97,4	-	0,00
10	4 677	4 680	1,68	97,4	-	0,00
11	7 109	7 111	-2,24	97,4	-	0,00
12	7 500	7 502	-2,75	97,4	-	0,00
13	7 622	7 624	-2,90	97,4	-	0,00
14	7 630	7 633	-2,91	97,4	-	0,00
15	8 225	8 227	-3,63	97,4	-	0,00
16	8 662	8 664	-4,13	97,4	-	0,00
17	9 195	9 197	-4,70	97,4	-	0,00
18	8 649	8 651	-4,11	97,4	-	0,00
19	9 111	9 113	-4,61	97,4	-	0,00
2	3 579	3 583	4,13	97,4	-	0,00
20	9 341	9 343	-4,85	97,4	-	0,00
21	9 504	9 505	-5,02	97,4	-	0,00
22	9 800	9 802	-5,32	97,4	-	0,00
23	10 301	10 302	-5,80	97,4	-	0,00
24	10 086	10 087	-5,60	97,4	-	0,00
25	8 780	8 782	-4,26	97,4	-	0,00
26	9 077	9 079	-4,58	97,4	-	0,00
27	9 623	9 625	-5,14	97,4	-	0,00
28	9 365	9 366	-4,88	97,4	-	0,00
29	9 589	9 590	-5,11	97,4	-	0,00
3	3 812	3 816	3,56	97,4	-	0,00
30	9 912	9 913	-5,43	97,4	-	0,00
31	10 179	10 181	-5,68	97,4	-	0,00
32	10 068	10 069	-5,58	97,4	-	0,00
33	10 740	10 741	-6,21	97,4	-	0,00
34	10 979	10 980	-6,42	97,4	-	0,00
35	10 438	10 439	-5,93	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	10 743	10 744	-6,21	97,4	-	0,00
37	10 992	10 993	-6,43	97,4	-	0,00
38	11 535	11 536	-6,90	97,4	-	0,00
39	10 541	10 543	-6,02	97,4	-	0,00
4	3 438	3 442	4,50	97,4	-	0,00
40	11 816	11 818	-7,14	97,4	-	0,00
41	12 375	12 377	-7,59	97,4	-	0,00
5	4 016	4 019	3,08	97,4	-	0,00
6	3 053	3 059	5,58	97,4	-	0,00
7	2 552	2 558	7,20	97,4	-	0,00
8	5 009	5 013	1,04	97,4	-	0,00
9	5 607	5 609	-0,01	97,4	-	0,00
Sum			15,53			

- Data undefined due to calculation with octave data

Noise sensitive area: JQ Klavenieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 910	4 913	1,23	97,4	-	0,00
10	883	899	16,51	97,4	-	0,00
11	3 186	3 191	5,19	97,4	-	0,00
12	3 454	3 458	4,46	97,4	-	0,00
13	3 728	3 732	3,76	97,4	-	0,00
14	3 960	3 964	3,21	97,4	-	0,00
15	4 510	4 513	2,01	97,4	-	0,00
16	4 911	4 914	1,23	97,4	-	0,00
17	5 424	5 427	0,30	97,4	-	0,00
18	5 449	5 451	0,26	97,4	-	0,00
19	5 954	5 957	-0,57	97,4	-	0,00
2	4 802	4 805	1,43	97,4	-	0,00
20	5 800	5 802	-0,33	97,4	-	0,00
21	6 215	6 217	-0,97	97,4	-	0,00
22	6 303	6 306	-1,11	97,4	-	0,00
23	6 825	6 827	-1,86	97,4	-	0,00
24	6 823	6 825	-1,85	97,4	-	0,00
25	6 010	6 013	-0,66	97,4	-	0,00
26	6 580	6 583	-1,51	97,4	-	0,00
27	6 606	6 608	-1,55	97,4	-	0,00
28	6 597	6 600	-1,54	97,4	-	0,00
29	7 050	7 053	-2,16	97,4	-	0,00
3	4 278	4 282	2,50	97,4	-	0,00
30	7 127	7 129	-2,27	97,4	-	0,00
31	7 182	7 184	-2,34	97,4	-	0,00
32	7 556	7 558	-2,82	97,4	-	0,00
33	8 207	8 209	-3,61	97,4	-	0,00
34	8 264	8 266	-3,68	97,4	-	0,00
35	7 675	7 677	-2,97	97,4	-	0,00
36	7 808	7 810	-3,13	97,4	-	0,00
37	7 839	7 840	-3,17	97,4	-	0,00
38	8 227	8 229	-3,63	97,4	-	0,00
39	7 261	7 263	-2,44	97,4	-	0,00
4	3 620	3 624	4,03	97,4	-	0,00
40	8 346	8 348	-3,77	97,4	-	0,00
41	8 890	8 892	-4,38	97,4	-	0,00
5	3 818	3 821	3,55	97,4	-	0,00
6	3 014	3 019	5,70	97,4	-	0,00
7	2 952	2 957	5,88	97,4	-	0,00
8	1 485	1 495	12,00	97,4	-	0,00
9	1 992	1 999	9,41	97,4	-	0,00
Sum			20,64			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JQ Klavenieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 910	4 913	1,23	97,4	-	0,00
10	883	899	16,51	97,4	-	0,00
11	3 186	3 191	5,19	97,4	-	0,00
12	3 454	3 458	4,46	97,4	-	0,00
13	3 728	3 732	3,76	97,4	-	0,00
14	3 960	3 964	3,21	97,4	-	0,00
15	4 510	4 513	2,01	97,4	-	0,00
16	4 911	4 914	1,23	97,4	-	0,00
17	5 424	5 427	0,30	97,4	-	0,00
18	5 449	5 451	0,26	97,4	-	0,00
19	5 954	5 957	-0,57	97,4	-	0,00
2	4 802	4 805	1,43	97,4	-	0,00
20	5 800	5 802	-0,33	97,4	-	0,00
21	6 215	6 217	-0,97	97,4	-	0,00
22	6 303	6 306	-1,11	97,4	-	0,00
23	6 825	6 827	-1,86	97,4	-	0,00
24	6 823	6 825	-1,85	97,4	-	0,00
25	6 010	6 013	-0,66	97,4	-	0,00
26	6 580	6 583	-1,51	97,4	-	0,00
27	6 606	6 608	-1,55	97,4	-	0,00
28	6 597	6 600	-1,54	97,4	-	0,00
29	7 050	7 053	-2,16	97,4	-	0,00
3	4 278	4 282	2,50	97,4	-	0,00
30	7 127	7 129	-2,27	97,4	-	0,00
31	7 182	7 184	-2,34	97,4	-	0,00
32	7 556	7 558	-2,82	97,4	-	0,00
33	8 207	8 209	-3,61	97,4	-	0,00
34	8 264	8 266	-3,68	97,4	-	0,00
35	7 675	7 677	-2,97	97,4	-	0,00
36	7 808	7 810	-3,13	97,4	-	0,00
37	7 839	7 840	-3,17	97,4	-	0,00
38	8 227	8 229	-3,63	97,4	-	0,00
39	7 261	7 263	-2,44	97,4	-	0,00
4	3 620	3 624	4,03	97,4	-	0,00
40	8 346	8 348	-3,77	97,4	-	0,00
41	8 890	8 892	-4,38	97,4	-	0,00
5	3 818	3 821	3,55	97,4	-	0,00
6	3 014	3 019	5,70	97,4	-	0,00
7	2 952	2 957	5,88	97,4	-	0,00
8	1 485	1 495	12,00	97,4	-	0,00
9	1 992	1 999	9,41	97,4	-	0,00
Sum			20,64			

- Data undefined due to calculation with octave data

Noise sensitive area: JR Lidums

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 705	4 709	1,62	97,4	-	0,00
10	1 199	1 210	13,88	97,4	-	0,00
11	3 551	3 555	4,21	97,4	-	0,00
12	3 822	3 826	3,53	97,4	-	0,00
13	4 092	4 096	2,91	97,4	-	0,00
14	4 304	4 308	2,44	97,4	-	0,00
15	4 861	4 864	1,32	97,4	-	0,00
16	5 266	5 269	0,58	97,4	-	0,00
17	5 781	5 784	-0,30	97,4	-	0,00
18	5 753	5 756	-0,25	97,4	-	0,00
19	6 258	6 260	-1,04	97,4	-	0,00
2	4 636	4 639	1,76	97,4	-	0,00
20	6 139	6 142	-0,86	97,4	-	0,00
21	6 532	6 534	-1,44	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 640	6 643	-1,60	97,4	-	0,00
23	7 162	7 164	-2,31	97,4	-	0,00
24	7 140	7 142	-2,28	97,4	-	0,00
25	6 274	6 277	-1,06	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	6 899	6 901	-1,96	97,4	-	0,00
28	6 865	6 868	-1,91	97,4	-	0,00
29	7 299	7 301	-2,49	97,4	-	0,00
3	4 160	4 163	2,76	97,4	-	0,00
30	7 400	7 402	-2,62	97,4	-	0,00
31	7 476	7 478	-2,72	97,4	-	0,00
32	7 805	7 807	-3,13	97,4	-	0,00
33	8 461	8 463	-3,90	97,4	-	0,00
34	8 536	8 538	-3,99	97,4	-	0,00
35	7 949	7 950	-3,30	97,4	-	0,00
36	8 099	8 100	-3,48	97,4	-	0,00
37	8 149	8 151	-3,54	97,4	-	0,00
38	8 552	8 554	-4,00	97,4	-	0,00
39	7 582	7 584	-2,85	97,4	-	0,00
4	3 494	3 499	4,35	97,4	-	0,00
40	8 685	8 687	-4,15	97,4	-	0,00
41	9 231	9 233	-4,74	97,4	-	0,00
5	3 744	3 748	3,72	97,4	-	0,00
6	2 864	2 870	6,16	97,4	-	0,00
7	2 747	2 753	6,53	97,4	-	0,00
8	1 769	1 777	10,46	97,4	-	0,00
9	2 308	2 315	8,10	97,4	-	0,00
Sum			19,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JR Lidums

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 705	4 709	1,62	97,4	-	0,00
10	1 199	1 210	13,88	97,4	-	0,00
11	3 551	3 555	4,21	97,4	-	0,00
12	3 822	3 826	3,53	97,4	-	0,00
13	4 092	4 096	2,91	97,4	-	0,00
14	4 304	4 308	2,44	97,4	-	0,00
15	4 861	4 864	1,32	97,4	-	0,00
16	5 266	5 269	0,58	97,4	-	0,00
17	5 781	5 784	-0,30	97,4	-	0,00
18	5 753	5 756	-0,25	97,4	-	0,00
19	6 258	6 260	-1,04	97,4	-	0,00
2	4 636	4 639	1,76	97,4	-	0,00
20	6 139	6 142	-0,86	97,4	-	0,00
21	6 532	6 534	-1,44	97,4	-	0,00
22	6 640	6 643	-1,60	97,4	-	0,00
23	7 162	7 164	-2,31	97,4	-	0,00
24	7 140	7 142	-2,28	97,4	-	0,00
25	6 274	6 277	-1,06	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	6 899	6 901	-1,96	97,4	-	0,00
28	6 865	6 868	-1,91	97,4	-	0,00
29	7 299	7 301	-2,49	97,4	-	0,00
3	4 160	4 163	2,76	97,4	-	0,00
30	7 400	7 402	-2,62	97,4	-	0,00
31	7 476	7 478	-2,72	97,4	-	0,00
32	7 805	7 807	-3,13	97,4	-	0,00
33	8 461	8 463	-3,90	97,4	-	0,00
34	8 536	8 538	-3,99	97,4	-	0,00
35	7 949	7 950	-3,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 099	8 100	-3,48	97,4	-	0,00
37	8 149	8 151	-3,54	97,4	-	0,00
38	8 552	8 554	-4,00	97,4	-	0,00
39	7 582	7 584	-2,85	97,4	-	0,00
4	3 494	3 499	4,35	97,4	-	0,00
40	8 685	8 687	-4,15	97,4	-	0,00
41	9 231	9 233	-4,74	97,4	-	0,00
5	3 744	3 748	3,72	97,4	-	0,00
6	2 864	2 870	6,16	97,4	-	0,00
7	2 747	2 753	6,53	97,4	-	0,00
8	1 769	1 777	10,46	97,4	-	0,00
9	2 308	2 315	8,10	97,4	-	0,00
Sum			19,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JS Mazas Druvinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 691	6 693	-1,67	97,4	-	0,00
10	2 612	2 618	6,99	97,4	-	0,00
11	3 955	3 958	3,22	97,4	-	0,00
12	3 780	3 784	3,64	97,4	-	0,00
13	4 461	4 465	2,11	97,4	-	0,00
14	4 995	4 998	1,07	97,4	-	0,00
15	5 420	5 423	0,31	97,4	-	0,00
16	5 729	5 731	-0,21	97,4	-	0,00
17	6 164	6 167	-0,90	97,4	-	0,00
18	6 749	6 752	-1,75	97,4	-	0,00
19	7 248	7 250	-2,43	97,4	-	0,00
2	6 669	6 672	-1,64	97,4	-	0,00
20	6 788	6 790	-1,80	97,4	-	0,00
21	7 395	7 397	-2,62	97,4	-	0,00
22	7 299	7 301	-2,49	97,4	-	0,00
23	7 808	7 810	-3,13	97,4	-	0,00
24	7 985	7 987	-3,35	97,4	-	0,00
25	7 522	7 524	-2,78	97,4	-	0,00
26	8 182	8 184	-3,58	97,4	-	0,00
27	7 947	7 949	-3,30	97,4	-	0,00
28	8 077	8 079	-3,46	97,4	-	0,00
29	8 613	8 615	-4,07	97,4	-	0,00
3	6 220	6 222	-0,98	97,4	-	0,00
30	8 571	8 573	-4,03	97,4	-	0,00
31	8 505	8 507	-3,95	97,4	-	0,00
32	9 108	9 110	-4,61	97,4	-	0,00
33	9 725	9 727	-5,24	97,4	-	0,00
34	9 695	9 697	-5,21	97,4	-	0,00
35	9 105	9 106	-4,61	97,4	-	0,00
36	9 138	9 140	-4,64	97,4	-	0,00
37	9 029	9 031	-4,53	97,4	-	0,00
38	9 284	9 286	-4,79	97,4	-	0,00
39	8 387	8 389	-3,82	97,4	-	0,00
4	5 553	5 556	0,08	97,4	-	0,00
40	9 256	9 258	-4,77	97,4	-	0,00
41	9 765	9 766	-5,28	97,4	-	0,00
5	5 803	5 805	-0,33	97,4	-	0,00
6	4 917	4 920	1,21	97,4	-	0,00
7	4 754	4 758	1,52	97,4	-	0,00
8	3 194	3 199	5,17	97,4	-	0,00
9	3 478	3 482	4,40	97,4	-	0,00
Sum			15,85			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JS Mazas Druvinas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 691	6 693	-1,67	97,4	-	0,00
10	2 612	2 618	6,99	97,4	-	0,00
11	3 955	3 958	3,22	97,4	-	0,00
12	3 780	3 784	3,64	97,4	-	0,00
13	4 461	4 465	2,11	97,4	-	0,00
14	4 995	4 998	1,07	97,4	-	0,00
15	5 420	5 423	0,31	97,4	-	0,00
16	5 729	5 731	-0,21	97,4	-	0,00
17	6 164	6 167	-0,90	97,4	-	0,00
18	6 749	6 752	-1,75	97,4	-	0,00
19	7 248	7 250	-2,43	97,4	-	0,00
2	6 669	6 672	-1,64	97,4	-	0,00
20	6 788	6 790	-1,80	97,4	-	0,00
21	7 395	7 397	-2,62	97,4	-	0,00
22	7 299	7 301	-2,49	97,4	-	0,00
23	7 808	7 810	-3,13	97,4	-	0,00
24	7 985	7 987	-3,35	97,4	-	0,00
25	7 522	7 524	-2,78	97,4	-	0,00
26	8 182	8 184	-3,58	97,4	-	0,00
27	7 947	7 949	-3,30	97,4	-	0,00
28	8 077	8 079	-3,46	97,4	-	0,00
29	8 613	8 615	-4,07	97,4	-	0,00
3	6 220	6 222	-0,98	97,4	-	0,00
30	8 571	8 573	-4,03	97,4	-	0,00
31	8 505	8 507	-3,95	97,4	-	0,00
32	9 108	9 110	-4,61	97,4	-	0,00
33	9 725	9 727	-5,24	97,4	-	0,00
34	9 695	9 697	-5,21	97,4	-	0,00
35	9 105	9 106	-4,61	97,4	-	0,00
36	9 138	9 140	-4,64	97,4	-	0,00
37	9 029	9 031	-4,53	97,4	-	0,00
38	9 284	9 286	-4,79	97,4	-	0,00
39	8 387	8 389	-3,82	97,4	-	0,00
4	5 553	5 556	0,08	97,4	-	0,00
40	9 256	9 258	-4,77	97,4	-	0,00
41	9 765	9 766	-5,28	97,4	-	0,00
5	5 803	5 805	-0,33	97,4	-	0,00
6	4 917	4 920	1,21	97,4	-	0,00
7	4 754	4 758	1,52	97,4	-	0,00
8	3 194	3 199	5,17	97,4	-	0,00
9	3 478	3 482	4,40	97,4	-	0,00
Sum			15,85			

- Data undefined due to calculation with octave data

Noise sensitive area: JT Mantinieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 009	6 011	-0,66	97,4	-	0,00
10	2 793	2 798	6,38	97,4	-	0,00
11	4 670	4 674	1,69	97,4	-	0,00
12	4 643	4 646	1,74	97,4	-	0,00
13	5 205	5 208	0,68	97,4	-	0,00
14	5 627	5 630	-0,04	97,4	-	0,00
15	6 114	6 116	-0,82	97,4	-	0,00
16	6 464	6 467	-1,34	97,4	-	0,00
17	6 936	6 938	-2,01	97,4	-	0,00
18	7 272	7 274	-2,46	97,4	-	0,00
19	7 778	7 780	-3,10	97,4	-	0,00
2	6 070	6 073	-0,75	97,4	-	0,00
20	7 465	7 467	-2,71	97,4	-	0,00
21	7 987	7 988	-3,35	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 977	7 979	-3,34	97,4	-	0,00
23	8 496	8 498	-3,94	97,4	-	0,00
24	8 589	8 591	-4,05	97,4	-	0,00
25	7 921	7 923	-3,27	97,4	-	0,00
26	8 519	8 520	-3,97	97,4	-	0,00
27	8 455	8 457	-3,89	97,4	-	0,00
28	8 500	8 501	-3,94	97,4	-	0,00
29	8 980	8 981	-4,47	97,4	-	0,00
3	5 728	5 731	-0,21	97,4	-	0,00
30	9 019	9 021	-4,51	97,4	-	0,00
31	9 026	9 028	-4,52	97,4	-	0,00
32	9 483	9 485	-5,00	97,4	-	0,00
33	10 126	10 128	-5,63	97,4	-	0,00
34	10 155	10 156	-5,66	97,4	-	0,00
35	9 563	9 565	-5,08	97,4	-	0,00
36	9 658	9 659	-5,17	97,4	-	0,00
37	9 625	9 626	-5,14	97,4	-	0,00
38	9 947	9 948	-5,46	97,4	-	0,00
39	9 012	9 014	-4,51	97,4	-	0,00
4	5 066	5 069	0,94	97,4	-	0,00
40	9 985	9 986	-5,50	97,4	-	0,00
41	10 511	10 512	-6,00	97,4	-	0,00
5	5 407	5 410	0,33	97,4	-	0,00
6	4 409	4 412	2,22	97,4	-	0,00
7	4 150	4 154	2,78	97,4	-	0,00
8	3 412	3 416	4,57	97,4	-	0,00
9	3 842	3 846	3,49	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JT Mantinieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 009	6 011	-0,66	97,4	-	0,00
10	2 793	2 798	6,38	97,4	-	0,00
11	4 670	4 674	1,69	97,4	-	0,00
12	4 643	4 646	1,74	97,4	-	0,00
13	5 205	5 208	0,68	97,4	-	0,00
14	5 627	5 630	-0,04	97,4	-	0,00
15	6 114	6 116	-0,82	97,4	-	0,00
16	6 464	6 467	-1,34	97,4	-	0,00
17	6 936	6 938	-2,01	97,4	-	0,00
18	7 272	7 274	-2,46	97,4	-	0,00
19	7 778	7 780	-3,10	97,4	-	0,00
2	6 070	6 073	-0,75	97,4	-	0,00
20	7 465	7 467	-2,71	97,4	-	0,00
21	7 987	7 988	-3,35	97,4	-	0,00
22	7 977	7 979	-3,34	97,4	-	0,00
23	8 496	8 498	-3,94	97,4	-	0,00
24	8 589	8 591	-4,05	97,4	-	0,00
25	7 921	7 923	-3,27	97,4	-	0,00
26	8 519	8 520	-3,97	97,4	-	0,00
27	8 455	8 457	-3,89	97,4	-	0,00
28	8 500	8 501	-3,94	97,4	-	0,00
29	8 980	8 981	-4,47	97,4	-	0,00
3	5 728	5 731	-0,21	97,4	-	0,00
30	9 019	9 021	-4,51	97,4	-	0,00
31	9 026	9 028	-4,52	97,4	-	0,00
32	9 483	9 485	-5,00	97,4	-	0,00
33	10 126	10 128	-5,63	97,4	-	0,00
34	10 155	10 156	-5,66	97,4	-	0,00
35	9 563	9 565	-5,08	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 658	9 659	-5,17	97,4	-	0,00
37	9 625	9 626	-5,14	97,4	-	0,00
38	9 947	9 948	-5,46	97,4	-	0,00
39	9 012	9 014	-4,51	97,4	-	0,00
4	5 066	5 069	0,94	97,4	-	0,00
40	9 985	9 986	-5,50	97,4	-	0,00
41	10 511	10 512	-6,00	97,4	-	0,00
5	5 407	5 410	0,33	97,4	-	0,00
6	4 409	4 412	2,22	97,4	-	0,00
7	4 150	4 154	2,78	97,4	-	0,00
8	3 412	3 416	4,57	97,4	-	0,00
9	3 842	3 846	3,49	97,4	-	0,00
Sum			15,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JU Bruveri

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 839	3 843	3,49	97,4	-	0,00
10	4 503	4 506	2,03	97,4	-	0,00
11	6 939	6 941	-2,01	97,4	-	0,00
12	7 254	7 256	-2,43	97,4	-	0,00
13	7 469	7 471	-2,71	97,4	-	0,00
14	7 560	7 562	-2,83	97,4	-	0,00
15	8 145	8 147	-3,54	97,4	-	0,00
16	8 573	8 575	-4,03	97,4	-	0,00
17	9 102	9 104	-4,60	97,4	-	0,00
18	8 720	8 722	-4,19	97,4	-	0,00
19	9 198	9 200	-4,70	97,4	-	0,00
2	4 210	4 214	2,65	97,4	-	0,00
20	9 327	9 329	-4,84	97,4	-	0,00
21	9 562	9 564	-5,08	97,4	-	0,00
22	9 803	9 805	-5,32	97,4	-	0,00
23	10 313	10 315	-5,81	97,4	-	0,00
24	10 156	10 157	-5,66	97,4	-	0,00
25	8 950	8 952	-4,44	97,4	-	0,00
26	9 307	9 309	-4,82	97,4	-	0,00
27	9 749	9 751	-5,27	97,4	-	0,00
28	9 543	9 545	-5,06	97,4	-	0,00
29	9 817	9 819	-5,33	97,4	-	0,00
3	4 344	4 348	2,36	97,4	-	0,00
30	10 093	10 095	-5,60	97,4	-	0,00
31	10 315	10 317	-5,81	97,4	-	0,00
32	10 307	10 308	-5,81	97,4	-	0,00
33	10 982	10 983	-6,42	97,4	-	0,00
34	11 185	11 187	-6,60	97,4	-	0,00
35	10 629	10 631	-6,10	97,4	-	0,00
36	10 899	10 900	-6,35	97,4	-	0,00
37	11 097	11 099	-6,53	97,4	-	0,00
38	11 603	11 605	-6,96	97,4	-	0,00
39	10 610	10 612	-6,09	97,4	-	0,00
4	3 889	3 893	3,37	97,4	-	0,00
40	11 839	11 841	-7,16	97,4	-	0,00
41	12 396	12 398	-7,61	97,4	-	0,00
5	4 454	4 457	2,13	97,4	-	0,00
6	3 410	3 415	4,57	97,4	-	0,00
7	2 908	2 913	6,02	97,4	-	0,00
8	4 914	4 917	1,22	97,4	-	0,00
9	5 514	5 516	0,15	97,4	-	0,00
Sum			14,83			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JU Bruveri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 839	3 843	3,49	97,4	-	0,00
10	4 503	4 506	2,03	97,4	-	0,00
11	6 939	6 941	-2,01	97,4	-	0,00
12	7 254	7 256	-2,43	97,4	-	0,00
13	7 469	7 471	-2,71	97,4	-	0,00
14	7 560	7 562	-2,83	97,4	-	0,00
15	8 145	8 147	-3,54	97,4	-	0,00
16	8 573	8 575	-4,03	97,4	-	0,00
17	9 102	9 104	-4,60	97,4	-	0,00
18	8 720	8 722	-4,19	97,4	-	0,00
19	9 198	9 200	-4,70	97,4	-	0,00
2	4 210	4 214	2,65	97,4	-	0,00
20	9 327	9 329	-4,84	97,4	-	0,00
21	9 562	9 564	-5,08	97,4	-	0,00
22	9 803	9 805	-5,32	97,4	-	0,00
23	10 313	10 315	-5,81	97,4	-	0,00
24	10 156	10 157	-5,66	97,4	-	0,00
25	8 950	8 952	-4,44	97,4	-	0,00
26	9 307	9 309	-4,82	97,4	-	0,00
27	9 749	9 751	-5,27	97,4	-	0,00
28	9 543	9 545	-5,06	97,4	-	0,00
29	9 817	9 819	-5,33	97,4	-	0,00
3	4 344	4 348	2,36	97,4	-	0,00
30	10 093	10 095	-5,60	97,4	-	0,00
31	10 315	10 317	-5,81	97,4	-	0,00
32	10 307	10 308	-5,81	97,4	-	0,00
33	10 982	10 983	-6,42	97,4	-	0,00
34	11 185	11 187	-6,60	97,4	-	0,00
35	10 629	10 631	-6,10	97,4	-	0,00
36	10 899	10 900	-6,35	97,4	-	0,00
37	11 097	11 099	-6,53	97,4	-	0,00
38	11 603	11 605	-6,96	97,4	-	0,00
39	10 610	10 612	-6,09	97,4	-	0,00
4	3 889	3 893	3,37	97,4	-	0,00
40	11 839	11 841	-7,16	97,4	-	0,00
41	12 396	12 398	-7,61	97,4	-	0,00
5	4 454	4 457	2,13	97,4	-	0,00
6	3 410	3 415	4,57	97,4	-	0,00
7	2 908	2 913	6,02	97,4	-	0,00
8	4 914	4 917	1,22	97,4	-	0,00
9	5 514	5 516	0,15	97,4	-	0,00
Sum			14,83			

- Data undefined due to calculation with octave data

Noise sensitive area: JV Rimeicani

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 951	5 953	-0,57	97,4	-	0,00
10	2 928	2 933	5,96	97,4	-	0,00
11	4 860	4 863	1,32	97,4	-	0,00
12	4 846	4 849	1,35	97,4	-	0,00
13	5 396	5 399	0,35	97,4	-	0,00
14	5 805	5 808	-0,33	97,4	-	0,00
15	6 298	6 300	-1,10	97,4	-	0,00
16	6 653	6 655	-1,62	97,4	-	0,00
17	7 128	7 130	-2,27	97,4	-	0,00
18	7 434	7 436	-2,67	97,4	-	0,00
19	7 940	7 942	-3,29	97,4	-	0,00
2	6 032	6 035	-0,69	97,4	-	0,00
20	7 646	7 648	-2,93	97,4	-	0,00
21	8 156	8 158	-3,55	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	8 158	8 160	-3,55	97,4	-	0,00
23	8 678	8 679	-4,14	97,4	-	0,00
24	8 760	8 762	-4,24	97,4	-	0,00
25	8 064	8 066	-3,44	97,4	-	0,00
26	8 652	8 654	-4,12	97,4	-	0,00
27	8 613	8 615	-4,07	97,4	-	0,00
28	8 646	8 647	-4,11	97,4	-	0,00
29	9 117	9 119	-4,62	97,4	-	0,00
3	5 716	5 718	-0,19	97,4	-	0,00
30	9 168	9 170	-4,67	97,4	-	0,00
31	9 185	9 187	-4,69	97,4	-	0,00
32	9 622	9 623	-5,14	97,4	-	0,00
33	10 268	10 269	-5,77	97,4	-	0,00
34	10 305	10 306	-5,80	97,4	-	0,00
35	9 713	9 715	-5,23	97,4	-	0,00
36	9 816	9 818	-5,33	97,4	-	0,00
37	9 794	9 795	-5,31	97,4	-	0,00
38	10 124	10 126	-5,63	97,4	-	0,00
39	9 185	9 187	-4,69	97,4	-	0,00
4	5 057	5 060	0,95	97,4	-	0,00
40	10 170	10 171	-5,68	97,4	-	0,00
41	10 698	10 699	-6,17	97,4	-	0,00
5	5 417	5 420	0,31	97,4	-	0,00
6	4 399	4 403	2,24	97,4	-	0,00
7	4 120	4 123	2,85	97,4	-	0,00
8	3 546	3 550	4,22	97,4	-	0,00
9	3 993	3 997	3,13	97,4	-	0,00
Sum			15,14			

- Data undefined due to calculation with octave data

Noise sensitive area: JV Rimeicani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 951	5 953	-0,57	97,4	-	0,00
10	2 928	2 933	5,96	97,4	-	0,00
11	4 860	4 863	1,32	97,4	-	0,00
12	4 846	4 849	1,35	97,4	-	0,00
13	5 396	5 399	0,35	97,4	-	0,00
14	5 805	5 808	-0,33	97,4	-	0,00
15	6 298	6 300	-1,10	97,4	-	0,00
16	6 653	6 655	-1,62	97,4	-	0,00
17	7 128	7 130	-2,27	97,4	-	0,00
18	7 434	7 436	-2,67	97,4	-	0,00
19	7 940	7 942	-3,29	97,4	-	0,00
2	6 032	6 035	-0,69	97,4	-	0,00
20	7 646	7 648	-2,93	97,4	-	0,00
21	8 156	8 158	-3,55	97,4	-	0,00
22	8 158	8 160	-3,55	97,4	-	0,00
23	8 678	8 679	-4,14	97,4	-	0,00
24	8 760	8 762	-4,24	97,4	-	0,00
25	8 064	8 066	-3,44	97,4	-	0,00
26	8 652	8 654	-4,12	97,4	-	0,00
27	8 613	8 615	-4,07	97,4	-	0,00
28	8 646	8 647	-4,11	97,4	-	0,00
29	9 117	9 119	-4,62	97,4	-	0,00
3	5 716	5 718	-0,19	97,4	-	0,00
30	9 168	9 170	-4,67	97,4	-	0,00
31	9 185	9 187	-4,69	97,4	-	0,00
32	9 622	9 623	-5,14	97,4	-	0,00
33	10 268	10 269	-5,77	97,4	-	0,00
34	10 305	10 306	-5,80	97,4	-	0,00
35	9 713	9 715	-5,23	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 816	9 818	-5,33	97,4	-	0,00
37	9 794	9 795	-5,31	97,4	-	0,00
38	10 124	10 126	-5,63	97,4	-	0,00
39	9 185	9 187	-4,69	97,4	-	0,00
4	5 057	5 060	0,95	97,4	-	0,00
40	10 170	10 171	-5,68	97,4	-	0,00
41	10 698	10 699	-6,17	97,4	-	0,00
5	5 417	5 420	0,31	97,4	-	0,00
6	4 399	4 403	2,24	97,4	-	0,00
7	4 120	4 123	2,85	97,4	-	0,00
8	3 546	3 550	4,22	97,4	-	0,00
9	3 993	3 997	3,13	97,4	-	0,00
Sum			15,14			

- Data undefined due to calculation with octave data

Noise sensitive area: JW Lakstigalas

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 968	5 971	-0,59	97,4	-	0,00
10	2 910	2 915	6,01	97,4	-	0,00
11	4 830	4 833	1,38	97,4	-	0,00
12	4 812	4 816	1,41	97,4	-	0,00
13	5 366	5 369	0,40	97,4	-	0,00
14	5 778	5 781	-0,29	97,4	-	0,00
15	6 270	6 272	-1,06	97,4	-	0,00
16	6 624	6 626	-1,57	97,4	-	0,00
17	7 097	7 100	-2,23	97,4	-	0,00
18	7 410	7 412	-2,64	97,4	-	0,00
19	7 917	7 919	-3,27	97,4	-	0,00
2	6 046	6 049	-0,72	97,4	-	0,00
20	7 618	7 620	-2,90	97,4	-	0,00
21	8 131	8 133	-3,52	97,4	-	0,00
22	8 130	8 132	-3,52	97,4	-	0,00
23	8 650	8 652	-4,11	97,4	-	0,00
24	8 735	8 737	-4,21	97,4	-	0,00
25	8 045	8 047	-3,42	97,4	-	0,00
26	8 635	8 636	-4,10	97,4	-	0,00
27	8 590	8 592	-4,05	97,4	-	0,00
28	8 626	8 627	-4,09	97,4	-	0,00
29	9 099	9 101	-4,60	97,4	-	0,00
3	5 725	5 728	-0,20	97,4	-	0,00
30	9 147	9 149	-4,65	97,4	-	0,00
31	9 163	9 164	-4,67	97,4	-	0,00
32	9 603	9 605	-5,12	97,4	-	0,00
33	10 249	10 250	-5,75	97,4	-	0,00
34	10 284	10 285	-5,78	97,4	-	0,00
35	9 693	9 694	-5,21	97,4	-	0,00
36	9 794	9 795	-5,31	97,4	-	0,00
37	9 769	9 770	-5,29	97,4	-	0,00
38	10 097	10 099	-5,61	97,4	-	0,00
39	9 159	9 161	-4,66	97,4	-	0,00
4	5 066	5 069	0,94	97,4	-	0,00
40	10 141	10 143	-5,65	97,4	-	0,00
41	10 669	10 670	-6,14	97,4	-	0,00
5	5 423	5 426	0,30	97,4	-	0,00
6	4 408	4 412	2,22	97,4	-	0,00
7	4 132	4 136	2,82	97,4	-	0,00
8	3 528	3 532	4,27	97,4	-	0,00
9	3 972	3 976	3,18	97,4	-	0,00
Sum			15,17			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JW Lakstigalas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	5 968	5 971	-0,59	97,4	-	0,00
10	2 910	2 915	6,01	97,4	-	0,00
11	4 830	4 833	1,38	97,4	-	0,00
12	4 812	4 816	1,41	97,4	-	0,00
13	5 366	5 369	0,40	97,4	-	0,00
14	5 778	5 781	-0,29	97,4	-	0,00
15	6 270	6 272	-1,06	97,4	-	0,00
16	6 624	6 626	-1,57	97,4	-	0,00
17	7 097	7 100	-2,23	97,4	-	0,00
18	7 410	7 412	-2,64	97,4	-	0,00
19	7 917	7 919	-3,27	97,4	-	0,00
2	6 046	6 049	-0,72	97,4	-	0,00
20	7 618	7 620	-2,90	97,4	-	0,00
21	8 131	8 133	-3,52	97,4	-	0,00
22	8 130	8 132	-3,52	97,4	-	0,00
23	8 650	8 652	-4,11	97,4	-	0,00
24	8 735	8 737	-4,21	97,4	-	0,00
25	8 045	8 047	-3,42	97,4	-	0,00
26	8 635	8 636	-4,10	97,4	-	0,00
27	8 590	8 592	-4,05	97,4	-	0,00
28	8 626	8 627	-4,09	97,4	-	0,00
29	9 099	9 101	-4,60	97,4	-	0,00
3	5 725	5 728	-0,20	97,4	-	0,00
30	9 147	9 149	-4,65	97,4	-	0,00
31	9 163	9 164	-4,67	97,4	-	0,00
32	9 603	9 605	-5,12	97,4	-	0,00
33	10 249	10 250	-5,75	97,4	-	0,00
34	10 284	10 285	-5,78	97,4	-	0,00
35	9 693	9 694	-5,21	97,4	-	0,00
36	9 794	9 795	-5,31	97,4	-	0,00
37	9 769	9 770	-5,29	97,4	-	0,00
38	10 097	10 099	-5,61	97,4	-	0,00
39	9 159	9 161	-4,66	97,4	-	0,00
4	5 066	5 069	0,94	97,4	-	0,00
40	10 141	10 143	-5,65	97,4	-	0,00
41	10 669	10 670	-6,14	97,4	-	0,00
5	5 423	5 426	0,30	97,4	-	0,00
6	4 408	4 412	2,22	97,4	-	0,00
7	4 132	4 136	2,82	97,4	-	0,00
8	3 528	3 532	4,27	97,4	-	0,00
9	3 972	3 976	3,18	97,4	-	0,00
Sum			15,17			

- Data undefined due to calculation with octave data

Noise sensitive area: JX Jaunaudzes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 288	9 290	-4,80	97,4	-	0,00
10	4 334	4 337	2,38	97,4	-	0,00
11	3 320	3 324	4,82	97,4	-	0,00
12	2 538	2 545	7,24	97,4	-	0,00
13	3 461	3 465	4,44	97,4	-	0,00
14	4 273	4 277	2,51	97,4	-	0,00
15	4 313	4 316	2,43	97,4	-	0,00
16	4 353	4 357	2,34	97,4	-	0,00
17	4 528	4 532	1,98	97,4	-	0,00
18	6 024	6 027	-0,68	97,4	-	0,00
19	6 412	6 414	-1,27	97,4	-	0,00
2	9 088	9 090	-4,59	97,4	-	0,00
20	5 447	5 450	0,26	97,4	-	0,00
21	6 305	6 307	-1,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 873	5 876	-0,44	97,4	-	0,00
23	6 276	6 278	-1,06	97,4	-	0,00
24	6 765	6 767	-1,77	97,4	-	0,00
25	7 117	7 119	-2,25	97,4	-	0,00
26	7 904	7 906	-3,25	97,4	-	0,00
27	7 098	7 100	-2,23	97,4	-	0,00
28	7 515	7 517	-2,77	97,4	-	0,00
29	8 182	8 184	-3,58	97,4	-	0,00
3	8 443	8 445	-3,88	97,4	-	0,00
30	7 863	7 865	-3,20	97,4	-	0,00
31	7 541	7 543	-2,80	97,4	-	0,00
32	8 596	8 598	-4,05	97,4	-	0,00
33	9 069	9 070	-4,57	97,4	-	0,00
34	8 836	8 838	-4,32	97,4	-	0,00
35	8 304	8 306	-3,72	97,4	-	0,00
36	8 115	8 117	-3,50	97,4	-	0,00
37	7 730	7 732	-3,04	97,4	-	0,00
38	7 703	7 705	-3,00	97,4	-	0,00
39	7 039	7 042	-2,15	97,4	-	0,00
4	7 838	7 840	-3,17	97,4	-	0,00
40	7 417	7 419	-2,64	97,4	-	0,00
41	7 816	7 818	-3,14	97,4	-	0,00
5	7 859	7 860	-3,20	97,4	-	0,00
6	7 321	7 324	-2,52	97,4	-	0,00
7	7 362	7 365	-2,57	97,4	-	0,00
8	4 529	4 532	1,97	97,4	-	0,00
9	4 296	4 299	2,46	97,4	-	0,00
Sum			16,04			

- Data undefined due to calculation with octave data

Noise sensitive area: JX Jaunaudzes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 288	9 290	-4,80	97,4	-	0,00
10	4 334	4 337	2,38	97,4	-	0,00
11	3 320	3 324	4,82	97,4	-	0,00
12	2 538	2 545	7,24	97,4	-	0,00
13	3 461	3 465	4,44	97,4	-	0,00
14	4 273	4 277	2,51	97,4	-	0,00
15	4 313	4 316	2,43	97,4	-	0,00
16	4 353	4 357	2,34	97,4	-	0,00
17	4 528	4 532	1,98	97,4	-	0,00
18	6 024	6 027	-0,68	97,4	-	0,00
19	6 412	6 414	-1,27	97,4	-	0,00
2	9 088	9 090	-4,59	97,4	-	0,00
20	5 447	5 450	0,26	97,4	-	0,00
21	6 305	6 307	-1,11	97,4	-	0,00
22	5 873	5 876	-0,44	97,4	-	0,00
23	6 276	6 278	-1,06	97,4	-	0,00
24	6 765	6 767	-1,77	97,4	-	0,00
25	7 117	7 119	-2,25	97,4	-	0,00
26	7 904	7 906	-3,25	97,4	-	0,00
27	7 098	7 100	-2,23	97,4	-	0,00
28	7 515	7 517	-2,77	97,4	-	0,00
29	8 182	8 184	-3,58	97,4	-	0,00
3	8 443	8 445	-3,88	97,4	-	0,00
30	7 863	7 865	-3,20	97,4	-	0,00
31	7 541	7 543	-2,80	97,4	-	0,00
32	8 596	8 598	-4,05	97,4	-	0,00
33	9 069	9 070	-4,57	97,4	-	0,00
34	8 836	8 838	-4,32	97,4	-	0,00
35	8 304	8 306	-3,72	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 115	8 117	-3,50	97,4	-	0,00
37	7 730	7 732	-3,04	97,4	-	0,00
38	7 703	7 705	-3,00	97,4	-	0,00
39	7 039	7 042	-2,15	97,4	-	0,00
4	7 838	7 840	-3,17	97,4	-	0,00
40	7 417	7 419	-2,64	97,4	-	0,00
41	7 816	7 818	-3,14	97,4	-	0,00
5	7 859	7 860	-3,20	97,4	-	0,00
6	7 321	7 324	-2,52	97,4	-	0,00
7	7 362	7 365	-2,57	97,4	-	0,00
8	4 529	4 532	1,97	97,4	-	0,00
9	4 296	4 299	2,46	97,4	-	0,00
Sum			16,04			

- Data undefined due to calculation with octave data

Noise sensitive area: JY 76640040080

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 841	7 843	-3,17	97,4	-	0,00
10	2 951	2 955	5,89	97,4	-	0,00
11	2 736	2 741	6,57	97,4	-	0,00
12	2 204	2 211	8,51	97,4	-	0,00
13	3 099	3 104	5,44	97,4	-	0,00
14	3 832	3 836	3,51	97,4	-	0,00
15	4 081	4 085	2,93	97,4	-	0,00
16	4 275	4 279	2,51	97,4	-	0,00
17	4 611	4 615	1,81	97,4	-	0,00
18	5 677	5 680	-0,13	97,4	-	0,00
19	6 134	6 136	-0,85	97,4	-	0,00
2	7 678	7 680	-2,97	97,4	-	0,00
20	5 399	5 402	0,34	97,4	-	0,00
21	6 152	6 154	-0,88	97,4	-	0,00
22	5 886	5 888	-0,46	97,4	-	0,00
23	6 358	6 361	-1,19	97,4	-	0,00
24	6 692	6 695	-1,67	97,4	-	0,00
25	6 654	6 656	-1,62	97,4	-	0,00
26	7 404	7 406	-2,63	97,4	-	0,00
27	6 846	6 848	-1,89	97,4	-	0,00
28	7 136	7 138	-2,28	97,4	-	0,00
29	7 758	7 760	-3,07	97,4	-	0,00
3	7 072	7 074	-2,19	97,4	-	0,00
30	7 561	7 563	-2,83	97,4	-	0,00
31	7 357	7 359	-2,57	97,4	-	0,00
32	8 217	8 219	-3,62	97,4	-	0,00
33	8 766	8 767	-4,24	97,4	-	0,00
34	8 626	8 627	-4,09	97,4	-	0,00
35	8 056	8 057	-3,43	97,4	-	0,00
36	7 972	7 974	-3,33	97,4	-	0,00
37	7 720	7 722	-3,03	97,4	-	0,00
38	7 842	7 844	-3,18	97,4	-	0,00
39	7 040	7 043	-2,15	97,4	-	0,00
4	6 445	6 447	-1,31	97,4	-	0,00
40	7 694	7 696	-2,99	97,4	-	0,00
41	8 162	8 164	-3,56	97,4	-	0,00
5	6 521	6 523	-1,42	97,4	-	0,00
6	5 894	5 897	-0,48	97,4	-	0,00
7	5 897	5 899	-0,48	97,4	-	0,00
8	3 261	3 266	4,98	97,4	-	0,00
9	3 174	3 179	5,23	97,4	-	0,00
Sum			17,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: JY 76640040080

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 841	7 843	-3,17	97,4	-	0,00
10	2 951	2 955	5,89	97,4	-	0,00
11	2 736	2 741	6,57	97,4	-	0,00
12	2 204	2 211	8,51	97,4	-	0,00
13	3 099	3 104	5,44	97,4	-	0,00
14	3 832	3 836	3,51	97,4	-	0,00
15	4 081	4 085	2,93	97,4	-	0,00
16	4 275	4 279	2,51	97,4	-	0,00
17	4 611	4 615	1,81	97,4	-	0,00
18	5 677	5 680	-0,13	97,4	-	0,00
19	6 134	6 136	-0,85	97,4	-	0,00
2	7 678	7 680	-2,97	97,4	-	0,00
20	5 399	5 402	0,34	97,4	-	0,00
21	6 152	6 154	-0,88	97,4	-	0,00
22	5 886	5 888	-0,46	97,4	-	0,00
23	6 358	6 361	-1,19	97,4	-	0,00
24	6 692	6 695	-1,67	97,4	-	0,00
25	6 654	6 656	-1,62	97,4	-	0,00
26	7 404	7 406	-2,63	97,4	-	0,00
27	6 846	6 848	-1,89	97,4	-	0,00
28	7 136	7 138	-2,28	97,4	-	0,00
29	7 758	7 760	-3,07	97,4	-	0,00
3	7 072	7 074	-2,19	97,4	-	0,00
30	7 561	7 563	-2,83	97,4	-	0,00
31	7 357	7 359	-2,57	97,4	-	0,00
32	8 217	8 219	-3,62	97,4	-	0,00
33	8 766	8 767	-4,24	97,4	-	0,00
34	8 626	8 627	-4,09	97,4	-	0,00
35	8 056	8 057	-3,43	97,4	-	0,00
36	7 972	7 974	-3,33	97,4	-	0,00
37	7 720	7 722	-3,03	97,4	-	0,00
38	7 842	7 844	-3,18	97,4	-	0,00
39	7 040	7 043	-2,15	97,4	-	0,00
4	6 445	6 447	-1,31	97,4	-	0,00
40	7 694	7 696	-2,99	97,4	-	0,00
41	8 162	8 164	-3,56	97,4	-	0,00
5	6 521	6 523	-1,42	97,4	-	0,00
6	5 894	5 897	-0,48	97,4	-	0,00
7	5 897	5 899	-0,48	97,4	-	0,00
8	3 261	3 266	4,98	97,4	-	0,00
9	3 174	3 179	5,23	97,4	-	0,00
Sum			17,21			

- Data undefined due to calculation with octave data

Noise sensitive area: JZ Eglaine

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 311	9 312	-4,82	97,4	-	0,00
10	4 482	4 486	2,07	97,4	-	0,00
11	2 469	2 475	7,49	97,4	-	0,00
12	1 721	1 731	10,70	97,4	-	0,00
13	2 293	2 299	8,16	97,4	-	0,00
14	3 028	3 034	5,65	97,4	-	0,00
15	2 838	2 843	6,24	97,4	-	0,00
16	2 729	2 735	6,59	97,4	-	0,00
17	2 764	2 770	6,48	97,4	-	0,00
18	4 512	4 515	2,01	97,4	-	0,00
19	4 820	4 823	1,40	97,4	-	0,00
2	8 999	9 001	-4,49	97,4	-	0,00
20	3 724	3 728	3,77	97,4	-	0,00
21	4 619	4 622	1,79	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 092	4 096	2,91	97,4	-	0,00
23	4 445	4 448	2,15	97,4	-	0,00
24	5 011	5 014	1,04	97,4	-	0,00
25	5 659	5 662	-0,10	97,4	-	0,00
26	6 451	6 454	-1,33	97,4	-	0,00
27	5 459	5 462	0,24	97,4	-	0,00
28	5 967	5 970	-0,59	97,4	-	0,00
29	6 653	6 655	-1,61	97,4	-	0,00
3	8 267	8 269	-3,68	97,4	-	0,00
30	6 241	6 244	-1,01	97,4	-	0,00
31	5 840	5 843	-0,39	97,4	-	0,00
32	7 017	7 019	-2,12	97,4	-	0,00
33	7 421	7 423	-2,65	97,4	-	0,00
34	7 127	7 129	-2,27	97,4	-	0,00
35	6 631	6 633	-1,58	97,4	-	0,00
36	6 375	6 377	-1,21	97,4	-	0,00
37	5 920	5 922	-0,52	97,4	-	0,00
38	5 826	5 829	-0,37	97,4	-	0,00
39	5 236	5 239	0,63	97,4	-	0,00
4	7 747	7 749	-3,06	97,4	-	0,00
40	5 500	5 502	0,17	97,4	-	0,00
41	5 885	5 887	-0,46	97,4	-	0,00
5	7 624	7 626	-2,91	97,4	-	0,00
6	7 351	7 353	-2,56	97,4	-	0,00
7	7 521	7 523	-2,78	97,4	-	0,00
8	4 408	4 412	2,22	97,4	-	0,00
9	3 956	3 960	3,22	97,4	-	0,00
Sum			18,77			

- Data undefined due to calculation with octave data

Noise sensitive area: JZ Eglaine

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 311	9 312	-4,82	97,4	-	0,00
10	4 482	4 486	2,07	97,4	-	0,00
11	2 469	2 475	7,49	97,4	-	0,00
12	1 721	1 731	10,70	97,4	-	0,00
13	2 293	2 299	8,16	97,4	-	0,00
14	3 028	3 034	5,65	97,4	-	0,00
15	2 838	2 843	6,24	97,4	-	0,00
16	2 729	2 735	6,59	97,4	-	0,00
17	2 764	2 770	6,48	97,4	-	0,00
18	4 512	4 515	2,01	97,4	-	0,00
19	4 820	4 823	1,40	97,4	-	0,00
2	8 999	9 001	-4,49	97,4	-	0,00
20	3 724	3 728	3,77	97,4	-	0,00
21	4 619	4 622	1,79	97,4	-	0,00
22	4 092	4 096	2,91	97,4	-	0,00
23	4 445	4 448	2,15	97,4	-	0,00
24	5 011	5 014	1,04	97,4	-	0,00
25	5 659	5 662	-0,10	97,4	-	0,00
26	6 451	6 454	-1,33	97,4	-	0,00
27	5 459	5 462	0,24	97,4	-	0,00
28	5 967	5 970	-0,59	97,4	-	0,00
29	6 653	6 655	-1,61	97,4	-	0,00
3	8 267	8 269	-3,68	97,4	-	0,00
30	6 241	6 244	-1,01	97,4	-	0,00
31	5 840	5 843	-0,39	97,4	-	0,00
32	7 017	7 019	-2,12	97,4	-	0,00
33	7 421	7 423	-2,65	97,4	-	0,00
34	7 127	7 129	-2,27	97,4	-	0,00
35	6 631	6 633	-1,58	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 375	6 377	-1,21	97,4	-	0,00
37	5 920	5 922	-0,52	97,4	-	0,00
38	5 826	5 829	-0,37	97,4	-	0,00
39	5 236	5 239	0,63	97,4	-	0,00
4	7 747	7 749	-3,06	97,4	-	0,00
40	5 500	5 502	0,17	97,4	-	0,00
41	5 885	5 887	-0,46	97,4	-	0,00
5	7 624	7 626	-2,91	97,4	-	0,00
6	7 351	7 353	-2,56	97,4	-	0,00
7	7 521	7 523	-2,78	97,4	-	0,00
8	4 408	4 412	2,22	97,4	-	0,00
9	3 956	3 960	3,22	97,4	-	0,00
Sum			18,77			

- Data undefined due to calculation with octave data

Noise sensitive area: KA Krastmala

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 141	8 143	-3,53	97,4	-	0,00
10	3 463	3 467	4,43	97,4	-	0,00
11	3 658	3 663	3,93	97,4	-	0,00
12	3 146	3 151	5,31	97,4	-	0,00
13	4 038	4 042	3,03	97,4	-	0,00
14	4 759	4 762	1,52	97,4	-	0,00
15	5 022	5 025	1,02	97,4	-	0,00
16	5 218	5 221	0,66	97,4	-	0,00
17	5 548	5 551	0,09	97,4	-	0,00
18	6 604	6 607	-1,55	97,4	-	0,00
19	7 066	7 068	-2,18	97,4	-	0,00
2	8 042	8 044	-3,42	97,4	-	0,00
20	6 341	6 344	-1,16	97,4	-	0,00
21	7 092	7 094	-2,22	97,4	-	0,00
22	6 827	6 830	-1,86	97,4	-	0,00
23	7 299	7 301	-2,49	97,4	-	0,00
24	7 635	7 637	-2,92	97,4	-	0,00
25	7 560	7 563	-2,83	97,4	-	0,00
26	8 300	8 302	-3,72	97,4	-	0,00
27	7 779	7 781	-3,10	97,4	-	0,00
28	8 053	8 055	-3,43	97,4	-	0,00
29	8 666	8 668	-4,13	97,4	-	0,00
3	7 498	7 500	-2,75	97,4	-	0,00
30	8 488	8 489	-3,93	97,4	-	0,00
31	8 294	8 296	-3,71	97,4	-	0,00
32	9 131	9 133	-4,63	97,4	-	0,00
33	9 689	9 691	-5,21	97,4	-	0,00
34	9 559	9 560	-5,08	97,4	-	0,00
35	8 986	8 988	-4,48	97,4	-	0,00
36	8 911	8 912	-4,40	97,4	-	0,00
37	8 663	8 664	-4,13	97,4	-	0,00
38	8 781	8 783	-4,26	97,4	-	0,00
39	7 983	7 985	-3,35	97,4	-	0,00
4	6 847	6 849	-1,89	97,4	-	0,00
40	8 623	8 625	-4,08	97,4	-	0,00
41	9 084	9 085	-4,58	97,4	-	0,00
5	6 994	6 996	-2,09	97,4	-	0,00
6	6 253	6 255	-1,03	97,4	-	0,00
7	6 181	6 184	-0,92	97,4	-	0,00
8	3 885	3 889	3,38	97,4	-	0,00
9	3 908	3 912	3,33	97,4	-	0,00
Sum			15,48			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KA Krastmala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 141	8 143	-3,53	97,4	-	0,00
10	3 463	3 467	4,43	97,4	-	0,00
11	3 658	3 663	3,93	97,4	-	0,00
12	3 146	3 151	5,31	97,4	-	0,00
13	4 038	4 042	3,03	97,4	-	0,00
14	4 759	4 762	1,52	97,4	-	0,00
15	5 022	5 025	1,02	97,4	-	0,00
16	5 218	5 221	0,66	97,4	-	0,00
17	5 548	5 551	0,09	97,4	-	0,00
18	6 604	6 607	-1,55	97,4	-	0,00
19	7 066	7 068	-2,18	97,4	-	0,00
2	8 042	8 044	-3,42	97,4	-	0,00
20	6 341	6 344	-1,16	97,4	-	0,00
21	7 092	7 094	-2,22	97,4	-	0,00
22	6 827	6 830	-1,86	97,4	-	0,00
23	7 299	7 301	-2,49	97,4	-	0,00
24	7 635	7 637	-2,92	97,4	-	0,00
25	7 560	7 563	-2,83	97,4	-	0,00
26	8 300	8 302	-3,72	97,4	-	0,00
27	7 779	7 781	-3,10	97,4	-	0,00
28	8 053	8 055	-3,43	97,4	-	0,00
29	8 666	8 668	-4,13	97,4	-	0,00
3	7 498	7 500	-2,75	97,4	-	0,00
30	8 488	8 489	-3,93	97,4	-	0,00
31	8 294	8 296	-3,71	97,4	-	0,00
32	9 131	9 133	-4,63	97,4	-	0,00
33	9 689	9 691	-5,21	97,4	-	0,00
34	9 559	9 560	-5,08	97,4	-	0,00
35	8 986	8 988	-4,48	97,4	-	0,00
36	8 911	8 912	-4,40	97,4	-	0,00
37	8 663	8 664	-4,13	97,4	-	0,00
38	8 781	8 783	-4,26	97,4	-	0,00
39	7 983	7 985	-3,35	97,4	-	0,00
4	6 847	6 849	-1,89	97,4	-	0,00
40	8 623	8 625	-4,08	97,4	-	0,00
41	9 084	9 085	-4,58	97,4	-	0,00
5	6 994	6 996	-2,09	97,4	-	0,00
6	6 253	6 255	-1,03	97,4	-	0,00
7	6 181	6 184	-0,92	97,4	-	0,00
8	3 885	3 889	3,38	97,4	-	0,00
9	3 908	3 912	3,33	97,4	-	0,00
Sum			15,48			

- Data undefined due to calculation with octave data

Noise sensitive area: KB Pludi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 966	9 968	-5,48	97,4	-	0,00
10	5 012	5 015	1,04	97,4	-	0,00
11	3 448	3 452	4,48	97,4	-	0,00
12	2 630	2 636	6,93	97,4	-	0,00
13	3 408	3 412	4,58	97,4	-	0,00
14	4 194	4 198	2,68	97,4	-	0,00
15	4 074	4 078	2,95	97,4	-	0,00
16	3 998	4 002	3,12	97,4	-	0,00
17	4 042	4 047	3,02	97,4	-	0,00
18	5 770	5 772	-0,28	97,4	-	0,00
19	6 092	6 094	-0,79	97,4	-	0,00
2	9 713	9 715	-5,23	97,4	-	0,00
20	5 003	5 006	1,05	97,4	-	0,00
21	5 898	5 901	-0,48	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 366	5 369	0,40	97,4	-	0,00
23	5 706	5 708	-0,17	97,4	-	0,00
24	6 286	6 289	-1,08	97,4	-	0,00
25	6 910	6 913	-1,97	97,4	-	0,00
26	7 704	7 706	-3,01	97,4	-	0,00
27	6 737	6 739	-1,73	97,4	-	0,00
28	7 235	7 237	-2,41	97,4	-	0,00
29	7 919	7 921	-3,27	97,4	-	0,00
3	9 023	9 024	-4,52	97,4	-	0,00
30	7 518	7 520	-2,77	97,4	-	0,00
31	7 119	7 122	-2,26	97,4	-	0,00
32	8 291	8 293	-3,71	97,4	-	0,00
33	8 699	8 701	-4,17	97,4	-	0,00
34	8 405	8 407	-3,84	97,4	-	0,00
35	7 910	7 912	-3,26	97,4	-	0,00
36	7 651	7 653	-2,94	97,4	-	0,00
37	7 183	7 185	-2,34	97,4	-	0,00
38	7 058	7 060	-2,17	97,4	-	0,00
39	6 502	6 505	-1,40	97,4	-	0,00
4	8 454	8 456	-3,89	97,4	-	0,00
40	6 689	6 691	-1,67	97,4	-	0,00
41	7 040	7 042	-2,15	97,4	-	0,00
5	8 405	8 406	-3,84	97,4	-	0,00
6	7 989	7 991	-3,35	97,4	-	0,00
7	8 089	8 091	-3,47	97,4	-	0,00
8	5 085	5 088	0,90	97,4	-	0,00
9	4 737	4 740	1,56	97,4	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Noise sensitive area: KB Pludi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 966	9 968	-5,48	97,4	-	0,00
10	5 012	5 015	1,04	97,4	-	0,00
11	3 448	3 452	4,48	97,4	-	0,00
12	2 630	2 636	6,93	97,4	-	0,00
13	3 408	3 412	4,58	97,4	-	0,00
14	4 194	4 198	2,68	97,4	-	0,00
15	4 074	4 078	2,95	97,4	-	0,00
16	3 998	4 002	3,12	97,4	-	0,00
17	4 042	4 047	3,02	97,4	-	0,00
18	5 770	5 772	-0,28	97,4	-	0,00
19	6 092	6 094	-0,79	97,4	-	0,00
2	9 713	9 715	-5,23	97,4	-	0,00
20	5 003	5 006	1,05	97,4	-	0,00
21	5 898	5 901	-0,48	97,4	-	0,00
22	5 366	5 369	0,40	97,4	-	0,00
23	5 706	5 708	-0,17	97,4	-	0,00
24	6 286	6 289	-1,08	97,4	-	0,00
25	6 910	6 913	-1,97	97,4	-	0,00
26	7 704	7 706	-3,01	97,4	-	0,00
27	6 737	6 739	-1,73	97,4	-	0,00
28	7 235	7 237	-2,41	97,4	-	0,00
29	7 919	7 921	-3,27	97,4	-	0,00
3	9 023	9 024	-4,52	97,4	-	0,00
30	7 518	7 520	-2,77	97,4	-	0,00
31	7 119	7 122	-2,26	97,4	-	0,00
32	8 291	8 293	-3,71	97,4	-	0,00
33	8 699	8 701	-4,17	97,4	-	0,00
34	8 405	8 407	-3,84	97,4	-	0,00
35	7 910	7 912	-3,26	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 651	7 653	-2,94	97,4	-	0,00
37	7 183	7 185	-2,34	97,4	-	0,00
38	7 058	7 060	-2,17	97,4	-	0,00
39	6 502	6 505	-1,40	97,4	-	0,00
4	8 454	8 456	-3,89	97,4	-	0,00
40	6 689	6 691	-1,67	97,4	-	0,00
41	7 040	7 042	-2,15	97,4	-	0,00
5	8 405	8 406	-3,84	97,4	-	0,00
6	7 989	7 991	-3,35	97,4	-	0,00
7	8 089	8 091	-3,47	97,4	-	0,00
8	5 085	5 088	0,90	97,4	-	0,00
9	4 737	4 740	1,56	97,4	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Noise sensitive area: KC Kadiki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 126	9 128	-4,63	97,4	-	0,00
10	4 176	4 180	2,72	97,4	-	0,00
11	3 236	3 241	5,05	97,4	-	0,00
12	2 470	2 476	7,49	97,4	-	0,00
13	3 402	3 407	4,60	97,4	-	0,00
14	4 212	4 216	2,64	97,4	-	0,00
15	4 276	4 279	2,50	97,4	-	0,00
16	4 334	4 338	2,38	97,4	-	0,00
17	4 529	4 533	1,97	97,4	-	0,00
18	5 982	5 984	-0,61	97,4	-	0,00
19	6 378	6 381	-1,22	97,4	-	0,00
2	8 931	8 933	-4,42	97,4	-	0,00
20	5 437	5 440	0,28	97,4	-	0,00
21	6 286	6 288	-1,08	97,4	-	0,00
22	5 871	5 874	-0,44	97,4	-	0,00
23	6 284	6 286	-1,08	97,4	-	0,00
24	6 756	6 759	-1,76	97,4	-	0,00
25	7 064	7 067	-2,18	97,4	-	0,00
26	7 849	7 851	-3,18	97,4	-	0,00
27	7 069	7 072	-2,19	97,4	-	0,00
28	7 473	7 475	-2,72	97,4	-	0,00
29	8 136	8 138	-3,53	97,4	-	0,00
3	8 290	8 292	-3,71	97,4	-	0,00
30	7 831	7 833	-3,16	97,4	-	0,00
31	7 521	7 523	-2,78	97,4	-	0,00
32	8 556	8 558	-4,01	97,4	-	0,00
33	9 038	9 040	-4,54	97,4	-	0,00
34	8 816	8 817	-4,30	97,4	-	0,00
35	8 278	8 280	-3,69	97,4	-	0,00
36	8 101	8 103	-3,49	97,4	-	0,00
37	7 731	7 733	-3,04	97,4	-	0,00
38	7 721	7 723	-3,03	97,4	-	0,00
39	7 040	7 042	-2,15	97,4	-	0,00
4	7 682	7 684	-2,98	97,4	-	0,00
40	7 450	7 452	-2,69	97,4	-	0,00
41	7 859	7 861	-3,20	97,4	-	0,00
5	7 709	7 711	-3,01	97,4	-	0,00
6	7 161	7 163	-2,31	97,4	-	0,00
7	7 197	7 200	-2,36	97,4	-	0,00
8	4 383	4 387	2,28	97,4	-	0,00
9	4 164	4 168	2,75	97,4	-	0,00
Sum			16,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KC Kadiki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 126	9 128	-4,63	97,4	-	0,00
10	4 176	4 180	2,72	97,4	-	0,00
11	3 236	3 241	5,05	97,4	-	0,00
12	2 470	2 476	7,49	97,4	-	0,00
13	3 402	3 407	4,60	97,4	-	0,00
14	4 212	4 216	2,64	97,4	-	0,00
15	4 276	4 279	2,50	97,4	-	0,00
16	4 334	4 338	2,38	97,4	-	0,00
17	4 529	4 533	1,97	97,4	-	0,00
18	5 982	5 984	-0,61	97,4	-	0,00
19	6 378	6 381	-1,22	97,4	-	0,00
2	8 931	8 933	-4,42	97,4	-	0,00
20	5 437	5 440	0,28	97,4	-	0,00
21	6 286	6 288	-1,08	97,4	-	0,00
22	5 871	5 874	-0,44	97,4	-	0,00
23	6 284	6 286	-1,08	97,4	-	0,00
24	6 756	6 759	-1,76	97,4	-	0,00
25	7 064	7 067	-2,18	97,4	-	0,00
26	7 849	7 851	-3,18	97,4	-	0,00
27	7 069	7 072	-2,19	97,4	-	0,00
28	7 473	7 475	-2,72	97,4	-	0,00
29	8 136	8 138	-3,53	97,4	-	0,00
3	8 290	8 292	-3,71	97,4	-	0,00
30	7 831	7 833	-3,16	97,4	-	0,00
31	7 521	7 523	-2,78	97,4	-	0,00
32	8 556	8 558	-4,01	97,4	-	0,00
33	9 038	9 040	-4,54	97,4	-	0,00
34	8 816	8 817	-4,30	97,4	-	0,00
35	8 278	8 280	-3,69	97,4	-	0,00
36	8 101	8 103	-3,49	97,4	-	0,00
37	7 731	7 733	-3,04	97,4	-	0,00
38	7 721	7 723	-3,03	97,4	-	0,00
39	7 040	7 042	-2,15	97,4	-	0,00
4	7 682	7 684	-2,98	97,4	-	0,00
40	7 450	7 452	-2,69	97,4	-	0,00
41	7 859	7 861	-3,20	97,4	-	0,00
5	7 709	7 711	-3,01	97,4	-	0,00
6	7 161	7 163	-2,31	97,4	-	0,00
7	7 197	7 200	-2,36	97,4	-	0,00
8	4 383	4 387	2,28	97,4	-	0,00
9	4 164	4 168	2,75	97,4	-	0,00
Sum			16,18			

- Data undefined due to calculation with octave data

Noise sensitive area: KD Meldri

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 126	8 128	-3,51	97,4	-	0,00
10	3 321	3 325	4,82	97,4	-	0,00
11	3 258	3 263	4,99	97,4	-	0,00
12	2 708	2 714	6,66	97,4	-	0,00
13	3 615	3 619	4,04	97,4	-	0,00
14	4 353	4 357	2,34	97,4	-	0,00
15	4 593	4 596	1,84	97,4	-	0,00
16	4 776	4 779	1,48	97,4	-	0,00
17	5 096	5 099	0,88	97,4	-	0,00
18	6 198	6 201	-0,95	97,4	-	0,00
19	6 653	6 655	-1,61	97,4	-	0,00
2	7 994	7 996	-3,36	97,4	-	0,00
20	5 901	5 904	-0,49	97,4	-	0,00
21	6 664	6 667	-1,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 384	6 386	-1,23	97,4	-	0,00
23	6 850	6 853	-1,89	97,4	-	0,00
24	7 200	7 202	-2,36	97,4	-	0,00
25	7 177	7 179	-2,33	97,4	-	0,00
26	7 926	7 928	-3,28	97,4	-	0,00
27	7 365	7 367	-2,58	97,4	-	0,00
28	7 658	7 660	-2,95	97,4	-	0,00
29	8 280	8 282	-3,69	97,4	-	0,00
3	7 416	7 418	-2,64	97,4	-	0,00
30	8 082	8 084	-3,46	97,4	-	0,00
31	7 873	7 875	-3,21	97,4	-	0,00
32	8 740	8 741	-4,21	97,4	-	0,00
33	9 287	9 289	-4,80	97,4	-	0,00
34	9 144	9 146	-4,65	97,4	-	0,00
35	8 575	8 577	-4,03	97,4	-	0,00
36	8 486	8 488	-3,93	97,4	-	0,00
37	8 224	8 226	-3,63	97,4	-	0,00
38	8 331	8 333	-3,75	97,4	-	0,00
39	7 542	7 545	-2,80	97,4	-	0,00
4	6 776	6 779	-1,79	97,4	-	0,00
40	8 165	8 167	-3,56	97,4	-	0,00
41	8 623	8 625	-4,08	97,4	-	0,00
5	6 886	6 888	-1,94	97,4	-	0,00
6	6 203	6 206	-0,96	97,4	-	0,00
7	6 170	6 172	-0,90	97,4	-	0,00
8	3 685	3 689	3,87	97,4	-	0,00
9	3 645	3 649	3,97	97,4	-	0,00
Sum			16,14			

- Data undefined due to calculation with octave data

Noise sensitive area: KD Meldri

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 126	8 128	-3,51	97,4	-	0,00
10	3 321	3 325	4,82	97,4	-	0,00
11	3 258	3 263	4,99	97,4	-	0,00
12	2 708	2 714	6,66	97,4	-	0,00
13	3 615	3 619	4,04	97,4	-	0,00
14	4 353	4 357	2,34	97,4	-	0,00
15	4 593	4 596	1,84	97,4	-	0,00
16	4 776	4 779	1,48	97,4	-	0,00
17	5 096	5 099	0,88	97,4	-	0,00
18	6 198	6 201	-0,95	97,4	-	0,00
19	6 653	6 655	-1,61	97,4	-	0,00
2	7 994	7 996	-3,36	97,4	-	0,00
20	5 901	5 904	-0,49	97,4	-	0,00
21	6 664	6 667	-1,63	97,4	-	0,00
22	6 384	6 386	-1,23	97,4	-	0,00
23	6 850	6 853	-1,89	97,4	-	0,00
24	7 200	7 202	-2,36	97,4	-	0,00
25	7 177	7 179	-2,33	97,4	-	0,00
26	7 926	7 928	-3,28	97,4	-	0,00
27	7 365	7 367	-2,58	97,4	-	0,00
28	7 658	7 660	-2,95	97,4	-	0,00
29	8 280	8 282	-3,69	97,4	-	0,00
3	7 416	7 418	-2,64	97,4	-	0,00
30	8 082	8 084	-3,46	97,4	-	0,00
31	7 873	7 875	-3,21	97,4	-	0,00
32	8 740	8 741	-4,21	97,4	-	0,00
33	9 287	9 289	-4,80	97,4	-	0,00
34	9 144	9 146	-4,65	97,4	-	0,00
35	8 575	8 577	-4,03	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 486	8 488	-3,93	97,4	-	0,00
37	8 224	8 226	-3,63	97,4	-	0,00
38	8 331	8 333	-3,75	97,4	-	0,00
39	7 542	7 545	-2,80	97,4	-	0,00
4	6 776	6 779	-1,79	97,4	-	0,00
40	8 165	8 167	-3,56	97,4	-	0,00
41	8 623	8 625	-4,08	97,4	-	0,00
5	6 886	6 888	-1,94	97,4	-	0,00
6	6 203	6 206	-0,96	97,4	-	0,00
7	6 170	6 172	-0,90	97,4	-	0,00
8	3 685	3 689	3,87	97,4	-	0,00
9	3 645	3 649	3,97	97,4	-	0,00
Sum			16,14			

- Data undefined due to calculation with octave data

Noise sensitive area: KE Birzstalinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 032	9 034	-4,53	97,4	-	0,00
10	4 073	4 077	2,95	97,4	-	0,00
11	2 682	2 687	6,75	97,4	-	0,00
12	1 869	1 878	9,97	97,4	-	0,00
13	2 752	2 757	6,52	97,4	-	0,00
14	3 564	3 568	4,17	97,4	-	0,00
15	3 560	3 564	4,18	97,4	-	0,00
16	3 580	3 584	4,13	97,4	-	0,00
17	3 743	3 747	3,72	97,4	-	0,00
18	5 275	5 278	0,56	97,4	-	0,00
19	5 650	5 653	-0,08	97,4	-	0,00
2	8 788	8 790	-4,27	97,4	-	0,00
20	4 666	4 670	1,70	97,4	-	0,00
21	5 529	5 532	0,12	97,4	-	0,00
22	5 088	5 091	0,90	97,4	-	0,00
23	5 489	5 492	0,19	97,4	-	0,00
24	5 983	5 985	-0,62	97,4	-	0,00
25	6 383	6 385	-1,22	97,4	-	0,00
26	7 173	7 175	-2,33	97,4	-	0,00
27	6 330	6 333	-1,15	97,4	-	0,00
28	6 764	6 766	-1,77	97,4	-	0,00
29	7 436	7 438	-2,67	97,4	-	0,00
3	8 107	8 109	-3,49	97,4	-	0,00
30	7 100	7 102	-2,23	97,4	-	0,00
31	6 765	6 768	-1,77	97,4	-	0,00
32	7 841	7 843	-3,17	97,4	-	0,00
33	8 302	8 304	-3,72	97,4	-	0,00
34	8 061	8 062	-3,44	97,4	-	0,00
35	7 533	7 535	-2,79	97,4	-	0,00
36	7 335	7 337	-2,54	97,4	-	0,00
37	6 944	6 946	-2,02	97,4	-	0,00
38	6 918	6 920	-1,98	97,4	-	0,00
39	6 254	6 256	-1,03	97,4	-	0,00
4	7 530	7 532	-2,79	97,4	-	0,00
40	6 639	6 642	-1,60	97,4	-	0,00
41	7 047	7 049	-2,16	97,4	-	0,00
5	7 496	7 498	-2,75	97,4	-	0,00
6	7 055	7 058	-2,17	97,4	-	0,00
7	7 148	7 150	-2,29	97,4	-	0,00
8	4 166	4 170	2,74	97,4	-	0,00
9	3 848	3 852	3,47	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KE Birzstalinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 032	9 034	-4,53	97,4	-	0,00
10	4 073	4 077	2,95	97,4	-	0,00
11	2 682	2 687	6,75	97,4	-	0,00
12	1 869	1 878	9,97	97,4	-	0,00
13	2 752	2 757	6,52	97,4	-	0,00
14	3 564	3 568	4,17	97,4	-	0,00
15	3 560	3 564	4,18	97,4	-	0,00
16	3 580	3 584	4,13	97,4	-	0,00
17	3 743	3 747	3,72	97,4	-	0,00
18	5 275	5 278	0,56	97,4	-	0,00
19	5 650	5 653	-0,08	97,4	-	0,00
2	8 788	8 790	-4,27	97,4	-	0,00
20	4 666	4 670	1,70	97,4	-	0,00
21	5 529	5 532	0,12	97,4	-	0,00
22	5 088	5 091	0,90	97,4	-	0,00
23	5 489	5 492	0,19	97,4	-	0,00
24	5 983	5 985	-0,62	97,4	-	0,00
25	6 383	6 385	-1,22	97,4	-	0,00
26	7 173	7 175	-2,33	97,4	-	0,00
27	6 330	6 333	-1,15	97,4	-	0,00
28	6 764	6 766	-1,77	97,4	-	0,00
29	7 436	7 438	-2,67	97,4	-	0,00
3	8 107	8 109	-3,49	97,4	-	0,00
30	7 100	7 102	-2,23	97,4	-	0,00
31	6 765	6 768	-1,77	97,4	-	0,00
32	7 841	7 843	-3,17	97,4	-	0,00
33	8 302	8 304	-3,72	97,4	-	0,00
34	8 061	8 062	-3,44	97,4	-	0,00
35	7 533	7 535	-2,79	97,4	-	0,00
36	7 335	7 337	-2,54	97,4	-	0,00
37	6 944	6 946	-2,02	97,4	-	0,00
38	6 918	6 920	-1,98	97,4	-	0,00
39	6 254	6 256	-1,03	97,4	-	0,00
4	7 530	7 532	-2,79	97,4	-	0,00
40	6 639	6 642	-1,60	97,4	-	0,00
41	7 047	7 049	-2,16	97,4	-	0,00
5	7 496	7 498	-2,75	97,4	-	0,00
6	7 055	7 058	-2,17	97,4	-	0,00
7	7 148	7 150	-2,29	97,4	-	0,00
8	4 166	4 170	2,74	97,4	-	0,00
9	3 848	3 852	3,47	97,4	-	0,00
Sum			17,56			

- Data undefined due to calculation with octave data

Noise sensitive area: KF Ploni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 435	9 437	-4,95	97,4	-	0,00
10	4 579	4 583	1,87	97,4	-	0,00
11	2 628	2 633	6,93	97,4	-	0,00
12	1 861	1 870	10,01	97,4	-	0,00
13	2 472	2 478	7,48	97,4	-	0,00
14	3 216	3 221	5,11	97,4	-	0,00
15	3 033	3 038	5,64	97,4	-	0,00
16	2 925	2 931	5,97	97,4	-	0,00
17	2 955	2 961	5,87	97,4	-	0,00
18	4 708	4 711	1,62	97,4	-	0,00
19	5 015	5 019	1,03	97,4	-	0,00
2	9 131	9 133	-4,63	97,4	-	0,00
20	3 916	3 920	3,31	97,4	-	0,00
21	4 812	4 815	1,41	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 280	4 284	2,49	97,4	-	0,00
23	4 627	4 630	1,78	97,4	-	0,00
24	5 199	5 202	0,69	97,4	-	0,00
25	5 855	5 858	-0,41	97,4	-	0,00
26	6 647	6 650	-1,61	97,4	-	0,00
27	5 653	5 656	-0,09	97,4	-	0,00
28	6 163	6 165	-0,89	97,4	-	0,00
29	6 849	6 851	-1,89	97,4	-	0,00
3	8 405	8 407	-3,84	97,4	-	0,00
30	6 436	6 438	-1,30	97,4	-	0,00
31	6 032	6 035	-0,69	97,4	-	0,00
32	7 212	7 214	-2,38	97,4	-	0,00
33	7 614	7 616	-2,89	97,4	-	0,00
34	7 318	7 320	-2,52	97,4	-	0,00
35	6 823	6 826	-1,85	97,4	-	0,00
36	6 564	6 566	-1,49	97,4	-	0,00
37	6 103	6 106	-0,80	97,4	-	0,00
38	5 999	6 002	-0,64	97,4	-	0,00
39	5 420	5 423	0,31	97,4	-	0,00
4	7 877	7 879	-3,22	97,4	-	0,00
40	5 661	5 663	-0,10	97,4	-	0,00
41	6 038	6 040	-0,70	97,4	-	0,00
5	7 764	7 766	-3,08	97,4	-	0,00
6	7 471	7 473	-2,71	97,4	-	0,00
7	7 631	7 633	-2,92	97,4	-	0,00
8	4 528	4 531	1,98	97,4	-	0,00
9	4 090	4 094	2,91	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: KF Ploni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 435	9 437	-4,95	97,4	-	0,00
10	4 579	4 583	1,87	97,4	-	0,00
11	2 628	2 633	6,93	97,4	-	0,00
12	1 861	1 870	10,01	97,4	-	0,00
13	2 472	2 478	7,48	97,4	-	0,00
14	3 216	3 221	5,11	97,4	-	0,00
15	3 033	3 038	5,64	97,4	-	0,00
16	2 925	2 931	5,97	97,4	-	0,00
17	2 955	2 961	5,87	97,4	-	0,00
18	4 708	4 711	1,62	97,4	-	0,00
19	5 015	5 019	1,03	97,4	-	0,00
2	9 131	9 133	-4,63	97,4	-	0,00
20	3 916	3 920	3,31	97,4	-	0,00
21	4 812	4 815	1,41	97,4	-	0,00
22	4 280	4 284	2,49	97,4	-	0,00
23	4 627	4 630	1,78	97,4	-	0,00
24	5 199	5 202	0,69	97,4	-	0,00
25	5 855	5 858	-0,41	97,4	-	0,00
26	6 647	6 650	-1,61	97,4	-	0,00
27	5 653	5 656	-0,09	97,4	-	0,00
28	6 163	6 165	-0,89	97,4	-	0,00
29	6 849	6 851	-1,89	97,4	-	0,00
3	8 405	8 407	-3,84	97,4	-	0,00
30	6 436	6 438	-1,30	97,4	-	0,00
31	6 032	6 035	-0,69	97,4	-	0,00
32	7 212	7 214	-2,38	97,4	-	0,00
33	7 614	7 616	-2,89	97,4	-	0,00
34	7 318	7 320	-2,52	97,4	-	0,00
35	6 823	6 826	-1,85	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 564	6 566	-1,49	97,4	-	0,00
37	6 103	6 106	-0,80	97,4	-	0,00
38	5 999	6 002	-0,64	97,4	-	0,00
39	5 420	5 423	0,31	97,4	-	0,00
4	7 877	7 879	-3,22	97,4	-	0,00
40	5 661	5 663	-0,10	97,4	-	0,00
41	6 038	6 040	-0,70	97,4	-	0,00
5	7 764	7 766	-3,08	97,4	-	0,00
6	7 471	7 473	-2,71	97,4	-	0,00
7	7 631	7 633	-2,92	97,4	-	0,00
8	4 528	4 531	1,98	97,4	-	0,00
9	4 090	4 094	2,91	97,4	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: KG Drancani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 324	8 326	-3,75	97,4	-	0,00
10	3 416	3 420	4,56	97,4	-	0,00
11	2 942	2 947	5,91	97,4	-	0,00
12	2 305	2 312	8,11	97,4	-	0,00
13	3 240	3 244	5,04	97,4	-	0,00
14	4 012	4 016	3,09	97,4	-	0,00
15	4 198	4 201	2,68	97,4	-	0,00
16	4 345	4 348	2,36	97,4	-	0,00
17	4 634	4 637	1,76	97,4	-	0,00
18	5 846	5 849	-0,40	97,4	-	0,00
19	6 284	6 286	-1,08	97,4	-	0,00
2	8 155	8 157	-3,55	97,4	-	0,00
20	5 471	5 474	0,22	97,4	-	0,00
21	6 263	6 265	-1,05	97,4	-	0,00
22	5 943	5 945	-0,55	97,4	-	0,00
23	6 396	6 399	-1,24	97,4	-	0,00
24	6 782	6 784	-1,80	97,4	-	0,00
25	6 865	6 867	-1,91	97,4	-	0,00
26	7 629	7 631	-2,91	97,4	-	0,00
27	6 992	6 994	-2,09	97,4	-	0,00
28	7 323	7 325	-2,52	97,4	-	0,00
29	7 961	7 963	-3,32	97,4	-	0,00
3	7 541	7 542	-2,80	97,4	-	0,00
30	7 727	7 728	-3,03	97,4	-	0,00
31	7 484	7 486	-2,73	97,4	-	0,00
32	8 408	8 410	-3,84	97,4	-	0,00
33	8 935	8 937	-4,43	97,4	-	0,00
34	8 766	8 768	-4,24	97,4	-	0,00
35	8 206	8 208	-3,61	97,4	-	0,00
36	8 089	8 091	-3,47	97,4	-	0,00
37	7 794	7 796	-3,12	97,4	-	0,00
38	7 870	7 872	-3,21	97,4	-	0,00
39	7 108	7 110	-2,24	97,4	-	0,00
4	6 917	6 919	-1,98	97,4	-	0,00
40	7 677	7 679	-2,97	97,4	-	0,00
41	8 125	8 127	-3,51	97,4	-	0,00
5	6 981	6 983	-2,07	97,4	-	0,00
6	6 373	6 375	-1,21	97,4	-	0,00
7	6 382	6 384	-1,22	97,4	-	0,00
8	3 696	3 700	3,84	97,4	-	0,00
9	3 565	3 569	4,17	97,4	-	0,00
Sum			16,71			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KG Drancani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 324	8 326	-3,75	97,4	-	0,00
10	3 416	3 420	4,56	97,4	-	0,00
11	2 942	2 947	5,91	97,4	-	0,00
12	2 305	2 312	8,11	97,4	-	0,00
13	3 240	3 244	5,04	97,4	-	0,00
14	4 012	4 016	3,09	97,4	-	0,00
15	4 198	4 201	2,68	97,4	-	0,00
16	4 345	4 348	2,36	97,4	-	0,00
17	4 634	4 637	1,76	97,4	-	0,00
18	5 846	5 849	-0,40	97,4	-	0,00
19	6 284	6 286	-1,08	97,4	-	0,00
2	8 155	8 157	-3,55	97,4	-	0,00
20	5 471	5 474	0,22	97,4	-	0,00
21	6 263	6 265	-1,05	97,4	-	0,00
22	5 943	5 945	-0,55	97,4	-	0,00
23	6 396	6 399	-1,24	97,4	-	0,00
24	6 782	6 784	-1,80	97,4	-	0,00
25	6 865	6 867	-1,91	97,4	-	0,00
26	7 629	7 631	-2,91	97,4	-	0,00
27	6 992	6 994	-2,09	97,4	-	0,00
28	7 323	7 325	-2,52	97,4	-	0,00
29	7 961	7 963	-3,32	97,4	-	0,00
3	7 541	7 542	-2,80	97,4	-	0,00
30	7 727	7 728	-3,03	97,4	-	0,00
31	7 484	7 486	-2,73	97,4	-	0,00
32	8 408	8 410	-3,84	97,4	-	0,00
33	8 935	8 937	-4,43	97,4	-	0,00
34	8 766	8 768	-4,24	97,4	-	0,00
35	8 206	8 208	-3,61	97,4	-	0,00
36	8 089	8 091	-3,47	97,4	-	0,00
37	7 794	7 796	-3,12	97,4	-	0,00
38	7 870	7 872	-3,21	97,4	-	0,00
39	7 108	7 110	-2,24	97,4	-	0,00
4	6 917	6 919	-1,98	97,4	-	0,00
40	7 677	7 679	-2,97	97,4	-	0,00
41	8 125	8 127	-3,51	97,4	-	0,00
5	6 981	6 983	-2,07	97,4	-	0,00
6	6 373	6 375	-1,21	97,4	-	0,00
7	6 382	6 384	-1,22	97,4	-	0,00
8	3 696	3 700	3,84	97,4	-	0,00
9	3 565	3 569	4,17	97,4	-	0,00
Sum			16,71			

- Data undefined due to calculation with octave data

Noise sensitive area: KH Indrani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 468	7 470	-2,71	97,4	-	0,00
10	2 945	2 950	5,91	97,4	-	0,00
11	3 611	3 615	4,05	97,4	-	0,00
12	3 248	3 253	5,02	97,4	-	0,00
13	4 059	4 063	2,98	97,4	-	0,00
14	4 706	4 709	1,62	97,4	-	0,00
15	5 047	5 050	0,97	97,4	-	0,00
16	5 297	5 300	0,52	97,4	-	0,00
17	5 680	5 683	-0,13	97,4	-	0,00
18	6 532	6 534	-1,44	97,4	-	0,00
19	7 013	7 015	-2,11	97,4	-	0,00
2	7 393	7 395	-2,61	97,4	-	0,00
20	6 402	6 404	-1,25	97,4	-	0,00
21	7 093	7 095	-2,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 903	6 905	-1,96	97,4	-	0,00
23	7 394	7 396	-2,62	97,4	-	0,00
24	7 660	7 662	-2,95	97,4	-	0,00
25	7 416	7 418	-2,64	97,4	-	0,00
26	8 126	8 128	-3,52	97,4	-	0,00
27	7 725	7 727	-3,03	97,4	-	0,00
28	7 938	7 940	-3,29	97,4	-	0,00
29	8 521	8 523	-3,97	97,4	-	0,00
3	6 878	6 880	-1,93	97,4	-	0,00
30	8 400	8 402	-3,83	97,4	-	0,00
31	8 261	8 263	-3,67	97,4	-	0,00
32	9 001	9 003	-4,50	97,4	-	0,00
33	9 587	9 588	-5,10	97,4	-	0,00
34	9 499	9 501	-5,01	97,4	-	0,00
35	8 916	8 918	-4,40	97,4	-	0,00
36	8 888	8 890	-4,37	97,4	-	0,00
37	8 700	8 702	-4,17	97,4	-	0,00
38	8 881	8 883	-4,37	97,4	-	0,00
39	8 034	8 036	-3,41	97,4	-	0,00
4	6 220	6 222	-0,98	97,4	-	0,00
40	8 782	8 784	-4,26	97,4	-	0,00
41	9 267	9 269	-4,78	97,4	-	0,00
5	6 401	6 403	-1,25	97,4	-	0,00
6	5 610	5 613	-0,01	97,4	-	0,00
7	5 511	5 514	0,15	97,4	-	0,00
8	3 434	3 438	4,51	97,4	-	0,00
9	3 556	3 560	4,19	97,4	-	0,00
Sum			15,84			

- Data undefined due to calculation with octave data

Noise sensitive area: KH Indrani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 468	7 470	-2,71	97,4	-	0,00
10	2 945	2 950	5,91	97,4	-	0,00
11	3 611	3 615	4,05	97,4	-	0,00
12	3 248	3 253	5,02	97,4	-	0,00
13	4 059	4 063	2,98	97,4	-	0,00
14	4 706	4 709	1,62	97,4	-	0,00
15	5 047	5 050	0,97	97,4	-	0,00
16	5 297	5 300	0,52	97,4	-	0,00
17	5 680	5 683	-0,13	97,4	-	0,00
18	6 532	6 534	-1,44	97,4	-	0,00
19	7 013	7 015	-2,11	97,4	-	0,00
2	7 393	7 395	-2,61	97,4	-	0,00
20	6 402	6 404	-1,25	97,4	-	0,00
21	7 093	7 095	-2,22	97,4	-	0,00
22	6 903	6 905	-1,96	97,4	-	0,00
23	7 394	7 396	-2,62	97,4	-	0,00
24	7 660	7 662	-2,95	97,4	-	0,00
25	7 416	7 418	-2,64	97,4	-	0,00
26	8 126	8 128	-3,52	97,4	-	0,00
27	7 725	7 727	-3,03	97,4	-	0,00
28	7 938	7 940	-3,29	97,4	-	0,00
29	8 521	8 523	-3,97	97,4	-	0,00
3	6 878	6 880	-1,93	97,4	-	0,00
30	8 400	8 402	-3,83	97,4	-	0,00
31	8 261	8 263	-3,67	97,4	-	0,00
32	9 001	9 003	-4,50	97,4	-	0,00
33	9 587	9 588	-5,10	97,4	-	0,00
34	9 499	9 501	-5,01	97,4	-	0,00
35	8 916	8 918	-4,40	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 888	8 890	-4,37	97,4	-	0,00
37	8 700	8 702	-4,17	97,4	-	0,00
38	8 881	8 883	-4,37	97,4	-	0,00
39	8 034	8 036	-3,41	97,4	-	0,00
4	6 220	6 222	-0,98	97,4	-	0,00
40	8 782	8 784	-4,26	97,4	-	0,00
41	9 267	9 269	-4,78	97,4	-	0,00
5	6 401	6 403	-1,25	97,4	-	0,00
6	5 610	5 613	-0,01	97,4	-	0,00
7	5 511	5 514	0,15	97,4	-	0,00
8	3 434	3 438	4,51	97,4	-	0,00
9	3 556	3 560	4,19	97,4	-	0,00
Sum			15,84			

- Data undefined due to calculation with octave data

Noise sensitive area: KI Per š aki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 119	9 121	-4,62	97,4	-	0,00
10	4 185	4 188	2,70	97,4	-	0,00
11	2 565	2 571	7,15	97,4	-	0,00
12	1 745	1 755	10,58	97,4	-	0,00
13	2 561	2 567	7,17	97,4	-	0,00
14	3 363	3 368	4,70	97,4	-	0,00
15	3 304	3 308	4,86	97,4	-	0,00
16	3 287	3 292	4,91	97,4	-	0,00
17	3 415	3 420	4,56	97,4	-	0,00
18	5 017	5 020	1,03	97,4	-	0,00
19	5 373	5 376	0,39	97,4	-	0,00
2	8 852	8 854	-4,34	97,4	-	0,00
20	4 353	4 356	2,34	97,4	-	0,00
21	5 228	5 231	0,64	97,4	-	0,00
22	4 760	4 763	1,51	97,4	-	0,00
23	5 148	5 150	0,79	97,4	-	0,00
24	5 664	5 666	-0,10	97,4	-	0,00
25	6 140	6 143	-0,86	97,4	-	0,00
26	6 933	6 936	-2,01	97,4	-	0,00
27	6 043	6 046	-0,71	97,4	-	0,00
28	6 500	6 503	-1,40	97,4	-	0,00
29	7 178	7 180	-2,33	97,4	-	0,00
3	8 153	8 154	-3,55	97,4	-	0,00
30	6 818	6 820	-1,85	97,4	-	0,00
31	6 462	6 464	-1,34	97,4	-	0,00
32	7 571	7 573	-2,84	97,4	-	0,00
33	8 015	8 017	-3,38	97,4	-	0,00
34	7 756	7 758	-3,07	97,4	-	0,00
35	7 238	7 240	-2,41	97,4	-	0,00
36	7 022	7 024	-2,13	97,4	-	0,00
37	6 611	6 613	-1,55	97,4	-	0,00
38	6 563	6 566	-1,49	97,4	-	0,00
39	5 921	5 924	-0,52	97,4	-	0,00
4	7 593	7 595	-2,87	97,4	-	0,00
40	6 270	6 272	-1,06	97,4	-	0,00
41	6 670	6 672	-1,64	97,4	-	0,00
5	7 530	7 531	-2,79	97,4	-	0,00
6	7 143	7 145	-2,29	97,4	-	0,00
7	7 262	7 264	-2,44	97,4	-	0,00
8	4 222	4 225	2,62	97,4	-	0,00
9	3 855	3 859	3,46	97,4	-	0,00
Sum			18,01			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KI Per š aki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 119	9 121	-4,62	97,4	-	0,00
10	4 185	4 188	2,70	97,4	-	0,00
11	2 565	2 571	7,15	97,4	-	0,00
12	1 745	1 755	10,58	97,4	-	0,00
13	2 561	2 567	7,17	97,4	-	0,00
14	3 363	3 368	4,70	97,4	-	0,00
15	3 304	3 308	4,86	97,4	-	0,00
16	3 287	3 292	4,91	97,4	-	0,00
17	3 415	3 420	4,56	97,4	-	0,00
18	5 017	5 020	1,03	97,4	-	0,00
19	5 373	5 376	0,39	97,4	-	0,00
2	8 852	8 854	-4,34	97,4	-	0,00
20	4 353	4 356	2,34	97,4	-	0,00
21	5 228	5 231	0,64	97,4	-	0,00
22	4 760	4 763	1,51	97,4	-	0,00
23	5 148	5 150	0,79	97,4	-	0,00
24	5 664	5 666	-0,10	97,4	-	0,00
25	6 140	6 143	-0,86	97,4	-	0,00
26	6 933	6 936	-2,01	97,4	-	0,00
27	6 043	6 046	-0,71	97,4	-	0,00
28	6 500	6 503	-1,40	97,4	-	0,00
29	7 178	7 180	-2,33	97,4	-	0,00
3	8 153	8 154	-3,55	97,4	-	0,00
30	6 818	6 820	-1,85	97,4	-	0,00
31	6 462	6 464	-1,34	97,4	-	0,00
32	7 571	7 573	-2,84	97,4	-	0,00
33	8 015	8 017	-3,38	97,4	-	0,00
34	7 756	7 758	-3,07	97,4	-	0,00
35	7 238	7 240	-2,41	97,4	-	0,00
36	7 022	7 024	-2,13	97,4	-	0,00
37	6 611	6 613	-1,55	97,4	-	0,00
38	6 563	6 566	-1,49	97,4	-	0,00
39	5 921	5 924	-0,52	97,4	-	0,00
4	7 593	7 595	-2,87	97,4	-	0,00
40	6 270	6 272	-1,06	97,4	-	0,00
41	6 670	6 672	-1,64	97,4	-	0,00
5	7 530	7 531	-2,79	97,4	-	0,00
6	7 143	7 145	-2,29	97,4	-	0,00
7	7 262	7 264	-2,44	97,4	-	0,00
8	4 222	4 225	2,62	97,4	-	0,00
9	3 855	3 859	3,46	97,4	-	0,00
Sum			18,01			

- Data undefined due to calculation with octave data

Noise sensitive area: KJ Atvases

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 354	9 356	-4,87	97,4	-	0,00
10	4 403	4 407	2,23	97,4	-	0,00
11	3 409	3 414	4,58	97,4	-	0,00
12	2 628	2 635	6,93	97,4	-	0,00
13	3 550	3 555	4,21	97,4	-	0,00
14	4 363	4 367	2,32	97,4	-	0,00
15	4 402	4 405	2,24	97,4	-	0,00
16	4 440	4 443	2,16	97,4	-	0,00
17	4 611	4 615	1,81	97,4	-	0,00
18	6 113	6 116	-0,82	97,4	-	0,00
19	6 500	6 502	-1,40	97,4	-	0,00
2	9 158	9 160	-4,66	97,4	-	0,00
20	5 532	5 535	0,12	97,4	-	0,00
21	6 391	6 393	-1,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 956	5 959	-0,57	97,4	-	0,00
23	6 357	6 359	-1,19	97,4	-	0,00
24	6 850	6 852	-1,89	97,4	-	0,00
25	7 206	7 209	-2,37	97,4	-	0,00
26	7 993	7 995	-3,36	97,4	-	0,00
27	7 185	7 188	-2,34	97,4	-	0,00
28	7 604	7 606	-2,88	97,4	-	0,00
29	8 271	8 273	-3,68	97,4	-	0,00
3	8 516	8 517	-3,96	97,4	-	0,00
30	7 951	7 953	-3,31	97,4	-	0,00
31	7 627	7 629	-2,91	97,4	-	0,00
32	8 684	8 686	-4,15	97,4	-	0,00
33	9 156	9 158	-4,66	97,4	-	0,00
34	8 923	8 924	-4,41	97,4	-	0,00
35	8 391	8 393	-3,82	97,4	-	0,00
36	8 200	8 202	-3,60	97,4	-	0,00
37	7 813	7 815	-3,14	97,4	-	0,00
38	7 782	7 784	-3,10	97,4	-	0,00
39	7 122	7 125	-2,26	97,4	-	0,00
4	7 909	7 911	-3,26	97,4	-	0,00
40	7 491	7 493	-2,74	97,4	-	0,00
41	7 888	7 890	-3,23	97,4	-	0,00
5	7 933	7 935	-3,28	97,4	-	0,00
6	7 389	7 391	-2,61	97,4	-	0,00
7	7 426	7 428	-2,66	97,4	-	0,00
8	4 605	4 609	1,82	97,4	-	0,00
9	4 377	4 381	2,29	97,4	-	0,00
Sum			15,87			

- Data undefined due to calculation with octave data

Noise sensitive area: KJ Atvases

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 354	9 356	-4,87	97,4	-	0,00
10	4 403	4 407	2,23	97,4	-	0,00
11	3 409	3 414	4,58	97,4	-	0,00
12	2 628	2 635	6,93	97,4	-	0,00
13	3 550	3 555	4,21	97,4	-	0,00
14	4 363	4 367	2,32	97,4	-	0,00
15	4 402	4 405	2,24	97,4	-	0,00
16	4 440	4 443	2,16	97,4	-	0,00
17	4 611	4 615	1,81	97,4	-	0,00
18	6 113	6 116	-0,82	97,4	-	0,00
19	6 500	6 502	-1,40	97,4	-	0,00
2	9 158	9 160	-4,66	97,4	-	0,00
20	5 532	5 535	0,12	97,4	-	0,00
21	6 391	6 393	-1,24	97,4	-	0,00
22	5 956	5 959	-0,57	97,4	-	0,00
23	6 357	6 359	-1,19	97,4	-	0,00
24	6 850	6 852	-1,89	97,4	-	0,00
25	7 206	7 209	-2,37	97,4	-	0,00
26	7 993	7 995	-3,36	97,4	-	0,00
27	7 185	7 188	-2,34	97,4	-	0,00
28	7 604	7 606	-2,88	97,4	-	0,00
29	8 271	8 273	-3,68	97,4	-	0,00
3	8 516	8 517	-3,96	97,4	-	0,00
30	7 951	7 953	-3,31	97,4	-	0,00
31	7 627	7 629	-2,91	97,4	-	0,00
32	8 684	8 686	-4,15	97,4	-	0,00
33	9 156	9 158	-4,66	97,4	-	0,00
34	8 923	8 924	-4,41	97,4	-	0,00
35	8 391	8 393	-3,82	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 200	8 202	-3,60	97,4	-	0,00
37	7 813	7 815	-3,14	97,4	-	0,00
38	7 782	7 784	-3,10	97,4	-	0,00
39	7 122	7 125	-2,26	97,4	-	0,00
4	7 909	7 911	-3,26	97,4	-	0,00
40	7 491	7 493	-2,74	97,4	-	0,00
41	7 888	7 890	-3,23	97,4	-	0,00
5	7 933	7 935	-3,28	97,4	-	0,00
6	7 389	7 391	-2,61	97,4	-	0,00
7	7 426	7 428	-2,66	97,4	-	0,00
8	4 605	4 609	1,82	97,4	-	0,00
9	4 377	4 381	2,29	97,4	-	0,00
Sum			15,87			

- Data undefined due to calculation with octave data

Noise sensitive area: KK Plonu Akri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 973	9 974	-5,49	97,4	-	0,00
10	5 017	5 020	1,03	97,4	-	0,00
11	3 463	3 468	4,43	97,4	-	0,00
12	2 645	2 651	6,87	97,4	-	0,00
13	3 426	3 430	4,53	97,4	-	0,00
14	4 213	4 217	2,64	97,4	-	0,00
15	4 096	4 099	2,90	97,4	-	0,00
16	4 020	4 024	3,07	97,4	-	0,00
17	4 066	4 070	2,97	97,4	-	0,00
18	5 791	5 794	-0,31	97,4	-	0,00
19	6 114	6 117	-0,82	97,4	-	0,00
2	9 721	9 723	-5,24	97,4	-	0,00
20	5 026	5 029	1,01	97,4	-	0,00
21	5 922	5 924	-0,52	97,4	-	0,00
22	5 390	5 393	0,36	97,4	-	0,00
23	5 730	5 733	-0,21	97,4	-	0,00
24	6 310	6 313	-1,12	97,4	-	0,00
25	6 932	6 934	-2,00	97,4	-	0,00
26	7 725	7 727	-3,03	97,4	-	0,00
27	6 760	6 762	-1,77	97,4	-	0,00
28	7 258	7 260	-2,44	97,4	-	0,00
29	7 942	7 944	-3,30	97,4	-	0,00
3	9 031	9 033	-4,53	97,4	-	0,00
30	7 541	7 543	-2,80	97,4	-	0,00
31	7 143	7 145	-2,29	97,4	-	0,00
32	8 313	8 315	-3,73	97,4	-	0,00
33	8 723	8 725	-4,19	97,4	-	0,00
34	8 429	8 431	-3,87	97,4	-	0,00
35	7 933	7 935	-3,29	97,4	-	0,00
36	7 675	7 677	-2,97	97,4	-	0,00
37	7 208	7 210	-2,37	97,4	-	0,00
38	7 083	7 085	-2,21	97,4	-	0,00
39	6 526	6 529	-1,43	97,4	-	0,00
4	8 462	8 464	-3,90	97,4	-	0,00
40	6 714	6 716	-1,70	97,4	-	0,00
41	7 065	7 067	-2,18	97,4	-	0,00
5	8 414	8 416	-3,85	97,4	-	0,00
6	7 996	7 998	-3,36	97,4	-	0,00
7	8 094	8 095	-3,48	97,4	-	0,00
8	5 093	5 096	0,89	97,4	-	0,00
9	4 747	4 750	1,54	97,4	-	0,00
Sum			16,12			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KK Plonu Akri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 973	9 974	-5,49	97,4	-	0,00
10	5 017	5 020	1,03	97,4	-	0,00
11	3 463	3 468	4,43	97,4	-	0,00
12	2 645	2 651	6,87	97,4	-	0,00
13	3 426	3 430	4,53	97,4	-	0,00
14	4 213	4 217	2,64	97,4	-	0,00
15	4 096	4 099	2,90	97,4	-	0,00
16	4 020	4 024	3,07	97,4	-	0,00
17	4 066	4 070	2,97	97,4	-	0,00
18	5 791	5 794	-0,31	97,4	-	0,00
19	6 114	6 117	-0,82	97,4	-	0,00
2	9 721	9 723	-5,24	97,4	-	0,00
20	5 026	5 029	1,01	97,4	-	0,00
21	5 922	5 924	-0,52	97,4	-	0,00
22	5 390	5 393	0,36	97,4	-	0,00
23	5 730	5 733	-0,21	97,4	-	0,00
24	6 310	6 313	-1,12	97,4	-	0,00
25	6 932	6 934	-2,00	97,4	-	0,00
26	7 725	7 727	-3,03	97,4	-	0,00
27	6 760	6 762	-1,77	97,4	-	0,00
28	7 258	7 260	-2,44	97,4	-	0,00
29	7 942	7 944	-3,30	97,4	-	0,00
3	9 031	9 033	-4,53	97,4	-	0,00
30	7 541	7 543	-2,80	97,4	-	0,00
31	7 143	7 145	-2,29	97,4	-	0,00
32	8 313	8 315	-3,73	97,4	-	0,00
33	8 723	8 725	-4,19	97,4	-	0,00
34	8 429	8 431	-3,87	97,4	-	0,00
35	7 933	7 935	-3,29	97,4	-	0,00
36	7 675	7 677	-2,97	97,4	-	0,00
37	7 208	7 210	-2,37	97,4	-	0,00
38	7 083	7 085	-2,21	97,4	-	0,00
39	6 526	6 529	-1,43	97,4	-	0,00
4	8 462	8 464	-3,90	97,4	-	0,00
40	6 714	6 716	-1,70	97,4	-	0,00
41	7 065	7 067	-2,18	97,4	-	0,00
5	8 414	8 416	-3,85	97,4	-	0,00
6	7 996	7 998	-3,36	97,4	-	0,00
7	8 094	8 095	-3,48	97,4	-	0,00
8	5 093	5 096	0,89	97,4	-	0,00
9	4 747	4 750	1,54	97,4	-	0,00
Sum			16,12			

- Data undefined due to calculation with octave data

Noise sensitive area: KL Druvinas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 661	9 663	-5,18	97,4	-	0,00
10	4 704	4 707	1,62	97,4	-	0,00
11	3 591	3 595	4,10	97,4	-	0,00
12	2 790	2 796	6,39	97,4	-	0,00
13	3 689	3 693	3,86	97,4	-	0,00
14	4 501	4 505	2,03	97,4	-	0,00
15	4 498	4 501	2,04	97,4	-	0,00
16	4 504	4 508	2,02	97,4	-	0,00
17	4 639	4 643	1,75	97,4	-	0,00
18	6 214	6 216	-0,97	97,4	-	0,00
19	6 583	6 586	-1,52	97,4	-	0,00
2	9 458	9 459	-4,97	97,4	-	0,00
20	5 577	5 579	0,04	97,4	-	0,00
21	6 449	6 452	-1,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 983	5 986	-0,62	97,4	-	0,00
23	6 366	6 368	-1,20	97,4	-	0,00
24	6 888	6 890	-1,94	97,4	-	0,00
25	7 323	7 325	-2,52	97,4	-	0,00
26	8 113	8 115	-3,50	97,4	-	0,00
27	7 259	7 261	-2,44	97,4	-	0,00
28	7 702	7 704	-3,00	97,4	-	0,00
29	8 375	8 377	-3,80	97,4	-	0,00
3	8 808	8 809	-4,29	97,4	-	0,00
30	8 031	8 033	-3,40	97,4	-	0,00
31	7 684	7 686	-2,98	97,4	-	0,00
32	8 777	8 779	-4,25	97,4	-	0,00
33	9 231	9 233	-4,74	97,4	-	0,00
34	8 979	8 981	-4,47	97,4	-	0,00
35	8 457	8 459	-3,90	97,4	-	0,00
36	8 246	8 248	-3,65	97,4	-	0,00
37	7 832	7 834	-3,16	97,4	-	0,00
38	7 769	7 771	-3,09	97,4	-	0,00
39	7 143	7 145	-2,29	97,4	-	0,00
4	8 206	8 208	-3,61	97,4	-	0,00
40	7 449	7 451	-2,69	97,4	-	0,00
41	7 829	7 831	-3,16	97,4	-	0,00
5	8 219	8 221	-3,62	97,4	-	0,00
6	7 693	7 695	-2,99	97,4	-	0,00
7	7 738	7 740	-3,05	97,4	-	0,00
8	4 886	4 889	1,27	97,4	-	0,00
9	4 635	4 638	1,76	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: KL Druvinas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 661	9 663	-5,18	97,4	-	0,00
10	4 704	4 707	1,62	97,4	-	0,00
11	3 591	3 595	4,10	97,4	-	0,00
12	2 790	2 796	6,39	97,4	-	0,00
13	3 689	3 693	3,86	97,4	-	0,00
14	4 501	4 505	2,03	97,4	-	0,00
15	4 498	4 501	2,04	97,4	-	0,00
16	4 504	4 508	2,02	97,4	-	0,00
17	4 639	4 643	1,75	97,4	-	0,00
18	6 214	6 216	-0,97	97,4	-	0,00
19	6 583	6 586	-1,52	97,4	-	0,00
2	9 458	9 459	-4,97	97,4	-	0,00
20	5 577	5 579	0,04	97,4	-	0,00
21	6 449	6 452	-1,32	97,4	-	0,00
22	5 983	5 986	-0,62	97,4	-	0,00
23	6 366	6 368	-1,20	97,4	-	0,00
24	6 888	6 890	-1,94	97,4	-	0,00
25	7 323	7 325	-2,52	97,4	-	0,00
26	8 113	8 115	-3,50	97,4	-	0,00
27	7 259	7 261	-2,44	97,4	-	0,00
28	7 702	7 704	-3,00	97,4	-	0,00
29	8 375	8 377	-3,80	97,4	-	0,00
3	8 808	8 809	-4,29	97,4	-	0,00
30	8 031	8 033	-3,40	97,4	-	0,00
31	7 684	7 686	-2,98	97,4	-	0,00
32	8 777	8 779	-4,25	97,4	-	0,00
33	9 231	9 233	-4,74	97,4	-	0,00
34	8 979	8 981	-4,47	97,4	-	0,00
35	8 457	8 459	-3,90	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 246	8 248	-3,65	97,4	-	0,00
37	7 832	7 834	-3,16	97,4	-	0,00
38	7 769	7 771	-3,09	97,4	-	0,00
39	7 143	7 145	-2,29	97,4	-	0,00
4	8 206	8 208	-3,61	97,4	-	0,00
40	7 449	7 451	-2,69	97,4	-	0,00
41	7 829	7 831	-3,16	97,4	-	0,00
5	8 219	8 221	-3,62	97,4	-	0,00
6	7 693	7 695	-2,99	97,4	-	0,00
7	7 738	7 740	-3,05	97,4	-	0,00
8	4 886	4 889	1,27	97,4	-	0,00
9	4 635	4 638	1,76	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: KM Sudrabvitoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 391	9 392	-4,90	97,4	-	0,00
10	4 497	4 500	2,04	97,4	-	0,00
11	2 666	2 671	6,81	97,4	-	0,00
12	1 869	1 877	9,98	97,4	-	0,00
13	2 564	2 570	7,15	97,4	-	0,00
14	3 334	3 339	4,78	97,4	-	0,00
15	3 193	3 198	5,17	97,4	-	0,00
16	3 116	3 120	5,40	97,4	-	0,00
17	3 176	3 182	5,22	97,4	-	0,00
18	4 886	4 889	1,27	97,4	-	0,00
19	5 210	5 213	0,68	97,4	-	0,00
2	9 102	9 103	-4,60	97,4	-	0,00
20	4 133	4 136	2,82	97,4	-	0,00
21	5 024	5 027	1,01	97,4	-	0,00
22	4 510	4 514	2,01	97,4	-	0,00
23	4 868	4 871	1,31	97,4	-	0,00
24	5 426	5 429	0,30	97,4	-	0,00
25	6 028	6 030	-0,69	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	5 859	5 861	-0,42	97,4	-	0,00
28	6 352	6 355	-1,18	97,4	-	0,00
29	7 036	7 038	-2,14	97,4	-	0,00
3	8 386	8 387	-3,82	97,4	-	0,00
30	6 639	6 642	-1,60	97,4	-	0,00
31	6 250	6 252	-1,03	97,4	-	0,00
32	7 409	7 411	-2,63	97,4	-	0,00
33	7 824	7 826	-3,15	97,4	-	0,00
34	7 539	7 541	-2,80	97,4	-	0,00
35	7 037	7 039	-2,15	97,4	-	0,00
36	6 790	6 792	-1,81	97,4	-	0,00
37	6 342	6 345	-1,16	97,4	-	0,00
38	6 253	6 255	-1,03	97,4	-	0,00
39	5 657	5 660	-0,09	97,4	-	0,00
4	7 845	7 846	-3,18	97,4	-	0,00
40	5 924	5 926	-0,52	97,4	-	0,00
41	6 305	6 308	-1,11	97,4	-	0,00
5	7 751	7 753	-3,06	97,4	-	0,00
6	7 420	7 422	-2,65	97,4	-	0,00
7	7 563	7 565	-2,83	97,4	-	0,00
8	4 481	4 484	2,07	97,4	-	0,00
9	4 070	4 074	2,96	97,4	-	0,00
Sum			18,01			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KM Sudrabvitoli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 391	9 392	-4,90	97,4	-	0,00
10	4 497	4 500	2,04	97,4	-	0,00
11	2 666	2 671	6,81	97,4	-	0,00
12	1 869	1 877	9,98	97,4	-	0,00
13	2 564	2 570	7,15	97,4	-	0,00
14	3 334	3 339	4,78	97,4	-	0,00
15	3 193	3 198	5,17	97,4	-	0,00
16	3 116	3 120	5,40	97,4	-	0,00
17	3 176	3 182	5,22	97,4	-	0,00
18	4 886	4 889	1,27	97,4	-	0,00
19	5 210	5 213	0,68	97,4	-	0,00
2	9 102	9 103	-4,60	97,4	-	0,00
20	4 133	4 136	2,82	97,4	-	0,00
21	5 024	5 027	1,01	97,4	-	0,00
22	4 510	4 514	2,01	97,4	-	0,00
23	4 868	4 871	1,31	97,4	-	0,00
24	5 426	5 429	0,30	97,4	-	0,00
25	6 028	6 030	-0,69	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	5 859	5 861	-0,42	97,4	-	0,00
28	6 352	6 355	-1,18	97,4	-	0,00
29	7 036	7 038	-2,14	97,4	-	0,00
3	8 386	8 387	-3,82	97,4	-	0,00
30	6 639	6 642	-1,60	97,4	-	0,00
31	6 250	6 252	-1,03	97,4	-	0,00
32	7 409	7 411	-2,63	97,4	-	0,00
33	7 824	7 826	-3,15	97,4	-	0,00
34	7 539	7 541	-2,80	97,4	-	0,00
35	7 037	7 039	-2,15	97,4	-	0,00
36	6 790	6 792	-1,81	97,4	-	0,00
37	6 342	6 345	-1,16	97,4	-	0,00
38	6 253	6 255	-1,03	97,4	-	0,00
39	5 657	5 660	-0,09	97,4	-	0,00
4	7 845	7 846	-3,18	97,4	-	0,00
40	5 924	5 926	-0,52	97,4	-	0,00
41	6 305	6 308	-1,11	97,4	-	0,00
5	7 751	7 753	-3,06	97,4	-	0,00
6	7 420	7 422	-2,65	97,4	-	0,00
7	7 563	7 565	-2,83	97,4	-	0,00
8	4 481	4 484	2,07	97,4	-	0,00
9	4 070	4 074	2,96	97,4	-	0,00
Sum			18,01			

- Data undefined due to calculation with octave data

Noise sensitive area: KN Medvedevi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 797	9 798	-5,31	97,4	-	0,00
10	4 832	4 835	1,38	97,4	-	0,00
11	3 573	3 577	4,15	97,4	-	0,00
12	2 759	2 765	6,49	97,4	-	0,00
13	3 628	3 632	4,01	97,4	-	0,00
14	4 437	4 441	2,16	97,4	-	0,00
15	4 397	4 400	2,25	97,4	-	0,00
16	4 377	4 380	2,29	97,4	-	0,00
17	4 482	4 486	2,07	97,4	-	0,00
18	6 111	6 113	-0,81	97,4	-	0,00
19	6 466	6 468	-1,35	97,4	-	0,00
2	9 578	9 580	-5,10	97,4	-	0,00
20	5 430	5 433	0,29	97,4	-	0,00
21	6 312	6 314	-1,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 823	5 826	-0,36	97,4	-	0,00
23	6 191	6 193	-0,94	97,4	-	0,00
24	6 734	6 736	-1,73	97,4	-	0,00
25	7 232	7 234	-2,41	97,4	-	0,00
26	8 025	8 027	-3,40	97,4	-	0,00
27	7 132	7 134	-2,27	97,4	-	0,00
28	7 594	7 596	-2,87	97,4	-	0,00
29	8 271	8 273	-3,68	97,4	-	0,00
3	8 915	8 917	-4,40	97,4	-	0,00
30	7 908	7 910	-3,26	97,4	-	0,00
31	7 543	7 546	-2,81	97,4	-	0,00
32	8 664	8 665	-4,13	97,4	-	0,00
33	9 103	9 105	-4,60	97,4	-	0,00
34	8 837	8 838	-4,32	97,4	-	0,00
35	8 323	8 325	-3,74	97,4	-	0,00
36	8 095	8 097	-3,48	97,4	-	0,00
37	7 663	7 665	-2,95	97,4	-	0,00
38	7 578	7 580	-2,85	97,4	-	0,00
39	6 976	6 978	-2,06	97,4	-	0,00
4	8 323	8 325	-3,74	97,4	-	0,00
40	7 240	7 242	-2,42	97,4	-	0,00
41	7 609	7 612	-2,89	97,4	-	0,00
5	8 317	8 319	-3,74	97,4	-	0,00
6	7 824	7 826	-3,15	97,4	-	0,00
7	7 885	7 887	-3,23	97,4	-	0,00
8	4 981	4 984	1,09	97,4	-	0,00
9	4 699	4 703	1,63	97,4	-	0,00
Sum			15,70			

- Data undefined due to calculation with octave data

Noise sensitive area: KN Medvedevi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 797	9 798	-5,31	97,4	-	0,00
10	4 832	4 835	1,38	97,4	-	0,00
11	3 573	3 577	4,15	97,4	-	0,00
12	2 759	2 765	6,49	97,4	-	0,00
13	3 628	3 632	4,01	97,4	-	0,00
14	4 437	4 441	2,16	97,4	-	0,00
15	4 397	4 400	2,25	97,4	-	0,00
16	4 377	4 380	2,29	97,4	-	0,00
17	4 482	4 486	2,07	97,4	-	0,00
18	6 111	6 113	-0,81	97,4	-	0,00
19	6 466	6 468	-1,35	97,4	-	0,00
2	9 578	9 580	-5,10	97,4	-	0,00
20	5 430	5 433	0,29	97,4	-	0,00
21	6 312	6 314	-1,12	97,4	-	0,00
22	5 823	5 826	-0,36	97,4	-	0,00
23	6 191	6 193	-0,94	97,4	-	0,00
24	6 734	6 736	-1,73	97,4	-	0,00
25	7 232	7 234	-2,41	97,4	-	0,00
26	8 025	8 027	-3,40	97,4	-	0,00
27	7 132	7 134	-2,27	97,4	-	0,00
28	7 594	7 596	-2,87	97,4	-	0,00
29	8 271	8 273	-3,68	97,4	-	0,00
3	8 915	8 917	-4,40	97,4	-	0,00
30	7 908	7 910	-3,26	97,4	-	0,00
31	7 543	7 546	-2,81	97,4	-	0,00
32	8 664	8 665	-4,13	97,4	-	0,00
33	9 103	9 105	-4,60	97,4	-	0,00
34	8 837	8 838	-4,32	97,4	-	0,00
35	8 323	8 325	-3,74	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 095	8 097	-3,48	97,4	-	0,00
37	7 663	7 665	-2,95	97,4	-	0,00
38	7 578	7 580	-2,85	97,4	-	0,00
39	6 976	6 978	-2,06	97,4	-	0,00
4	8 323	8 325	-3,74	97,4	-	0,00
40	7 240	7 242	-2,42	97,4	-	0,00
41	7 609	7 612	-2,89	97,4	-	0,00
5	8 317	8 319	-3,74	97,4	-	0,00
6	7 824	7 826	-3,15	97,4	-	0,00
7	7 885	7 887	-3,23	97,4	-	0,00
8	4 981	4 984	1,09	97,4	-	0,00
9	4 699	4 703	1,63	97,4	-	0,00
Sum			15,70			

- Data undefined due to calculation with octave data

Noise sensitive area: KO Kastanas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 053	8 055	-3,43	97,4	-	0,00
10	3 442	3 447	4,49	97,4	-	0,00
11	3 776	3 780	3,65	97,4	-	0,00
12	3 294	3 299	4,89	97,4	-	0,00
13	4 172	4 176	2,73	97,4	-	0,00
14	4 878	4 881	1,29	97,4	-	0,00
15	5 159	5 162	0,77	97,4	-	0,00
16	5 367	5 370	0,40	97,4	-	0,00
17	5 708	5 711	-0,18	97,4	-	0,00
18	6 722	6 724	-1,71	97,4	-	0,00
19	7 188	7 191	-2,35	97,4	-	0,00
2	7 967	7 969	-3,33	97,4	-	0,00
20	6 488	6 490	-1,38	97,4	-	0,00
21	7 227	7 229	-2,40	97,4	-	0,00
22	6 978	6 980	-2,07	97,4	-	0,00
23	7 453	7 455	-2,69	97,4	-	0,00
24	7 775	7 777	-3,09	97,4	-	0,00
25	7 661	7 663	-2,95	97,4	-	0,00
26	8 394	8 396	-3,83	97,4	-	0,00
27	7 902	7 904	-3,25	97,4	-	0,00
28	8 162	8 164	-3,56	97,4	-	0,00
29	8 768	8 770	-4,24	97,4	-	0,00
3	7 438	7 440	-2,67	97,4	-	0,00
30	8 603	8 605	-4,06	97,4	-	0,00
31	8 422	8 424	-3,86	97,4	-	0,00
32	9 237	9 239	-4,75	97,4	-	0,00
33	9 802	9 803	-5,32	97,4	-	0,00
34	9 682	9 683	-5,20	97,4	-	0,00
35	9 106	9 108	-4,61	97,4	-	0,00
36	9 042	9 043	-4,54	97,4	-	0,00
37	8 806	8 808	-4,29	97,4	-	0,00
38	8 938	8 940	-4,43	97,4	-	0,00
39	8 129	8 131	-3,52	97,4	-	0,00
4	6 784	6 786	-1,80	97,4	-	0,00
40	8 790	8 792	-4,27	97,4	-	0,00
41	9 255	9 257	-4,76	97,4	-	0,00
5	6 947	6 949	-2,02	97,4	-	0,00
6	6 181	6 184	-0,92	97,4	-	0,00
7	6 094	6 097	-0,79	97,4	-	0,00
8	3 889	3 893	3,37	97,4	-	0,00
9	3 945	3 949	3,24	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KO Kastanas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 053	8 055	-3,43	97,4	-	0,00
10	3 442	3 447	4,49	97,4	-	0,00
11	3 776	3 780	3,65	97,4	-	0,00
12	3 294	3 299	4,89	97,4	-	0,00
13	4 172	4 176	2,73	97,4	-	0,00
14	4 878	4 881	1,29	97,4	-	0,00
15	5 159	5 162	0,77	97,4	-	0,00
16	5 367	5 370	0,40	97,4	-	0,00
17	5 708	5 711	-0,18	97,4	-	0,00
18	6 722	6 724	-1,71	97,4	-	0,00
19	7 188	7 191	-2,35	97,4	-	0,00
2	7 967	7 969	-3,33	97,4	-	0,00
20	6 488	6 490	-1,38	97,4	-	0,00
21	7 227	7 229	-2,40	97,4	-	0,00
22	6 978	6 980	-2,07	97,4	-	0,00
23	7 453	7 455	-2,69	97,4	-	0,00
24	7 775	7 777	-3,09	97,4	-	0,00
25	7 661	7 663	-2,95	97,4	-	0,00
26	8 394	8 396	-3,83	97,4	-	0,00
27	7 902	7 904	-3,25	97,4	-	0,00
28	8 162	8 164	-3,56	97,4	-	0,00
29	8 768	8 770	-4,24	97,4	-	0,00
3	7 438	7 440	-2,67	97,4	-	0,00
30	8 603	8 605	-4,06	97,4	-	0,00
31	8 422	8 424	-3,86	97,4	-	0,00
32	9 237	9 239	-4,75	97,4	-	0,00
33	9 802	9 803	-5,32	97,4	-	0,00
34	9 682	9 683	-5,20	97,4	-	0,00
35	9 106	9 108	-4,61	97,4	-	0,00
36	9 042	9 043	-4,54	97,4	-	0,00
37	8 806	8 808	-4,29	97,4	-	0,00
38	8 938	8 940	-4,43	97,4	-	0,00
39	8 129	8 131	-3,52	97,4	-	0,00
4	6 784	6 786	-1,80	97,4	-	0,00
40	8 790	8 792	-4,27	97,4	-	0,00
41	9 255	9 257	-4,76	97,4	-	0,00
5	6 947	6 949	-2,02	97,4	-	0,00
6	6 181	6 184	-0,92	97,4	-	0,00
7	6 094	6 097	-0,79	97,4	-	0,00
8	3 889	3 893	3,37	97,4	-	0,00
9	3 945	3 949	3,24	97,4	-	0,00
Sum			15,33			

- Data undefined due to calculation with octave data

Noise sensitive area: KP Upeslici

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 085	9 087	-4,59	97,4	-	0,00
10	4 138	4 141	2,81	97,4	-	0,00
11	3 222	3 226	5,09	97,4	-	0,00
12	2 460	2 467	7,52	97,4	-	0,00
13	3 395	3 400	4,61	97,4	-	0,00
14	4 205	4 209	2,66	97,4	-	0,00
15	4 275	4 278	2,51	97,4	-	0,00
16	4 338	4 342	2,37	97,4	-	0,00
17	4 538	4 542	1,95	97,4	-	0,00
18	5 979	5 982	-0,61	97,4	-	0,00
19	6 378	6 381	-1,22	97,4	-	0,00
2	8 892	8 894	-4,38	97,4	-	0,00
20	5 443	5 446	0,27	97,4	-	0,00
21	6 289	6 292	-1,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 880	5 883	-0,45	97,4	-	0,00
23	6 295	6 297	-1,09	97,4	-	0,00
24	6 763	6 765	-1,77	97,4	-	0,00
25	7 059	7 061	-2,18	97,4	-	0,00
26	7 842	7 844	-3,18	97,4	-	0,00
27	7 070	7 073	-2,19	97,4	-	0,00
28	7 470	7 472	-2,71	97,4	-	0,00
29	8 132	8 134	-3,52	97,4	-	0,00
3	8 253	8 255	-3,66	97,4	-	0,00
30	7 831	7 833	-3,16	97,4	-	0,00
31	7 525	7 527	-2,78	97,4	-	0,00
32	8 553	8 555	-4,01	97,4	-	0,00
33	9 038	9 040	-4,54	97,4	-	0,00
34	8 819	8 821	-4,30	97,4	-	0,00
35	8 280	8 282	-3,69	97,4	-	0,00
36	8 106	8 108	-3,49	97,4	-	0,00
37	7 740	7 742	-3,05	97,4	-	0,00
38	7 735	7 737	-3,04	97,4	-	0,00
39	7 049	7 051	-2,16	97,4	-	0,00
4	7 644	7 646	-2,93	97,4	-	0,00
40	7 468	7 470	-2,71	97,4	-	0,00
41	7 879	7 881	-3,22	97,4	-	0,00
5	7 673	7 675	-2,97	97,4	-	0,00
6	7 121	7 123	-2,26	97,4	-	0,00
7	7 156	7 158	-2,30	97,4	-	0,00
8	4 349	4 353	2,35	97,4	-	0,00
9	4 134	4 138	2,81	97,4	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Noise sensitive area: KP Upeslici

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 085	9 087	-4,59	97,4	-	0,00
10	4 138	4 141	2,81	97,4	-	0,00
11	3 222	3 226	5,09	97,4	-	0,00
12	2 460	2 467	7,52	97,4	-	0,00
13	3 395	3 400	4,61	97,4	-	0,00
14	4 205	4 209	2,66	97,4	-	0,00
15	4 275	4 278	2,51	97,4	-	0,00
16	4 338	4 342	2,37	97,4	-	0,00
17	4 538	4 542	1,95	97,4	-	0,00
18	5 979	5 982	-0,61	97,4	-	0,00
19	6 378	6 381	-1,22	97,4	-	0,00
2	8 892	8 894	-4,38	97,4	-	0,00
20	5 443	5 446	0,27	97,4	-	0,00
21	6 289	6 292	-1,09	97,4	-	0,00
22	5 880	5 883	-0,45	97,4	-	0,00
23	6 295	6 297	-1,09	97,4	-	0,00
24	6 763	6 765	-1,77	97,4	-	0,00
25	7 059	7 061	-2,18	97,4	-	0,00
26	7 842	7 844	-3,18	97,4	-	0,00
27	7 070	7 073	-2,19	97,4	-	0,00
28	7 470	7 472	-2,71	97,4	-	0,00
29	8 132	8 134	-3,52	97,4	-	0,00
3	8 253	8 255	-3,66	97,4	-	0,00
30	7 831	7 833	-3,16	97,4	-	0,00
31	7 525	7 527	-2,78	97,4	-	0,00
32	8 553	8 555	-4,01	97,4	-	0,00
33	9 038	9 040	-4,54	97,4	-	0,00
34	8 819	8 821	-4,30	97,4	-	0,00
35	8 280	8 282	-3,69	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 106	8 108	-3,49	97,4	-	0,00
37	7 740	7 742	-3,05	97,4	-	0,00
38	7 735	7 737	-3,04	97,4	-	0,00
39	7 049	7 051	-2,16	97,4	-	0,00
4	7 644	7 646	-2,93	97,4	-	0,00
40	7 468	7 470	-2,71	97,4	-	0,00
41	7 879	7 881	-3,22	97,4	-	0,00
5	7 673	7 675	-2,97	97,4	-	0,00
6	7 121	7 123	-2,26	97,4	-	0,00
7	7 156	7 158	-2,30	97,4	-	0,00
8	4 349	4 353	2,35	97,4	-	0,00
9	4 134	4 138	2,81	97,4	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Noise sensitive area: KQ Zintari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 362	8 364	-3,79	97,4	-	0,00
10	3 397	3 401	4,61	97,4	-	0,00
11	2 411	2 417	7,71	97,4	-	0,00
12	1 687	1 696	10,88	97,4	-	0,00
13	2 632	2 637	6,92	97,4	-	0,00
14	3 430	3 435	4,52	97,4	-	0,00
15	3 556	3 560	4,19	97,4	-	0,00
16	3 670	3 674	3,91	97,4	-	0,00
17	3 933	3 937	3,27	97,4	-	0,00
18	5 237	5 240	0,63	97,4	-	0,00
19	5 657	5 660	-0,09	97,4	-	0,00
2	8 144	8 145	-3,54	97,4	-	0,00
20	4 793	4 796	1,45	97,4	-	0,00
21	5 607	5 609	-0,01	97,4	-	0,00
22	5 254	5 257	0,60	97,4	-	0,00
23	5 698	5 701	-0,16	97,4	-	0,00
24	6 109	6 112	-0,81	97,4	-	0,00
25	6 291	6 294	-1,09	97,4	-	0,00
26	7 068	7 070	-2,19	97,4	-	0,00
27	6 359	6 362	-1,19	97,4	-	0,00
28	6 725	6 727	-1,72	97,4	-	0,00
29	7 376	7 378	-2,59	97,4	-	0,00
3	7 485	7 487	-2,73	97,4	-	0,00
30	7 107	7 109	-2,24	97,4	-	0,00
31	6 836	6 838	-1,87	97,4	-	0,00
32	7 810	7 812	-3,14	97,4	-	0,00
33	8 316	8 318	-3,74	97,4	-	0,00
34	8 124	8 126	-3,51	97,4	-	0,00
35	7 573	7 575	-2,84	97,4	-	0,00
36	7 432	7 434	-2,66	97,4	-	0,00
37	7 112	7 114	-2,25	97,4	-	0,00
38	7 166	7 168	-2,32	97,4	-	0,00
39	6 423	6 426	-1,28	97,4	-	0,00
4	6 889	6 891	-1,94	97,4	-	0,00
40	6 959	6 961	-2,04	97,4	-	0,00
41	7 402	7 404	-2,63	97,4	-	0,00
5	6 893	6 895	-1,95	97,4	-	0,00
6	6 389	6 391	-1,23	97,4	-	0,00
7	6 454	6 457	-1,33	97,4	-	0,00
8	3 559	3 563	4,19	97,4	-	0,00
9	3 314	3 319	4,84	97,4	-	0,00
Sum			18,02			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KQ Zintari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 362	8 364	-3,79	97,4	-	0,00
10	3 397	3 401	4,61	97,4	-	0,00
11	2 411	2 417	7,71	97,4	-	0,00
12	1 687	1 696	10,88	97,4	-	0,00
13	2 632	2 637	6,92	97,4	-	0,00
14	3 430	3 435	4,52	97,4	-	0,00
15	3 556	3 560	4,19	97,4	-	0,00
16	3 670	3 674	3,91	97,4	-	0,00
17	3 933	3 937	3,27	97,4	-	0,00
18	5 237	5 240	0,63	97,4	-	0,00
19	5 657	5 660	-0,09	97,4	-	0,00
2	8 144	8 145	-3,54	97,4	-	0,00
20	4 793	4 796	1,45	97,4	-	0,00
21	5 607	5 609	-0,01	97,4	-	0,00
22	5 254	5 257	0,60	97,4	-	0,00
23	5 698	5 701	-0,16	97,4	-	0,00
24	6 109	6 112	-0,81	97,4	-	0,00
25	6 291	6 294	-1,09	97,4	-	0,00
26	7 068	7 070	-2,19	97,4	-	0,00
27	6 359	6 362	-1,19	97,4	-	0,00
28	6 725	6 727	-1,72	97,4	-	0,00
29	7 376	7 378	-2,59	97,4	-	0,00
3	7 485	7 487	-2,73	97,4	-	0,00
30	7 107	7 109	-2,24	97,4	-	0,00
31	6 836	6 838	-1,87	97,4	-	0,00
32	7 810	7 812	-3,14	97,4	-	0,00
33	8 316	8 318	-3,74	97,4	-	0,00
34	8 124	8 126	-3,51	97,4	-	0,00
35	7 573	7 575	-2,84	97,4	-	0,00
36	7 432	7 434	-2,66	97,4	-	0,00
37	7 112	7 114	-2,25	97,4	-	0,00
38	7 166	7 168	-2,32	97,4	-	0,00
39	6 423	6 426	-1,28	97,4	-	0,00
4	6 889	6 891	-1,94	97,4	-	0,00
40	6 959	6 961	-2,04	97,4	-	0,00
41	7 402	7 404	-2,63	97,4	-	0,00
5	6 893	6 895	-1,95	97,4	-	0,00
6	6 389	6 391	-1,23	97,4	-	0,00
7	6 454	6 457	-1,33	97,4	-	0,00
8	3 559	3 563	4,19	97,4	-	0,00
9	3 314	3 319	4,84	97,4	-	0,00
Sum			18,02			

- Data undefined due to calculation with octave data

Noise sensitive area: KR Klavinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 954	7 955	-3,31	97,4	-	0,00
10	3 027	3 032	5,66	97,4	-	0,00
11	2 599	2 605	7,03	97,4	-	0,00
12	2 018	2 026	9,29	97,4	-	0,00
13	2 933	2 938	5,94	97,4	-	0,00
14	3 685	3 689	3,87	97,4	-	0,00
15	3 907	3 911	3,33	97,4	-	0,00
16	4 084	4 087	2,93	97,4	-	0,00
17	4 405	4 409	2,23	97,4	-	0,00
18	5 527	5 530	0,13	97,4	-	0,00
19	5 976	5 978	-0,60	97,4	-	0,00
2	7 774	7 776	-3,09	97,4	-	0,00
20	5 210	5 213	0,68	97,4	-	0,00
21	5 978	5 980	-0,61	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 692	5 694	-0,15	97,4	-	0,00
23	6 159	6 161	-0,89	97,4	-	0,00
24	6 510	6 513	-1,41	97,4	-	0,00
25	6 525	6 527	-1,43	97,4	-	0,00
26	7 282	7 284	-2,47	97,4	-	0,00
27	6 687	6 689	-1,66	97,4	-	0,00
28	6 995	6 997	-2,09	97,4	-	0,00
29	7 625	7 627	-2,91	97,4	-	0,00
3	7 152	7 154	-2,30	97,4	-	0,00
30	7 411	7 413	-2,64	97,4	-	0,00
31	7 190	7 192	-2,35	97,4	-	0,00
32	8 079	8 081	-3,46	97,4	-	0,00
33	8 617	8 619	-4,08	97,4	-	0,00
34	8 465	8 466	-3,91	97,4	-	0,00
35	7 899	7 900	-3,24	97,4	-	0,00
36	7 801	7 803	-3,13	97,4	-	0,00
37	7 533	7 535	-2,79	97,4	-	0,00
38	7 640	7 642	-2,93	97,4	-	0,00
39	6 851	6 853	-1,89	97,4	-	0,00
4	6 533	6 535	-1,44	97,4	-	0,00
40	7 479	7 481	-2,72	97,4	-	0,00
41	7 941	7 943	-3,30	97,4	-	0,00
5	6 588	6 590	-1,52	97,4	-	0,00
6	5 996	5 998	-0,64	97,4	-	0,00
7	6 018	6 020	-0,67	97,4	-	0,00
8	3 295	3 300	4,89	97,4	-	0,00
9	3 162	3 167	5,26	97,4	-	0,00
Sum			17,49			

- Data undefined due to calculation with octave data

Noise sensitive area: KR Klavinas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 954	7 955	-3,31	97,4	-	0,00
10	3 027	3 032	5,66	97,4	-	0,00
11	2 599	2 605	7,03	97,4	-	0,00
12	2 018	2 026	9,29	97,4	-	0,00
13	2 933	2 938	5,94	97,4	-	0,00
14	3 685	3 689	3,87	97,4	-	0,00
15	3 907	3 911	3,33	97,4	-	0,00
16	4 084	4 087	2,93	97,4	-	0,00
17	4 405	4 409	2,23	97,4	-	0,00
18	5 527	5 530	0,13	97,4	-	0,00
19	5 976	5 978	-0,60	97,4	-	0,00
2	7 774	7 776	-3,09	97,4	-	0,00
20	5 210	5 213	0,68	97,4	-	0,00
21	5 978	5 980	-0,61	97,4	-	0,00
22	5 692	5 694	-0,15	97,4	-	0,00
23	6 159	6 161	-0,89	97,4	-	0,00
24	6 510	6 513	-1,41	97,4	-	0,00
25	6 525	6 527	-1,43	97,4	-	0,00
26	7 282	7 284	-2,47	97,4	-	0,00
27	6 687	6 689	-1,66	97,4	-	0,00
28	6 995	6 997	-2,09	97,4	-	0,00
29	7 625	7 627	-2,91	97,4	-	0,00
3	7 152	7 154	-2,30	97,4	-	0,00
30	7 411	7 413	-2,64	97,4	-	0,00
31	7 190	7 192	-2,35	97,4	-	0,00
32	8 079	8 081	-3,46	97,4	-	0,00
33	8 617	8 619	-4,08	97,4	-	0,00
34	8 465	8 466	-3,91	97,4	-	0,00
35	7 899	7 900	-3,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 801	7 803	-3,13	97,4	-	0,00
37	7 533	7 535	-2,79	97,4	-	0,00
38	7 640	7 642	-2,93	97,4	-	0,00
39	6 851	6 853	-1,89	97,4	-	0,00
4	6 533	6 535	-1,44	97,4	-	0,00
40	7 479	7 481	-2,72	97,4	-	0,00
41	7 941	7 943	-3,30	97,4	-	0,00
5	6 588	6 590	-1,52	97,4	-	0,00
6	5 996	5 998	-0,64	97,4	-	0,00
7	6 018	6 020	-0,67	97,4	-	0,00
8	3 295	3 300	4,89	97,4	-	0,00
9	3 162	3 167	5,26	97,4	-	0,00
Sum			17,49			

- Data undefined due to calculation with octave data

Noise sensitive area: KS Klavinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 990	7 992	-3,35	97,4	-	0,00
10	3 060	3 065	5,56	97,4	-	0,00
11	2 599	2 604	7,03	97,4	-	0,00
12	2 007	2 015	9,34	97,4	-	0,00
13	2 926	2 931	5,96	97,4	-	0,00
14	3 682	3 686	3,88	97,4	-	0,00
15	3 898	3 901	3,36	97,4	-	0,00
16	4 070	4 074	2,96	97,4	-	0,00
17	4 387	4 391	2,27	97,4	-	0,00
18	5 523	5 526	0,13	97,4	-	0,00
19	5 969	5 972	-0,60	97,4	-	0,00
2	7 809	7 810	-3,13	97,4	-	0,00
20	5 197	5 199	0,70	97,4	-	0,00
21	5 968	5 970	-0,59	97,4	-	0,00
22	5 677	5 680	-0,12	97,4	-	0,00
23	6 142	6 145	-0,86	97,4	-	0,00
24	6 499	6 501	-1,39	97,4	-	0,00
25	6 524	6 527	-1,43	97,4	-	0,00
26	7 284	7 286	-2,47	97,4	-	0,00
27	6 680	6 683	-1,65	97,4	-	0,00
28	6 993	6 995	-2,09	97,4	-	0,00
29	7 624	7 626	-2,91	97,4	-	0,00
3	7 185	7 187	-2,34	97,4	-	0,00
30	7 406	7 408	-2,63	97,4	-	0,00
31	7 182	7 184	-2,34	97,4	-	0,00
32	8 077	8 078	-3,46	97,4	-	0,00
33	8 613	8 615	-4,07	97,4	-	0,00
34	8 458	8 459	-3,90	97,4	-	0,00
35	7 892	7 894	-3,24	97,4	-	0,00
36	7 792	7 794	-3,11	97,4	-	0,00
37	7 520	7 522	-2,78	97,4	-	0,00
38	7 623	7 625	-2,91	97,4	-	0,00
39	6 837	6 840	-1,87	97,4	-	0,00
4	6 566	6 568	-1,49	97,4	-	0,00
40	7 458	7 460	-2,70	97,4	-	0,00
41	7 919	7 921	-3,27	97,4	-	0,00
5	6 619	6 621	-1,57	97,4	-	0,00
6	6 031	6 034	-0,69	97,4	-	0,00
7	6 055	6 057	-0,73	97,4	-	0,00
8	3 323	3 327	4,81	97,4	-	0,00
9	3 184	3 188	5,20	97,4	-	0,00
Sum			17,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KS Klavinas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 990	7 992	-3,35	97,4	-	0,00
10	3 060	3 065	5,56	97,4	-	0,00
11	2 599	2 604	7,03	97,4	-	0,00
12	2 007	2 015	9,34	97,4	-	0,00
13	2 926	2 931	5,96	97,4	-	0,00
14	3 682	3 686	3,88	97,4	-	0,00
15	3 898	3 901	3,36	97,4	-	0,00
16	4 070	4 074	2,96	97,4	-	0,00
17	4 387	4 391	2,27	97,4	-	0,00
18	5 523	5 526	0,13	97,4	-	0,00
19	5 969	5 972	-0,60	97,4	-	0,00
2	7 809	7 810	-3,13	97,4	-	0,00
20	5 197	5 199	0,70	97,4	-	0,00
21	5 968	5 970	-0,59	97,4	-	0,00
22	5 677	5 680	-0,12	97,4	-	0,00
23	6 142	6 145	-0,86	97,4	-	0,00
24	6 499	6 501	-1,39	97,4	-	0,00
25	6 524	6 527	-1,43	97,4	-	0,00
26	7 284	7 286	-2,47	97,4	-	0,00
27	6 680	6 683	-1,65	97,4	-	0,00
28	6 993	6 995	-2,09	97,4	-	0,00
29	7 624	7 626	-2,91	97,4	-	0,00
3	7 185	7 187	-2,34	97,4	-	0,00
30	7 406	7 408	-2,63	97,4	-	0,00
31	7 182	7 184	-2,34	97,4	-	0,00
32	8 077	8 078	-3,46	97,4	-	0,00
33	8 613	8 615	-4,07	97,4	-	0,00
34	8 458	8 459	-3,90	97,4	-	0,00
35	7 892	7 894	-3,24	97,4	-	0,00
36	7 792	7 794	-3,11	97,4	-	0,00
37	7 520	7 522	-2,78	97,4	-	0,00
38	7 623	7 625	-2,91	97,4	-	0,00
39	6 837	6 840	-1,87	97,4	-	0,00
4	6 566	6 568	-1,49	97,4	-	0,00
40	7 458	7 460	-2,70	97,4	-	0,00
41	7 919	7 921	-3,27	97,4	-	0,00
5	6 619	6 621	-1,57	97,4	-	0,00
6	6 031	6 034	-0,69	97,4	-	0,00
7	6 055	6 057	-0,73	97,4	-	0,00
8	3 323	3 327	4,81	97,4	-	0,00
9	3 184	3 188	5,20	97,4	-	0,00
Sum			17,49			

- Data undefined due to calculation with octave data

Noise sensitive area: KT Pulksteni š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 761	9 763	-5,28	97,4	-	0,00
10	4 801	4 804	1,43	97,4	-	0,00
11	3 320	3 324	4,82	97,4	-	0,00
12	2 499	2 506	7,38	97,4	-	0,00
13	3 315	3 320	4,83	97,4	-	0,00
14	4 113	4 117	2,86	97,4	-	0,00
15	4 028	4 032	3,05	97,4	-	0,00
16	3 978	3 982	3,17	97,4	-	0,00
17	4 056	4 060	2,99	97,4	-	0,00
18	5 734	5 737	-0,22	97,4	-	0,00
19	6 072	6 075	-0,76	97,4	-	0,00
2	9 516	9 518	-5,03	97,4	-	0,00
20	5 010	5 013	1,04	97,4	-	0,00
21	5 899	5 901	-0,48	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 390	5 393	0,36	97,4	-	0,00
23	5 747	5 749	-0,24	97,4	-	0,00
24	6 306	6 308	-1,11	97,4	-	0,00
25	6 867	6 869	-1,91	97,4	-	0,00
26	7 661	7 663	-2,95	97,4	-	0,00
27	6 729	6 731	-1,72	97,4	-	0,00
28	7 209	7 211	-2,38	97,4	-	0,00
29	7 891	7 893	-3,23	97,4	-	0,00
3	8 832	8 834	-4,31	97,4	-	0,00
30	7 508	7 510	-2,76	97,4	-	0,00
31	7 126	7 129	-2,27	97,4	-	0,00
32	8 272	8 274	-3,69	97,4	-	0,00
33	8 697	8 699	-4,17	97,4	-	0,00
34	8 417	8 419	-3,85	97,4	-	0,00
35	7 912	7 914	-3,26	97,4	-	0,00
36	7 669	7 672	-2,96	97,4	-	0,00
37	7 222	7 224	-2,39	97,4	-	0,00
38	7 122	7 124	-2,26	97,4	-	0,00
39	6 537	6 539	-1,45	97,4	-	0,00
4	8 257	8 259	-3,67	97,4	-	0,00
40	6 775	6 777	-1,79	97,4	-	0,00
41	7 140	7 142	-2,28	97,4	-	0,00
5	8 219	8 221	-3,62	97,4	-	0,00
6	7 784	7 786	-3,10	97,4	-	0,00
7	7 875	7 877	-3,22	97,4	-	0,00
8	4 892	4 895	1,26	97,4	-	0,00
9	4 561	4 564	1,91	97,4	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Noise sensitive area: KT Pulksteni š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 761	9 763	-5,28	97,4	-	0,00
10	4 801	4 804	1,43	97,4	-	0,00
11	3 320	3 324	4,82	97,4	-	0,00
12	2 499	2 506	7,38	97,4	-	0,00
13	3 315	3 320	4,83	97,4	-	0,00
14	4 113	4 117	2,86	97,4	-	0,00
15	4 028	4 032	3,05	97,4	-	0,00
16	3 978	3 982	3,17	97,4	-	0,00
17	4 056	4 060	2,99	97,4	-	0,00
18	5 734	5 737	-0,22	97,4	-	0,00
19	6 072	6 075	-0,76	97,4	-	0,00
2	9 516	9 518	-5,03	97,4	-	0,00
20	5 010	5 013	1,04	97,4	-	0,00
21	5 899	5 901	-0,48	97,4	-	0,00
22	5 390	5 393	0,36	97,4	-	0,00
23	5 747	5 749	-0,24	97,4	-	0,00
24	6 306	6 308	-1,11	97,4	-	0,00
25	6 867	6 869	-1,91	97,4	-	0,00
26	7 661	7 663	-2,95	97,4	-	0,00
27	6 729	6 731	-1,72	97,4	-	0,00
28	7 209	7 211	-2,38	97,4	-	0,00
29	7 891	7 893	-3,23	97,4	-	0,00
3	8 832	8 834	-4,31	97,4	-	0,00
30	7 508	7 510	-2,76	97,4	-	0,00
31	7 126	7 129	-2,27	97,4	-	0,00
32	8 272	8 274	-3,69	97,4	-	0,00
33	8 697	8 699	-4,17	97,4	-	0,00
34	8 417	8 419	-3,85	97,4	-	0,00
35	7 912	7 914	-3,26	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 669	7 672	-2,96	97,4	-	0,00
37	7 222	7 224	-2,39	97,4	-	0,00
38	7 122	7 124	-2,26	97,4	-	0,00
39	6 537	6 539	-1,45	97,4	-	0,00
4	8 257	8 259	-3,67	97,4	-	0,00
40	6 775	6 777	-1,79	97,4	-	0,00
41	7 140	7 142	-2,28	97,4	-	0,00
5	8 219	8 221	-3,62	97,4	-	0,00
6	7 784	7 786	-3,10	97,4	-	0,00
7	7 875	7 877	-3,22	97,4	-	0,00
8	4 892	4 895	1,26	97,4	-	0,00
9	4 561	4 564	1,91	97,4	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Noise sensitive area: KU Gadzani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 920	7 922	-3,27	97,4	-	0,00
10	2 963	2 967	5,85	97,4	-	0,00
11	2 297	2 304	8,14	97,4	-	0,00
12	1 687	1 696	10,88	97,4	-	0,00
13	2 610	2 615	7,00	97,4	-	0,00
14	3 372	3 377	4,68	97,4	-	0,00
15	3 578	3 582	4,14	97,4	-	0,00
16	3 748	3 752	3,71	97,4	-	0,00
17	4 067	4 070	2,97	97,4	-	0,00
18	5 211	5 214	0,67	97,4	-	0,00
19	5 654	5 657	-0,09	97,4	-	0,00
2	7 717	7 719	-3,02	97,4	-	0,00
20	4 875	4 878	1,29	97,4	-	0,00
21	5 648	5 651	-0,08	97,4	-	0,00
22	5 355	5 358	0,42	97,4	-	0,00
23	5 821	5 823	-0,36	97,4	-	0,00
24	6 177	6 180	-0,92	97,4	-	0,00
25	6 221	6 224	-0,98	97,4	-	0,00
26	6 984	6 986	-2,07	97,4	-	0,00
27	6 364	6 367	-1,20	97,4	-	0,00
28	6 684	6 686	-1,66	97,4	-	0,00
29	7 319	7 321	-2,52	97,4	-	0,00
3	7 073	7 075	-2,19	97,4	-	0,00
30	7 093	7 095	-2,22	97,4	-	0,00
31	6 863	6 866	-1,91	97,4	-	0,00
32	7 768	7 770	-3,09	97,4	-	0,00
33	8 301	8 303	-3,72	97,4	-	0,00
34	8 141	8 143	-3,53	97,4	-	0,00
35	7 577	7 579	-2,85	97,4	-	0,00
36	7 473	7 475	-2,72	97,4	-	0,00
37	7 198	7 200	-2,36	97,4	-	0,00
38	7 302	7 304	-2,50	97,4	-	0,00
39	6 515	6 518	-1,42	97,4	-	0,00
4	6 467	6 469	-1,35	97,4	-	0,00
40	7 141	7 143	-2,28	97,4	-	0,00
41	7 604	7 606	-2,88	97,4	-	0,00
5	6 493	6 495	-1,38	97,4	-	0,00
6	5 951	5 954	-0,57	97,4	-	0,00
7	6 001	6 004	-0,64	97,4	-	0,00
8	3 171	3 176	5,24	97,4	-	0,00
9	2 983	2 987	5,79	97,4	-	0,00
Sum			18,24			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KU Gadzani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 920	7 922	-3,27	97,4	-	0,00
10	2 963	2 967	5,85	97,4	-	0,00
11	2 297	2 304	8,14	97,4	-	0,00
12	1 687	1 696	10,88	97,4	-	0,00
13	2 610	2 615	7,00	97,4	-	0,00
14	3 372	3 377	4,68	97,4	-	0,00
15	3 578	3 582	4,14	97,4	-	0,00
16	3 748	3 752	3,71	97,4	-	0,00
17	4 067	4 070	2,97	97,4	-	0,00
18	5 211	5 214	0,67	97,4	-	0,00
19	5 654	5 657	-0,09	97,4	-	0,00
2	7 717	7 719	-3,02	97,4	-	0,00
20	4 875	4 878	1,29	97,4	-	0,00
21	5 648	5 651	-0,08	97,4	-	0,00
22	5 355	5 358	0,42	97,4	-	0,00
23	5 821	5 823	-0,36	97,4	-	0,00
24	6 177	6 180	-0,92	97,4	-	0,00
25	6 221	6 224	-0,98	97,4	-	0,00
26	6 984	6 986	-2,07	97,4	-	0,00
27	6 364	6 367	-1,20	97,4	-	0,00
28	6 684	6 686	-1,66	97,4	-	0,00
29	7 319	7 321	-2,52	97,4	-	0,00
3	7 073	7 075	-2,19	97,4	-	0,00
30	7 093	7 095	-2,22	97,4	-	0,00
31	6 863	6 866	-1,91	97,4	-	0,00
32	7 768	7 770	-3,09	97,4	-	0,00
33	8 301	8 303	-3,72	97,4	-	0,00
34	8 141	8 143	-3,53	97,4	-	0,00
35	7 577	7 579	-2,85	97,4	-	0,00
36	7 473	7 475	-2,72	97,4	-	0,00
37	7 198	7 200	-2,36	97,4	-	0,00
38	7 302	7 304	-2,50	97,4	-	0,00
39	6 515	6 518	-1,42	97,4	-	0,00
4	6 467	6 469	-1,35	97,4	-	0,00
40	7 141	7 143	-2,28	97,4	-	0,00
41	7 604	7 606	-2,88	97,4	-	0,00
5	6 493	6 495	-1,38	97,4	-	0,00
6	5 951	5 954	-0,57	97,4	-	0,00
7	6 001	6 004	-0,64	97,4	-	0,00
8	3 171	3 176	5,24	97,4	-	0,00
9	2 983	2 987	5,79	97,4	-	0,00
Sum			18,24			

- Data undefined due to calculation with octave data

Noise sensitive area: KV Zvinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 479	9 481	-4,99	97,4	-	0,00
10	4 513	4 517	2,01	97,4	-	0,00
11	3 236	3 241	5,05	97,4	-	0,00
12	2 425	2 431	7,65	97,4	-	0,00
13	3 304	3 309	4,86	97,4	-	0,00
14	4 115	4 119	2,86	97,4	-	0,00
15	4 094	4 097	2,90	97,4	-	0,00
16	4 092	4 096	2,91	97,4	-	0,00
17	4 222	4 226	2,62	97,4	-	0,00
18	5 809	5 812	-0,34	97,4	-	0,00
19	6 174	6 176	-0,91	97,4	-	0,00
2	9 254	9 256	-4,76	97,4	-	0,00
20	5 161	5 164	0,76	97,4	-	0,00
21	6 035	6 038	-0,70	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 567	5 570	0,06	97,4	-	0,00
23	5 949	5 952	-0,56	97,4	-	0,00
24	6 471	6 474	-1,35	97,4	-	0,00
25	6 924	6 926	-1,99	97,4	-	0,00
26	7 715	7 717	-3,02	97,4	-	0,00
27	6 847	6 849	-1,89	97,4	-	0,00
28	7 296	7 298	-2,49	97,4	-	0,00
29	7 970	7 972	-3,33	97,4	-	0,00
3	8 586	8 588	-4,04	97,4	-	0,00
30	7 620	7 623	-2,90	97,4	-	0,00
31	7 269	7 272	-2,45	97,4	-	0,00
32	8 369	8 371	-3,80	97,4	-	0,00
33	8 819	8 821	-4,30	97,4	-	0,00
34	8 564	8 566	-4,02	97,4	-	0,00
35	8 044	8 046	-3,42	97,4	-	0,00
36	7 830	7 832	-3,16	97,4	-	0,00
37	7 415	7 417	-2,64	97,4	-	0,00
38	7 355	7 357	-2,57	97,4	-	0,00
39	6 726	6 729	-1,72	97,4	-	0,00
4	7 998	7 999	-3,36	97,4	-	0,00
40	7 042	7 044	-2,15	97,4	-	0,00
41	7 427	7 429	-2,66	97,4	-	0,00
5	7 985	7 987	-3,35	97,4	-	0,00
6	7 505	7 507	-2,76	97,4	-	0,00
7	7 574	7 576	-2,84	97,4	-	0,00
8	4 650	4 653	1,73	97,4	-	0,00
9	4 361	4 364	2,32	97,4	-	0,00
Sum			16,32			

- Data undefined due to calculation with octave data

Noise sensitive area: KV Zvinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 479	9 481	-4,99	97,4	-	0,00
10	4 513	4 517	2,01	97,4	-	0,00
11	3 236	3 241	5,05	97,4	-	0,00
12	2 425	2 431	7,65	97,4	-	0,00
13	3 304	3 309	4,86	97,4	-	0,00
14	4 115	4 119	2,86	97,4	-	0,00
15	4 094	4 097	2,90	97,4	-	0,00
16	4 092	4 096	2,91	97,4	-	0,00
17	4 222	4 226	2,62	97,4	-	0,00
18	5 809	5 812	-0,34	97,4	-	0,00
19	6 174	6 176	-0,91	97,4	-	0,00
2	9 254	9 256	-4,76	97,4	-	0,00
20	5 161	5 164	0,76	97,4	-	0,00
21	6 035	6 038	-0,70	97,4	-	0,00
22	5 567	5 570	0,06	97,4	-	0,00
23	5 949	5 952	-0,56	97,4	-	0,00
24	6 471	6 474	-1,35	97,4	-	0,00
25	6 924	6 926	-1,99	97,4	-	0,00
26	7 715	7 717	-3,02	97,4	-	0,00
27	6 847	6 849	-1,89	97,4	-	0,00
28	7 296	7 298	-2,49	97,4	-	0,00
29	7 970	7 972	-3,33	97,4	-	0,00
3	8 586	8 588	-4,04	97,4	-	0,00
30	7 620	7 623	-2,90	97,4	-	0,00
31	7 269	7 272	-2,45	97,4	-	0,00
32	8 369	8 371	-3,80	97,4	-	0,00
33	8 819	8 821	-4,30	97,4	-	0,00
34	8 564	8 566	-4,02	97,4	-	0,00
35	8 044	8 046	-3,42	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 830	7 832	-3,16	97,4	-	0,00
37	7 415	7 417	-2,64	97,4	-	0,00
38	7 355	7 357	-2,57	97,4	-	0,00
39	6 726	6 729	-1,72	97,4	-	0,00
4	7 998	7 999	-3,36	97,4	-	0,00
40	7 042	7 044	-2,15	97,4	-	0,00
41	7 427	7 429	-2,66	97,4	-	0,00
5	7 985	7 987	-3,35	97,4	-	0,00
6	7 505	7 507	-2,76	97,4	-	0,00
7	7 574	7 576	-2,84	97,4	-	0,00
8	4 650	4 653	1,73	97,4	-	0,00
9	4 361	4 364	2,32	97,4	-	0,00
Sum			16,32			

- Data undefined due to calculation with octave data

Noise sensitive area: KW Abeles

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 367	9 369	-4,88	97,4	-	0,00
10	4 503	4 507	2,03	97,4	-	0,00
11	2 578	2 584	7,11	97,4	-	0,00
12	1 803	1 811	10,30	97,4	-	0,00
13	2 439	2 445	7,60	97,4	-	0,00
14	3 193	3 198	5,17	97,4	-	0,00
15	3 026	3 030	5,66	97,4	-	0,00
16	2 931	2 936	5,95	97,4	-	0,00
17	2 977	2 982	5,81	97,4	-	0,00
18	4 709	4 712	1,61	97,4	-	0,00
19	5 024	5 027	1,01	97,4	-	0,00
2	9 067	9 069	-4,57	97,4	-	0,00
20	3 935	3 939	3,27	97,4	-	0,00
21	4 830	4 832	1,38	97,4	-	0,00
22	4 307	4 311	2,44	97,4	-	0,00
23	4 661	4 664	1,71	97,4	-	0,00
24	5 225	5 228	0,65	97,4	-	0,00
25	5 854	5 857	-0,41	97,4	-	0,00
26	6 647	6 649	-1,61	97,4	-	0,00
27	5 667	5 670	-0,11	97,4	-	0,00
28	6 169	6 172	-0,90	97,4	-	0,00
29	6 854	6 856	-1,90	97,4	-	0,00
3	8 343	8 345	-3,77	97,4	-	0,00
30	6 449	6 451	-1,32	97,4	-	0,00
31	6 052	6 055	-0,72	97,4	-	0,00
32	7 222	7 224	-2,39	97,4	-	0,00
33	7 630	7 633	-2,91	97,4	-	0,00
34	7 340	7 342	-2,55	97,4	-	0,00
35	6 842	6 844	-1,88	97,4	-	0,00
36	6 589	6 591	-1,52	97,4	-	0,00
37	6 136	6 138	-0,85	97,4	-	0,00
38	6 042	6 045	-0,71	97,4	-	0,00
39	5 452	5 454	0,25	97,4	-	0,00
4	7 812	7 814	-3,14	97,4	-	0,00
40	5 712	5 715	-0,18	97,4	-	0,00
41	6 094	6 097	-0,79	97,4	-	0,00
5	7 704	7 705	-3,01	97,4	-	0,00
6	7 401	7 404	-2,62	97,4	-	0,00
7	7 558	7 560	-2,82	97,4	-	0,00
8	4 459	4 462	2,12	97,4	-	0,00
9	4 027	4 031	3,06	97,4	-	0,00
Sum			18,35			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KW Abeles

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 367	9 369	-4,88	97,4	-	0,00
10	4 503	4 507	2,03	97,4	-	0,00
11	2 578	2 584	7,11	97,4	-	0,00
12	1 803	1 811	10,30	97,4	-	0,00
13	2 439	2 445	7,60	97,4	-	0,00
14	3 193	3 198	5,17	97,4	-	0,00
15	3 026	3 030	5,66	97,4	-	0,00
16	2 931	2 936	5,95	97,4	-	0,00
17	2 977	2 982	5,81	97,4	-	0,00
18	4 709	4 712	1,61	97,4	-	0,00
19	5 024	5 027	1,01	97,4	-	0,00
2	9 067	9 069	-4,57	97,4	-	0,00
20	3 935	3 939	3,27	97,4	-	0,00
21	4 830	4 832	1,38	97,4	-	0,00
22	4 307	4 311	2,44	97,4	-	0,00
23	4 661	4 664	1,71	97,4	-	0,00
24	5 225	5 228	0,65	97,4	-	0,00
25	5 854	5 857	-0,41	97,4	-	0,00
26	6 647	6 649	-1,61	97,4	-	0,00
27	5 667	5 670	-0,11	97,4	-	0,00
28	6 169	6 172	-0,90	97,4	-	0,00
29	6 854	6 856	-1,90	97,4	-	0,00
3	8 343	8 345	-3,77	97,4	-	0,00
30	6 449	6 451	-1,32	97,4	-	0,00
31	6 052	6 055	-0,72	97,4	-	0,00
32	7 222	7 224	-2,39	97,4	-	0,00
33	7 630	7 633	-2,91	97,4	-	0,00
34	7 340	7 342	-2,55	97,4	-	0,00
35	6 842	6 844	-1,88	97,4	-	0,00
36	6 589	6 591	-1,52	97,4	-	0,00
37	6 136	6 138	-0,85	97,4	-	0,00
38	6 042	6 045	-0,71	97,4	-	0,00
39	5 452	5 454	0,25	97,4	-	0,00
4	7 812	7 814	-3,14	97,4	-	0,00
40	5 712	5 715	-0,18	97,4	-	0,00
41	6 094	6 097	-0,79	97,4	-	0,00
5	7 704	7 705	-3,01	97,4	-	0,00
6	7 401	7 404	-2,62	97,4	-	0,00
7	7 558	7 560	-2,82	97,4	-	0,00
8	4 459	4 462	2,12	97,4	-	0,00
9	4 027	4 031	3,06	97,4	-	0,00
Sum			18,35			

- Data undefined due to calculation with octave data

Noise sensitive area: KX Kalupes evangeliski luteriska baznica

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 313	6 316	-1,12	97,4	-	0,00
10	1 349	1 359	12,85	97,4	-	0,00
11	1 801	1 808	10,31	97,4	-	0,00
12	1 830	1 838	10,16	97,4	-	0,00
13	2 330	2 336	8,01	97,4	-	0,00
14	2 816	2 822	6,31	97,4	-	0,00
15	3 260	3 264	4,99	97,4	-	0,00
16	3 593	3 597	4,10	97,4	-	0,00
17	4 059	4 063	2,98	97,4	-	0,00
18	4 580	4 583	1,87	97,4	-	0,00
19	5 075	5 078	0,92	97,4	-	0,00
2	6 101	6 104	-0,80	97,4	-	0,00
20	4 623	4 626	1,78	97,4	-	0,00
21	5 216	5 218	0,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 136	5 139	0,81	97,4	-	0,00
23	5 650	5 652	-0,08	97,4	-	0,00
24	5 806	5 809	-0,34	97,4	-	0,00
25	5 402	5 405	0,34	97,4	-	0,00
26	6 098	6 101	-0,80	97,4	-	0,00
27	5 778	5 781	-0,29	97,4	-	0,00
28	5 940	5 943	-0,55	97,4	-	0,00
29	6 505	6 507	-1,40	97,4	-	0,00
3	5 458	5 461	0,24	97,4	-	0,00
30	6 421	6 423	-1,28	97,4	-	0,00
31	6 332	6 335	-1,15	97,4	-	0,00
32	6 991	6 993	-2,08	97,4	-	0,00
33	7 591	7 593	-2,87	97,4	-	0,00
34	7 537	7 538	-2,80	97,4	-	0,00
35	6 948	6 950	-2,03	97,4	-	0,00
36	6 965	6 967	-2,05	97,4	-	0,00
37	6 850	6 852	-1,89	97,4	-	0,00
38	7 117	7 120	-2,25	97,4	-	0,00
39	6 211	6 213	-0,97	97,4	-	0,00
4	4 850	4 853	1,34	97,4	-	0,00
40	7 121	7 123	-2,26	97,4	-	0,00
41	7 641	7 643	-2,93	97,4	-	0,00
5	4 884	4 887	1,28	97,4	-	0,00
6	4 340	4 344	2,37	97,4	-	0,00
7	4 411	4 415	2,22	97,4	-	0,00
8	1 592	1 601	11,40	97,4	-	0,00
9	1 552	1 562	11,62	97,4	-	0,00
Sum			20,66			

- Data undefined due to calculation with octave data

Noise sensitive area: KX Kalupes evangeliski luteriska baznica

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 313	6 316	-1,12	97,4	-	0,00
10	1 349	1 359	12,85	97,4	-	0,00
11	1 801	1 808	10,31	97,4	-	0,00
12	1 830	1 838	10,16	97,4	-	0,00
13	2 330	2 336	8,01	97,4	-	0,00
14	2 816	2 822	6,31	97,4	-	0,00
15	3 260	3 264	4,99	97,4	-	0,00
16	3 593	3 597	4,10	97,4	-	0,00
17	4 059	4 063	2,98	97,4	-	0,00
18	4 580	4 583	1,87	97,4	-	0,00
19	5 075	5 078	0,92	97,4	-	0,00
2	6 101	6 104	-0,80	97,4	-	0,00
20	4 623	4 626	1,78	97,4	-	0,00
21	5 216	5 218	0,67	97,4	-	0,00
22	5 136	5 139	0,81	97,4	-	0,00
23	5 650	5 652	-0,08	97,4	-	0,00
24	5 806	5 809	-0,34	97,4	-	0,00
25	5 402	5 405	0,34	97,4	-	0,00
26	6 098	6 101	-0,80	97,4	-	0,00
27	5 778	5 781	-0,29	97,4	-	0,00
28	5 940	5 943	-0,55	97,4	-	0,00
29	6 505	6 507	-1,40	97,4	-	0,00
3	5 458	5 461	0,24	97,4	-	0,00
30	6 421	6 423	-1,28	97,4	-	0,00
31	6 332	6 335	-1,15	97,4	-	0,00
32	6 991	6 993	-2,08	97,4	-	0,00
33	7 591	7 593	-2,87	97,4	-	0,00
34	7 537	7 538	-2,80	97,4	-	0,00
35	6 948	6 950	-2,03	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 965	6 967	-2,05	97,4	-	0,00
37	6 850	6 852	-1,89	97,4	-	0,00
38	7 117	7 120	-2,25	97,4	-	0,00
39	6 211	6 213	-0,97	97,4	-	0,00
4	4 850	4 853	1,34	97,4	-	0,00
40	7 121	7 123	-2,26	97,4	-	0,00
41	7 641	7 643	-2,93	97,4	-	0,00
5	4 884	4 887	1,28	97,4	-	0,00
6	4 340	4 344	2,37	97,4	-	0,00
7	4 411	4 415	2,22	97,4	-	0,00
8	1 592	1 601	11,40	97,4	-	0,00
9	1 552	1 562	11,62	97,4	-	0,00
Sum			20,66			

- Data undefined due to calculation with octave data

Noise sensitive area: KY Linini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 125	9 127	-4,63	97,4	-	0,00
10	4 182	4 186	2,71	97,4	-	0,00
11	3 293	3 298	4,89	97,4	-	0,00
12	2 534	2 541	7,26	97,4	-	0,00
13	3 469	3 474	4,42	97,4	-	0,00
14	4 278	4 283	2,50	97,4	-	0,00
15	4 350	4 353	2,35	97,4	-	0,00
16	4 413	4 417	2,21	97,4	-	0,00
17	4 612	4 616	1,80	97,4	-	0,00
18	6 054	6 057	-0,73	97,4	-	0,00
19	6 453	6 456	-1,33	97,4	-	0,00
2	8 936	8 937	-4,43	97,4	-	0,00
20	5 518	5 521	0,14	97,4	-	0,00
21	6 364	6 366	-1,20	97,4	-	0,00
22	5 954	5 957	-0,57	97,4	-	0,00
23	6 368	6 371	-1,20	97,4	-	0,00
24	6 837	6 840	-1,87	97,4	-	0,00
25	7 133	7 135	-2,27	97,4	-	0,00
26	7 916	7 918	-3,27	97,4	-	0,00
27	7 145	7 148	-2,29	97,4	-	0,00
28	7 545	7 547	-2,81	97,4	-	0,00
29	8 207	8 209	-3,61	97,4	-	0,00
3	8 300	8 302	-3,72	97,4	-	0,00
30	7 906	7 908	-3,25	97,4	-	0,00
31	7 600	7 602	-2,88	97,4	-	0,00
32	8 628	8 630	-4,09	97,4	-	0,00
33	9 113	9 115	-4,62	97,4	-	0,00
34	8 894	8 896	-4,38	97,4	-	0,00
35	8 355	8 357	-3,78	97,4	-	0,00
36	8 181	8 183	-3,58	97,4	-	0,00
37	7 814	7 816	-3,14	97,4	-	0,00
38	7 807	7 810	-3,13	97,4	-	0,00
39	7 123	7 125	-2,26	97,4	-	0,00
4	7 689	7 691	-2,99	97,4	-	0,00
40	7 539	7 541	-2,80	97,4	-	0,00
41	7 948	7 950	-3,30	97,4	-	0,00
5	7 723	7 724	-3,03	97,4	-	0,00
6	7 163	7 165	-2,31	97,4	-	0,00
7	7 193	7 195	-2,35	97,4	-	0,00
8	4 401	4 405	2,24	97,4	-	0,00
9	4 193	4 197	2,68	97,4	-	0,00
Sum			16,05			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: KY Linini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 125	9 127	-4,63	97,4	-	0,00
10	4 182	4 186	2,71	97,4	-	0,00
11	3 293	3 298	4,89	97,4	-	0,00
12	2 534	2 541	7,26	97,4	-	0,00
13	3 469	3 474	4,42	97,4	-	0,00
14	4 278	4 283	2,50	97,4	-	0,00
15	4 350	4 353	2,35	97,4	-	0,00
16	4 413	4 417	2,21	97,4	-	0,00
17	4 612	4 616	1,80	97,4	-	0,00
18	6 054	6 057	-0,73	97,4	-	0,00
19	6 453	6 456	-1,33	97,4	-	0,00
2	8 936	8 937	-4,43	97,4	-	0,00
20	5 518	5 521	0,14	97,4	-	0,00
21	6 364	6 366	-1,20	97,4	-	0,00
22	5 954	5 957	-0,57	97,4	-	0,00
23	6 368	6 371	-1,20	97,4	-	0,00
24	6 837	6 840	-1,87	97,4	-	0,00
25	7 133	7 135	-2,27	97,4	-	0,00
26	7 916	7 918	-3,27	97,4	-	0,00
27	7 145	7 148	-2,29	97,4	-	0,00
28	7 545	7 547	-2,81	97,4	-	0,00
29	8 207	8 209	-3,61	97,4	-	0,00
3	8 300	8 302	-3,72	97,4	-	0,00
30	7 906	7 908	-3,25	97,4	-	0,00
31	7 600	7 602	-2,88	97,4	-	0,00
32	8 628	8 630	-4,09	97,4	-	0,00
33	9 113	9 115	-4,62	97,4	-	0,00
34	8 894	8 896	-4,38	97,4	-	0,00
35	8 355	8 357	-3,78	97,4	-	0,00
36	8 181	8 183	-3,58	97,4	-	0,00
37	7 814	7 816	-3,14	97,4	-	0,00
38	7 807	7 810	-3,13	97,4	-	0,00
39	7 123	7 125	-2,26	97,4	-	0,00
4	7 689	7 691	-2,99	97,4	-	0,00
40	7 539	7 541	-2,80	97,4	-	0,00
41	7 948	7 950	-3,30	97,4	-	0,00
5	7 723	7 724	-3,03	97,4	-	0,00
6	7 163	7 165	-2,31	97,4	-	0,00
7	7 193	7 195	-2,35	97,4	-	0,00
8	4 401	4 405	2,24	97,4	-	0,00
9	4 193	4 197	2,68	97,4	-	0,00
Sum			16,05			

- Data undefined due to calculation with octave data

Noise sensitive area: KZ Vigriezes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 356	9 357	-4,87	97,4	-	0,00
10	4 431	4 434	2,18	97,4	-	0,00
11	2 734	2 739	6,58	97,4	-	0,00
12	1 919	1 928	9,74	97,4	-	0,00
13	2 685	2 690	6,74	97,4	-	0,00
14	3 473	3 478	4,41	97,4	-	0,00
15	3 372	3 376	4,68	97,4	-	0,00
16	3 321	3 326	4,82	97,4	-	0,00
17	3 409	3 414	4,58	97,4	-	0,00
18	5 077	5 080	0,92	97,4	-	0,00
19	5 415	5 418	0,32	97,4	-	0,00
2	9 082	9 084	-4,58	97,4	-	0,00
20	4 359	4 363	2,33	97,4	-	0,00
21	5 245	5 248	0,61	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 748	4 751	1,54	97,4	-	0,00
23	5 117	5 120	0,84	97,4	-	0,00
24	5 660	5 663	-0,10	97,4	-	0,00
25	6 211	6 214	-0,97	97,4	-	0,00
26	7 005	7 007	-2,10	97,4	-	0,00
27	6 072	6 075	-0,76	97,4	-	0,00
28	6 551	6 554	-1,47	97,4	-	0,00
29	7 233	7 235	-2,41	97,4	-	0,00
3	8 377	8 379	-3,81	97,4	-	0,00
30	6 851	6 854	-1,89	97,4	-	0,00
31	6 475	6 477	-1,36	97,4	-	0,00
32	7 615	7 617	-2,89	97,4	-	0,00
33	8 041	8 043	-3,41	97,4	-	0,00
34	7 767	7 768	-3,08	97,4	-	0,00
35	7 258	7 260	-2,44	97,4	-	0,00
36	7 023	7 025	-2,13	97,4	-	0,00
37	6 588	6 590	-1,52	97,4	-	0,00
38	6 511	6 514	-1,41	97,4	-	0,00
39	5 901	5 904	-0,49	97,4	-	0,00
4	7 824	7 825	-3,15	97,4	-	0,00
40	6 191	6 193	-0,94	97,4	-	0,00
41	6 576	6 578	-1,51	97,4	-	0,00
5	7 751	7 752	-3,06	97,4	-	0,00
6	7 381	7 383	-2,60	97,4	-	0,00
7	7 507	7 509	-2,76	97,4	-	0,00
8	4 453	4 457	2,13	97,4	-	0,00
9	4 071	4 075	2,95	97,4	-	0,00
Sum			17,70			

- Data undefined due to calculation with octave data

Noise sensitive area: KZ Vigriezes

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 356	9 357	-4,87	97,4	-	0,00
10	4 431	4 434	2,18	97,4	-	0,00
11	2 734	2 739	6,58	97,4	-	0,00
12	1 919	1 928	9,74	97,4	-	0,00
13	2 685	2 690	6,74	97,4	-	0,00
14	3 473	3 478	4,41	97,4	-	0,00
15	3 372	3 376	4,68	97,4	-	0,00
16	3 321	3 326	4,82	97,4	-	0,00
17	3 409	3 414	4,58	97,4	-	0,00
18	5 077	5 080	0,92	97,4	-	0,00
19	5 415	5 418	0,32	97,4	-	0,00
2	9 082	9 084	-4,58	97,4	-	0,00
20	4 359	4 363	2,33	97,4	-	0,00
21	5 245	5 248	0,61	97,4	-	0,00
22	4 748	4 751	1,54	97,4	-	0,00
23	5 117	5 120	0,84	97,4	-	0,00
24	5 660	5 663	-0,10	97,4	-	0,00
25	6 211	6 214	-0,97	97,4	-	0,00
26	7 005	7 007	-2,10	97,4	-	0,00
27	6 072	6 075	-0,76	97,4	-	0,00
28	6 551	6 554	-1,47	97,4	-	0,00
29	7 233	7 235	-2,41	97,4	-	0,00
3	8 377	8 379	-3,81	97,4	-	0,00
30	6 851	6 854	-1,89	97,4	-	0,00
31	6 475	6 477	-1,36	97,4	-	0,00
32	7 615	7 617	-2,89	97,4	-	0,00
33	8 041	8 043	-3,41	97,4	-	0,00
34	7 767	7 768	-3,08	97,4	-	0,00
35	7 258	7 260	-2,44	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 023	7 025	-2,13	97,4	-	0,00
37	6 588	6 590	-1,52	97,4	-	0,00
38	6 511	6 514	-1,41	97,4	-	0,00
39	5 901	5 904	-0,49	97,4	-	0,00
4	7 824	7 825	-3,15	97,4	-	0,00
40	6 191	6 193	-0,94	97,4	-	0,00
41	6 576	6 578	-1,51	97,4	-	0,00
5	7 751	7 752	-3,06	97,4	-	0,00
6	7 381	7 383	-2,60	97,4	-	0,00
7	7 507	7 509	-2,76	97,4	-	0,00
8	4 453	4 457	2,13	97,4	-	0,00
9	4 071	4 075	2,95	97,4	-	0,00
Sum			17,70			

- Data undefined due to calculation with octave data

Noise sensitive area: LA Ploceni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 154	9 156	-4,66	97,4	-	0,00
10	4 303	4 306	2,45	97,4	-	0,00
11	2 356	2 362	7,91	97,4	-	0,00
12	1 582	1 592	11,45	97,4	-	0,00
13	2 222	2 229	8,44	97,4	-	0,00
14	2 983	2 988	5,79	97,4	-	0,00
15	2 834	2 839	6,25	97,4	-	0,00
16	2 758	2 764	6,50	97,4	-	0,00
17	2 833	2 838	6,26	97,4	-	0,00
18	4 527	4 530	1,98	97,4	-	0,00
19	4 853	4 856	1,34	97,4	-	0,00
2	8 850	8 852	-4,33	97,4	-	0,00
20	3 785	3 789	3,62	97,4	-	0,00
21	4 673	4 676	1,68	97,4	-	0,00
22	4 171	4 175	2,73	97,4	-	0,00
23	4 541	4 544	1,95	97,4	-	0,00
24	5 084	5 087	0,90	97,4	-	0,00
25	5 668	5 671	-0,11	97,4	-	0,00
26	6 461	6 464	-1,34	97,4	-	0,00
27	5 505	5 507	0,16	97,4	-	0,00
28	5 994	5 997	-0,63	97,4	-	0,00
29	6 678	6 680	-1,65	97,4	-	0,00
3	8 125	8 126	-3,51	97,4	-	0,00
30	6 285	6 287	-1,08	97,4	-	0,00
31	5 901	5 904	-0,49	97,4	-	0,00
32	7 053	7 055	-2,17	97,4	-	0,00
33	7 472	7 474	-2,71	97,4	-	0,00
34	7 192	7 194	-2,35	97,4	-	0,00
35	6 686	6 689	-1,66	97,4	-	0,00
36	6 447	6 449	-1,32	97,4	-	0,00
37	6 011	6 013	-0,66	97,4	-	0,00
38	5 941	5 944	-0,55	97,4	-	0,00
39	5 324	5 327	0,47	97,4	-	0,00
4	7 596	7 598	-2,87	97,4	-	0,00
40	5 634	5 637	-0,05	97,4	-	0,00
41	6 030	6 033	-0,69	97,4	-	0,00
5	7 484	7 486	-2,73	97,4	-	0,00
6	7 190	7 192	-2,35	97,4	-	0,00
7	7 352	7 354	-2,56	97,4	-	0,00
8	4 247	4 250	2,57	97,4	-	0,00
9	3 809	3 813	3,56	97,4	-	0,00
Sum			18,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LA Ploceni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 154	9 156	-4,66	97,4	-	0,00
10	4 303	4 306	2,45	97,4	-	0,00
11	2 356	2 362	7,91	97,4	-	0,00
12	1 582	1 592	11,45	97,4	-	0,00
13	2 222	2 229	8,44	97,4	-	0,00
14	2 983	2 988	5,79	97,4	-	0,00
15	2 834	2 839	6,25	97,4	-	0,00
16	2 758	2 764	6,50	97,4	-	0,00
17	2 833	2 838	6,26	97,4	-	0,00
18	4 527	4 530	1,98	97,4	-	0,00
19	4 853	4 856	1,34	97,4	-	0,00
2	8 850	8 852	-4,33	97,4	-	0,00
20	3 785	3 789	3,62	97,4	-	0,00
21	4 673	4 676	1,68	97,4	-	0,00
22	4 171	4 175	2,73	97,4	-	0,00
23	4 541	4 544	1,95	97,4	-	0,00
24	5 084	5 087	0,90	97,4	-	0,00
25	5 668	5 671	-0,11	97,4	-	0,00
26	6 461	6 464	-1,34	97,4	-	0,00
27	5 505	5 507	0,16	97,4	-	0,00
28	5 994	5 997	-0,63	97,4	-	0,00
29	6 678	6 680	-1,65	97,4	-	0,00
3	8 125	8 126	-3,51	97,4	-	0,00
30	6 285	6 287	-1,08	97,4	-	0,00
31	5 901	5 904	-0,49	97,4	-	0,00
32	7 053	7 055	-2,17	97,4	-	0,00
33	7 472	7 474	-2,71	97,4	-	0,00
34	7 192	7 194	-2,35	97,4	-	0,00
35	6 686	6 689	-1,66	97,4	-	0,00
36	6 447	6 449	-1,32	97,4	-	0,00
37	6 011	6 013	-0,66	97,4	-	0,00
38	5 941	5 944	-0,55	97,4	-	0,00
39	5 324	5 327	0,47	97,4	-	0,00
4	7 596	7 598	-2,87	97,4	-	0,00
40	5 634	5 637	-0,05	97,4	-	0,00
41	6 030	6 033	-0,69	97,4	-	0,00
5	7 484	7 486	-2,73	97,4	-	0,00
6	7 190	7 192	-2,35	97,4	-	0,00
7	7 352	7 354	-2,56	97,4	-	0,00
8	4 247	4 250	2,57	97,4	-	0,00
9	3 809	3 813	3,56	97,4	-	0,00
Sum			18,93			

- Data undefined due to calculation with octave data

Noise sensitive area: LB Cermuk š as

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 349	7 351	-2,56	97,4	-	0,00
10	2 435	2 440	7,62	97,4	-	0,00
11	2 371	2 377	7,86	97,4	-	0,00
12	1 963	1 971	9,54	97,4	-	0,00
13	2 790	2 795	6,39	97,4	-	0,00
14	3 473	3 478	4,41	97,4	-	0,00
15	3 780	3 783	3,64	97,4	-	0,00
16	4 016	4 020	3,08	97,4	-	0,00
17	4 395	4 399	2,25	97,4	-	0,00
18	5 315	5 318	0,49	97,4	-	0,00
19	5 785	5 788	-0,30	97,4	-	0,00
2	7 174	7 176	-2,33	97,4	-	0,00
20	5 126	5 129	0,83	97,4	-	0,00
21	5 839	5 841	-0,39	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 625	5 627	-0,04	97,4	-	0,00
23	6 113	6 115	-0,82	97,4	-	0,00
24	6 397	6 399	-1,24	97,4	-	0,00
25	6 253	6 255	-1,03	97,4	-	0,00
26	6 990	6 992	-2,08	97,4	-	0,00
27	6 498	6 501	-1,39	97,4	-	0,00
28	6 752	6 755	-1,75	97,4	-	0,00
29	7 359	7 361	-2,57	97,4	-	0,00
3	6 559	6 561	-1,48	97,4	-	0,00
30	7 195	7 197	-2,36	97,4	-	0,00
31	7 024	7 026	-2,13	97,4	-	0,00
32	7 828	7 830	-3,16	97,4	-	0,00
33	8 393	8 395	-3,82	97,4	-	0,00
34	8 278	8 279	-3,69	97,4	-	0,00
35	7 701	7 702	-3,00	97,4	-	0,00
36	7 646	7 648	-2,93	97,4	-	0,00
37	7 434	7 436	-2,67	97,4	-	0,00
38	7 600	7 602	-2,88	97,4	-	0,00
39	6 763	6 765	-1,77	97,4	-	0,00
4	5 935	5 938	-0,54	97,4	-	0,00
40	7 497	7 499	-2,75	97,4	-	0,00
41	7 982	7 984	-3,34	97,4	-	0,00
5	6 002	6 004	-0,65	97,4	-	0,00
6	5 393	5 396	0,35	97,4	-	0,00
7	5 411	5 414	0,32	97,4	-	0,00
8	2 738	2 743	6,56	97,4	-	0,00
9	2 664	2 669	6,81	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Noise sensitive area: LB Cermuk š as

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 349	7 351	-2,56	97,4	-	0,00
10	2 435	2 440	7,62	97,4	-	0,00
11	2 371	2 377	7,86	97,4	-	0,00
12	1 963	1 971	9,54	97,4	-	0,00
13	2 790	2 795	6,39	97,4	-	0,00
14	3 473	3 478	4,41	97,4	-	0,00
15	3 780	3 783	3,64	97,4	-	0,00
16	4 016	4 020	3,08	97,4	-	0,00
17	4 395	4 399	2,25	97,4	-	0,00
18	5 315	5 318	0,49	97,4	-	0,00
19	5 785	5 788	-0,30	97,4	-	0,00
2	7 174	7 176	-2,33	97,4	-	0,00
20	5 126	5 129	0,83	97,4	-	0,00
21	5 839	5 841	-0,39	97,4	-	0,00
22	5 625	5 627	-0,04	97,4	-	0,00
23	6 113	6 115	-0,82	97,4	-	0,00
24	6 397	6 399	-1,24	97,4	-	0,00
25	6 253	6 255	-1,03	97,4	-	0,00
26	6 990	6 992	-2,08	97,4	-	0,00
27	6 498	6 501	-1,39	97,4	-	0,00
28	6 752	6 755	-1,75	97,4	-	0,00
29	7 359	7 361	-2,57	97,4	-	0,00
3	6 559	6 561	-1,48	97,4	-	0,00
30	7 195	7 197	-2,36	97,4	-	0,00
31	7 024	7 026	-2,13	97,4	-	0,00
32	7 828	7 830	-3,16	97,4	-	0,00
33	8 393	8 395	-3,82	97,4	-	0,00
34	8 278	8 279	-3,69	97,4	-	0,00
35	7 701	7 702	-3,00	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 646	7 648	-2,93	97,4	-	0,00
37	7 434	7 436	-2,67	97,4	-	0,00
38	7 600	7 602	-2,88	97,4	-	0,00
39	6 763	6 765	-1,77	97,4	-	0,00
4	5 935	5 938	-0,54	97,4	-	0,00
40	7 497	7 499	-2,75	97,4	-	0,00
41	7 982	7 984	-3,34	97,4	-	0,00
5	6 002	6 004	-0,65	97,4	-	0,00
6	5 393	5 396	0,35	97,4	-	0,00
7	5 411	5 414	0,32	97,4	-	0,00
8	2 738	2 743	6,56	97,4	-	0,00
9	2 664	2 669	6,81	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Noise sensitive area: LC Celmalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 581	6 583	-1,51	97,4	-	0,00
10	1 617	1 626	11,26	97,4	-	0,00
11	1 789	1 797	10,37	97,4	-	0,00
12	1 699	1 708	10,82	97,4	-	0,00
13	2 296	2 302	8,15	97,4	-	0,00
14	2 848	2 854	6,21	97,4	-	0,00
15	3 254	3 259	5,00	97,4	-	0,00
16	3 564	3 568	4,17	97,4	-	0,00
17	4 010	4 014	3,09	97,4	-	0,00
18	4 647	4 650	1,74	97,4	-	0,00
19	5 136	5 139	0,81	97,4	-	0,00
2	6 370	6 372	-1,20	97,4	-	0,00
20	4 622	4 625	1,79	97,4	-	0,00
21	5 251	5 253	0,60	97,4	-	0,00
22	5 132	5 135	0,82	97,4	-	0,00
23	5 641	5 644	-0,07	97,4	-	0,00
24	5 833	5 836	-0,38	97,4	-	0,00
25	5 510	5 512	0,15	97,4	-	0,00
26	6 221	6 223	-0,98	97,4	-	0,00
27	5 844	5 847	-0,40	97,4	-	0,00
28	6 036	6 038	-0,70	97,4	-	0,00
29	6 615	6 617	-1,56	97,4	-	0,00
3	5 726	5 729	-0,21	97,4	-	0,00
30	6 505	6 507	-1,40	97,4	-	0,00
31	6 390	6 393	-1,24	97,4	-	0,00
32	7 096	7 098	-2,22	97,4	-	0,00
33	7 685	7 688	-2,98	97,4	-	0,00
34	7 612	7 613	-2,89	97,4	-	0,00
35	7 026	7 028	-2,13	97,4	-	0,00
36	7 021	7 023	-2,12	97,4	-	0,00
37	6 878	6 880	-1,93	97,4	-	0,00
38	7 118	7 120	-2,25	97,4	-	0,00
39	6 228	6 231	-0,99	97,4	-	0,00
4	5 119	5 122	0,84	97,4	-	0,00
40	7 093	7 095	-2,22	97,4	-	0,00
41	7 606	7 608	-2,88	97,4	-	0,00
5	5 150	5 153	0,78	97,4	-	0,00
6	4 608	4 612	1,81	97,4	-	0,00
7	4 676	4 679	1,68	97,4	-	0,00
8	1 849	1 857	10,07	97,4	-	0,00
9	1 765	1 773	10,48	97,4	-	0,00
Sum			20,18			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LC Celmalas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 581	6 583	-1,51	97,4	-	0,00
10	1 617	1 626	11,26	97,4	-	0,00
11	1 789	1 797	10,37	97,4	-	0,00
12	1 699	1 708	10,82	97,4	-	0,00
13	2 296	2 302	8,15	97,4	-	0,00
14	2 848	2 854	6,21	97,4	-	0,00
15	3 254	3 259	5,00	97,4	-	0,00
16	3 564	3 568	4,17	97,4	-	0,00
17	4 010	4 014	3,09	97,4	-	0,00
18	4 647	4 650	1,74	97,4	-	0,00
19	5 136	5 139	0,81	97,4	-	0,00
2	6 370	6 372	-1,20	97,4	-	0,00
20	4 622	4 625	1,79	97,4	-	0,00
21	5 251	5 253	0,60	97,4	-	0,00
22	5 132	5 135	0,82	97,4	-	0,00
23	5 641	5 644	-0,07	97,4	-	0,00
24	5 833	5 836	-0,38	97,4	-	0,00
25	5 510	5 512	0,15	97,4	-	0,00
26	6 221	6 223	-0,98	97,4	-	0,00
27	5 844	5 847	-0,40	97,4	-	0,00
28	6 036	6 038	-0,70	97,4	-	0,00
29	6 615	6 617	-1,56	97,4	-	0,00
3	5 726	5 729	-0,21	97,4	-	0,00
30	6 505	6 507	-1,40	97,4	-	0,00
31	6 390	6 393	-1,24	97,4	-	0,00
32	7 096	7 098	-2,22	97,4	-	0,00
33	7 685	7 688	-2,98	97,4	-	0,00
34	7 612	7 613	-2,89	97,4	-	0,00
35	7 026	7 028	-2,13	97,4	-	0,00
36	7 021	7 023	-2,12	97,4	-	0,00
37	6 878	6 880	-1,93	97,4	-	0,00
38	7 118	7 120	-2,25	97,4	-	0,00
39	6 228	6 231	-0,99	97,4	-	0,00
4	5 119	5 122	0,84	97,4	-	0,00
40	7 093	7 095	-2,22	97,4	-	0,00
41	7 606	7 608	-2,88	97,4	-	0,00
5	5 150	5 153	0,78	97,4	-	0,00
6	4 608	4 612	1,81	97,4	-	0,00
7	4 676	4 679	1,68	97,4	-	0,00
8	1 849	1 857	10,07	97,4	-	0,00
9	1 765	1 773	10,48	97,4	-	0,00
Sum			20,18			

- Data undefined due to calculation with octave data

Noise sensitive area: LD Egles

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 491	8 493	-3,94	97,4	-	0,00
10	3 527	3 531	4,27	97,4	-	0,00
11	2 560	2 565	7,17	97,4	-	0,00
12	1 826	1 835	10,18	97,4	-	0,00
13	2 770	2 776	6,46	97,4	-	0,00
14	3 572	3 576	4,15	97,4	-	0,00
15	3 686	3 690	3,87	97,4	-	0,00
16	3 790	3 794	3,61	97,4	-	0,00
17	4 041	4 045	3,02	97,4	-	0,00
18	5 373	5 376	0,39	97,4	-	0,00
19	5 789	5 792	-0,31	97,4	-	0,00
2	8 278	8 279	-3,69	97,4	-	0,00
20	4 911	4 914	1,23	97,4	-	0,00
21	5 731	5 733	-0,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 368	5 371	0,40	97,4	-	0,00
23	5 806	5 808	-0,33	97,4	-	0,00
24	6 228	6 231	-0,99	97,4	-	0,00
25	6 432	6 435	-1,30	97,4	-	0,00
26	7 211	7 213	-2,38	97,4	-	0,00
27	6 490	6 492	-1,38	97,4	-	0,00
28	6 862	6 864	-1,91	97,4	-	0,00
29	7 515	7 517	-2,77	97,4	-	0,00
3	7 623	7 625	-2,91	97,4	-	0,00
30	7 240	7 242	-2,41	97,4	-	0,00
31	6 962	6 964	-2,04	97,4	-	0,00
32	7 947	7 949	-3,30	97,4	-	0,00
33	8 449	8 451	-3,89	97,4	-	0,00
34	8 252	8 254	-3,66	97,4	-	0,00
35	7 703	7 704	-3,00	97,4	-	0,00
36	7 556	7 558	-2,82	97,4	-	0,00
37	7 226	7 228	-2,40	97,4	-	0,00
38	7 269	7 271	-2,45	97,4	-	0,00
39	6 537	6 540	-1,45	97,4	-	0,00
4	7 024	7 026	-2,13	97,4	-	0,00
40	7 051	7 053	-2,16	97,4	-	0,00
41	7 488	7 490	-2,74	97,4	-	0,00
5	7 033	7 035	-2,14	97,4	-	0,00
6	6 519	6 521	-1,42	97,4	-	0,00
7	6 578	6 580	-1,51	97,4	-	0,00
8	3 701	3 705	3,83	97,4	-	0,00
9	3 463	3 467	4,43	97,4	-	0,00
Sum			17,64			

- Data undefined due to calculation with octave data

Noise sensitive area: LD Egles

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 491	8 493	-3,94	97,4	-	0,00
10	3 527	3 531	4,27	97,4	-	0,00
11	2 560	2 565	7,17	97,4	-	0,00
12	1 826	1 835	10,18	97,4	-	0,00
13	2 770	2 776	6,46	97,4	-	0,00
14	3 572	3 576	4,15	97,4	-	0,00
15	3 686	3 690	3,87	97,4	-	0,00
16	3 790	3 794	3,61	97,4	-	0,00
17	4 041	4 045	3,02	97,4	-	0,00
18	5 373	5 376	0,39	97,4	-	0,00
19	5 789	5 792	-0,31	97,4	-	0,00
2	8 278	8 279	-3,69	97,4	-	0,00
20	4 911	4 914	1,23	97,4	-	0,00
21	5 731	5 733	-0,21	97,4	-	0,00
22	5 368	5 371	0,40	97,4	-	0,00
23	5 806	5 808	-0,33	97,4	-	0,00
24	6 228	6 231	-0,99	97,4	-	0,00
25	6 432	6 435	-1,30	97,4	-	0,00
26	7 211	7 213	-2,38	97,4	-	0,00
27	6 490	6 492	-1,38	97,4	-	0,00
28	6 862	6 864	-1,91	97,4	-	0,00
29	7 515	7 517	-2,77	97,4	-	0,00
3	7 623	7 625	-2,91	97,4	-	0,00
30	7 240	7 242	-2,41	97,4	-	0,00
31	6 962	6 964	-2,04	97,4	-	0,00
32	7 947	7 949	-3,30	97,4	-	0,00
33	8 449	8 451	-3,89	97,4	-	0,00
34	8 252	8 254	-3,66	97,4	-	0,00
35	7 703	7 704	-3,00	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 556	7 558	-2,82	97,4	-	0,00
37	7 226	7 228	-2,40	97,4	-	0,00
38	7 269	7 271	-2,45	97,4	-	0,00
39	6 537	6 540	-1,45	97,4	-	0,00
4	7 024	7 026	-2,13	97,4	-	0,00
40	7 051	7 053	-2,16	97,4	-	0,00
41	7 488	7 490	-2,74	97,4	-	0,00
5	7 033	7 035	-2,14	97,4	-	0,00
6	6 519	6 521	-1,42	97,4	-	0,00
7	6 578	6 580	-1,51	97,4	-	0,00
8	3 701	3 705	3,83	97,4	-	0,00
9	3 463	3 467	4,43	97,4	-	0,00
Sum			17,64			

- Data undefined due to calculation with octave data

Noise sensitive area: LE Palejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 312	9 314	-4,82	97,4	-	0,00
10	4 367	4 370	2,31	97,4	-	0,00
11	2 798	2 803	6,37	97,4	-	0,00
12	1 977	1 986	9,47	97,4	-	0,00
13	2 794	2 800	6,38	97,4	-	0,00
14	3 595	3 600	4,09	97,4	-	0,00
15	3 528	3 532	4,27	97,4	-	0,00
16	3 500	3 505	4,34	97,4	-	0,00
17	3 612	3 616	4,05	97,4	-	0,00
18	5 239	5 242	0,62	97,4	-	0,00
19	5 590	5 593	0,02	97,4	-	0,00
2	9 053	9 055	-4,55	97,4	-	0,00
20	4 556	4 559	1,92	97,4	-	0,00
21	5 436	5 438	0,28	97,4	-	0,00
22	4 954	4 958	1,14	97,4	-	0,00
23	5 332	5 335	0,46	97,4	-	0,00
24	5 862	5 865	-0,43	97,4	-	0,00
25	6 366	6 369	-1,20	97,4	-	0,00
26	7 159	7 161	-2,31	97,4	-	0,00
27	6 255	6 258	-1,03	97,4	-	0,00
28	6 720	6 723	-1,71	97,4	-	0,00
29	7 399	7 401	-2,62	97,4	-	0,00
3	8 358	8 360	-3,78	97,4	-	0,00
30	7 032	7 034	-2,14	97,4	-	0,00
31	6 668	6 671	-1,64	97,4	-	0,00
32	7 789	7 791	-3,11	97,4	-	0,00
33	8 227	8 229	-3,63	97,4	-	0,00
34	7 962	7 963	-3,32	97,4	-	0,00
35	7 447	7 449	-2,68	97,4	-	0,00
36	7 223	7 225	-2,39	97,4	-	0,00
37	6 800	6 802	-1,82	97,4	-	0,00
38	6 736	6 738	-1,73	97,4	-	0,00
39	6 112	6 114	-0,82	97,4	-	0,00
4	7 793	7 795	-3,12	97,4	-	0,00
40	6 425	6 427	-1,29	97,4	-	0,00
41	6 814	6 817	-1,84	97,4	-	0,00
5	7 739	7 740	-3,05	97,4	-	0,00
6	7 336	7 338	-2,54	97,4	-	0,00
7	7 445	7 447	-2,68	97,4	-	0,00
8	4 423	4 426	2,19	97,4	-	0,00
9	4 069	4 073	2,96	97,4	-	0,00
Sum			17,43			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LE Palejas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 312	9 314	-4,82	97,4	-	0,00
10	4 367	4 370	2,31	97,4	-	0,00
11	2 798	2 803	6,37	97,4	-	0,00
12	1 977	1 986	9,47	97,4	-	0,00
13	2 794	2 800	6,38	97,4	-	0,00
14	3 595	3 600	4,09	97,4	-	0,00
15	3 528	3 532	4,27	97,4	-	0,00
16	3 500	3 505	4,34	97,4	-	0,00
17	3 612	3 616	4,05	97,4	-	0,00
18	5 239	5 242	0,62	97,4	-	0,00
19	5 590	5 593	0,02	97,4	-	0,00
2	9 053	9 055	-4,55	97,4	-	0,00
20	4 556	4 559	1,92	97,4	-	0,00
21	5 436	5 438	0,28	97,4	-	0,00
22	4 954	4 958	1,14	97,4	-	0,00
23	5 332	5 335	0,46	97,4	-	0,00
24	5 862	5 865	-0,43	97,4	-	0,00
25	6 366	6 369	-1,20	97,4	-	0,00
26	7 159	7 161	-2,31	97,4	-	0,00
27	6 255	6 258	-1,03	97,4	-	0,00
28	6 720	6 723	-1,71	97,4	-	0,00
29	7 399	7 401	-2,62	97,4	-	0,00
3	8 358	8 360	-3,78	97,4	-	0,00
30	7 032	7 034	-2,14	97,4	-	0,00
31	6 668	6 671	-1,64	97,4	-	0,00
32	7 789	7 791	-3,11	97,4	-	0,00
33	8 227	8 229	-3,63	97,4	-	0,00
34	7 962	7 963	-3,32	97,4	-	0,00
35	7 447	7 449	-2,68	97,4	-	0,00
36	7 223	7 225	-2,39	97,4	-	0,00
37	6 800	6 802	-1,82	97,4	-	0,00
38	6 736	6 738	-1,73	97,4	-	0,00
39	6 112	6 114	-0,82	97,4	-	0,00
4	7 793	7 795	-3,12	97,4	-	0,00
40	6 425	6 427	-1,29	97,4	-	0,00
41	6 814	6 817	-1,84	97,4	-	0,00
5	7 739	7 740	-3,05	97,4	-	0,00
6	7 336	7 338	-2,54	97,4	-	0,00
7	7 445	7 447	-2,68	97,4	-	0,00
8	4 423	4 426	2,19	97,4	-	0,00
9	4 069	4 073	2,96	97,4	-	0,00
Sum			17,43			

- Data undefined due to calculation with octave data

Noise sensitive area: LF Riekstini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 979	9 980	-5,49	97,4	-	0,00
10	5 033	5 036	1,00	97,4	-	0,00
11	3 398	3 403	4,61	97,4	-	0,00
12	2 584	2 591	7,08	97,4	-	0,00
13	3 334	3 339	4,78	97,4	-	0,00
14	4 113	4 117	2,86	97,4	-	0,00
15	3 974	3 978	3,18	97,4	-	0,00
16	3 885	3 889	3,39	97,4	-	0,00
17	3 915	3 919	3,31	97,4	-	0,00
18	5 662	5 665	-0,10	97,4	-	0,00
19	5 976	5 979	-0,61	97,4	-	0,00
2	9 717	9 719	-5,23	97,4	-	0,00
20	4 877	4 880	1,29	97,4	-	0,00
21	5 774	5 777	-0,28	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 233	5 237	0,63	97,4	-	0,00
23	5 567	5 569	0,06	97,4	-	0,00
24	6 155	6 158	-0,88	97,4	-	0,00
25	6 806	6 808	-1,83	97,4	-	0,00
26	7 599	7 601	-2,88	97,4	-	0,00
27	6 616	6 618	-1,56	97,4	-	0,00
28	7 123	7 125	-2,26	97,4	-	0,00
29	7 808	7 810	-3,13	97,4	-	0,00
3	9 020	9 022	-4,52	97,4	-	0,00
30	7 398	7 400	-2,62	97,4	-	0,00
31	6 992	6 994	-2,09	97,4	-	0,00
32	8 174	8 176	-3,57	97,4	-	0,00
33	8 576	8 578	-4,03	97,4	-	0,00
34	8 276	8 278	-3,69	97,4	-	0,00
35	7 785	7 787	-3,11	97,4	-	0,00
36	7 519	7 522	-2,78	97,4	-	0,00
37	7 045	7 047	-2,16	97,4	-	0,00
38	6 912	6 914	-1,98	97,4	-	0,00
39	6 365	6 368	-1,20	97,4	-	0,00
4	8 458	8 460	-3,90	97,4	-	0,00
40	6 537	6 540	-1,45	97,4	-	0,00
41	6 885	6 887	-1,94	97,4	-	0,00
5	8 398	8 399	-3,83	97,4	-	0,00
6	8 002	8 004	-3,37	97,4	-	0,00
7	8 111	8 113	-3,50	97,4	-	0,00
8	5 087	5 090	0,90	97,4	-	0,00
9	4 723	4 726	1,59	97,4	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Noise sensitive area: LF Riekstini

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 979	9 980	-5,49	97,4	-	0,00
10	5 033	5 036	1,00	97,4	-	0,00
11	3 398	3 403	4,61	97,4	-	0,00
12	2 584	2 591	7,08	97,4	-	0,00
13	3 334	3 339	4,78	97,4	-	0,00
14	4 113	4 117	2,86	97,4	-	0,00
15	3 974	3 978	3,18	97,4	-	0,00
16	3 885	3 889	3,39	97,4	-	0,00
17	3 915	3 919	3,31	97,4	-	0,00
18	5 662	5 665	-0,10	97,4	-	0,00
19	5 976	5 979	-0,61	97,4	-	0,00
2	9 717	9 719	-5,23	97,4	-	0,00
20	4 877	4 880	1,29	97,4	-	0,00
21	5 774	5 777	-0,28	97,4	-	0,00
22	5 233	5 237	0,63	97,4	-	0,00
23	5 567	5 569	0,06	97,4	-	0,00
24	6 155	6 158	-0,88	97,4	-	0,00
25	6 806	6 808	-1,83	97,4	-	0,00
26	7 599	7 601	-2,88	97,4	-	0,00
27	6 616	6 618	-1,56	97,4	-	0,00
28	7 123	7 125	-2,26	97,4	-	0,00
29	7 808	7 810	-3,13	97,4	-	0,00
3	9 020	9 022	-4,52	97,4	-	0,00
30	7 398	7 400	-2,62	97,4	-	0,00
31	6 992	6 994	-2,09	97,4	-	0,00
32	8 174	8 176	-3,57	97,4	-	0,00
33	8 576	8 578	-4,03	97,4	-	0,00
34	8 276	8 278	-3,69	97,4	-	0,00
35	7 785	7 787	-3,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 519	7 522	-2,78	97,4	-	0,00
37	7 045	7 047	-2,16	97,4	-	0,00
38	6 912	6 914	-1,98	97,4	-	0,00
39	6 365	6 368	-1,20	97,4	-	0,00
4	8 458	8 460	-3,90	97,4	-	0,00
40	6 537	6 540	-1,45	97,4	-	0,00
41	6 885	6 887	-1,94	97,4	-	0,00
5	8 398	8 399	-3,83	97,4	-	0,00
6	8 002	8 004	-3,37	97,4	-	0,00
7	8 111	8 113	-3,50	97,4	-	0,00
8	5 087	5 090	0,90	97,4	-	0,00
9	4 723	4 726	1,59	97,4	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Noise sensitive area: LG Me ž a Mala

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 656	8 657	-4,12	97,4	-	0,00
10	4 175	4 178	2,72	97,4	-	0,00
11	1 769	1 777	10,47	97,4	-	0,00
12	1 440	1 451	12,27	97,4	-	0,00
13	1 335	1 346	12,94	97,4	-	0,00
14	1 853	1 862	10,05	97,4	-	0,00
15	1 518	1 527	11,82	97,4	-	0,00
16	1 346	1 357	12,87	97,4	-	0,00
17	1 390	1 402	12,58	97,4	-	0,00
18	3 136	3 140	5,34	97,4	-	0,00
19	3 429	3 434	4,52	97,4	-	0,00
2	8 279	8 280	-3,69	97,4	-	0,00
20	2 340	2 346	7,98	97,4	-	0,00
21	3 230	3 235	5,07	97,4	-	0,00
22	2 734	2 739	6,58	97,4	-	0,00
23	3 125	3 130	5,37	97,4	-	0,00
24	3 642	3 646	3,98	97,4	-	0,00
25	4 289	4 292	2,48	97,4	-	0,00
26	5 078	5 081	0,91	97,4	-	0,00
27	4 067	4 071	2,96	97,4	-	0,00
28	4 579	4 582	1,87	97,4	-	0,00
29	5 265	5 268	0,58	97,4	-	0,00
3	7 510	7 512	-2,76	97,4	-	0,00
30	4 849	4 852	1,34	97,4	-	0,00
31	4 456	4 460	2,12	97,4	-	0,00
32	5 625	5 628	-0,04	97,4	-	0,00
33	6 031	6 033	-0,69	97,4	-	0,00
34	5 747	5 750	-0,24	97,4	-	0,00
35	5 243	5 246	0,62	97,4	-	0,00
36	5 003	5 006	1,05	97,4	-	0,00
37	4 584	4 587	1,86	97,4	-	0,00
38	4 561	4 565	1,91	97,4	-	0,00
39	3 894	3 898	3,36	97,4	-	0,00
4	7 061	7 063	-2,18	97,4	-	0,00
40	4 324	4 328	2,40	97,4	-	0,00
41	4 768	4 771	1,50	97,4	-	0,00
5	6 848	6 850	-1,89	97,4	-	0,00
6	6 761	6 763	-1,77	97,4	-	0,00
7	7 013	7 015	-2,11	97,4	-	0,00
8	3 914	3 918	3,32	97,4	-	0,00
9	3 358	3 363	4,71	97,4	-	0,00
Sum			22,35			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LG Me ž a Mala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 656	8 657	-4,12	97,4	-	0,00
10	4 175	4 178	2,72	97,4	-	0,00
11	1 769	1 777	10,47	97,4	-	0,00
12	1 440	1 451	12,27	97,4	-	0,00
13	1 335	1 346	12,94	97,4	-	0,00
14	1 853	1 862	10,05	97,4	-	0,00
15	1 518	1 527	11,82	97,4	-	0,00
16	1 346	1 357	12,87	97,4	-	0,00
17	1 390	1 402	12,58	97,4	-	0,00
18	3 136	3 140	5,34	97,4	-	0,00
19	3 429	3 434	4,52	97,4	-	0,00
2	8 279	8 280	-3,69	97,4	-	0,00
20	2 340	2 346	7,98	97,4	-	0,00
21	3 230	3 235	5,07	97,4	-	0,00
22	2 734	2 739	6,58	97,4	-	0,00
23	3 125	3 130	5,37	97,4	-	0,00
24	3 642	3 646	3,98	97,4	-	0,00
25	4 289	4 292	2,48	97,4	-	0,00
26	5 078	5 081	0,91	97,4	-	0,00
27	4 067	4 071	2,96	97,4	-	0,00
28	4 579	4 582	1,87	97,4	-	0,00
29	5 265	5 268	0,58	97,4	-	0,00
3	7 510	7 512	-2,76	97,4	-	0,00
30	4 849	4 852	1,34	97,4	-	0,00
31	4 456	4 460	2,12	97,4	-	0,00
32	5 625	5 628	-0,04	97,4	-	0,00
33	6 031	6 033	-0,69	97,4	-	0,00
34	5 747	5 750	-0,24	97,4	-	0,00
35	5 243	5 246	0,62	97,4	-	0,00
36	5 003	5 006	1,05	97,4	-	0,00
37	4 584	4 587	1,86	97,4	-	0,00
38	4 561	4 565	1,91	97,4	-	0,00
39	3 894	3 898	3,36	97,4	-	0,00
4	7 061	7 063	-2,18	97,4	-	0,00
40	4 324	4 328	2,40	97,4	-	0,00
41	4 768	4 771	1,50	97,4	-	0,00
5	6 848	6 850	-1,89	97,4	-	0,00
6	6 761	6 763	-1,77	97,4	-	0,00
7	7 013	7 015	-2,11	97,4	-	0,00
8	3 914	3 918	3,32	97,4	-	0,00
9	3 358	3 363	4,71	97,4	-	0,00
Sum			22,35			

- Data undefined due to calculation with octave data

Noise sensitive area: LH Viksnas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 488	8 489	-3,93	97,4	-	0,00
10	3 541	3 545	4,23	97,4	-	0,00
11	2 783	2 789	6,42	97,4	-	0,00
12	2 084	2 091	9,01	97,4	-	0,00
13	3 028	3 033	5,65	97,4	-	0,00
14	3 821	3 825	3,54	97,4	-	0,00
15	3 961	3 965	3,21	97,4	-	0,00
16	4 079	4 083	2,94	97,4	-	0,00
17	4 341	4 345	2,36	97,4	-	0,00
18	5 637	5 639	-0,06	97,4	-	0,00
19	6 060	6 063	-0,74	97,4	-	0,00
2	8 295	8 297	-3,71	97,4	-	0,00
20	5 203	5 205	0,69	97,4	-	0,00
21	6 015	6 017	-0,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 664	5 666	-0,10	97,4	-	0,00
23	6 106	6 109	-0,81	97,4	-	0,00
24	6 519	6 521	-1,42	97,4	-	0,00
25	6 682	6 685	-1,66	97,4	-	0,00
26	7 456	7 458	-2,69	97,4	-	0,00
27	6 764	6 766	-1,77	97,4	-	0,00
28	7 122	7 124	-2,26	97,4	-	0,00
29	7 771	7 773	-3,09	97,4	-	0,00
3	7 659	7 660	-2,95	97,4	-	0,00
30	7 509	7 511	-2,76	97,4	-	0,00
31	7 243	7 245	-2,42	97,4	-	0,00
32	8 208	8 210	-3,61	97,4	-	0,00
33	8 719	8 721	-4,19	97,4	-	0,00
34	8 531	8 532	-3,98	97,4	-	0,00
35	7 978	7 979	-3,34	97,4	-	0,00
36	7 840	7 842	-3,17	97,4	-	0,00
37	7 521	7 523	-2,78	97,4	-	0,00
38	7 572	7 574	-2,84	97,4	-	0,00
39	6 833	6 835	-1,87	97,4	-	0,00
4	7 048	7 050	-2,16	97,4	-	0,00
40	7 359	7 361	-2,57	97,4	-	0,00
41	7 798	7 800	-3,12	97,4	-	0,00
5	7 082	7 084	-2,21	97,4	-	0,00
6	6 524	6 526	-1,43	97,4	-	0,00
7	6 559	6 561	-1,48	97,4	-	0,00
8	3 764	3 768	3,67	97,4	-	0,00
9	3 573	3 577	4,15	97,4	-	0,00
Sum			17,07			

- Data undefined due to calculation with octave data

Noise sensitive area: LH Viksnas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 488	8 489	-3,93	97,4	-	0,00
10	3 541	3 545	4,23	97,4	-	0,00
11	2 783	2 789	6,42	97,4	-	0,00
12	2 084	2 091	9,01	97,4	-	0,00
13	3 028	3 033	5,65	97,4	-	0,00
14	3 821	3 825	3,54	97,4	-	0,00
15	3 961	3 965	3,21	97,4	-	0,00
16	4 079	4 083	2,94	97,4	-	0,00
17	4 341	4 345	2,36	97,4	-	0,00
18	5 637	5 639	-0,06	97,4	-	0,00
19	6 060	6 063	-0,74	97,4	-	0,00
2	8 295	8 297	-3,71	97,4	-	0,00
20	5 203	5 205	0,69	97,4	-	0,00
21	6 015	6 017	-0,67	97,4	-	0,00
22	5 664	5 666	-0,10	97,4	-	0,00
23	6 106	6 109	-0,81	97,4	-	0,00
24	6 519	6 521	-1,42	97,4	-	0,00
25	6 682	6 685	-1,66	97,4	-	0,00
26	7 456	7 458	-2,69	97,4	-	0,00
27	6 764	6 766	-1,77	97,4	-	0,00
28	7 122	7 124	-2,26	97,4	-	0,00
29	7 771	7 773	-3,09	97,4	-	0,00
3	7 659	7 660	-2,95	97,4	-	0,00
30	7 509	7 511	-2,76	97,4	-	0,00
31	7 243	7 245	-2,42	97,4	-	0,00
32	8 208	8 210	-3,61	97,4	-	0,00
33	8 719	8 721	-4,19	97,4	-	0,00
34	8 531	8 532	-3,98	97,4	-	0,00
35	7 978	7 979	-3,34	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 840	7 842	-3,17	97,4	-	0,00
37	7 521	7 523	-2,78	97,4	-	0,00
38	7 572	7 574	-2,84	97,4	-	0,00
39	6 833	6 835	-1,87	97,4	-	0,00
4	7 048	7 050	-2,16	97,4	-	0,00
40	7 359	7 361	-2,57	97,4	-	0,00
41	7 798	7 800	-3,12	97,4	-	0,00
5	7 082	7 084	-2,21	97,4	-	0,00
6	6 524	6 526	-1,43	97,4	-	0,00
7	6 559	6 561	-1,48	97,4	-	0,00
8	3 764	3 768	3,67	97,4	-	0,00
9	3 573	3 577	4,15	97,4	-	0,00
Sum			17,07			

- Data undefined due to calculation with octave data

Noise sensitive area: LI Pauguri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 258	9 260	-4,77	97,4	-	0,00
10	4 423	4 426	2,19	97,4	-	0,00
11	2 429	2 435	7,64	97,4	-	0,00
12	1 673	1 682	10,96	97,4	-	0,00
13	2 266	2 272	8,26	97,4	-	0,00
14	3 010	3 015	5,71	97,4	-	0,00
15	2 832	2 837	6,26	97,4	-	0,00
16	2 735	2 740	6,57	97,4	-	0,00
17	2 782	2 788	6,42	97,4	-	0,00
18	4 513	4 516	2,01	97,4	-	0,00
19	4 827	4 830	1,38	97,4	-	0,00
2	8 949	8 951	-4,44	97,4	-	0,00
20	3 740	3 744	3,73	97,4	-	0,00
21	4 634	4 637	1,76	97,4	-	0,00
22	4 114	4 118	2,86	97,4	-	0,00
23	4 473	4 476	2,09	97,4	-	0,00
24	5 031	5 034	1,00	97,4	-	0,00
25	5 659	5 661	-0,09	97,4	-	0,00
26	6 451	6 454	-1,32	97,4	-	0,00
27	5 471	5 474	0,22	97,4	-	0,00
28	5 973	5 975	-0,60	97,4	-	0,00
29	6 658	6 660	-1,62	97,4	-	0,00
3	8 219	8 221	-3,62	97,4	-	0,00
30	6 252	6 255	-1,03	97,4	-	0,00
31	5 857	5 860	-0,42	97,4	-	0,00
32	7 025	7 028	-2,13	97,4	-	0,00
33	7 434	7 436	-2,67	97,4	-	0,00
34	7 145	7 147	-2,29	97,4	-	0,00
35	6 646	6 648	-1,60	97,4	-	0,00
36	6 395	6 398	-1,24	97,4	-	0,00
37	5 947	5 949	-0,56	97,4	-	0,00
38	5 861	5 864	-0,42	97,4	-	0,00
39	5 261	5 264	0,58	97,4	-	0,00
4	7 696	7 698	-3,00	97,4	-	0,00
40	5 541	5 543	0,10	97,4	-	0,00
41	5 930	5 932	-0,53	97,4	-	0,00
5	7 576	7 578	-2,85	97,4	-	0,00
6	7 297	7 299	-2,49	97,4	-	0,00
7	7 465	7 467	-2,71	97,4	-	0,00
8	4 354	4 357	2,34	97,4	-	0,00
9	3 906	3 910	3,33	97,4	-	0,00
Sum			18,83			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LI Pauguri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 258	9 260	-4,77	97,4	-	0,00
10	4 423	4 426	2,19	97,4	-	0,00
11	2 429	2 435	7,64	97,4	-	0,00
12	1 673	1 682	10,96	97,4	-	0,00
13	2 266	2 272	8,26	97,4	-	0,00
14	3 010	3 015	5,71	97,4	-	0,00
15	2 832	2 837	6,26	97,4	-	0,00
16	2 735	2 740	6,57	97,4	-	0,00
17	2 782	2 788	6,42	97,4	-	0,00
18	4 513	4 516	2,01	97,4	-	0,00
19	4 827	4 830	1,38	97,4	-	0,00
2	8 949	8 951	-4,44	97,4	-	0,00
20	3 740	3 744	3,73	97,4	-	0,00
21	4 634	4 637	1,76	97,4	-	0,00
22	4 114	4 118	2,86	97,4	-	0,00
23	4 473	4 476	2,09	97,4	-	0,00
24	5 031	5 034	1,00	97,4	-	0,00
25	5 659	5 661	-0,09	97,4	-	0,00
26	6 451	6 454	-1,32	97,4	-	0,00
27	5 471	5 474	0,22	97,4	-	0,00
28	5 973	5 975	-0,60	97,4	-	0,00
29	6 658	6 660	-1,62	97,4	-	0,00
3	8 219	8 221	-3,62	97,4	-	0,00
30	6 252	6 255	-1,03	97,4	-	0,00
31	5 857	5 860	-0,42	97,4	-	0,00
32	7 025	7 028	-2,13	97,4	-	0,00
33	7 434	7 436	-2,67	97,4	-	0,00
34	7 145	7 147	-2,29	97,4	-	0,00
35	6 646	6 648	-1,60	97,4	-	0,00
36	6 395	6 398	-1,24	97,4	-	0,00
37	5 947	5 949	-0,56	97,4	-	0,00
38	5 861	5 864	-0,42	97,4	-	0,00
39	5 261	5 264	0,58	97,4	-	0,00
4	7 696	7 698	-3,00	97,4	-	0,00
40	5 541	5 543	0,10	97,4	-	0,00
41	5 930	5 932	-0,53	97,4	-	0,00
5	7 576	7 578	-2,85	97,4	-	0,00
6	7 297	7 299	-2,49	97,4	-	0,00
7	7 465	7 467	-2,71	97,4	-	0,00
8	4 354	4 357	2,34	97,4	-	0,00
9	3 906	3 910	3,33	97,4	-	0,00
Sum			18,83			

- Data undefined due to calculation with octave data

Noise sensitive area: LJ Slokas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 132	10 133	-5,64	97,4	-	0,00
10	5 212	5 214	0,67	97,4	-	0,00
11	3 432	3 437	4,52	97,4	-	0,00
12	2 637	2 643	6,90	97,4	-	0,00
13	3 310	3 315	4,84	97,4	-	0,00
14	4 062	4 066	2,98	97,4	-	0,00
15	3 872	3 876	3,41	97,4	-	0,00
16	3 745	3 749	3,72	97,4	-	0,00
17	3 730	3 734	3,76	97,4	-	0,00
18	5 533	5 536	0,11	97,4	-	0,00
19	5 824	5 827	-0,36	97,4	-	0,00
2	9 853	9 854	-5,37	97,4	-	0,00
20	4 693	4 697	1,64	97,4	-	0,00
21	5 596	5 598	0,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	5 027	5 030	1,01	97,4	-	0,00
23	5 337	5 340	0,45	97,4	-	0,00
24	5 951	5 954	-0,57	97,4	-	0,00
25	6 684	6 687	-1,66	97,4	-	0,00
26	7 475	7 478	-2,72	97,4	-	0,00
27	6 446	6 449	-1,32	97,4	-	0,00
28	6 976	6 978	-2,06	97,4	-	0,00
29	7 663	7 665	-2,96	97,4	-	0,00
3	9 142	9 144	-4,65	97,4	-	0,00
30	7 230	7 232	-2,40	97,4	-	0,00
31	6 802	6 804	-1,82	97,4	-	0,00
32	8 015	8 017	-3,38	97,4	-	0,00
33	8 395	8 397	-3,83	97,4	-	0,00
34	8 078	8 080	-3,46	97,4	-	0,00
35	7 599	7 601	-2,88	97,4	-	0,00
36	7 314	7 316	-2,51	97,4	-	0,00
37	6 815	6 818	-1,84	97,4	-	0,00
38	6 653	6 656	-1,62	97,4	-	0,00
39	6 142	6 144	-0,86	97,4	-	0,00
4	8 594	8 596	-4,05	97,4	-	0,00
40	6 256	6 259	-1,04	97,4	-	0,00
41	6 589	6 591	-1,52	97,4	-	0,00
5	8 511	8 513	-3,96	97,4	-	0,00
6	8 158	8 160	-3,55	97,4	-	0,00
7	8 287	8 289	-3,70	97,4	-	0,00
8	5 226	5 229	0,65	97,4	-	0,00
9	4 830	4 833	1,38	97,4	-	0,00
Sum			16,43			

- Data undefined due to calculation with octave data

Noise sensitive area: LJ Slokas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 132	10 133	-5,64	97,4	-	0,00
10	5 212	5 214	0,67	97,4	-	0,00
11	3 432	3 437	4,52	97,4	-	0,00
12	2 637	2 643	6,90	97,4	-	0,00
13	3 310	3 315	4,84	97,4	-	0,00
14	4 062	4 066	2,98	97,4	-	0,00
15	3 872	3 876	3,41	97,4	-	0,00
16	3 745	3 749	3,72	97,4	-	0,00
17	3 730	3 734	3,76	97,4	-	0,00
18	5 533	5 536	0,11	97,4	-	0,00
19	5 824	5 827	-0,36	97,4	-	0,00
2	9 853	9 854	-5,37	97,4	-	0,00
20	4 693	4 697	1,64	97,4	-	0,00
21	5 596	5 598	0,01	97,4	-	0,00
22	5 027	5 030	1,01	97,4	-	0,00
23	5 337	5 340	0,45	97,4	-	0,00
24	5 951	5 954	-0,57	97,4	-	0,00
25	6 684	6 687	-1,66	97,4	-	0,00
26	7 475	7 478	-2,72	97,4	-	0,00
27	6 446	6 449	-1,32	97,4	-	0,00
28	6 976	6 978	-2,06	97,4	-	0,00
29	7 663	7 665	-2,96	97,4	-	0,00
3	9 142	9 144	-4,65	97,4	-	0,00
30	7 230	7 232	-2,40	97,4	-	0,00
31	6 802	6 804	-1,82	97,4	-	0,00
32	8 015	8 017	-3,38	97,4	-	0,00
33	8 395	8 397	-3,83	97,4	-	0,00
34	8 078	8 080	-3,46	97,4	-	0,00
35	7 599	7 601	-2,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	7 314	7 316	-2,51	97,4	-	0,00
37	6 815	6 818	-1,84	97,4	-	0,00
38	6 653	6 656	-1,62	97,4	-	0,00
39	6 142	6 144	-0,86	97,4	-	0,00
4	8 594	8 596	-4,05	97,4	-	0,00
40	6 256	6 259	-1,04	97,4	-	0,00
41	6 589	6 591	-1,52	97,4	-	0,00
5	8 511	8 513	-3,96	97,4	-	0,00
6	8 158	8 160	-3,55	97,4	-	0,00
7	8 287	8 289	-3,70	97,4	-	0,00
8	5 226	5 229	0,65	97,4	-	0,00
9	4 830	4 833	1,38	97,4	-	0,00
Sum			16,43			

- Data undefined due to calculation with octave data

Noise sensitive area: LK Valaini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 145	9 147	-4,65	97,4	-	0,00
10	4 234	4 238	2,59	97,4	-	0,00
11	2 496	2 502	7,40	97,4	-	0,00
12	1 683	1 692	10,90	97,4	-	0,00
13	2 448	2 454	7,57	97,4	-	0,00
14	3 239	3 245	5,04	97,4	-	0,00
15	3 150	3 155	5,30	97,4	-	0,00
16	3 113	3 118	5,40	97,4	-	0,00
17	3 222	3 228	5,09	97,4	-	0,00
18	4 858	4 862	1,32	97,4	-	0,00
19	5 204	5 207	0,69	97,4	-	0,00
2	8 866	8 868	-4,35	97,4	-	0,00
20	4 166	4 170	2,74	97,4	-	0,00
21	5 046	5 049	0,97	97,4	-	0,00
22	4 565	4 569	1,90	97,4	-	0,00
23	4 946	4 949	1,16	97,4	-	0,00
24	5 473	5 476	0,22	97,4	-	0,00
25	5 989	5 992	-0,63	97,4	-	0,00
26	6 783	6 785	-1,80	97,4	-	0,00
27	5 868	5 870	-0,43	97,4	-	0,00
28	6 337	6 339	-1,16	97,4	-	0,00
29	7 017	7 019	-2,12	97,4	-	0,00
3	8 157	8 159	-3,55	97,4	-	0,00
30	6 645	6 647	-1,60	97,4	-	0,00
31	6 278	6 281	-1,07	97,4	-	0,00
32	7 403	7 406	-2,63	97,4	-	0,00
33	7 838	7 840	-3,17	97,4	-	0,00
34	7 572	7 574	-2,84	97,4	-	0,00
35	7 058	7 060	-2,17	97,4	-	0,00
36	6 833	6 835	-1,87	97,4	-	0,00
37	6 412	6 415	-1,27	97,4	-	0,00
38	6 355	6 358	-1,18	97,4	-	0,00
39	5 724	5 727	-0,20	97,4	-	0,00
4	7 608	7 610	-2,89	97,4	-	0,00
40	6 055	6 058	-0,73	97,4	-	0,00
41	6 453	6 456	-1,33	97,4	-	0,00
5	7 528	7 530	-2,79	97,4	-	0,00
6	7 172	7 175	-2,33	97,4	-	0,00
7	7 306	7 308	-2,50	97,4	-	0,00
8	4 239	4 243	2,58	97,4	-	0,00
9	3 847	3 851	3,47	97,4	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LK Valaini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 145	9 147	-4,65	97,4	-	0,00
10	4 234	4 238	2,59	97,4	-	0,00
11	2 496	2 502	7,40	97,4	-	0,00
12	1 683	1 692	10,90	97,4	-	0,00
13	2 448	2 454	7,57	97,4	-	0,00
14	3 239	3 245	5,04	97,4	-	0,00
15	3 150	3 155	5,30	97,4	-	0,00
16	3 113	3 118	5,40	97,4	-	0,00
17	3 222	3 228	5,09	97,4	-	0,00
18	4 858	4 862	1,32	97,4	-	0,00
19	5 204	5 207	0,69	97,4	-	0,00
2	8 866	8 868	-4,35	97,4	-	0,00
20	4 166	4 170	2,74	97,4	-	0,00
21	5 046	5 049	0,97	97,4	-	0,00
22	4 565	4 569	1,90	97,4	-	0,00
23	4 946	4 949	1,16	97,4	-	0,00
24	5 473	5 476	0,22	97,4	-	0,00
25	5 989	5 992	-0,63	97,4	-	0,00
26	6 783	6 785	-1,80	97,4	-	0,00
27	5 868	5 870	-0,43	97,4	-	0,00
28	6 337	6 339	-1,16	97,4	-	0,00
29	7 017	7 019	-2,12	97,4	-	0,00
3	8 157	8 159	-3,55	97,4	-	0,00
30	6 645	6 647	-1,60	97,4	-	0,00
31	6 278	6 281	-1,07	97,4	-	0,00
32	7 403	7 406	-2,63	97,4	-	0,00
33	7 838	7 840	-3,17	97,4	-	0,00
34	7 572	7 574	-2,84	97,4	-	0,00
35	7 058	7 060	-2,17	97,4	-	0,00
36	6 833	6 835	-1,87	97,4	-	0,00
37	6 412	6 415	-1,27	97,4	-	0,00
38	6 355	6 358	-1,18	97,4	-	0,00
39	5 724	5 727	-0,20	97,4	-	0,00
4	7 608	7 610	-2,89	97,4	-	0,00
40	6 055	6 058	-0,73	97,4	-	0,00
41	6 453	6 456	-1,33	97,4	-	0,00
5	7 528	7 530	-2,79	97,4	-	0,00
6	7 172	7 175	-2,33	97,4	-	0,00
7	7 306	7 308	-2,50	97,4	-	0,00
8	4 239	4 243	2,58	97,4	-	0,00
9	3 847	3 851	3,47	97,4	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Noise sensitive area: LL Linvejas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 798	9 800	-5,31	97,4	-	0,00
10	4 989	4 992	1,08	97,4	-	0,00
11	2 917	2 922	5,99	97,4	-	0,00
12	2 203	2 210	8,51	97,4	-	0,00
13	2 684	2 690	6,74	97,4	-	0,00
14	3 370	3 375	4,68	97,4	-	0,00
15	3 107	3 111	5,42	97,4	-	0,00
16	2 932	2 937	5,94	97,4	-	0,00
17	2 875	2 881	6,12	97,4	-	0,00
18	4 722	4 725	1,59	97,4	-	0,00
19	4 989	4 992	1,08	97,4	-	0,00
2	9 478	9 479	-4,99	97,4	-	0,00
20	3 837	3 841	3,50	97,4	-	0,00
21	4 741	4 744	1,55	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 157	4 161	2,76	97,4	-	0,00
23	4 462	4 465	2,11	97,4	-	0,00
24	5 082	5 085	0,91	97,4	-	0,00
25	5 877	5 880	-0,45	97,4	-	0,00
26	6 663	6 666	-1,63	97,4	-	0,00
27	5 596	5 599	0,01	97,4	-	0,00
28	6 143	6 145	-0,86	97,4	-	0,00
29	6 831	6 833	-1,86	97,4	-	0,00
3	8 740	8 741	-4,21	97,4	-	0,00
30	6 379	6 381	-1,22	97,4	-	0,00
31	5 938	5 941	-0,55	97,4	-	0,00
32	7 170	7 172	-2,32	97,4	-	0,00
33	7 536	7 538	-2,80	97,4	-	0,00
34	7 210	7 212	-2,38	97,4	-	0,00
35	6 738	6 740	-1,73	97,4	-	0,00
36	6 443	6 445	-1,31	97,4	-	0,00
37	5 940	5 942	-0,55	97,4	-	0,00
38	5 781	5 784	-0,30	97,4	-	0,00
39	5 267	5 270	0,57	97,4	-	0,00
4	8 229	8 231	-3,64	97,4	-	0,00
40	5 397	5 400	0,35	97,4	-	0,00
41	5 745	5 747	-0,24	97,4	-	0,00
5	8 092	8 094	-3,47	97,4	-	0,00
6	7 843	7 845	-3,18	97,4	-	0,00
7	8 021	8 023	-3,39	97,4	-	0,00
8	4 902	4 905	1,24	97,4	-	0,00
9	4 437	4 441	2,16	97,4	-	0,00
Sum			17,94			

- Data undefined due to calculation with octave data

Noise sensitive area: LL Linvejas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 798	9 800	-5,31	97,4	-	0,00
10	4 989	4 992	1,08	97,4	-	0,00
11	2 917	2 922	5,99	97,4	-	0,00
12	2 203	2 210	8,51	97,4	-	0,00
13	2 684	2 690	6,74	97,4	-	0,00
14	3 370	3 375	4,68	97,4	-	0,00
15	3 107	3 111	5,42	97,4	-	0,00
16	2 932	2 937	5,94	97,4	-	0,00
17	2 875	2 881	6,12	97,4	-	0,00
18	4 722	4 725	1,59	97,4	-	0,00
19	4 989	4 992	1,08	97,4	-	0,00
2	9 478	9 479	-4,99	97,4	-	0,00
20	3 837	3 841	3,50	97,4	-	0,00
21	4 741	4 744	1,55	97,4	-	0,00
22	4 157	4 161	2,76	97,4	-	0,00
23	4 462	4 465	2,11	97,4	-	0,00
24	5 082	5 085	0,91	97,4	-	0,00
25	5 877	5 880	-0,45	97,4	-	0,00
26	6 663	6 666	-1,63	97,4	-	0,00
27	5 596	5 599	0,01	97,4	-	0,00
28	6 143	6 145	-0,86	97,4	-	0,00
29	6 831	6 833	-1,86	97,4	-	0,00
3	8 740	8 741	-4,21	97,4	-	0,00
30	6 379	6 381	-1,22	97,4	-	0,00
31	5 938	5 941	-0,55	97,4	-	0,00
32	7 170	7 172	-2,32	97,4	-	0,00
33	7 536	7 538	-2,80	97,4	-	0,00
34	7 210	7 212	-2,38	97,4	-	0,00
35	6 738	6 740	-1,73	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 443	6 445	-1,31	97,4	-	0,00
37	5 940	5 942	-0,55	97,4	-	0,00
38	5 781	5 784	-0,30	97,4	-	0,00
39	5 267	5 270	0,57	97,4	-	0,00
4	8 229	8 231	-3,64	97,4	-	0,00
40	5 397	5 400	0,35	97,4	-	0,00
41	5 745	5 747	-0,24	97,4	-	0,00
5	8 092	8 094	-3,47	97,4	-	0,00
6	7 843	7 845	-3,18	97,4	-	0,00
7	8 021	8 023	-3,39	97,4	-	0,00
8	4 902	4 905	1,24	97,4	-	0,00
9	4 437	4 441	2,16	97,4	-	0,00
Sum			17,94			

- Data undefined due to calculation with octave data

Noise sensitive area: LM Priedes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 676	9 678	-5,19	97,4	-	0,00
10	4 918	4 920	1,21	97,4	-	0,00
11	2 763	2 768	6,48	97,4	-	0,00
12	2 092	2 100	8,97	97,4	-	0,00
13	2 491	2 497	7,41	97,4	-	0,00
14	3 147	3 153	5,30	97,4	-	0,00
15	2 858	2 863	6,18	97,4	-	0,00
16	2 668	2 674	6,80	97,4	-	0,00
17	2 598	2 605	7,03	97,4	-	0,00
18	4 456	4 460	2,12	97,4	-	0,00
19	4 716	4 720	1,60	97,4	-	0,00
2	9 343	9 345	-4,86	97,4	-	0,00
20	3 560	3 564	4,18	97,4	-	0,00
21	4 463	4 466	2,11	97,4	-	0,00
22	3 878	3 882	3,40	97,4	-	0,00
23	4 183	4 187	2,71	97,4	-	0,00
24	4 802	4 805	1,43	97,4	-	0,00
25	5 611	5 614	-0,02	97,4	-	0,00
26	6 396	6 399	-1,24	97,4	-	0,00
27	5 319	5 323	0,48	97,4	-	0,00
28	5 870	5 873	-0,44	97,4	-	0,00
29	6 558	6 561	-1,48	97,4	-	0,00
3	8 598	8 599	-4,06	97,4	-	0,00
30	6 102	6 105	-0,80	97,4	-	0,00
31	5 659	5 662	-0,10	97,4	-	0,00
32	6 894	6 896	-1,95	97,4	-	0,00
33	7 257	7 260	-2,44	97,4	-	0,00
34	6 930	6 932	-2,00	97,4	-	0,00
35	6 459	6 461	-1,34	97,4	-	0,00
36	6 163	6 166	-0,89	97,4	-	0,00
37	5 661	5 664	-0,10	97,4	-	0,00
38	5 508	5 511	0,16	97,4	-	0,00
39	4 988	4 991	1,08	97,4	-	0,00
4	8 099	8 101	-3,48	97,4	-	0,00
40	5 132	5 135	0,82	97,4	-	0,00
41	5 488	5 491	0,19	97,4	-	0,00
5	7 946	7 948	-3,30	97,4	-	0,00
6	7 731	7 733	-3,04	97,4	-	0,00
7	7 924	7 926	-3,27	97,4	-	0,00
8	4 798	4 801	1,44	97,4	-	0,00
9	4 312	4 316	2,43	97,4	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LM Priedes

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 676	9 678	-5,19	97,4	-	0,00
10	4 918	4 920	1,21	97,4	-	0,00
11	2 763	2 768	6,48	97,4	-	0,00
12	2 092	2 100	8,97	97,4	-	0,00
13	2 491	2 497	7,41	97,4	-	0,00
14	3 147	3 153	5,30	97,4	-	0,00
15	2 858	2 863	6,18	97,4	-	0,00
16	2 668	2 674	6,80	97,4	-	0,00
17	2 598	2 605	7,03	97,4	-	0,00
18	4 456	4 460	2,12	97,4	-	0,00
19	4 716	4 720	1,60	97,4	-	0,00
2	9 343	9 345	-4,86	97,4	-	0,00
20	3 560	3 564	4,18	97,4	-	0,00
21	4 463	4 466	2,11	97,4	-	0,00
22	3 878	3 882	3,40	97,4	-	0,00
23	4 183	4 187	2,71	97,4	-	0,00
24	4 802	4 805	1,43	97,4	-	0,00
25	5 611	5 614	-0,02	97,4	-	0,00
26	6 396	6 399	-1,24	97,4	-	0,00
27	5 319	5 323	0,48	97,4	-	0,00
28	5 870	5 873	-0,44	97,4	-	0,00
29	6 558	6 561	-1,48	97,4	-	0,00
3	8 598	8 599	-4,06	97,4	-	0,00
30	6 102	6 105	-0,80	97,4	-	0,00
31	5 659	5 662	-0,10	97,4	-	0,00
32	6 894	6 896	-1,95	97,4	-	0,00
33	7 257	7 260	-2,44	97,4	-	0,00
34	6 930	6 932	-2,00	97,4	-	0,00
35	6 459	6 461	-1,34	97,4	-	0,00
36	6 163	6 166	-0,89	97,4	-	0,00
37	5 661	5 664	-0,10	97,4	-	0,00
38	5 508	5 511	0,16	97,4	-	0,00
39	4 988	4 991	1,08	97,4	-	0,00
4	8 099	8 101	-3,48	97,4	-	0,00
40	5 132	5 135	0,82	97,4	-	0,00
41	5 488	5 491	0,19	97,4	-	0,00
5	7 946	7 948	-3,30	97,4	-	0,00
6	7 731	7 733	-3,04	97,4	-	0,00
7	7 924	7 926	-3,27	97,4	-	0,00
8	4 798	4 801	1,44	97,4	-	0,00
9	4 312	4 316	2,43	97,4	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Noise sensitive area: LN Asari

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 614	10 616	-6,09	97,4	-	0,00
10	6 250	6 253	-1,03	97,4	-	0,00
11	3 831	3 835	3,51	97,4	-	0,00
12	3 475	3 480	4,40	97,4	-	0,00
13	3 352	3 356	4,73	97,4	-	0,00
14	3 633	3 638	4,00	97,4	-	0,00
15	3 097	3 102	5,45	97,4	-	0,00
16	2 694	2 700	6,71	97,4	-	0,00
17	2 274	2 282	8,23	97,4	-	0,00
18	4 138	4 142	2,81	97,4	-	0,00
19	4 191	4 195	2,69	97,4	-	0,00
2	10 203	10 205	-5,71	97,4	-	0,00
20	2 977	2 982	5,81	97,4	-	0,00
21	3 771	3 775	3,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 041	3 047	5,61	97,4	-	0,00
23	3 116	3 121	5,39	97,4	-	0,00
24	3 875	3 879	3,41	97,4	-	0,00
25	5 206	5 209	0,68	97,4	-	0,00
26	5 912	5 914	-0,50	97,4	-	0,00
27	4 602	4 606	1,82	97,4	-	0,00
28	5 270	5 273	0,57	97,4	-	0,00
29	5 923	5 926	-0,52	97,4	-	0,00
3	9 420	9 421	-4,93	97,4	-	0,00
30	5 332	5 335	0,46	97,4	-	0,00
31	4 762	4 766	1,51	97,4	-	0,00
32	6 140	6 142	-0,86	97,4	-	0,00
33	6 343	6 345	-1,17	97,4	-	0,00
34	5 908	5 911	-0,50	97,4	-	0,00
35	5 550	5 553	0,09	97,4	-	0,00
36	5 125	5 129	0,83	97,4	-	0,00
37	4 480	4 483	2,07	97,4	-	0,00
38	4 118	4 123	2,85	97,4	-	0,00
39	3 893	3 898	3,36	97,4	-	0,00
4	9 018	9 020	-4,51	97,4	-	0,00
40	3 584	3 589	4,12	97,4	-	0,00
41	3 827	3 831	3,52	97,4	-	0,00
5	8 754	8 756	-4,23	97,4	-	0,00
6	8 764	8 766	-4,24	97,4	-	0,00
7	9 043	9 045	-4,54	97,4	-	0,00
8	5 973	5 975	-0,60	97,4	-	0,00
9	5 403	5 406	0,34	97,4	-	0,00
Sum			18,63			

- Data undefined due to calculation with octave data

Noise sensitive area: LN Asari

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 614	10 616	-6,09	97,4	-	0,00
10	6 250	6 253	-1,03	97,4	-	0,00
11	3 831	3 835	3,51	97,4	-	0,00
12	3 475	3 480	4,40	97,4	-	0,00
13	3 352	3 356	4,73	97,4	-	0,00
14	3 633	3 638	4,00	97,4	-	0,00
15	3 097	3 102	5,45	97,4	-	0,00
16	2 694	2 700	6,71	97,4	-	0,00
17	2 274	2 282	8,23	97,4	-	0,00
18	4 138	4 142	2,81	97,4	-	0,00
19	4 191	4 195	2,69	97,4	-	0,00
2	10 203	10 205	-5,71	97,4	-	0,00
20	2 977	2 982	5,81	97,4	-	0,00
21	3 771	3 775	3,66	97,4	-	0,00
22	3 041	3 047	5,61	97,4	-	0,00
23	3 116	3 121	5,39	97,4	-	0,00
24	3 875	3 879	3,41	97,4	-	0,00
25	5 206	5 209	0,68	97,4	-	0,00
26	5 912	5 914	-0,50	97,4	-	0,00
27	4 602	4 606	1,82	97,4	-	0,00
28	5 270	5 273	0,57	97,4	-	0,00
29	5 923	5 926	-0,52	97,4	-	0,00
3	9 420	9 421	-4,93	97,4	-	0,00
30	5 332	5 335	0,46	97,4	-	0,00
31	4 762	4 766	1,51	97,4	-	0,00
32	6 140	6 142	-0,86	97,4	-	0,00
33	6 343	6 345	-1,17	97,4	-	0,00
34	5 908	5 911	-0,50	97,4	-	0,00
35	5 550	5 553	0,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 125	5 129	0,83	97,4	-	0,00
37	4 480	4 483	2,07	97,4	-	0,00
38	4 118	4 123	2,85	97,4	-	0,00
39	3 893	3 898	3,36	97,4	-	0,00
4	9 018	9 020	-4,51	97,4	-	0,00
40	3 584	3 589	4,12	97,4	-	0,00
41	3 827	3 831	3,52	97,4	-	0,00
5	8 754	8 756	-4,23	97,4	-	0,00
6	8 764	8 766	-4,24	97,4	-	0,00
7	9 043	9 045	-4,54	97,4	-	0,00
8	5 973	5 975	-0,60	97,4	-	0,00
9	5 403	5 406	0,34	97,4	-	0,00
Sum			18,63			

- Data undefined due to calculation with octave data

Noise sensitive area: LO Liepkalni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 757	9 759	-5,27	97,4	-	0,00
10	4 915	4 918	1,22	97,4	-	0,00
11	2 914	2 919	6,00	97,4	-	0,00
12	2 170	2 177	8,65	97,4	-	0,00
13	2 718	2 723	6,63	97,4	-	0,00
14	3 431	3 436	4,52	97,4	-	0,00
15	3 199	3 203	5,16	97,4	-	0,00
16	3 048	3 053	5,59	97,4	-	0,00
17	3 019	3 025	5,68	97,4	-	0,00
18	4 839	4 842	1,36	97,4	-	0,00
19	5 120	5 123	0,84	97,4	-	0,00
2	9 447	9 449	-4,96	97,4	-	0,00
20	3 983	3 987	3,16	97,4	-	0,00
21	4 886	4 888	1,27	97,4	-	0,00
22	4 316	4 320	2,42	97,4	-	0,00
23	4 633	4 636	1,77	97,4	-	0,00
24	5 240	5 243	0,62	97,4	-	0,00
25	5 992	5 995	-0,63	97,4	-	0,00
26	6 781	6 783	-1,80	97,4	-	0,00
27	5 737	5 740	-0,22	97,4	-	0,00
28	6 273	6 275	-1,06	97,4	-	0,00
29	6 960	6 962	-2,04	97,4	-	0,00
3	8 716	8 718	-4,19	97,4	-	0,00
30	6 521	6 523	-1,43	97,4	-	0,00
31	6 090	6 093	-0,78	97,4	-	0,00
32	7 307	7 309	-2,50	97,4	-	0,00
33	7 685	7 687	-2,98	97,4	-	0,00
34	7 367	7 369	-2,58	97,4	-	0,00
35	6 888	6 891	-1,94	97,4	-	0,00
36	6 603	6 606	-1,54	97,4	-	0,00
37	6 111	6 113	-0,81	97,4	-	0,00
38	5 965	5 968	-0,59	97,4	-	0,00
39	5 435	5 438	0,28	97,4	-	0,00
4	8 195	8 197	-3,60	97,4	-	0,00
40	5 589	5 592	0,02	97,4	-	0,00
41	5 942	5 945	-0,55	97,4	-	0,00
5	8 072	8 074	-3,45	97,4	-	0,00
6	7 796	7 798	-3,12	97,4	-	0,00
7	7 962	7 964	-3,32	97,4	-	0,00
8	4 853	4 856	1,34	97,4	-	0,00
9	4 405	4 408	2,23	97,4	-	0,00
Sum			17,78			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LO Liepkalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 757	9 759	-5,27	97,4	-	0,00
10	4 915	4 918	1,22	97,4	-	0,00
11	2 914	2 919	6,00	97,4	-	0,00
12	2 170	2 177	8,65	97,4	-	0,00
13	2 718	2 723	6,63	97,4	-	0,00
14	3 431	3 436	4,52	97,4	-	0,00
15	3 199	3 203	5,16	97,4	-	0,00
16	3 048	3 053	5,59	97,4	-	0,00
17	3 019	3 025	5,68	97,4	-	0,00
18	4 839	4 842	1,36	97,4	-	0,00
19	5 120	5 123	0,84	97,4	-	0,00
2	9 447	9 449	-4,96	97,4	-	0,00
20	3 983	3 987	3,16	97,4	-	0,00
21	4 886	4 888	1,27	97,4	-	0,00
22	4 316	4 320	2,42	97,4	-	0,00
23	4 633	4 636	1,77	97,4	-	0,00
24	5 240	5 243	0,62	97,4	-	0,00
25	5 992	5 995	-0,63	97,4	-	0,00
26	6 781	6 783	-1,80	97,4	-	0,00
27	5 737	5 740	-0,22	97,4	-	0,00
28	6 273	6 275	-1,06	97,4	-	0,00
29	6 960	6 962	-2,04	97,4	-	0,00
3	8 716	8 718	-4,19	97,4	-	0,00
30	6 521	6 523	-1,43	97,4	-	0,00
31	6 090	6 093	-0,78	97,4	-	0,00
32	7 307	7 309	-2,50	97,4	-	0,00
33	7 685	7 687	-2,98	97,4	-	0,00
34	7 367	7 369	-2,58	97,4	-	0,00
35	6 888	6 891	-1,94	97,4	-	0,00
36	6 603	6 606	-1,54	97,4	-	0,00
37	6 111	6 113	-0,81	97,4	-	0,00
38	5 965	5 968	-0,59	97,4	-	0,00
39	5 435	5 438	0,28	97,4	-	0,00
4	8 195	8 197	-3,60	97,4	-	0,00
40	5 589	5 592	0,02	97,4	-	0,00
41	5 942	5 945	-0,55	97,4	-	0,00
5	8 072	8 074	-3,45	97,4	-	0,00
6	7 796	7 798	-3,12	97,4	-	0,00
7	7 962	7 964	-3,32	97,4	-	0,00
8	4 853	4 856	1,34	97,4	-	0,00
9	4 405	4 408	2,23	97,4	-	0,00
Sum			17,78			

- Data undefined due to calculation with octave data

Noise sensitive area: LP Burupes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 761	9 763	-5,28	97,4	-	0,00
10	5 422	5 424	0,31	97,4	-	0,00
11	2 991	2 996	5,76	97,4	-	0,00
12	2 695	2 701	6,71	97,4	-	0,00
13	2 502	2 508	7,38	97,4	-	0,00
14	2 787	2 793	6,40	97,4	-	0,00
15	2 267	2 273	8,26	97,4	-	0,00
16	1 883	1 891	9,91	97,4	-	0,00
17	1 525	1 535	11,77	97,4	-	0,00
18	3 459	3 463	4,45	97,4	-	0,00
19	3 585	3 589	4,12	97,4	-	0,00
2	9 353	9 354	-4,87	97,4	-	0,00
20	2 358	2 364	7,91	97,4	-	0,00
21	3 224	3 228	5,09	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 541	2 547	7,24	97,4	-	0,00
23	2 745	2 750	6,54	97,4	-	0,00
24	3 443	3 447	4,49	97,4	-	0,00
25	4 574	4 578	1,88	97,4	-	0,00
26	5 317	5 319	0,49	97,4	-	0,00
27	4 083	4 087	2,93	97,4	-	0,00
28	4 711	4 714	1,61	97,4	-	0,00
29	5 386	5 389	0,37	97,4	-	0,00
3	8 571	8 573	-4,03	97,4	-	0,00
30	4 846	4 849	1,35	97,4	-	0,00
31	4 329	4 333	2,39	97,4	-	0,00
32	5 655	5 658	-0,09	97,4	-	0,00
33	5 935	5 938	-0,54	97,4	-	0,00
34	5 552	5 554	0,08	97,4	-	0,00
35	5 132	5 135	0,82	97,4	-	0,00
36	4 770	4 773	1,49	97,4	-	0,00
37	4 201	4 204	2,67	97,4	-	0,00
38	3 977	3 982	3,17	97,4	-	0,00
39	3 554	3 559	4,20	97,4	-	0,00
4	8 165	8 166	-3,56	97,4	-	0,00
40	3 569	3 573	4,16	97,4	-	0,00
41	3 920	3 924	3,30	97,4	-	0,00
5	7 906	7 907	-3,25	97,4	-	0,00
6	7 909	7 911	-3,26	97,4	-	0,00
7	8 190	8 192	-3,59	97,4	-	0,00
8	5 128	5 130	0,82	97,4	-	0,00
9	4 554	4 557	1,92	97,4	-	0,00
Sum			20,45			

- Data undefined due to calculation with octave data

Noise sensitive area: LP Burupes

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 761	9 763	-5,28	97,4	-	0,00
10	5 422	5 424	0,31	97,4	-	0,00
11	2 991	2 996	5,76	97,4	-	0,00
12	2 695	2 701	6,71	97,4	-	0,00
13	2 502	2 508	7,38	97,4	-	0,00
14	2 787	2 793	6,40	97,4	-	0,00
15	2 267	2 273	8,26	97,4	-	0,00
16	1 883	1 891	9,91	97,4	-	0,00
17	1 525	1 535	11,77	97,4	-	0,00
18	3 459	3 463	4,45	97,4	-	0,00
19	3 585	3 589	4,12	97,4	-	0,00
2	9 353	9 354	-4,87	97,4	-	0,00
20	2 358	2 364	7,91	97,4	-	0,00
21	3 224	3 228	5,09	97,4	-	0,00
22	2 541	2 547	7,24	97,4	-	0,00
23	2 745	2 750	6,54	97,4	-	0,00
24	3 443	3 447	4,49	97,4	-	0,00
25	4 574	4 578	1,88	97,4	-	0,00
26	5 317	5 319	0,49	97,4	-	0,00
27	4 083	4 087	2,93	97,4	-	0,00
28	4 711	4 714	1,61	97,4	-	0,00
29	5 386	5 389	0,37	97,4	-	0,00
3	8 571	8 573	-4,03	97,4	-	0,00
30	4 846	4 849	1,35	97,4	-	0,00
31	4 329	4 333	2,39	97,4	-	0,00
32	5 655	5 658	-0,09	97,4	-	0,00
33	5 935	5 938	-0,54	97,4	-	0,00
34	5 552	5 554	0,08	97,4	-	0,00
35	5 132	5 135	0,82	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 770	4 773	1,49	97,4	-	0,00
37	4 201	4 204	2,67	97,4	-	0,00
38	3 977	3 982	3,17	97,4	-	0,00
39	3 554	3 559	4,20	97,4	-	0,00
4	8 165	8 166	-3,56	97,4	-	0,00
40	3 569	3 573	4,16	97,4	-	0,00
41	3 920	3 924	3,30	97,4	-	0,00
5	7 906	7 907	-3,25	97,4	-	0,00
6	7 909	7 911	-3,26	97,4	-	0,00
7	8 190	8 192	-3,59	97,4	-	0,00
8	5 128	5 130	0,82	97,4	-	0,00
9	4 554	4 557	1,92	97,4	-	0,00
Sum			20,45			

- Data undefined due to calculation with octave data

Noise sensitive area: LQ Dzirnavas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 773	9 775	-5,29	97,4	-	0,00
10	5 016	5 019	1,03	97,4	-	0,00
11	2 857	2 863	6,18	97,4	-	0,00
12	2 190	2 198	8,56	97,4	-	0,00
13	2 579	2 585	7,10	97,4	-	0,00
14	3 227	3 232	5,08	97,4	-	0,00
15	2 926	2 932	5,96	97,4	-	0,00
16	2 726	2 732	6,60	97,4	-	0,00
17	2 639	2 645	6,89	97,4	-	0,00
18	4 511	4 514	2,01	97,4	-	0,00
19	4 763	4 766	1,51	97,4	-	0,00
2	9 439	9 441	-4,95	97,4	-	0,00
20	3 597	3 602	4,09	97,4	-	0,00
21	4 501	4 504	2,03	97,4	-	0,00
22	3 906	3 910	3,34	97,4	-	0,00
23	4 201	4 204	2,67	97,4	-	0,00
24	4 830	4 833	1,38	97,4	-	0,00
25	5 666	5 669	-0,11	97,4	-	0,00
26	6 449	6 452	-1,32	97,4	-	0,00
27	5 359	5 362	0,41	97,4	-	0,00
28	5 917	5 920	-0,51	97,4	-	0,00
29	6 605	6 607	-1,55	97,4	-	0,00
3	8 693	8 694	-4,16	97,4	-	0,00
30	6 141	6 144	-0,86	97,4	-	0,00
31	5 691	5 694	-0,15	97,4	-	0,00
32	6 936	6 938	-2,01	97,4	-	0,00
33	7 292	7 294	-2,48	97,4	-	0,00
34	6 958	6 960	-2,04	97,4	-	0,00
35	6 492	6 495	-1,38	97,4	-	0,00
36	6 189	6 191	-0,93	97,4	-	0,00
37	5 678	5 680	-0,13	97,4	-	0,00
38	5 512	5 515	0,15	97,4	-	0,00
39	5 007	5 011	1,04	97,4	-	0,00
4	8 196	8 198	-3,60	97,4	-	0,00
40	5 124	5 127	0,83	97,4	-	0,00
41	5 472	5 476	0,22	97,4	-	0,00
5	8 041	8 042	-3,41	97,4	-	0,00
6	7 828	7 830	-3,16	97,4	-	0,00
7	8 022	8 024	-3,39	97,4	-	0,00
8	4 896	4 899	1,25	97,4	-	0,00
9	4 409	4 413	2,22	97,4	-	0,00
Sum			18,31			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LQ Dzirnavas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 773	9 775	-5,29	97,4	-	0,00
10	5 016	5 019	1,03	97,4	-	0,00
11	2 857	2 863	6,18	97,4	-	0,00
12	2 190	2 198	8,56	97,4	-	0,00
13	2 579	2 585	7,10	97,4	-	0,00
14	3 227	3 232	5,08	97,4	-	0,00
15	2 926	2 932	5,96	97,4	-	0,00
16	2 726	2 732	6,60	97,4	-	0,00
17	2 639	2 645	6,89	97,4	-	0,00
18	4 511	4 514	2,01	97,4	-	0,00
19	4 763	4 766	1,51	97,4	-	0,00
2	9 439	9 441	-4,95	97,4	-	0,00
20	3 597	3 602	4,09	97,4	-	0,00
21	4 501	4 504	2,03	97,4	-	0,00
22	3 906	3 910	3,34	97,4	-	0,00
23	4 201	4 204	2,67	97,4	-	0,00
24	4 830	4 833	1,38	97,4	-	0,00
25	5 666	5 669	-0,11	97,4	-	0,00
26	6 449	6 452	-1,32	97,4	-	0,00
27	5 359	5 362	0,41	97,4	-	0,00
28	5 917	5 920	-0,51	97,4	-	0,00
29	6 605	6 607	-1,55	97,4	-	0,00
3	8 693	8 694	-4,16	97,4	-	0,00
30	6 141	6 144	-0,86	97,4	-	0,00
31	5 691	5 694	-0,15	97,4	-	0,00
32	6 936	6 938	-2,01	97,4	-	0,00
33	7 292	7 294	-2,48	97,4	-	0,00
34	6 958	6 960	-2,04	97,4	-	0,00
35	6 492	6 495	-1,38	97,4	-	0,00
36	6 189	6 191	-0,93	97,4	-	0,00
37	5 678	5 680	-0,13	97,4	-	0,00
38	5 512	5 515	0,15	97,4	-	0,00
39	5 007	5 011	1,04	97,4	-	0,00
4	8 196	8 198	-3,60	97,4	-	0,00
40	5 124	5 127	0,83	97,4	-	0,00
41	5 472	5 476	0,22	97,4	-	0,00
5	8 041	8 042	-3,41	97,4	-	0,00
6	7 828	7 830	-3,16	97,4	-	0,00
7	8 022	8 024	-3,39	97,4	-	0,00
8	4 896	4 899	1,25	97,4	-	0,00
9	4 409	4 413	2,22	97,4	-	0,00
Sum			18,31			

- Data undefined due to calculation with octave data

Noise sensitive area: LR Dunci š ki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 022	11 023	-6,46	97,4	-	0,00
10	6 885	6 887	-1,94	97,4	-	0,00
11	4 445	4 448	2,15	97,4	-	0,00
12	4 207	4 211	2,65	97,4	-	0,00
13	3 927	3 931	3,29	97,4	-	0,00
14	4 046	4 051	3,01	97,4	-	0,00
15	3 464	3 468	4,43	97,4	-	0,00
16	3 024	3 030	5,66	97,4	-	0,00
17	2 520	2 527	7,31	97,4	-	0,00
18	4 146	4 150	2,79	97,4	-	0,00
19	4 086	4 091	2,92	97,4	-	0,00
2	10 579	10 581	-6,06	97,4	-	0,00
20	2 961	2 966	5,86	97,4	-	0,00
21	3 608	3 612	4,06	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 868	2 874	6,14	97,4	-	0,00
23	2 787	2 793	6,40	97,4	-	0,00
24	3 568	3 572	4,16	97,4	-	0,00
25	5 106	5 109	0,86	97,4	-	0,00
26	5 742	5 745	-0,23	97,4	-	0,00
27	4 368	4 372	2,31	97,4	-	0,00
28	5 065	5 069	0,94	97,4	-	0,00
29	5 676	5 679	-0,12	97,4	-	0,00
3	9 788	9 789	-5,30	97,4	-	0,00
30	5 034	5 038	0,99	97,4	-	0,00
31	4 420	4 424	2,20	97,4	-	0,00
32	5 823	5 825	-0,36	97,4	-	0,00
33	5 935	5 938	-0,54	97,4	-	0,00
34	5 454	5 457	0,25	97,4	-	0,00
35	5 169	5 173	0,75	97,4	-	0,00
36	4 688	4 691	1,66	97,4	-	0,00
37	3 984	3 988	3,15	97,4	-	0,00
38	3 509	3 514	4,31	97,4	-	0,00
39	3 483	3 488	4,38	97,4	-	0,00
4	9 434	9 436	-4,95	97,4	-	0,00
40	2 892	2 898	6,07	97,4	-	0,00
41	3 050	3 055	5,59	97,4	-	0,00
5	9 125	9 126	-4,63	97,4	-	0,00
6	9 235	9 236	-4,74	97,4	-	0,00
7	9 548	9 550	-5,07	97,4	-	0,00
8	6 550	6 552	-1,47	97,4	-	0,00
9	5 962	5 964	-0,58	97,4	-	0,00
Sum			18,74			

- Data undefined due to calculation with octave data

Noise sensitive area: LR Dunci š ki

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 022	11 023	-6,46	97,4	-	0,00
10	6 885	6 887	-1,94	97,4	-	0,00
11	4 445	4 448	2,15	97,4	-	0,00
12	4 207	4 211	2,65	97,4	-	0,00
13	3 927	3 931	3,29	97,4	-	0,00
14	4 046	4 051	3,01	97,4	-	0,00
15	3 464	3 468	4,43	97,4	-	0,00
16	3 024	3 030	5,66	97,4	-	0,00
17	2 520	2 527	7,31	97,4	-	0,00
18	4 146	4 150	2,79	97,4	-	0,00
19	4 086	4 091	2,92	97,4	-	0,00
2	10 579	10 581	-6,06	97,4	-	0,00
20	2 961	2 966	5,86	97,4	-	0,00
21	3 608	3 612	4,06	97,4	-	0,00
22	2 868	2 874	6,14	97,4	-	0,00
23	2 787	2 793	6,40	97,4	-	0,00
24	3 568	3 572	4,16	97,4	-	0,00
25	5 106	5 109	0,86	97,4	-	0,00
26	5 742	5 745	-0,23	97,4	-	0,00
27	4 368	4 372	2,31	97,4	-	0,00
28	5 065	5 069	0,94	97,4	-	0,00
29	5 676	5 679	-0,12	97,4	-	0,00
3	9 788	9 789	-5,30	97,4	-	0,00
30	5 034	5 038	0,99	97,4	-	0,00
31	4 420	4 424	2,20	97,4	-	0,00
32	5 823	5 825	-0,36	97,4	-	0,00
33	5 935	5 938	-0,54	97,4	-	0,00
34	5 454	5 457	0,25	97,4	-	0,00
35	5 169	5 173	0,75	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 688	4 691	1,66	97,4	-	0,00
37	3 984	3 988	3,15	97,4	-	0,00
38	3 509	3 514	4,31	97,4	-	0,00
39	3 483	3 488	4,38	97,4	-	0,00
4	9 434	9 436	-4,95	97,4	-	0,00
40	2 892	2 898	6,07	97,4	-	0,00
41	3 050	3 055	5,59	97,4	-	0,00
5	9 125	9 126	-4,63	97,4	-	0,00
6	9 235	9 236	-4,74	97,4	-	0,00
7	9 548	9 550	-5,07	97,4	-	0,00
8	6 550	6 552	-1,47	97,4	-	0,00
9	5 962	5 964	-0,58	97,4	-	0,00
Sum			18,74			

- Data undefined due to calculation with octave data

Noise sensitive area: LS Jaunmejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 861	11 863	-7,18	97,4	-	0,00
10	7 881	7 883	-3,22	97,4	-	0,00
11	5 445	5 448	0,27	97,4	-	0,00
12	5 249	5 252	0,61	97,4	-	0,00
13	4 915	4 918	1,22	97,4	-	0,00
14	4 950	4 953	1,15	97,4	-	0,00
15	4 355	4 358	2,34	97,4	-	0,00
16	3 910	3 914	3,33	97,4	-	0,00
17	3 382	3 387	4,65	97,4	-	0,00
18	4 750	4 753	1,53	97,4	-	0,00
19	4 589	4 593	1,85	97,4	-	0,00
2	11 397	11 398	-6,79	97,4	-	0,00
20	3 610	3 614	4,06	97,4	-	0,00
21	4 078	4 081	2,94	97,4	-	0,00
22	3 383	3 387	4,65	97,4	-	0,00
23	3 144	3 149	5,31	97,4	-	0,00
24	3 883	3 886	3,39	97,4	-	0,00
25	5 574	5 577	0,05	97,4	-	0,00
26	6 120	6 122	-0,83	97,4	-	0,00
27	4 723	4 726	1,59	97,4	-	0,00
28	5 425	5 428	0,30	97,4	-	0,00
29	5 968	5 971	-0,59	97,4	-	0,00
3	10 603	10 604	-6,08	97,4	-	0,00
30	5 289	5 291	0,54	97,4	-	0,00
31	4 645	4 648	1,74	97,4	-	0,00
32	6 028	6 031	-0,69	97,4	-	0,00
33	6 022	6 025	-0,68	97,4	-	0,00
34	5 493	5 495	0,18	97,4	-	0,00
35	5 315	5 318	0,49	97,4	-	0,00
36	4 777	4 780	1,48	97,4	-	0,00
37	4 028	4 032	3,05	97,4	-	0,00
38	3 406	3 411	4,58	97,4	-	0,00
39	3 677	3 681	3,89	97,4	-	0,00
4	10 287	10 288	-5,79	97,4	-	0,00
40	2 693	2 698	6,71	97,4	-	0,00
41	2 650	2 656	6,86	97,4	-	0,00
5	9 945	9 947	-5,46	97,4	-	0,00
6	10 126	10 127	-5,63	97,4	-	0,00
7	10 461	10 462	-5,95	97,4	-	0,00
8	7 518	7 520	-2,77	97,4	-	0,00
9	6 924	6 926	-1,99	97,4	-	0,00
Sum			17,85			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LS Jaunmejas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 861	11 863	-7,18	97,4	-	0,00
10	7 881	7 883	-3,22	97,4	-	0,00
11	5 445	5 448	0,27	97,4	-	0,00
12	5 249	5 252	0,61	97,4	-	0,00
13	4 915	4 918	1,22	97,4	-	0,00
14	4 950	4 953	1,15	97,4	-	0,00
15	4 355	4 358	2,34	97,4	-	0,00
16	3 910	3 914	3,33	97,4	-	0,00
17	3 382	3 387	4,65	97,4	-	0,00
18	4 750	4 753	1,53	97,4	-	0,00
19	4 589	4 593	1,85	97,4	-	0,00
2	11 397	11 398	-6,79	97,4	-	0,00
20	3 610	3 614	4,06	97,4	-	0,00
21	4 078	4 081	2,94	97,4	-	0,00
22	3 383	3 387	4,65	97,4	-	0,00
23	3 144	3 149	5,31	97,4	-	0,00
24	3 883	3 886	3,39	97,4	-	0,00
25	5 574	5 577	0,05	97,4	-	0,00
26	6 120	6 122	-0,83	97,4	-	0,00
27	4 723	4 726	1,59	97,4	-	0,00
28	5 425	5 428	0,30	97,4	-	0,00
29	5 968	5 971	-0,59	97,4	-	0,00
3	10 603	10 604	-6,08	97,4	-	0,00
30	5 289	5 291	0,54	97,4	-	0,00
31	4 645	4 648	1,74	97,4	-	0,00
32	6 028	6 031	-0,69	97,4	-	0,00
33	6 022	6 025	-0,68	97,4	-	0,00
34	5 493	5 495	0,18	97,4	-	0,00
35	5 315	5 318	0,49	97,4	-	0,00
36	4 777	4 780	1,48	97,4	-	0,00
37	4 028	4 032	3,05	97,4	-	0,00
38	3 406	3 411	4,58	97,4	-	0,00
39	3 677	3 681	3,89	97,4	-	0,00
4	10 287	10 288	-5,79	97,4	-	0,00
40	2 693	2 698	6,71	97,4	-	0,00
41	2 650	2 656	6,86	97,4	-	0,00
5	9 945	9 947	-5,46	97,4	-	0,00
6	10 126	10 127	-5,63	97,4	-	0,00
7	10 461	10 462	-5,95	97,4	-	0,00
8	7 518	7 520	-2,77	97,4	-	0,00
9	6 924	6 926	-1,99	97,4	-	0,00
Sum			17,85			

- Data undefined due to calculation with octave data

Noise sensitive area: LT Ceribas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 639	9 641	-5,16	97,4	-	0,00
10	4 898	4 900	1,25	97,4	-	0,00
11	2 718	2 723	6,63	97,4	-	0,00
12	2 064	2 071	9,09	97,4	-	0,00
13	2 433	2 439	7,62	97,4	-	0,00
14	3 079	3 085	5,50	97,4	-	0,00
15	2 782	2 787	6,42	97,4	-	0,00
16	2 586	2 592	7,08	97,4	-	0,00
17	2 512	2 519	7,34	97,4	-	0,00
18	4 374	4 377	2,30	97,4	-	0,00
19	4 631	4 635	1,77	97,4	-	0,00
2	9 302	9 304	-4,81	97,4	-	0,00
20	3 473	3 477	4,41	97,4	-	0,00
21	4 377	4 380	2,29	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 790	3 795	3,61	97,4	-	0,00
23	4 096	4 100	2,90	97,4	-	0,00
24	4 715	4 718	1,60	97,4	-	0,00
25	5 528	5 531	0,12	97,4	-	0,00
26	6 313	6 315	-1,12	97,4	-	0,00
27	5 233	5 236	0,63	97,4	-	0,00
28	5 785	5 788	-0,30	97,4	-	0,00
29	6 473	6 476	-1,36	97,4	-	0,00
3	8 554	8 556	-4,01	97,4	-	0,00
30	6 016	6 018	-0,67	97,4	-	0,00
31	5 572	5 575	0,05	97,4	-	0,00
32	6 808	6 810	-1,83	97,4	-	0,00
33	7 170	7 173	-2,32	97,4	-	0,00
34	6 843	6 845	-1,88	97,4	-	0,00
35	6 372	6 374	-1,21	97,4	-	0,00
36	6 076	6 078	-0,76	97,4	-	0,00
37	5 574	5 577	0,05	97,4	-	0,00
38	5 423	5 426	0,30	97,4	-	0,00
39	4 900	4 904	1,24	97,4	-	0,00
4	8 060	8 062	-3,44	97,4	-	0,00
40	5 050	5 053	0,97	97,4	-	0,00
41	5 409	5 412	0,33	97,4	-	0,00
5	7 901	7 903	-3,25	97,4	-	0,00
6	7 697	7 699	-3,00	97,4	-	0,00
7	7 895	7 897	-3,24	97,4	-	0,00
8	4 767	4 770	1,50	97,4	-	0,00
9	4 276	4 279	2,50	97,4	-	0,00
Sum			18,66			

- Data undefined due to calculation with octave data

Noise sensitive area: LT Ceribas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 639	9 641	-5,16	97,4	-	0,00
10	4 898	4 900	1,25	97,4	-	0,00
11	2 718	2 723	6,63	97,4	-	0,00
12	2 064	2 071	9,09	97,4	-	0,00
13	2 433	2 439	7,62	97,4	-	0,00
14	3 079	3 085	5,50	97,4	-	0,00
15	2 782	2 787	6,42	97,4	-	0,00
16	2 586	2 592	7,08	97,4	-	0,00
17	2 512	2 519	7,34	97,4	-	0,00
18	4 374	4 377	2,30	97,4	-	0,00
19	4 631	4 635	1,77	97,4	-	0,00
2	9 302	9 304	-4,81	97,4	-	0,00
20	3 473	3 477	4,41	97,4	-	0,00
21	4 377	4 380	2,29	97,4	-	0,00
22	3 790	3 795	3,61	97,4	-	0,00
23	4 096	4 100	2,90	97,4	-	0,00
24	4 715	4 718	1,60	97,4	-	0,00
25	5 528	5 531	0,12	97,4	-	0,00
26	6 313	6 315	-1,12	97,4	-	0,00
27	5 233	5 236	0,63	97,4	-	0,00
28	5 785	5 788	-0,30	97,4	-	0,00
29	6 473	6 476	-1,36	97,4	-	0,00
3	8 554	8 556	-4,01	97,4	-	0,00
30	6 016	6 018	-0,67	97,4	-	0,00
31	5 572	5 575	0,05	97,4	-	0,00
32	6 808	6 810	-1,83	97,4	-	0,00
33	7 170	7 173	-2,32	97,4	-	0,00
34	6 843	6 845	-1,88	97,4	-	0,00
35	6 372	6 374	-1,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 076	6 078	-0,76	97,4	-	0,00
37	5 574	5 577	0,05	97,4	-	0,00
38	5 423	5 426	0,30	97,4	-	0,00
39	4 900	4 904	1,24	97,4	-	0,00
4	8 060	8 062	-3,44	97,4	-	0,00
40	5 050	5 053	0,97	97,4	-	0,00
41	5 409	5 412	0,33	97,4	-	0,00
5	7 901	7 903	-3,25	97,4	-	0,00
6	7 697	7 699	-3,00	97,4	-	0,00
7	7 895	7 897	-3,24	97,4	-	0,00
8	4 767	4 770	1,50	97,4	-	0,00
9	4 276	4 279	2,50	97,4	-	0,00
Sum			18,66			

- Data undefined due to calculation with octave data

Noise sensitive area: LU Kristapi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 708	9 710	-5,23	97,4	-	0,00
10	4 957	4 960	1,14	97,4	-	0,00
11	2 790	2 796	6,39	97,4	-	0,00
12	2 128	2 136	8,82	97,4	-	0,00
13	2 510	2 516	7,34	97,4	-	0,00
14	3 159	3 164	5,27	97,4	-	0,00
15	2 861	2 866	6,17	97,4	-	0,00
16	2 664	2 669	6,81	97,4	-	0,00
17	2 584	2 590	7,08	97,4	-	0,00
18	4 450	4 453	2,14	97,4	-	0,00
19	4 705	4 709	1,62	97,4	-	0,00
2	9 373	9 375	-4,89	97,4	-	0,00
20	3 543	3 548	4,23	97,4	-	0,00
21	4 447	4 450	2,14	97,4	-	0,00
22	3 856	3 861	3,45	97,4	-	0,00
23	4 157	4 161	2,76	97,4	-	0,00
24	4 781	4 784	1,47	97,4	-	0,00
25	5 605	5 608	-0,01	97,4	-	0,00
26	6 389	6 391	-1,23	97,4	-	0,00
27	5 304	5 308	0,51	97,4	-	0,00
28	5 859	5 862	-0,42	97,4	-	0,00
29	6 547	6 549	-1,46	97,4	-	0,00
3	8 626	8 628	-4,09	97,4	-	0,00
30	6 087	6 090	-0,78	97,4	-	0,00
31	5 640	5 643	-0,06	97,4	-	0,00
32	6 880	6 882	-1,93	97,4	-	0,00
33	7 240	7 242	-2,41	97,4	-	0,00
34	6 909	6 911	-1,97	97,4	-	0,00
35	6 441	6 443	-1,31	97,4	-	0,00
36	6 141	6 144	-0,86	97,4	-	0,00
37	5 635	5 637	-0,05	97,4	-	0,00
38	5 476	5 479	0,21	97,4	-	0,00
39	4 963	4 966	1,13	97,4	-	0,00
4	8 130	8 132	-3,52	97,4	-	0,00
40	5 096	5 099	0,88	97,4	-	0,00
41	5 449	5 452	0,26	97,4	-	0,00
5	7 974	7 976	-3,33	97,4	-	0,00
6	7 764	7 766	-3,08	97,4	-	0,00
7	7 960	7 962	-3,32	97,4	-	0,00
8	4 833	4 836	1,37	97,4	-	0,00
9	4 344	4 348	2,36	97,4	-	0,00
Sum			18,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LU Kristapi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 708	9 710	-5,23	97,4	-	0,00
10	4 957	4 960	1,14	97,4	-	0,00
11	2 790	2 796	6,39	97,4	-	0,00
12	2 128	2 136	8,82	97,4	-	0,00
13	2 510	2 516	7,34	97,4	-	0,00
14	3 159	3 164	5,27	97,4	-	0,00
15	2 861	2 866	6,17	97,4	-	0,00
16	2 664	2 669	6,81	97,4	-	0,00
17	2 584	2 590	7,08	97,4	-	0,00
18	4 450	4 453	2,14	97,4	-	0,00
19	4 705	4 709	1,62	97,4	-	0,00
2	9 373	9 375	-4,89	97,4	-	0,00
20	3 543	3 548	4,23	97,4	-	0,00
21	4 447	4 450	2,14	97,4	-	0,00
22	3 856	3 861	3,45	97,4	-	0,00
23	4 157	4 161	2,76	97,4	-	0,00
24	4 781	4 784	1,47	97,4	-	0,00
25	5 605	5 608	-0,01	97,4	-	0,00
26	6 389	6 391	-1,23	97,4	-	0,00
27	5 304	5 308	0,51	97,4	-	0,00
28	5 859	5 862	-0,42	97,4	-	0,00
29	6 547	6 549	-1,46	97,4	-	0,00
3	8 626	8 628	-4,09	97,4	-	0,00
30	6 087	6 090	-0,78	97,4	-	0,00
31	5 640	5 643	-0,06	97,4	-	0,00
32	6 880	6 882	-1,93	97,4	-	0,00
33	7 240	7 242	-2,41	97,4	-	0,00
34	6 909	6 911	-1,97	97,4	-	0,00
35	6 441	6 443	-1,31	97,4	-	0,00
36	6 141	6 144	-0,86	97,4	-	0,00
37	5 635	5 637	-0,05	97,4	-	0,00
38	5 476	5 479	0,21	97,4	-	0,00
39	4 963	4 966	1,13	97,4	-	0,00
4	8 130	8 132	-3,52	97,4	-	0,00
40	5 096	5 099	0,88	97,4	-	0,00
41	5 449	5 452	0,26	97,4	-	0,00
5	7 974	7 976	-3,33	97,4	-	0,00
6	7 764	7 766	-3,08	97,4	-	0,00
7	7 960	7 962	-3,32	97,4	-	0,00
8	4 833	4 836	1,37	97,4	-	0,00
9	4 344	4 348	2,36	97,4	-	0,00
Sum			18,47			

- Data undefined due to calculation with octave data

Noise sensitive area: LV Lielie Asari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 465	10 467	-5,95	97,4	-	0,00
10	5 973	5 976	-0,60	97,4	-	0,00
11	3 594	3 598	4,10	97,4	-	0,00
12	3 151	3 156	5,29	97,4	-	0,00
13	3 152	3 157	5,29	97,4	-	0,00
14	3 539	3 544	4,24	97,4	-	0,00
15	3 049	3 054	5,59	97,4	-	0,00
16	2 684	2 690	6,74	97,4	-	0,00
17	2 340	2 347	7,97	97,4	-	0,00
18	4 270	4 274	2,52	97,4	-	0,00
19	4 379	4 383	2,28	97,4	-	0,00
2	10 074	10 076	-5,58	97,4	-	0,00
20	3 152	3 157	5,29	97,4	-	0,00
21	3 997	4 000	3,12	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 290	3 295	4,90	97,4	-	0,00
23	3 431	3 436	4,52	97,4	-	0,00
24	4 166	4 170	2,74	97,4	-	0,00
25	5 377	5 380	0,38	97,4	-	0,00
26	6 111	6 113	-0,81	97,4	-	0,00
27	4 848	4 851	1,34	97,4	-	0,00
28	5 492	5 495	0,18	97,4	-	0,00
29	6 161	6 163	-0,89	97,4	-	0,00
3	9 299	9 300	-4,81	97,4	-	0,00
30	5 599	5 602	0,00	97,4	-	0,00
31	5 056	5 060	0,95	97,4	-	0,00
32	6 409	6 412	-1,26	97,4	-	0,00
33	6 654	6 656	-1,62	97,4	-	0,00
34	6 243	6 245	-1,02	97,4	-	0,00
35	5 855	5 857	-0,41	97,4	-	0,00
36	5 459	5 462	0,24	97,4	-	0,00
37	4 844	4 847	1,35	97,4	-	0,00
38	4 531	4 535	1,97	97,4	-	0,00
39	4 229	4 233	2,61	97,4	-	0,00
4	8 869	8 871	-4,35	97,4	-	0,00
40	4 031	4 035	3,05	97,4	-	0,00
41	4 300	4 304	2,45	97,4	-	0,00
5	8 634	8 636	-4,10	97,4	-	0,00
6	8 583	8 585	-4,04	97,4	-	0,00
7	8 839	8 841	-4,32	97,4	-	0,00
8	5 737	5 740	-0,22	97,4	-	0,00
9	5 184	5 187	0,72	97,4	-	0,00
Sum			18,38			

- Data undefined due to calculation with octave data

Noise sensitive area: LV Lielie Asari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 465	10 467	-5,95	97,4	-	0,00
10	5 973	5 976	-0,60	97,4	-	0,00
11	3 594	3 598	4,10	97,4	-	0,00
12	3 151	3 156	5,29	97,4	-	0,00
13	3 152	3 157	5,29	97,4	-	0,00
14	3 539	3 544	4,24	97,4	-	0,00
15	3 049	3 054	5,59	97,4	-	0,00
16	2 684	2 690	6,74	97,4	-	0,00
17	2 340	2 347	7,97	97,4	-	0,00
18	4 270	4 274	2,52	97,4	-	0,00
19	4 379	4 383	2,28	97,4	-	0,00
2	10 074	10 076	-5,58	97,4	-	0,00
20	3 152	3 157	5,29	97,4	-	0,00
21	3 997	4 000	3,12	97,4	-	0,00
22	3 290	3 295	4,90	97,4	-	0,00
23	3 431	3 436	4,52	97,4	-	0,00
24	4 166	4 170	2,74	97,4	-	0,00
25	5 377	5 380	0,38	97,4	-	0,00
26	6 111	6 113	-0,81	97,4	-	0,00
27	4 848	4 851	1,34	97,4	-	0,00
28	5 492	5 495	0,18	97,4	-	0,00
29	6 161	6 163	-0,89	97,4	-	0,00
3	9 299	9 300	-4,81	97,4	-	0,00
30	5 599	5 602	0,00	97,4	-	0,00
31	5 056	5 060	0,95	97,4	-	0,00
32	6 409	6 412	-1,26	97,4	-	0,00
33	6 654	6 656	-1,62	97,4	-	0,00
34	6 243	6 245	-1,02	97,4	-	0,00
35	5 855	5 857	-0,41	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 459	5 462	0,24	97,4	-	0,00
37	4 844	4 847	1,35	97,4	-	0,00
38	4 531	4 535	1,97	97,4	-	0,00
39	4 229	4 233	2,61	97,4	-	0,00
4	8 869	8 871	-4,35	97,4	-	0,00
40	4 031	4 035	3,05	97,4	-	0,00
41	4 300	4 304	2,45	97,4	-	0,00
5	8 634	8 636	-4,10	97,4	-	0,00
6	8 583	8 585	-4,04	97,4	-	0,00
7	8 839	8 841	-4,32	97,4	-	0,00
8	5 737	5 740	-0,22	97,4	-	0,00
9	5 184	5 187	0,72	97,4	-	0,00
Sum			18,38			

- Data undefined due to calculation with octave data

Noise sensitive area: LW Papardes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 557	10 558	-6,04	97,4	-	0,00
10	6 164	6 166	-0,90	97,4	-	0,00
11	3 751	3 755	3,70	97,4	-	0,00
12	3 377	3 382	4,66	97,4	-	0,00
13	3 279	3 284	4,93	97,4	-	0,00
14	3 584	3 589	4,12	97,4	-	0,00
15	3 058	3 063	5,57	97,4	-	0,00
16	2 662	2 668	6,82	97,4	-	0,00
17	2 259	2 267	8,29	97,4	-	0,00
18	4 144	4 148	2,79	97,4	-	0,00
19	4 212	4 215	2,64	97,4	-	0,00
2	10 150	10 152	-5,66	97,4	-	0,00
20	2 992	2 997	5,76	97,4	-	0,00
21	3 802	3 805	3,58	97,4	-	0,00
22	3 077	3 082	5,51	97,4	-	0,00
23	3 171	3 175	5,24	97,4	-	0,00
24	3 924	3 928	3,29	97,4	-	0,00
25	5 223	5 226	0,65	97,4	-	0,00
26	5 937	5 939	-0,54	97,4	-	0,00
27	4 639	4 643	1,75	97,4	-	0,00
28	5 301	5 304	0,52	97,4	-	0,00
29	5 959	5 961	-0,58	97,4	-	0,00
3	9 368	9 370	-4,88	97,4	-	0,00
30	5 375	5 378	0,39	97,4	-	0,00
31	4 812	4 816	1,41	97,4	-	0,00
32	6 184	6 186	-0,93	97,4	-	0,00
33	6 398	6 401	-1,25	97,4	-	0,00
34	5 970	5 973	-0,60	97,4	-	0,00
35	5 604	5 607	0,00	97,4	-	0,00
36	5 187	5 190	0,72	97,4	-	0,00
37	4 550	4 553	1,93	97,4	-	0,00
38	4 203	4 207	2,66	97,4	-	0,00
39	3 955	3 959	3,22	97,4	-	0,00
4	8 960	8 962	-4,45	97,4	-	0,00
40	3 680	3 684	3,88	97,4	-	0,00
41	3 932	3 936	3,27	97,4	-	0,00
5	8 703	8 704	-4,17	97,4	-	0,00
6	8 699	8 701	-4,17	97,4	-	0,00
7	8 973	8 975	-4,47	97,4	-	0,00
8	5 895	5 897	-0,48	97,4	-	0,00
9	5 329	5 331	0,47	97,4	-	0,00
Sum			18,62			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LW Papardes

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 557	10 558	-6,04	97,4	-	0,00
10	6 164	6 166	-0,90	97,4	-	0,00
11	3 751	3 755	3,70	97,4	-	0,00
12	3 377	3 382	4,66	97,4	-	0,00
13	3 279	3 284	4,93	97,4	-	0,00
14	3 584	3 589	4,12	97,4	-	0,00
15	3 058	3 063	5,57	97,4	-	0,00
16	2 662	2 668	6,82	97,4	-	0,00
17	2 259	2 267	8,29	97,4	-	0,00
18	4 144	4 148	2,79	97,4	-	0,00
19	4 212	4 215	2,64	97,4	-	0,00
2	10 150	10 152	-5,66	97,4	-	0,00
20	2 992	2 997	5,76	97,4	-	0,00
21	3 802	3 805	3,58	97,4	-	0,00
22	3 077	3 082	5,51	97,4	-	0,00
23	3 171	3 175	5,24	97,4	-	0,00
24	3 924	3 928	3,29	97,4	-	0,00
25	5 223	5 226	0,65	97,4	-	0,00
26	5 937	5 939	-0,54	97,4	-	0,00
27	4 639	4 643	1,75	97,4	-	0,00
28	5 301	5 304	0,52	97,4	-	0,00
29	5 959	5 961	-0,58	97,4	-	0,00
3	9 368	9 370	-4,88	97,4	-	0,00
30	5 375	5 378	0,39	97,4	-	0,00
31	4 812	4 816	1,41	97,4	-	0,00
32	6 184	6 186	-0,93	97,4	-	0,00
33	6 398	6 401	-1,25	97,4	-	0,00
34	5 970	5 973	-0,60	97,4	-	0,00
35	5 604	5 607	0,00	97,4	-	0,00
36	5 187	5 190	0,72	97,4	-	0,00
37	4 550	4 553	1,93	97,4	-	0,00
38	4 203	4 207	2,66	97,4	-	0,00
39	3 955	3 959	3,22	97,4	-	0,00
4	8 960	8 962	-4,45	97,4	-	0,00
40	3 680	3 684	3,88	97,4	-	0,00
41	3 932	3 936	3,27	97,4	-	0,00
5	8 703	8 704	-4,17	97,4	-	0,00
6	8 699	8 701	-4,17	97,4	-	0,00
7	8 973	8 975	-4,47	97,4	-	0,00
8	5 895	5 897	-0,48	97,4	-	0,00
9	5 329	5 331	0,47	97,4	-	0,00
Sum			18,62			

- Data undefined due to calculation with octave data

Noise sensitive area: LX Kei š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 881	11 882	-7,19	97,4	-	0,00
10	8 064	8 066	-3,44	97,4	-	0,00
11	5 645	5 648	-0,07	97,4	-	0,00
12	5 519	5 522	0,14	97,4	-	0,00
13	5 105	5 108	0,86	97,4	-	0,00
14	5 058	5 061	0,95	97,4	-	0,00
15	4 461	4 464	2,11	97,4	-	0,00
16	4 019	4 023	3,07	97,4	-	0,00
17	3 485	3 490	4,38	97,4	-	0,00
18	4 660	4 663	1,71	97,4	-	0,00
19	4 446	4 450	2,14	97,4	-	0,00
2	11 400	11 401	-6,79	97,4	-	0,00
20	3 570	3 574	4,16	97,4	-	0,00
21	3 928	3 932	3,28	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 276	3 281	4,94	97,4	-	0,00
23	2 967	2 972	5,84	97,4	-	0,00
24	3 661	3 665	3,93	97,4	-	0,00
25	5 398	5 401	0,35	97,4	-	0,00
26	5 893	5 896	-0,47	97,4	-	0,00
27	4 503	4 506	2,03	97,4	-	0,00
28	5 197	5 200	0,70	97,4	-	0,00
29	5 703	5 706	-0,17	97,4	-	0,00
3	10 606	10 608	-6,08	97,4	-	0,00
30	5 014	5 017	1,03	97,4	-	0,00
31	4 367	4 371	2,31	97,4	-	0,00
32	5 725	5 727	-0,20	97,4	-	0,00
33	5 671	5 674	-0,12	97,4	-	0,00
34	5 128	5 131	0,82	97,4	-	0,00
35	4 994	4 997	1,07	97,4	-	0,00
36	4 440	4 444	2,16	97,4	-	0,00
37	3 685	3 689	3,87	97,4	-	0,00
38	3 020	3 026	5,68	97,4	-	0,00
39	3 405	3 410	4,59	97,4	-	0,00
4	10 320	10 322	-5,82	97,4	-	0,00
40	2 291	2 298	8,16	97,4	-	0,00
41	2 181	2 189	8,60	97,4	-	0,00
5	9 955	9 956	-5,47	97,4	-	0,00
6	10 192	10 194	-5,70	97,4	-	0,00
7	10 547	10 548	-6,03	97,4	-	0,00
8	7 670	7 672	-2,96	97,4	-	0,00
9	7 071	7 073	-2,19	97,4	-	0,00
Sum			18,39			

- Data undefined due to calculation with octave data

Noise sensitive area: LX Kei š i

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 881	11 882	-7,19	97,4	-	0,00
10	8 064	8 066	-3,44	97,4	-	0,00
11	5 645	5 648	-0,07	97,4	-	0,00
12	5 519	5 522	0,14	97,4	-	0,00
13	5 105	5 108	0,86	97,4	-	0,00
14	5 058	5 061	0,95	97,4	-	0,00
15	4 461	4 464	2,11	97,4	-	0,00
16	4 019	4 023	3,07	97,4	-	0,00
17	3 485	3 490	4,38	97,4	-	0,00
18	4 660	4 663	1,71	97,4	-	0,00
19	4 446	4 450	2,14	97,4	-	0,00
2	11 400	11 401	-6,79	97,4	-	0,00
20	3 570	3 574	4,16	97,4	-	0,00
21	3 928	3 932	3,28	97,4	-	0,00
22	3 276	3 281	4,94	97,4	-	0,00
23	2 967	2 972	5,84	97,4	-	0,00
24	3 661	3 665	3,93	97,4	-	0,00
25	5 398	5 401	0,35	97,4	-	0,00
26	5 893	5 896	-0,47	97,4	-	0,00
27	4 503	4 506	2,03	97,4	-	0,00
28	5 197	5 200	0,70	97,4	-	0,00
29	5 703	5 706	-0,17	97,4	-	0,00
3	10 606	10 608	-6,08	97,4	-	0,00
30	5 014	5 017	1,03	97,4	-	0,00
31	4 367	4 371	2,31	97,4	-	0,00
32	5 725	5 727	-0,20	97,4	-	0,00
33	5 671	5 674	-0,12	97,4	-	0,00
34	5 128	5 131	0,82	97,4	-	0,00
35	4 994	4 997	1,07	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 440	4 444	2,16	97,4	-	0,00
37	3 685	3 689	3,87	97,4	-	0,00
38	3 020	3 026	5,68	97,4	-	0,00
39	3 405	3 410	4,59	97,4	-	0,00
4	10 320	10 322	-5,82	97,4	-	0,00
40	2 291	2 298	8,16	97,4	-	0,00
41	2 181	2 189	8,60	97,4	-	0,00
5	9 955	9 956	-5,47	97,4	-	0,00
6	10 192	10 194	-5,70	97,4	-	0,00
7	10 547	10 548	-6,03	97,4	-	0,00
8	7 670	7 672	-2,96	97,4	-	0,00
9	7 071	7 073	-2,19	97,4	-	0,00
Sum			18,39			

- Data undefined due to calculation with octave data

Noise sensitive area: LY Lielozoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 992	9 993	-5,50	97,4	-	0,00
10	5 213	5 216	0,67	97,4	-	0,00
11	3 084	3 089	5,49	97,4	-	0,00
12	2 402	2 409	7,74	97,4	-	0,00
13	2 813	2 819	6,32	97,4	-	0,00
14	3 463	3 468	4,43	97,4	-	0,00
15	3 157	3 162	5,27	97,4	-	0,00
16	2 948	2 953	5,90	97,4	-	0,00
17	2 842	2 848	6,22	97,4	-	0,00
18	4 729	4 733	1,57	97,4	-	0,00
19	4 972	4 975	1,11	97,4	-	0,00
2	9 662	9 664	-5,18	97,4	-	0,00
20	3 796	3 800	3,60	97,4	-	0,00
21	4 699	4 702	1,63	97,4	-	0,00
22	4 089	4 093	2,91	97,4	-	0,00
23	4 368	4 371	2,31	97,4	-	0,00
24	5 013	5 016	1,03	97,4	-	0,00
25	5 884	5 886	-0,46	97,4	-	0,00
26	6 665	6 667	-1,63	97,4	-	0,00
27	5 559	5 562	0,07	97,4	-	0,00
28	6 126	6 128	-0,84	97,4	-	0,00
29	6 813	6 815	-1,84	97,4	-	0,00
3	8 918	8 919	-4,41	97,4	-	0,00
30	6 340	6 343	-1,16	97,4	-	0,00
31	5 879	5 882	-0,45	97,4	-	0,00
32	7 137	7 140	-2,28	97,4	-	0,00
33	7 483	7 485	-2,73	97,4	-	0,00
34	7 140	7 142	-2,28	97,4	-	0,00
35	6 682	6 685	-1,66	97,4	-	0,00
36	6 368	6 370	-1,20	97,4	-	0,00
37	5 842	5 844	-0,39	97,4	-	0,00
38	5 652	5 655	-0,08	97,4	-	0,00
39	5 177	5 180	0,74	97,4	-	0,00
4	8 417	8 419	-3,85	97,4	-	0,00
40	5 242	5 245	0,62	97,4	-	0,00
41	5 573	5 576	0,05	97,4	-	0,00
5	8 267	8 268	-3,68	97,4	-	0,00
6	8 043	8 045	-3,42	97,4	-	0,00
7	8 231	8 233	-3,64	97,4	-	0,00
8	5 107	5 110	0,86	97,4	-	0,00
9	4 628	4 631	1,77	97,4	-	0,00
Sum			17,79			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: LY Lielozoli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 992	9 993	-5,50	97,4	-	0,00
10	5 213	5 216	0,67	97,4	-	0,00
11	3 084	3 089	5,49	97,4	-	0,00
12	2 402	2 409	7,74	97,4	-	0,00
13	2 813	2 819	6,32	97,4	-	0,00
14	3 463	3 468	4,43	97,4	-	0,00
15	3 157	3 162	5,27	97,4	-	0,00
16	2 948	2 953	5,90	97,4	-	0,00
17	2 842	2 848	6,22	97,4	-	0,00
18	4 729	4 733	1,57	97,4	-	0,00
19	4 972	4 975	1,11	97,4	-	0,00
2	9 662	9 664	-5,18	97,4	-	0,00
20	3 796	3 800	3,60	97,4	-	0,00
21	4 699	4 702	1,63	97,4	-	0,00
22	4 089	4 093	2,91	97,4	-	0,00
23	4 368	4 371	2,31	97,4	-	0,00
24	5 013	5 016	1,03	97,4	-	0,00
25	5 884	5 886	-0,46	97,4	-	0,00
26	6 665	6 667	-1,63	97,4	-	0,00
27	5 559	5 562	0,07	97,4	-	0,00
28	6 126	6 128	-0,84	97,4	-	0,00
29	6 813	6 815	-1,84	97,4	-	0,00
3	8 918	8 919	-4,41	97,4	-	0,00
30	6 340	6 343	-1,16	97,4	-	0,00
31	5 879	5 882	-0,45	97,4	-	0,00
32	7 137	7 140	-2,28	97,4	-	0,00
33	7 483	7 485	-2,73	97,4	-	0,00
34	7 140	7 142	-2,28	97,4	-	0,00
35	6 682	6 685	-1,66	97,4	-	0,00
36	6 368	6 370	-1,20	97,4	-	0,00
37	5 842	5 844	-0,39	97,4	-	0,00
38	5 652	5 655	-0,08	97,4	-	0,00
39	5 177	5 180	0,74	97,4	-	0,00
4	8 417	8 419	-3,85	97,4	-	0,00
40	5 242	5 245	0,62	97,4	-	0,00
41	5 573	5 576	0,05	97,4	-	0,00
5	8 267	8 268	-3,68	97,4	-	0,00
6	8 043	8 045	-3,42	97,4	-	0,00
7	8 231	8 233	-3,64	97,4	-	0,00
8	5 107	5 110	0,86	97,4	-	0,00
9	4 628	4 631	1,77	97,4	-	0,00
Sum			17,79			

- Data undefined due to calculation with octave data

Noise sensitive area: LZ Cielavas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 534	10 536	-6,02	97,4	-	0,00
10	6 127	6 129	-0,84	97,4	-	0,00
11	3 718	3 722	3,79	97,4	-	0,00
12	3 334	3 339	4,78	97,4	-	0,00
13	3 249	3 254	5,01	97,4	-	0,00
14	3 567	3 571	4,16	97,4	-	0,00
15	3 045	3 050	5,60	97,4	-	0,00
16	2 654	2 660	6,84	97,4	-	0,00
17	2 260	2 267	8,28	97,4	-	0,00
18	4 154	4 158	2,77	97,4	-	0,00
19	4 229	4 232	2,61	97,4	-	0,00
2	10 130	10 131	-5,64	97,4	-	0,00
20	3 007	3 012	5,72	97,4	-	0,00
21	3 823	3 827	3,53	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 101	3 106	5,44	97,4	-	0,00
23	3 203	3 208	5,14	97,4	-	0,00
24	3 954	3 958	3,22	97,4	-	0,00
25	5 238	5 241	0,63	97,4	-	0,00
26	5 955	5 958	-0,57	97,4	-	0,00
27	4 663	4 667	1,70	97,4	-	0,00
28	5 322	5 325	0,48	97,4	-	0,00
29	5 982	5 985	-0,61	97,4	-	0,00
3	9 349	9 350	-4,86	97,4	-	0,00
30	5 402	5 405	0,34	97,4	-	0,00
31	4 843	4 846	1,35	97,4	-	0,00
32	6 211	6 214	-0,97	97,4	-	0,00
33	6 431	6 434	-1,30	97,4	-	0,00
34	6 006	6 009	-0,65	97,4	-	0,00
35	5 636	5 638	-0,06	97,4	-	0,00
36	5 222	5 225	0,65	97,4	-	0,00
37	4 589	4 593	1,85	97,4	-	0,00
38	4 249	4 253	2,56	97,4	-	0,00
39	3 990	3 995	3,14	97,4	-	0,00
4	8 938	8 939	-4,43	97,4	-	0,00
40	3 731	3 735	3,76	97,4	-	0,00
41	3 986	3 991	3,15	97,4	-	0,00
5	8 684	8 685	-4,15	97,4	-	0,00
6	8 673	8 675	-4,14	97,4	-	0,00
7	8 944	8 946	-4,44	97,4	-	0,00
8	5 862	5 865	-0,42	97,4	-	0,00
9	5 298	5 300	0,52	97,4	-	0,00
Sum			18,60			

- Data undefined due to calculation with octave data

Noise sensitive area: LZ Cielavas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 534	10 536	-6,02	97,4	-	0,00
10	6 127	6 129	-0,84	97,4	-	0,00
11	3 718	3 722	3,79	97,4	-	0,00
12	3 334	3 339	4,78	97,4	-	0,00
13	3 249	3 254	5,01	97,4	-	0,00
14	3 567	3 571	4,16	97,4	-	0,00
15	3 045	3 050	5,60	97,4	-	0,00
16	2 654	2 660	6,84	97,4	-	0,00
17	2 260	2 267	8,28	97,4	-	0,00
18	4 154	4 158	2,77	97,4	-	0,00
19	4 229	4 232	2,61	97,4	-	0,00
2	10 130	10 131	-5,64	97,4	-	0,00
20	3 007	3 012	5,72	97,4	-	0,00
21	3 823	3 827	3,53	97,4	-	0,00
22	3 101	3 106	5,44	97,4	-	0,00
23	3 203	3 208	5,14	97,4	-	0,00
24	3 954	3 958	3,22	97,4	-	0,00
25	5 238	5 241	0,63	97,4	-	0,00
26	5 955	5 958	-0,57	97,4	-	0,00
27	4 663	4 667	1,70	97,4	-	0,00
28	5 322	5 325	0,48	97,4	-	0,00
29	5 982	5 985	-0,61	97,4	-	0,00
3	9 349	9 350	-4,86	97,4	-	0,00
30	5 402	5 405	0,34	97,4	-	0,00
31	4 843	4 846	1,35	97,4	-	0,00
32	6 211	6 214	-0,97	97,4	-	0,00
33	6 431	6 434	-1,30	97,4	-	0,00
34	6 006	6 009	-0,65	97,4	-	0,00
35	5 636	5 638	-0,06	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 222	5 225	0,65	97,4	-	0,00
37	4 589	4 593	1,85	97,4	-	0,00
38	4 249	4 253	2,56	97,4	-	0,00
39	3 990	3 995	3,14	97,4	-	0,00
4	8 938	8 939	-4,43	97,4	-	0,00
40	3 731	3 735	3,76	97,4	-	0,00
41	3 986	3 991	3,15	97,4	-	0,00
5	8 684	8 685	-4,15	97,4	-	0,00
6	8 673	8 675	-4,14	97,4	-	0,00
7	8 944	8 946	-4,44	97,4	-	0,00
8	5 862	5 865	-0,42	97,4	-	0,00
9	5 298	5 300	0,52	97,4	-	0,00
Sum			18,60			

- Data undefined due to calculation with octave data

Noise sensitive area: MA Divstavu maja

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 940	9 942	-5,45	97,4	-	0,00
10	5 142	5 144	0,80	97,4	-	0,00
11	3 047	3 052	5,60	97,4	-	0,00
12	2 346	2 353	7,95	97,4	-	0,00
13	2 796	2 802	6,37	97,4	-	0,00
14	3 465	3 470	4,43	97,4	-	0,00
15	3 179	3 184	5,21	97,4	-	0,00
16	2 986	2 991	5,78	97,4	-	0,00
17	2 901	2 906	6,04	97,4	-	0,00
18	4 772	4 775	1,49	97,4	-	0,00
19	5 025	5 028	1,01	97,4	-	0,00
2	9 616	9 618	-5,13	97,4	-	0,00
20	3 859	3 863	3,45	97,4	-	0,00
21	4 762	4 765	1,51	97,4	-	0,00
22	4 163	4 167	2,75	97,4	-	0,00
23	4 452	4 455	2,13	97,4	-	0,00
24	5 087	5 090	0,90	97,4	-	0,00
25	5 927	5 930	-0,53	97,4	-	0,00
26	6 711	6 713	-1,70	97,4	-	0,00
27	5 621	5 624	-0,03	97,4	-	0,00
28	6 179	6 182	-0,92	97,4	-	0,00
29	6 867	6 869	-1,91	97,4	-	0,00
3	8 876	8 877	-4,36	97,4	-	0,00
30	6 403	6 405	-1,25	97,4	-	0,00
31	5 950	5 953	-0,56	97,4	-	0,00
32	7 197	7 200	-2,36	97,4	-	0,00
33	7 552	7 554	-2,82	97,4	-	0,00
34	7 215	7 217	-2,38	97,4	-	0,00
35	6 752	6 754	-1,75	97,4	-	0,00
36	6 445	6 447	-1,32	97,4	-	0,00
37	5 927	5 930	-0,53	97,4	-	0,00
38	5 749	5 752	-0,24	97,4	-	0,00
39	5 259	5 262	0,59	97,4	-	0,00
4	8 369	8 370	-3,80	97,4	-	0,00
40	5 347	5 350	0,43	97,4	-	0,00
41	5 683	5 686	-0,14	97,4	-	0,00
5	8 227	8 228	-3,63	97,4	-	0,00
6	7 987	7 989	-3,35	97,4	-	0,00
7	8 169	8 171	-3,57	97,4	-	0,00
8	5 048	5 051	0,97	97,4	-	0,00
9	4 578	4 581	1,88	97,4	-	0,00
Sum			17,75			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MA Divstavu maja

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 940	9 942	-5,45	97,4	-	0,00
10	5 142	5 144	0,80	97,4	-	0,00
11	3 047	3 052	5,60	97,4	-	0,00
12	2 346	2 353	7,95	97,4	-	0,00
13	2 796	2 802	6,37	97,4	-	0,00
14	3 465	3 470	4,43	97,4	-	0,00
15	3 179	3 184	5,21	97,4	-	0,00
16	2 986	2 991	5,78	97,4	-	0,00
17	2 901	2 906	6,04	97,4	-	0,00
18	4 772	4 775	1,49	97,4	-	0,00
19	5 025	5 028	1,01	97,4	-	0,00
2	9 616	9 618	-5,13	97,4	-	0,00
20	3 859	3 863	3,45	97,4	-	0,00
21	4 762	4 765	1,51	97,4	-	0,00
22	4 163	4 167	2,75	97,4	-	0,00
23	4 452	4 455	2,13	97,4	-	0,00
24	5 087	5 090	0,90	97,4	-	0,00
25	5 927	5 930	-0,53	97,4	-	0,00
26	6 711	6 713	-1,70	97,4	-	0,00
27	5 621	5 624	-0,03	97,4	-	0,00
28	6 179	6 182	-0,92	97,4	-	0,00
29	6 867	6 869	-1,91	97,4	-	0,00
3	8 876	8 877	-4,36	97,4	-	0,00
30	6 403	6 405	-1,25	97,4	-	0,00
31	5 950	5 953	-0,56	97,4	-	0,00
32	7 197	7 200	-2,36	97,4	-	0,00
33	7 552	7 554	-2,82	97,4	-	0,00
34	7 215	7 217	-2,38	97,4	-	0,00
35	6 752	6 754	-1,75	97,4	-	0,00
36	6 445	6 447	-1,32	97,4	-	0,00
37	5 927	5 930	-0,53	97,4	-	0,00
38	5 749	5 752	-0,24	97,4	-	0,00
39	5 259	5 262	0,59	97,4	-	0,00
4	8 369	8 370	-3,80	97,4	-	0,00
40	5 347	5 350	0,43	97,4	-	0,00
41	5 683	5 686	-0,14	97,4	-	0,00
5	8 227	8 228	-3,63	97,4	-	0,00
6	7 987	7 989	-3,35	97,4	-	0,00
7	8 169	8 171	-3,57	97,4	-	0,00
8	5 048	5 051	0,97	97,4	-	0,00
9	4 578	4 581	1,88	97,4	-	0,00
Sum			17,75			

- Data undefined due to calculation with octave data

Noise sensitive area: MB Vir š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 633	9 635	-5,15	97,4	-	0,00
10	5 060	5 063	0,95	97,4	-	0,00
11	2 715	2 721	6,64	97,4	-	0,00
12	2 226	2 233	8,42	97,4	-	0,00
13	2 317	2 323	8,06	97,4	-	0,00
14	2 820	2 826	6,29	97,4	-	0,00
15	2 416	2 422	7,69	97,4	-	0,00
16	2 137	2 144	8,79	97,4	-	0,00
17	1 957	1 965	9,57	97,4	-	0,00
18	3 883	3 886	3,39	97,4	-	0,00
19	4 092	4 096	2,91	97,4	-	0,00
2	9 262	9 264	-4,77	97,4	-	0,00
20	2 897	2 902	6,06	97,4	-	0,00
21	3 796	3 800	3,60	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 172	3 177	5,23	97,4	-	0,00
23	3 446	3 450	4,48	97,4	-	0,00
24	4 094	4 098	2,90	97,4	-	0,00
25	5 031	5 034	1,00	97,4	-	0,00
26	5 803	5 806	-0,33	97,4	-	0,00
27	4 659	4 662	1,71	97,4	-	0,00
28	5 243	5 245	0,62	97,4	-	0,00
29	5 928	5 931	-0,53	97,4	-	0,00
3	8 496	8 497	-3,94	97,4	-	0,00
30	5 437	5 440	0,28	97,4	-	0,00
31	4 964	4 968	1,12	97,4	-	0,00
32	6 238	6 241	-1,01	97,4	-	0,00
33	6 570	6 572	-1,50	97,4	-	0,00
34	6 221	6 223	-0,98	97,4	-	0,00
35	5 768	5 771	-0,27	97,4	-	0,00
36	5 447	5 450	0,26	97,4	-	0,00
37	4 921	4 924	1,21	97,4	-	0,00
38	4 746	4 750	1,54	97,4	-	0,00
39	4 255	4 259	2,55	97,4	-	0,00
4	8 040	8 042	-3,41	97,4	-	0,00
40	4 364	4 368	2,32	97,4	-	0,00
41	4 723	4 727	1,59	97,4	-	0,00
5	7 834	7 836	-3,17	97,4	-	0,00
6	7 726	7 728	-3,03	97,4	-	0,00
7	7 965	7 966	-3,32	97,4	-	0,00
8	4 847	4 850	1,35	97,4	-	0,00
9	4 310	4 313	2,43	97,4	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Noise sensitive area: MB Vir š i

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 633	9 635	-5,15	97,4	-	0,00
10	5 060	5 063	0,95	97,4	-	0,00
11	2 715	2 721	6,64	97,4	-	0,00
12	2 226	2 233	8,42	97,4	-	0,00
13	2 317	2 323	8,06	97,4	-	0,00
14	2 820	2 826	6,29	97,4	-	0,00
15	2 416	2 422	7,69	97,4	-	0,00
16	2 137	2 144	8,79	97,4	-	0,00
17	1 957	1 965	9,57	97,4	-	0,00
18	3 883	3 886	3,39	97,4	-	0,00
19	4 092	4 096	2,91	97,4	-	0,00
2	9 262	9 264	-4,77	97,4	-	0,00
20	2 897	2 902	6,06	97,4	-	0,00
21	3 796	3 800	3,60	97,4	-	0,00
22	3 172	3 177	5,23	97,4	-	0,00
23	3 446	3 450	4,48	97,4	-	0,00
24	4 094	4 098	2,90	97,4	-	0,00
25	5 031	5 034	1,00	97,4	-	0,00
26	5 803	5 806	-0,33	97,4	-	0,00
27	4 659	4 662	1,71	97,4	-	0,00
28	5 243	5 245	0,62	97,4	-	0,00
29	5 928	5 931	-0,53	97,4	-	0,00
3	8 496	8 497	-3,94	97,4	-	0,00
30	5 437	5 440	0,28	97,4	-	0,00
31	4 964	4 968	1,12	97,4	-	0,00
32	6 238	6 241	-1,01	97,4	-	0,00
33	6 570	6 572	-1,50	97,4	-	0,00
34	6 221	6 223	-0,98	97,4	-	0,00
35	5 768	5 771	-0,27	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 447	5 450	0,26	97,4	-	0,00
37	4 921	4 924	1,21	97,4	-	0,00
38	4 746	4 750	1,54	97,4	-	0,00
39	4 255	4 259	2,55	97,4	-	0,00
4	8 040	8 042	-3,41	97,4	-	0,00
40	4 364	4 368	2,32	97,4	-	0,00
41	4 723	4 727	1,59	97,4	-	0,00
5	7 834	7 836	-3,17	97,4	-	0,00
6	7 726	7 728	-3,03	97,4	-	0,00
7	7 965	7 966	-3,32	97,4	-	0,00
8	4 847	4 850	1,35	97,4	-	0,00
9	4 310	4 313	2,43	97,4	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Noise sensitive area: MC Aizkalne

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 054	12 055	-7,33	97,4	-	0,00
10	8 293	8 294	-3,71	97,4	-	0,00
11	5 880	5 882	-0,45	97,4	-	0,00
12	5 769	5 772	-0,28	97,4	-	0,00
13	5 339	5 341	0,45	97,4	-	0,00
14	5 269	5 272	0,57	97,4	-	0,00
15	4 672	4 675	1,69	97,4	-	0,00
16	4 233	4 236	2,60	97,4	-	0,00
17	3 699	3 704	3,83	97,4	-	0,00
18	4 798	4 801	1,44	97,4	-	0,00
19	4 562	4 565	1,91	97,4	-	0,00
2	11 567	11 569	-6,93	97,4	-	0,00
20	3 735	3 739	3,75	97,4	-	0,00
21	4 043	4 047	3,02	97,4	-	0,00
22	3 415	3 420	4,56	97,4	-	0,00
23	3 076	3 081	5,51	97,4	-	0,00
24	3 742	3 746	3,73	97,4	-	0,00
25	5 494	5 497	0,18	97,4	-	0,00
26	5 961	5 964	-0,58	97,4	-	0,00
27	4 579	4 583	1,87	97,4	-	0,00
28	5 267	5 270	0,57	97,4	-	0,00
29	5 750	5 753	-0,24	97,4	-	0,00
3	10 774	10 775	-6,24	97,4	-	0,00
30	5 058	5 061	0,95	97,4	-	0,00
31	4 411	4 415	2,22	97,4	-	0,00
32	5 748	5 751	-0,24	97,4	-	0,00
33	5 663	5 666	-0,10	97,4	-	0,00
34	5 112	5 115	0,85	97,4	-	0,00
35	5 009	5 012	1,04	97,4	-	0,00
36	4 447	4 450	2,14	97,4	-	0,00
37	3 691	3 696	3,85	97,4	-	0,00
38	3 000	3 006	5,74	97,4	-	0,00
39	3 459	3 464	4,44	97,4	-	0,00
4	10 500	10 501	-5,99	97,4	-	0,00
40	2 266	2 273	8,26	97,4	-	0,00
41	2 093	2 101	8,97	97,4	-	0,00
5	10 126	10 127	-5,63	97,4	-	0,00
6	10 384	10 385	-5,88	97,4	-	0,00
7	10 744	10 745	-6,21	97,4	-	0,00
8	7 890	7 892	-3,23	97,4	-	0,00
9	7 291	7 293	-2,48	97,4	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MC Aizkalne

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	12 054	12 055	-7,33	97,4	-	0,00
10	8 293	8 294	-3,71	97,4	-	0,00
11	5 880	5 882	-0,45	97,4	-	0,00
12	5 769	5 772	-0,28	97,4	-	0,00
13	5 339	5 341	0,45	97,4	-	0,00
14	5 269	5 272	0,57	97,4	-	0,00
15	4 672	4 675	1,69	97,4	-	0,00
16	4 233	4 236	2,60	97,4	-	0,00
17	3 699	3 704	3,83	97,4	-	0,00
18	4 798	4 801	1,44	97,4	-	0,00
19	4 562	4 565	1,91	97,4	-	0,00
2	11 567	11 569	-6,93	97,4	-	0,00
20	3 735	3 739	3,75	97,4	-	0,00
21	4 043	4 047	3,02	97,4	-	0,00
22	3 415	3 420	4,56	97,4	-	0,00
23	3 076	3 081	5,51	97,4	-	0,00
24	3 742	3 746	3,73	97,4	-	0,00
25	5 494	5 497	0,18	97,4	-	0,00
26	5 961	5 964	-0,58	97,4	-	0,00
27	4 579	4 583	1,87	97,4	-	0,00
28	5 267	5 270	0,57	97,4	-	0,00
29	5 750	5 753	-0,24	97,4	-	0,00
3	10 774	10 775	-6,24	97,4	-	0,00
30	5 058	5 061	0,95	97,4	-	0,00
31	4 411	4 415	2,22	97,4	-	0,00
32	5 748	5 751	-0,24	97,4	-	0,00
33	5 663	5 666	-0,10	97,4	-	0,00
34	5 112	5 115	0,85	97,4	-	0,00
35	5 009	5 012	1,04	97,4	-	0,00
36	4 447	4 450	2,14	97,4	-	0,00
37	3 691	3 696	3,85	97,4	-	0,00
38	3 000	3 006	5,74	97,4	-	0,00
39	3 459	3 464	4,44	97,4	-	0,00
4	10 500	10 501	-5,99	97,4	-	0,00
40	2 266	2 273	8,26	97,4	-	0,00
41	2 093	2 101	8,97	97,4	-	0,00
5	10 126	10 127	-5,63	97,4	-	0,00
6	10 384	10 385	-5,88	97,4	-	0,00
7	10 744	10 745	-6,21	97,4	-	0,00
8	7 890	7 892	-3,23	97,4	-	0,00
9	7 291	7 293	-2,48	97,4	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Noise sensitive area: MD Me ž u majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 596	8 598	-4,05	97,4	-	0,00
10	4 169	4 172	2,74	97,4	-	0,00
11	1 744	1 752	10,59	97,4	-	0,00
12	1 486	1 496	12,00	97,4	-	0,00
13	1 281	1 292	13,30	97,4	-	0,00
14	1 747	1 756	10,57	97,4	-	0,00
15	1 386	1 396	12,62	97,4	-	0,00
16	1 200	1 212	13,87	97,4	-	0,00
17	1 247	1 259	13,53	97,4	-	0,00
18	2 991	2 995	5,77	97,4	-	0,00
19	3 282	3 286	4,92	97,4	-	0,00
2	8 212	8 214	-3,62	97,4	-	0,00
20	2 194	2 200	8,55	97,4	-	0,00
21	3 083	3 087	5,49	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 591	2 597	7,06	97,4	-	0,00
23	2 989	2 993	5,77	97,4	-	0,00
24	3 497	3 501	4,35	97,4	-	0,00
25	4 144	4 148	2,79	97,4	-	0,00
26	4 933	4 936	1,18	97,4	-	0,00
27	3 919	3 923	3,30	97,4	-	0,00
28	4 431	4 435	2,18	97,4	-	0,00
29	5 118	5 121	0,84	97,4	-	0,00
3	7 441	7 442	-2,67	97,4	-	0,00
30	4 701	4 704	1,63	97,4	-	0,00
31	4 310	4 313	2,43	97,4	-	0,00
32	5 477	5 480	0,21	97,4	-	0,00
33	5 883	5 886	-0,46	97,4	-	0,00
34	5 601	5 603	0,00	97,4	-	0,00
35	5 096	5 099	0,88	97,4	-	0,00
36	4 858	4 861	1,33	97,4	-	0,00
37	4 444	4 447	2,15	97,4	-	0,00
38	4 431	4 435	2,17	97,4	-	0,00
39	3 754	3 758	3,70	97,4	-	0,00
4	7 001	7 003	-2,10	97,4	-	0,00
40	4 207	4 211	2,65	97,4	-	0,00
41	4 658	4 661	1,71	97,4	-	0,00
5	6 777	6 779	-1,79	97,4	-	0,00
6	6 712	6 714	-1,70	97,4	-	0,00
7	6 973	6 975	-2,06	97,4	-	0,00
8	3 887	3 891	3,38	97,4	-	0,00
9	3 323	3 327	4,81	97,4	-	0,00
Sum			22,82			

- Data undefined due to calculation with octave data

Noise sensitive area: MD Me ž u majas

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 596	8 598	-4,05	97,4	-	0,00
10	4 169	4 172	2,74	97,4	-	0,00
11	1 744	1 752	10,59	97,4	-	0,00
12	1 486	1 496	12,00	97,4	-	0,00
13	1 281	1 292	13,30	97,4	-	0,00
14	1 747	1 756	10,57	97,4	-	0,00
15	1 386	1 396	12,62	97,4	-	0,00
16	1 200	1 212	13,87	97,4	-	0,00
17	1 247	1 259	13,53	97,4	-	0,00
18	2 991	2 995	5,77	97,4	-	0,00
19	3 282	3 286	4,92	97,4	-	0,00
2	8 212	8 214	-3,62	97,4	-	0,00
20	2 194	2 200	8,55	97,4	-	0,00
21	3 083	3 087	5,49	97,4	-	0,00
22	2 591	2 597	7,06	97,4	-	0,00
23	2 989	2 993	5,77	97,4	-	0,00
24	3 497	3 501	4,35	97,4	-	0,00
25	4 144	4 148	2,79	97,4	-	0,00
26	4 933	4 936	1,18	97,4	-	0,00
27	3 919	3 923	3,30	97,4	-	0,00
28	4 431	4 435	2,18	97,4	-	0,00
29	5 118	5 121	0,84	97,4	-	0,00
3	7 441	7 442	-2,67	97,4	-	0,00
30	4 701	4 704	1,63	97,4	-	0,00
31	4 310	4 313	2,43	97,4	-	0,00
32	5 477	5 480	0,21	97,4	-	0,00
33	5 883	5 886	-0,46	97,4	-	0,00
34	5 601	5 603	0,00	97,4	-	0,00
35	5 096	5 099	0,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 858	4 861	1,33	97,4	-	0,00
37	4 444	4 447	2,15	97,4	-	0,00
38	4 431	4 435	2,17	97,4	-	0,00
39	3 754	3 758	3,70	97,4	-	0,00
4	7 001	7 003	-2,10	97,4	-	0,00
40	4 207	4 211	2,65	97,4	-	0,00
41	4 658	4 661	1,71	97,4	-	0,00
5	6 777	6 779	-1,79	97,4	-	0,00
6	6 712	6 714	-1,70	97,4	-	0,00
7	6 973	6 975	-2,06	97,4	-	0,00
8	3 887	3 891	3,38	97,4	-	0,00
9	3 323	3 327	4,81	97,4	-	0,00
Sum			22,82			

- Data undefined due to calculation with octave data

Noise sensitive area: ME Dunci š ki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 085	11 087	-6,51	97,4	-	0,00
10	6 935	6 937	-2,01	97,4	-	0,00
11	4 495	4 499	2,04	97,4	-	0,00
12	4 247	4 251	2,57	97,4	-	0,00
13	3 979	3 983	3,17	97,4	-	0,00
14	4 107	4 111	2,87	97,4	-	0,00
15	3 526	3 530	4,27	97,4	-	0,00
16	3 087	3 092	5,48	97,4	-	0,00
17	2 585	2 592	7,08	97,4	-	0,00
18	4 217	4 221	2,63	97,4	-	0,00
19	4 158	4 162	2,76	97,4	-	0,00
2	10 644	10 645	-6,12	97,4	-	0,00
20	3 032	3 037	5,64	97,4	-	0,00
21	3 679	3 683	3,88	97,4	-	0,00
22	2 940	2 945	5,92	97,4	-	0,00
23	2 857	2 862	6,18	97,4	-	0,00
24	3 637	3 641	3,99	97,4	-	0,00
25	5 177	5 181	0,73	97,4	-	0,00
26	5 813	5 816	-0,35	97,4	-	0,00
27	4 439	4 443	2,16	97,4	-	0,00
28	5 136	5 139	0,81	97,4	-	0,00
29	5 746	5 749	-0,24	97,4	-	0,00
3	9 853	9 854	-5,37	97,4	-	0,00
30	5 104	5 107	0,87	97,4	-	0,00
31	4 488	4 492	2,06	97,4	-	0,00
32	5 891	5 894	-0,47	97,4	-	0,00
33	6 001	6 003	-0,64	97,4	-	0,00
34	5 518	5 521	0,14	97,4	-	0,00
35	5 236	5 239	0,63	97,4	-	0,00
36	4 753	4 756	1,53	97,4	-	0,00
37	4 047	4 051	3,01	97,4	-	0,00
38	3 566	3 570	4,17	97,4	-	0,00
39	3 550	3 554	4,21	97,4	-	0,00
4	9 497	9 499	-5,01	97,4	-	0,00
40	2 943	2 949	5,91	97,4	-	0,00
41	3 091	3 096	5,47	97,4	-	0,00
5	9 189	9 191	-4,70	97,4	-	0,00
6	9 295	9 297	-4,81	97,4	-	0,00
7	9 607	9 609	-5,12	97,4	-	0,00
8	6 604	6 606	-1,54	97,4	-	0,00
9	6 016	6 019	-0,67	97,4	-	0,00
Sum			18,58			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: ME Dunci š ki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 085	11 087	-6,51	97,4	-	0,00
10	6 935	6 937	-2,01	97,4	-	0,00
11	4 495	4 499	2,04	97,4	-	0,00
12	4 247	4 251	2,57	97,4	-	0,00
13	3 979	3 983	3,17	97,4	-	0,00
14	4 107	4 111	2,87	97,4	-	0,00
15	3 526	3 530	4,27	97,4	-	0,00
16	3 087	3 092	5,48	97,4	-	0,00
17	2 585	2 592	7,08	97,4	-	0,00
18	4 217	4 221	2,63	97,4	-	0,00
19	4 158	4 162	2,76	97,4	-	0,00
2	10 644	10 645	-6,12	97,4	-	0,00
20	3 032	3 037	5,64	97,4	-	0,00
21	3 679	3 683	3,88	97,4	-	0,00
22	2 940	2 945	5,92	97,4	-	0,00
23	2 857	2 862	6,18	97,4	-	0,00
24	3 637	3 641	3,99	97,4	-	0,00
25	5 177	5 181	0,73	97,4	-	0,00
26	5 813	5 816	-0,35	97,4	-	0,00
27	4 439	4 443	2,16	97,4	-	0,00
28	5 136	5 139	0,81	97,4	-	0,00
29	5 746	5 749	-0,24	97,4	-	0,00
3	9 853	9 854	-5,37	97,4	-	0,00
30	5 104	5 107	0,87	97,4	-	0,00
31	4 488	4 492	2,06	97,4	-	0,00
32	5 891	5 894	-0,47	97,4	-	0,00
33	6 001	6 003	-0,64	97,4	-	0,00
34	5 518	5 521	0,14	97,4	-	0,00
35	5 236	5 239	0,63	97,4	-	0,00
36	4 753	4 756	1,53	97,4	-	0,00
37	4 047	4 051	3,01	97,4	-	0,00
38	3 566	3 570	4,17	97,4	-	0,00
39	3 550	3 554	4,21	97,4	-	0,00
4	9 497	9 499	-5,01	97,4	-	0,00
40	2 943	2 949	5,91	97,4	-	0,00
41	3 091	3 096	5,47	97,4	-	0,00
5	9 189	9 191	-4,70	97,4	-	0,00
6	9 295	9 297	-4,81	97,4	-	0,00
7	9 607	9 609	-5,12	97,4	-	0,00
8	6 604	6 606	-1,54	97,4	-	0,00
9	6 016	6 019	-0,67	97,4	-	0,00
Sum			18,58			

- Data undefined due to calculation with octave data

Noise sensitive area: MF Avenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 700	10 702	-6,17	97,4	-	0,00
10	6 281	6 284	-1,07	97,4	-	0,00
11	3 877	3 881	3,40	97,4	-	0,00
12	3 481	3 485	4,39	97,4	-	0,00
13	3 412	3 417	4,57	97,4	-	0,00
14	3 733	3 738	3,75	97,4	-	0,00
15	3 212	3 216	5,12	97,4	-	0,00
16	2 819	2 824	6,30	97,4	-	0,00
17	2 419	2 426	7,67	97,4	-	0,00
18	4 305	4 308	2,44	97,4	-	0,00
19	4 369	4 373	2,30	97,4	-	0,00
2	10 296	10 298	-5,80	97,4	-	0,00
20	3 151	3 156	5,29	97,4	-	0,00
21	3 956	3 960	3,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 230	3 235	5,07	97,4	-	0,00
23	3 314	3 318	4,84	97,4	-	0,00
24	4 071	4 074	2,96	97,4	-	0,00
25	5 382	5 385	0,37	97,4	-	0,00
26	6 094	6 096	-0,79	97,4	-	0,00
27	4 792	4 795	1,45	97,4	-	0,00
28	5 456	5 458	0,25	97,4	-	0,00
29	6 112	6 114	-0,82	97,4	-	0,00
3	9 515	9 517	-5,03	97,4	-	0,00
30	5 525	5 528	0,13	97,4	-	0,00
31	4 958	4 962	1,14	97,4	-	0,00
32	6 333	6 335	-1,15	97,4	-	0,00
33	6 541	6 543	-1,45	97,4	-	0,00
34	6 108	6 110	-0,81	97,4	-	0,00
35	5 748	5 750	-0,24	97,4	-	0,00
36	5 325	5 328	0,47	97,4	-	0,00
37	4 681	4 684	1,67	97,4	-	0,00
38	4 319	4 323	2,41	97,4	-	0,00
39	4 093	4 097	2,91	97,4	-	0,00
4	9 104	9 105	-4,60	97,4	-	0,00
40	3 781	3 785	3,63	97,4	-	0,00
41	4 016	4 020	3,08	97,4	-	0,00
5	8 850	8 852	-4,33	97,4	-	0,00
6	8 837	8 839	-4,32	97,4	-	0,00
7	9 107	9 109	-4,61	97,4	-	0,00
8	6 022	6 024	-0,68	97,4	-	0,00
9	5 459	5 462	0,24	97,4	-	0,00
Sum			18,27			

- Data undefined due to calculation with octave data

Noise sensitive area: MF Avenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 700	10 702	-6,17	97,4	-	0,00
10	6 281	6 284	-1,07	97,4	-	0,00
11	3 877	3 881	3,40	97,4	-	0,00
12	3 481	3 485	4,39	97,4	-	0,00
13	3 412	3 417	4,57	97,4	-	0,00
14	3 733	3 738	3,75	97,4	-	0,00
15	3 212	3 216	5,12	97,4	-	0,00
16	2 819	2 824	6,30	97,4	-	0,00
17	2 419	2 426	7,67	97,4	-	0,00
18	4 305	4 308	2,44	97,4	-	0,00
19	4 369	4 373	2,30	97,4	-	0,00
2	10 296	10 298	-5,80	97,4	-	0,00
20	3 151	3 156	5,29	97,4	-	0,00
21	3 956	3 960	3,22	97,4	-	0,00
22	3 230	3 235	5,07	97,4	-	0,00
23	3 314	3 318	4,84	97,4	-	0,00
24	4 071	4 074	2,96	97,4	-	0,00
25	5 382	5 385	0,37	97,4	-	0,00
26	6 094	6 096	-0,79	97,4	-	0,00
27	4 792	4 795	1,45	97,4	-	0,00
28	5 456	5 458	0,25	97,4	-	0,00
29	6 112	6 114	-0,82	97,4	-	0,00
3	9 515	9 517	-5,03	97,4	-	0,00
30	5 525	5 528	0,13	97,4	-	0,00
31	4 958	4 962	1,14	97,4	-	0,00
32	6 333	6 335	-1,15	97,4	-	0,00
33	6 541	6 543	-1,45	97,4	-	0,00
34	6 108	6 110	-0,81	97,4	-	0,00
35	5 748	5 750	-0,24	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 325	5 328	0,47	97,4	-	0,00
37	4 681	4 684	1,67	97,4	-	0,00
38	4 319	4 323	2,41	97,4	-	0,00
39	4 093	4 097	2,91	97,4	-	0,00
4	9 104	9 105	-4,60	97,4	-	0,00
40	3 781	3 785	3,63	97,4	-	0,00
41	4 016	4 020	3,08	97,4	-	0,00
5	8 850	8 852	-4,33	97,4	-	0,00
6	8 837	8 839	-4,32	97,4	-	0,00
7	9 107	9 109	-4,61	97,4	-	0,00
8	6 022	6 024	-0,68	97,4	-	0,00
9	5 459	5 462	0,24	97,4	-	0,00
Sum			18,27			

- Data undefined due to calculation with octave data

Noise sensitive area: MG Gravi š i

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 702	9 704	-5,22	97,4	-	0,00
10	5 334	5 336	0,46	97,4	-	0,00
11	2 908	2 913	6,02	97,4	-	0,00
12	2 593	2 599	7,05	97,4	-	0,00
13	2 426	2 432	7,65	97,4	-	0,00
14	2 740	2 746	6,56	97,4	-	0,00
15	2 233	2 239	8,39	97,4	-	0,00
16	1 862	1 870	10,01	97,4	-	0,00
17	1 532	1 542	11,73	97,4	-	0,00
18	3 475	3 479	4,40	97,4	-	0,00
19	3 616	3 621	4,04	97,4	-	0,00
2	9 299	9 300	-4,81	97,4	-	0,00
20	2 392	2 398	7,78	97,4	-	0,00
21	3 267	3 272	4,97	97,4	-	0,00
22	2 595	2 601	7,04	97,4	-	0,00
23	2 817	2 822	6,31	97,4	-	0,00
24	3 504	3 508	4,33	97,4	-	0,00
25	4 598	4 602	1,83	97,4	-	0,00
26	5 347	5 350	0,43	97,4	-	0,00
27	4 128	4 132	2,83	97,4	-	0,00
28	4 749	4 752	1,54	97,4	-	0,00
29	5 427	5 430	0,30	97,4	-	0,00
3	8 519	8 520	-3,97	97,4	-	0,00
30	4 896	4 899	1,25	97,4	-	0,00
31	4 387	4 391	2,27	97,4	-	0,00
32	5 704	5 707	-0,17	97,4	-	0,00
33	5 994	5 997	-0,63	97,4	-	0,00
34	5 618	5 621	-0,03	97,4	-	0,00
35	5 192	5 195	0,71	97,4	-	0,00
36	4 838	4 841	1,36	97,4	-	0,00
37	4 279	4 282	2,50	97,4	-	0,00
38	4 069	4 073	2,96	97,4	-	0,00
39	3 627	3 631	4,01	97,4	-	0,00
4	8 106	8 108	-3,49	97,4	-	0,00
40	3 671	3 674	3,90	97,4	-	0,00
41	4 027	4 031	3,06	97,4	-	0,00
5	7 853	7 855	-3,19	97,4	-	0,00
6	7 843	7 845	-3,18	97,4	-	0,00
7	8 119	8 121	-3,51	97,4	-	0,00
8	5 048	5 051	0,97	97,4	-	0,00
9	4 478	4 481	2,08	97,4	-	0,00
Sum			20,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MG Gravi š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 702	9 704	-5,22	97,4	-	0,00
10	5 334	5 336	0,46	97,4	-	0,00
11	2 908	2 913	6,02	97,4	-	0,00
12	2 593	2 599	7,05	97,4	-	0,00
13	2 426	2 432	7,65	97,4	-	0,00
14	2 740	2 746	6,56	97,4	-	0,00
15	2 233	2 239	8,39	97,4	-	0,00
16	1 862	1 870	10,01	97,4	-	0,00
17	1 532	1 542	11,73	97,4	-	0,00
18	3 475	3 479	4,40	97,4	-	0,00
19	3 616	3 621	4,04	97,4	-	0,00
2	9 299	9 300	-4,81	97,4	-	0,00
20	2 392	2 398	7,78	97,4	-	0,00
21	3 267	3 272	4,97	97,4	-	0,00
22	2 595	2 601	7,04	97,4	-	0,00
23	2 817	2 822	6,31	97,4	-	0,00
24	3 504	3 508	4,33	97,4	-	0,00
25	4 598	4 602	1,83	97,4	-	0,00
26	5 347	5 350	0,43	97,4	-	0,00
27	4 128	4 132	2,83	97,4	-	0,00
28	4 749	4 752	1,54	97,4	-	0,00
29	5 427	5 430	0,30	97,4	-	0,00
3	8 519	8 520	-3,97	97,4	-	0,00
30	4 896	4 899	1,25	97,4	-	0,00
31	4 387	4 391	2,27	97,4	-	0,00
32	5 704	5 707	-0,17	97,4	-	0,00
33	5 994	5 997	-0,63	97,4	-	0,00
34	5 618	5 621	-0,03	97,4	-	0,00
35	5 192	5 195	0,71	97,4	-	0,00
36	4 838	4 841	1,36	97,4	-	0,00
37	4 279	4 282	2,50	97,4	-	0,00
38	4 069	4 073	2,96	97,4	-	0,00
39	3 627	3 631	4,01	97,4	-	0,00
4	8 106	8 108	-3,49	97,4	-	0,00
40	3 671	3 674	3,90	97,4	-	0,00
41	4 027	4 031	3,06	97,4	-	0,00
5	7 853	7 855	-3,19	97,4	-	0,00
6	7 843	7 845	-3,18	97,4	-	0,00
7	8 119	8 121	-3,51	97,4	-	0,00
8	5 048	5 051	0,97	97,4	-	0,00
9	4 478	4 481	2,08	97,4	-	0,00
Sum			20,44			

- Data undefined due to calculation with octave data

Noise sensitive area: MH Andinsala

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 804	9 806	-5,32	97,4	-	0,00
10	5 168	5 171	0,75	97,4	-	0,00
11	2 872	2 877	6,13	97,4	-	0,00
12	2 320	2 327	8,05	97,4	-	0,00
13	2 506	2 512	7,36	97,4	-	0,00
14	3 051	3 057	5,58	97,4	-	0,00
15	2 669	2 675	6,79	97,4	-	0,00
16	2 404	2 411	7,73	97,4	-	0,00
17	2 235	2 242	8,38	97,4	-	0,00
18	4 157	4 161	2,76	97,4	-	0,00
19	4 370	4 373	2,30	97,4	-	0,00
2	9 443	9 445	-4,96	97,4	-	0,00
20	3 174	3 179	5,23	97,4	-	0,00
21	4 073	4 077	2,95	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 445	3 450	4,48	97,4	-	0,00
23	3 711	3 715	3,80	97,4	-	0,00
24	4 366	4 370	2,31	97,4	-	0,00
25	5 307	5 310	0,50	97,4	-	0,00
26	6 080	6 082	-0,77	97,4	-	0,00
27	4 936	4 939	1,18	97,4	-	0,00
28	5 520	5 523	0,14	97,4	-	0,00
29	6 206	6 209	-0,96	97,4	-	0,00
3	8 682	8 684	-4,15	97,4	-	0,00
30	5 714	5 717	-0,19	97,4	-	0,00
31	5 239	5 242	0,62	97,4	-	0,00
32	6 516	6 518	-1,42	97,4	-	0,00
33	6 845	6 847	-1,88	97,4	-	0,00
34	6 492	6 494	-1,38	97,4	-	0,00
35	6 043	6 045	-0,71	97,4	-	0,00
36	5 717	5 720	-0,19	97,4	-	0,00
37	5 183	5 186	0,72	97,4	-	0,00
38	4 992	4 995	1,07	97,4	-	0,00
39	4 520	4 524	1,99	97,4	-	0,00
4	8 215	8 217	-3,62	97,4	-	0,00
40	4 591	4 594	1,85	97,4	-	0,00
41	4 934	4 937	1,18	97,4	-	0,00
5	8 023	8 025	-3,39	97,4	-	0,00
6	7 885	7 887	-3,23	97,4	-	0,00
7	8 110	8 112	-3,50	97,4	-	0,00
8	4 984	4 988	1,09	97,4	-	0,00
9	4 461	4 465	2,11	97,4	-	0,00
Sum			18,91			

- Data undefined due to calculation with octave data

Noise sensitive area: MH Andinsala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 804	9 806	-5,32	97,4	-	0,00
10	5 168	5 171	0,75	97,4	-	0,00
11	2 872	2 877	6,13	97,4	-	0,00
12	2 320	2 327	8,05	97,4	-	0,00
13	2 506	2 512	7,36	97,4	-	0,00
14	3 051	3 057	5,58	97,4	-	0,00
15	2 669	2 675	6,79	97,4	-	0,00
16	2 404	2 411	7,73	97,4	-	0,00
17	2 235	2 242	8,38	97,4	-	0,00
18	4 157	4 161	2,76	97,4	-	0,00
19	4 370	4 373	2,30	97,4	-	0,00
2	9 443	9 445	-4,96	97,4	-	0,00
20	3 174	3 179	5,23	97,4	-	0,00
21	4 073	4 077	2,95	97,4	-	0,00
22	3 445	3 450	4,48	97,4	-	0,00
23	3 711	3 715	3,80	97,4	-	0,00
24	4 366	4 370	2,31	97,4	-	0,00
25	5 307	5 310	0,50	97,4	-	0,00
26	6 080	6 082	-0,77	97,4	-	0,00
27	4 936	4 939	1,18	97,4	-	0,00
28	5 520	5 523	0,14	97,4	-	0,00
29	6 206	6 209	-0,96	97,4	-	0,00
3	8 682	8 684	-4,15	97,4	-	0,00
30	5 714	5 717	-0,19	97,4	-	0,00
31	5 239	5 242	0,62	97,4	-	0,00
32	6 516	6 518	-1,42	97,4	-	0,00
33	6 845	6 847	-1,88	97,4	-	0,00
34	6 492	6 494	-1,38	97,4	-	0,00
35	6 043	6 045	-0,71	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 717	5 720	-0,19	97,4	-	0,00
37	5 183	5 186	0,72	97,4	-	0,00
38	4 992	4 995	1,07	97,4	-	0,00
39	4 520	4 524	1,99	97,4	-	0,00
4	8 215	8 217	-3,62	97,4	-	0,00
40	4 591	4 594	1,85	97,4	-	0,00
41	4 934	4 937	1,18	97,4	-	0,00
5	8 023	8 025	-3,39	97,4	-	0,00
6	7 885	7 887	-3,23	97,4	-	0,00
7	8 110	8 112	-3,50	97,4	-	0,00
8	4 984	4 988	1,09	97,4	-	0,00
9	4 461	4 465	2,11	97,4	-	0,00
Sum			18,91			

- Data undefined due to calculation with octave data

Noise sensitive area: MI Salenieki 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 567	11 568	-6,93	97,4	-	0,00
10	7 532	7 534	-2,79	97,4	-	0,00
11	5 094	5 097	0,89	97,4	-	0,00
12	4 884	4 887	1,28	97,4	-	0,00
13	4 567	4 571	1,90	97,4	-	0,00
14	4 629	4 633	1,77	97,4	-	0,00
15	4 037	4 041	3,03	97,4	-	0,00
16	3 592	3 597	4,10	97,4	-	0,00
17	3 070	3 075	5,53	97,4	-	0,00
18	4 525	4 528	1,98	97,4	-	0,00
19	4 396	4 400	2,25	97,4	-	0,00
2	11 110	11 111	-6,54	97,4	-	0,00
20	3 364	3 368	4,70	97,4	-	0,00
21	3 893	3 896	3,37	97,4	-	0,00
22	3 177	3 182	5,22	97,4	-	0,00
23	2 988	2 992	5,78	97,4	-	0,00
24	3 747	3 751	3,71	97,4	-	0,00
25	5 397	5 400	0,35	97,4	-	0,00
26	5 975	5 978	-0,60	97,4	-	0,00
27	4 580	4 584	1,87	97,4	-	0,00
28	5 284	5 287	0,54	97,4	-	0,00
29	5 852	5 854	-0,41	97,4	-	0,00
3	10 316	10 317	-5,81	97,4	-	0,00
30	5 183	5 185	0,72	97,4	-	0,00
31	4 546	4 549	1,94	97,4	-	0,00
32	5 942	5 944	-0,55	97,4	-	0,00
33	5 977	5 980	-0,61	97,4	-	0,00
34	5 462	5 465	0,24	97,4	-	0,00
35	5 247	5 250	0,61	97,4	-	0,00
36	4 725	4 729	1,58	97,4	-	0,00
37	3 987	3 991	3,15	97,4	-	0,00
38	3 412	3 417	4,57	97,4	-	0,00
39	3 581	3 585	4,13	97,4	-	0,00
4	9 987	9 989	-5,50	97,4	-	0,00
40	2 724	2 730	6,61	97,4	-	0,00
41	2 757	2 763	6,50	97,4	-	0,00
5	9 656	9 658	-5,17	97,4	-	0,00
6	9 813	9 815	-5,33	97,4	-	0,00
7	10 141	10 143	-5,65	97,4	-	0,00
8	7 179	7 181	-2,33	97,4	-	0,00
9	6 586	6 588	-1,52	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MI Salenieki 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 567	11 568	-6,93	97,4	-	0,00
10	7 532	7 534	-2,79	97,4	-	0,00
11	5 094	5 097	0,89	97,4	-	0,00
12	4 884	4 887	1,28	97,4	-	0,00
13	4 567	4 571	1,90	97,4	-	0,00
14	4 629	4 633	1,77	97,4	-	0,00
15	4 037	4 041	3,03	97,4	-	0,00
16	3 592	3 597	4,10	97,4	-	0,00
17	3 070	3 075	5,53	97,4	-	0,00
18	4 525	4 528	1,98	97,4	-	0,00
19	4 396	4 400	2,25	97,4	-	0,00
2	11 110	11 111	-6,54	97,4	-	0,00
20	3 364	3 368	4,70	97,4	-	0,00
21	3 893	3 896	3,37	97,4	-	0,00
22	3 177	3 182	5,22	97,4	-	0,00
23	2 988	2 992	5,78	97,4	-	0,00
24	3 747	3 751	3,71	97,4	-	0,00
25	5 397	5 400	0,35	97,4	-	0,00
26	5 975	5 978	-0,60	97,4	-	0,00
27	4 580	4 584	1,87	97,4	-	0,00
28	5 284	5 287	0,54	97,4	-	0,00
29	5 852	5 854	-0,41	97,4	-	0,00
3	10 316	10 317	-5,81	97,4	-	0,00
30	5 183	5 185	0,72	97,4	-	0,00
31	4 546	4 549	1,94	97,4	-	0,00
32	5 942	5 944	-0,55	97,4	-	0,00
33	5 977	5 980	-0,61	97,4	-	0,00
34	5 462	5 465	0,24	97,4	-	0,00
35	5 247	5 250	0,61	97,4	-	0,00
36	4 725	4 729	1,58	97,4	-	0,00
37	3 987	3 991	3,15	97,4	-	0,00
38	3 412	3 417	4,57	97,4	-	0,00
39	3 581	3 585	4,13	97,4	-	0,00
4	9 987	9 989	-5,50	97,4	-	0,00
40	2 724	2 730	6,61	97,4	-	0,00
41	2 757	2 763	6,50	97,4	-	0,00
5	9 656	9 658	-5,17	97,4	-	0,00
6	9 813	9 815	-5,33	97,4	-	0,00
7	10 141	10 143	-5,65	97,4	-	0,00
8	7 179	7 181	-2,33	97,4	-	0,00
9	6 586	6 588	-1,52	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Noise sensitive area: MJ Runci

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 074	10 075	-5,58	97,4	-	0,00
10	6 146	6 149	-0,87	97,4	-	0,00
11	3 732	3 736	3,75	97,4	-	0,00
12	3 661	3 666	3,93	97,4	-	0,00
13	3 190	3 195	5,18	97,4	-	0,00
14	3 161	3 166	5,26	97,4	-	0,00
15	2 564	2 570	7,15	97,4	-	0,00
16	2 119	2 126	8,86	97,4	-	0,00
17	1 589	1 599	11,41	97,4	-	0,00
18	3 101	3 106	5,44	97,4	-	0,00
19	3 047	3 052	5,60	97,4	-	0,00
2	9 616	9 617	-5,13	97,4	-	0,00
20	1 918	1 925	9,75	97,4	-	0,00
21	2 577	2 582	7,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	1 835	1 843	10,14	97,4	-	0,00
23	1 817	1 825	10,23	97,4	-	0,00
24	2 592	2 598	7,06	97,4	-	0,00
25	4 068	4 072	2,96	97,4	-	0,00
26	4 721	4 724	1,59	97,4	-	0,00
27	3 363	3 368	4,70	97,4	-	0,00
28	4 053	4 056	3,00	97,4	-	0,00
29	4 681	4 684	1,67	97,4	-	0,00
3	8 822	8 824	-4,30	97,4	-	0,00
30	4 060	4 064	2,98	97,4	-	0,00
31	3 468	3 473	4,42	97,4	-	0,00
32	4 861	4 864	1,32	97,4	-	0,00
33	5 031	5 034	1,00	97,4	-	0,00
34	4 585	4 588	1,86	97,4	-	0,00
35	4 245	4 248	2,57	97,4	-	0,00
36	3 804	3 808	3,58	97,4	-	0,00
37	3 151	3 156	5,29	97,4	-	0,00
38	2 811	2 816	6,33	97,4	-	0,00
39	2 574	2 580	7,12	97,4	-	0,00
4	8 496	8 498	-3,94	97,4	-	0,00
40	2 335	2 342	7,99	97,4	-	0,00
41	2 665	2 671	6,81	97,4	-	0,00
5	8 163	8 164	-3,56	97,4	-	0,00
6	8 332	8 333	-3,75	97,4	-	0,00
7	8 669	8 671	-4,13	97,4	-	0,00
8	5 755	5 758	-0,25	97,4	-	0,00
9	5 157	5 160	0,77	97,4	-	0,00
Sum			21,40			

- Data undefined due to calculation with octave data

Noise sensitive area: MJ Runci

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 074	10 075	-5,58	97,4	-	0,00
10	6 146	6 149	-0,87	97,4	-	0,00
11	3 732	3 736	3,75	97,4	-	0,00
12	3 661	3 666	3,93	97,4	-	0,00
13	3 190	3 195	5,18	97,4	-	0,00
14	3 161	3 166	5,26	97,4	-	0,00
15	2 564	2 570	7,15	97,4	-	0,00
16	2 119	2 126	8,86	97,4	-	0,00
17	1 589	1 599	11,41	97,4	-	0,00
18	3 101	3 106	5,44	97,4	-	0,00
19	3 047	3 052	5,60	97,4	-	0,00
2	9 616	9 617	-5,13	97,4	-	0,00
20	1 918	1 925	9,75	97,4	-	0,00
21	2 577	2 582	7,11	97,4	-	0,00
22	1 835	1 843	10,14	97,4	-	0,00
23	1 817	1 825	10,23	97,4	-	0,00
24	2 592	2 598	7,06	97,4	-	0,00
25	4 068	4 072	2,96	97,4	-	0,00
26	4 721	4 724	1,59	97,4	-	0,00
27	3 363	3 368	4,70	97,4	-	0,00
28	4 053	4 056	3,00	97,4	-	0,00
29	4 681	4 684	1,67	97,4	-	0,00
3	8 822	8 824	-4,30	97,4	-	0,00
30	4 060	4 064	2,98	97,4	-	0,00
31	3 468	3 473	4,42	97,4	-	0,00
32	4 861	4 864	1,32	97,4	-	0,00
33	5 031	5 034	1,00	97,4	-	0,00
34	4 585	4 588	1,86	97,4	-	0,00
35	4 245	4 248	2,57	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 804	3 808	3,58	97,4	-	0,00
37	3 151	3 156	5,29	97,4	-	0,00
38	2 811	2 816	6,33	97,4	-	0,00
39	2 574	2 580	7,12	97,4	-	0,00
4	8 496	8 498	-3,94	97,4	-	0,00
40	2 335	2 342	7,99	97,4	-	0,00
41	2 665	2 671	6,81	97,4	-	0,00
5	8 163	8 164	-3,56	97,4	-	0,00
6	8 332	8 333	-3,75	97,4	-	0,00
7	8 669	8 671	-4,13	97,4	-	0,00
8	5 755	5 758	-0,25	97,4	-	0,00
9	5 157	5 160	0,77	97,4	-	0,00
Sum			21,40			

- Data undefined due to calculation with octave data

Noise sensitive area: MK Purenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 240	10 241	-5,74	97,4	-	0,00
10	5 471	5 474	0,22	97,4	-	0,00
11	3 323	3 327	4,81	97,4	-	0,00
12	2 654	2 660	6,84	97,4	-	0,00
13	3 034	3 039	5,64	97,4	-	0,00
14	3 659	3 663	3,93	97,4	-	0,00
15	3 326	3 331	4,80	97,4	-	0,00
16	3 091	3 096	5,47	97,4	-	0,00
17	2 945	2 951	5,90	97,4	-	0,00
18	4 859	4 862	1,32	97,4	-	0,00
19	5 080	5 083	0,91	97,4	-	0,00
2	9 905	9 907	-5,42	97,4	-	0,00
20	3 887	3 891	3,38	97,4	-	0,00
21	4 786	4 789	1,46	97,4	-	0,00
22	4 153	4 157	2,77	97,4	-	0,00
23	4 405	4 409	2,23	97,4	-	0,00
24	5 073	5 076	0,92	97,4	-	0,00
25	6 011	6 014	-0,66	97,4	-	0,00
26	6 787	6 789	-1,80	97,4	-	0,00
27	5 649	5 652	-0,08	97,4	-	0,00
28	6 232	6 234	-1,00	97,4	-	0,00
29	6 918	6 920	-1,98	97,4	-	0,00
3	9 159	9 160	-4,66	97,4	-	0,00
30	6 427	6 429	-1,29	97,4	-	0,00
31	5 948	5 951	-0,56	97,4	-	0,00
32	7 229	7 231	-2,40	97,4	-	0,00
33	7 554	7 557	-2,82	97,4	-	0,00
34	7 196	7 198	-2,36	97,4	-	0,00
35	6 752	6 755	-1,75	97,4	-	0,00
36	6 419	6 422	-1,28	97,4	-	0,00
37	5 871	5 874	-0,44	97,4	-	0,00
38	5 649	5 652	-0,08	97,4	-	0,00
39	5 215	5 219	0,67	97,4	-	0,00
4	8 662	8 664	-4,13	97,4	-	0,00
40	5 210	5 213	0,68	97,4	-	0,00
41	5 519	5 522	0,14	97,4	-	0,00
5	8 506	8 508	-3,95	97,4	-	0,00
6	8 294	8 296	-3,71	97,4	-	0,00
7	8 485	8 487	-3,93	97,4	-	0,00
8	5 360	5 363	0,41	97,4	-	0,00
9	4 876	4 879	1,29	97,4	-	0,00
Sum			17,43			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MK Purenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 240	10 241	-5,74	97,4	-	0,00
10	5 471	5 474	0,22	97,4	-	0,00
11	3 323	3 327	4,81	97,4	-	0,00
12	2 654	2 660	6,84	97,4	-	0,00
13	3 034	3 039	5,64	97,4	-	0,00
14	3 659	3 663	3,93	97,4	-	0,00
15	3 326	3 331	4,80	97,4	-	0,00
16	3 091	3 096	5,47	97,4	-	0,00
17	2 945	2 951	5,90	97,4	-	0,00
18	4 859	4 862	1,32	97,4	-	0,00
19	5 080	5 083	0,91	97,4	-	0,00
2	9 905	9 907	-5,42	97,4	-	0,00
20	3 887	3 891	3,38	97,4	-	0,00
21	4 786	4 789	1,46	97,4	-	0,00
22	4 153	4 157	2,77	97,4	-	0,00
23	4 405	4 409	2,23	97,4	-	0,00
24	5 073	5 076	0,92	97,4	-	0,00
25	6 011	6 014	-0,66	97,4	-	0,00
26	6 787	6 789	-1,80	97,4	-	0,00
27	5 649	5 652	-0,08	97,4	-	0,00
28	6 232	6 234	-1,00	97,4	-	0,00
29	6 918	6 920	-1,98	97,4	-	0,00
3	9 159	9 160	-4,66	97,4	-	0,00
30	6 427	6 429	-1,29	97,4	-	0,00
31	5 948	5 951	-0,56	97,4	-	0,00
32	7 229	7 231	-2,40	97,4	-	0,00
33	7 554	7 557	-2,82	97,4	-	0,00
34	7 196	7 198	-2,36	97,4	-	0,00
35	6 752	6 755	-1,75	97,4	-	0,00
36	6 419	6 422	-1,28	97,4	-	0,00
37	5 871	5 874	-0,44	97,4	-	0,00
38	5 649	5 652	-0,08	97,4	-	0,00
39	5 215	5 219	0,67	97,4	-	0,00
4	8 662	8 664	-4,13	97,4	-	0,00
40	5 210	5 213	0,68	97,4	-	0,00
41	5 519	5 522	0,14	97,4	-	0,00
5	8 506	8 508	-3,95	97,4	-	0,00
6	8 294	8 296	-3,71	97,4	-	0,00
7	8 485	8 487	-3,93	97,4	-	0,00
8	5 360	5 363	0,41	97,4	-	0,00
9	4 876	4 879	1,29	97,4	-	0,00
Sum			17,43			

- Data undefined due to calculation with octave data

Noise sensitive area: ML Sili

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 671	9 672	-5,19	97,4	-	0,00
10	5 283	5 286	0,55	97,4	-	0,00
11	2 861	2 866	6,17	97,4	-	0,00
12	2 533	2 540	7,26	97,4	-	0,00
13	2 385	2 391	7,81	97,4	-	0,00
14	2 717	2 723	6,63	97,4	-	0,00
15	2 219	2 225	8,45	97,4	-	0,00
16	1 857	1 865	10,04	97,4	-	0,00
17	1 544	1 555	11,66	97,4	-	0,00
18	3 491	3 495	4,36	97,4	-	0,00
19	3 642	3 646	3,98	97,4	-	0,00
2	9 270	9 271	-4,78	97,4	-	0,00
20	2 420	2 426	7,67	97,4	-	0,00
21	3 300	3 304	4,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 634	2 641	6,91	97,4	-	0,00
23	2 865	2 871	6,15	97,4	-	0,00
24	3 546	3 550	4,22	97,4	-	0,00
25	4 618	4 622	1,79	97,4	-	0,00
26	5 371	5 373	0,39	97,4	-	0,00
27	4 162	4 166	2,75	97,4	-	0,00
28	4 778	4 781	1,48	97,4	-	0,00
29	5 457	5 459	0,24	97,4	-	0,00
3	8 491	8 492	-3,93	97,4	-	0,00
30	4 931	4 934	1,19	97,4	-	0,00
31	4 428	4 432	2,18	97,4	-	0,00
32	5 739	5 742	-0,23	97,4	-	0,00
33	6 035	6 038	-0,70	97,4	-	0,00
34	5 663	5 666	-0,10	97,4	-	0,00
35	5 232	5 235	0,64	97,4	-	0,00
36	4 884	4 887	1,28	97,4	-	0,00
37	4 331	4 334	2,39	97,4	-	0,00
38	4 128	4 132	2,83	97,4	-	0,00
39	3 676	3 680	3,89	97,4	-	0,00
4	8 074	8 076	-3,45	97,4	-	0,00
40	3 735	3 739	3,74	97,4	-	0,00
41	4 095	4 099	2,90	97,4	-	0,00
5	7 826	7 827	-3,15	97,4	-	0,00
6	7 807	7 809	-3,13	97,4	-	0,00
7	8 079	8 081	-3,46	97,4	-	0,00
8	5 003	5 006	1,05	97,4	-	0,00
9	4 435	4 438	2,17	97,4	-	0,00
Sum			20,42			

- Data undefined due to calculation with octave data

Noise sensitive area: ML Sili

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 671	9 672	-5,19	97,4	-	0,00
10	5 283	5 286	0,55	97,4	-	0,00
11	2 861	2 866	6,17	97,4	-	0,00
12	2 533	2 540	7,26	97,4	-	0,00
13	2 385	2 391	7,81	97,4	-	0,00
14	2 717	2 723	6,63	97,4	-	0,00
15	2 219	2 225	8,45	97,4	-	0,00
16	1 857	1 865	10,04	97,4	-	0,00
17	1 544	1 555	11,66	97,4	-	0,00
18	3 491	3 495	4,36	97,4	-	0,00
19	3 642	3 646	3,98	97,4	-	0,00
2	9 270	9 271	-4,78	97,4	-	0,00
20	2 420	2 426	7,67	97,4	-	0,00
21	3 300	3 304	4,88	97,4	-	0,00
22	2 634	2 641	6,91	97,4	-	0,00
23	2 865	2 871	6,15	97,4	-	0,00
24	3 546	3 550	4,22	97,4	-	0,00
25	4 618	4 622	1,79	97,4	-	0,00
26	5 371	5 373	0,39	97,4	-	0,00
27	4 162	4 166	2,75	97,4	-	0,00
28	4 778	4 781	1,48	97,4	-	0,00
29	5 457	5 459	0,24	97,4	-	0,00
3	8 491	8 492	-3,93	97,4	-	0,00
30	4 931	4 934	1,19	97,4	-	0,00
31	4 428	4 432	2,18	97,4	-	0,00
32	5 739	5 742	-0,23	97,4	-	0,00
33	6 035	6 038	-0,70	97,4	-	0,00
34	5 663	5 666	-0,10	97,4	-	0,00
35	5 232	5 235	0,64	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 884	4 887	1,28	97,4	-	0,00
37	4 331	4 334	2,39	97,4	-	0,00
38	4 128	4 132	2,83	97,4	-	0,00
39	3 676	3 680	3,89	97,4	-	0,00
4	8 074	8 076	-3,45	97,4	-	0,00
40	3 735	3 739	3,74	97,4	-	0,00
41	4 095	4 099	2,90	97,4	-	0,00
5	7 826	7 827	-3,15	97,4	-	0,00
6	7 807	7 809	-3,13	97,4	-	0,00
7	8 079	8 081	-3,46	97,4	-	0,00
8	5 003	5 006	1,05	97,4	-	0,00
9	4 435	4 438	2,17	97,4	-	0,00
Sum			20,42			

- Data undefined due to calculation with octave data

Noise sensitive area: MM Rudenova

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 142	11 143	-6,56	97,4	-	0,00
10	7 583	7 585	-2,85	97,4	-	0,00
11	5 225	5 228	0,65	97,4	-	0,00
12	5 234	5 238	0,63	97,4	-	0,00
13	4 680	4 683	1,67	97,4	-	0,00
14	4 495	4 499	2,04	97,4	-	0,00
15	3 909	3 913	3,33	97,4	-	0,00
16	3 487	3 492	4,37	97,4	-	0,00
17	2 967	2 973	5,84	97,4	-	0,00
18	3 839	3 844	3,49	97,4	-	0,00
19	3 576	3 581	4,14	97,4	-	0,00
2	10 644	10 645	-6,12	97,4	-	0,00
20	2 834	2 840	6,25	97,4	-	0,00
21	3 058	3 064	5,56	97,4	-	0,00
22	2 466	2 473	7,50	97,4	-	0,00
23	2 090	2 097	8,98	97,4	-	0,00
24	2 737	2 743	6,56	97,4	-	0,00
25	4 494	4 498	2,04	97,4	-	0,00
26	4 956	4 959	1,14	97,4	-	0,00
27	3 574	3 579	4,15	97,4	-	0,00
28	4 262	4 265	2,53	97,4	-	0,00
29	4 750	4 754	1,53	97,4	-	0,00
3	9 852	9 854	-5,37	97,4	-	0,00
30	4 060	4 064	2,98	97,4	-	0,00
31	3 413	3 418	4,57	97,4	-	0,00
32	4 764	4 768	1,51	97,4	-	0,00
33	4 714	4 717	1,60	97,4	-	0,00
34	4 175	4 178	2,72	97,4	-	0,00
35	4 033	4 037	3,04	97,4	-	0,00
36	3 480	3 484	4,39	97,4	-	0,00
37	2 725	2 731	6,61	97,4	-	0,00
38	2 075	2 084	9,04	97,4	-	0,00
39	2 456	2 463	7,54	97,4	-	0,00
4	9 604	9 606	-5,12	97,4	-	0,00
40	1 357	1 369	12,79	97,4	-	0,00
41	1 367	1 379	12,72	97,4	-	0,00
5	9 211	9 212	-4,72	97,4	-	0,00
6	9 520	9 521	-5,04	97,4	-	0,00
7	9 898	9 900	-5,41	97,4	-	0,00
8	7 140	7 142	-2,28	97,4	-	0,00
9	6 540	6 543	-1,45	97,4	-	0,00
Sum			21,06			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MM Rudenova

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 142	11 143	-6,56	97,4	-	0,00
10	7 583	7 585	-2,85	97,4	-	0,00
11	5 225	5 228	0,65	97,4	-	0,00
12	5 234	5 238	0,63	97,4	-	0,00
13	4 680	4 683	1,67	97,4	-	0,00
14	4 495	4 499	2,04	97,4	-	0,00
15	3 909	3 913	3,33	97,4	-	0,00
16	3 487	3 492	4,37	97,4	-	0,00
17	2 967	2 973	5,84	97,4	-	0,00
18	3 839	3 844	3,49	97,4	-	0,00
19	3 576	3 581	4,14	97,4	-	0,00
2	10 644	10 645	-6,12	97,4	-	0,00
20	2 834	2 840	6,25	97,4	-	0,00
21	3 058	3 064	5,56	97,4	-	0,00
22	2 466	2 473	7,50	97,4	-	0,00
23	2 090	2 097	8,98	97,4	-	0,00
24	2 737	2 743	6,56	97,4	-	0,00
25	4 494	4 498	2,04	97,4	-	0,00
26	4 956	4 959	1,14	97,4	-	0,00
27	3 574	3 579	4,15	97,4	-	0,00
28	4 262	4 265	2,53	97,4	-	0,00
29	4 750	4 754	1,53	97,4	-	0,00
3	9 852	9 854	-5,37	97,4	-	0,00
30	4 060	4 064	2,98	97,4	-	0,00
31	3 413	3 418	4,57	97,4	-	0,00
32	4 764	4 768	1,51	97,4	-	0,00
33	4 714	4 717	1,60	97,4	-	0,00
34	4 175	4 178	2,72	97,4	-	0,00
35	4 033	4 037	3,04	97,4	-	0,00
36	3 480	3 484	4,39	97,4	-	0,00
37	2 725	2 731	6,61	97,4	-	0,00
38	2 075	2 084	9,04	97,4	-	0,00
39	2 456	2 463	7,54	97,4	-	0,00
4	9 604	9 606	-5,12	97,4	-	0,00
40	1 357	1 369	12,79	97,4	-	0,00
41	1 367	1 379	12,72	97,4	-	0,00
5	9 211	9 212	-4,72	97,4	-	0,00
6	9 520	9 521	-5,04	97,4	-	0,00
7	9 898	9 900	-5,41	97,4	-	0,00
8	7 140	7 142	-2,28	97,4	-	0,00
9	6 540	6 543	-1,45	97,4	-	0,00
Sum			21,06			

- Data undefined due to calculation with octave data

Noise sensitive area: MN Skudras

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 028	10 030	-5,54	97,4	-	0,00
10	5 869	5 871	-0,44	97,4	-	0,00
11	3 430	3 434	4,52	97,4	-	0,00
12	3 236	3 241	5,05	97,4	-	0,00
13	2 908	2 913	6,02	97,4	-	0,00
14	3 040	3 046	5,62	97,4	-	0,00
15	2 467	2 473	7,50	97,4	-	0,00
16	2 035	2 043	9,22	97,4	-	0,00
17	1 559	1 570	11,57	97,4	-	0,00
18	3 355	3 359	4,72	97,4	-	0,00
19	3 390	3 395	4,63	97,4	-	0,00
2	9 595	9 597	-5,11	97,4	-	0,00
20	2 183	2 190	8,60	97,4	-	0,00
21	2 968	2 972	5,84	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 239	2 246	8,37	97,4	-	0,00
23	2 335	2 341	7,99	97,4	-	0,00
24	3 084	3 089	5,49	97,4	-	0,00
25	4 408	4 411	2,22	97,4	-	0,00
26	5 109	5 112	0,86	97,4	-	0,00
27	3 800	3 805	3,59	97,4	-	0,00
28	4 466	4 469	2,10	97,4	-	0,00
29	5 121	5 124	0,84	97,4	-	0,00
3	8 806	8 808	-4,29	97,4	-	0,00
30	4 534	4 538	1,96	97,4	-	0,00
31	3 973	3 977	3,18	97,4	-	0,00
32	5 343	5 346	0,44	97,4	-	0,00
33	5 562	5 565	0,07	97,4	-	0,00
34	5 142	5 145	0,80	97,4	-	0,00
35	4 766	4 770	1,50	97,4	-	0,00
36	4 358	4 362	2,33	97,4	-	0,00
37	3 738	3 742	3,74	97,4	-	0,00
38	3 441	3 446	4,49	97,4	-	0,00
39	3 127	3 132	5,36	97,4	-	0,00
4	8 437	8 439	-3,87	97,4	-	0,00
40	2 982	2 987	5,79	97,4	-	0,00
41	3 305	3 310	4,86	97,4	-	0,00
5	8 142	8 143	-3,53	97,4	-	0,00
6	8 225	8 226	-3,63	97,4	-	0,00
7	8 533	8 534	-3,98	97,4	-	0,00
8	5 529	5 532	0,12	97,4	-	0,00
9	4 941	4 944	1,17	97,4	-	0,00
Sum			20,61			

- Data undefined due to calculation with octave data

Noise sensitive area: MN Skudras

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 028	10 030	-5,54	97,4	-	0,00
10	5 869	5 871	-0,44	97,4	-	0,00
11	3 430	3 434	4,52	97,4	-	0,00
12	3 236	3 241	5,05	97,4	-	0,00
13	2 908	2 913	6,02	97,4	-	0,00
14	3 040	3 046	5,62	97,4	-	0,00
15	2 467	2 473	7,50	97,4	-	0,00
16	2 035	2 043	9,22	97,4	-	0,00
17	1 559	1 570	11,57	97,4	-	0,00
18	3 355	3 359	4,72	97,4	-	0,00
19	3 390	3 395	4,63	97,4	-	0,00
2	9 595	9 597	-5,11	97,4	-	0,00
20	2 183	2 190	8,60	97,4	-	0,00
21	2 968	2 972	5,84	97,4	-	0,00
22	2 239	2 246	8,37	97,4	-	0,00
23	2 335	2 341	7,99	97,4	-	0,00
24	3 084	3 089	5,49	97,4	-	0,00
25	4 408	4 411	2,22	97,4	-	0,00
26	5 109	5 112	0,86	97,4	-	0,00
27	3 800	3 805	3,59	97,4	-	0,00
28	4 466	4 469	2,10	97,4	-	0,00
29	5 121	5 124	0,84	97,4	-	0,00
3	8 806	8 808	-4,29	97,4	-	0,00
30	4 534	4 538	1,96	97,4	-	0,00
31	3 973	3 977	3,18	97,4	-	0,00
32	5 343	5 346	0,44	97,4	-	0,00
33	5 562	5 565	0,07	97,4	-	0,00
34	5 142	5 145	0,80	97,4	-	0,00
35	4 766	4 770	1,50	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 358	4 362	2,33	97,4	-	0,00
37	3 738	3 742	3,74	97,4	-	0,00
38	3 441	3 446	4,49	97,4	-	0,00
39	3 127	3 132	5,36	97,4	-	0,00
4	8 437	8 439	-3,87	97,4	-	0,00
40	2 982	2 987	5,79	97,4	-	0,00
41	3 305	3 310	4,86	97,4	-	0,00
5	8 142	8 143	-3,53	97,4	-	0,00
6	8 225	8 226	-3,63	97,4	-	0,00
7	8 533	8 534	-3,98	97,4	-	0,00
8	5 529	5 532	0,12	97,4	-	0,00
9	4 941	4 944	1,17	97,4	-	0,00
Sum			20,61			

- Data undefined due to calculation with octave data

Noise sensitive area: MO Berzi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 087	11 088	-6,52	97,4	-	0,00
10	6 911	6 913	-1,97	97,4	-	0,00
11	4 472	4 476	2,09	97,4	-	0,00
12	4 210	4 214	2,65	97,4	-	0,00
13	3 959	3 963	3,21	97,4	-	0,00
14	4 104	4 108	2,88	97,4	-	0,00
15	3 526	3 530	4,27	97,4	-	0,00
16	3 089	3 094	5,47	97,4	-	0,00
17	2 592	2 598	7,05	97,4	-	0,00
18	4 249	4 252	2,56	97,4	-	0,00
19	4 198	4 202	2,67	97,4	-	0,00
2	10 648	10 649	-6,12	97,4	-	0,00
20	3 063	3 068	5,55	97,4	-	0,00
21	3 723	3 727	3,77	97,4	-	0,00
22	2 983	2 988	5,79	97,4	-	0,00
23	2 911	2 917	6,01	97,4	-	0,00
24	3 692	3 696	3,85	97,4	-	0,00
25	5 219	5 222	0,66	97,4	-	0,00
26	5 861	5 864	-0,42	97,4	-	0,00
27	4 490	4 493	2,05	97,4	-	0,00
28	5 185	5 188	0,72	97,4	-	0,00
29	5 799	5 801	-0,32	97,4	-	0,00
3	9 857	9 859	-5,37	97,4	-	0,00
30	5 159	5 163	0,77	97,4	-	0,00
31	4 547	4 550	1,94	97,4	-	0,00
32	5 949	5 952	-0,56	97,4	-	0,00
33	6 064	6 067	-0,74	97,4	-	0,00
34	5 584	5 587	0,03	97,4	-	0,00
35	5 298	5 301	0,52	97,4	-	0,00
36	4 817	4 821	1,40	97,4	-	0,00
37	4 115	4 119	2,86	97,4	-	0,00
38	3 639	3 644	3,98	97,4	-	0,00
39	3 611	3 616	4,05	97,4	-	0,00
4	9 497	9 499	-5,01	97,4	-	0,00
40	3 021	3 026	5,68	97,4	-	0,00
41	3 172	3 177	5,23	97,4	-	0,00
5	9 194	9 195	-4,70	97,4	-	0,00
6	9 290	9 291	-4,80	97,4	-	0,00
7	9 598	9 600	-5,12	97,4	-	0,00
8	6 586	6 589	-1,52	97,4	-	0,00
9	6 000	6 003	-0,64	97,4	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MO Berzi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 087	11 088	-6,52	97,4	-	0,00
10	6 911	6 913	-1,97	97,4	-	0,00
11	4 472	4 476	2,09	97,4	-	0,00
12	4 210	4 214	2,65	97,4	-	0,00
13	3 959	3 963	3,21	97,4	-	0,00
14	4 104	4 108	2,88	97,4	-	0,00
15	3 526	3 530	4,27	97,4	-	0,00
16	3 089	3 094	5,47	97,4	-	0,00
17	2 592	2 598	7,05	97,4	-	0,00
18	4 249	4 252	2,56	97,4	-	0,00
19	4 198	4 202	2,67	97,4	-	0,00
2	10 648	10 649	-6,12	97,4	-	0,00
20	3 063	3 068	5,55	97,4	-	0,00
21	3 723	3 727	3,77	97,4	-	0,00
22	2 983	2 988	5,79	97,4	-	0,00
23	2 911	2 917	6,01	97,4	-	0,00
24	3 692	3 696	3,85	97,4	-	0,00
25	5 219	5 222	0,66	97,4	-	0,00
26	5 861	5 864	-0,42	97,4	-	0,00
27	4 490	4 493	2,05	97,4	-	0,00
28	5 185	5 188	0,72	97,4	-	0,00
29	5 799	5 801	-0,32	97,4	-	0,00
3	9 857	9 859	-5,37	97,4	-	0,00
30	5 159	5 163	0,77	97,4	-	0,00
31	4 547	4 550	1,94	97,4	-	0,00
32	5 949	5 952	-0,56	97,4	-	0,00
33	6 064	6 067	-0,74	97,4	-	0,00
34	5 584	5 587	0,03	97,4	-	0,00
35	5 298	5 301	0,52	97,4	-	0,00
36	4 817	4 821	1,40	97,4	-	0,00
37	4 115	4 119	2,86	97,4	-	0,00
38	3 639	3 644	3,98	97,4	-	0,00
39	3 611	3 616	4,05	97,4	-	0,00
4	9 497	9 499	-5,01	97,4	-	0,00
40	3 021	3 026	5,68	97,4	-	0,00
41	3 172	3 177	5,23	97,4	-	0,00
5	9 194	9 195	-4,70	97,4	-	0,00
6	9 290	9 291	-4,80	97,4	-	0,00
7	9 598	9 600	-5,12	97,4	-	0,00
8	6 586	6 589	-1,52	97,4	-	0,00
9	6 000	6 003	-0,64	97,4	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Noise sensitive area: MP Aizezeri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 982	9 984	-5,50	97,4	-	0,00
10	6 000	6 002	-0,64	97,4	-	0,00
11	3 578	3 582	4,14	97,4	-	0,00
12	3 487	3 492	4,37	97,4	-	0,00
13	3 038	3 043	5,62	97,4	-	0,00
14	3 043	3 048	5,61	97,4	-	0,00
15	2 449	2 455	7,57	97,4	-	0,00
16	2 004	2 011	9,36	97,4	-	0,00
17	1 480	1 491	12,03	97,4	-	0,00
18	3 086	3 091	5,48	97,4	-	0,00
19	3 063	3 068	5,55	97,4	-	0,00
2	9 530	9 532	-5,05	97,4	-	0,00
20	1 900	1 908	9,83	97,4	-	0,00
21	2 609	2 614	7,00	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	1 868	1 876	9,98	97,4	-	0,00
23	1 900	1 907	9,83	97,4	-	0,00
24	2 665	2 671	6,81	97,4	-	0,00
25	4 085	4 089	2,92	97,4	-	0,00
26	4 757	4 760	1,52	97,4	-	0,00
27	3 416	3 420	4,56	97,4	-	0,00
28	4 097	4 101	2,90	97,4	-	0,00
29	4 736	4 740	1,56	97,4	-	0,00
3	8 737	8 739	-4,21	97,4	-	0,00
30	4 129	4 133	2,83	97,4	-	0,00
31	3 549	3 554	4,21	97,4	-	0,00
32	4 934	4 937	1,18	97,4	-	0,00
33	5 125	5 128	0,83	97,4	-	0,00
34	4 691	4 694	1,65	97,4	-	0,00
35	4 334	4 338	2,38	97,4	-	0,00
36	3 908	3 912	3,33	97,4	-	0,00
37	3 272	3 277	4,95	97,4	-	0,00
38	2 961	2 966	5,86	97,4	-	0,00
39	2 676	2 682	6,77	97,4	-	0,00
4	8 400	8 402	-3,83	97,4	-	0,00
40	2 506	2 512	7,36	97,4	-	0,00
41	2 846	2 852	6,21	97,4	-	0,00
5	8 076	8 078	-3,46	97,4	-	0,00
6	8 224	8 226	-3,63	97,4	-	0,00
7	8 554	8 556	-4,01	97,4	-	0,00
8	5 619	5 621	-0,03	97,4	-	0,00
9	5 022	5 025	1,02	97,4	-	0,00
Sum			21,41			

- Data undefined due to calculation with octave data

Noise sensitive area: MP Aizezeri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 982	9 984	-5,50	97,4	-	0,00
10	6 000	6 002	-0,64	97,4	-	0,00
11	3 578	3 582	4,14	97,4	-	0,00
12	3 487	3 492	4,37	97,4	-	0,00
13	3 038	3 043	5,62	97,4	-	0,00
14	3 043	3 048	5,61	97,4	-	0,00
15	2 449	2 455	7,57	97,4	-	0,00
16	2 004	2 011	9,36	97,4	-	0,00
17	1 480	1 491	12,03	97,4	-	0,00
18	3 086	3 091	5,48	97,4	-	0,00
19	3 063	3 068	5,55	97,4	-	0,00
2	9 530	9 532	-5,05	97,4	-	0,00
20	1 900	1 908	9,83	97,4	-	0,00
21	2 609	2 614	7,00	97,4	-	0,00
22	1 868	1 876	9,98	97,4	-	0,00
23	1 900	1 907	9,83	97,4	-	0,00
24	2 665	2 671	6,81	97,4	-	0,00
25	4 085	4 089	2,92	97,4	-	0,00
26	4 757	4 760	1,52	97,4	-	0,00
27	3 416	3 420	4,56	97,4	-	0,00
28	4 097	4 101	2,90	97,4	-	0,00
29	4 736	4 740	1,56	97,4	-	0,00
3	8 737	8 739	-4,21	97,4	-	0,00
30	4 129	4 133	2,83	97,4	-	0,00
31	3 549	3 554	4,21	97,4	-	0,00
32	4 934	4 937	1,18	97,4	-	0,00
33	5 125	5 128	0,83	97,4	-	0,00
34	4 691	4 694	1,65	97,4	-	0,00
35	4 334	4 338	2,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 908	3 912	3,33	97,4	-	0,00
37	3 272	3 277	4,95	97,4	-	0,00
38	2 961	2 966	5,86	97,4	-	0,00
39	2 676	2 682	6,77	97,4	-	0,00
4	8 400	8 402	-3,83	97,4	-	0,00
40	2 506	2 512	7,36	97,4	-	0,00
41	2 846	2 852	6,21	97,4	-	0,00
5	8 076	8 078	-3,46	97,4	-	0,00
6	8 224	8 226	-3,63	97,4	-	0,00
7	8 554	8 556	-4,01	97,4	-	0,00
8	5 619	5 621	-0,03	97,4	-	0,00
9	5 022	5 025	1,02	97,4	-	0,00
Sum			21,41			

- Data undefined due to calculation with octave data

Noise sensitive area: MQ Andini 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 742	9 743	-5,26	97,4	-	0,00
10	5 360	5 363	0,41	97,4	-	0,00
11	2 938	2 943	5,93	97,4	-	0,00
12	2 611	2 617	6,99	97,4	-	0,00
13	2 460	2 466	7,53	97,4	-	0,00
14	2 783	2 789	6,41	97,4	-	0,00
15	2 279	2 286	8,21	97,4	-	0,00
16	1 911	1 919	9,78	97,4	-	0,00
17	1 583	1 593	11,44	97,4	-	0,00
18	3 526	3 531	4,27	97,4	-	0,00
19	3 668	3 672	3,91	97,4	-	0,00
2	9 340	9 341	-4,85	97,4	-	0,00
20	2 443	2 449	7,59	97,4	-	0,00
21	3 317	3 322	4,83	97,4	-	0,00
22	2 644	2 650	6,88	97,4	-	0,00
23	2 861	2 867	6,17	97,4	-	0,00
24	3 551	3 555	4,21	97,4	-	0,00
25	4 649	4 653	1,73	97,4	-	0,00
26	5 398	5 401	0,35	97,4	-	0,00
27	4 178	4 182	2,72	97,4	-	0,00
28	4 800	4 803	1,44	97,4	-	0,00
29	5 477	5 480	0,21	97,4	-	0,00
3	8 560	8 562	-4,01	97,4	-	0,00
30	4 945	4 948	1,16	97,4	-	0,00
31	4 435	4 439	2,17	97,4	-	0,00
32	5 754	5 756	-0,25	97,4	-	0,00
33	6 042	6 045	-0,71	97,4	-	0,00
34	5 665	5 667	-0,10	97,4	-	0,00
35	5 239	5 242	0,62	97,4	-	0,00
36	4 884	4 887	1,28	97,4	-	0,00
37	4 322	4 325	2,41	97,4	-	0,00
38	4 107	4 111	2,87	97,4	-	0,00
39	3 671	3 676	3,90	97,4	-	0,00
4	8 145	8 147	-3,54	97,4	-	0,00
40	3 702	3 706	3,83	97,4	-	0,00
41	4 054	4 058	2,99	97,4	-	0,00
5	7 895	7 896	-3,24	97,4	-	0,00
6	7 880	7 882	-3,22	97,4	-	0,00
7	8 154	8 156	-3,55	97,4	-	0,00
8	5 079	5 082	0,91	97,4	-	0,00
9	4 510	4 514	2,01	97,4	-	0,00
Sum			20,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MQ Andini 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 742	9 743	-5,26	97,4	-	0,00
10	5 360	5 363	0,41	97,4	-	0,00
11	2 938	2 943	5,93	97,4	-	0,00
12	2 611	2 617	6,99	97,4	-	0,00
13	2 460	2 466	7,53	97,4	-	0,00
14	2 783	2 789	6,41	97,4	-	0,00
15	2 279	2 286	8,21	97,4	-	0,00
16	1 911	1 919	9,78	97,4	-	0,00
17	1 583	1 593	11,44	97,4	-	0,00
18	3 526	3 531	4,27	97,4	-	0,00
19	3 668	3 672	3,91	97,4	-	0,00
2	9 340	9 341	-4,85	97,4	-	0,00
20	2 443	2 449	7,59	97,4	-	0,00
21	3 317	3 322	4,83	97,4	-	0,00
22	2 644	2 650	6,88	97,4	-	0,00
23	2 861	2 867	6,17	97,4	-	0,00
24	3 551	3 555	4,21	97,4	-	0,00
25	4 649	4 653	1,73	97,4	-	0,00
26	5 398	5 401	0,35	97,4	-	0,00
27	4 178	4 182	2,72	97,4	-	0,00
28	4 800	4 803	1,44	97,4	-	0,00
29	5 477	5 480	0,21	97,4	-	0,00
3	8 560	8 562	-4,01	97,4	-	0,00
30	4 945	4 948	1,16	97,4	-	0,00
31	4 435	4 439	2,17	97,4	-	0,00
32	5 754	5 756	-0,25	97,4	-	0,00
33	6 042	6 045	-0,71	97,4	-	0,00
34	5 665	5 667	-0,10	97,4	-	0,00
35	5 239	5 242	0,62	97,4	-	0,00
36	4 884	4 887	1,28	97,4	-	0,00
37	4 322	4 325	2,41	97,4	-	0,00
38	4 107	4 111	2,87	97,4	-	0,00
39	3 671	3 676	3,90	97,4	-	0,00
4	8 145	8 147	-3,54	97,4	-	0,00
40	3 702	3 706	3,83	97,4	-	0,00
41	4 054	4 058	2,99	97,4	-	0,00
5	7 895	7 896	-3,24	97,4	-	0,00
6	7 880	7 882	-3,22	97,4	-	0,00
7	8 154	8 156	-3,55	97,4	-	0,00
8	5 079	5 082	0,91	97,4	-	0,00
9	4 510	4 514	2,01	97,4	-	0,00
Sum			20,29			

- Data undefined due to calculation with octave data

Noise sensitive area: MR Andini 1

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 733	9 734	-5,25	97,4	-	0,00
10	5 331	5 334	0,46	97,4	-	0,00
11	2 914	2 919	6,00	97,4	-	0,00
12	2 571	2 577	7,13	97,4	-	0,00
13	2 442	2 448	7,59	97,4	-	0,00
14	2 783	2 789	6,41	97,4	-	0,00
15	2 288	2 294	8,18	97,4	-	0,00
16	1 927	1 935	9,70	97,4	-	0,00
17	1 614	1 624	11,27	97,4	-	0,00
18	3 560	3 564	4,18	97,4	-	0,00
19	3 708	3 713	3,81	97,4	-	0,00
2	9 334	9 335	-4,85	97,4	-	0,00
20	2 486	2 492	7,43	97,4	-	0,00
21	3 364	3 368	4,70	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 695	2 701	6,71	97,4	-	0,00
23	2 919	2 923	5,99	97,4	-	0,00
24	3 604	3 608	4,07	97,4	-	0,00
25	4 687	4 690	1,66	97,4	-	0,00
26	5 438	5 441	0,28	97,4	-	0,00
27	4 225	4 229	2,61	97,4	-	0,00
28	4 843	4 846	1,35	97,4	-	0,00
29	5 522	5 524	0,13	97,4	-	0,00
3	8 555	8 557	-4,01	97,4	-	0,00
30	4 994	4 997	1,07	97,4	-	0,00
31	4 487	4 491	2,06	97,4	-	0,00
32	5 802	5 804	-0,33	97,4	-	0,00
33	6 094	6 097	-0,79	97,4	-	0,00
34	5 720	5 722	-0,19	97,4	-	0,00
35	5 292	5 295	0,53	97,4	-	0,00
36	4 940	4 943	1,17	97,4	-	0,00
37	4 381	4 384	2,28	97,4	-	0,00
38	4 169	4 173	2,74	97,4	-	0,00
39	3 729	3 733	3,76	97,4	-	0,00
4	8 136	8 138	-3,53	97,4	-	0,00
40	3 767	3 771	3,67	97,4	-	0,00
41	4 119	4 123	2,85	97,4	-	0,00
5	7 890	7 892	-3,23	97,4	-	0,00
6	7 866	7 868	-3,20	97,4	-	0,00
7	8 137	8 139	-3,53	97,4	-	0,00
8	5 057	5 060	0,95	97,4	-	0,00
9	4 490	4 494	2,05	97,4	-	0,00
Sum			20,22			

- Data undefined due to calculation with octave data

Noise sensitive area: MR Andini 1

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 733	9 734	-5,25	97,4	-	0,00
10	5 331	5 334	0,46	97,4	-	0,00
11	2 914	2 919	6,00	97,4	-	0,00
12	2 571	2 577	7,13	97,4	-	0,00
13	2 442	2 448	7,59	97,4	-	0,00
14	2 783	2 789	6,41	97,4	-	0,00
15	2 288	2 294	8,18	97,4	-	0,00
16	1 927	1 935	9,70	97,4	-	0,00
17	1 614	1 624	11,27	97,4	-	0,00
18	3 560	3 564	4,18	97,4	-	0,00
19	3 708	3 713	3,81	97,4	-	0,00
2	9 334	9 335	-4,85	97,4	-	0,00
20	2 486	2 492	7,43	97,4	-	0,00
21	3 364	3 368	4,70	97,4	-	0,00
22	2 695	2 701	6,71	97,4	-	0,00
23	2 919	2 923	5,99	97,4	-	0,00
24	3 604	3 608	4,07	97,4	-	0,00
25	4 687	4 690	1,66	97,4	-	0,00
26	5 438	5 441	0,28	97,4	-	0,00
27	4 225	4 229	2,61	97,4	-	0,00
28	4 843	4 846	1,35	97,4	-	0,00
29	5 522	5 524	0,13	97,4	-	0,00
3	8 555	8 557	-4,01	97,4	-	0,00
30	4 994	4 997	1,07	97,4	-	0,00
31	4 487	4 491	2,06	97,4	-	0,00
32	5 802	5 804	-0,33	97,4	-	0,00
33	6 094	6 097	-0,79	97,4	-	0,00
34	5 720	5 722	-0,19	97,4	-	0,00
35	5 292	5 295	0,53	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 940	4 943	1,17	97,4	-	0,00
37	4 381	4 384	2,28	97,4	-	0,00
38	4 169	4 173	2,74	97,4	-	0,00
39	3 729	3 733	3,76	97,4	-	0,00
4	8 136	8 138	-3,53	97,4	-	0,00
40	3 767	3 771	3,67	97,4	-	0,00
41	4 119	4 123	2,85	97,4	-	0,00
5	7 890	7 892	-3,23	97,4	-	0,00
6	7 866	7 868	-3,20	97,4	-	0,00
7	8 137	8 139	-3,53	97,4	-	0,00
8	5 057	5 060	0,95	97,4	-	0,00
9	4 490	4 494	2,05	97,4	-	0,00
Sum			20,22			

- Data undefined due to calculation with octave data

Noise sensitive area: MS Vidsetas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 719	10 720	-6,19	97,4	-	0,00
10	6 281	6 284	-1,07	97,4	-	0,00
11	3 883	3 887	3,39	97,4	-	0,00
12	3 473	3 478	4,41	97,4	-	0,00
13	3 424	3 428	4,54	97,4	-	0,00
14	3 759	3 763	3,69	97,4	-	0,00
15	3 242	3 247	5,04	97,4	-	0,00
16	2 853	2 859	6,19	97,4	-	0,00
17	2 462	2 469	7,52	97,4	-	0,00
18	4 355	4 358	2,34	97,4	-	0,00
19	4 424	4 428	2,19	97,4	-	0,00
2	10 318	10 319	-5,82	97,4	-	0,00
20	3 205	3 209	5,14	97,4	-	0,00
21	4 014	4 018	3,08	97,4	-	0,00
22	3 289	3 294	4,90	97,4	-	0,00
23	3 378	3 382	4,66	97,4	-	0,00
24	4 133	4 137	2,82	97,4	-	0,00
25	5 436	5 439	0,28	97,4	-	0,00
26	6 150	6 152	-0,87	97,4	-	0,00
27	4 851	4 855	1,34	97,4	-	0,00
28	5 514	5 516	0,15	97,4	-	0,00
29	6 171	6 174	-0,91	97,4	-	0,00
3	9 538	9 539	-5,05	97,4	-	0,00
30	5 586	5 589	0,03	97,4	-	0,00
31	5 022	5 025	1,02	97,4	-	0,00
32	6 395	6 397	-1,24	97,4	-	0,00
33	6 605	6 608	-1,55	97,4	-	0,00
34	6 174	6 176	-0,91	97,4	-	0,00
35	5 812	5 814	-0,34	97,4	-	0,00
36	5 391	5 394	0,36	97,4	-	0,00
37	4 748	4 751	1,54	97,4	-	0,00
38	4 387	4 391	2,27	97,4	-	0,00
39	4 159	4 163	2,76	97,4	-	0,00
4	9 122	9 124	-4,62	97,4	-	0,00
40	3 850	3 854	3,47	97,4	-	0,00
41	4 083	4 087	2,93	97,4	-	0,00
5	8 873	8 874	-4,36	97,4	-	0,00
6	8 851	8 853	-4,33	97,4	-	0,00
7	9 118	9 120	-4,62	97,4	-	0,00
8	6 028	6 031	-0,69	97,4	-	0,00
9	5 468	5 471	0,23	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MS Vidsetas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 719	10 720	-6,19	97,4	-	0,00
10	6 281	6 284	-1,07	97,4	-	0,00
11	3 883	3 887	3,39	97,4	-	0,00
12	3 473	3 478	4,41	97,4	-	0,00
13	3 424	3 428	4,54	97,4	-	0,00
14	3 759	3 763	3,69	97,4	-	0,00
15	3 242	3 247	5,04	97,4	-	0,00
16	2 853	2 859	6,19	97,4	-	0,00
17	2 462	2 469	7,52	97,4	-	0,00
18	4 355	4 358	2,34	97,4	-	0,00
19	4 424	4 428	2,19	97,4	-	0,00
2	10 318	10 319	-5,82	97,4	-	0,00
20	3 205	3 209	5,14	97,4	-	0,00
21	4 014	4 018	3,08	97,4	-	0,00
22	3 289	3 294	4,90	97,4	-	0,00
23	3 378	3 382	4,66	97,4	-	0,00
24	4 133	4 137	2,82	97,4	-	0,00
25	5 436	5 439	0,28	97,4	-	0,00
26	6 150	6 152	-0,87	97,4	-	0,00
27	4 851	4 855	1,34	97,4	-	0,00
28	5 514	5 516	0,15	97,4	-	0,00
29	6 171	6 174	-0,91	97,4	-	0,00
3	9 538	9 539	-5,05	97,4	-	0,00
30	5 586	5 589	0,03	97,4	-	0,00
31	5 022	5 025	1,02	97,4	-	0,00
32	6 395	6 397	-1,24	97,4	-	0,00
33	6 605	6 608	-1,55	97,4	-	0,00
34	6 174	6 176	-0,91	97,4	-	0,00
35	5 812	5 814	-0,34	97,4	-	0,00
36	5 391	5 394	0,36	97,4	-	0,00
37	4 748	4 751	1,54	97,4	-	0,00
38	4 387	4 391	2,27	97,4	-	0,00
39	4 159	4 163	2,76	97,4	-	0,00
4	9 122	9 124	-4,62	97,4	-	0,00
40	3 850	3 854	3,47	97,4	-	0,00
41	4 083	4 087	2,93	97,4	-	0,00
5	8 873	8 874	-4,36	97,4	-	0,00
6	8 851	8 853	-4,33	97,4	-	0,00
7	9 118	9 120	-4,62	97,4	-	0,00
8	6 028	6 031	-0,69	97,4	-	0,00
9	5 468	5 471	0,23	97,4	-	0,00
Sum			18,16			

- Data undefined due to calculation with octave data

Noise sensitive area: MT Salenieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 327	11 329	-6,73	97,4	-	0,00
10	7 571	7 573	-2,84	97,4	-	0,00
11	5 167	5 170	0,75	97,4	-	0,00
12	5 091	5 094	0,89	97,4	-	0,00
13	4 624	4 627	1,78	97,4	-	0,00
14	4 536	4 539	1,96	97,4	-	0,00
15	3 939	3 943	3,26	97,4	-	0,00
16	3 501	3 506	4,33	97,4	-	0,00
17	2 968	2 974	5,83	97,4	-	0,00
18	4 100	4 104	2,89	97,4	-	0,00
19	3 891	3 896	3,37	97,4	-	0,00
2	10 844	10 846	-6,30	97,4	-	0,00
20	3 013	3 018	5,70	97,4	-	0,00
21	3 374	3 378	4,67	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	2 716	2 723	6,63	97,4	-	0,00
23	2 417	2 423	7,69	97,4	-	0,00
24	3 126	3 131	5,36	97,4	-	0,00
25	4 851	4 854	1,34	97,4	-	0,00
26	5 363	5 366	0,41	97,4	-	0,00
27	3 969	3 973	3,19	97,4	-	0,00
28	4 667	4 670	1,70	97,4	-	0,00
29	5 190	5 194	0,71	97,4	-	0,00
3	10 051	10 052	-5,56	97,4	-	0,00
30	4 506	4 510	2,02	97,4	-	0,00
31	3 860	3 865	3,44	97,4	-	0,00
32	5 235	5 238	0,63	97,4	-	0,00
33	5 219	5 222	0,66	97,4	-	0,00
34	4 689	4 692	1,65	97,4	-	0,00
35	4 517	4 521	2,00	97,4	-	0,00
36	3 975	3 979	3,17	97,4	-	0,00
37	3 225	3 230	5,08	97,4	-	0,00
38	2 605	2 611	7,01	97,4	-	0,00
39	2 893	2 899	6,06	97,4	-	0,00
4	9 770	9 771	-5,29	97,4	-	0,00
40	1 898	1 906	9,84	97,4	-	0,00
41	1 909	1 918	9,79	97,4	-	0,00
5	9 400	9 402	-4,91	97,4	-	0,00
6	9 650	9 652	-5,17	97,4	-	0,00
7	10 009	10 011	-5,52	97,4	-	0,00
8	7 161	7 163	-2,31	97,4	-	0,00
9	6 561	6 564	-1,48	97,4	-	0,00
Sum			19,66			

- Data undefined due to calculation with octave data

Noise sensitive area: MT Salenieki

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 327	11 329	-6,73	97,4	-	0,00
10	7 571	7 573	-2,84	97,4	-	0,00
11	5 167	5 170	0,75	97,4	-	0,00
12	5 091	5 094	0,89	97,4	-	0,00
13	4 624	4 627	1,78	97,4	-	0,00
14	4 536	4 539	1,96	97,4	-	0,00
15	3 939	3 943	3,26	97,4	-	0,00
16	3 501	3 506	4,33	97,4	-	0,00
17	2 968	2 974	5,83	97,4	-	0,00
18	4 100	4 104	2,89	97,4	-	0,00
19	3 891	3 896	3,37	97,4	-	0,00
2	10 844	10 846	-6,30	97,4	-	0,00
20	3 013	3 018	5,70	97,4	-	0,00
21	3 374	3 378	4,67	97,4	-	0,00
22	2 716	2 723	6,63	97,4	-	0,00
23	2 417	2 423	7,69	97,4	-	0,00
24	3 126	3 131	5,36	97,4	-	0,00
25	4 851	4 854	1,34	97,4	-	0,00
26	5 363	5 366	0,41	97,4	-	0,00
27	3 969	3 973	3,19	97,4	-	0,00
28	4 667	4 670	1,70	97,4	-	0,00
29	5 190	5 194	0,71	97,4	-	0,00
3	10 051	10 052	-5,56	97,4	-	0,00
30	4 506	4 510	2,02	97,4	-	0,00
31	3 860	3 865	3,44	97,4	-	0,00
32	5 235	5 238	0,63	97,4	-	0,00
33	5 219	5 222	0,66	97,4	-	0,00
34	4 689	4 692	1,65	97,4	-	0,00
35	4 517	4 521	2,00	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	3 975	3 979	3,17	97,4	-	0,00
37	3 225	3 230	5,08	97,4	-	0,00
38	2 605	2 611	7,01	97,4	-	0,00
39	2 893	2 899	6,06	97,4	-	0,00
4	9 770	9 771	-5,29	97,4	-	0,00
40	1 898	1 906	9,84	97,4	-	0,00
41	1 909	1 918	9,79	97,4	-	0,00
5	9 400	9 402	-4,91	97,4	-	0,00
6	9 650	9 652	-5,17	97,4	-	0,00
7	10 009	10 011	-5,52	97,4	-	0,00
8	7 161	7 163	-2,31	97,4	-	0,00
9	6 561	6 564	-1,48	97,4	-	0,00
Sum			19,66			

- Data undefined due to calculation with octave data

Noise sensitive area: MU Salenieki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 287	11 289	-6,69	97,4	-	0,00
10	7 551	7 553	-2,82	97,4	-	0,00
11	5 152	5 156	0,78	97,4	-	0,00
12	5 087	5 090	0,90	97,4	-	0,00
13	4 609	4 612	1,81	97,4	-	0,00
14	4 509	4 513	2,01	97,4	-	0,00
15	3 914	3 917	3,32	97,4	-	0,00
16	3 477	3 481	4,40	97,4	-	0,00
17	2 945	2 950	5,90	97,4	-	0,00
18	4 051	4 055	3,00	97,4	-	0,00
19	3 837	3 842	3,50	97,4	-	0,00
2	10 803	10 804	-6,26	97,4	-	0,00
20	2 970	2 976	5,83	97,4	-	0,00
21	3 319	3 324	4,82	97,4	-	0,00
22	2 667	2 674	6,80	97,4	-	0,00
23	2 361	2 367	7,90	97,4	-	0,00
24	3 066	3 072	5,54	97,4	-	0,00
25	4 794	4 798	1,45	97,4	-	0,00
26	5 302	5 305	0,51	97,4	-	0,00
27	3 909	3 913	3,33	97,4	-	0,00
28	4 607	4 610	1,82	97,4	-	0,00
29	5 128	5 131	0,82	97,4	-	0,00
3	10 009	10 011	-5,52	97,4	-	0,00
30	4 443	4 447	2,15	97,4	-	0,00
31	3 797	3 801	3,59	97,4	-	0,00
32	5 171	5 174	0,75	97,4	-	0,00
33	5 153	5 156	0,78	97,4	-	0,00
34	4 622	4 626	1,79	97,4	-	0,00
35	4 452	4 455	2,13	97,4	-	0,00
36	3 910	3 914	3,33	97,4	-	0,00
37	3 159	3 164	5,27	97,4	-	0,00
38	2 538	2 545	7,24	97,4	-	0,00
39	2 830	2 836	6,26	97,4	-	0,00
4	9 732	9 733	-5,25	97,4	-	0,00
40	1 832	1 840	10,15	97,4	-	0,00
41	1 849	1 858	10,07	97,4	-	0,00
5	9 360	9 361	-4,87	97,4	-	0,00
6	9 615	9 617	-5,13	97,4	-	0,00
7	9 977	9 978	-5,49	97,4	-	0,00
8	7 138	7 140	-2,28	97,4	-	0,00
9	6 538	6 541	-1,45	97,4	-	0,00
Sum			19,83			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MU Salenieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 287	11 289	-6,69	97,4	-	0,00
10	7 551	7 553	-2,82	97,4	-	0,00
11	5 152	5 156	0,78	97,4	-	0,00
12	5 087	5 090	0,90	97,4	-	0,00
13	4 609	4 612	1,81	97,4	-	0,00
14	4 509	4 513	2,01	97,4	-	0,00
15	3 914	3 917	3,32	97,4	-	0,00
16	3 477	3 481	4,40	97,4	-	0,00
17	2 945	2 950	5,90	97,4	-	0,00
18	4 051	4 055	3,00	97,4	-	0,00
19	3 837	3 842	3,50	97,4	-	0,00
2	10 803	10 804	-6,26	97,4	-	0,00
20	2 970	2 976	5,83	97,4	-	0,00
21	3 319	3 324	4,82	97,4	-	0,00
22	2 667	2 674	6,80	97,4	-	0,00
23	2 361	2 367	7,90	97,4	-	0,00
24	3 066	3 072	5,54	97,4	-	0,00
25	4 794	4 798	1,45	97,4	-	0,00
26	5 302	5 305	0,51	97,4	-	0,00
27	3 909	3 913	3,33	97,4	-	0,00
28	4 607	4 610	1,82	97,4	-	0,00
29	5 128	5 131	0,82	97,4	-	0,00
3	10 009	10 011	-5,52	97,4	-	0,00
30	4 443	4 447	2,15	97,4	-	0,00
31	3 797	3 801	3,59	97,4	-	0,00
32	5 171	5 174	0,75	97,4	-	0,00
33	5 153	5 156	0,78	97,4	-	0,00
34	4 622	4 626	1,79	97,4	-	0,00
35	4 452	4 455	2,13	97,4	-	0,00
36	3 910	3 914	3,33	97,4	-	0,00
37	3 159	3 164	5,27	97,4	-	0,00
38	2 538	2 545	7,24	97,4	-	0,00
39	2 830	2 836	6,26	97,4	-	0,00
4	9 732	9 733	-5,25	97,4	-	0,00
40	1 832	1 840	10,15	97,4	-	0,00
41	1 849	1 858	10,07	97,4	-	0,00
5	9 360	9 361	-4,87	97,4	-	0,00
6	9 615	9 617	-5,13	97,4	-	0,00
7	9 977	9 978	-5,49	97,4	-	0,00
8	7 138	7 140	-2,28	97,4	-	0,00
9	6 538	6 541	-1,45	97,4	-	0,00
Sum			19,83			

- Data undefined due to calculation with octave data

Noise sensitive area: MV Mejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 862	11 864	-7,18	97,4	-	0,00
10	7 888	7 890	-3,23	97,4	-	0,00
11	5 453	5 455	0,25	97,4	-	0,00
12	5 260	5 263	0,59	97,4	-	0,00
13	4 922	4 925	1,20	97,4	-	0,00
14	4 954	4 957	1,14	97,4	-	0,00
15	4 359	4 362	2,33	97,4	-	0,00
16	3 914	3 918	3,32	97,4	-	0,00
17	3 386	3 390	4,64	97,4	-	0,00
18	4 746	4 749	1,54	97,4	-	0,00
19	4 583	4 587	1,86	97,4	-	0,00
2	11 397	11 398	-6,79	97,4	-	0,00
20	3 607	3 611	4,06	97,4	-	0,00
21	4 071	4 075	2,96	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 378	3 382	4,66	97,4	-	0,00
23	3 137	3 141	5,34	97,4	-	0,00
24	3 873	3 877	3,41	97,4	-	0,00
25	5 567	5 570	0,06	97,4	-	0,00
26	6 111	6 113	-0,82	97,4	-	0,00
27	4 714	4 717	1,60	97,4	-	0,00
28	5 416	5 419	0,31	97,4	-	0,00
29	5 958	5 960	-0,58	97,4	-	0,00
3	10 603	10 604	-6,08	97,4	-	0,00
30	5 278	5 280	0,56	97,4	-	0,00
31	4 634	4 637	1,76	97,4	-	0,00
32	6 016	6 019	-0,67	97,4	-	0,00
33	6 008	6 011	-0,66	97,4	-	0,00
34	5 478	5 481	0,21	97,4	-	0,00
35	5 303	5 305	0,51	97,4	-	0,00
36	4 764	4 767	1,51	97,4	-	0,00
37	4 014	4 018	3,08	97,4	-	0,00
38	3 391	3 396	4,63	97,4	-	0,00
39	3 665	3 670	3,92	97,4	-	0,00
4	10 288	10 290	-5,79	97,4	-	0,00
40	2 677	2 682	6,77	97,4	-	0,00
41	2 632	2 638	6,92	97,4	-	0,00
5	9 946	9 947	-5,46	97,4	-	0,00
6	10 129	10 130	-5,64	97,4	-	0,00
7	10 465	10 466	-5,95	97,4	-	0,00
8	7 525	7 527	-2,78	97,4	-	0,00
9	6 930	6 932	-2,00	97,4	-	0,00
Sum			17,87			

- Data undefined due to calculation with octave data

Noise sensitive area: MV Mejas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 862	11 864	-7,18	97,4	-	0,00
10	7 888	7 890	-3,23	97,4	-	0,00
11	5 453	5 455	0,25	97,4	-	0,00
12	5 260	5 263	0,59	97,4	-	0,00
13	4 922	4 925	1,20	97,4	-	0,00
14	4 954	4 957	1,14	97,4	-	0,00
15	4 359	4 362	2,33	97,4	-	0,00
16	3 914	3 918	3,32	97,4	-	0,00
17	3 386	3 390	4,64	97,4	-	0,00
18	4 746	4 749	1,54	97,4	-	0,00
19	4 583	4 587	1,86	97,4	-	0,00
2	11 397	11 398	-6,79	97,4	-	0,00
20	3 607	3 611	4,06	97,4	-	0,00
21	4 071	4 075	2,96	97,4	-	0,00
22	3 378	3 382	4,66	97,4	-	0,00
23	3 137	3 141	5,34	97,4	-	0,00
24	3 873	3 877	3,41	97,4	-	0,00
25	5 567	5 570	0,06	97,4	-	0,00
26	6 111	6 113	-0,82	97,4	-	0,00
27	4 714	4 717	1,60	97,4	-	0,00
28	5 416	5 419	0,31	97,4	-	0,00
29	5 958	5 960	-0,58	97,4	-	0,00
3	10 603	10 604	-6,08	97,4	-	0,00
30	5 278	5 280	0,56	97,4	-	0,00
31	4 634	4 637	1,76	97,4	-	0,00
32	6 016	6 019	-0,67	97,4	-	0,00
33	6 008	6 011	-0,66	97,4	-	0,00
34	5 478	5 481	0,21	97,4	-	0,00
35	5 303	5 305	0,51	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	4 764	4 767	1,51	97,4	-	0,00
37	4 014	4 018	3,08	97,4	-	0,00
38	3 391	3 396	4,63	97,4	-	0,00
39	3 665	3 670	3,92	97,4	-	0,00
4	10 288	10 290	-5,79	97,4	-	0,00
40	2 677	2 682	6,77	97,4	-	0,00
41	2 632	2 638	6,92	97,4	-	0,00
5	9 946	9 947	-5,46	97,4	-	0,00
6	10 129	10 130	-5,64	97,4	-	0,00
7	10 465	10 466	-5,95	97,4	-	0,00
8	7 525	7 527	-2,78	97,4	-	0,00
9	6 930	6 932	-2,00	97,4	-	0,00
Sum			17,87			

- Data undefined due to calculation with octave data

Noise sensitive area: MW Ozolmajas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 475	10 476	-5,96	97,4	-	0,00
10	6 010	6 013	-0,66	97,4	-	0,00
11	3 619	3 624	4,03	97,4	-	0,00
12	3 197	3 202	5,16	97,4	-	0,00
13	3 168	3 173	5,24	97,4	-	0,00
14	3 532	3 537	4,25	97,4	-	0,00
15	3 032	3 037	5,64	97,4	-	0,00
16	2 658	2 664	6,83	97,4	-	0,00
17	2 298	2 305	8,13	97,4	-	0,00
18	4 220	4 223	2,63	97,4	-	0,00
19	4 318	4 322	2,41	97,4	-	0,00
2	10 079	10 081	-5,59	97,4	-	0,00
20	3 092	3 097	5,46	97,4	-	0,00
21	3 929	3 933	3,28	97,4	-	0,00
22	3 218	3 223	5,10	97,4	-	0,00
23	3 348	3 353	4,74	97,4	-	0,00
24	4 088	4 091	2,92	97,4	-	0,00
25	5 320	5 323	0,48	97,4	-	0,00
26	6 049	6 052	-0,72	97,4	-	0,00
27	4 777	4 781	1,48	97,4	-	0,00
28	5 426	5 429	0,30	97,4	-	0,00
29	6 092	6 095	-0,79	97,4	-	0,00
3	9 302	9 303	-4,81	97,4	-	0,00
30	5 525	5 528	0,13	97,4	-	0,00
31	4 978	4 981	1,10	97,4	-	0,00
32	6 335	6 338	-1,15	97,4	-	0,00
33	6 573	6 575	-1,50	97,4	-	0,00
34	6 158	6 161	-0,89	97,4	-	0,00
35	5 775	5 777	-0,28	97,4	-	0,00
36	5 374	5 377	0,39	97,4	-	0,00
37	4 754	4 757	1,53	97,4	-	0,00
38	4 434	4 438	2,17	97,4	-	0,00
39	4 143	4 147	2,79	97,4	-	0,00
4	8 878	8 880	-4,36	97,4	-	0,00
40	3 930	3 934	3,28	97,4	-	0,00
41	4 196	4 200	2,68	97,4	-	0,00
5	8 637	8 639	-4,10	97,4	-	0,00
6	8 599	8 601	-4,06	97,4	-	0,00
7	8 860	8 862	-4,34	97,4	-	0,00
8	5 764	5 767	-0,27	97,4	-	0,00
9	5 207	5 210	0,68	97,4	-	0,00
Sum			18,48			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MW Ozolmajas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 475	10 476	-5,96	97,4	-	0,00
10	6 010	6 013	-0,66	97,4	-	0,00
11	3 619	3 624	4,03	97,4	-	0,00
12	3 197	3 202	5,16	97,4	-	0,00
13	3 168	3 173	5,24	97,4	-	0,00
14	3 532	3 537	4,25	97,4	-	0,00
15	3 032	3 037	5,64	97,4	-	0,00
16	2 658	2 664	6,83	97,4	-	0,00
17	2 298	2 305	8,13	97,4	-	0,00
18	4 220	4 223	2,63	97,4	-	0,00
19	4 318	4 322	2,41	97,4	-	0,00
2	10 079	10 081	-5,59	97,4	-	0,00
20	3 092	3 097	5,46	97,4	-	0,00
21	3 929	3 933	3,28	97,4	-	0,00
22	3 218	3 223	5,10	97,4	-	0,00
23	3 348	3 353	4,74	97,4	-	0,00
24	4 088	4 091	2,92	97,4	-	0,00
25	5 320	5 323	0,48	97,4	-	0,00
26	6 049	6 052	-0,72	97,4	-	0,00
27	4 777	4 781	1,48	97,4	-	0,00
28	5 426	5 429	0,30	97,4	-	0,00
29	6 092	6 095	-0,79	97,4	-	0,00
3	9 302	9 303	-4,81	97,4	-	0,00
30	5 525	5 528	0,13	97,4	-	0,00
31	4 978	4 981	1,10	97,4	-	0,00
32	6 335	6 338	-1,15	97,4	-	0,00
33	6 573	6 575	-1,50	97,4	-	0,00
34	6 158	6 161	-0,89	97,4	-	0,00
35	5 775	5 777	-0,28	97,4	-	0,00
36	5 374	5 377	0,39	97,4	-	0,00
37	4 754	4 757	1,53	97,4	-	0,00
38	4 434	4 438	2,17	97,4	-	0,00
39	4 143	4 147	2,79	97,4	-	0,00
4	8 878	8 880	-4,36	97,4	-	0,00
40	3 930	3 934	3,28	97,4	-	0,00
41	4 196	4 200	2,68	97,4	-	0,00
5	8 637	8 639	-4,10	97,4	-	0,00
6	8 599	8 601	-4,06	97,4	-	0,00
7	8 860	8 862	-4,34	97,4	-	0,00
8	5 764	5 767	-0,27	97,4	-	0,00
9	5 207	5 210	0,68	97,4	-	0,00
Sum			18,48			

- Data undefined due to calculation with octave data

Noise sensitive area: MX Lazdani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 568	10 569	-6,05	97,4	-	0,00
10	5 953	5 955	-0,57	97,4	-	0,00
11	3 643	3 648	3,97	97,4	-	0,00
12	3 105	3 110	5,43	97,4	-	0,00
13	3 252	3 257	5,01	97,4	-	0,00
14	3 734	3 738	3,75	97,4	-	0,00
15	3 292	3 297	4,89	97,4	-	0,00
16	2 967	2 972	5,84	97,4	-	0,00
17	2 684	2 691	6,74	97,4	-	0,00
18	4 631	4 635	1,77	97,4	-	0,00
19	4 775	4 778	1,48	97,4	-	0,00
2	10 198	10 199	-5,70	97,4	-	0,00
20	3 549	3 554	4,21	97,4	-	0,00
21	4 416	4 419	2,21	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 725	3 730	3,77	97,4	-	0,00
23	3 895	3 899	3,36	97,4	-	0,00
24	4 616	4 620	1,80	97,4	-	0,00
25	5 757	5 760	-0,26	97,4	-	0,00
26	6 506	6 508	-1,40	97,4	-	0,00
27	5 273	5 276	0,56	97,4	-	0,00
28	5 903	5 906	-0,49	97,4	-	0,00
29	6 578	6 581	-1,51	97,4	-	0,00
3	9 431	9 433	-4,95	97,4	-	0,00
30	6 034	6 036	-0,70	97,4	-	0,00
31	5 505	5 508	0,16	97,4	-	0,00
32	6 844	6 846	-1,88	97,4	-	0,00
33	7 108	7 110	-2,24	97,4	-	0,00
34	6 708	6 710	-1,69	97,4	-	0,00
35	6 307	6 309	-1,11	97,4	-	0,00
36	5 924	5 927	-0,52	97,4	-	0,00
37	5 321	5 324	0,48	97,4	-	0,00
38	5 021	5 025	1,02	97,4	-	0,00
39	4 697	4 701	1,64	97,4	-	0,00
4	8 975	8 977	-4,47	97,4	-	0,00
40	4 525	4 528	1,98	97,4	-	0,00
41	4 790	4 794	1,45	97,4	-	0,00
5	8 770	8 771	-4,25	97,4	-	0,00
6	8 657	8 659	-4,12	97,4	-	0,00
7	8 888	8 890	-4,37	97,4	-	0,00
8	5 765	5 768	-0,27	97,4	-	0,00
9	5 236	5 239	0,63	97,4	-	0,00
Sum			17,67			

- Data undefined due to calculation with octave data

Noise sensitive area: MX Lazdani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 568	10 569	-6,05	97,4	-	0,00
10	5 953	5 955	-0,57	97,4	-	0,00
11	3 643	3 648	3,97	97,4	-	0,00
12	3 105	3 110	5,43	97,4	-	0,00
13	3 252	3 257	5,01	97,4	-	0,00
14	3 734	3 738	3,75	97,4	-	0,00
15	3 292	3 297	4,89	97,4	-	0,00
16	2 967	2 972	5,84	97,4	-	0,00
17	2 684	2 691	6,74	97,4	-	0,00
18	4 631	4 635	1,77	97,4	-	0,00
19	4 775	4 778	1,48	97,4	-	0,00
2	10 198	10 199	-5,70	97,4	-	0,00
20	3 549	3 554	4,21	97,4	-	0,00
21	4 416	4 419	2,21	97,4	-	0,00
22	3 725	3 730	3,77	97,4	-	0,00
23	3 895	3 899	3,36	97,4	-	0,00
24	4 616	4 620	1,80	97,4	-	0,00
25	5 757	5 760	-0,26	97,4	-	0,00
26	6 506	6 508	-1,40	97,4	-	0,00
27	5 273	5 276	0,56	97,4	-	0,00
28	5 903	5 906	-0,49	97,4	-	0,00
29	6 578	6 581	-1,51	97,4	-	0,00
3	9 431	9 433	-4,95	97,4	-	0,00
30	6 034	6 036	-0,70	97,4	-	0,00
31	5 505	5 508	0,16	97,4	-	0,00
32	6 844	6 846	-1,88	97,4	-	0,00
33	7 108	7 110	-2,24	97,4	-	0,00
34	6 708	6 710	-1,69	97,4	-	0,00
35	6 307	6 309	-1,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 924	5 927	-0,52	97,4	-	0,00
37	5 321	5 324	0,48	97,4	-	0,00
38	5 021	5 025	1,02	97,4	-	0,00
39	4 697	4 701	1,64	97,4	-	0,00
4	8 975	8 977	-4,47	97,4	-	0,00
40	4 525	4 528	1,98	97,4	-	0,00
41	4 790	4 794	1,45	97,4	-	0,00
5	8 770	8 771	-4,25	97,4	-	0,00
6	8 657	8 659	-4,12	97,4	-	0,00
7	8 888	8 890	-4,37	97,4	-	0,00
8	5 765	5 768	-0,27	97,4	-	0,00
9	5 236	5 239	0,63	97,4	-	0,00
Sum			17,67			

- Data undefined due to calculation with octave data

Noise sensitive area: MY Veikals Nr. 69 Ezerciems

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 187	10 189	-5,69	97,4	-	0,00
10	5 401	5 404	0,34	97,4	-	0,00
11	3 281	3 286	4,93	97,4	-	0,00
12	2 596	2 602	7,04	97,4	-	0,00
13	3 008	3 013	5,71	97,4	-	0,00
14	3 651	3 655	3,95	97,4	-	0,00
15	3 335	3 339	4,78	97,4	-	0,00
16	3 113	3 118	5,40	97,4	-	0,00
17	2 986	2 992	5,78	97,4	-	0,00
18	4 889	4 892	1,27	97,4	-	0,00
19	5 120	5 123	0,84	97,4	-	0,00
2	9 858	9 860	-5,37	97,4	-	0,00
20	3 934	3 938	3,27	97,4	-	0,00
21	4 835	4 838	1,37	97,4	-	0,00
22	4 212	4 216	2,64	97,4	-	0,00
23	4 473	4 477	2,09	97,4	-	0,00
24	5 133	5 136	0,81	97,4	-	0,00
25	6 042	6 045	-0,71	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	5 697	5 700	-0,16	97,4	-	0,00
28	6 273	6 275	-1,06	97,4	-	0,00
29	6 960	6 962	-2,04	97,4	-	0,00
3	9 114	9 116	-4,62	97,4	-	0,00
30	6 477	6 479	-1,36	97,4	-	0,00
31	6 005	6 008	-0,65	97,4	-	0,00
32	7 276	7 279	-2,46	97,4	-	0,00
33	7 610	7 613	-2,89	97,4	-	0,00
34	7 258	7 260	-2,44	97,4	-	0,00
35	6 809	6 811	-1,83	97,4	-	0,00
36	6 483	6 485	-1,37	97,4	-	0,00
37	5 943	5 945	-0,55	97,4	-	0,00
38	5 731	5 734	-0,21	97,4	-	0,00
39	5 283	5 287	0,55	97,4	-	0,00
4	8 613	8 615	-4,07	97,4	-	0,00
40	5 301	5 304	0,51	97,4	-	0,00
41	5 616	5 619	-0,02	97,4	-	0,00
5	8 464	8 465	-3,90	97,4	-	0,00
6	8 238	8 240	-3,65	97,4	-	0,00
7	8 424	8 426	-3,86	97,4	-	0,00
8	5 300	5 303	0,52	97,4	-	0,00
9	4 824	4 827	1,39	97,4	-	0,00
Sum			17,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: MY Veikals Nr. 69 Ezerciems

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 187	10 189	-5,69	97,4	-	0,00
10	5 401	5 404	0,34	97,4	-	0,00
11	3 281	3 286	4,93	97,4	-	0,00
12	2 596	2 602	7,04	97,4	-	0,00
13	3 008	3 013	5,71	97,4	-	0,00
14	3 651	3 655	3,95	97,4	-	0,00
15	3 335	3 339	4,78	97,4	-	0,00
16	3 113	3 118	5,40	97,4	-	0,00
17	2 986	2 992	5,78	97,4	-	0,00
18	4 889	4 892	1,27	97,4	-	0,00
19	5 120	5 123	0,84	97,4	-	0,00
2	9 858	9 860	-5,37	97,4	-	0,00
20	3 934	3 938	3,27	97,4	-	0,00
21	4 835	4 838	1,37	97,4	-	0,00
22	4 212	4 216	2,64	97,4	-	0,00
23	4 473	4 477	2,09	97,4	-	0,00
24	5 133	5 136	0,81	97,4	-	0,00
25	6 042	6 045	-0,71	97,4	-	0,00
26	6 821	6 823	-1,85	97,4	-	0,00
27	5 697	5 700	-0,16	97,4	-	0,00
28	6 273	6 275	-1,06	97,4	-	0,00
29	6 960	6 962	-2,04	97,4	-	0,00
3	9 114	9 116	-4,62	97,4	-	0,00
30	6 477	6 479	-1,36	97,4	-	0,00
31	6 005	6 008	-0,65	97,4	-	0,00
32	7 276	7 279	-2,46	97,4	-	0,00
33	7 610	7 613	-2,89	97,4	-	0,00
34	7 258	7 260	-2,44	97,4	-	0,00
35	6 809	6 811	-1,83	97,4	-	0,00
36	6 483	6 485	-1,37	97,4	-	0,00
37	5 943	5 945	-0,55	97,4	-	0,00
38	5 731	5 734	-0,21	97,4	-	0,00
39	5 283	5 287	0,55	97,4	-	0,00
4	8 613	8 615	-4,07	97,4	-	0,00
40	5 301	5 304	0,51	97,4	-	0,00
41	5 616	5 619	-0,02	97,4	-	0,00
5	8 464	8 465	-3,90	97,4	-	0,00
6	8 238	8 240	-3,65	97,4	-	0,00
7	8 424	8 426	-3,86	97,4	-	0,00
8	5 300	5 303	0,52	97,4	-	0,00
9	4 824	4 827	1,39	97,4	-	0,00
Sum			17,41			

- Data undefined due to calculation with octave data

Noise sensitive area: MZ Zimeli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 746	10 748	-6,21	97,4	-	0,00
10	6 063	6 065	-0,74	97,4	-	0,00
11	3 811	3 815	3,56	97,4	-	0,00
12	3 218	3 223	5,10	97,4	-	0,00
13	3 453	3 458	4,46	97,4	-	0,00
14	3 982	3 986	3,16	97,4	-	0,00
15	3 566	3 571	4,17	97,4	-	0,00
16	3 260	3 265	4,98	97,4	-	0,00
17	3 003	3 008	5,73	97,4	-	0,00
18	4 951	4 954	1,15	97,4	-	0,00
19	5 106	5 109	0,86	97,4	-	0,00
2	10 389	10 391	-5,88	97,4	-	0,00
20	3 882	3 886	3,39	97,4	-	0,00
21	4 754	4 757	1,53	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	4 068	4 072	2,96	97,4	-	0,00
23	4 242	4 245	2,58	97,4	-	0,00
24	4 962	4 965	1,13	97,4	-	0,00
25	6 083	6 085	-0,77	97,4	-	0,00
26	6 836	6 838	-1,87	97,4	-	0,00
27	5 613	5 616	-0,02	97,4	-	0,00
28	6 239	6 241	-1,01	97,4	-	0,00
29	6 916	6 918	-1,98	97,4	-	0,00
3	9 629	9 631	-5,15	97,4	-	0,00
30	6 376	6 378	-1,21	97,4	-	0,00
31	5 850	5 853	-0,41	97,4	-	0,00
32	7 185	7 187	-2,34	97,4	-	0,00
33	7 454	7 456	-2,69	97,4	-	0,00
34	7 055	7 057	-2,17	97,4	-	0,00
35	6 652	6 655	-1,61	97,4	-	0,00
36	6 271	6 274	-1,06	97,4	-	0,00
37	5 668	5 671	-0,11	97,4	-	0,00
38	5 363	5 366	0,41	97,4	-	0,00
39	5 045	5 048	0,98	97,4	-	0,00
4	9 158	9 160	-4,66	97,4	-	0,00
40	4 858	4 861	1,33	97,4	-	0,00
41	5 112	5 115	0,85	97,4	-	0,00
5	8 970	8 972	-4,46	97,4	-	0,00
6	8 820	8 822	-4,30	97,4	-	0,00
7	9 036	9 038	-4,53	97,4	-	0,00
8	5 908	5 910	-0,50	97,4	-	0,00
9	5 395	5 398	0,35	97,4	-	0,00
Sum			17,06			

- Data undefined due to calculation with octave data

Noise sensitive area: MZ Zimeli

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 746	10 748	-6,21	97,4	-	0,00
10	6 063	6 065	-0,74	97,4	-	0,00
11	3 811	3 815	3,56	97,4	-	0,00
12	3 218	3 223	5,10	97,4	-	0,00
13	3 453	3 458	4,46	97,4	-	0,00
14	3 982	3 986	3,16	97,4	-	0,00
15	3 566	3 571	4,17	97,4	-	0,00
16	3 260	3 265	4,98	97,4	-	0,00
17	3 003	3 008	5,73	97,4	-	0,00
18	4 951	4 954	1,15	97,4	-	0,00
19	5 106	5 109	0,86	97,4	-	0,00
2	10 389	10 391	-5,88	97,4	-	0,00
20	3 882	3 886	3,39	97,4	-	0,00
21	4 754	4 757	1,53	97,4	-	0,00
22	4 068	4 072	2,96	97,4	-	0,00
23	4 242	4 245	2,58	97,4	-	0,00
24	4 962	4 965	1,13	97,4	-	0,00
25	6 083	6 085	-0,77	97,4	-	0,00
26	6 836	6 838	-1,87	97,4	-	0,00
27	5 613	5 616	-0,02	97,4	-	0,00
28	6 239	6 241	-1,01	97,4	-	0,00
29	6 916	6 918	-1,98	97,4	-	0,00
3	9 629	9 631	-5,15	97,4	-	0,00
30	6 376	6 378	-1,21	97,4	-	0,00
31	5 850	5 853	-0,41	97,4	-	0,00
32	7 185	7 187	-2,34	97,4	-	0,00
33	7 454	7 456	-2,69	97,4	-	0,00
34	7 055	7 057	-2,17	97,4	-	0,00
35	6 652	6 655	-1,61	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	6 271	6 274	-1,06	97,4	-	0,00
37	5 668	5 671	-0,11	97,4	-	0,00
38	5 363	5 366	0,41	97,4	-	0,00
39	5 045	5 048	0,98	97,4	-	0,00
4	9 158	9 160	-4,66	97,4	-	0,00
40	4 858	4 861	1,33	97,4	-	0,00
41	5 112	5 115	0,85	97,4	-	0,00
5	8 970	8 972	-4,46	97,4	-	0,00
6	8 820	8 822	-4,30	97,4	-	0,00
7	9 036	9 038	-4,53	97,4	-	0,00
8	5 908	5 910	-0,50	97,4	-	0,00
9	5 395	5 398	0,35	97,4	-	0,00
Sum			17,06			

- Data undefined due to calculation with octave data

Noise sensitive area: NA Salenieki

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 388	11 389	-6,78	97,4	-	0,00
10	7 647	7 649	-2,94	97,4	-	0,00
11	5 246	5 249	0,61	97,4	-	0,00
12	5 174	5 177	0,74	97,4	-	0,00
13	4 703	4 706	1,63	97,4	-	0,00
14	4 608	4 612	1,81	97,4	-	0,00
15	4 012	4 016	3,09	97,4	-	0,00
16	3 575	3 579	4,15	97,4	-	0,00
17	3 042	3 048	5,61	97,4	-	0,00
18	4 149	4 152	2,78	97,4	-	0,00
19	3 932	3 936	3,27	97,4	-	0,00
2	10 903	10 904	-6,35	97,4	-	0,00
20	3 070	3 075	5,53	97,4	-	0,00
21	3 414	3 418	4,57	97,4	-	0,00
22	2 765	2 771	6,47	97,4	-	0,00
23	2 453	2 459	7,55	97,4	-	0,00
24	3 153	3 158	5,29	97,4	-	0,00
25	4 885	4 889	1,27	97,4	-	0,00
26	5 388	5 391	0,36	97,4	-	0,00
27	3 995	4 000	3,13	97,4	-	0,00
28	4 692	4 695	1,65	97,4	-	0,00
29	5 208	5 211	0,68	97,4	-	0,00
3	10 109	10 111	-5,62	97,4	-	0,00
30	4 522	4 525	1,99	97,4	-	0,00
31	3 875	3 880	3,41	97,4	-	0,00
32	5 245	5 248	0,61	97,4	-	0,00
33	5 218	5 221	0,66	97,4	-	0,00
34	4 684	4 687	1,66	97,4	-	0,00
35	4 523	4 526	1,99	97,4	-	0,00
36	3 977	3 981	3,17	97,4	-	0,00
37	3 225	3 229	5,08	97,4	-	0,00
38	2 592	2 599	7,05	97,4	-	0,00
39	2 910	2 915	6,01	97,4	-	0,00
4	9 832	9 834	-5,35	97,4	-	0,00
40	1 878	1 887	9,93	97,4	-	0,00
41	1 867	1 875	9,98	97,4	-	0,00
5	9 460	9 462	-4,98	97,4	-	0,00
6	9 716	9 717	-5,23	97,4	-	0,00
7	10 077	10 078	-5,59	97,4	-	0,00
8	7 236	7 238	-2,41	97,4	-	0,00
9	6 636	6 638	-1,59	97,4	-	0,00
Sum			19,62			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NA Salenieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	11 388	11 389	-6,78	97,4	-	0,00
10	7 647	7 649	-2,94	97,4	-	0,00
11	5 246	5 249	0,61	97,4	-	0,00
12	5 174	5 177	0,74	97,4	-	0,00
13	4 703	4 706	1,63	97,4	-	0,00
14	4 608	4 612	1,81	97,4	-	0,00
15	4 012	4 016	3,09	97,4	-	0,00
16	3 575	3 579	4,15	97,4	-	0,00
17	3 042	3 048	5,61	97,4	-	0,00
18	4 149	4 152	2,78	97,4	-	0,00
19	3 932	3 936	3,27	97,4	-	0,00
2	10 903	10 904	-6,35	97,4	-	0,00
20	3 070	3 075	5,53	97,4	-	0,00
21	3 414	3 418	4,57	97,4	-	0,00
22	2 765	2 771	6,47	97,4	-	0,00
23	2 453	2 459	7,55	97,4	-	0,00
24	3 153	3 158	5,29	97,4	-	0,00
25	4 885	4 889	1,27	97,4	-	0,00
26	5 388	5 391	0,36	97,4	-	0,00
27	3 995	4 000	3,13	97,4	-	0,00
28	4 692	4 695	1,65	97,4	-	0,00
29	5 208	5 211	0,68	97,4	-	0,00
3	10 109	10 111	-5,62	97,4	-	0,00
30	4 522	4 525	1,99	97,4	-	0,00
31	3 875	3 880	3,41	97,4	-	0,00
32	5 245	5 248	0,61	97,4	-	0,00
33	5 218	5 221	0,66	97,4	-	0,00
34	4 684	4 687	1,66	97,4	-	0,00
35	4 523	4 526	1,99	97,4	-	0,00
36	3 977	3 981	3,17	97,4	-	0,00
37	3 225	3 229	5,08	97,4	-	0,00
38	2 592	2 599	7,05	97,4	-	0,00
39	2 910	2 915	6,01	97,4	-	0,00
4	9 832	9 834	-5,35	97,4	-	0,00
40	1 878	1 887	9,93	97,4	-	0,00
41	1 867	1 875	9,98	97,4	-	0,00
5	9 460	9 462	-4,98	97,4	-	0,00
6	9 716	9 717	-5,23	97,4	-	0,00
7	10 077	10 078	-5,59	97,4	-	0,00
8	7 236	7 238	-2,41	97,4	-	0,00
9	6 636	6 638	-1,59	97,4	-	0,00
Sum			19,62			

- Data undefined due to calculation with octave data

Noise sensitive area: NB Zandarti

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 490	10 492	-5,98	97,4	-	0,00
10	5 951	5 954	-0,57	97,4	-	0,00
11	3 594	3 598	4,10	97,4	-	0,00
12	3 116	3 121	5,39	97,4	-	0,00
13	3 170	3 175	5,24	97,4	-	0,00
14	3 594	3 598	4,10	97,4	-	0,00
15	3 122	3 127	5,38	97,4	-	0,00
16	2 772	2 777	6,45	97,4	-	0,00
17	2 452	2 459	7,55	97,4	-	0,00
18	4 391	4 395	2,26	97,4	-	0,00
19	4 514	4 518	2,00	97,4	-	0,00
2	10 107	10 109	-5,62	97,4	-	0,00
20	3 287	3 292	4,91	97,4	-	0,00
21	4 141	4 145	2,80	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	3 442	3 446	4,49	97,4	-	0,00
23	3 595	3 599	4,09	97,4	-	0,00
24	4 324	4 328	2,40	97,4	-	0,00
25	5 507	5 510	0,16	97,4	-	0,00
26	6 246	6 249	-1,02	97,4	-	0,00
27	4 996	4 999	1,07	97,4	-	0,00
28	5 634	5 637	-0,05	97,4	-	0,00
29	6 306	6 308	-1,11	97,4	-	0,00
3	9 335	9 336	-4,85	97,4	-	0,00
30	5 751	5 754	-0,25	97,4	-	0,00
31	5 214	5 217	0,67	97,4	-	0,00
32	6 561	6 563	-1,48	97,4	-	0,00
33	6 814	6 816	-1,84	97,4	-	0,00
34	6 408	6 410	-1,26	97,4	-	0,00
35	6 014	6 016	-0,66	97,4	-	0,00
36	5 624	5 626	-0,04	97,4	-	0,00
37	5 014	5 017	1,03	97,4	-	0,00
38	4 707	4 711	1,62	97,4	-	0,00
39	4 395	4 399	2,25	97,4	-	0,00
4	8 895	8 897	-4,38	97,4	-	0,00
40	4 210	4 214	2,65	97,4	-	0,00
41	4 479	4 483	2,08	97,4	-	0,00
5	8 671	8 673	-4,14	97,4	-	0,00
6	8 597	8 599	-4,05	97,4	-	0,00
7	8 844	8 846	-4,33	97,4	-	0,00
8	5 733	5 735	-0,22	97,4	-	0,00
9	5 188	5 191	0,71	97,4	-	0,00
Sum			18,13			

- Data undefined due to calculation with octave data

Noise sensitive area: NB Zandarti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	10 490	10 492	-5,98	97,4	-	0,00
10	5 951	5 954	-0,57	97,4	-	0,00
11	3 594	3 598	4,10	97,4	-	0,00
12	3 116	3 121	5,39	97,4	-	0,00
13	3 170	3 175	5,24	97,4	-	0,00
14	3 594	3 598	4,10	97,4	-	0,00
15	3 122	3 127	5,38	97,4	-	0,00
16	2 772	2 777	6,45	97,4	-	0,00
17	2 452	2 459	7,55	97,4	-	0,00
18	4 391	4 395	2,26	97,4	-	0,00
19	4 514	4 518	2,00	97,4	-	0,00
2	10 107	10 109	-5,62	97,4	-	0,00
20	3 287	3 292	4,91	97,4	-	0,00
21	4 141	4 145	2,80	97,4	-	0,00
22	3 442	3 446	4,49	97,4	-	0,00
23	3 595	3 599	4,09	97,4	-	0,00
24	4 324	4 328	2,40	97,4	-	0,00
25	5 507	5 510	0,16	97,4	-	0,00
26	6 246	6 249	-1,02	97,4	-	0,00
27	4 996	4 999	1,07	97,4	-	0,00
28	5 634	5 637	-0,05	97,4	-	0,00
29	6 306	6 308	-1,11	97,4	-	0,00
3	9 335	9 336	-4,85	97,4	-	0,00
30	5 751	5 754	-0,25	97,4	-	0,00
31	5 214	5 217	0,67	97,4	-	0,00
32	6 561	6 563	-1,48	97,4	-	0,00
33	6 814	6 816	-1,84	97,4	-	0,00
34	6 408	6 410	-1,26	97,4	-	0,00
35	6 014	6 016	-0,66	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	5 624	5 626	-0,04	97,4	-	0,00
37	5 014	5 017	1,03	97,4	-	0,00
38	4 707	4 711	1,62	97,4	-	0,00
39	4 395	4 399	2,25	97,4	-	0,00
4	8 895	8 897	-4,38	97,4	-	0,00
40	4 210	4 214	2,65	97,4	-	0,00
41	4 479	4 483	2,08	97,4	-	0,00
5	8 671	8 673	-4,14	97,4	-	0,00
6	8 597	8 599	-4,05	97,4	-	0,00
7	8 844	8 846	-4,33	97,4	-	0,00
8	5 733	5 735	-0,22	97,4	-	0,00
9	5 188	5 191	0,71	97,4	-	0,00
Sum			18,13			

- Data undefined due to calculation with octave data

Noise sensitive area: NC Darzu iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 831	8 833	-4,31	97,4	-	0,00
10	3 949	3 953	3,24	97,4	-	0,00
11	3 433	3 437	4,51	97,4	-	0,00
12	2 746	2 752	6,53	97,4	-	0,00
13	3 690	3 695	3,85	97,4	-	0,00
14	4 480	4 484	2,07	97,4	-	0,00
15	4 623	4 627	1,78	97,4	-	0,00
16	4 736	4 739	1,56	97,4	-	0,00
17	4 985	4 988	1,09	97,4	-	0,00
18	6 299	6 302	-1,10	97,4	-	0,00
19	6 723	6 725	-1,71	97,4	-	0,00
2	8 675	8 677	-4,14	97,4	-	0,00
20	5 857	5 860	-0,42	97,4	-	0,00
21	6 674	6 677	-1,65	97,4	-	0,00
22	6 313	6 316	-1,12	97,4	-	0,00
23	6 750	6 752	-1,75	97,4	-	0,00
24	7 174	7 177	-2,33	97,4	-	0,00
25	7 341	7 343	-2,55	97,4	-	0,00
26	8 112	8 114	-3,50	97,4	-	0,00
27	7 426	7 429	-2,66	97,4	-	0,00
28	7 784	7 786	-3,10	97,4	-	0,00
29	8 431	8 433	-3,87	97,4	-	0,00
3	8 071	8 073	-3,45	97,4	-	0,00
30	8 172	8 174	-3,57	97,4	-	0,00
31	7 904	7 906	-3,25	97,4	-	0,00
32	8 869	8 871	-4,35	97,4	-	0,00
33	9 381	9 383	-4,89	97,4	-	0,00
34	9 192	9 194	-4,70	97,4	-	0,00
35	8 640	8 642	-4,10	97,4	-	0,00
36	8 500	8 502	-3,95	97,4	-	0,00
37	8 173	8 174	-3,57	97,4	-	0,00
38	8 209	8 211	-3,61	97,4	-	0,00
39	7 483	7 485	-2,73	97,4	-	0,00
4	7 443	7 445	-2,68	97,4	-	0,00
40	7 977	7 979	-3,34	97,4	-	0,00
41	8 404	8 406	-3,84	97,4	-	0,00
5	7 518	7 520	-2,77	97,4	-	0,00
6	6 889	6 892	-1,95	97,4	-	0,00
7	6 882	6 884	-1,94	97,4	-	0,00
8	4 243	4 247	2,57	97,4	-	0,00
9	4 114	4 118	2,86	97,4	-	0,00
Sum			15,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NC Darzu iela 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 831	8 833	-4,31	97,4	-	0,00
10	3 949	3 953	3,24	97,4	-	0,00
11	3 433	3 437	4,51	97,4	-	0,00
12	2 746	2 752	6,53	97,4	-	0,00
13	3 690	3 695	3,85	97,4	-	0,00
14	4 480	4 484	2,07	97,4	-	0,00
15	4 623	4 627	1,78	97,4	-	0,00
16	4 736	4 739	1,56	97,4	-	0,00
17	4 985	4 988	1,09	97,4	-	0,00
18	6 299	6 302	-1,10	97,4	-	0,00
19	6 723	6 725	-1,71	97,4	-	0,00
2	8 675	8 677	-4,14	97,4	-	0,00
20	5 857	5 860	-0,42	97,4	-	0,00
21	6 674	6 677	-1,65	97,4	-	0,00
22	6 313	6 316	-1,12	97,4	-	0,00
23	6 750	6 752	-1,75	97,4	-	0,00
24	7 174	7 177	-2,33	97,4	-	0,00
25	7 341	7 343	-2,55	97,4	-	0,00
26	8 112	8 114	-3,50	97,4	-	0,00
27	7 426	7 429	-2,66	97,4	-	0,00
28	7 784	7 786	-3,10	97,4	-	0,00
29	8 431	8 433	-3,87	97,4	-	0,00
3	8 071	8 073	-3,45	97,4	-	0,00
30	8 172	8 174	-3,57	97,4	-	0,00
31	7 904	7 906	-3,25	97,4	-	0,00
32	8 869	8 871	-4,35	97,4	-	0,00
33	9 381	9 383	-4,89	97,4	-	0,00
34	9 192	9 194	-4,70	97,4	-	0,00
35	8 640	8 642	-4,10	97,4	-	0,00
36	8 500	8 502	-3,95	97,4	-	0,00
37	8 173	8 174	-3,57	97,4	-	0,00
38	8 209	8 211	-3,61	97,4	-	0,00
39	7 483	7 485	-2,73	97,4	-	0,00
4	7 443	7 445	-2,68	97,4	-	0,00
40	7 977	7 979	-3,34	97,4	-	0,00
41	8 404	8 406	-3,84	97,4	-	0,00
5	7 518	7 520	-2,77	97,4	-	0,00
6	6 889	6 892	-1,95	97,4	-	0,00
7	6 882	6 884	-1,94	97,4	-	0,00
8	4 243	4 247	2,57	97,4	-	0,00
9	4 114	4 118	2,86	97,4	-	0,00
Sum			15,74			

- Data undefined due to calculation with octave data

Noise sensitive area: ND Stigi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 502	7 504	-2,75	97,4	-	0,00
10	3 494	3 498	4,35	97,4	-	0,00
11	4 589	4 592	1,85	97,4	-	0,00
12	4 283	4 287	2,49	97,4	-	0,00
13	5 061	5 064	0,95	97,4	-	0,00
14	5 668	5 670	-0,11	97,4	-	0,00
15	6 043	6 046	-0,71	97,4	-	0,00
16	6 313	6 316	-1,12	97,4	-	0,00
17	6 712	6 714	-1,70	97,4	-	0,00
18	7 468	7 470	-2,71	97,4	-	0,00
19	7 958	7 960	-3,32	97,4	-	0,00
2	7 509	7 511	-2,76	97,4	-	0,00
20	7 406	7 408	-2,63	97,4	-	0,00
21	8 068	8 070	-3,45	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 911	7 913	-3,26	97,4	-	0,00
23	8 409	8 411	-3,84	97,4	-	0,00
24	8 645	8 647	-4,11	97,4	-	0,00
25	8 296	8 298	-3,71	97,4	-	0,00
26	8 978	8 980	-4,47	97,4	-	0,00
27	8 665	8 667	-4,13	97,4	-	0,00
28	8 837	8 839	-4,32	97,4	-	0,00
29	9 395	9 397	-4,91	97,4	-	0,00
3	7 087	7 089	-2,21	97,4	-	0,00
30	9 317	9 319	-4,83	97,4	-	0,00
31	9 213	9 215	-4,72	97,4	-	0,00
32	9 884	9 886	-5,40	97,4	-	0,00
33	10 488	10 489	-5,97	97,4	-	0,00
34	10 430	10 431	-5,92	97,4	-	0,00
35	9 843	9 844	-5,36	97,4	-	0,00
36	9 844	9 845	-5,36	97,4	-	0,00
37	9 688	9 690	-5,21	97,4	-	0,00
38	9 895	9 896	-5,41	97,4	-	0,00
39	9 030	9 032	-4,53	97,4	-	0,00
4	6 419	6 421	-1,28	97,4	-	0,00
40	9 815	9 817	-5,33	97,4	-	0,00
41	10 305	10 307	-5,80	97,4	-	0,00
5	6 685	6 687	-1,66	97,4	-	0,00
6	5 776	5 778	-0,29	97,4	-	0,00
7	5 586	5 589	0,03	97,4	-	0,00
8	4 062	4 066	2,98	97,4	-	0,00
9	4 304	4 307	2,44	97,4	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Noise sensitive area: ND Stigi

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 502	7 504	-2,75	97,4	-	0,00
10	3 494	3 498	4,35	97,4	-	0,00
11	4 589	4 592	1,85	97,4	-	0,00
12	4 283	4 287	2,49	97,4	-	0,00
13	5 061	5 064	0,95	97,4	-	0,00
14	5 668	5 670	-0,11	97,4	-	0,00
15	6 043	6 046	-0,71	97,4	-	0,00
16	6 313	6 316	-1,12	97,4	-	0,00
17	6 712	6 714	-1,70	97,4	-	0,00
18	7 468	7 470	-2,71	97,4	-	0,00
19	7 958	7 960	-3,32	97,4	-	0,00
2	7 509	7 511	-2,76	97,4	-	0,00
20	7 406	7 408	-2,63	97,4	-	0,00
21	8 068	8 070	-3,45	97,4	-	0,00
22	7 911	7 913	-3,26	97,4	-	0,00
23	8 409	8 411	-3,84	97,4	-	0,00
24	8 645	8 647	-4,11	97,4	-	0,00
25	8 296	8 298	-3,71	97,4	-	0,00
26	8 978	8 980	-4,47	97,4	-	0,00
27	8 665	8 667	-4,13	97,4	-	0,00
28	8 837	8 839	-4,32	97,4	-	0,00
29	9 395	9 397	-4,91	97,4	-	0,00
3	7 087	7 089	-2,21	97,4	-	0,00
30	9 317	9 319	-4,83	97,4	-	0,00
31	9 213	9 215	-4,72	97,4	-	0,00
32	9 884	9 886	-5,40	97,4	-	0,00
33	10 488	10 489	-5,97	97,4	-	0,00
34	10 430	10 431	-5,92	97,4	-	0,00
35	9 843	9 844	-5,36	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 844	9 845	-5,36	97,4	-	0,00
37	9 688	9 690	-5,21	97,4	-	0,00
38	9 895	9 896	-5,41	97,4	-	0,00
39	9 030	9 032	-4,53	97,4	-	0,00
4	6 419	6 421	-1,28	97,4	-	0,00
40	9 815	9 817	-5,33	97,4	-	0,00
41	10 305	10 307	-5,80	97,4	-	0,00
5	6 685	6 687	-1,66	97,4	-	0,00
6	5 776	5 778	-0,29	97,4	-	0,00
7	5 586	5 589	0,03	97,4	-	0,00
8	4 062	4 066	2,98	97,4	-	0,00
9	4 304	4 307	2,44	97,4	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NE Upeslici

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 625	6 628	-1,58	97,4	-	0,00
10	3 424	3 428	4,54	97,4	-	0,00
11	5 127	5 130	0,82	97,4	-	0,00
12	5 007	5 010	1,05	97,4	-	0,00
13	5 649	5 651	-0,08	97,4	-	0,00
14	6 130	6 133	-0,84	97,4	-	0,00
15	6 588	6 590	-1,52	97,4	-	0,00
16	6 916	6 918	-1,98	97,4	-	0,00
17	7 367	7 369	-2,58	97,4	-	0,00
18	7 827	7 829	-3,16	97,4	-	0,00
19	8 332	8 334	-3,75	97,4	-	0,00
2	6 713	6 715	-1,70	97,4	-	0,00
20	7 951	7 953	-3,31	97,4	-	0,00
21	8 515	8 517	-3,96	97,4	-	0,00
22	8 463	8 465	-3,90	97,4	-	0,00
23	8 978	8 980	-4,47	97,4	-	0,00
24	9 113	9 114	-4,61	97,4	-	0,00
25	8 521	8 523	-3,97	97,4	-	0,00
26	9 138	9 140	-4,64	97,4	-	0,00
27	9 018	9 020	-4,51	97,4	-	0,00
28	9 093	9 095	-4,59	97,4	-	0,00
29	9 592	9 593	-5,11	97,4	-	0,00
3	6 396	6 398	-1,24	97,4	-	0,00
30	9 605	9 607	-5,12	97,4	-	0,00
31	9 586	9 587	-5,10	97,4	-	0,00
32	10 093	10 095	-5,60	97,4	-	0,00
33	10 729	10 731	-6,20	97,4	-	0,00
34	10 739	10 740	-6,20	97,4	-	0,00
35	10 147	10 148	-5,65	97,4	-	0,00
36	10 219	10 220	-5,72	97,4	-	0,00
37	10 153	10 155	-5,66	97,4	-	0,00
38	10 443	10 445	-5,93	97,4	-	0,00
39	9 526	9 528	-5,04	97,4	-	0,00
4	5 736	5 739	-0,22	97,4	-	0,00
40	10 446	10 447	-5,94	97,4	-	0,00
41	10 962	10 963	-6,41	97,4	-	0,00
5	6 089	6 091	-0,78	97,4	-	0,00
6	5 078	5 081	0,91	97,4	-	0,00
7	4 801	4 804	1,43	97,4	-	0,00
8	4 042	4 045	3,02	97,4	-	0,00
9	4 437	4 440	2,16	97,4	-	0,00
Sum			14,33			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NE Upeslici

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	6 625	6 628	-1,58	97,4	-	0,00
10	3 424	3 428	4,54	97,4	-	0,00
11	5 127	5 130	0,82	97,4	-	0,00
12	5 007	5 010	1,05	97,4	-	0,00
13	5 649	5 651	-0,08	97,4	-	0,00
14	6 130	6 133	-0,84	97,4	-	0,00
15	6 588	6 590	-1,52	97,4	-	0,00
16	6 916	6 918	-1,98	97,4	-	0,00
17	7 367	7 369	-2,58	97,4	-	0,00
18	7 827	7 829	-3,16	97,4	-	0,00
19	8 332	8 334	-3,75	97,4	-	0,00
2	6 713	6 715	-1,70	97,4	-	0,00
20	7 951	7 953	-3,31	97,4	-	0,00
21	8 515	8 517	-3,96	97,4	-	0,00
22	8 463	8 465	-3,90	97,4	-	0,00
23	8 978	8 980	-4,47	97,4	-	0,00
24	9 113	9 114	-4,61	97,4	-	0,00
25	8 521	8 523	-3,97	97,4	-	0,00
26	9 138	9 140	-4,64	97,4	-	0,00
27	9 018	9 020	-4,51	97,4	-	0,00
28	9 093	9 095	-4,59	97,4	-	0,00
29	9 592	9 593	-5,11	97,4	-	0,00
3	6 396	6 398	-1,24	97,4	-	0,00
30	9 605	9 607	-5,12	97,4	-	0,00
31	9 586	9 587	-5,10	97,4	-	0,00
32	10 093	10 095	-5,60	97,4	-	0,00
33	10 729	10 731	-6,20	97,4	-	0,00
34	10 739	10 740	-6,20	97,4	-	0,00
35	10 147	10 148	-5,65	97,4	-	0,00
36	10 219	10 220	-5,72	97,4	-	0,00
37	10 153	10 155	-5,66	97,4	-	0,00
38	10 443	10 445	-5,93	97,4	-	0,00
39	9 526	9 528	-5,04	97,4	-	0,00
4	5 736	5 739	-0,22	97,4	-	0,00
40	10 446	10 447	-5,94	97,4	-	0,00
41	10 962	10 963	-6,41	97,4	-	0,00
5	6 089	6 091	-0,78	97,4	-	0,00
6	5 078	5 081	0,91	97,4	-	0,00
7	4 801	4 804	1,43	97,4	-	0,00
8	4 042	4 045	3,02	97,4	-	0,00
9	4 437	4 440	2,16	97,4	-	0,00
Sum			14,33			

- Data undefined due to calculation with octave data

Noise sensitive area: NF Upes iela 7

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 886	8 887	-4,37	97,4	-	0,00
10	4 028	4 032	3,05	97,4	-	0,00
11	3 585	3 589	4,12	97,4	-	0,00
12	2 907	2 913	6,02	97,4	-	0,00
13	3 851	3 855	3,47	97,4	-	0,00
14	4 638	4 641	1,75	97,4	-	0,00
15	4 787	4 790	1,46	97,4	-	0,00
16	4 902	4 905	1,24	97,4	-	0,00
17	5 152	5 155	0,78	97,4	-	0,00
18	6 460	6 462	-1,34	97,4	-	0,00
19	6 885	6 888	-1,94	97,4	-	0,00
2	8 739	8 741	-4,21	97,4	-	0,00
20	6 024	6 026	-0,68	97,4	-	0,00
21	6 840	6 842	-1,88	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 481	6 483	-1,37	97,4	-	0,00
23	6 917	6 919	-1,98	97,4	-	0,00
24	7 341	7 343	-2,55	97,4	-	0,00
25	7 498	7 500	-2,75	97,4	-	0,00
26	8 268	8 270	-3,68	97,4	-	0,00
27	7 589	7 592	-2,86	97,4	-	0,00
28	7 943	7 945	-3,30	97,4	-	0,00
29	8 589	8 591	-4,05	97,4	-	0,00
3	8 145	8 147	-3,54	97,4	-	0,00
30	8 334	8 336	-3,76	97,4	-	0,00
31	8 068	8 070	-3,45	97,4	-	0,00
32	9 029	9 031	-4,53	97,4	-	0,00
33	9 543	9 545	-5,06	97,4	-	0,00
34	9 356	9 358	-4,87	97,4	-	0,00
35	8 803	8 805	-4,28	97,4	-	0,00
36	8 665	8 667	-4,13	97,4	-	0,00
37	8 339	8 341	-3,76	97,4	-	0,00
38	8 376	8 378	-3,81	97,4	-	0,00
39	7 650	7 652	-2,94	97,4	-	0,00
4	7 513	7 515	-2,77	97,4	-	0,00
40	8 143	8 145	-3,54	97,4	-	0,00
41	8 570	8 572	-4,02	97,4	-	0,00
5	7 599	7 601	-2,87	97,4	-	0,00
6	6 951	6 954	-2,03	97,4	-	0,00
7	6 933	6 935	-2,00	97,4	-	0,00
8	4 341	4 344	2,37	97,4	-	0,00
9	4 230	4 233	2,60	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NF Upes iela 7

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 886	8 887	-4,37	97,4	-	0,00
10	4 028	4 032	3,05	97,4	-	0,00
11	3 585	3 589	4,12	97,4	-	0,00
12	2 907	2 913	6,02	97,4	-	0,00
13	3 851	3 855	3,47	97,4	-	0,00
14	4 638	4 641	1,75	97,4	-	0,00
15	4 787	4 790	1,46	97,4	-	0,00
16	4 902	4 905	1,24	97,4	-	0,00
17	5 152	5 155	0,78	97,4	-	0,00
18	6 460	6 462	-1,34	97,4	-	0,00
19	6 885	6 888	-1,94	97,4	-	0,00
2	8 739	8 741	-4,21	97,4	-	0,00
20	6 024	6 026	-0,68	97,4	-	0,00
21	6 840	6 842	-1,88	97,4	-	0,00
22	6 481	6 483	-1,37	97,4	-	0,00
23	6 917	6 919	-1,98	97,4	-	0,00
24	7 341	7 343	-2,55	97,4	-	0,00
25	7 498	7 500	-2,75	97,4	-	0,00
26	8 268	8 270	-3,68	97,4	-	0,00
27	7 589	7 592	-2,86	97,4	-	0,00
28	7 943	7 945	-3,30	97,4	-	0,00
29	8 589	8 591	-4,05	97,4	-	0,00
3	8 145	8 147	-3,54	97,4	-	0,00
30	8 334	8 336	-3,76	97,4	-	0,00
31	8 068	8 070	-3,45	97,4	-	0,00
32	9 029	9 031	-4,53	97,4	-	0,00
33	9 543	9 545	-5,06	97,4	-	0,00
34	9 356	9 358	-4,87	97,4	-	0,00
35	8 803	8 805	-4,28	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 665	8 667	-4,13	97,4	-	0,00
37	8 339	8 341	-3,76	97,4	-	0,00
38	8 376	8 378	-3,81	97,4	-	0,00
39	7 650	7 652	-2,94	97,4	-	0,00
4	7 513	7 515	-2,77	97,4	-	0,00
40	8 143	8 145	-3,54	97,4	-	0,00
41	8 570	8 572	-4,02	97,4	-	0,00
5	7 599	7 601	-2,87	97,4	-	0,00
6	6 951	6 954	-2,03	97,4	-	0,00
7	6 933	6 935	-2,00	97,4	-	0,00
8	4 341	4 344	2,37	97,4	-	0,00
9	4 230	4 233	2,60	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NG Upes iela 5

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 905	8 907	-4,39	97,4	-	0,00
10	4 044	4 047	3,02	97,4	-	0,00
11	3 585	3 589	4,12	97,4	-	0,00
12	2 903	2 908	6,04	97,4	-	0,00
13	3 847	3 851	3,48	97,4	-	0,00
14	4 635	4 639	1,76	97,4	-	0,00
15	4 781	4 784	1,47	97,4	-	0,00
16	4 894	4 897	1,26	97,4	-	0,00
17	5 141	5 145	0,80	97,4	-	0,00
18	6 456	6 458	-1,33	97,4	-	0,00
19	6 880	6 882	-1,93	97,4	-	0,00
2	8 757	8 759	-4,23	97,4	-	0,00
20	6 015	6 017	-0,67	97,4	-	0,00
21	6 832	6 834	-1,87	97,4	-	0,00
22	6 471	6 473	-1,35	97,4	-	0,00
23	6 906	6 908	-1,97	97,4	-	0,00
24	7 332	7 334	-2,54	97,4	-	0,00
25	7 495	7 498	-2,74	97,4	-	0,00
26	8 266	8 268	-3,68	97,4	-	0,00
27	7 584	7 586	-2,86	97,4	-	0,00
28	7 940	7 942	-3,29	97,4	-	0,00
29	8 586	8 588	-4,04	97,4	-	0,00
3	8 161	8 163	-3,56	97,4	-	0,00
30	8 329	8 331	-3,75	97,4	-	0,00
31	8 062	8 064	-3,44	97,4	-	0,00
32	9 025	9 027	-4,52	97,4	-	0,00
33	9 538	9 540	-5,06	97,4	-	0,00
34	9 350	9 352	-4,86	97,4	-	0,00
35	8 797	8 799	-4,28	97,4	-	0,00
36	8 658	8 659	-4,12	97,4	-	0,00
37	8 330	8 332	-3,75	97,4	-	0,00
38	8 365	8 367	-3,79	97,4	-	0,00
39	7 640	7 643	-2,93	97,4	-	0,00
4	7 530	7 532	-2,79	97,4	-	0,00
40	8 130	8 131	-3,52	97,4	-	0,00
41	8 555	8 557	-4,01	97,4	-	0,00
5	7 615	7 616	-2,89	97,4	-	0,00
6	6 970	6 972	-2,05	97,4	-	0,00
7	6 952	6 955	-2,03	97,4	-	0,00
8	4 354	4 357	2,34	97,4	-	0,00
9	4 239	4 243	2,58	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NG Upes iela 5

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 905	8 907	-4,39	97,4	-	0,00
10	4 044	4 047	3,02	97,4	-	0,00
11	3 585	3 589	4,12	97,4	-	0,00
12	2 903	2 908	6,04	97,4	-	0,00
13	3 847	3 851	3,48	97,4	-	0,00
14	4 635	4 639	1,76	97,4	-	0,00
15	4 781	4 784	1,47	97,4	-	0,00
16	4 894	4 897	1,26	97,4	-	0,00
17	5 141	5 145	0,80	97,4	-	0,00
18	6 456	6 458	-1,33	97,4	-	0,00
19	6 880	6 882	-1,93	97,4	-	0,00
2	8 757	8 759	-4,23	97,4	-	0,00
20	6 015	6 017	-0,67	97,4	-	0,00
21	6 832	6 834	-1,87	97,4	-	0,00
22	6 471	6 473	-1,35	97,4	-	0,00
23	6 906	6 908	-1,97	97,4	-	0,00
24	7 332	7 334	-2,54	97,4	-	0,00
25	7 495	7 498	-2,74	97,4	-	0,00
26	8 266	8 268	-3,68	97,4	-	0,00
27	7 584	7 586	-2,86	97,4	-	0,00
28	7 940	7 942	-3,29	97,4	-	0,00
29	8 586	8 588	-4,04	97,4	-	0,00
3	8 161	8 163	-3,56	97,4	-	0,00
30	8 329	8 331	-3,75	97,4	-	0,00
31	8 062	8 064	-3,44	97,4	-	0,00
32	9 025	9 027	-4,52	97,4	-	0,00
33	9 538	9 540	-5,06	97,4	-	0,00
34	9 350	9 352	-4,86	97,4	-	0,00
35	8 797	8 799	-4,28	97,4	-	0,00
36	8 658	8 659	-4,12	97,4	-	0,00
37	8 330	8 332	-3,75	97,4	-	0,00
38	8 365	8 367	-3,79	97,4	-	0,00
39	7 640	7 643	-2,93	97,4	-	0,00
4	7 530	7 532	-2,79	97,4	-	0,00
40	8 130	8 131	-3,52	97,4	-	0,00
41	8 555	8 557	-4,01	97,4	-	0,00
5	7 615	7 616	-2,89	97,4	-	0,00
6	6 970	6 972	-2,05	97,4	-	0,00
7	6 952	6 955	-2,03	97,4	-	0,00
8	4 354	4 357	2,34	97,4	-	0,00
9	4 239	4 243	2,58	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NH Upes iela 9

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 862	8 864	-4,35	97,4	-	0,00
10	4 009	4 013	3,10	97,4	-	0,00
11	3 587	3 591	4,11	97,4	-	0,00
12	2 914	2 919	6,00	97,4	-	0,00
13	3 857	3 861	3,45	97,4	-	0,00
14	4 642	4 646	1,74	97,4	-	0,00
15	4 796	4 799	1,45	97,4	-	0,00
16	4 913	4 917	1,22	97,4	-	0,00
17	5 167	5 170	0,75	97,4	-	0,00
18	6 466	6 468	-1,35	97,4	-	0,00
19	6 893	6 895	-1,95	97,4	-	0,00
2	8 717	8 719	-4,19	97,4	-	0,00
20	6 036	6 038	-0,70	97,4	-	0,00
21	6 850	6 852	-1,89	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 494	6 496	-1,39	97,4	-	0,00
23	6 932	6 934	-2,00	97,4	-	0,00
24	7 352	7 355	-2,56	97,4	-	0,00
25	7 501	7 504	-2,75	97,4	-	0,00
26	8 271	8 273	-3,68	97,4	-	0,00
27	7 598	7 600	-2,87	97,4	-	0,00
28	7 949	7 951	-3,30	97,4	-	0,00
29	8 594	8 595	-4,05	97,4	-	0,00
3	8 124	8 126	-3,51	97,4	-	0,00
30	8 341	8 343	-3,76	97,4	-	0,00
31	8 078	8 080	-3,46	97,4	-	0,00
32	9 035	9 036	-4,53	97,4	-	0,00
33	9 550	9 552	-5,07	97,4	-	0,00
34	9 366	9 367	-4,88	97,4	-	0,00
35	8 811	8 813	-4,29	97,4	-	0,00
36	8 675	8 677	-4,14	97,4	-	0,00
37	8 352	8 354	-3,78	97,4	-	0,00
38	8 392	8 394	-3,82	97,4	-	0,00
39	7 663	7 665	-2,96	97,4	-	0,00
4	7 491	7 493	-2,74	97,4	-	0,00
40	8 162	8 164	-3,56	97,4	-	0,00
41	8 589	8 591	-4,05	97,4	-	0,00
5	7 580	7 582	-2,85	97,4	-	0,00
6	6 929	6 931	-2,00	97,4	-	0,00
7	6 908	6 911	-1,97	97,4	-	0,00
8	4 326	4 329	2,40	97,4	-	0,00
9	4 219	4 222	2,63	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NH Upes iela 9

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 862	8 864	-4,35	97,4	-	0,00
10	4 009	4 013	3,10	97,4	-	0,00
11	3 587	3 591	4,11	97,4	-	0,00
12	2 914	2 919	6,00	97,4	-	0,00
13	3 857	3 861	3,45	97,4	-	0,00
14	4 642	4 646	1,74	97,4	-	0,00
15	4 796	4 799	1,45	97,4	-	0,00
16	4 913	4 917	1,22	97,4	-	0,00
17	5 167	5 170	0,75	97,4	-	0,00
18	6 466	6 468	-1,35	97,4	-	0,00
19	6 893	6 895	-1,95	97,4	-	0,00
2	8 717	8 719	-4,19	97,4	-	0,00
20	6 036	6 038	-0,70	97,4	-	0,00
21	6 850	6 852	-1,89	97,4	-	0,00
22	6 494	6 496	-1,39	97,4	-	0,00
23	6 932	6 934	-2,00	97,4	-	0,00
24	7 352	7 355	-2,56	97,4	-	0,00
25	7 501	7 504	-2,75	97,4	-	0,00
26	8 271	8 273	-3,68	97,4	-	0,00
27	7 598	7 600	-2,87	97,4	-	0,00
28	7 949	7 951	-3,30	97,4	-	0,00
29	8 594	8 595	-4,05	97,4	-	0,00
3	8 124	8 126	-3,51	97,4	-	0,00
30	8 341	8 343	-3,76	97,4	-	0,00
31	8 078	8 080	-3,46	97,4	-	0,00
32	9 035	9 036	-4,53	97,4	-	0,00
33	9 550	9 552	-5,07	97,4	-	0,00
34	9 366	9 367	-4,88	97,4	-	0,00
35	8 811	8 813	-4,29	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 675	8 677	-4,14	97,4	-	0,00
37	8 352	8 354	-3,78	97,4	-	0,00
38	8 392	8 394	-3,82	97,4	-	0,00
39	7 663	7 665	-2,96	97,4	-	0,00
4	7 491	7 493	-2,74	97,4	-	0,00
40	8 162	8 164	-3,56	97,4	-	0,00
41	8 589	8 591	-4,05	97,4	-	0,00
5	7 580	7 582	-2,85	97,4	-	0,00
6	6 929	6 931	-2,00	97,4	-	0,00
7	6 908	6 911	-1,97	97,4	-	0,00
8	4 326	4 329	2,40	97,4	-	0,00
9	4 219	4 222	2,63	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NI Vitolu iela 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 623	8 624	-4,08	97,4	-	0,00
10	3 826	3 830	3,52	97,4	-	0,00
11	3 627	3 631	4,01	97,4	-	0,00
12	3 007	3 013	5,71	97,4	-	0,00
13	3 940	3 944	3,26	97,4	-	0,00
14	4 706	4 709	1,62	97,4	-	0,00
15	4 900	4 903	1,25	97,4	-	0,00
16	5 047	5 050	0,97	97,4	-	0,00
17	5 329	5 332	0,46	97,4	-	0,00
18	6 544	6 546	-1,46	97,4	-	0,00
19	6 984	6 987	-2,07	97,4	-	0,00
2	8 496	8 498	-3,94	97,4	-	0,00
20	6 173	6 176	-0,91	97,4	-	0,00
21	6 966	6 968	-2,05	97,4	-	0,00
22	6 643	6 645	-1,60	97,4	-	0,00
23	7 093	7 095	-2,22	97,4	-	0,00
24	7 484	7 486	-2,73	97,4	-	0,00
25	7 552	7 555	-2,82	97,4	-	0,00
26	8 312	8 314	-3,73	97,4	-	0,00
27	7 693	7 696	-2,99	97,4	-	0,00
28	8 017	8 019	-3,39	97,4	-	0,00
29	8 651	8 653	-4,12	97,4	-	0,00
3	7 921	7 923	-3,27	97,4	-	0,00
30	8 425	8 427	-3,86	97,4	-	0,00
31	8 187	8 189	-3,59	97,4	-	0,00
32	9 102	9 104	-4,60	97,4	-	0,00
33	9 633	9 635	-5,15	97,4	-	0,00
34	9 468	9 470	-4,98	97,4	-	0,00
35	8 907	8 908	-4,39	97,4	-	0,00
36	8 792	8 794	-4,27	97,4	-	0,00
37	8 496	8 498	-3,94	97,4	-	0,00
38	8 564	8 566	-4,02	97,4	-	0,00
39	7 809	7 811	-3,14	97,4	-	0,00
4	7 281	7 283	-2,47	97,4	-	0,00
40	8 359	8 360	-3,78	97,4	-	0,00
41	8 798	8 800	-4,28	97,4	-	0,00
5	7 392	7 394	-2,61	97,4	-	0,00
6	6 705	6 708	-1,69	97,4	-	0,00
7	6 665	6 667	-1,63	97,4	-	0,00
8	4 183	4 187	2,71	97,4	-	0,00
9	4 123	4 127	2,84	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NI Vitolu iela 2

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 623	8 624	-4,08	97,4	-	0,00
10	3 826	3 830	3,52	97,4	-	0,00
11	3 627	3 631	4,01	97,4	-	0,00
12	3 007	3 013	5,71	97,4	-	0,00
13	3 940	3 944	3,26	97,4	-	0,00
14	4 706	4 709	1,62	97,4	-	0,00
15	4 900	4 903	1,25	97,4	-	0,00
16	5 047	5 050	0,97	97,4	-	0,00
17	5 329	5 332	0,46	97,4	-	0,00
18	6 544	6 546	-1,46	97,4	-	0,00
19	6 984	6 987	-2,07	97,4	-	0,00
2	8 496	8 498	-3,94	97,4	-	0,00
20	6 173	6 176	-0,91	97,4	-	0,00
21	6 966	6 968	-2,05	97,4	-	0,00
22	6 643	6 645	-1,60	97,4	-	0,00
23	7 093	7 095	-2,22	97,4	-	0,00
24	7 484	7 486	-2,73	97,4	-	0,00
25	7 552	7 555	-2,82	97,4	-	0,00
26	8 312	8 314	-3,73	97,4	-	0,00
27	7 693	7 696	-2,99	97,4	-	0,00
28	8 017	8 019	-3,39	97,4	-	0,00
29	8 651	8 653	-4,12	97,4	-	0,00
3	7 921	7 923	-3,27	97,4	-	0,00
30	8 425	8 427	-3,86	97,4	-	0,00
31	8 187	8 189	-3,59	97,4	-	0,00
32	9 102	9 104	-4,60	97,4	-	0,00
33	9 633	9 635	-5,15	97,4	-	0,00
34	9 468	9 470	-4,98	97,4	-	0,00
35	8 907	8 908	-4,39	97,4	-	0,00
36	8 792	8 794	-4,27	97,4	-	0,00
37	8 496	8 498	-3,94	97,4	-	0,00
38	8 564	8 566	-4,02	97,4	-	0,00
39	7 809	7 811	-3,14	97,4	-	0,00
4	7 281	7 283	-2,47	97,4	-	0,00
40	8 359	8 360	-3,78	97,4	-	0,00
41	8 798	8 800	-4,28	97,4	-	0,00
5	7 392	7 394	-2,61	97,4	-	0,00
6	6 705	6 708	-1,69	97,4	-	0,00
7	6 665	6 667	-1,63	97,4	-	0,00
8	4 183	4 187	2,71	97,4	-	0,00
9	4 123	4 127	2,84	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Noise sensitive area: NJ Upes iela 13

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 759	8 761	-4,23	97,4	-	0,00
10	3 917	3 921	3,31	97,4	-	0,00
11	3 557	3 561	4,19	97,4	-	0,00
12	2 900	2 906	6,04	97,4	-	0,00
13	3 841	3 845	3,49	97,4	-	0,00
14	4 621	4 624	1,79	97,4	-	0,00
15	4 788	4 791	1,46	97,4	-	0,00
16	4 916	4 919	1,22	97,4	-	0,00
17	5 180	5 183	0,73	97,4	-	0,00
18	6 450	6 452	-1,32	97,4	-	0,00
19	6 882	6 884	-1,93	97,4	-	0,00
2	8 618	8 620	-4,08	97,4	-	0,00
20	6 040	6 043	-0,71	97,4	-	0,00
21	6 847	6 849	-1,89	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 502	6 505	-1,40	97,4	-	0,00
23	6 945	6 947	-2,02	97,4	-	0,00
24	7 355	7 357	-2,57	97,4	-	0,00
25	7 477	7 479	-2,72	97,4	-	0,00
26	8 243	8 245	-3,65	97,4	-	0,00
27	7 588	7 590	-2,86	97,4	-	0,00
28	7 930	7 932	-3,28	97,4	-	0,00
29	8 571	8 573	-4,03	97,4	-	0,00
3	8 029	8 031	-3,40	97,4	-	0,00
30	8 327	8 329	-3,75	97,4	-	0,00
31	8 073	8 075	-3,45	97,4	-	0,00
32	9 016	9 017	-4,51	97,4	-	0,00
33	9 537	9 538	-5,05	97,4	-	0,00
34	9 358	9 360	-4,87	97,4	-	0,00
35	8 802	8 804	-4,28	97,4	-	0,00
36	8 673	8 675	-4,14	97,4	-	0,00
37	8 359	8 361	-3,79	97,4	-	0,00
38	8 410	8 412	-3,84	97,4	-	0,00
39	7 671	7 673	-2,97	97,4	-	0,00
4	7 394	7 396	-2,62	97,4	-	0,00
40	8 189	8 191	-3,59	97,4	-	0,00
41	8 621	8 623	-4,08	97,4	-	0,00
5	7 488	7 490	-2,73	97,4	-	0,00
6	6 829	6 831	-1,86	97,4	-	0,00
7	6 804	6 807	-1,83	97,4	-	0,00
8	4 244	4 247	2,57	97,4	-	0,00
9	4 149	4 153	2,78	97,4	-	0,00
Sum			15,52			

- Data undefined due to calculation with octave data

Noise sensitive area: NJ Upes iela 13

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 759	8 761	-4,23	97,4	-	0,00
10	3 917	3 921	3,31	97,4	-	0,00
11	3 557	3 561	4,19	97,4	-	0,00
12	2 900	2 906	6,04	97,4	-	0,00
13	3 841	3 845	3,49	97,4	-	0,00
14	4 621	4 624	1,79	97,4	-	0,00
15	4 788	4 791	1,46	97,4	-	0,00
16	4 916	4 919	1,22	97,4	-	0,00
17	5 180	5 183	0,73	97,4	-	0,00
18	6 450	6 452	-1,32	97,4	-	0,00
19	6 882	6 884	-1,93	97,4	-	0,00
2	8 618	8 620	-4,08	97,4	-	0,00
20	6 040	6 043	-0,71	97,4	-	0,00
21	6 847	6 849	-1,89	97,4	-	0,00
22	6 502	6 505	-1,40	97,4	-	0,00
23	6 945	6 947	-2,02	97,4	-	0,00
24	7 355	7 357	-2,57	97,4	-	0,00
25	7 477	7 479	-2,72	97,4	-	0,00
26	8 243	8 245	-3,65	97,4	-	0,00
27	7 588	7 590	-2,86	97,4	-	0,00
28	7 930	7 932	-3,28	97,4	-	0,00
29	8 571	8 573	-4,03	97,4	-	0,00
3	8 029	8 031	-3,40	97,4	-	0,00
30	8 327	8 329	-3,75	97,4	-	0,00
31	8 073	8 075	-3,45	97,4	-	0,00
32	9 016	9 017	-4,51	97,4	-	0,00
33	9 537	9 538	-5,05	97,4	-	0,00
34	9 358	9 360	-4,87	97,4	-	0,00
35	8 802	8 804	-4,28	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 673	8 675	-4,14	97,4	-	0,00
37	8 359	8 361	-3,79	97,4	-	0,00
38	8 410	8 412	-3,84	97,4	-	0,00
39	7 671	7 673	-2,97	97,4	-	0,00
4	7 394	7 396	-2,62	97,4	-	0,00
40	8 189	8 191	-3,59	97,4	-	0,00
41	8 621	8 623	-4,08	97,4	-	0,00
5	7 488	7 490	-2,73	97,4	-	0,00
6	6 829	6 831	-1,86	97,4	-	0,00
7	6 804	6 807	-1,83	97,4	-	0,00
8	4 244	4 247	2,57	97,4	-	0,00
9	4 149	4 153	2,78	97,4	-	0,00
Sum			15,52			

- Data undefined due to calculation with octave data

Noise sensitive area: NK Marsili

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 260	7 262	-2,44	97,4	-	0,00
10	3 143	3 148	5,32	97,4	-	0,00
11	4 244	4 248	2,57	97,4	-	0,00
12	3 964	3 968	3,20	97,4	-	0,00
13	4 724	4 727	1,59	97,4	-	0,00
14	5 318	5 321	0,48	97,4	-	0,00
15	5 703	5 705	-0,17	97,4	-	0,00
16	5 980	5 983	-0,61	97,4	-	0,00
17	6 387	6 390	-1,23	97,4	-	0,00
18	7 112	7 114	-2,25	97,4	-	0,00
19	7 604	7 606	-2,88	97,4	-	0,00
2	7 247	7 249	-2,42	97,4	-	0,00
20	7 067	7 069	-2,19	97,4	-	0,00
21	7 719	7 721	-3,02	97,4	-	0,00
22	7 574	7 576	-2,84	97,4	-	0,00
23	8 075	8 077	-3,45	97,4	-	0,00
24	8 299	8 301	-3,72	97,4	-	0,00
25	7 934	7 936	-3,29	97,4	-	0,00
26	8 616	8 618	-4,08	97,4	-	0,00
27	8 310	8 312	-3,73	97,4	-	0,00
28	8 477	8 479	-3,92	97,4	-	0,00
29	9 033	9 035	-4,53	97,4	-	0,00
3	6 802	6 804	-1,82	97,4	-	0,00
30	8 958	8 960	-4,45	97,4	-	0,00
31	8 859	8 861	-4,34	97,4	-	0,00
32	9 523	9 525	-5,04	97,4	-	0,00
33	10 128	10 129	-5,64	97,4	-	0,00
34	10 073	10 074	-5,58	97,4	-	0,00
35	9 485	9 487	-5,00	97,4	-	0,00
36	9 491	9 492	-5,01	97,4	-	0,00
37	9 343	9 344	-4,85	97,4	-	0,00
38	9 559	9 560	-5,08	97,4	-	0,00
39	8 687	8 689	-4,15	97,4	-	0,00
4	6 135	6 138	-0,85	97,4	-	0,00
40	9 491	9 492	-5,01	97,4	-	0,00
41	9 985	9 987	-5,50	97,4	-	0,00
5	6 384	6 386	-1,23	97,4	-	0,00
6	5 498	5 501	0,17	97,4	-	0,00
7	5 329	5 332	0,46	97,4	-	0,00
8	3 706	3 710	3,82	97,4	-	0,00
9	3 941	3 945	3,25	97,4	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NK Marsili

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 260	7 262	-2,44	97,4	-	0,00
10	3 143	3 148	5,32	97,4	-	0,00
11	4 244	4 248	2,57	97,4	-	0,00
12	3 964	3 968	3,20	97,4	-	0,00
13	4 724	4 727	1,59	97,4	-	0,00
14	5 318	5 321	0,48	97,4	-	0,00
15	5 703	5 705	-0,17	97,4	-	0,00
16	5 980	5 983	-0,61	97,4	-	0,00
17	6 387	6 390	-1,23	97,4	-	0,00
18	7 112	7 114	-2,25	97,4	-	0,00
19	7 604	7 606	-2,88	97,4	-	0,00
2	7 247	7 249	-2,42	97,4	-	0,00
20	7 067	7 069	-2,19	97,4	-	0,00
21	7 719	7 721	-3,02	97,4	-	0,00
22	7 574	7 576	-2,84	97,4	-	0,00
23	8 075	8 077	-3,45	97,4	-	0,00
24	8 299	8 301	-3,72	97,4	-	0,00
25	7 934	7 936	-3,29	97,4	-	0,00
26	8 616	8 618	-4,08	97,4	-	0,00
27	8 310	8 312	-3,73	97,4	-	0,00
28	8 477	8 479	-3,92	97,4	-	0,00
29	9 033	9 035	-4,53	97,4	-	0,00
3	6 802	6 804	-1,82	97,4	-	0,00
30	8 958	8 960	-4,45	97,4	-	0,00
31	8 859	8 861	-4,34	97,4	-	0,00
32	9 523	9 525	-5,04	97,4	-	0,00
33	10 128	10 129	-5,64	97,4	-	0,00
34	10 073	10 074	-5,58	97,4	-	0,00
35	9 485	9 487	-5,00	97,4	-	0,00
36	9 491	9 492	-5,01	97,4	-	0,00
37	9 343	9 344	-4,85	97,4	-	0,00
38	9 559	9 560	-5,08	97,4	-	0,00
39	8 687	8 689	-4,15	97,4	-	0,00
4	6 135	6 138	-0,85	97,4	-	0,00
40	9 491	9 492	-5,01	97,4	-	0,00
41	9 985	9 987	-5,50	97,4	-	0,00
5	6 384	6 386	-1,23	97,4	-	0,00
6	5 498	5 501	0,17	97,4	-	0,00
7	5 329	5 332	0,46	97,4	-	0,00
8	3 706	3 710	3,82	97,4	-	0,00
9	3 941	3 945	3,25	97,4	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Noise sensitive area: NL Lapaines

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 191	7 193	-2,35	97,4	-	0,00
10	3 096	3 101	5,45	97,4	-	0,00
11	4 237	4 241	2,59	97,4	-	0,00
12	3 971	3 975	3,18	97,4	-	0,00
13	4 720	4 724	1,59	97,4	-	0,00
14	5 307	5 310	0,50	97,4	-	0,00
15	5 697	5 700	-0,16	97,4	-	0,00
16	5 979	5 982	-0,61	97,4	-	0,00
17	6 390	6 393	-1,24	97,4	-	0,00
18	7 096	7 098	-2,22	97,4	-	0,00
19	7 589	7 591	-2,86	97,4	-	0,00
2	7 179	7 181	-2,34	97,4	-	0,00
20	7 063	7 065	-2,18	97,4	-	0,00
21	7 709	7 711	-3,01	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 570	7 573	-2,84	97,4	-	0,00
23	8 072	8 074	-3,45	97,4	-	0,00
24	8 290	8 292	-3,71	97,4	-	0,00
25	7 911	7 913	-3,26	97,4	-	0,00
26	8 589	8 591	-4,05	97,4	-	0,00
27	8 294	8 296	-3,71	97,4	-	0,00
28	8 455	8 457	-3,89	97,4	-	0,00
29	9 008	9 010	-4,50	97,4	-	0,00
3	6 737	6 739	-1,73	97,4	-	0,00
30	8 939	8 941	-4,43	97,4	-	0,00
31	8 845	8 847	-4,33	97,4	-	0,00
32	9 499	9 501	-5,02	97,4	-	0,00
33	10 106	10 108	-5,61	97,4	-	0,00
34	10 055	10 056	-5,57	97,4	-	0,00
35	9 467	9 468	-4,98	97,4	-	0,00
36	9 476	9 478	-4,99	97,4	-	0,00
37	9 334	9 336	-4,85	97,4	-	0,00
38	9 556	9 557	-5,07	97,4	-	0,00
39	8 680	8 682	-4,15	97,4	-	0,00
4	6 070	6 073	-0,75	97,4	-	0,00
40	9 493	9 495	-5,01	97,4	-	0,00
41	9 989	9 991	-5,50	97,4	-	0,00
5	6 322	6 324	-1,13	97,4	-	0,00
6	5 432	5 435	0,29	97,4	-	0,00
7	5 261	5 264	0,58	97,4	-	0,00
8	3 663	3 667	3,92	97,4	-	0,00
9	3 908	3 912	3,33	97,4	-	0,00
Sum			15,10			

- Data undefined due to calculation with octave data

Noise sensitive area: NL Lapaines

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 191	7 193	-2,35	97,4	-	0,00
10	3 096	3 101	5,45	97,4	-	0,00
11	4 237	4 241	2,59	97,4	-	0,00
12	3 971	3 975	3,18	97,4	-	0,00
13	4 720	4 724	1,59	97,4	-	0,00
14	5 307	5 310	0,50	97,4	-	0,00
15	5 697	5 700	-0,16	97,4	-	0,00
16	5 979	5 982	-0,61	97,4	-	0,00
17	6 390	6 393	-1,24	97,4	-	0,00
18	7 096	7 098	-2,22	97,4	-	0,00
19	7 589	7 591	-2,86	97,4	-	0,00
2	7 179	7 181	-2,34	97,4	-	0,00
20	7 063	7 065	-2,18	97,4	-	0,00
21	7 709	7 711	-3,01	97,4	-	0,00
22	7 570	7 573	-2,84	97,4	-	0,00
23	8 072	8 074	-3,45	97,4	-	0,00
24	8 290	8 292	-3,71	97,4	-	0,00
25	7 911	7 913	-3,26	97,4	-	0,00
26	8 589	8 591	-4,05	97,4	-	0,00
27	8 294	8 296	-3,71	97,4	-	0,00
28	8 455	8 457	-3,89	97,4	-	0,00
29	9 008	9 010	-4,50	97,4	-	0,00
3	6 737	6 739	-1,73	97,4	-	0,00
30	8 939	8 941	-4,43	97,4	-	0,00
31	8 845	8 847	-4,33	97,4	-	0,00
32	9 499	9 501	-5,02	97,4	-	0,00
33	10 106	10 108	-5,61	97,4	-	0,00
34	10 055	10 056	-5,57	97,4	-	0,00
35	9 467	9 468	-4,98	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 476	9 478	-4,99	97,4	-	0,00
37	9 334	9 336	-4,85	97,4	-	0,00
38	9 556	9 557	-5,07	97,4	-	0,00
39	8 680	8 682	-4,15	97,4	-	0,00
4	6 070	6 073	-0,75	97,4	-	0,00
40	9 493	9 495	-5,01	97,4	-	0,00
41	9 989	9 991	-5,50	97,4	-	0,00
5	6 322	6 324	-1,13	97,4	-	0,00
6	5 432	5 435	0,29	97,4	-	0,00
7	5 261	5 264	0,58	97,4	-	0,00
8	3 663	3 667	3,92	97,4	-	0,00
9	3 908	3 912	3,33	97,4	-	0,00
Sum			15,10			

- Data undefined due to calculation with octave data

Noise sensitive area: NM Upes iela 18

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 698	8 700	-4,17	97,4	-	0,00
10	3 877	3 881	3,40	97,4	-	0,00
11	3 593	3 597	4,10	97,4	-	0,00
12	2 953	2 959	5,88	97,4	-	0,00
13	3 890	3 894	3,37	97,4	-	0,00
14	4 664	4 667	1,70	97,4	-	0,00
15	4 844	4 847	1,35	97,4	-	0,00
16	4 981	4 984	1,09	97,4	-	0,00
17	5 253	5 256	0,60	97,4	-	0,00
18	6 498	6 500	-1,39	97,4	-	0,00
19	6 934	6 936	-2,01	97,4	-	0,00
2	8 564	8 566	-4,02	97,4	-	0,00
20	6 106	6 109	-0,81	97,4	-	0,00
21	6 907	6 909	-1,97	97,4	-	0,00
22	6 572	6 574	-1,50	97,4	-	0,00
23	7 018	7 020	-2,12	97,4	-	0,00
24	7 419	7 421	-2,65	97,4	-	0,00
25	7 516	7 518	-2,77	97,4	-	0,00
26	8 280	8 282	-3,69	97,4	-	0,00
27	7 641	7 643	-2,93	97,4	-	0,00
28	7 975	7 977	-3,34	97,4	-	0,00
29	8 613	8 615	-4,07	97,4	-	0,00
3	7 982	7 984	-3,34	97,4	-	0,00
30	8 377	8 379	-3,81	97,4	-	0,00
31	8 130	8 132	-3,52	97,4	-	0,00
32	9 060	9 062	-4,56	97,4	-	0,00
33	9 586	9 588	-5,10	97,4	-	0,00
34	9 414	9 415	-4,93	97,4	-	0,00
35	8 855	8 857	-4,34	97,4	-	0,00
36	8 733	8 735	-4,20	97,4	-	0,00
37	8 427	8 429	-3,86	97,4	-	0,00
38	8 485	8 487	-3,93	97,4	-	0,00
39	7 739	7 742	-3,05	97,4	-	0,00
4	7 344	7 347	-2,55	97,4	-	0,00
40	8 272	8 274	-3,68	97,4	-	0,00
41	8 707	8 709	-4,18	97,4	-	0,00
5	7 446	7 448	-2,68	97,4	-	0,00
6	6 774	6 777	-1,79	97,4	-	0,00
7	6 742	6 745	-1,74	97,4	-	0,00
8	4 218	4 222	2,63	97,4	-	0,00
9	4 140	4 144	2,80	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NM Upes iela 18

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 698	8 700	-4,17	97,4	-	0,00
10	3 877	3 881	3,40	97,4	-	0,00
11	3 593	3 597	4,10	97,4	-	0,00
12	2 953	2 959	5,88	97,4	-	0,00
13	3 890	3 894	3,37	97,4	-	0,00
14	4 664	4 667	1,70	97,4	-	0,00
15	4 844	4 847	1,35	97,4	-	0,00
16	4 981	4 984	1,09	97,4	-	0,00
17	5 253	5 256	0,60	97,4	-	0,00
18	6 498	6 500	-1,39	97,4	-	0,00
19	6 934	6 936	-2,01	97,4	-	0,00
2	8 564	8 566	-4,02	97,4	-	0,00
20	6 106	6 109	-0,81	97,4	-	0,00
21	6 907	6 909	-1,97	97,4	-	0,00
22	6 572	6 574	-1,50	97,4	-	0,00
23	7 018	7 020	-2,12	97,4	-	0,00
24	7 419	7 421	-2,65	97,4	-	0,00
25	7 516	7 518	-2,77	97,4	-	0,00
26	8 280	8 282	-3,69	97,4	-	0,00
27	7 641	7 643	-2,93	97,4	-	0,00
28	7 975	7 977	-3,34	97,4	-	0,00
29	8 613	8 615	-4,07	97,4	-	0,00
3	7 982	7 984	-3,34	97,4	-	0,00
30	8 377	8 379	-3,81	97,4	-	0,00
31	8 130	8 132	-3,52	97,4	-	0,00
32	9 060	9 062	-4,56	97,4	-	0,00
33	9 586	9 588	-5,10	97,4	-	0,00
34	9 414	9 415	-4,93	97,4	-	0,00
35	8 855	8 857	-4,34	97,4	-	0,00
36	8 733	8 735	-4,20	97,4	-	0,00
37	8 427	8 429	-3,86	97,4	-	0,00
38	8 485	8 487	-3,93	97,4	-	0,00
39	7 739	7 742	-3,05	97,4	-	0,00
4	7 344	7 347	-2,55	97,4	-	0,00
40	8 272	8 274	-3,68	97,4	-	0,00
41	8 707	8 709	-4,18	97,4	-	0,00
5	7 446	7 448	-2,68	97,4	-	0,00
6	6 774	6 777	-1,79	97,4	-	0,00
7	6 742	6 745	-1,74	97,4	-	0,00
8	4 218	4 222	2,63	97,4	-	0,00
9	4 140	4 144	2,80	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NN Padomes iela 29

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 992	8 993	-4,49	97,4	-	0,00
10	4 138	4 142	2,81	97,4	-	0,00
11	3 684	3 688	3,87	97,4	-	0,00
12	2 997	3 003	5,75	97,4	-	0,00
13	3 942	3 946	3,25	97,4	-	0,00
14	4 732	4 735	1,57	97,4	-	0,00
15	4 873	4 876	1,30	97,4	-	0,00
16	4 981	4 984	1,09	97,4	-	0,00
17	5 224	5 227	0,65	97,4	-	0,00
18	6 550	6 553	-1,47	97,4	-	0,00
19	6 973	6 976	-2,06	97,4	-	0,00
2	8 847	8 849	-4,33	97,4	-	0,00
20	6 101	6 104	-0,80	97,4	-	0,00
21	6 922	6 924	-1,99	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 555	6 558	-1,48	97,4	-	0,00
23	6 988	6 990	-2,08	97,4	-	0,00
24	7 419	7 421	-2,65	97,4	-	0,00
25	7 593	7 595	-2,87	97,4	-	0,00
26	8 364	8 366	-3,79	97,4	-	0,00
27	7 676	7 678	-2,97	97,4	-	0,00
28	8 035	8 037	-3,41	97,4	-	0,00
29	8 683	8 684	-4,15	97,4	-	0,00
3	8 254	8 256	-3,66	97,4	-	0,00
30	8 422	8 424	-3,86	97,4	-	0,00
31	8 152	8 154	-3,55	97,4	-	0,00
32	9 121	9 123	-4,62	97,4	-	0,00
33	9 632	9 634	-5,15	97,4	-	0,00
34	9 441	9 443	-4,96	97,4	-	0,00
35	8 890	8 891	-4,38	97,4	-	0,00
36	8 747	8 749	-4,22	97,4	-	0,00
37	8 415	8 417	-3,85	97,4	-	0,00
38	8 444	8 446	-3,88	97,4	-	0,00
39	7 725	7 727	-3,03	97,4	-	0,00
4	7 621	7 623	-2,90	97,4	-	0,00
40	8 204	8 205	-3,61	97,4	-	0,00
41	8 626	8 628	-4,09	97,4	-	0,00
5	7 709	7 711	-3,01	97,4	-	0,00
6	7 059	7 061	-2,18	97,4	-	0,00
7	7 038	7 040	-2,15	97,4	-	0,00
8	4 452	4 456	2,13	97,4	-	0,00
9	4 340	4 344	2,37	97,4	-	0,00
Sum			15,30			

- Data undefined due to calculation with octave data

Noise sensitive area: NN Padomes iela 29

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 992	8 993	-4,49	97,4	-	0,00
10	4 138	4 142	2,81	97,4	-	0,00
11	3 684	3 688	3,87	97,4	-	0,00
12	2 997	3 003	5,75	97,4	-	0,00
13	3 942	3 946	3,25	97,4	-	0,00
14	4 732	4 735	1,57	97,4	-	0,00
15	4 873	4 876	1,30	97,4	-	0,00
16	4 981	4 984	1,09	97,4	-	0,00
17	5 224	5 227	0,65	97,4	-	0,00
18	6 550	6 553	-1,47	97,4	-	0,00
19	6 973	6 976	-2,06	97,4	-	0,00
2	8 847	8 849	-4,33	97,4	-	0,00
20	6 101	6 104	-0,80	97,4	-	0,00
21	6 922	6 924	-1,99	97,4	-	0,00
22	6 555	6 558	-1,48	97,4	-	0,00
23	6 988	6 990	-2,08	97,4	-	0,00
24	7 419	7 421	-2,65	97,4	-	0,00
25	7 593	7 595	-2,87	97,4	-	0,00
26	8 364	8 366	-3,79	97,4	-	0,00
27	7 676	7 678	-2,97	97,4	-	0,00
28	8 035	8 037	-3,41	97,4	-	0,00
29	8 683	8 684	-4,15	97,4	-	0,00
3	8 254	8 256	-3,66	97,4	-	0,00
30	8 422	8 424	-3,86	97,4	-	0,00
31	8 152	8 154	-3,55	97,4	-	0,00
32	9 121	9 123	-4,62	97,4	-	0,00
33	9 632	9 634	-5,15	97,4	-	0,00
34	9 441	9 443	-4,96	97,4	-	0,00
35	8 890	8 891	-4,38	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 747	8 749	-4,22	97,4	-	0,00
37	8 415	8 417	-3,85	97,4	-	0,00
38	8 444	8 446	-3,88	97,4	-	0,00
39	7 725	7 727	-3,03	97,4	-	0,00
4	7 621	7 623	-2,90	97,4	-	0,00
40	8 204	8 205	-3,61	97,4	-	0,00
41	8 626	8 628	-4,09	97,4	-	0,00
5	7 709	7 711	-3,01	97,4	-	0,00
6	7 059	7 061	-2,18	97,4	-	0,00
7	7 038	7 040	-2,15	97,4	-	0,00
8	4 452	4 456	2,13	97,4	-	0,00
9	4 340	4 344	2,37	97,4	-	0,00
Sum			15,30			

- Data undefined due to calculation with octave data

Noise sensitive area: NO Skolas iela 5

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 388	9 389	-4,90	97,4	-	0,00
10	4 478	4 482	2,08	97,4	-	0,00
11	3 729	3 733	3,76	97,4	-	0,00
12	2 979	2 985	5,80	97,4	-	0,00
13	3 917	3 921	3,31	97,4	-	0,00
14	4 725	4 728	1,58	97,4	-	0,00
15	4 800	4 803	1,44	97,4	-	0,00
16	4 861	4 864	1,32	97,4	-	0,00
17	5 054	5 057	0,96	97,4	-	0,00
18	6 504	6 506	-1,40	97,4	-	0,00
19	6 903	6 906	-1,96	97,4	-	0,00
2	9 220	9 222	-4,73	97,4	-	0,00
20	5 964	5 967	-0,59	97,4	-	0,00
21	6 813	6 815	-1,84	97,4	-	0,00
22	6 397	6 399	-1,25	97,4	-	0,00
23	6 806	6 808	-1,83	97,4	-	0,00
24	7 283	7 285	-2,47	97,4	-	0,00
25	7 581	7 583	-2,85	97,4	-	0,00
26	8 364	8 365	-3,79	97,4	-	0,00
27	7 596	7 598	-2,87	97,4	-	0,00
28	7 995	7 997	-3,36	97,4	-	0,00
29	8 656	8 658	-4,12	97,4	-	0,00
3	8 603	8 605	-4,06	97,4	-	0,00
30	8 356	8 358	-3,78	97,4	-	0,00
31	8 048	8 050	-3,42	97,4	-	0,00
32	9 078	9 080	-4,58	97,4	-	0,00
33	9 563	9 565	-5,08	97,4	-	0,00
34	9 343	9 344	-4,85	97,4	-	0,00
35	8 805	8 806	-4,28	97,4	-	0,00
36	8 628	8 630	-4,09	97,4	-	0,00
37	8 256	8 257	-3,67	97,4	-	0,00
38	8 239	8 241	-3,65	97,4	-	0,00
39	7 565	7 567	-2,83	97,4	-	0,00
4	7 982	7 984	-3,34	97,4	-	0,00
40	7 958	7 960	-3,31	97,4	-	0,00
41	8 358	8 360	-3,78	97,4	-	0,00
5	8 040	8 041	-3,41	97,4	-	0,00
6	7 438	7 440	-2,67	97,4	-	0,00
7	7 442	7 445	-2,68	97,4	-	0,00
8	4 739	4 742	1,56	97,4	-	0,00
9	4 566	4 569	1,90	97,4	-	0,00
Sum			15,24			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NO Skolas iela 5

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 388	9 389	-4,90	97,4	-	0,00
10	4 478	4 482	2,08	97,4	-	0,00
11	3 729	3 733	3,76	97,4	-	0,00
12	2 979	2 985	5,80	97,4	-	0,00
13	3 917	3 921	3,31	97,4	-	0,00
14	4 725	4 728	1,58	97,4	-	0,00
15	4 800	4 803	1,44	97,4	-	0,00
16	4 861	4 864	1,32	97,4	-	0,00
17	5 054	5 057	0,96	97,4	-	0,00
18	6 504	6 506	-1,40	97,4	-	0,00
19	6 903	6 906	-1,96	97,4	-	0,00
2	9 220	9 222	-4,73	97,4	-	0,00
20	5 964	5 967	-0,59	97,4	-	0,00
21	6 813	6 815	-1,84	97,4	-	0,00
22	6 397	6 399	-1,25	97,4	-	0,00
23	6 806	6 808	-1,83	97,4	-	0,00
24	7 283	7 285	-2,47	97,4	-	0,00
25	7 581	7 583	-2,85	97,4	-	0,00
26	8 364	8 365	-3,79	97,4	-	0,00
27	7 596	7 598	-2,87	97,4	-	0,00
28	7 995	7 997	-3,36	97,4	-	0,00
29	8 656	8 658	-4,12	97,4	-	0,00
3	8 603	8 605	-4,06	97,4	-	0,00
30	8 356	8 358	-3,78	97,4	-	0,00
31	8 048	8 050	-3,42	97,4	-	0,00
32	9 078	9 080	-4,58	97,4	-	0,00
33	9 563	9 565	-5,08	97,4	-	0,00
34	9 343	9 344	-4,85	97,4	-	0,00
35	8 805	8 806	-4,28	97,4	-	0,00
36	8 628	8 630	-4,09	97,4	-	0,00
37	8 256	8 257	-3,67	97,4	-	0,00
38	8 239	8 241	-3,65	97,4	-	0,00
39	7 565	7 567	-2,83	97,4	-	0,00
4	7 982	7 984	-3,34	97,4	-	0,00
40	7 958	7 960	-3,31	97,4	-	0,00
41	8 358	8 360	-3,78	97,4	-	0,00
5	8 040	8 041	-3,41	97,4	-	0,00
6	7 438	7 440	-2,67	97,4	-	0,00
7	7 442	7 445	-2,68	97,4	-	0,00
8	4 739	4 742	1,56	97,4	-	0,00
9	4 566	4 569	1,90	97,4	-	0,00
Sum			15,24			

- Data undefined due to calculation with octave data

Noise sensitive area: NP Darzu iela 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 893	8 895	-4,38	97,4	-	0,00
10	4 004	4 007	3,11	97,4	-	0,00
11	3 445	3 450	4,48	97,4	-	0,00
12	2 748	2 754	6,53	97,4	-	0,00
13	3 692	3 697	3,85	97,4	-	0,00
14	4 486	4 490	2,06	97,4	-	0,00
15	4 619	4 623	1,79	97,4	-	0,00
16	4 725	4 728	1,58	97,4	-	0,00
17	4 967	4 970	1,12	97,4	-	0,00
18	6 300	6 303	-1,10	97,4	-	0,00
19	6 721	6 723	-1,71	97,4	-	0,00
2	8 734	8 736	-4,21	97,4	-	0,00
20	5 845	5 847	-0,40	97,4	-	0,00
21	6 666	6 669	-1,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 298	6 301	-1,10	97,4	-	0,00
23	6 731	6 733	-1,73	97,4	-	0,00
24	7 163	7 165	-2,31	97,4	-	0,00
25	7 347	7 349	-2,56	97,4	-	0,00
26	8 121	8 123	-3,51	97,4	-	0,00
27	7 423	7 425	-2,65	97,4	-	0,00
28	7 786	7 788	-3,11	97,4	-	0,00
29	8 435	8 437	-3,87	97,4	-	0,00
3	8 127	8 129	-3,52	97,4	-	0,00
30	8 170	8 172	-3,57	97,4	-	0,00
31	7 897	7 899	-3,24	97,4	-	0,00
32	8 872	8 874	-4,36	97,4	-	0,00
33	9 380	9 382	-4,89	97,4	-	0,00
34	9 187	9 188	-4,69	97,4	-	0,00
35	8 636	8 638	-4,10	97,4	-	0,00
36	8 491	8 493	-3,94	97,4	-	0,00
37	8 158	8 160	-3,55	97,4	-	0,00
38	8 187	8 190	-3,59	97,4	-	0,00
39	7 468	7 470	-2,71	97,4	-	0,00
4	7 500	7 502	-2,75	97,4	-	0,00
40	7 949	7 951	-3,30	97,4	-	0,00
41	8 373	8 375	-3,80	97,4	-	0,00
5	7 571	7 573	-2,84	97,4	-	0,00
6	6 949	6 951	-2,03	97,4	-	0,00
7	6 945	6 947	-2,02	97,4	-	0,00
8	4 291	4 294	2,47	97,4	-	0,00
9	4 153	4 157	2,77	97,4	-	0,00
Sum			15,72			

- Data undefined due to calculation with octave data

Noise sensitive area: NP Darzu iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 893	8 895	-4,38	97,4	-	0,00
10	4 004	4 007	3,11	97,4	-	0,00
11	3 445	3 450	4,48	97,4	-	0,00
12	2 748	2 754	6,53	97,4	-	0,00
13	3 692	3 697	3,85	97,4	-	0,00
14	4 486	4 490	2,06	97,4	-	0,00
15	4 619	4 623	1,79	97,4	-	0,00
16	4 725	4 728	1,58	97,4	-	0,00
17	4 967	4 970	1,12	97,4	-	0,00
18	6 300	6 303	-1,10	97,4	-	0,00
19	6 721	6 723	-1,71	97,4	-	0,00
2	8 734	8 736	-4,21	97,4	-	0,00
20	5 845	5 847	-0,40	97,4	-	0,00
21	6 666	6 669	-1,63	97,4	-	0,00
22	6 298	6 301	-1,10	97,4	-	0,00
23	6 731	6 733	-1,73	97,4	-	0,00
24	7 163	7 165	-2,31	97,4	-	0,00
25	7 347	7 349	-2,56	97,4	-	0,00
26	8 121	8 123	-3,51	97,4	-	0,00
27	7 423	7 425	-2,65	97,4	-	0,00
28	7 786	7 788	-3,11	97,4	-	0,00
29	8 435	8 437	-3,87	97,4	-	0,00
3	8 127	8 129	-3,52	97,4	-	0,00
30	8 170	8 172	-3,57	97,4	-	0,00
31	7 897	7 899	-3,24	97,4	-	0,00
32	8 872	8 874	-4,36	97,4	-	0,00
33	9 380	9 382	-4,89	97,4	-	0,00
34	9 187	9 188	-4,69	97,4	-	0,00
35	8 636	8 638	-4,10	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 491	8 493	-3,94	97,4	-	0,00
37	8 158	8 160	-3,55	97,4	-	0,00
38	8 187	8 190	-3,59	97,4	-	0,00
39	7 468	7 470	-2,71	97,4	-	0,00
4	7 500	7 502	-2,75	97,4	-	0,00
40	7 949	7 951	-3,30	97,4	-	0,00
41	8 373	8 375	-3,80	97,4	-	0,00
5	7 571	7 573	-2,84	97,4	-	0,00
6	6 949	6 951	-2,03	97,4	-	0,00
7	6 945	6 947	-2,02	97,4	-	0,00
8	4 291	4 294	2,47	97,4	-	0,00
9	4 153	4 157	2,77	97,4	-	0,00
Sum			15,72			

- Data undefined due to calculation with octave data

Noise sensitive area: NQ Darzu iela 5

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 872	8 873	-4,36	97,4	-	0,00
10	3 995	3 999	3,13	97,4	-	0,00
11	3 491	3 495	4,36	97,4	-	0,00
12	2 804	2 810	6,35	97,4	-	0,00
13	3 748	3 752	3,71	97,4	-	0,00
14	4 538	4 542	1,95	97,4	-	0,00
15	4 680	4 683	1,67	97,4	-	0,00
16	4 791	4 795	1,45	97,4	-	0,00
17	5 038	5 042	0,99	97,4	-	0,00
18	6 357	6 359	-1,19	97,4	-	0,00
19	6 780	6 782	-1,79	97,4	-	0,00
2	8 718	8 720	-4,19	97,4	-	0,00
20	5 912	5 915	-0,50	97,4	-	0,00
21	6 731	6 733	-1,72	97,4	-	0,00
22	6 368	6 370	-1,20	97,4	-	0,00
23	6 803	6 805	-1,83	97,4	-	0,00
24	7 230	7 232	-2,40	97,4	-	0,00
25	7 399	7 401	-2,62	97,4	-	0,00
26	8 171	8 173	-3,57	97,4	-	0,00
27	7 483	7 486	-2,73	97,4	-	0,00
28	7 841	7 843	-3,17	97,4	-	0,00
29	8 489	8 491	-3,93	97,4	-	0,00
3	8 116	8 118	-3,50	97,4	-	0,00
30	8 229	8 231	-3,64	97,4	-	0,00
31	7 960	7 962	-3,32	97,4	-	0,00
32	8 927	8 929	-4,42	97,4	-	0,00
33	9 439	9 440	-4,95	97,4	-	0,00
34	9 249	9 251	-4,76	97,4	-	0,00
35	8 697	8 699	-4,17	97,4	-	0,00
36	8 556	8 558	-4,01	97,4	-	0,00
37	8 227	8 229	-3,63	97,4	-	0,00
38	8 261	8 263	-3,67	97,4	-	0,00
39	7 538	7 540	-2,80	97,4	-	0,00
4	7 487	7 489	-2,73	97,4	-	0,00
40	8 027	8 029	-3,40	97,4	-	0,00
41	8 453	8 455	-3,89	97,4	-	0,00
5	7 565	7 567	-2,83	97,4	-	0,00
6	6 931	6 934	-2,00	97,4	-	0,00
7	6 921	6 924	-1,99	97,4	-	0,00
8	4 294	4 297	2,47	97,4	-	0,00
9	4 168	4 172	2,74	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NQ Darzu iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 872	8 873	-4,36	97,4	-	0,00
10	3 995	3 999	3,13	97,4	-	0,00
11	3 491	3 495	4,36	97,4	-	0,00
12	2 804	2 810	6,35	97,4	-	0,00
13	3 748	3 752	3,71	97,4	-	0,00
14	4 538	4 542	1,95	97,4	-	0,00
15	4 680	4 683	1,67	97,4	-	0,00
16	4 791	4 795	1,45	97,4	-	0,00
17	5 038	5 042	0,99	97,4	-	0,00
18	6 357	6 359	-1,19	97,4	-	0,00
19	6 780	6 782	-1,79	97,4	-	0,00
2	8 718	8 720	-4,19	97,4	-	0,00
20	5 912	5 915	-0,50	97,4	-	0,00
21	6 731	6 733	-1,72	97,4	-	0,00
22	6 368	6 370	-1,20	97,4	-	0,00
23	6 803	6 805	-1,83	97,4	-	0,00
24	7 230	7 232	-2,40	97,4	-	0,00
25	7 399	7 401	-2,62	97,4	-	0,00
26	8 171	8 173	-3,57	97,4	-	0,00
27	7 483	7 486	-2,73	97,4	-	0,00
28	7 841	7 843	-3,17	97,4	-	0,00
29	8 489	8 491	-3,93	97,4	-	0,00
3	8 116	8 118	-3,50	97,4	-	0,00
30	8 229	8 231	-3,64	97,4	-	0,00
31	7 960	7 962	-3,32	97,4	-	0,00
32	8 927	8 929	-4,42	97,4	-	0,00
33	9 439	9 440	-4,95	97,4	-	0,00
34	9 249	9 251	-4,76	97,4	-	0,00
35	8 697	8 699	-4,17	97,4	-	0,00
36	8 556	8 558	-4,01	97,4	-	0,00
37	8 227	8 229	-3,63	97,4	-	0,00
38	8 261	8 263	-3,67	97,4	-	0,00
39	7 538	7 540	-2,80	97,4	-	0,00
4	7 487	7 489	-2,73	97,4	-	0,00
40	8 027	8 029	-3,40	97,4	-	0,00
41	8 453	8 455	-3,89	97,4	-	0,00
5	7 565	7 567	-2,83	97,4	-	0,00
6	6 931	6 934	-2,00	97,4	-	0,00
7	6 921	6 924	-1,99	97,4	-	0,00
8	4 294	4 297	2,47	97,4	-	0,00
9	4 168	4 172	2,74	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: NR Upes iela 1

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 950	8 952	-4,44	97,4	-	0,00
10	4 081	4 084	2,93	97,4	-	0,00
11	3 584	3 588	4,12	97,4	-	0,00
12	2 893	2 899	6,07	97,4	-	0,00
13	3 837	3 841	3,50	97,4	-	0,00
14	4 629	4 633	1,77	97,4	-	0,00
15	4 767	4 770	1,50	97,4	-	0,00
16	4 874	4 877	1,29	97,4	-	0,00
17	5 116	5 120	0,84	97,4	-	0,00
18	6 446	6 448	-1,32	97,4	-	0,00
19	6 868	6 870	-1,92	97,4	-	0,00
2	8 799	8 801	-4,28	97,4	-	0,00
20	5 994	5 997	-0,63	97,4	-	0,00
21	6 815	6 817	-1,84	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 448	6 450	-1,32	97,4	-	0,00
23	6 880	6 883	-1,93	97,4	-	0,00
24	7 312	7 314	-2,51	97,4	-	0,00
25	7 490	7 492	-2,74	97,4	-	0,00
26	8 262	8 264	-3,67	97,4	-	0,00
27	7 570	7 572	-2,84	97,4	-	0,00
28	7 931	7 933	-3,28	97,4	-	0,00
29	8 579	8 581	-4,03	97,4	-	0,00
3	8 200	8 202	-3,60	97,4	-	0,00
30	8 317	8 319	-3,74	97,4	-	0,00
31	8 045	8 047	-3,42	97,4	-	0,00
32	9 017	9 018	-4,51	97,4	-	0,00
33	9 527	9 528	-5,04	97,4	-	0,00
34	9 335	9 336	-4,85	97,4	-	0,00
35	8 784	8 785	-4,26	97,4	-	0,00
36	8 640	8 642	-4,10	97,4	-	0,00
37	8 307	8 309	-3,73	97,4	-	0,00
38	8 337	8 339	-3,76	97,4	-	0,00
39	7 618	7 620	-2,90	97,4	-	0,00
4	7 570	7 572	-2,84	97,4	-	0,00
40	8 097	8 099	-3,48	97,4	-	0,00
41	8 520	8 522	-3,97	97,4	-	0,00
5	7 651	7 653	-2,94	97,4	-	0,00
6	7 012	7 015	-2,11	97,4	-	0,00
7	6 998	7 000	-2,09	97,4	-	0,00
8	4 384	4 387	2,27	97,4	-	0,00
9	4 261	4 265	2,54	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NR Upes iela 1

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 950	8 952	-4,44	97,4	-	0,00
10	4 081	4 084	2,93	97,4	-	0,00
11	3 584	3 588	4,12	97,4	-	0,00
12	2 893	2 899	6,07	97,4	-	0,00
13	3 837	3 841	3,50	97,4	-	0,00
14	4 629	4 633	1,77	97,4	-	0,00
15	4 767	4 770	1,50	97,4	-	0,00
16	4 874	4 877	1,29	97,4	-	0,00
17	5 116	5 120	0,84	97,4	-	0,00
18	6 446	6 448	-1,32	97,4	-	0,00
19	6 868	6 870	-1,92	97,4	-	0,00
2	8 799	8 801	-4,28	97,4	-	0,00
20	5 994	5 997	-0,63	97,4	-	0,00
21	6 815	6 817	-1,84	97,4	-	0,00
22	6 448	6 450	-1,32	97,4	-	0,00
23	6 880	6 883	-1,93	97,4	-	0,00
24	7 312	7 314	-2,51	97,4	-	0,00
25	7 490	7 492	-2,74	97,4	-	0,00
26	8 262	8 264	-3,67	97,4	-	0,00
27	7 570	7 572	-2,84	97,4	-	0,00
28	7 931	7 933	-3,28	97,4	-	0,00
29	8 579	8 581	-4,03	97,4	-	0,00
3	8 200	8 202	-3,60	97,4	-	0,00
30	8 317	8 319	-3,74	97,4	-	0,00
31	8 045	8 047	-3,42	97,4	-	0,00
32	9 017	9 018	-4,51	97,4	-	0,00
33	9 527	9 528	-5,04	97,4	-	0,00
34	9 335	9 336	-4,85	97,4	-	0,00
35	8 784	8 785	-4,26	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 640	8 642	-4,10	97,4	-	0,00
37	8 307	8 309	-3,73	97,4	-	0,00
38	8 337	8 339	-3,76	97,4	-	0,00
39	7 618	7 620	-2,90	97,4	-	0,00
4	7 570	7 572	-2,84	97,4	-	0,00
40	8 097	8 099	-3,48	97,4	-	0,00
41	8 520	8 522	-3,97	97,4	-	0,00
5	7 651	7 653	-2,94	97,4	-	0,00
6	7 012	7 015	-2,11	97,4	-	0,00
7	6 998	7 000	-2,09	97,4	-	0,00
8	4 384	4 387	2,27	97,4	-	0,00
9	4 261	4 265	2,54	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: NS Vitolu iela 9

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 700	8 701	-4,17	97,4	-	0,00
10	3 891	3 895	3,37	97,4	-	0,00
11	3 640	3 644	3,98	97,4	-	0,00
12	3 005	3 011	5,72	97,4	-	0,00
13	3 941	3 945	3,25	97,4	-	0,00
14	4 713	4 716	1,61	97,4	-	0,00
15	4 897	4 900	1,25	97,4	-	0,00
16	5 036	5 039	0,99	97,4	-	0,00
17	5 310	5 313	0,50	97,4	-	0,00
18	6 548	6 550	-1,46	97,4	-	0,00
19	6 985	6 987	-2,08	97,4	-	0,00
2	8 569	8 571	-4,02	97,4	-	0,00
20	6 161	6 164	-0,89	97,4	-	0,00
21	6 960	6 962	-2,04	97,4	-	0,00
22	6 628	6 630	-1,58	97,4	-	0,00
23	7 075	7 077	-2,20	97,4	-	0,00
24	7 474	7 476	-2,72	97,4	-	0,00
25	7 564	7 566	-2,83	97,4	-	0,00
26	8 326	8 328	-3,75	97,4	-	0,00
27	7 693	7 695	-2,99	97,4	-	0,00
28	8 024	8 026	-3,39	97,4	-	0,00
29	8 661	8 663	-4,13	97,4	-	0,00
3	7 991	7 993	-3,35	97,4	-	0,00
30	8 428	8 430	-3,86	97,4	-	0,00
31	8 183	8 185	-3,58	97,4	-	0,00
32	9 109	9 111	-4,61	97,4	-	0,00
33	9 637	9 639	-5,15	97,4	-	0,00
34	9 466	9 468	-4,98	97,4	-	0,00
35	8 907	8 909	-4,39	97,4	-	0,00
36	8 787	8 788	-4,26	97,4	-	0,00
37	8 483	8 485	-3,93	97,4	-	0,00
38	8 543	8 545	-3,99	97,4	-	0,00
39	7 795	7 798	-3,12	97,4	-	0,00
4	7 352	7 354	-2,56	97,4	-	0,00
40	8 331	8 333	-3,75	97,4	-	0,00
41	8 767	8 769	-4,24	97,4	-	0,00
5	7 458	7 460	-2,70	97,4	-	0,00
6	6 779	6 781	-1,79	97,4	-	0,00
7	6 743	6 745	-1,74	97,4	-	0,00
8	4 239	4 243	2,58	97,4	-	0,00
9	4 169	4 172	2,74	97,4	-	0,00
Sum			15,39			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NS Vitolu iela 9

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 700	8 701	-4,17	97,4	-	0,00
10	3 891	3 895	3,37	97,4	-	0,00
11	3 640	3 644	3,98	97,4	-	0,00
12	3 005	3 011	5,72	97,4	-	0,00
13	3 941	3 945	3,25	97,4	-	0,00
14	4 713	4 716	1,61	97,4	-	0,00
15	4 897	4 900	1,25	97,4	-	0,00
16	5 036	5 039	0,99	97,4	-	0,00
17	5 310	5 313	0,50	97,4	-	0,00
18	6 548	6 550	-1,46	97,4	-	0,00
19	6 985	6 987	-2,08	97,4	-	0,00
2	8 569	8 571	-4,02	97,4	-	0,00
20	6 161	6 164	-0,89	97,4	-	0,00
21	6 960	6 962	-2,04	97,4	-	0,00
22	6 628	6 630	-1,58	97,4	-	0,00
23	7 075	7 077	-2,20	97,4	-	0,00
24	7 474	7 476	-2,72	97,4	-	0,00
25	7 564	7 566	-2,83	97,4	-	0,00
26	8 326	8 328	-3,75	97,4	-	0,00
27	7 693	7 695	-2,99	97,4	-	0,00
28	8 024	8 026	-3,39	97,4	-	0,00
29	8 661	8 663	-4,13	97,4	-	0,00
3	7 991	7 993	-3,35	97,4	-	0,00
30	8 428	8 430	-3,86	97,4	-	0,00
31	8 183	8 185	-3,58	97,4	-	0,00
32	9 109	9 111	-4,61	97,4	-	0,00
33	9 637	9 639	-5,15	97,4	-	0,00
34	9 466	9 468	-4,98	97,4	-	0,00
35	8 907	8 909	-4,39	97,4	-	0,00
36	8 787	8 788	-4,26	97,4	-	0,00
37	8 483	8 485	-3,93	97,4	-	0,00
38	8 543	8 545	-3,99	97,4	-	0,00
39	7 795	7 798	-3,12	97,4	-	0,00
4	7 352	7 354	-2,56	97,4	-	0,00
40	8 331	8 333	-3,75	97,4	-	0,00
41	8 767	8 769	-4,24	97,4	-	0,00
5	7 458	7 460	-2,70	97,4	-	0,00
6	6 779	6 781	-1,79	97,4	-	0,00
7	6 743	6 745	-1,74	97,4	-	0,00
8	4 239	4 243	2,58	97,4	-	0,00
9	4 169	4 172	2,74	97,4	-	0,00
Sum			15,39			

- Data undefined due to calculation with octave data

Noise sensitive area: NT Darzu iela 2

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 943	8 945	-4,43	97,4	-	0,00
10	4 064	4 068	2,97	97,4	-	0,00
11	3 534	3 538	4,25	97,4	-	0,00
12	2 838	2 844	6,24	97,4	-	0,00
13	3 783	3 787	3,63	97,4	-	0,00
14	4 576	4 580	1,88	97,4	-	0,00
15	4 710	4 713	1,61	97,4	-	0,00
16	4 815	4 818	1,41	97,4	-	0,00
17	5 055	5 059	0,96	97,4	-	0,00
18	6 391	6 393	-1,24	97,4	-	0,00
19	6 811	6 814	-1,84	97,4	-	0,00
2	8 789	8 791	-4,27	97,4	-	0,00
20	5 934	5 937	-0,54	97,4	-	0,00
21	6 757	6 759	-1,76	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 387	6 390	-1,23	97,4	-	0,00
23	6 819	6 821	-1,85	97,4	-	0,00
24	7 252	7 255	-2,43	97,4	-	0,00
25	7 437	7 440	-2,67	97,4	-	0,00
26	8 211	8 212	-3,61	97,4	-	0,00
27	7 513	7 516	-2,77	97,4	-	0,00
28	7 877	7 879	-3,22	97,4	-	0,00
29	8 526	8 528	-3,97	97,4	-	0,00
3	8 186	8 188	-3,59	97,4	-	0,00
30	8 261	8 263	-3,67	97,4	-	0,00
31	7 987	7 990	-3,35	97,4	-	0,00
32	8 962	8 964	-4,45	97,4	-	0,00
33	9 471	9 473	-4,99	97,4	-	0,00
34	9 277	9 279	-4,79	97,4	-	0,00
35	8 727	8 729	-4,20	97,4	-	0,00
36	8 581	8 583	-4,04	97,4	-	0,00
37	8 247	8 249	-3,66	97,4	-	0,00
38	8 275	8 277	-3,69	97,4	-	0,00
39	7 557	7 559	-2,82	97,4	-	0,00
4	7 557	7 559	-2,82	97,4	-	0,00
40	8 034	8 036	-3,41	97,4	-	0,00
41	8 457	8 459	-3,90	97,4	-	0,00
5	7 634	7 636	-2,92	97,4	-	0,00
6	7 003	7 005	-2,10	97,4	-	0,00
7	6 993	6 995	-2,09	97,4	-	0,00
8	4 360	4 363	2,33	97,4	-	0,00
9	4 229	4 233	2,60	97,4	-	0,00
Sum			15,56			

- Data undefined due to calculation with octave data

Noise sensitive area: NT Darzu iela 2

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 943	8 945	-4,43	97,4	-	0,00
10	4 064	4 068	2,97	97,4	-	0,00
11	3 534	3 538	4,25	97,4	-	0,00
12	2 838	2 844	6,24	97,4	-	0,00
13	3 783	3 787	3,63	97,4	-	0,00
14	4 576	4 580	1,88	97,4	-	0,00
15	4 710	4 713	1,61	97,4	-	0,00
16	4 815	4 818	1,41	97,4	-	0,00
17	5 055	5 059	0,96	97,4	-	0,00
18	6 391	6 393	-1,24	97,4	-	0,00
19	6 811	6 814	-1,84	97,4	-	0,00
2	8 789	8 791	-4,27	97,4	-	0,00
20	5 934	5 937	-0,54	97,4	-	0,00
21	6 757	6 759	-1,76	97,4	-	0,00
22	6 387	6 390	-1,23	97,4	-	0,00
23	6 819	6 821	-1,85	97,4	-	0,00
24	7 252	7 255	-2,43	97,4	-	0,00
25	7 437	7 440	-2,67	97,4	-	0,00
26	8 211	8 212	-3,61	97,4	-	0,00
27	7 513	7 516	-2,77	97,4	-	0,00
28	7 877	7 879	-3,22	97,4	-	0,00
29	8 526	8 528	-3,97	97,4	-	0,00
3	8 186	8 188	-3,59	97,4	-	0,00
30	8 261	8 263	-3,67	97,4	-	0,00
31	7 987	7 990	-3,35	97,4	-	0,00
32	8 962	8 964	-4,45	97,4	-	0,00
33	9 471	9 473	-4,99	97,4	-	0,00
34	9 277	9 279	-4,79	97,4	-	0,00
35	8 727	8 729	-4,20	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 581	8 583	-4,04	97,4	-	0,00
37	8 247	8 249	-3,66	97,4	-	0,00
38	8 275	8 277	-3,69	97,4	-	0,00
39	7 557	7 559	-2,82	97,4	-	0,00
4	7 557	7 559	-2,82	97,4	-	0,00
40	8 034	8 036	-3,41	97,4	-	0,00
41	8 457	8 459	-3,90	97,4	-	0,00
5	7 634	7 636	-2,92	97,4	-	0,00
6	7 003	7 005	-2,10	97,4	-	0,00
7	6 993	6 995	-2,09	97,4	-	0,00
8	4 360	4 363	2,33	97,4	-	0,00
9	4 229	4 233	2,60	97,4	-	0,00
Sum			15,56			

- Data undefined due to calculation with octave data

Noise sensitive area: NU Skolas iela 10

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 146	9 147	-4,65	97,4	-	0,00
10	4 235	4 238	2,59	97,4	-	0,00
11	3 526	3 531	4,27	97,4	-	0,00
12	2 792	2 798	6,38	97,4	-	0,00
13	3 734	3 739	3,75	97,4	-	0,00
14	4 538	4 542	1,95	97,4	-	0,00
15	4 635	4 638	1,76	97,4	-	0,00
16	4 713	4 717	1,61	97,4	-	0,00
17	4 926	4 929	1,20	97,4	-	0,00
18	6 332	6 334	-1,15	97,4	-	0,00
19	6 739	6 742	-1,74	97,4	-	0,00
2	8 977	8 978	-4,47	97,4	-	0,00
20	5 824	5 827	-0,36	97,4	-	0,00
21	6 663	6 665	-1,63	97,4	-	0,00
22	6 266	6 268	-1,05	97,4	-	0,00
23	6 685	6 687	-1,66	97,4	-	0,00
24	7 144	7 146	-2,29	97,4	-	0,00
25	7 398	7 401	-2,62	97,4	-	0,00
26	8 178	8 180	-3,58	97,4	-	0,00
27	7 436	7 438	-2,67	97,4	-	0,00
28	7 822	7 823	-3,15	97,4	-	0,00
29	8 479	8 480	-3,92	97,4	-	0,00
3	8 359	8 361	-3,79	97,4	-	0,00
30	8 191	8 193	-3,59	97,4	-	0,00
31	7 897	7 899	-3,24	97,4	-	0,00
32	8 906	8 908	-4,39	97,4	-	0,00
33	9 400	9 402	-4,91	97,4	-	0,00
34	9 190	9 192	-4,70	97,4	-	0,00
35	8 647	8 649	-4,11	97,4	-	0,00
36	8 483	8 484	-3,93	97,4	-	0,00
37	8 126	8 128	-3,51	97,4	-	0,00
38	8 129	8 131	-3,52	97,4	-	0,00
39	7 435	7 437	-2,67	97,4	-	0,00
4	7 738	7 740	-3,05	97,4	-	0,00
40	7 866	7 868	-3,20	97,4	-	0,00
41	8 278	8 280	-3,69	97,4	-	0,00
5	7 796	7 798	-3,12	97,4	-	0,00
6	7 195	7 197	-2,36	97,4	-	0,00
7	7 201	7 204	-2,36	97,4	-	0,00
8	4 496	4 500	2,04	97,4	-	0,00
9	4 329	4 333	2,39	97,4	-	0,00
Sum			15,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NU Skolas iela 10

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 146	9 147	-4,65	97,4	-	0,00
10	4 235	4 238	2,59	97,4	-	0,00
11	3 526	3 531	4,27	97,4	-	0,00
12	2 792	2 798	6,38	97,4	-	0,00
13	3 734	3 739	3,75	97,4	-	0,00
14	4 538	4 542	1,95	97,4	-	0,00
15	4 635	4 638	1,76	97,4	-	0,00
16	4 713	4 717	1,61	97,4	-	0,00
17	4 926	4 929	1,20	97,4	-	0,00
18	6 332	6 334	-1,15	97,4	-	0,00
19	6 739	6 742	-1,74	97,4	-	0,00
2	8 977	8 978	-4,47	97,4	-	0,00
20	5 824	5 827	-0,36	97,4	-	0,00
21	6 663	6 665	-1,63	97,4	-	0,00
22	6 266	6 268	-1,05	97,4	-	0,00
23	6 685	6 687	-1,66	97,4	-	0,00
24	7 144	7 146	-2,29	97,4	-	0,00
25	7 398	7 401	-2,62	97,4	-	0,00
26	8 178	8 180	-3,58	97,4	-	0,00
27	7 436	7 438	-2,67	97,4	-	0,00
28	7 822	7 823	-3,15	97,4	-	0,00
29	8 479	8 480	-3,92	97,4	-	0,00
3	8 359	8 361	-3,79	97,4	-	0,00
30	8 191	8 193	-3,59	97,4	-	0,00
31	7 897	7 899	-3,24	97,4	-	0,00
32	8 906	8 908	-4,39	97,4	-	0,00
33	9 400	9 402	-4,91	97,4	-	0,00
34	9 190	9 192	-4,70	97,4	-	0,00
35	8 647	8 649	-4,11	97,4	-	0,00
36	8 483	8 484	-3,93	97,4	-	0,00
37	8 126	8 128	-3,51	97,4	-	0,00
38	8 129	8 131	-3,52	97,4	-	0,00
39	7 435	7 437	-2,67	97,4	-	0,00
4	7 738	7 740	-3,05	97,4	-	0,00
40	7 866	7 868	-3,20	97,4	-	0,00
41	8 278	8 280	-3,69	97,4	-	0,00
5	7 796	7 798	-3,12	97,4	-	0,00
6	7 195	7 197	-2,36	97,4	-	0,00
7	7 201	7 204	-2,36	97,4	-	0,00
8	4 496	4 500	2,04	97,4	-	0,00
9	4 329	4 333	2,39	97,4	-	0,00
Sum			15,59			

- Data undefined due to calculation with octave data

Noise sensitive area: NV Plevna

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 117	9 118	-4,62	97,4	-	0,00
10	4 208	4 212	2,65	97,4	-	0,00
11	3 517	3 522	4,29	97,4	-	0,00
12	2 787	2 793	6,40	97,4	-	0,00
13	3 730	3 734	3,76	97,4	-	0,00
14	4 533	4 537	1,96	97,4	-	0,00
15	4 634	4 637	1,76	97,4	-	0,00
16	4 716	4 719	1,60	97,4	-	0,00
17	4 932	4 935	1,18	97,4	-	0,00
18	6 329	6 331	-1,14	97,4	-	0,00
19	6 738	6 741	-1,74	97,4	-	0,00
2	8 949	8 951	-4,44	97,4	-	0,00
20	5 828	5 830	-0,37	97,4	-	0,00
21	6 664	6 666	-1,63	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 271	6 273	-1,06	97,4	-	0,00
23	6 692	6 694	-1,67	97,4	-	0,00
24	7 147	7 149	-2,29	97,4	-	0,00
25	7 394	7 396	-2,61	97,4	-	0,00
26	8 173	8 174	-3,57	97,4	-	0,00
27	7 435	7 438	-2,67	97,4	-	0,00
28	7 819	7 821	-3,15	97,4	-	0,00
29	8 475	8 477	-3,92	97,4	-	0,00
3	8 333	8 335	-3,76	97,4	-	0,00
30	8 190	8 192	-3,59	97,4	-	0,00
31	7 898	7 900	-3,24	97,4	-	0,00
32	8 903	8 905	-4,39	97,4	-	0,00
33	9 399	9 401	-4,91	97,4	-	0,00
34	9 191	9 193	-4,70	97,4	-	0,00
35	8 647	8 649	-4,11	97,4	-	0,00
36	8 485	8 487	-3,93	97,4	-	0,00
37	8 131	8 133	-3,52	97,4	-	0,00
38	8 137	8 139	-3,53	97,4	-	0,00
39	7 440	7 443	-2,67	97,4	-	0,00
4	7 711	7 713	-3,01	97,4	-	0,00
40	7 877	7 879	-3,22	97,4	-	0,00
41	8 290	8 292	-3,71	97,4	-	0,00
5	7 770	7 772	-3,09	97,4	-	0,00
6	7 167	7 169	-2,32	97,4	-	0,00
7	7 172	7 174	-2,33	97,4	-	0,00
8	4 473	4 477	2,09	97,4	-	0,00
9	4 309	4 313	2,43	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: NV Plevna

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 117	9 118	-4,62	97,4	-	0,00
10	4 208	4 212	2,65	97,4	-	0,00
11	3 517	3 522	4,29	97,4	-	0,00
12	2 787	2 793	6,40	97,4	-	0,00
13	3 730	3 734	3,76	97,4	-	0,00
14	4 533	4 537	1,96	97,4	-	0,00
15	4 634	4 637	1,76	97,4	-	0,00
16	4 716	4 719	1,60	97,4	-	0,00
17	4 932	4 935	1,18	97,4	-	0,00
18	6 329	6 331	-1,14	97,4	-	0,00
19	6 738	6 741	-1,74	97,4	-	0,00
2	8 949	8 951	-4,44	97,4	-	0,00
20	5 828	5 830	-0,37	97,4	-	0,00
21	6 664	6 666	-1,63	97,4	-	0,00
22	6 271	6 273	-1,06	97,4	-	0,00
23	6 692	6 694	-1,67	97,4	-	0,00
24	7 147	7 149	-2,29	97,4	-	0,00
25	7 394	7 396	-2,61	97,4	-	0,00
26	8 173	8 174	-3,57	97,4	-	0,00
27	7 435	7 438	-2,67	97,4	-	0,00
28	7 819	7 821	-3,15	97,4	-	0,00
29	8 475	8 477	-3,92	97,4	-	0,00
3	8 333	8 335	-3,76	97,4	-	0,00
30	8 190	8 192	-3,59	97,4	-	0,00
31	7 898	7 900	-3,24	97,4	-	0,00
32	8 903	8 905	-4,39	97,4	-	0,00
33	9 399	9 401	-4,91	97,4	-	0,00
34	9 191	9 193	-4,70	97,4	-	0,00
35	8 647	8 649	-4,11	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 485	8 487	-3,93	97,4	-	0,00
37	8 131	8 133	-3,52	97,4	-	0,00
38	8 137	8 139	-3,53	97,4	-	0,00
39	7 440	7 443	-2,67	97,4	-	0,00
4	7 711	7 713	-3,01	97,4	-	0,00
40	7 877	7 879	-3,22	97,4	-	0,00
41	8 290	8 292	-3,71	97,4	-	0,00
5	7 770	7 772	-3,09	97,4	-	0,00
6	7 167	7 169	-2,32	97,4	-	0,00
7	7 172	7 174	-2,33	97,4	-	0,00
8	4 473	4 477	2,09	97,4	-	0,00
9	4 309	4 313	2,43	97,4	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: NW Darzu iela 7

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 926	8 927	-4,41	97,4	-	0,00
10	4 040	4 044	3,03	97,4	-	0,00
11	3 490	3 494	4,36	97,4	-	0,00
12	2 792	2 798	6,39	97,4	-	0,00
13	3 736	3 741	3,74	97,4	-	0,00
14	4 530	4 534	1,97	97,4	-	0,00
15	4 663	4 666	1,71	97,4	-	0,00
16	4 767	4 770	1,50	97,4	-	0,00
17	5 007	5 010	1,04	97,4	-	0,00
18	6 344	6 346	-1,17	97,4	-	0,00
19	6 764	6 766	-1,77	97,4	-	0,00
2	8 768	8 770	-4,24	97,4	-	0,00
20	5 886	5 889	-0,46	97,4	-	0,00
21	6 709	6 711	-1,69	97,4	-	0,00
22	6 339	6 342	-1,16	97,4	-	0,00
23	6 771	6 773	-1,78	97,4	-	0,00
24	7 204	7 207	-2,37	97,4	-	0,00
25	7 391	7 394	-2,61	97,4	-	0,00
26	8 165	8 167	-3,56	97,4	-	0,00
27	7 466	7 468	-2,71	97,4	-	0,00
28	7 830	7 832	-3,16	97,4	-	0,00
29	8 480	8 481	-3,92	97,4	-	0,00
3	8 163	8 165	-3,56	97,4	-	0,00
30	8 214	8 216	-3,62	97,4	-	0,00
31	7 940	7 942	-3,29	97,4	-	0,00
32	8 916	8 917	-4,40	97,4	-	0,00
33	9 424	9 425	-4,94	97,4	-	0,00
34	9 230	9 231	-4,74	97,4	-	0,00
35	8 679	8 681	-4,15	97,4	-	0,00
36	8 533	8 535	-3,98	97,4	-	0,00
37	8 199	8 201	-3,60	97,4	-	0,00
38	8 227	8 229	-3,63	97,4	-	0,00
39	7 509	7 511	-2,76	97,4	-	0,00
4	7 536	7 538	-2,80	97,4	-	0,00
40	7 986	7 988	-3,35	97,4	-	0,00
41	8 409	8 411	-3,84	97,4	-	0,00
5	7 609	7 611	-2,89	97,4	-	0,00
6	6 983	6 985	-2,07	97,4	-	0,00
7	6 977	6 979	-2,06	97,4	-	0,00
8	4 330	4 334	2,39	97,4	-	0,00
9	4 195	4 199	2,68	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NW Darzu iela 7

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 926	8 927	-4,41	97,4	-	0,00
10	4 040	4 044	3,03	97,4	-	0,00
11	3 490	3 494	4,36	97,4	-	0,00
12	2 792	2 798	6,39	97,4	-	0,00
13	3 736	3 741	3,74	97,4	-	0,00
14	4 530	4 534	1,97	97,4	-	0,00
15	4 663	4 666	1,71	97,4	-	0,00
16	4 767	4 770	1,50	97,4	-	0,00
17	5 007	5 010	1,04	97,4	-	0,00
18	6 344	6 346	-1,17	97,4	-	0,00
19	6 764	6 766	-1,77	97,4	-	0,00
2	8 768	8 770	-4,24	97,4	-	0,00
20	5 886	5 889	-0,46	97,4	-	0,00
21	6 709	6 711	-1,69	97,4	-	0,00
22	6 339	6 342	-1,16	97,4	-	0,00
23	6 771	6 773	-1,78	97,4	-	0,00
24	7 204	7 207	-2,37	97,4	-	0,00
25	7 391	7 394	-2,61	97,4	-	0,00
26	8 165	8 167	-3,56	97,4	-	0,00
27	7 466	7 468	-2,71	97,4	-	0,00
28	7 830	7 832	-3,16	97,4	-	0,00
29	8 480	8 481	-3,92	97,4	-	0,00
3	8 163	8 165	-3,56	97,4	-	0,00
30	8 214	8 216	-3,62	97,4	-	0,00
31	7 940	7 942	-3,29	97,4	-	0,00
32	8 916	8 917	-4,40	97,4	-	0,00
33	9 424	9 425	-4,94	97,4	-	0,00
34	9 230	9 231	-4,74	97,4	-	0,00
35	8 679	8 681	-4,15	97,4	-	0,00
36	8 533	8 535	-3,98	97,4	-	0,00
37	8 199	8 201	-3,60	97,4	-	0,00
38	8 227	8 229	-3,63	97,4	-	0,00
39	7 509	7 511	-2,76	97,4	-	0,00
4	7 536	7 538	-2,80	97,4	-	0,00
40	7 986	7 988	-3,35	97,4	-	0,00
41	8 409	8 411	-3,84	97,4	-	0,00
5	7 609	7 611	-2,89	97,4	-	0,00
6	6 983	6 985	-2,07	97,4	-	0,00
7	6 977	6 979	-2,06	97,4	-	0,00
8	4 330	4 334	2,39	97,4	-	0,00
9	4 195	4 199	2,68	97,4	-	0,00
Sum			15,64			

- Data undefined due to calculation with octave data

Noise sensitive area: NX Darzu iela 9

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 831	8 832	-4,31	97,4	-	0,00
10	3 961	3 965	3,21	97,4	-	0,00
11	3 493	3 497	4,36	97,4	-	0,00
12	2 814	2 819	6,32	97,4	-	0,00
13	3 757	3 761	3,69	97,4	-	0,00
14	4 545	4 548	1,94	97,4	-	0,00
15	4 694	4 697	1,64	97,4	-	0,00
16	4 810	4 813	1,42	97,4	-	0,00
17	5 062	5 065	0,94	97,4	-	0,00
18	6 366	6 369	-1,20	97,4	-	0,00
19	6 792	6 795	-1,81	97,4	-	0,00
2	8 680	8 681	-4,15	97,4	-	0,00
20	5 932	5 934	-0,54	97,4	-	0,00
21	6 747	6 749	-1,75	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 390	6 392	-1,23	97,4	-	0,00
23	6 827	6 829	-1,86	97,4	-	0,00
24	7 249	7 251	-2,43	97,4	-	0,00
25	7 404	7 407	-2,63	97,4	-	0,00
26	8 175	8 177	-3,57	97,4	-	0,00
27	7 496	7 499	-2,75	97,4	-	0,00
28	7 850	7 852	-3,18	97,4	-	0,00
29	8 496	8 498	-3,94	97,4	-	0,00
3	8 081	8 082	-3,46	97,4	-	0,00
30	8 240	8 242	-3,65	97,4	-	0,00
31	7 976	7 978	-3,34	97,4	-	0,00
32	8 936	8 937	-4,43	97,4	-	0,00
33	9 450	9 452	-4,97	97,4	-	0,00
34	9 264	9 265	-4,77	97,4	-	0,00
35	8 710	8 712	-4,18	97,4	-	0,00
36	8 572	8 574	-4,03	97,4	-	0,00
37	8 248	8 250	-3,66	97,4	-	0,00
38	8 287	8 289	-3,70	97,4	-	0,00
39	7 559	7 561	-2,83	97,4	-	0,00
4	7 450	7 452	-2,69	97,4	-	0,00
40	8 057	8 059	-3,43	97,4	-	0,00
41	8 485	8 487	-3,93	97,4	-	0,00
5	7 532	7 533	-2,79	97,4	-	0,00
6	6 893	6 895	-1,95	97,4	-	0,00
7	6 879	6 882	-1,93	97,4	-	0,00
8	4 266	4 270	2,53	97,4	-	0,00
9	4 148	4 152	2,78	97,4	-	0,00
Sum			15,63			

- Data undefined due to calculation with octave data

Noise sensitive area: NX Darzu iela 9

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 831	8 832	-4,31	97,4	-	0,00
10	3 961	3 965	3,21	97,4	-	0,00
11	3 493	3 497	4,36	97,4	-	0,00
12	2 814	2 819	6,32	97,4	-	0,00
13	3 757	3 761	3,69	97,4	-	0,00
14	4 545	4 548	1,94	97,4	-	0,00
15	4 694	4 697	1,64	97,4	-	0,00
16	4 810	4 813	1,42	97,4	-	0,00
17	5 062	5 065	0,94	97,4	-	0,00
18	6 366	6 369	-1,20	97,4	-	0,00
19	6 792	6 795	-1,81	97,4	-	0,00
2	8 680	8 681	-4,15	97,4	-	0,00
20	5 932	5 934	-0,54	97,4	-	0,00
21	6 747	6 749	-1,75	97,4	-	0,00
22	6 390	6 392	-1,23	97,4	-	0,00
23	6 827	6 829	-1,86	97,4	-	0,00
24	7 249	7 251	-2,43	97,4	-	0,00
25	7 404	7 407	-2,63	97,4	-	0,00
26	8 175	8 177	-3,57	97,4	-	0,00
27	7 496	7 499	-2,75	97,4	-	0,00
28	7 850	7 852	-3,18	97,4	-	0,00
29	8 496	8 498	-3,94	97,4	-	0,00
3	8 081	8 082	-3,46	97,4	-	0,00
30	8 240	8 242	-3,65	97,4	-	0,00
31	7 976	7 978	-3,34	97,4	-	0,00
32	8 936	8 937	-4,43	97,4	-	0,00
33	9 450	9 452	-4,97	97,4	-	0,00
34	9 264	9 265	-4,77	97,4	-	0,00
35	8 710	8 712	-4,18	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 572	8 574	-4,03	97,4	-	0,00
37	8 248	8 250	-3,66	97,4	-	0,00
38	8 287	8 289	-3,70	97,4	-	0,00
39	7 559	7 561	-2,83	97,4	-	0,00
4	7 450	7 452	-2,69	97,4	-	0,00
40	8 057	8 059	-3,43	97,4	-	0,00
41	8 485	8 487	-3,93	97,4	-	0,00
5	7 532	7 533	-2,79	97,4	-	0,00
6	6 893	6 895	-1,95	97,4	-	0,00
7	6 879	6 882	-1,93	97,4	-	0,00
8	4 266	4 270	2,53	97,4	-	0,00
9	4 148	4 152	2,78	97,4	-	0,00
Sum			15,63			

- Data undefined due to calculation with octave data

Noise sensitive area: NY Dalderi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 034	7 036	-2,14	97,4	-	0,00
10	3 265	3 270	4,97	97,4	-	0,00
11	4 638	4 642	1,75	97,4	-	0,00
12	4 423	4 427	2,19	97,4	-	0,00
13	5 137	5 140	0,81	97,4	-	0,00
14	5 688	5 691	-0,14	97,4	-	0,00
15	6 104	6 106	-0,80	97,4	-	0,00
16	6 403	6 405	-1,25	97,4	-	0,00
17	6 828	6 830	-1,86	97,4	-	0,00
18	7 448	7 450	-2,68	97,4	-	0,00
19	7 946	7 949	-3,30	97,4	-	0,00
2	7 063	7 065	-2,18	97,4	-	0,00
20	7 471	7 473	-2,71	97,4	-	0,00
21	8 089	8 091	-3,47	97,4	-	0,00
22	7 981	7 983	-3,34	97,4	-	0,00
23	8 488	8 490	-3,93	97,4	-	0,00
24	8 677	8 679	-4,14	97,4	-	0,00
25	8 220	8 222	-3,63	97,4	-	0,00
26	8 877	8 879	-4,36	97,4	-	0,00
27	8 646	8 648	-4,11	97,4	-	0,00
28	8 776	8 778	-4,25	97,4	-	0,00
29	9 310	9 312	-4,82	97,4	-	0,00
3	6 670	6 672	-1,64	97,4	-	0,00
30	9 271	9 273	-4,78	97,4	-	0,00
31	9 204	9 206	-4,71	97,4	-	0,00
32	9 806	9 807	-5,32	97,4	-	0,00
33	10 424	10 426	-5,92	97,4	-	0,00
34	10 395	10 396	-5,89	97,4	-	0,00
35	9 804	9 806	-5,32	97,4	-	0,00
36	9 837	9 838	-5,35	97,4	-	0,00
37	9 722	9 723	-5,24	97,4	-	0,00
38	9 967	9 969	-5,48	97,4	-	0,00
39	9 076	9 078	-4,58	97,4	-	0,00
4	6 003	6 006	-0,65	97,4	-	0,00
40	9 926	9 928	-5,44	97,4	-	0,00
41	10 429	10 431	-5,92	97,4	-	0,00
5	6 297	6 299	-1,10	97,4	-	0,00
6	5 353	5 356	0,42	97,4	-	0,00
7	5 138	5 141	0,81	97,4	-	0,00
8	3 861	3 865	3,44	97,4	-	0,00
9	4 168	4 172	2,74	97,4	-	0,00
Sum			14,67			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: NY Dalderi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 034	7 036	-2,14	97,4	-	0,00
10	3 265	3 270	4,97	97,4	-	0,00
11	4 638	4 642	1,75	97,4	-	0,00
12	4 423	4 427	2,19	97,4	-	0,00
13	5 137	5 140	0,81	97,4	-	0,00
14	5 688	5 691	-0,14	97,4	-	0,00
15	6 104	6 106	-0,80	97,4	-	0,00
16	6 403	6 405	-1,25	97,4	-	0,00
17	6 828	6 830	-1,86	97,4	-	0,00
18	7 448	7 450	-2,68	97,4	-	0,00
19	7 946	7 949	-3,30	97,4	-	0,00
2	7 063	7 065	-2,18	97,4	-	0,00
20	7 471	7 473	-2,71	97,4	-	0,00
21	8 089	8 091	-3,47	97,4	-	0,00
22	7 981	7 983	-3,34	97,4	-	0,00
23	8 488	8 490	-3,93	97,4	-	0,00
24	8 677	8 679	-4,14	97,4	-	0,00
25	8 220	8 222	-3,63	97,4	-	0,00
26	8 877	8 879	-4,36	97,4	-	0,00
27	8 646	8 648	-4,11	97,4	-	0,00
28	8 776	8 778	-4,25	97,4	-	0,00
29	9 310	9 312	-4,82	97,4	-	0,00
3	6 670	6 672	-1,64	97,4	-	0,00
30	9 271	9 273	-4,78	97,4	-	0,00
31	9 204	9 206	-4,71	97,4	-	0,00
32	9 806	9 807	-5,32	97,4	-	0,00
33	10 424	10 426	-5,92	97,4	-	0,00
34	10 395	10 396	-5,89	97,4	-	0,00
35	9 804	9 806	-5,32	97,4	-	0,00
36	9 837	9 838	-5,35	97,4	-	0,00
37	9 722	9 723	-5,24	97,4	-	0,00
38	9 967	9 969	-5,48	97,4	-	0,00
39	9 076	9 078	-4,58	97,4	-	0,00
4	6 003	6 006	-0,65	97,4	-	0,00
40	9 926	9 928	-5,44	97,4	-	0,00
41	10 429	10 431	-5,92	97,4	-	0,00
5	6 297	6 299	-1,10	97,4	-	0,00
6	5 353	5 356	0,42	97,4	-	0,00
7	5 138	5 141	0,81	97,4	-	0,00
8	3 861	3 865	3,44	97,4	-	0,00
9	4 168	4 172	2,74	97,4	-	0,00
Sum			14,67			

- Data undefined due to calculation with octave data

Noise sensitive area: NZ Irbenaji

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 101	7 103	-2,23	97,4	-	0,00
10	3 174	3 179	5,23	97,4	-	0,00
11	4 446	4 449	2,14	97,4	-	0,00
12	4 208	4 212	2,65	97,4	-	0,00
13	4 938	4 941	1,17	97,4	-	0,00
14	5 505	5 508	0,16	97,4	-	0,00
15	5 910	5 912	-0,50	97,4	-	0,00
16	6 201	6 204	-0,95	97,4	-	0,00
17	6 620	6 623	-1,57	97,4	-	0,00
18	7 279	7 281	-2,47	97,4	-	0,00
19	7 775	7 777	-3,09	97,4	-	0,00
2	7 110	7 113	-2,24	97,4	-	0,00
20	7 277	7 279	-2,46	97,4	-	0,00
21	7 907	7 909	-3,25	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	7 786	7 788	-3,11	97,4	-	0,00
23	8 291	8 292	-3,71	97,4	-	0,00
24	8 492	8 494	-3,94	97,4	-	0,00
25	8 070	8 072	-3,45	97,4	-	0,00
26	8 737	8 739	-4,21	97,4	-	0,00
27	8 477	8 479	-3,92	97,4	-	0,00
28	8 621	8 623	-4,08	97,4	-	0,00
29	9 164	9 166	-4,67	97,4	-	0,00
3	6 694	6 696	-1,67	97,4	-	0,00
30	9 111	9 113	-4,61	97,4	-	0,00
31	9 032	9 034	-4,53	97,4	-	0,00
32	9 657	9 659	-5,18	97,4	-	0,00
33	10 271	10 273	-5,77	97,4	-	0,00
34	10 232	10 233	-5,73	97,4	-	0,00
35	9 642	9 644	-5,16	97,4	-	0,00
36	9 664	9 666	-5,18	97,4	-	0,00
37	9 537	9 538	-5,05	97,4	-	0,00
38	9 771	9 773	-5,29	97,4	-	0,00
39	8 888	8 890	-4,37	97,4	-	0,00
4	6 027	6 029	-0,68	97,4	-	0,00
40	9 721	9 722	-5,24	97,4	-	0,00
41	10 221	10 223	-5,72	97,4	-	0,00
5	6 301	6 303	-1,10	97,4	-	0,00
6	5 381	5 384	0,37	97,4	-	0,00
7	5 187	5 190	0,72	97,4	-	0,00
8	3 758	3 762	3,69	97,4	-	0,00
9	4 038	4 041	3,03	97,4	-	0,00
Sum			14,88			

- Data undefined due to calculation with octave data

Noise sensitive area: NZ Irbenaji

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 101	7 103	-2,23	97,4	-	0,00
10	3 174	3 179	5,23	97,4	-	0,00
11	4 446	4 449	2,14	97,4	-	0,00
12	4 208	4 212	2,65	97,4	-	0,00
13	4 938	4 941	1,17	97,4	-	0,00
14	5 505	5 508	0,16	97,4	-	0,00
15	5 910	5 912	-0,50	97,4	-	0,00
16	6 201	6 204	-0,95	97,4	-	0,00
17	6 620	6 623	-1,57	97,4	-	0,00
18	7 279	7 281	-2,47	97,4	-	0,00
19	7 775	7 777	-3,09	97,4	-	0,00
2	7 110	7 113	-2,24	97,4	-	0,00
20	7 277	7 279	-2,46	97,4	-	0,00
21	7 907	7 909	-3,25	97,4	-	0,00
22	7 786	7 788	-3,11	97,4	-	0,00
23	8 291	8 292	-3,71	97,4	-	0,00
24	8 492	8 494	-3,94	97,4	-	0,00
25	8 070	8 072	-3,45	97,4	-	0,00
26	8 737	8 739	-4,21	97,4	-	0,00
27	8 477	8 479	-3,92	97,4	-	0,00
28	8 621	8 623	-4,08	97,4	-	0,00
29	9 164	9 166	-4,67	97,4	-	0,00
3	6 694	6 696	-1,67	97,4	-	0,00
30	9 111	9 113	-4,61	97,4	-	0,00
31	9 032	9 034	-4,53	97,4	-	0,00
32	9 657	9 659	-5,18	97,4	-	0,00
33	10 271	10 273	-5,77	97,4	-	0,00
34	10 232	10 233	-5,73	97,4	-	0,00
35	9 642	9 644	-5,16	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	9 664	9 666	-5,18	97,4	-	0,00
37	9 537	9 538	-5,05	97,4	-	0,00
38	9 771	9 773	-5,29	97,4	-	0,00
39	8 888	8 890	-4,37	97,4	-	0,00
4	6 027	6 029	-0,68	97,4	-	0,00
40	9 721	9 722	-5,24	97,4	-	0,00
41	10 221	10 223	-5,72	97,4	-	0,00
5	6 301	6 303	-1,10	97,4	-	0,00
6	5 381	5 384	0,37	97,4	-	0,00
7	5 187	5 190	0,72	97,4	-	0,00
8	3 758	3 762	3,69	97,4	-	0,00
9	4 038	4 041	3,03	97,4	-	0,00
Sum			14,88			

- Data undefined due to calculation with octave data

Noise sensitive area: OA Krastmali

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 175	7 177	-2,33	97,4	-	0,00
10	3 520	3 524	4,29	97,4	-	0,00
11	4 905	4 908	1,24	97,4	-	0,00
12	4 678	4 681	1,67	97,4	-	0,00
13	5 401	5 404	0,34	97,4	-	0,00
14	5 956	5 959	-0,58	97,4	-	0,00
15	6 370	6 372	-1,20	97,4	-	0,00
16	6 666	6 668	-1,63	97,4	-	0,00
17	7 088	7 090	-2,21	97,4	-	0,00
18	7 718	7 720	-3,02	97,4	-	0,00
19	8 217	8 219	-3,62	97,4	-	0,00
2	7 222	7 225	-2,39	97,4	-	0,00
20	7 737	7 739	-3,05	97,4	-	0,00
21	8 358	8 360	-3,78	97,4	-	0,00
22	8 247	8 249	-3,66	97,4	-	0,00
23	8 753	8 755	-4,23	97,4	-	0,00
24	8 946	8 948	-4,44	97,4	-	0,00
25	8 489	8 491	-3,93	97,4	-	0,00
26	9 145	9 147	-4,65	97,4	-	0,00
27	8 917	8 918	-4,41	97,4	-	0,00
28	9 046	9 048	-4,54	97,4	-	0,00
29	9 579	9 580	-5,10	97,4	-	0,00
3	6 851	6 853	-1,89	97,4	-	0,00
30	9 541	9 543	-5,06	97,4	-	0,00
31	9 474	9 476	-4,99	97,4	-	0,00
32	10 075	10 076	-5,58	97,4	-	0,00
33	10 694	10 695	-6,16	97,4	-	0,00
34	10 665	10 667	-6,14	97,4	-	0,00
35	10 075	10 076	-5,58	97,4	-	0,00
36	10 107	10 108	-5,62	97,4	-	0,00
37	9 990	9 992	-5,50	97,4	-	0,00
38	10 233	10 234	-5,74	97,4	-	0,00
39	9 344	9 346	-4,86	97,4	-	0,00
4	6 185	6 187	-0,93	97,4	-	0,00
40	10 188	10 189	-5,69	97,4	-	0,00
41	10 689	10 691	-6,16	97,4	-	0,00
5	6 494	6 496	-1,39	97,4	-	0,00
6	5 531	5 534	0,12	97,4	-	0,00
7	5 299	5 301	0,52	97,4	-	0,00
8	4 119	4 123	2,85	97,4	-	0,00
9	4 434	4 438	2,17	97,4	-	0,00
Sum			14,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OA Krastmali

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	7 175	7 177	-2,33	97,4	-	0,00
10	3 520	3 524	4,29	97,4	-	0,00
11	4 905	4 908	1,24	97,4	-	0,00
12	4 678	4 681	1,67	97,4	-	0,00
13	5 401	5 404	0,34	97,4	-	0,00
14	5 956	5 959	-0,58	97,4	-	0,00
15	6 370	6 372	-1,20	97,4	-	0,00
16	6 666	6 668	-1,63	97,4	-	0,00
17	7 088	7 090	-2,21	97,4	-	0,00
18	7 718	7 720	-3,02	97,4	-	0,00
19	8 217	8 219	-3,62	97,4	-	0,00
2	7 222	7 225	-2,39	97,4	-	0,00
20	7 737	7 739	-3,05	97,4	-	0,00
21	8 358	8 360	-3,78	97,4	-	0,00
22	8 247	8 249	-3,66	97,4	-	0,00
23	8 753	8 755	-4,23	97,4	-	0,00
24	8 946	8 948	-4,44	97,4	-	0,00
25	8 489	8 491	-3,93	97,4	-	0,00
26	9 145	9 147	-4,65	97,4	-	0,00
27	8 917	8 918	-4,41	97,4	-	0,00
28	9 046	9 048	-4,54	97,4	-	0,00
29	9 579	9 580	-5,10	97,4	-	0,00
3	6 851	6 853	-1,89	97,4	-	0,00
30	9 541	9 543	-5,06	97,4	-	0,00
31	9 474	9 476	-4,99	97,4	-	0,00
32	10 075	10 076	-5,58	97,4	-	0,00
33	10 694	10 695	-6,16	97,4	-	0,00
34	10 665	10 667	-6,14	97,4	-	0,00
35	10 075	10 076	-5,58	97,4	-	0,00
36	10 107	10 108	-5,62	97,4	-	0,00
37	9 990	9 992	-5,50	97,4	-	0,00
38	10 233	10 234	-5,74	97,4	-	0,00
39	9 344	9 346	-4,86	97,4	-	0,00
4	6 185	6 187	-0,93	97,4	-	0,00
40	10 188	10 189	-5,69	97,4	-	0,00
41	10 689	10 691	-6,16	97,4	-	0,00
5	6 494	6 496	-1,39	97,4	-	0,00
6	5 531	5 534	0,12	97,4	-	0,00
7	5 299	5 301	0,52	97,4	-	0,00
8	4 119	4 123	2,85	97,4	-	0,00
9	4 434	4 438	2,17	97,4	-	0,00
Sum			14,26			

- Data undefined due to calculation with octave data

Noise sensitive area: OB Upes iela 2

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 936	8 937	-4,43	97,4	-	0,00
10	4 077	4 080	2,94	97,4	-	0,00
11	3 618	3 622	4,04	97,4	-	0,00
12	2 934	2 939	5,94	97,4	-	0,00
13	3 878	3 882	3,40	97,4	-	0,00
14	4 667	4 671	1,70	97,4	-	0,00
15	4 811	4 814	1,42	97,4	-	0,00
16	4 922	4 925	1,20	97,4	-	0,00
17	5 168	5 171	0,75	97,4	-	0,00
18	6 487	6 489	-1,38	97,4	-	0,00
19	6 911	6 913	-1,97	97,4	-	0,00
2	8 789	8 791	-4,27	97,4	-	0,00
20	6 043	6 045	-0,71	97,4	-	0,00
21	6 861	6 863	-1,91	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 498	6 500	-1,39	97,4	-	0,00
23	6 932	6 934	-2,00	97,4	-	0,00
24	7 360	7 362	-2,57	97,4	-	0,00
25	7 527	7 530	-2,79	97,4	-	0,00
26	8 299	8 301	-3,72	97,4	-	0,00
27	7 614	7 616	-2,89	97,4	-	0,00
28	7 971	7 973	-3,33	97,4	-	0,00
29	8 618	8 620	-4,08	97,4	-	0,00
3	8 194	8 196	-3,59	97,4	-	0,00
30	8 359	8 361	-3,79	97,4	-	0,00
31	8 091	8 093	-3,47	97,4	-	0,00
32	9 057	9 059	-4,56	97,4	-	0,00
33	9 569	9 571	-5,09	97,4	-	0,00
34	9 380	9 381	-4,89	97,4	-	0,00
35	8 827	8 829	-4,31	97,4	-	0,00
36	8 686	8 688	-4,15	97,4	-	0,00
37	8 357	8 359	-3,78	97,4	-	0,00
38	8 390	8 392	-3,82	97,4	-	0,00
39	7 668	7 670	-2,96	97,4	-	0,00
4	7 562	7 564	-2,83	97,4	-	0,00
40	8 153	8 155	-3,55	97,4	-	0,00
41	8 577	8 579	-4,03	97,4	-	0,00
5	7 648	7 649	-2,94	97,4	-	0,00
6	7 001	7 003	-2,10	97,4	-	0,00
7	6 983	6 985	-2,07	97,4	-	0,00
8	4 388	4 391	2,27	97,4	-	0,00
9	4 274	4 277	2,51	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: OB Upes iela 2

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 936	8 937	-4,43	97,4	-	0,00
10	4 077	4 080	2,94	97,4	-	0,00
11	3 618	3 622	4,04	97,4	-	0,00
12	2 934	2 939	5,94	97,4	-	0,00
13	3 878	3 882	3,40	97,4	-	0,00
14	4 667	4 671	1,70	97,4	-	0,00
15	4 811	4 814	1,42	97,4	-	0,00
16	4 922	4 925	1,20	97,4	-	0,00
17	5 168	5 171	0,75	97,4	-	0,00
18	6 487	6 489	-1,38	97,4	-	0,00
19	6 911	6 913	-1,97	97,4	-	0,00
2	8 789	8 791	-4,27	97,4	-	0,00
20	6 043	6 045	-0,71	97,4	-	0,00
21	6 861	6 863	-1,91	97,4	-	0,00
22	6 498	6 500	-1,39	97,4	-	0,00
23	6 932	6 934	-2,00	97,4	-	0,00
24	7 360	7 362	-2,57	97,4	-	0,00
25	7 527	7 530	-2,79	97,4	-	0,00
26	8 299	8 301	-3,72	97,4	-	0,00
27	7 614	7 616	-2,89	97,4	-	0,00
28	7 971	7 973	-3,33	97,4	-	0,00
29	8 618	8 620	-4,08	97,4	-	0,00
3	8 194	8 196	-3,59	97,4	-	0,00
30	8 359	8 361	-3,79	97,4	-	0,00
31	8 091	8 093	-3,47	97,4	-	0,00
32	9 057	9 059	-4,56	97,4	-	0,00
33	9 569	9 571	-5,09	97,4	-	0,00
34	9 380	9 381	-4,89	97,4	-	0,00
35	8 827	8 829	-4,31	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 686	8 688	-4,15	97,4	-	0,00
37	8 357	8 359	-3,78	97,4	-	0,00
38	8 390	8 392	-3,82	97,4	-	0,00
39	7 668	7 670	-2,96	97,4	-	0,00
4	7 562	7 564	-2,83	97,4	-	0,00
40	8 153	8 155	-3,55	97,4	-	0,00
41	8 577	8 579	-4,03	97,4	-	0,00
5	7 648	7 649	-2,94	97,4	-	0,00
6	7 001	7 003	-2,10	97,4	-	0,00
7	6 983	6 985	-2,07	97,4	-	0,00
8	4 388	4 391	2,27	97,4	-	0,00
9	4 274	4 277	2,51	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: OC Padomes iela 31

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 974	8 976	-4,47	97,4	-	0,00
10	4 125	4 128	2,84	97,4	-	0,00
11	3 686	3 690	3,87	97,4	-	0,00
12	3 003	3 008	5,73	97,4	-	0,00
13	3 947	3 951	3,24	97,4	-	0,00
14	4 736	4 740	1,56	97,4	-	0,00
15	4 880	4 883	1,28	97,4	-	0,00
16	4 991	4 994	1,07	97,4	-	0,00
17	5 236	5 239	0,63	97,4	-	0,00
18	6 556	6 558	-1,48	97,4	-	0,00
19	6 980	6 982	-2,07	97,4	-	0,00
2	8 831	8 833	-4,31	97,4	-	0,00
20	6 111	6 114	-0,82	97,4	-	0,00
21	6 931	6 933	-2,00	97,4	-	0,00
22	6 566	6 569	-1,49	97,4	-	0,00
23	7 000	7 002	-2,10	97,4	-	0,00
24	7 429	7 431	-2,66	97,4	-	0,00
25	7 596	7 599	-2,87	97,4	-	0,00
26	8 367	8 369	-3,80	97,4	-	0,00
27	7 683	7 685	-2,98	97,4	-	0,00
28	8 040	8 042	-3,41	97,4	-	0,00
29	8 687	8 689	-4,15	97,4	-	0,00
3	8 239	8 241	-3,65	97,4	-	0,00
30	8 429	8 431	-3,87	97,4	-	0,00
31	8 160	8 162	-3,56	97,4	-	0,00
32	9 126	9 128	-4,63	97,4	-	0,00
33	9 638	9 640	-5,16	97,4	-	0,00
34	9 449	9 451	-4,96	97,4	-	0,00
35	8 897	8 899	-4,38	97,4	-	0,00
36	8 756	8 757	-4,23	97,4	-	0,00
37	8 426	8 428	-3,86	97,4	-	0,00
38	8 457	8 459	-3,90	97,4	-	0,00
39	7 736	7 738	-3,05	97,4	-	0,00
4	7 606	7 608	-2,88	97,4	-	0,00
40	8 218	8 220	-3,62	97,4	-	0,00
41	8 642	8 643	-4,10	97,4	-	0,00
5	7 696	7 697	-3,00	97,4	-	0,00
6	7 043	7 045	-2,15	97,4	-	0,00
7	7 020	7 022	-2,12	97,4	-	0,00
8	4 442	4 445	2,15	97,4	-	0,00
9	4 333	4 336	2,38	97,4	-	0,00
Sum			15,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OC Padomes iela 31

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 974	8 976	-4,47	97,4	-	0,00
10	4 125	4 128	2,84	97,4	-	0,00
11	3 686	3 690	3,87	97,4	-	0,00
12	3 003	3 008	5,73	97,4	-	0,00
13	3 947	3 951	3,24	97,4	-	0,00
14	4 736	4 740	1,56	97,4	-	0,00
15	4 880	4 883	1,28	97,4	-	0,00
16	4 991	4 994	1,07	97,4	-	0,00
17	5 236	5 239	0,63	97,4	-	0,00
18	6 556	6 558	-1,48	97,4	-	0,00
19	6 980	6 982	-2,07	97,4	-	0,00
2	8 831	8 833	-4,31	97,4	-	0,00
20	6 111	6 114	-0,82	97,4	-	0,00
21	6 931	6 933	-2,00	97,4	-	0,00
22	6 566	6 569	-1,49	97,4	-	0,00
23	7 000	7 002	-2,10	97,4	-	0,00
24	7 429	7 431	-2,66	97,4	-	0,00
25	7 596	7 599	-2,87	97,4	-	0,00
26	8 367	8 369	-3,80	97,4	-	0,00
27	7 683	7 685	-2,98	97,4	-	0,00
28	8 040	8 042	-3,41	97,4	-	0,00
29	8 687	8 689	-4,15	97,4	-	0,00
3	8 239	8 241	-3,65	97,4	-	0,00
30	8 429	8 431	-3,87	97,4	-	0,00
31	8 160	8 162	-3,56	97,4	-	0,00
32	9 126	9 128	-4,63	97,4	-	0,00
33	9 638	9 640	-5,16	97,4	-	0,00
34	9 449	9 451	-4,96	97,4	-	0,00
35	8 897	8 899	-4,38	97,4	-	0,00
36	8 756	8 757	-4,23	97,4	-	0,00
37	8 426	8 428	-3,86	97,4	-	0,00
38	8 457	8 459	-3,90	97,4	-	0,00
39	7 736	7 738	-3,05	97,4	-	0,00
4	7 606	7 608	-2,88	97,4	-	0,00
40	8 218	8 220	-3,62	97,4	-	0,00
41	8 642	8 643	-4,10	97,4	-	0,00
5	7 696	7 697	-3,00	97,4	-	0,00
6	7 043	7 045	-2,15	97,4	-	0,00
7	7 020	7 022	-2,12	97,4	-	0,00
8	4 442	4 445	2,15	97,4	-	0,00
9	4 333	4 336	2,38	97,4	-	0,00
Sum			15,29			

- Data undefined due to calculation with octave data

Noise sensitive area: OD Upes iela 11

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 841	8 843	-4,32	97,4	-	0,00
10	3 992	3 996	3,14	97,4	-	0,00
11	3 588	3 593	4,11	97,4	-	0,00
12	2 919	2 925	5,98	97,4	-	0,00
13	3 862	3 866	3,44	97,4	-	0,00
14	4 646	4 650	1,74	97,4	-	0,00
15	4 803	4 806	1,43	97,4	-	0,00
16	4 923	4 926	1,20	97,4	-	0,00
17	5 179	5 182	0,73	97,4	-	0,00
18	6 471	6 474	-1,35	97,4	-	0,00
19	6 900	6 902	-1,96	97,4	-	0,00
2	8 698	8 700	-4,17	97,4	-	0,00
20	6 046	6 049	-0,71	97,4	-	0,00
21	6 858	6 860	-1,90	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 505	6 508	-1,40	97,4	-	0,00
23	6 944	6 946	-2,02	97,4	-	0,00
24	7 362	7 365	-2,57	97,4	-	0,00
25	7 504	7 507	-2,76	97,4	-	0,00
26	8 273	8 275	-3,69	97,4	-	0,00
27	7 605	7 607	-2,88	97,4	-	0,00
28	7 953	7 955	-3,31	97,4	-	0,00
29	8 597	8 599	-4,05	97,4	-	0,00
3	8 106	8 108	-3,49	97,4	-	0,00
30	8 347	8 349	-3,77	97,4	-	0,00
31	8 086	8 088	-3,47	97,4	-	0,00
32	9 039	9 041	-4,54	97,4	-	0,00
33	9 556	9 558	-5,07	97,4	-	0,00
34	9 373	9 375	-4,89	97,4	-	0,00
35	8 818	8 820	-4,30	97,4	-	0,00
36	8 684	8 686	-4,15	97,4	-	0,00
37	8 364	8 365	-3,79	97,4	-	0,00
38	8 406	8 408	-3,84	97,4	-	0,00
39	7 675	7 677	-2,97	97,4	-	0,00
4	7 473	7 475	-2,72	97,4	-	0,00
40	8 177	8 179	-3,58	97,4	-	0,00
41	8 606	8 608	-4,06	97,4	-	0,00
5	7 563	7 565	-2,83	97,4	-	0,00
6	6 909	6 911	-1,97	97,4	-	0,00
7	6 887	6 889	-1,94	97,4	-	0,00
8	4 312	4 316	2,43	97,4	-	0,00
9	4 209	4 213	2,65	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: OD Upes iela 11

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 841	8 843	-4,32	97,4	-	0,00
10	3 992	3 996	3,14	97,4	-	0,00
11	3 588	3 593	4,11	97,4	-	0,00
12	2 919	2 925	5,98	97,4	-	0,00
13	3 862	3 866	3,44	97,4	-	0,00
14	4 646	4 650	1,74	97,4	-	0,00
15	4 803	4 806	1,43	97,4	-	0,00
16	4 923	4 926	1,20	97,4	-	0,00
17	5 179	5 182	0,73	97,4	-	0,00
18	6 471	6 474	-1,35	97,4	-	0,00
19	6 900	6 902	-1,96	97,4	-	0,00
2	8 698	8 700	-4,17	97,4	-	0,00
20	6 046	6 049	-0,71	97,4	-	0,00
21	6 858	6 860	-1,90	97,4	-	0,00
22	6 505	6 508	-1,40	97,4	-	0,00
23	6 944	6 946	-2,02	97,4	-	0,00
24	7 362	7 365	-2,57	97,4	-	0,00
25	7 504	7 507	-2,76	97,4	-	0,00
26	8 273	8 275	-3,69	97,4	-	0,00
27	7 605	7 607	-2,88	97,4	-	0,00
28	7 953	7 955	-3,31	97,4	-	0,00
29	8 597	8 599	-4,05	97,4	-	0,00
3	8 106	8 108	-3,49	97,4	-	0,00
30	8 347	8 349	-3,77	97,4	-	0,00
31	8 086	8 088	-3,47	97,4	-	0,00
32	9 039	9 041	-4,54	97,4	-	0,00
33	9 556	9 558	-5,07	97,4	-	0,00
34	9 373	9 375	-4,89	97,4	-	0,00
35	8 818	8 820	-4,30	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 684	8 686	-4,15	97,4	-	0,00
37	8 364	8 365	-3,79	97,4	-	0,00
38	8 406	8 408	-3,84	97,4	-	0,00
39	7 675	7 677	-2,97	97,4	-	0,00
4	7 473	7 475	-2,72	97,4	-	0,00
40	8 177	8 179	-3,58	97,4	-	0,00
41	8 606	8 608	-4,06	97,4	-	0,00
5	7 563	7 565	-2,83	97,4	-	0,00
6	6 909	6 911	-1,97	97,4	-	0,00
7	6 887	6 889	-1,94	97,4	-	0,00
8	4 312	4 316	2,43	97,4	-	0,00
9	4 209	4 213	2,65	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: OE Upes iela 20

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 682	8 684	-4,15	97,4	-	0,00
10	3 866	3 869	3,43	97,4	-	0,00
11	3 598	3 602	4,09	97,4	-	0,00
12	2 962	2 968	5,85	97,4	-	0,00
13	3 899	3 903	3,35	97,4	-	0,00
14	4 671	4 674	1,69	97,4	-	0,00
15	4 854	4 857	1,33	97,4	-	0,00
16	4 992	4 996	1,07	97,4	-	0,00
17	5 267	5 270	0,57	97,4	-	0,00
18	6 505	6 508	-1,40	97,4	-	0,00
19	6 942	6 945	-2,02	97,4	-	0,00
2	8 549	8 551	-4,00	97,4	-	0,00
20	6 118	6 121	-0,83	97,4	-	0,00
21	6 917	6 919	-1,98	97,4	-	0,00
22	6 584	6 587	-1,52	97,4	-	0,00
23	7 032	7 034	-2,14	97,4	-	0,00
24	7 431	7 433	-2,66	97,4	-	0,00
25	7 522	7 524	-2,78	97,4	-	0,00
26	8 285	8 287	-3,70	97,4	-	0,00
27	7 650	7 652	-2,94	97,4	-	0,00
28	7 982	7 984	-3,34	97,4	-	0,00
29	8 619	8 621	-4,08	97,4	-	0,00
3	7 968	7 970	-3,33	97,4	-	0,00
30	8 385	8 387	-3,82	97,4	-	0,00
31	8 140	8 142	-3,53	97,4	-	0,00
32	9 067	9 069	-4,57	97,4	-	0,00
33	9 594	9 596	-5,11	97,4	-	0,00
34	9 423	9 425	-4,94	97,4	-	0,00
35	8 864	8 866	-4,35	97,4	-	0,00
36	8 743	8 745	-4,22	97,4	-	0,00
37	8 440	8 441	-3,88	97,4	-	0,00
38	8 500	8 502	-3,95	97,4	-	0,00
39	7 752	7 754	-3,07	97,4	-	0,00
4	7 330	7 332	-2,53	97,4	-	0,00
40	8 288	8 290	-3,70	97,4	-	0,00
41	8 725	8 727	-4,20	97,4	-	0,00
5	7 434	7 436	-2,67	97,4	-	0,00
6	6 759	6 761	-1,76	97,4	-	0,00
7	6 725	6 728	-1,72	97,4	-	0,00
8	4 209	4 213	2,65	97,4	-	0,00
9	4 135	4 139	2,81	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OE Upes iela 20

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 682	8 684	-4,15	97,4	-	0,00
10	3 866	3 869	3,43	97,4	-	0,00
11	3 598	3 602	4,09	97,4	-	0,00
12	2 962	2 968	5,85	97,4	-	0,00
13	3 899	3 903	3,35	97,4	-	0,00
14	4 671	4 674	1,69	97,4	-	0,00
15	4 854	4 857	1,33	97,4	-	0,00
16	4 992	4 996	1,07	97,4	-	0,00
17	5 267	5 270	0,57	97,4	-	0,00
18	6 505	6 508	-1,40	97,4	-	0,00
19	6 942	6 945	-2,02	97,4	-	0,00
2	8 549	8 551	-4,00	97,4	-	0,00
20	6 118	6 121	-0,83	97,4	-	0,00
21	6 917	6 919	-1,98	97,4	-	0,00
22	6 584	6 587	-1,52	97,4	-	0,00
23	7 032	7 034	-2,14	97,4	-	0,00
24	7 431	7 433	-2,66	97,4	-	0,00
25	7 522	7 524	-2,78	97,4	-	0,00
26	8 285	8 287	-3,70	97,4	-	0,00
27	7 650	7 652	-2,94	97,4	-	0,00
28	7 982	7 984	-3,34	97,4	-	0,00
29	8 619	8 621	-4,08	97,4	-	0,00
3	7 968	7 970	-3,33	97,4	-	0,00
30	8 385	8 387	-3,82	97,4	-	0,00
31	8 140	8 142	-3,53	97,4	-	0,00
32	9 067	9 069	-4,57	97,4	-	0,00
33	9 594	9 596	-5,11	97,4	-	0,00
34	9 423	9 425	-4,94	97,4	-	0,00
35	8 864	8 866	-4,35	97,4	-	0,00
36	8 743	8 745	-4,22	97,4	-	0,00
37	8 440	8 441	-3,88	97,4	-	0,00
38	8 500	8 502	-3,95	97,4	-	0,00
39	7 752	7 754	-3,07	97,4	-	0,00
4	7 330	7 332	-2,53	97,4	-	0,00
40	8 288	8 290	-3,70	97,4	-	0,00
41	8 725	8 727	-4,20	97,4	-	0,00
5	7 434	7 436	-2,67	97,4	-	0,00
6	6 759	6 761	-1,76	97,4	-	0,00
7	6 725	6 728	-1,72	97,4	-	0,00
8	4 209	4 213	2,65	97,4	-	0,00
9	4 135	4 139	2,81	97,4	-	0,00
Sum			15,46			

- Data undefined due to calculation with octave data

Noise sensitive area: OF Upes iela 6

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 876	8 878	-4,36	97,4	-	0,00
10	4 029	4 033	3,05	97,4	-	0,00
11	3 622	3 627	4,02	97,4	-	0,00
12	2 951	2 956	5,89	97,4	-	0,00
13	3 894	3 897	3,36	97,4	-	0,00
14	4 679	4 682	1,67	97,4	-	0,00
15	4 833	4 836	1,37	97,4	-	0,00
16	4 951	4 954	1,15	97,4	-	0,00
17	5 205	5 208	0,69	97,4	-	0,00
18	6 503	6 505	-1,40	97,4	-	0,00
19	6 930	6 933	-2,00	97,4	-	0,00
2	8 734	8 735	-4,21	97,4	-	0,00
20	6 074	6 076	-0,76	97,4	-	0,00
21	6 887	6 890	-1,94	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 532	6 534	-1,44	97,4	-	0,00
23	6 970	6 972	-2,05	97,4	-	0,00
24	7 390	7 392	-2,61	97,4	-	0,00
25	7 538	7 540	-2,80	97,4	-	0,00
26	8 307	8 309	-3,73	97,4	-	0,00
27	7 635	7 637	-2,92	97,4	-	0,00
28	7 986	7 987	-3,35	97,4	-	0,00
29	8 630	8 632	-4,09	97,4	-	0,00
3	8 143	8 145	-3,53	97,4	-	0,00
30	8 378	8 380	-3,81	97,4	-	0,00
31	8 116	8 118	-3,50	97,4	-	0,00
32	9 071	9 073	-4,57	97,4	-	0,00
33	9 588	9 589	-5,10	97,4	-	0,00
34	9 403	9 405	-4,92	97,4	-	0,00
35	8 849	8 851	-4,33	97,4	-	0,00
36	8 713	8 715	-4,18	97,4	-	0,00
37	8 390	8 392	-3,82	97,4	-	0,00
38	8 430	8 432	-3,87	97,4	-	0,00
39	7 701	7 703	-3,00	97,4	-	0,00
4	7 509	7 511	-2,76	97,4	-	0,00
40	8 199	8 201	-3,60	97,4	-	0,00
41	8 627	8 629	-4,09	97,4	-	0,00
5	7 600	7 602	-2,88	97,4	-	0,00
6	6 945	6 947	-2,02	97,4	-	0,00
7	6 922	6 924	-1,99	97,4	-	0,00
8	4 350	4 353	2,35	97,4	-	0,00
9	4 247	4 250	2,57	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: OF Upes iela 6

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 876	8 878	-4,36	97,4	-	0,00
10	4 029	4 033	3,05	97,4	-	0,00
11	3 622	3 627	4,02	97,4	-	0,00
12	2 951	2 956	5,89	97,4	-	0,00
13	3 894	3 897	3,36	97,4	-	0,00
14	4 679	4 682	1,67	97,4	-	0,00
15	4 833	4 836	1,37	97,4	-	0,00
16	4 951	4 954	1,15	97,4	-	0,00
17	5 205	5 208	0,69	97,4	-	0,00
18	6 503	6 505	-1,40	97,4	-	0,00
19	6 930	6 933	-2,00	97,4	-	0,00
2	8 734	8 735	-4,21	97,4	-	0,00
20	6 074	6 076	-0,76	97,4	-	0,00
21	6 887	6 890	-1,94	97,4	-	0,00
22	6 532	6 534	-1,44	97,4	-	0,00
23	6 970	6 972	-2,05	97,4	-	0,00
24	7 390	7 392	-2,61	97,4	-	0,00
25	7 538	7 540	-2,80	97,4	-	0,00
26	8 307	8 309	-3,73	97,4	-	0,00
27	7 635	7 637	-2,92	97,4	-	0,00
28	7 986	7 987	-3,35	97,4	-	0,00
29	8 630	8 632	-4,09	97,4	-	0,00
3	8 143	8 145	-3,53	97,4	-	0,00
30	8 378	8 380	-3,81	97,4	-	0,00
31	8 116	8 118	-3,50	97,4	-	0,00
32	9 071	9 073	-4,57	97,4	-	0,00
33	9 588	9 589	-5,10	97,4	-	0,00
34	9 403	9 405	-4,92	97,4	-	0,00
35	8 849	8 851	-4,33	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 713	8 715	-4,18	97,4	-	0,00
37	8 390	8 392	-3,82	97,4	-	0,00
38	8 430	8 432	-3,87	97,4	-	0,00
39	7 701	7 703	-3,00	97,4	-	0,00
4	7 509	7 511	-2,76	97,4	-	0,00
40	8 199	8 201	-3,60	97,4	-	0,00
41	8 627	8 629	-4,09	97,4	-	0,00
5	7 600	7 602	-2,88	97,4	-	0,00
6	6 945	6 947	-2,02	97,4	-	0,00
7	6 922	6 924	-1,99	97,4	-	0,00
8	4 350	4 353	2,35	97,4	-	0,00
9	4 247	4 250	2,57	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: OG Upes iela 14

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 763	8 765	-4,24	97,4	-	0,00
10	3 933	3 937	3,27	97,4	-	0,00
11	3 607	3 611	4,06	97,4	-	0,00
12	2 956	2 961	5,87	97,4	-	0,00
13	3 895	3 899	3,36	97,4	-	0,00
14	4 673	4 677	1,68	97,4	-	0,00
15	4 844	4 847	1,35	97,4	-	0,00
16	4 975	4 978	1,11	97,4	-	0,00
17	5 240	5 244	0,62	97,4	-	0,00
18	6 504	6 506	-1,40	97,4	-	0,00
19	6 937	6 939	-2,01	97,4	-	0,00
2	8 626	8 628	-4,09	97,4	-	0,00
20	6 099	6 102	-0,80	97,4	-	0,00
21	6 905	6 907	-1,97	97,4	-	0,00
22	6 562	6 565	-1,49	97,4	-	0,00
23	7 006	7 008	-2,10	97,4	-	0,00
24	7 414	7 416	-2,64	97,4	-	0,00
25	7 528	7 530	-2,79	97,4	-	0,00
26	8 294	8 296	-3,71	97,4	-	0,00
27	7 644	7 646	-2,93	97,4	-	0,00
28	7 983	7 985	-3,35	97,4	-	0,00
29	8 624	8 625	-4,08	97,4	-	0,00
3	8 041	8 043	-3,41	97,4	-	0,00
30	8 382	8 384	-3,81	97,4	-	0,00
31	8 130	8 132	-3,52	97,4	-	0,00
32	9 069	9 071	-4,57	97,4	-	0,00
33	9 591	9 593	-5,11	97,4	-	0,00
34	9 415	9 416	-4,93	97,4	-	0,00
35	8 858	8 859	-4,34	97,4	-	0,00
36	8 731	8 733	-4,20	97,4	-	0,00
37	8 419	8 421	-3,85	97,4	-	0,00
38	8 471	8 473	-3,91	97,4	-	0,00
39	7 731	7 733	-3,04	97,4	-	0,00
4	7 405	7 407	-2,63	97,4	-	0,00
40	8 251	8 253	-3,66	97,4	-	0,00
41	8 684	8 686	-4,15	97,4	-	0,00
5	7 503	7 505	-2,75	97,4	-	0,00
6	6 837	6 839	-1,87	97,4	-	0,00
7	6 807	6 810	-1,83	97,4	-	0,00
8	4 267	4 271	2,52	97,4	-	0,00
9	4 181	4 184	2,71	97,4	-	0,00
Sum			15,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OG Upes iela 14

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 763	8 765	-4,24	97,4	-	0,00
10	3 933	3 937	3,27	97,4	-	0,00
11	3 607	3 611	4,06	97,4	-	0,00
12	2 956	2 961	5,87	97,4	-	0,00
13	3 895	3 899	3,36	97,4	-	0,00
14	4 673	4 677	1,68	97,4	-	0,00
15	4 844	4 847	1,35	97,4	-	0,00
16	4 975	4 978	1,11	97,4	-	0,00
17	5 240	5 244	0,62	97,4	-	0,00
18	6 504	6 506	-1,40	97,4	-	0,00
19	6 937	6 939	-2,01	97,4	-	0,00
2	8 626	8 628	-4,09	97,4	-	0,00
20	6 099	6 102	-0,80	97,4	-	0,00
21	6 905	6 907	-1,97	97,4	-	0,00
22	6 562	6 565	-1,49	97,4	-	0,00
23	7 006	7 008	-2,10	97,4	-	0,00
24	7 414	7 416	-2,64	97,4	-	0,00
25	7 528	7 530	-2,79	97,4	-	0,00
26	8 294	8 296	-3,71	97,4	-	0,00
27	7 644	7 646	-2,93	97,4	-	0,00
28	7 983	7 985	-3,35	97,4	-	0,00
29	8 624	8 625	-4,08	97,4	-	0,00
3	8 041	8 043	-3,41	97,4	-	0,00
30	8 382	8 384	-3,81	97,4	-	0,00
31	8 130	8 132	-3,52	97,4	-	0,00
32	9 069	9 071	-4,57	97,4	-	0,00
33	9 591	9 593	-5,11	97,4	-	0,00
34	9 415	9 416	-4,93	97,4	-	0,00
35	8 858	8 859	-4,34	97,4	-	0,00
36	8 731	8 733	-4,20	97,4	-	0,00
37	8 419	8 421	-3,85	97,4	-	0,00
38	8 471	8 473	-3,91	97,4	-	0,00
39	7 731	7 733	-3,04	97,4	-	0,00
4	7 405	7 407	-2,63	97,4	-	0,00
40	8 251	8 253	-3,66	97,4	-	0,00
41	8 684	8 686	-4,15	97,4	-	0,00
5	7 503	7 505	-2,75	97,4	-	0,00
6	6 837	6 839	-1,87	97,4	-	0,00
7	6 807	6 810	-1,83	97,4	-	0,00
8	4 267	4 271	2,52	97,4	-	0,00
9	4 181	4 184	2,71	97,4	-	0,00
Sum			15,44			

- Data undefined due to calculation with octave data

Noise sensitive area: OH Upes iela 8

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 837	8 839	-4,32	97,4	-	0,00
10	3 998	4 001	3,12	97,4	-	0,00
11	3 624	3 628	4,02	97,4	-	0,00
12	2 960	2 965	5,86	97,4	-	0,00
13	3 902	3 906	3,34	97,4	-	0,00
14	4 684	4 688	1,66	97,4	-	0,00
15	4 845	4 848	1,35	97,4	-	0,00
16	4 968	4 971	1,12	97,4	-	0,00
17	5 226	5 229	0,65	97,4	-	0,00
18	6 511	6 513	-1,41	97,4	-	0,00
19	6 941	6 943	-2,02	97,4	-	0,00
2	8 697	8 699	-4,17	97,4	-	0,00
20	6 091	6 094	-0,78	97,4	-	0,00
21	6 902	6 904	-1,96	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 551	6 554	-1,47	97,4	-	0,00
23	6 991	6 993	-2,08	97,4	-	0,00
24	7 407	7 409	-2,63	97,4	-	0,00
25	7 542	7 544	-2,80	97,4	-	0,00
26	8 310	8 311	-3,73	97,4	-	0,00
27	7 646	7 648	-2,93	97,4	-	0,00
28	7 993	7 994	-3,36	97,4	-	0,00
29	8 635	8 637	-4,10	97,4	-	0,00
3	8 109	8 111	-3,49	97,4	-	0,00
30	8 387	8 389	-3,82	97,4	-	0,00
31	8 129	8 131	-3,52	97,4	-	0,00
32	9 078	9 080	-4,58	97,4	-	0,00
33	9 597	9 599	-5,11	97,4	-	0,00
34	9 415	9 417	-4,93	97,4	-	0,00
35	8 860	8 862	-4,34	97,4	-	0,00
36	8 728	8 729	-4,20	97,4	-	0,00
37	8 409	8 411	-3,84	97,4	-	0,00
38	8 453	8 455	-3,89	97,4	-	0,00
39	7 720	7 722	-3,03	97,4	-	0,00
4	7 474	7 476	-2,72	97,4	-	0,00
40	8 227	8 228	-3,63	97,4	-	0,00
41	8 656	8 658	-4,12	97,4	-	0,00
5	7 568	7 570	-2,84	97,4	-	0,00
6	6 908	6 911	-1,97	97,4	-	0,00
7	6 882	6 885	-1,94	97,4	-	0,00
8	4 324	4 328	2,40	97,4	-	0,00
9	4 228	4 232	2,61	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: OH Upes iela 8

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 837	8 839	-4,32	97,4	-	0,00
10	3 998	4 001	3,12	97,4	-	0,00
11	3 624	3 628	4,02	97,4	-	0,00
12	2 960	2 965	5,86	97,4	-	0,00
13	3 902	3 906	3,34	97,4	-	0,00
14	4 684	4 688	1,66	97,4	-	0,00
15	4 845	4 848	1,35	97,4	-	0,00
16	4 968	4 971	1,12	97,4	-	0,00
17	5 226	5 229	0,65	97,4	-	0,00
18	6 511	6 513	-1,41	97,4	-	0,00
19	6 941	6 943	-2,02	97,4	-	0,00
2	8 697	8 699	-4,17	97,4	-	0,00
20	6 091	6 094	-0,78	97,4	-	0,00
21	6 902	6 904	-1,96	97,4	-	0,00
22	6 551	6 554	-1,47	97,4	-	0,00
23	6 991	6 993	-2,08	97,4	-	0,00
24	7 407	7 409	-2,63	97,4	-	0,00
25	7 542	7 544	-2,80	97,4	-	0,00
26	8 310	8 311	-3,73	97,4	-	0,00
27	7 646	7 648	-2,93	97,4	-	0,00
28	7 993	7 994	-3,36	97,4	-	0,00
29	8 635	8 637	-4,10	97,4	-	0,00
3	8 109	8 111	-3,49	97,4	-	0,00
30	8 387	8 389	-3,82	97,4	-	0,00
31	8 129	8 131	-3,52	97,4	-	0,00
32	9 078	9 080	-4,58	97,4	-	0,00
33	9 597	9 599	-5,11	97,4	-	0,00
34	9 415	9 417	-4,93	97,4	-	0,00
35	8 860	8 862	-4,34	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 728	8 729	-4,20	97,4	-	0,00
37	8 409	8 411	-3,84	97,4	-	0,00
38	8 453	8 455	-3,89	97,4	-	0,00
39	7 720	7 722	-3,03	97,4	-	0,00
4	7 474	7 476	-2,72	97,4	-	0,00
40	8 227	8 228	-3,63	97,4	-	0,00
41	8 656	8 658	-4,12	97,4	-	0,00
5	7 568	7 570	-2,84	97,4	-	0,00
6	6 908	6 911	-1,97	97,4	-	0,00
7	6 882	6 885	-1,94	97,4	-	0,00
8	4 324	4 328	2,40	97,4	-	0,00
9	4 228	4 232	2,61	97,4	-	0,00
Sum			15,40			

- Data undefined due to calculation with octave data

Noise sensitive area: OI Upes iela 10

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 809	8 810	-4,29	97,4	-	0,00
10	3 975	3 978	3,18	97,4	-	0,00
11	3 624	3 628	4,02	97,4	-	0,00
12	2 966	2 971	5,84	97,4	-	0,00
13	3 906	3 910	3,33	97,4	-	0,00
14	4 687	4 690	1,66	97,4	-	0,00
15	4 852	4 855	1,34	97,4	-	0,00
16	4 978	4 981	1,10	97,4	-	0,00
17	5 240	5 243	0,62	97,4	-	0,00
18	6 516	6 518	-1,42	97,4	-	0,00
19	6 947	6 949	-2,02	97,4	-	0,00
2	8 671	8 672	-4,14	97,4	-	0,00
20	6 102	6 105	-0,80	97,4	-	0,00
21	6 911	6 913	-1,97	97,4	-	0,00
22	6 564	6 566	-1,49	97,4	-	0,00
23	7 005	7 007	-2,10	97,4	-	0,00
24	7 418	7 420	-2,65	97,4	-	0,00
25	7 543	7 545	-2,81	97,4	-	0,00
26	8 310	8 312	-3,73	97,4	-	0,00
27	7 653	7 655	-2,94	97,4	-	0,00
28	7 996	7 998	-3,36	97,4	-	0,00
29	8 638	8 640	-4,10	97,4	-	0,00
3	8 084	8 086	-3,47	97,4	-	0,00
30	8 393	8 395	-3,82	97,4	-	0,00
31	8 137	8 139	-3,53	97,4	-	0,00
32	9 082	9 083	-4,58	97,4	-	0,00
33	9 602	9 604	-5,12	97,4	-	0,00
34	9 423	9 424	-4,94	97,4	-	0,00
35	8 867	8 868	-4,35	97,4	-	0,00
36	8 737	8 738	-4,21	97,4	-	0,00
37	8 421	8 423	-3,86	97,4	-	0,00
38	8 468	8 470	-3,91	97,4	-	0,00
39	7 732	7 735	-3,04	97,4	-	0,00
4	7 448	7 450	-2,68	97,4	-	0,00
40	8 245	8 246	-3,65	97,4	-	0,00
41	8 675	8 677	-4,14	97,4	-	0,00
5	7 545	7 547	-2,81	97,4	-	0,00
6	6 881	6 883	-1,93	97,4	-	0,00
7	6 853	6 856	-1,90	97,4	-	0,00
8	4 305	4 309	2,44	97,4	-	0,00
9	4 214	4 217	2,64	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OI Upes iela 10

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 809	8 810	-4,29	97,4	-	0,00
10	3 975	3 978	3,18	97,4	-	0,00
11	3 624	3 628	4,02	97,4	-	0,00
12	2 966	2 971	5,84	97,4	-	0,00
13	3 906	3 910	3,33	97,4	-	0,00
14	4 687	4 690	1,66	97,4	-	0,00
15	4 852	4 855	1,34	97,4	-	0,00
16	4 978	4 981	1,10	97,4	-	0,00
17	5 240	5 243	0,62	97,4	-	0,00
18	6 516	6 518	-1,42	97,4	-	0,00
19	6 947	6 949	-2,02	97,4	-	0,00
2	8 671	8 672	-4,14	97,4	-	0,00
20	6 102	6 105	-0,80	97,4	-	0,00
21	6 911	6 913	-1,97	97,4	-	0,00
22	6 564	6 566	-1,49	97,4	-	0,00
23	7 005	7 007	-2,10	97,4	-	0,00
24	7 418	7 420	-2,65	97,4	-	0,00
25	7 543	7 545	-2,81	97,4	-	0,00
26	8 310	8 312	-3,73	97,4	-	0,00
27	7 653	7 655	-2,94	97,4	-	0,00
28	7 996	7 998	-3,36	97,4	-	0,00
29	8 638	8 640	-4,10	97,4	-	0,00
3	8 084	8 086	-3,47	97,4	-	0,00
30	8 393	8 395	-3,82	97,4	-	0,00
31	8 137	8 139	-3,53	97,4	-	0,00
32	9 082	9 083	-4,58	97,4	-	0,00
33	9 602	9 604	-5,12	97,4	-	0,00
34	9 423	9 424	-4,94	97,4	-	0,00
35	8 867	8 868	-4,35	97,4	-	0,00
36	8 737	8 738	-4,21	97,4	-	0,00
37	8 421	8 423	-3,86	97,4	-	0,00
38	8 468	8 470	-3,91	97,4	-	0,00
39	7 732	7 735	-3,04	97,4	-	0,00
4	7 448	7 450	-2,68	97,4	-	0,00
40	8 245	8 246	-3,65	97,4	-	0,00
41	8 675	8 677	-4,14	97,4	-	0,00
5	7 545	7 547	-2,81	97,4	-	0,00
6	6 881	6 883	-1,93	97,4	-	0,00
7	6 853	6 856	-1,90	97,4	-	0,00
8	4 305	4 309	2,44	97,4	-	0,00
9	4 214	4 217	2,64	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: OJ Upes iela 4

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 903	8 905	-4,39	97,4	-	0,00
10	4 050	4 054	3,00	97,4	-	0,00
11	3 618	3 622	4,04	97,4	-	0,00
12	2 941	2 946	5,92	97,4	-	0,00
13	3 884	3 888	3,39	97,4	-	0,00
14	4 671	4 675	1,69	97,4	-	0,00
15	4 821	4 824	1,40	97,4	-	0,00
16	4 936	4 939	1,18	97,4	-	0,00
17	5 186	5 189	0,72	97,4	-	0,00
18	6 493	6 496	-1,39	97,4	-	0,00
19	6 919	6 922	-1,99	97,4	-	0,00
2	8 758	8 760	-4,23	97,4	-	0,00
20	6 057	6 060	-0,73	97,4	-	0,00
21	6 873	6 876	-1,92	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 514	6 517	-1,42	97,4	-	0,00
23	6 950	6 953	-2,03	97,4	-	0,00
24	7 375	7 377	-2,59	97,4	-	0,00
25	7 531	7 533	-2,79	97,4	-	0,00
26	8 301	8 303	-3,72	97,4	-	0,00
27	7 623	7 626	-2,91	97,4	-	0,00
28	7 977	7 979	-3,34	97,4	-	0,00
29	8 623	8 624	-4,08	97,4	-	0,00
3	8 165	8 167	-3,56	97,4	-	0,00
30	8 367	8 369	-3,80	97,4	-	0,00
31	8 102	8 104	-3,49	97,4	-	0,00
32	9 063	9 065	-4,56	97,4	-	0,00
33	9 577	9 579	-5,09	97,4	-	0,00
34	9 390	9 392	-4,90	97,4	-	0,00
35	8 837	8 839	-4,32	97,4	-	0,00
36	8 699	8 701	-4,17	97,4	-	0,00
37	8 373	8 375	-3,80	97,4	-	0,00
38	8 410	8 412	-3,84	97,4	-	0,00
39	7 684	7 686	-2,98	97,4	-	0,00
4	7 532	7 534	-2,79	97,4	-	0,00
40	8 176	8 178	-3,57	97,4	-	0,00
41	8 602	8 604	-4,06	97,4	-	0,00
5	7 621	7 623	-2,90	97,4	-	0,00
6	6 970	6 972	-2,06	97,4	-	0,00
7	6 949	6 951	-2,03	97,4	-	0,00
8	4 366	4 369	2,31	97,4	-	0,00
9	4 258	4 261	2,54	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: OJ Upes iela 4

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 903	8 905	-4,39	97,4	-	0,00
10	4 050	4 054	3,00	97,4	-	0,00
11	3 618	3 622	4,04	97,4	-	0,00
12	2 941	2 946	5,92	97,4	-	0,00
13	3 884	3 888	3,39	97,4	-	0,00
14	4 671	4 675	1,69	97,4	-	0,00
15	4 821	4 824	1,40	97,4	-	0,00
16	4 936	4 939	1,18	97,4	-	0,00
17	5 186	5 189	0,72	97,4	-	0,00
18	6 493	6 496	-1,39	97,4	-	0,00
19	6 919	6 922	-1,99	97,4	-	0,00
2	8 758	8 760	-4,23	97,4	-	0,00
20	6 057	6 060	-0,73	97,4	-	0,00
21	6 873	6 876	-1,92	97,4	-	0,00
22	6 514	6 517	-1,42	97,4	-	0,00
23	6 950	6 953	-2,03	97,4	-	0,00
24	7 375	7 377	-2,59	97,4	-	0,00
25	7 531	7 533	-2,79	97,4	-	0,00
26	8 301	8 303	-3,72	97,4	-	0,00
27	7 623	7 626	-2,91	97,4	-	0,00
28	7 977	7 979	-3,34	97,4	-	0,00
29	8 623	8 624	-4,08	97,4	-	0,00
3	8 165	8 167	-3,56	97,4	-	0,00
30	8 367	8 369	-3,80	97,4	-	0,00
31	8 102	8 104	-3,49	97,4	-	0,00
32	9 063	9 065	-4,56	97,4	-	0,00
33	9 577	9 579	-5,09	97,4	-	0,00
34	9 390	9 392	-4,90	97,4	-	0,00
35	8 837	8 839	-4,32	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 699	8 701	-4,17	97,4	-	0,00
37	8 373	8 375	-3,80	97,4	-	0,00
38	8 410	8 412	-3,84	97,4	-	0,00
39	7 684	7 686	-2,98	97,4	-	0,00
4	7 532	7 534	-2,79	97,4	-	0,00
40	8 176	8 178	-3,57	97,4	-	0,00
41	8 602	8 604	-4,06	97,4	-	0,00
5	7 621	7 623	-2,90	97,4	-	0,00
6	6 970	6 972	-2,06	97,4	-	0,00
7	6 949	6 951	-2,03	97,4	-	0,00
8	4 366	4 369	2,31	97,4	-	0,00
9	4 258	4 261	2,54	97,4	-	0,00
Sum			15,41			

- Data undefined due to calculation with octave data

Noise sensitive area: OK Upes iela 12

Wind speed: 6,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 787	8 789	-4,26	97,4	-	0,00
10	3 956	3 959	3,22	97,4	-	0,00
11	3 616	3 621	4,04	97,4	-	0,00
12	2 962	2 967	5,85	97,4	-	0,00
13	3 902	3 906	3,34	97,4	-	0,00
14	4 681	4 685	1,67	97,4	-	0,00
15	4 849	4 852	1,34	97,4	-	0,00
16	4 977	4 980	1,10	97,4	-	0,00
17	5 240	5 244	0,62	97,4	-	0,00
18	6 511	6 513	-1,41	97,4	-	0,00
19	6 943	6 945	-2,02	97,4	-	0,00
2	8 650	8 652	-4,11	97,4	-	0,00
20	6 101	6 104	-0,80	97,4	-	0,00
21	6 908	6 910	-1,97	97,4	-	0,00
22	6 563	6 566	-1,49	97,4	-	0,00
23	7 006	7 008	-2,10	97,4	-	0,00
24	7 416	7 419	-2,64	97,4	-	0,00
25	7 537	7 539	-2,80	97,4	-	0,00
26	8 303	8 305	-3,72	97,4	-	0,00
27	7 649	7 651	-2,94	97,4	-	0,00
28	7 991	7 992	-3,35	97,4	-	0,00
29	8 632	8 633	-4,09	97,4	-	0,00
3	8 064	8 066	-3,44	97,4	-	0,00
30	8 388	8 390	-3,82	97,4	-	0,00
31	8 134	8 136	-3,52	97,4	-	0,00
32	9 076	9 078	-4,58	97,4	-	0,00
33	9 598	9 599	-5,11	97,4	-	0,00
34	9 420	9 421	-4,93	97,4	-	0,00
35	8 863	8 865	-4,35	97,4	-	0,00
36	8 734	8 736	-4,21	97,4	-	0,00
37	8 421	8 422	-3,86	97,4	-	0,00
38	8 470	8 472	-3,91	97,4	-	0,00
39	7 732	7 734	-3,04	97,4	-	0,00
4	7 428	7 430	-2,66	97,4	-	0,00
40	8 248	8 250	-3,66	97,4	-	0,00
41	8 680	8 682	-4,15	97,4	-	0,00
5	7 526	7 528	-2,78	97,4	-	0,00
6	6 861	6 863	-1,91	97,4	-	0,00
7	6 832	6 834	-1,87	97,4	-	0,00
8	4 288	4 291	2,48	97,4	-	0,00
9	4 199	4 202	2,67	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OK Upes iela 12

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 787	8 789	-4,26	97,4	-	0,00
10	3 956	3 959	3,22	97,4	-	0,00
11	3 616	3 621	4,04	97,4	-	0,00
12	2 962	2 967	5,85	97,4	-	0,00
13	3 902	3 906	3,34	97,4	-	0,00
14	4 681	4 685	1,67	97,4	-	0,00
15	4 849	4 852	1,34	97,4	-	0,00
16	4 977	4 980	1,10	97,4	-	0,00
17	5 240	5 244	0,62	97,4	-	0,00
18	6 511	6 513	-1,41	97,4	-	0,00
19	6 943	6 945	-2,02	97,4	-	0,00
2	8 650	8 652	-4,11	97,4	-	0,00
20	6 101	6 104	-0,80	97,4	-	0,00
21	6 908	6 910	-1,97	97,4	-	0,00
22	6 563	6 566	-1,49	97,4	-	0,00
23	7 006	7 008	-2,10	97,4	-	0,00
24	7 416	7 419	-2,64	97,4	-	0,00
25	7 537	7 539	-2,80	97,4	-	0,00
26	8 303	8 305	-3,72	97,4	-	0,00
27	7 649	7 651	-2,94	97,4	-	0,00
28	7 991	7 992	-3,35	97,4	-	0,00
29	8 632	8 633	-4,09	97,4	-	0,00
3	8 064	8 066	-3,44	97,4	-	0,00
30	8 388	8 390	-3,82	97,4	-	0,00
31	8 134	8 136	-3,52	97,4	-	0,00
32	9 076	9 078	-4,58	97,4	-	0,00
33	9 598	9 599	-5,11	97,4	-	0,00
34	9 420	9 421	-4,93	97,4	-	0,00
35	8 863	8 865	-4,35	97,4	-	0,00
36	8 734	8 736	-4,21	97,4	-	0,00
37	8 421	8 422	-3,86	97,4	-	0,00
38	8 470	8 472	-3,91	97,4	-	0,00
39	7 732	7 734	-3,04	97,4	-	0,00
4	7 428	7 430	-2,66	97,4	-	0,00
40	8 248	8 250	-3,66	97,4	-	0,00
41	8 680	8 682	-4,15	97,4	-	0,00
5	7 526	7 528	-2,78	97,4	-	0,00
6	6 861	6 863	-1,91	97,4	-	0,00
7	6 832	6 834	-1,87	97,4	-	0,00
8	4 288	4 291	2,48	97,4	-	0,00
9	4 199	4 202	2,67	97,4	-	0,00
Sum			15,42			

- Data undefined due to calculation with octave data

Noise sensitive area: OL Upes iela 16

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 742	8 744	-4,22	97,4	-	0,00
10	3 915	3 919	3,31	97,4	-	0,00
11	3 602	3 606	4,08	97,4	-	0,00
12	2 954	2 960	5,88	97,4	-	0,00
13	3 893	3 897	3,37	97,4	-	0,00
14	4 670	4 673	1,69	97,4	-	0,00
15	4 843	4 846	1,35	97,4	-	0,00
16	4 976	4 979	1,10	97,4	-	0,00
17	5 243	5 247	0,62	97,4	-	0,00
18	6 501	6 504	-1,40	97,4	-	0,00
19	6 935	6 937	-2,01	97,4	-	0,00
2	8 606	8 608	-4,07	97,4	-	0,00
20	6 100	6 103	-0,80	97,4	-	0,00
21	6 904	6 906	-1,97	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 564	6 567	-1,49	97,4	-	0,00
23	7 009	7 011	-2,11	97,4	-	0,00
24	7 415	7 417	-2,64	97,4	-	0,00
25	7 524	7 526	-2,78	97,4	-	0,00
26	8 289	8 291	-3,70	97,4	-	0,00
27	7 642	7 644	-2,93	97,4	-	0,00
28	7 980	7 982	-3,34	97,4	-	0,00
29	8 619	8 621	-4,08	97,4	-	0,00
3	8 022	8 024	-3,39	97,4	-	0,00
30	8 380	8 382	-3,81	97,4	-	0,00
31	8 129	8 131	-3,52	97,4	-	0,00
32	9 065	9 067	-4,56	97,4	-	0,00
33	9 589	9 591	-5,11	97,4	-	0,00
34	9 414	9 415	-4,93	97,4	-	0,00
35	8 856	8 858	-4,34	97,4	-	0,00
36	8 731	8 732	-4,20	97,4	-	0,00
37	8 421	8 422	-3,86	97,4	-	0,00
38	8 475	8 477	-3,92	97,4	-	0,00
39	7 733	7 735	-3,04	97,4	-	0,00
4	7 386	7 388	-2,60	97,4	-	0,00
40	8 257	8 259	-3,67	97,4	-	0,00
41	8 690	8 692	-4,16	97,4	-	0,00
5	7 485	7 487	-2,73	97,4	-	0,00
6	6 817	6 819	-1,84	97,4	-	0,00
7	6 787	6 789	-1,80	97,4	-	0,00
8	4 251	4 255	2,56	97,4	-	0,00
9	4 167	4 171	2,74	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: OL Upes iela 16

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 742	8 744	-4,22	97,4	-	0,00
10	3 915	3 919	3,31	97,4	-	0,00
11	3 602	3 606	4,08	97,4	-	0,00
12	2 954	2 960	5,88	97,4	-	0,00
13	3 893	3 897	3,37	97,4	-	0,00
14	4 670	4 673	1,69	97,4	-	0,00
15	4 843	4 846	1,35	97,4	-	0,00
16	4 976	4 979	1,10	97,4	-	0,00
17	5 243	5 247	0,62	97,4	-	0,00
18	6 501	6 504	-1,40	97,4	-	0,00
19	6 935	6 937	-2,01	97,4	-	0,00
2	8 606	8 608	-4,07	97,4	-	0,00
20	6 100	6 103	-0,80	97,4	-	0,00
21	6 904	6 906	-1,97	97,4	-	0,00
22	6 564	6 567	-1,49	97,4	-	0,00
23	7 009	7 011	-2,11	97,4	-	0,00
24	7 415	7 417	-2,64	97,4	-	0,00
25	7 524	7 526	-2,78	97,4	-	0,00
26	8 289	8 291	-3,70	97,4	-	0,00
27	7 642	7 644	-2,93	97,4	-	0,00
28	7 980	7 982	-3,34	97,4	-	0,00
29	8 619	8 621	-4,08	97,4	-	0,00
3	8 022	8 024	-3,39	97,4	-	0,00
30	8 380	8 382	-3,81	97,4	-	0,00
31	8 129	8 131	-3,52	97,4	-	0,00
32	9 065	9 067	-4,56	97,4	-	0,00
33	9 589	9 591	-5,11	97,4	-	0,00
34	9 414	9 415	-4,93	97,4	-	0,00
35	8 856	8 858	-4,34	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 731	8 732	-4,20	97,4	-	0,00
37	8 421	8 422	-3,86	97,4	-	0,00
38	8 475	8 477	-3,92	97,4	-	0,00
39	7 733	7 735	-3,04	97,4	-	0,00
4	7 386	7 388	-2,60	97,4	-	0,00
40	8 257	8 259	-3,67	97,4	-	0,00
41	8 690	8 692	-4,16	97,4	-	0,00
5	7 485	7 487	-2,73	97,4	-	0,00
6	6 817	6 819	-1,84	97,4	-	0,00
7	6 787	6 789	-1,80	97,4	-	0,00
8	4 251	4 255	2,56	97,4	-	0,00
9	4 167	4 171	2,74	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: OM Vitolu iela 11

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 667	8 669	-4,13	97,4	-	0,00
10	3 855	3 859	3,46	97,4	-	0,00
11	3 603	3 607	4,07	97,4	-	0,00
12	2 971	2 976	5,82	97,4	-	0,00
13	3 906	3 910	3,33	97,4	-	0,00
14	4 677	4 681	1,68	97,4	-	0,00
15	4 863	4 866	1,32	97,4	-	0,00
16	5 003	5 007	1,05	97,4	-	0,00
17	5 280	5 283	0,55	97,4	-	0,00
18	6 513	6 515	-1,41	97,4	-	0,00
19	6 950	6 953	-2,03	97,4	-	0,00
2	8 536	8 537	-3,99	97,4	-	0,00
20	6 129	6 132	-0,84	97,4	-	0,00
21	6 927	6 929	-2,00	97,4	-	0,00
22	6 596	6 599	-1,53	97,4	-	0,00
23	7 044	7 047	-2,16	97,4	-	0,00
24	7 442	7 444	-2,68	97,4	-	0,00
25	7 527	7 530	-2,79	97,4	-	0,00
26	8 289	8 291	-3,71	97,4	-	0,00
27	7 659	7 661	-2,95	97,4	-	0,00
28	7 988	7 990	-3,35	97,4	-	0,00
29	8 625	8 627	-4,09	97,4	-	0,00
3	7 956	7 958	-3,31	97,4	-	0,00
30	8 393	8 395	-3,82	97,4	-	0,00
31	8 149	8 151	-3,54	97,4	-	0,00
32	9 073	9 075	-4,57	97,4	-	0,00
33	9 602	9 603	-5,12	97,4	-	0,00
34	9 432	9 434	-4,95	97,4	-	0,00
35	8 872	8 874	-4,36	97,4	-	0,00
36	8 753	8 755	-4,23	97,4	-	0,00
37	8 451	8 453	-3,89	97,4	-	0,00
38	8 513	8 515	-3,96	97,4	-	0,00
39	7 764	7 766	-3,08	97,4	-	0,00
4	7 318	7 320	-2,52	97,4	-	0,00
40	8 303	8 305	-3,72	97,4	-	0,00
41	8 740	8 742	-4,21	97,4	-	0,00
5	7 423	7 425	-2,65	97,4	-	0,00
6	6 745	6 748	-1,75	97,4	-	0,00
7	6 710	6 713	-1,70	97,4	-	0,00
8	4 202	4 205	2,67	97,4	-	0,00
9	4 130	4 134	2,82	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OM Vitolu iela 11

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 667	8 669	-4,13	97,4	-	0,00
10	3 855	3 859	3,46	97,4	-	0,00
11	3 603	3 607	4,07	97,4	-	0,00
12	2 971	2 976	5,82	97,4	-	0,00
13	3 906	3 910	3,33	97,4	-	0,00
14	4 677	4 681	1,68	97,4	-	0,00
15	4 863	4 866	1,32	97,4	-	0,00
16	5 003	5 007	1,05	97,4	-	0,00
17	5 280	5 283	0,55	97,4	-	0,00
18	6 513	6 515	-1,41	97,4	-	0,00
19	6 950	6 953	-2,03	97,4	-	0,00
2	8 536	8 537	-3,99	97,4	-	0,00
20	6 129	6 132	-0,84	97,4	-	0,00
21	6 927	6 929	-2,00	97,4	-	0,00
22	6 596	6 599	-1,53	97,4	-	0,00
23	7 044	7 047	-2,16	97,4	-	0,00
24	7 442	7 444	-2,68	97,4	-	0,00
25	7 527	7 530	-2,79	97,4	-	0,00
26	8 289	8 291	-3,71	97,4	-	0,00
27	7 659	7 661	-2,95	97,4	-	0,00
28	7 988	7 990	-3,35	97,4	-	0,00
29	8 625	8 627	-4,09	97,4	-	0,00
3	7 956	7 958	-3,31	97,4	-	0,00
30	8 393	8 395	-3,82	97,4	-	0,00
31	8 149	8 151	-3,54	97,4	-	0,00
32	9 073	9 075	-4,57	97,4	-	0,00
33	9 602	9 603	-5,12	97,4	-	0,00
34	9 432	9 434	-4,95	97,4	-	0,00
35	8 872	8 874	-4,36	97,4	-	0,00
36	8 753	8 755	-4,23	97,4	-	0,00
37	8 451	8 453	-3,89	97,4	-	0,00
38	8 513	8 515	-3,96	97,4	-	0,00
39	7 764	7 766	-3,08	97,4	-	0,00
4	7 318	7 320	-2,52	97,4	-	0,00
40	8 303	8 305	-3,72	97,4	-	0,00
41	8 740	8 742	-4,21	97,4	-	0,00
5	7 423	7 425	-2,65	97,4	-	0,00
6	6 745	6 748	-1,75	97,4	-	0,00
7	6 710	6 713	-1,70	97,4	-	0,00
8	4 202	4 205	2,67	97,4	-	0,00
9	4 130	4 134	2,82	97,4	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: ON Skolas iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 241	9 243	-4,75	97,4	-	0,00
10	4 346	4 349	2,35	97,4	-	0,00
11	3 686	3 690	3,87	97,4	-	0,00
12	2 954	2 960	5,88	97,4	-	0,00
13	3 897	3 901	3,36	97,4	-	0,00
14	4 700	4 704	1,63	97,4	-	0,00
15	4 798	4 801	1,44	97,4	-	0,00
16	4 875	4 878	1,29	97,4	-	0,00
17	5 085	5 088	0,90	97,4	-	0,00
18	6 494	6 497	-1,39	97,4	-	0,00
19	6 902	6 904	-1,96	97,4	-	0,00
2	9 080	9 082	-4,58	97,4	-	0,00
20	5 985	5 988	-0,62	97,4	-	0,00
21	6 825	6 827	-1,86	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 426	6 428	-1,29	97,4	-	0,00
23	6 843	6 845	-1,88	97,4	-	0,00
24	7 305	7 307	-2,50	97,4	-	0,00
25	7 561	7 563	-2,83	97,4	-	0,00
26	8 340	8 342	-3,76	97,4	-	0,00
27	7 598	7 600	-2,87	97,4	-	0,00
28	7 984	7 986	-3,35	97,4	-	0,00
29	8 641	8 643	-4,10	97,4	-	0,00
3	8 470	8 472	-3,91	97,4	-	0,00
30	8 354	8 356	-3,78	97,4	-	0,00
31	8 059	8 061	-3,44	97,4	-	0,00
32	9 069	9 071	-4,57	97,4	-	0,00
33	9 563	9 565	-5,08	97,4	-	0,00
34	9 352	9 354	-4,86	97,4	-	0,00
35	8 809	8 811	-4,29	97,4	-	0,00
36	8 644	8 646	-4,11	97,4	-	0,00
37	8 286	8 288	-3,70	97,4	-	0,00
38	8 285	8 287	-3,70	97,4	-	0,00
39	7 595	7 597	-2,87	97,4	-	0,00
4	7 845	7 847	-3,18	97,4	-	0,00
40	8 018	8 020	-3,39	97,4	-	0,00
41	8 427	8 429	-3,86	97,4	-	0,00
5	7 912	7 914	-3,26	97,4	-	0,00
6	7 296	7 298	-2,49	97,4	-	0,00
7	7 293	7 295	-2,48	97,4	-	0,00
8	4 622	4 625	1,79	97,4	-	0,00
9	4 467	4 471	2,10	97,4	-	0,00
Sum			15,30			

- Data undefined due to calculation with octave data

Noise sensitive area: ON Skolas iela 6

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	9 241	9 243	-4,75	97,4	-	0,00
10	4 346	4 349	2,35	97,4	-	0,00
11	3 686	3 690	3,87	97,4	-	0,00
12	2 954	2 960	5,88	97,4	-	0,00
13	3 897	3 901	3,36	97,4	-	0,00
14	4 700	4 704	1,63	97,4	-	0,00
15	4 798	4 801	1,44	97,4	-	0,00
16	4 875	4 878	1,29	97,4	-	0,00
17	5 085	5 088	0,90	97,4	-	0,00
18	6 494	6 497	-1,39	97,4	-	0,00
19	6 902	6 904	-1,96	97,4	-	0,00
2	9 080	9 082	-4,58	97,4	-	0,00
20	5 985	5 988	-0,62	97,4	-	0,00
21	6 825	6 827	-1,86	97,4	-	0,00
22	6 426	6 428	-1,29	97,4	-	0,00
23	6 843	6 845	-1,88	97,4	-	0,00
24	7 305	7 307	-2,50	97,4	-	0,00
25	7 561	7 563	-2,83	97,4	-	0,00
26	8 340	8 342	-3,76	97,4	-	0,00
27	7 598	7 600	-2,87	97,4	-	0,00
28	7 984	7 986	-3,35	97,4	-	0,00
29	8 641	8 643	-4,10	97,4	-	0,00
3	8 470	8 472	-3,91	97,4	-	0,00
30	8 354	8 356	-3,78	97,4	-	0,00
31	8 059	8 061	-3,44	97,4	-	0,00
32	9 069	9 071	-4,57	97,4	-	0,00
33	9 563	9 565	-5,08	97,4	-	0,00
34	9 352	9 354	-4,86	97,4	-	0,00
35	8 809	8 811	-4,29	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 644	8 646	-4,11	97,4	-	0,00
37	8 286	8 288	-3,70	97,4	-	0,00
38	8 285	8 287	-3,70	97,4	-	0,00
39	7 595	7 597	-2,87	97,4	-	0,00
4	7 845	7 847	-3,18	97,4	-	0,00
40	8 018	8 020	-3,39	97,4	-	0,00
41	8 427	8 429	-3,86	97,4	-	0,00
5	7 912	7 914	-3,26	97,4	-	0,00
6	7 296	7 298	-2,49	97,4	-	0,00
7	7 293	7 295	-2,48	97,4	-	0,00
8	4 622	4 625	1,79	97,4	-	0,00
9	4 467	4 471	2,10	97,4	-	0,00
Sum			15,30			

- Data undefined due to calculation with octave data

Noise sensitive area: OO Upes iela 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 929	8 931	-4,42	97,4	-	0,00
10	4 064	4 067	2,97	97,4	-	0,00
11	3 584	3 588	4,12	97,4	-	0,00
12	2 897	2 903	6,05	97,4	-	0,00
13	3 842	3 846	3,49	97,4	-	0,00
14	4 632	4 636	1,77	97,4	-	0,00
15	4 773	4 777	1,49	97,4	-	0,00
16	4 883	4 886	1,28	97,4	-	0,00
17	5 128	5 131	0,82	97,4	-	0,00
18	6 450	6 453	-1,32	97,4	-	0,00
19	6 874	6 876	-1,92	97,4	-	0,00
2	8 780	8 782	-4,26	97,4	-	0,00
20	6 004	6 006	-0,65	97,4	-	0,00
21	6 823	6 825	-1,85	97,4	-	0,00
22	6 458	6 461	-1,34	97,4	-	0,00
23	6 892	6 895	-1,95	97,4	-	0,00
24	7 321	7 324	-2,52	97,4	-	0,00
25	7 492	7 495	-2,74	97,4	-	0,00
26	8 264	8 266	-3,68	97,4	-	0,00
27	7 577	7 579	-2,85	97,4	-	0,00
28	7 935	7 937	-3,29	97,4	-	0,00
29	8 583	8 584	-4,04	97,4	-	0,00
3	8 182	8 184	-3,58	97,4	-	0,00
30	8 323	8 324	-3,74	97,4	-	0,00
31	8 053	8 055	-3,43	97,4	-	0,00
32	9 021	9 023	-4,52	97,4	-	0,00
33	9 532	9 534	-5,05	97,4	-	0,00
34	9 342	9 344	-4,85	97,4	-	0,00
35	8 790	8 792	-4,27	97,4	-	0,00
36	8 648	8 650	-4,11	97,4	-	0,00
37	8 318	8 320	-3,74	97,4	-	0,00
38	8 350	8 352	-3,78	97,4	-	0,00
39	7 628	7 631	-2,91	97,4	-	0,00
4	7 551	7 553	-2,82	97,4	-	0,00
40	8 112	8 114	-3,50	97,4	-	0,00
41	8 536	8 538	-3,99	97,4	-	0,00
5	7 634	7 636	-2,92	97,4	-	0,00
6	6 993	6 995	-2,09	97,4	-	0,00
7	6 977	6 979	-2,06	97,4	-	0,00
8	4 370	4 373	2,30	97,4	-	0,00
9	4 251	4 255	2,56	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OO Upes iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 929	8 931	-4,42	97,4	-	0,00
10	4 064	4 067	2,97	97,4	-	0,00
11	3 584	3 588	4,12	97,4	-	0,00
12	2 897	2 903	6,05	97,4	-	0,00
13	3 842	3 846	3,49	97,4	-	0,00
14	4 632	4 636	1,77	97,4	-	0,00
15	4 773	4 777	1,49	97,4	-	0,00
16	4 883	4 886	1,28	97,4	-	0,00
17	5 128	5 131	0,82	97,4	-	0,00
18	6 450	6 453	-1,32	97,4	-	0,00
19	6 874	6 876	-1,92	97,4	-	0,00
2	8 780	8 782	-4,26	97,4	-	0,00
20	6 004	6 006	-0,65	97,4	-	0,00
21	6 823	6 825	-1,85	97,4	-	0,00
22	6 458	6 461	-1,34	97,4	-	0,00
23	6 892	6 895	-1,95	97,4	-	0,00
24	7 321	7 324	-2,52	97,4	-	0,00
25	7 492	7 495	-2,74	97,4	-	0,00
26	8 264	8 266	-3,68	97,4	-	0,00
27	7 577	7 579	-2,85	97,4	-	0,00
28	7 935	7 937	-3,29	97,4	-	0,00
29	8 583	8 584	-4,04	97,4	-	0,00
3	8 182	8 184	-3,58	97,4	-	0,00
30	8 323	8 324	-3,74	97,4	-	0,00
31	8 053	8 055	-3,43	97,4	-	0,00
32	9 021	9 023	-4,52	97,4	-	0,00
33	9 532	9 534	-5,05	97,4	-	0,00
34	9 342	9 344	-4,85	97,4	-	0,00
35	8 790	8 792	-4,27	97,4	-	0,00
36	8 648	8 650	-4,11	97,4	-	0,00
37	8 318	8 320	-3,74	97,4	-	0,00
38	8 350	8 352	-3,78	97,4	-	0,00
39	7 628	7 631	-2,91	97,4	-	0,00
4	7 551	7 553	-2,82	97,4	-	0,00
40	8 112	8 114	-3,50	97,4	-	0,00
41	8 536	8 538	-3,99	97,4	-	0,00
5	7 634	7 636	-2,92	97,4	-	0,00
6	6 993	6 995	-2,09	97,4	-	0,00
7	6 977	6 979	-2,06	97,4	-	0,00
8	4 370	4 373	2,30	97,4	-	0,00
9	4 251	4 255	2,56	97,4	-	0,00
Sum			15,47			

- Data undefined due to calculation with octave data

Noise sensitive area: OP Darzu iela 6

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 883	8 885	-4,37	97,4	-	0,00
10	4 014	4 018	3,08	97,4	-	0,00
11	3 536	3 540	4,25	97,4	-	0,00
12	2 852	2 857	6,19	97,4	-	0,00
13	3 796	3 800	3,60	97,4	-	0,00
14	4 585	4 589	1,86	97,4	-	0,00
15	4 730	4 733	1,57	97,4	-	0,00
16	4 842	4 845	1,36	97,4	-	0,00
17	5 090	5 093	0,89	97,4	-	0,00
18	6 405	6 407	-1,26	97,4	-	0,00
19	6 829	6 831	-1,86	97,4	-	0,00
2	8 732	8 734	-4,20	97,4	-	0,00
20	5 963	5 966	-0,59	97,4	-	0,00
21	6 781	6 783	-1,79	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
22	6 419	6 422	-1,28	97,4	-	0,00
23	6 854	6 857	-1,90	97,4	-	0,00
24	7 280	7 283	-2,47	97,4	-	0,00
25	7 445	7 447	-2,68	97,4	-	0,00
26	8 216	8 218	-3,62	97,4	-	0,00
27	7 532	7 535	-2,79	97,4	-	0,00
28	7 889	7 891	-3,23	97,4	-	0,00
29	8 536	8 538	-3,99	97,4	-	0,00
3	8 134	8 136	-3,52	97,4	-	0,00
30	8 278	8 280	-3,69	97,4	-	0,00
31	8 010	8 012	-3,38	97,4	-	0,00
32	8 975	8 977	-4,47	97,4	-	0,00
33	9 487	9 489	-5,00	97,4	-	0,00
34	9 299	9 300	-4,81	97,4	-	0,00
35	8 746	8 748	-4,22	97,4	-	0,00
36	8 606	8 608	-4,06	97,4	-	0,00
37	8 278	8 280	-3,69	97,4	-	0,00
38	8 313	8 315	-3,73	97,4	-	0,00
39	7 589	7 591	-2,86	97,4	-	0,00
4	7 503	7 505	-2,75	97,4	-	0,00
40	8 079	8 081	-3,46	97,4	-	0,00
41	8 505	8 507	-3,95	97,4	-	0,00
5	7 585	7 587	-2,86	97,4	-	0,00
6	6 945	6 948	-2,02	97,4	-	0,00
7	6 931	6 934	-2,00	97,4	-	0,00
8	4 319	4 323	2,41	97,4	-	0,00
9	4 199	4 203	2,67	97,4	-	0,00
Sum			15,56			

- Data undefined due to calculation with octave data

Noise sensitive area: OP Darzu iela 6

Wind speed: 8,0 m/s

WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 883	8 885	-4,37	97,4	-	0,00
10	4 014	4 018	3,08	97,4	-	0,00
11	3 536	3 540	4,25	97,4	-	0,00
12	2 852	2 857	6,19	97,4	-	0,00
13	3 796	3 800	3,60	97,4	-	0,00
14	4 585	4 589	1,86	97,4	-	0,00
15	4 730	4 733	1,57	97,4	-	0,00
16	4 842	4 845	1,36	97,4	-	0,00
17	5 090	5 093	0,89	97,4	-	0,00
18	6 405	6 407	-1,26	97,4	-	0,00
19	6 829	6 831	-1,86	97,4	-	0,00
2	8 732	8 734	-4,20	97,4	-	0,00
20	5 963	5 966	-0,59	97,4	-	0,00
21	6 781	6 783	-1,79	97,4	-	0,00
22	6 419	6 422	-1,28	97,4	-	0,00
23	6 854	6 857	-1,90	97,4	-	0,00
24	7 280	7 283	-2,47	97,4	-	0,00
25	7 445	7 447	-2,68	97,4	-	0,00
26	8 216	8 218	-3,62	97,4	-	0,00
27	7 532	7 535	-2,79	97,4	-	0,00
28	7 889	7 891	-3,23	97,4	-	0,00
29	8 536	8 538	-3,99	97,4	-	0,00
3	8 134	8 136	-3,52	97,4	-	0,00
30	8 278	8 280	-3,69	97,4	-	0,00
31	8 010	8 012	-3,38	97,4	-	0,00
32	8 975	8 977	-4,47	97,4	-	0,00
33	9 487	9 489	-5,00	97,4	-	0,00
34	9 299	9 300	-4,81	97,4	-	0,00
35	8 746	8 748	-4,22	97,4	-	0,00

To be continued on next page...

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

...continued from previous page

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
36	8 606	8 608	-4,06	97,4	-	0,00
37	8 278	8 280	-3,69	97,4	-	0,00
38	8 313	8 315	-3,73	97,4	-	0,00
39	7 589	7 591	-2,86	97,4	-	0,00
4	7 503	7 505	-2,75	97,4	-	0,00
40	8 079	8 081	-3,46	97,4	-	0,00
41	8 505	8 507	-3,95	97,4	-	0,00
5	7 585	7 587	-2,86	97,4	-	0,00
6	6 945	6 948	-2,02	97,4	-	0,00
7	6 931	6 934	-2,00	97,4	-	0,00
8	4 319	4 323	2,41	97,4	-	0,00
9	4 199	4 203	2,67	97,4	-	0,00
Sum			15,56			

- Data undefined due to calculation with octave data

Noise sensitive area: OQ Darzu iela 8

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 857	8 859	-4,34	97,4	-	0,00
10	3 993	3 997	3,13	97,4	-	0,00
11	3 538	3 542	4,24	97,4	-	0,00
12	2 859	2 865	6,17	97,4	-	0,00
13	3 803	3 807	3,58	97,4	-	0,00
14	4 590	4 594	1,85	97,4	-	0,00
15	4 739	4 742	1,56	97,4	-	0,00
16	4 855	4 858	1,33	97,4	-	0,00
17	5 106	5 109	0,86	97,4	-	0,00
18	6 412	6 414	-1,27	97,4	-	0,00
19	6 838	6 840	-1,87	97,4	-	0,00
2	8 708	8 710	-4,18	97,4	-	0,00
20	5 976	5 979	-0,61	97,4	-	0,00
21	6 792	6 794	-1,81	97,4	-	0,00
22	6 434	6 436	-1,30	97,4	-	0,00
23	6 871	6 873	-1,92	97,4	-	0,00
24	7 294	7 296	-2,49	97,4	-	0,00
25	7 450	7 452	-2,69	97,4	-	0,00
26	8 220	8 222	-3,62	97,4	-	0,00
27	7 542	7 544	-2,80	97,4	-	0,00
28	7 895	7 897	-3,24	97,4	-	0,00
29	8 541	8 543	-3,99	97,4	-	0,00
3	8 111	8 113	-3,50	97,4	-	0,00
30	8 286	8 288	-3,70	97,4	-	0,00
31	8 021	8 023	-3,39	97,4	-	0,00
32	8 981	8 983	-4,47	97,4	-	0,00
33	9 495	9 497	-5,01	97,4	-	0,00
34	9 309	9 310	-4,82	97,4	-	0,00
35	8 755	8 757	-4,23	97,4	-	0,00
36	8 617	8 619	-4,08	97,4	-	0,00
37	8 293	8 294	-3,71	97,4	-	0,00
38	8 331	8 333	-3,75	97,4	-	0,00
39	7 603	7 606	-2,88	97,4	-	0,00
4	7 480	7 482	-2,73	97,4	-	0,00
40	8 099	8 101	-3,48	97,4	-	0,00
41	8 526	8 528	-3,98	97,4	-	0,00
5	7 564	7 566	-2,83	97,4	-	0,00
6	6 921	6 923	-1,99	97,4	-	0,00
7	6 905	6 907	-1,97	97,4	-	0,00
8	4 302	4 306	2,45	97,4	-	0,00
9	4 187	4 191	2,70	97,4	-	0,00
Sum			15,55			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
29.04.2026 12:51/4.2.303

DECIBEL - Detailed Results

Calculation: Low fequency_Alternative A_Nordex N175/6.X STE Noise calculation model: Danish low frequency 2024

Noise sensitive area: OQ Darzu iela 8

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	8 857	8 859	-4,34	97,4	-	0,00
10	3 993	3 997	3,13	97,4	-	0,00
11	3 538	3 542	4,24	97,4	-	0,00
12	2 859	2 865	6,17	97,4	-	0,00
13	3 803	3 807	3,58	97,4	-	0,00
14	4 590	4 594	1,85	97,4	-	0,00
15	4 739	4 742	1,56	97,4	-	0,00
16	4 855	4 858	1,33	97,4	-	0,00
17	5 106	5 109	0,86	97,4	-	0,00
18	6 412	6 414	-1,27	97,4	-	0,00
19	6 838	6 840	-1,87	97,4	-	0,00
2	8 708	8 710	-4,18	97,4	-	0,00
20	5 976	5 979	-0,61	97,4	-	0,00
21	6 792	6 794	-1,81	97,4	-	0,00
22	6 434	6 436	-1,30	97,4	-	0,00
23	6 871	6 873	-1,92	97,4	-	0,00
24	7 294	7 296	-2,49	97,4	-	0,00
25	7 450	7 452	-2,69	97,4	-	0,00
26	8 220	8 222	-3,62	97,4	-	0,00
27	7 542	7 544	-2,80	97,4	-	0,00
28	7 895	7 897	-3,24	97,4	-	0,00
29	8 541	8 543	-3,99	97,4	-	0,00
3	8 111	8 113	-3,50	97,4	-	0,00
30	8 286	8 288	-3,70	97,4	-	0,00
31	8 021	8 023	-3,39	97,4	-	0,00
32	8 981	8 983	-4,47	97,4	-	0,00
33	9 495	9 497	-5,01	97,4	-	0,00
34	9 309	9 310	-4,82	97,4	-	0,00
35	8 755	8 757	-4,23	97,4	-	0,00
36	8 617	8 619	-4,08	97,4	-	0,00
37	8 293	8 294	-3,71	97,4	-	0,00
38	8 331	8 333	-3,75	97,4	-	0,00
39	7 603	7 606	-2,88	97,4	-	0,00
4	7 480	7 482	-2,73	97,4	-	0,00
40	8 099	8 101	-3,48	97,4	-	0,00
41	8 526	8 528	-3,98	97,4	-	0,00
5	7 564	7 566	-2,83	97,4	-	0,00
6	6 921	6 923	-1,99	97,4	-	0,00
7	6 905	6 907	-1,97	97,4	-	0,00
8	4 302	4 306	2,45	97,4	-	0,00
9	4 187	4 191	2,70	97,4	-	0,00
Sum			15,55			

- Data undefined due to calculation with octave data