Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Assumptions

Cmet: Meteorological correction

Calculation Results

Noise sensitive area: A Lacple š a iela 17

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 234	4 238	1,69	96,5	-	0,00
10	5 032	5 034	0,10	96,5	-	0,00
11	5 016	5 019	0,13	96,5	-	0,00
12	4 516	4 519	1,10	96,5	-	0,00
13	4 033	4 037	2,14	96,5	-	0,00
2	5 433	5 436	-0,61	96,5	-	0,00
3	5 034	5 037	0,10	96,5	-	0,00
4	3 990	3 993	2,24	96,5	-	0,00
5	4 502	4 505	1,13	96,5	-	0,00
6	3 220	3 224	4,20	96,5	-	0,00
7	3 589	3 593	3,21	96,5	-	0,00
8	3 006	3 011	4,82	96,5	-	0,00
9	3 748	3 752	2,81	96,5	-	0,00
Sum			13,22			

- Data undefined due to calculation with octave data

Noise sensitive area: A Lacple š a iela 17

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 234	4 238	1,69	96,5	-	0,00
10	5 032	5 034	0,10	96,5	-	0,00
11	5 016	5 019	0,13	96,5	-	0,00
12	4 516	4 519	1,10	96,5	-	0,00
13	4 033	4 037	2,14	96,5	-	0,00
2	5 433	5 436	-0,61	96,5	-	0,00
3	5 034	5 037	0,10	96,5	-	0,00
4	3 990	3 993	2,24	96,5	-	0,00
5	4 502	4 505	1,13	96,5	-	0,00
6	3 220	3 224	4,20	96,5	-	0,00
7	3 589	3 593	3,21	96,5	-	0,00
8	3 006	3 011	4,82	96,5	-	0,00
9	3 748	3 752	2,81	96,5	-	0,00
Sum			13,22			

- Data undefined due to calculation with octave data

Noise sensitive area: B Maza Fabrikas iela 10A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 169	4 172	1,84	96,5	-	0,00
10	4 912	4 915	0,32	96,5	-	0,00
11	4 985	4 988	0,19	96,5	-	0,00
12	4 604	4 607	0,92	96,5	-	0,00
13	4 135	4 138	1,91	96,5	-	0,00
2	5 336	5 339	-0,45	96,5	-	0,00
3	5 077	5 080	0,02	96,5	-	0,00
4	4 019	4 023	2,17	96,5	-	0,00
5	4 511	4 515	1,11	96,5	-	0,00
6	3 005	3 010	4,82	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	2 918	2 923	5,09	96,5	-	0,00
9	3 718	3 722	2,89	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: B Maza Fabrikas iela 10A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 169	4 172	1,84	96,5	-	0,00
10	4 912	4 915	0,32	96,5	-	0,00
11	4 985	4 988	0,19	96,5	-	0,00
12	4 604	4 607	0,92	96,5	-	0,00
13	4 135	4 138	1,91	96,5	-	0,00
2	5 336	5 339	-0,45	96,5	-	0,00
3	5 077	5 080	0,02	96,5	-	0,00
4	4 019	4 023	2,17	96,5	-	0,00
5	4 511	4 515	1,11	96,5	-	0,00
6	3 005	3 010	4,82	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	2 918	2 923	5,09	96,5	-	0,00
9	3 718	3 722	2,89	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Noise sensitive area: C Celtniecibas iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 120	4 123	1,95	96,5	-	0,00
10	4 895	4 898	0,35	96,5	-	0,00
11	4 918	4 920	0,31	96,5	-	0,00
12	4 473	4 476	1,19	96,5	-	0,00
13	3 996	4 000	2,23	96,5	-	0,00
2	5 307	5 310	-0,40	96,5	-	0,00
3	4 970	4 973	0,21	96,5	-	0,00
4	3 918	3 921	2,41	96,5	-	0,00
5	4 422	4 425	1,30	96,5	-	0,00
6	3 043	3 048	4,71	96,5	-	0,00
7	3 429	3 433	3,62	96,5	-	0,00
8	2 879	2 884	5,21	96,5	-	0,00
9	3 648	3 652	3,06	96,5	-	0,00
Sum			13,50			

- Data undefined due to calculation with octave data

Noise sensitive area: C Celtniecibas iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 120	4 123	1,95	96,5	-	0,00
10	4 895	4 898	0,35	96,5	-	0,00
11	4 918	4 920	0,31	96,5	-	0,00
12	4 473	4 476	1,19	96,5	-	0,00
13	3 996	4 000	2,23	96,5	-	0,00
2	5 307	5 310	-0,40	96,5	-	0,00
3	4 970	4 973	0,21	96,5	-	0,00
4	3 918	3 921	2,41	96,5	-	0,00
5	4 422	4 425	1,30	96,5	-	0,00
6	3 043	3 048	4,71	96,5	-	0,00
7	3 429	3 433	3,62	96,5	-	0,00
8	2 879	2 884	5,21	96,5	-	0,00
9	3 648	3 652	3,06	96,5	-	0,00
Sum			13,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: D Celtniecibas iela 12

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 979	3 982	2,27	96,5	-	0,00
10	4 735	4 738	0,66	96,5	-	0,00
11	4 789	4 792	0,56	96,5	-	0,00
12	4 393	4 396	1,36	96,5	-	0,00
13	3 923	3 927	2,40	96,5	-	0,00
2	5 154	5 157	-0,12	96,5	-	0,00
3	4 871	4 873	0,40	96,5	-	0,00
4	3 814	3 818	2,65	96,5	-	0,00
5	4 309	4 312	1,53	96,5	-	0,00
6	2 854	2 859	5,29	96,5	-	0,00
7	3 252	3 256	4,11	96,5	-	0,00
8	2 731	2 736	5,69	96,5	-	0,00
9	3 520	3 525	3,38	96,5	-	0,00
Sum			13,85			

- Data undefined due to calculation with octave data

Noise sensitive area: D Celtniecibas iela 12

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 979	3 982	2,27	96,5	-	0,00
10	4 735	4 738	0,66	96,5	-	0,00
11	4 789	4 792	0,56	96,5	-	0,00
12	4 393	4 396	1,36	96,5	-	0,00
13	3 923	3 927	2,40	96,5	-	0,00
2	5 154	5 157	-0,12	96,5	-	0,00
3	4 871	4 873	0,40	96,5	-	0,00
4	3 814	3 818	2,65	96,5	-	0,00
5	4 309	4 312	1,53	96,5	-	0,00
6	2 854	2 859	5,29	96,5	-	0,00
7	3 252	3 256	4,11	96,5	-	0,00
8	2 731	2 736	5,69	96,5	-	0,00
9	3 520	3 525	3,38	96,5	-	0,00
Sum			13,85			

- Data undefined due to calculation with octave data

Noise sensitive area: E Maza Fabrikas iela 5

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 190	4 193	1,79	96,5	-	0,00
10	4 911	4 914	0,32	96,5	-	0,00
11	5 015	5 018	0,13	96,5	-	0,00
12	4 676	4 679	0,78	96,5	-	0,00
13	4 212	4 216	1,74	96,5	-	0,00
2	5 342	5 345	-0,46	96,5	-	0,00
3	5 133	5 136	-0,09	96,5	-	0,00
4	4 074	4 077	2,05	96,5	-	0,00
5	4 557	4 560	1,02	96,5	-	0,00
6	2 975	2 979	4,92	96,5	-	0,00
7	3 399	3 403	3,70	96,5	-	0,00
8	2 937	2 942	5,03	96,5	-	0,00
9	3 753	3 757	2,80	96,5	-	0,00
Sum			13,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: E Maza Fabrikas iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 190	4 193	1,79	96,5	-	0,00
10	4 911	4 914	0,32	96,5	-	0,00
11	5 015	5 018	0,13	96,5	-	0,00
12	4 676	4 679	0,78	96,5	-	0,00
13	4 212	4 216	1,74	96,5	-	0,00
2	5 342	5 345	-0,46	96,5	-	0,00
3	5 133	5 136	-0,09	96,5	-	0,00
4	4 074	4 077	2,05	96,5	-	0,00
5	4 557	4 560	1,02	96,5	-	0,00
6	2 975	2 979	4,92	96,5	-	0,00
7	3 399	3 403	3,70	96,5	-	0,00
8	2 937	2 942	5,03	96,5	-	0,00
9	3 753	3 757	2,80	96,5	-	0,00
Sum			13,34			

- Data undefined due to calculation with octave data

Noise sensitive area: F Saules iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 187	4 190	1,80	96,5	-	0,00
10	4 995	4 998	0,17	96,5	-	0,00
11	4 960	4 963	0,23	96,5	-	0,00
12	4 437	4 440	1,27	96,5	-	0,00
13	3 952	3 956	2,33	96,5	-	0,00
2	5 391	5 394	-0,54	96,5	-	0,00
3	4 963	4 966	0,23	96,5	-	0,00
4	3 923	3 926	2,40	96,5	-	0,00
5	4 438	4 441	1,26	96,5	-	0,00
6	3 211	3 215	4,22	96,5	-	0,00
7	3 569	3 573	3,26	96,5	-	0,00
8	2 967	2 973	4,94	96,5	-	0,00
9	3 694	3 698	2,95	96,5	-	0,00
Sum			13,33			

- Data undefined due to calculation with octave data

Noise sensitive area: F Saules iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 187	4 190	1,80	96,5	-	0,00
10	4 995	4 998	0,17	96,5	-	0,00
11	4 960	4 963	0,23	96,5	-	0,00
12	4 437	4 440	1,27	96,5	-	0,00
13	3 952	3 956	2,33	96,5	-	0,00
2	5 391	5 394	-0,54	96,5	-	0,00
3	4 963	4 966	0,23	96,5	-	0,00
4	3 923	3 926	2,40	96,5	-	0,00
5	4 438	4 441	1,26	96,5	-	0,00
6	3 211	3 215	4,22	96,5	-	0,00
7	3 569	3 573	3,26	96,5	-	0,00
8	2 967	2 973	4,94	96,5	-	0,00
9	3 694	3 698	2,95	96,5	-	0,00
Sum			13,33			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: G Grivas iela 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 130	1,93	96,5	-	0,00
10	4 983	4 986	0,19	96,5	-	0,00
11	4 848	4 851	0,45	96,5	-	0,00
12	4 201	4 204	1,77	96,5	-	0,00
13	3 710	3 715	2,91	96,5	-	0,00
2	5 348	5 351	-0,47	96,5	-	0,00
3	4 769	4 772	0,60	96,5	-	0,00
4	3 761	3 765	2,78	96,5	-	0,00
5	4 289	4 293	1,58	96,5	-	0,00
6	3 346	3 351	3,85	96,5	-	0,00
7	3 647	3 651	3,06	96,5	-	0,00
8	2 968	2 974	4,93	96,5	-	0,00
9	3 605	3 609	3,17	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Noise sensitive area: G Grivas iela 2

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 130	1,93	96,5	-	0,00
10	4 983	4 986	0,19	96,5	-	0,00
11	4 848	4 851	0,45	96,5	-	0,00
12	4 201	4 204	1,77	96,5	-	0,00
13	3 710	3 715	2,91	96,5	-	0,00
2	5 348	5 351	-0,47	96,5	-	0,00
3	4 769	4 772	0,60	96,5	-	0,00
4	3 761	3 765	2,78	96,5	-	0,00
5	4 289	4 293	1,58	96,5	-	0,00
6	3 346	3 351	3,85	96,5	-	0,00
7	3 647	3 651	3,06	96,5	-	0,00
8	2 968	2 974	4,93	96,5	-	0,00
9	3 605	3 609	3,17	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Noise sensitive area: H Rigas iela 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 133	4 136	1,92	96,5	-	0,00
10	4 964	4 967	0,23	96,5	-	0,00
11	4 884	4 887	0,38	96,5	-	0,00
12	4 306	4 309	1,54	96,5	-	0,00
13	3 818	3 822	2,64	96,5	-	0,00
2	5 347	5 350	-0,47	96,5	-	0,00
3	4 852	4 854	0,44	96,5	-	0,00
4	3 823	3 827	2,63	96,5	-	0,00
5	4 345	4 349	1,46	96,5	-	0,00
6	3 244	3 248	4,13	96,5	-	0,00
7	3 576	3 580	3,24	96,5	-	0,00
8	2 937	2 942	5,03	96,5	-	0,00
9	3 626	3 630	3,12	96,5	-	0,00
Sum			13,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: H Rigas iela 2

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 133	4 136	1,92	96,5	-	0,00
10	4 964	4 967	0,23	96,5	-	0,00
11	4 884	4 887	0,38	96,5	-	0,00
12	4 306	4 309	1,54	96,5	-	0,00
13	3 818	3 822	2,64	96,5	-	0,00
2	5 347	5 350	-0,47	96,5	-	0,00
3	4 852	4 854	0,44	96,5	-	0,00
4	3 823	3 827	2,63	96,5	-	0,00
5	4 345	4 349	1,46	96,5	-	0,00
6	3 244	3 248	4,13	96,5	-	0,00
7	3 576	3 580	3,24	96,5	-	0,00
8	2 937	2 942	5,03	96,5	-	0,00
9	3 626	3 630	3,12	96,5	-	0,00
Sum			13,45			

- Data undefined due to calculation with octave data

Noise sensitive area: I Daugavas iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 146	4 150	1,89	96,5	-	0,00
10	4 993	4 996	0,17	96,5	-	0,00
11	4 879	4 882	0,39	96,5	-	0,00
12	4 256	4 260	1,65	96,5	-	0,00
13	3 767	3 771	2,77	96,5	-	0,00
2	5 365	5 368	-0,50	96,5	-	0,00
3	4 817	4 820	0,50	96,5	-	0,00
4	3 801	3 805	2,68	96,5	-	0,00
5	4 327	4 330	1,49	96,5	-	0,00
6	3 324	3 328	3,91	96,5	-	0,00
7	3 637	3 641	3,09	96,5	-	0,00
8	2 973	2 978	4,92	96,5	-	0,00
9	3 629	3 634	3,11	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Noise sensitive area: I Daugavas iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 146	4 150	1,89	96,5	-	0,00
10	4 993	4 996	0,17	96,5	-	0,00
11	4 879	4 882	0,39	96,5	-	0,00
12	4 256	4 260	1,65	96,5	-	0,00
13	3 767	3 771	2,77	96,5	-	0,00
2	5 365	5 368	-0,50	96,5	-	0,00
3	4 817	4 820	0,50	96,5	-	0,00
4	3 801	3 805	2,68	96,5	-	0,00
5	4 327	4 330	1,49	96,5	-	0,00
6	3 324	3 328	3,91	96,5	-	0,00
7	3 637	3 641	3,09	96,5	-	0,00
8	2 973	2 978	4,92	96,5	-	0,00
9	3 629	3 634	3,11	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: J Rigas iela 2F

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 922	3 926	2,40	96,5	-	0,00
10	4 787	4 790	0,56	96,5	-	0,00
11	4 632	4 635	0,87	96,5	-	0,00
12	3 970	3 974	2,29	96,5	-	0,00
13	3 480	3 485	3,49	96,5	-	0,00
2	5 145	5 148	-0,11	96,5	-	0,00
3	4 543	4 546	1,05	96,5	-	0,00
4	3 540	3 544	3,34	96,5	-	0,00
5	4 069	4 072	2,06	96,5	-	0,00
6	3 198	3 202	4,26	96,5	-	0,00
7	3 479	3 483	3,49	96,5	-	0,00
8	2 782	2 788	5,52	96,5	-	0,00
9	3 396	3 401	3,71	96,5	-	0,00
Sum			13,95			

- Data undefined due to calculation with octave data

Noise sensitive area: J Rigas iela 2F

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 922	3 926	2,40	96,5	-	0,00
10	4 787	4 790	0,56	96,5	-	0,00
11	4 632	4 635	0,87	96,5	-	0,00
12	3 970	3 974	2,29	96,5	-	0,00
13	3 480	3 485	3,49	96,5	-	0,00
2	5 145	5 148	-0,11	96,5	-	0,00
3	4 543	4 546	1,05	96,5	-	0,00
4	3 540	3 544	3,34	96,5	-	0,00
5	4 069	4 072	2,06	96,5	-	0,00
6	3 198	3 202	4,26	96,5	-	0,00
7	3 479	3 483	3,49	96,5	-	0,00
8	2 782	2 788	5,52	96,5	-	0,00
9	3 396	3 401	3,71	96,5	-	0,00
Sum			13,95			

- Data undefined due to calculation with octave data

Noise sensitive area: K Lacple š a iela 1B

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 020	4 023	2,17	96,5	-	0,00
10	4 850	4 853	0,44	96,5	-	0,00
11	4 773	4 776	0,59	96,5	-	0,00
12	4 204	4 208	1,76	96,5	-	0,00
13	3 717	3 721	2,89	96,5	-	0,00
2	5 233	5 236	-0,27	96,5	-	0,00
3	4 746	4 749	0,64	96,5	-	0,00
4	3 715	3 719	2,89	96,5	-	0,00
5	4 236	4 240	1,69	96,5	-	0,00
6	3 133	3 137	4,45	96,5	-	0,00
7	3 463	3 467	3,54	96,5	-	0,00
8	2 823	2 828	5,39	96,5	-	0,00
9	3 514	3 518	3,40	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: K Lacple š a iela 1B

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 020	4 023	2,17	96,5	-	0,00
10	4 850	4 853	0,44	96,5	-	0,00
11	4 773	4 776	0,59	96,5	-	0,00
12	4 204	4 208	1,76	96,5	-	0,00
13	3 717	3 721	2,89	96,5	-	0,00
2	5 233	5 236	-0,27	96,5	-	0,00
3	4 746	4 749	0,64	96,5	-	0,00
4	3 715	3 719	2,89	96,5	-	0,00
5	4 236	4 240	1,69	96,5	-	0,00
6	3 133	3 137	4,45	96,5	-	0,00
7	3 463	3 467	3,54	96,5	-	0,00
8	2 823	2 828	5,39	96,5	-	0,00
9	3 514	3 518	3,40	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Noise sensitive area: L Daugavas iela 3

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 126	4 130	1,93	96,5	-	0,00
10	4 976	4 979	0,20	96,5	-	0,00
11	4 855	4 859	0,43	96,5	-	0,00
12	4 226	4 230	1,71	96,5	-	0,00
13	3 737	3 741	2,84	96,5	-	0,00
2	5 346	5 349	-0,46	96,5	-	0,00
3	4 789	4 792	0,56	96,5	-	0,00
4	3 775	3 779	2,75	96,5	-	0,00
5	4 302	4 305	1,55	96,5	-	0,00
6	3 317	3 321	3,93	96,5	-	0,00
7	3 626	3 630	3,12	96,5	-	0,00
8	2 957	2 962	4,97	96,5	-	0,00
9	3 608	3 612	3,16	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Noise sensitive area: L Daugavas iela 3

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 126	4 130	1,93	96,5	-	0,00
10	4 976	4 979	0,20	96,5	-	0,00
11	4 855	4 859	0,43	96,5	-	0,00
12	4 226	4 230	1,71	96,5	-	0,00
13	3 737	3 741	2,84	96,5	-	0,00
2	5 346	5 349	-0,46	96,5	-	0,00
3	4 789	4 792	0,56	96,5	-	0,00
4	3 775	3 779	2,75	96,5	-	0,00
5	4 302	4 305	1,55	96,5	-	0,00
6	3 317	3 321	3,93	96,5	-	0,00
7	3 626	3 630	3,12	96,5	-	0,00
8	2 957	2 962	4,97	96,5	-	0,00
9	3 608	3 612	3,16	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: M Lacple š a iela 20

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 230	4 234	1,70	96,5	-	0,00
10	5 024	5 027	0,11	96,5	-	0,00
11	5 015	5 018	0,13	96,5	-	0,00
12	4 525	4 528	1,08	96,5	-	0,00
13	4 043	4 047	2,12	96,5	-	0,00
2	5 427	5 430	-0,60	96,5	-	0,00
3	5 040	5 042	0,09	96,5	-	0,00
4	3 993	3 997	2,23	96,5	-	0,00
5	4 504	4 508	1,12	96,5	-	0,00
6	3 203	3 208	4,25	96,5	-	0,00
7	3 576	3 580	3,24	96,5	-	0,00
8	2 999	3 005	4,84	96,5	-	0,00
9	3 746	3 751	2,82	96,5	-	0,00
Sum			13,23			

- Data undefined due to calculation with octave data

Noise sensitive area: M Lacple š a iela 20

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 230	4 234	1,70	96,5	-	0,00
10	5 024	5 027	0,11	96,5	-	0,00
11	5 015	5 018	0,13	96,5	-	0,00
12	4 525	4 528	1,08	96,5	-	0,00
13	4 043	4 047	2,12	96,5	-	0,00
2	5 427	5 430	-0,60	96,5	-	0,00
3	5 040	5 042	0,09	96,5	-	0,00
4	3 993	3 997	2,23	96,5	-	0,00
5	4 504	4 508	1,12	96,5	-	0,00
6	3 203	3 208	4,25	96,5	-	0,00
7	3 576	3 580	3,24	96,5	-	0,00
8	2 999	3 005	4,84	96,5	-	0,00
9	3 746	3 751	2,82	96,5	-	0,00
Sum			13,23			

- Data undefined due to calculation with octave data

Noise sensitive area: N Grivas iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 141	4 144	1,90	96,5	-	0,00
10	5 000	5 003	0,16	96,5	-	0,00
11	4 857	4 860	0,43	96,5	-	0,00
12	4 199	4 203	1,77	96,5	-	0,00
13	3 709	3 713	2,91	96,5	-	0,00
2	5 362	5 365	-0,49	96,5	-	0,00
3	4 771	4 774	0,59	96,5	-	0,00
4	3 767	3 771	2,77	96,5	-	0,00
5	4 296	4 299	1,56	96,5	-	0,00
6	3 375	3 379	3,77	96,5	-	0,00
7	3 672	3 676	3,00	96,5	-	0,00
8	2 988	2 993	4,87	96,5	-	0,00
9	3 617	3 621	3,14	96,5	-	0,00
Sum			13,43			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: N Grivas iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 141	4 144	1,90	96,5	-	0,00
10	5 000	5 003	0,16	96,5	-	0,00
11	4 857	4 860	0,43	96,5	-	0,00
12	4 199	4 203	1,77	96,5	-	0,00
13	3 709	3 713	2,91	96,5	-	0,00
2	5 362	5 365	-0,49	96,5	-	0,00
3	4 771	4 774	0,59	96,5	-	0,00
4	3 767	3 771	2,77	96,5	-	0,00
5	4 296	4 299	1,56	96,5	-	0,00
6	3 375	3 379	3,77	96,5	-	0,00
7	3 672	3 676	3,00	96,5	-	0,00
8	2 988	2 993	4,87	96,5	-	0,00
9	3 617	3 621	3,14	96,5	-	0,00
Sum			13,43			

- Data undefined due to calculation with octave data

Noise sensitive area: O Lacple š a iela 10

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 070	4 074	2,06	96,5	-	0,00
10	4 883	4 886	0,38	96,5	-	0,00
11	4 840	4 843	0,46	96,5	-	0,00
12	4 312	4 315	1,53	96,5	-	0,00
13	3 828	3 832	2,62	96,5	-	0,00
2	5 277	5 279	-0,34	96,5	-	0,00
3	4 840	4 842	0,46	96,5	-	0,00
4	3 800	3 804	2,69	96,5	-	0,00
5	4 316	4 320	1,52	96,5	-	0,00
6	3 116	3 120	4,50	96,5	-	0,00
7	3 466	3 470	3,53	96,5	-	0,00
8	2 855	2 860	5,29	96,5	-	0,00
9	3 575	3 579	3,25	96,5	-	0,00
Sum			13,60			

- Data undefined due to calculation with octave data

Noise sensitive area: O Lacple š a iela 10

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 070	4 074	2,06	96,5	-	0,00
10	4 883	4 886	0,38	96,5	-	0,00
11	4 840	4 843	0,46	96,5	-	0,00
12	4 312	4 315	1,53	96,5	-	0,00
13	3 828	3 832	2,62	96,5	-	0,00
2	5 277	5 279	-0,34	96,5	-	0,00
3	4 840	4 842	0,46	96,5	-	0,00
4	3 800	3 804	2,69	96,5	-	0,00
5	4 316	4 320	1,52	96,5	-	0,00
6	3 116	3 120	4,50	96,5	-	0,00
7	3 466	3 470	3,53	96,5	-	0,00
8	2 855	2 860	5,29	96,5	-	0,00
9	3 575	3 579	3,25	96,5	-	0,00
Sum			13,60			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: P Rigas iela 11

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 165	4 168	1,85	96,5	-	0,00
10	4 999	5 002	0,16	96,5	-	0,00
11	4 912	4 915	0,32	96,5	-	0,00
12	4 324	4 327	1,50	96,5	-	0,00
13	3 835	3 839	2,60	96,5	-	0,00
2	5 380	5 382	-0,52	96,5	-	0,00
3	4 873	4 876	0,40	96,5	-	0,00
4	3 847	3 851	2,57	96,5	-	0,00
5	4 370	4 374	1,40	96,5	-	0,00
6	3 287	3 291	4,01	96,5	-	0,00
7	3 616	3 620	3,14	96,5	-	0,00
8	2 973	2 978	4,92	96,5	-	0,00
9	3 655	3 660	3,04	96,5	-	0,00
Sum			13,37			

- Data undefined due to calculation with octave data

Noise sensitive area: P Rigas iela 11

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 165	4 168	1,85	96,5	-	0,00
10	4 999	5 002	0,16	96,5	-	0,00
11	4 912	4 915	0,32	96,5	-	0,00
12	4 324	4 327	1,50	96,5	-	0,00
13	3 835	3 839	2,60	96,5	-	0,00
2	5 380	5 382	-0,52	96,5	-	0,00
3	4 873	4 876	0,40	96,5	-	0,00
4	3 847	3 851	2,57	96,5	-	0,00
5	4 370	4 374	1,40	96,5	-	0,00
6	3 287	3 291	4,01	96,5	-	0,00
7	3 616	3 620	3,14	96,5	-	0,00
8	2 973	2 978	4,92	96,5	-	0,00
9	3 655	3 660	3,04	96,5	-	0,00
Sum			13,37			

- Data undefined due to calculation with octave data

Noise sensitive area: Q Rigas iela 1A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 045	4 049	2,11	96,5	-	0,00
10	4 897	4 901	0,35	96,5	-	0,00
11	4 772	4 775	0,59	96,5	-	0,00
12	4 141	4 144	1,90	96,5	-	0,00
13	3 651	3 655	3,05	96,5	-	0,00
2	5 266	5 268	-0,32	96,5	-	0,00
3	4 704	4 707	0,72	96,5	-	0,00
4	3 690	3 695	2,95	96,5	-	0,00
5	4 217	4 221	1,73	96,5	-	0,00
6	3 252	3 256	4,11	96,5	-	0,00
7	3 555	3 559	3,30	96,5	-	0,00
8	2 881	2 886	5,20	96,5	-	0,00
9	3 526	3 530	3,37	96,5	-	0,00
Sum			13,65			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: Q Rigas iela 1A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 045	4 049	2,11	96,5	-	0,00
10	4 897	4 901	0,35	96,5	-	0,00
11	4 772	4 775	0,59	96,5	-	0,00
12	4 141	4 144	1,90	96,5	-	0,00
13	3 651	3 655	3,05	96,5	-	0,00
2	5 266	5 268	-0,32	96,5	-	0,00
3	4 704	4 707	0,72	96,5	-	0,00
4	3 690	3 695	2,95	96,5	-	0,00
5	4 217	4 221	1,73	96,5	-	0,00
6	3 252	3 256	4,11	96,5	-	0,00
7	3 555	3 559	3,30	96,5	-	0,00
8	2 881	2 886	5,20	96,5	-	0,00
9	3 526	3 530	3,37	96,5	-	0,00
Sum			13,65			

- Data undefined due to calculation with octave data

Noise sensitive area: R Rigas iela 7

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 137	4 140	1,91	96,5	-	0,00
10	4 975	4 978	0,20	96,5	-	0,00
11	4 880	4 883	0,38	96,5	-	0,00
12	4 282	4 286	1,59	96,5	-	0,00
13	3 794	3 798	2,70	96,5	-	0,00
2	5 353	5 356	-0,48	96,5	-	0,00
3	4 834	4 837	0,47	96,5	-	0,00
4	3 811	3 815	2,66	96,5	-	0,00
5	4 335	4 339	1,48	96,5	-	0,00
6	3 277	3 282	4,04	96,5	-	0,00
7	3 601	3 605	3,18	96,5	-	0,00
8	2 950	2 956	4,99	96,5	-	0,00
9	3 625	3 630	3,12	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: R Rigas iela 7

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 137	4 140	1,91	96,5	-	0,00
10	4 975	4 978	0,20	96,5	-	0,00
11	4 880	4 883	0,38	96,5	-	0,00
12	4 282	4 286	1,59	96,5	-	0,00
13	3 794	3 798	2,70	96,5	-	0,00
2	5 353	5 356	-0,48	96,5	-	0,00
3	4 834	4 837	0,47	96,5	-	0,00
4	3 811	3 815	2,66	96,5	-	0,00
5	4 335	4 339	1,48	96,5	-	0,00
6	3 277	3 282	4,04	96,5	-	0,00
7	3 601	3 605	3,18	96,5	-	0,00
8	2 950	2 956	4,99	96,5	-	0,00
9	3 625	3 630	3,12	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: S Saules iela 5

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 208	4 212	1,75	96,5	-	0,00
10	5 022	5 025	0,12	96,5	-	0,00
11	4 976	4 979	0,20	96,5	-	0,00
12	4 439	4 442	1,26	96,5	-	0,00
13	3 953	3 957	2,32	96,5	-	0,00
2	5 415	5 418	-0,58	96,5	-	0,00
3	4 971	4 974	0,21	96,5	-	0,00
4	3 933	3 937	2,37	96,5	-	0,00
5	4 450	4 454	1,24	96,5	-	0,00
6	3 250	3 254	4,11	96,5	-	0,00
7	3 603	3 607	3,17	96,5	-	0,00
8	2 993	2 999	4,86	96,5	-	0,00
9	3 712	3 716	2,90	96,5	-	0,00
Sum			13,28			

- Data undefined due to calculation with octave data

Noise sensitive area: S Saules iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 208	4 212	1,75	96,5	-	0,00
10	5 022	5 025	0,12	96,5	-	0,00
11	4 976	4 979	0,20	96,5	-	0,00
12	4 439	4 442	1,26	96,5	-	0,00
13	3 953	3 957	2,32	96,5	-	0,00
2	5 415	5 418	-0,58	96,5	-	0,00
3	4 971	4 974	0,21	96,5	-	0,00
4	3 933	3 937	2,37	96,5	-	0,00
5	4 450	4 454	1,24	96,5	-	0,00
6	3 250	3 254	4,11	96,5	-	0,00
7	3 603	3 607	3,17	96,5	-	0,00
8	2 993	2 999	4,86	96,5	-	0,00
9	3 712	3 716	2,90	96,5	-	0,00
Sum			13,28			

- Data undefined due to calculation with octave data

Noise sensitive area: T Lacple š a iela 12

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 083	4 087	2,03	96,5	-	0,00
10	4 895	4 898	0,36	96,5	-	0,00
11	4 854	4 857	0,43	96,5	-	0,00
12	4 329	4 333	1,49	96,5	-	0,00
13	3 845	3 849	2,58	96,5	-	0,00
2	5 289	5 292	-0,36	96,5	-	0,00
3	4 856	4 859	0,43	96,5	-	0,00
4	3 816	3 820	2,65	96,5	-	0,00
5	4 331	4 335	1,49	96,5	-	0,00
6	3 122	3 127	4,48	96,5	-	0,00
7	3 475	3 479	3,50	96,5	-	0,00
8	2 866	2 872	5,25	96,5	-	0,00
9	3 589	3 593	3,21	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: T Lacple š a iela 12

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 083	4 087	2,03	96,5	-	0,00
10	4 895	4 898	0,36	96,5	-	0,00
11	4 854	4 857	0,43	96,5	-	0,00
12	4 329	4 333	1,49	96,5	-	0,00
13	3 845	3 849	2,58	96,5	-	0,00
2	5 289	5 292	-0,36	96,5	-	0,00
3	4 856	4 859	0,43	96,5	-	0,00
4	3 816	3 820	2,65	96,5	-	0,00
5	4 331	4 335	1,49	96,5	-	0,00
6	3 122	3 127	4,48	96,5	-	0,00
7	3 475	3 479	3,50	96,5	-	0,00
8	2 866	2 872	5,25	96,5	-	0,00
9	3 589	3 593	3,21	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Noise sensitive area: U Rigas iela 8

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 190	4 193	1,79	96,5	-	0,00
10	5 015	5 018	0,13	96,5	-	0,00
11	4 947	4 950	0,26	96,5	-	0,00
12	4 382	4 385	1,38	96,5	-	0,00
13	3 895	3 899	2,46	96,5	-	0,00
2	5 401	5 404	-0,56	96,5	-	0,00
3	4 923	4 926	0,30	96,5	-	0,00
4	3 892	3 896	2,47	96,5	-	0,00
5	4 412	4 416	1,32	96,5	-	0,00
6	3 274	3 278	4,05	96,5	-	0,00
7	3 615	3 619	3,14	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 686	3 690	2,97	96,5	-	0,00
Sum			13,32			

- Data undefined due to calculation with octave data

Noise sensitive area: U Rigas iela 8

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 190	4 193	1,79	96,5	-	0,00
10	5 015	5 018	0,13	96,5	-	0,00
11	4 947	4 950	0,26	96,5	-	0,00
12	4 382	4 385	1,38	96,5	-	0,00
13	3 895	3 899	2,46	96,5	-	0,00
2	5 401	5 404	-0,56	96,5	-	0,00
3	4 923	4 926	0,30	96,5	-	0,00
4	3 892	3 896	2,47	96,5	-	0,00
5	4 412	4 416	1,32	96,5	-	0,00
6	3 274	3 278	4,05	96,5	-	0,00
7	3 615	3 619	3,14	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 686	3 690	2,97	96,5	-	0,00
Sum			13,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: V Grivas iela 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 128	4 132	1,93	96,5	-	0,00
10	4 994	4 997	0,17	96,5	-	0,00
11	4 834	4 837	0,47	96,5	-	0,00
12	4 155	4 159	1,87	96,5	-	0,00
13	3 665	3 669	3,02	96,5	-	0,00
2	5 351	5 354	-0,47	96,5	-	0,00
3	4 734	4 737	0,67	96,5	-	0,00
4	3 737	3 741	2,84	96,5	-	0,00
5	4 267	4 270	1,62	96,5	-	0,00
6	3 399	3 403	3,71	96,5	-	0,00
7	3 684	3 688	2,97	96,5	-	0,00
8	2 990	2 995	4,87	96,5	-	0,00
9	3 601	3 605	3,18	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Noise sensitive area: V Grivas iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 128	4 132	1,93	96,5	-	0,00
10	4 994	4 997	0,17	96,5	-	0,00
11	4 834	4 837	0,47	96,5	-	0,00
12	4 155	4 159	1,87	96,5	-	0,00
13	3 665	3 669	3,02	96,5	-	0,00
2	5 351	5 354	-0,47	96,5	-	0,00
3	4 734	4 737	0,67	96,5	-	0,00
4	3 737	3 741	2,84	96,5	-	0,00
5	4 267	4 270	1,62	96,5	-	0,00
6	3 399	3 403	3,71	96,5	-	0,00
7	3 684	3 688	2,97	96,5	-	0,00
8	2 990	2 995	4,87	96,5	-	0,00
9	3 601	3 605	3,18	96,5	-	0,00
Sum			13,46			

- Data undefined due to calculation with octave data

Noise sensitive area: W Rigas iela 2B

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 031	4 034	2,15	96,5	-	0,00
10	4 879	4 882	0,39	96,5	-	0,00
11	4 763	4 766	0,61	96,5	-	0,00
12	4 144	4 148	1,89	96,5	-	0,00
13	3 655	3 659	3,04	96,5	-	0,00
2	5 250	5 253	-0,30	96,5	-	0,00
3	4 703	4 706	0,73	96,5	-	0,00
4	3 686	3 690	2,97	96,5	-	0,00
5	4 212	4 215	1,74	96,5	-	0,00
6	3 219	3 224	4,20	96,5	-	0,00
7	3 528	3 532	3,37	96,5	-	0,00
8	2 859	2 865	5,27	96,5	-	0,00
9	3 514	3 518	3,40	96,5	-	0,00
Sum			13,69			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: W Rigas iela 2B

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 031	4 034	2,15	96,5	-	0,00
10	4 879	4 882	0,39	96,5	-	0,00
11	4 763	4 766	0,61	96,5	-	0,00
12	4 144	4 148	1,89	96,5	-	0,00
13	3 655	3 659	3,04	96,5	-	0,00
2	5 250	5 253	-0,30	96,5	-	0,00
3	4 703	4 706	0,73	96,5	-	0,00
4	3 686	3 690	2,97	96,5	-	0,00
5	4 212	4 215	1,74	96,5	-	0,00
6	3 219	3 224	4,20	96,5	-	0,00
7	3 528	3 532	3,37	96,5	-	0,00
8	2 859	2 865	5,27	96,5	-	0,00
9	3 514	3 518	3,40	96,5	-	0,00
Sum			13,69			

- Data undefined due to calculation with octave data

Noise sensitive area: X Rigas iela 2B

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 968	3 972	2,29	96,5	-	0,00
10	4 813	4 816	0,51	96,5	-	0,00
11	4 705	4 708	0,72	96,5	-	0,00
12	4 098	4 101	2,00	96,5	-	0,00
13	3 609	3 613	3,16	96,5	-	0,00
2	5 186	5 189	-0,18	96,5	-	0,00
3	4 652	4 655	0,83	96,5	-	0,00
4	3 631	3 636	3,10	96,5	-	0,00
5	4 156	4 160	1,87	96,5	-	0,00
6	3 147	3 151	4,41	96,5	-	0,00
7	3 457	3 461	3,55	96,5	-	0,00
8	2 792	2 798	5,49	96,5	-	0,00
9	3 453	3 457	3,56	96,5	-	0,00
Sum			13,84			

- Data undefined due to calculation with octave data

Noise sensitive area: X Rigas iela 2B

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 968	3 972	2,29	96,5	-	0,00
10	4 813	4 816	0,51	96,5	-	0,00
11	4 705	4 708	0,72	96,5	-	0,00
12	4 098	4 101	2,00	96,5	-	0,00
13	3 609	3 613	3,16	96,5	-	0,00
2	5 186	5 189	-0,18	96,5	-	0,00
3	4 652	4 655	0,83	96,5	-	0,00
4	3 631	3 636	3,10	96,5	-	0,00
5	4 156	4 160	1,87	96,5	-	0,00
6	3 147	3 151	4,41	96,5	-	0,00
7	3 457	3 461	3,55	96,5	-	0,00
8	2 792	2 798	5,49	96,5	-	0,00
9	3 453	3 457	3,56	96,5	-	0,00
Sum			13,84			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: Y Rigas iela 6

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 176	4 179	1,82	96,5	-	0,00
10	5 003	5 006	0,15	96,5	-	0,00
11	4 931	4 934	0,29	96,5	-	0,00
12	4 362	4 365	1,42	96,5	-	0,00
13	3 874	3 878	2,51	96,5	-	0,00
2	5 388	5 391	-0,54	96,5	-	0,00
3	4 905	4 907	0,34	96,5	-	0,00
4	3 874	3 878	2,51	96,5	-	0,00
5	4 395	4 399	1,35	96,5	-	0,00
6	3 269	3 273	4,06	96,5	-	0,00
7	3 607	3 611	3,16	96,5	-	0,00
8	2 975	2 980	4,91	96,5	-	0,00
9	3 671	3 675	3,00	96,5	-	0,00
Sum			13,35			

- Data undefined due to calculation with octave data

Noise sensitive area: Y Rigas iela 6

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 176	4 179	1,82	96,5	-	0,00
10	5 003	5 006	0,15	96,5	-	0,00
11	4 931	4 934	0,29	96,5	-	0,00
12	4 362	4 365	1,42	96,5	-	0,00
13	3 874	3 878	2,51	96,5	-	0,00
2	5 388	5 391	-0,54	96,5	-	0,00
3	4 905	4 907	0,34	96,5	-	0,00
4	3 874	3 878	2,51	96,5	-	0,00
5	4 395	4 399	1,35	96,5	-	0,00
6	3 269	3 273	4,06	96,5	-	0,00
7	3 607	3 611	3,16	96,5	-	0,00
8	2 975	2 980	4,91	96,5	-	0,00
9	3 671	3 675	3,00	96,5	-	0,00
Sum			13,35			

- Data undefined due to calculation with octave data

Noise sensitive area: Z Lacple š a iela 14

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 117	4 120	1,95	96,5	-	0,00
10	4 924	4 927	0,30	96,5	-	0,00
11	4 891	4 894	0,36	96,5	-	0,00
12	4 373	4 376	1,40	96,5	-	0,00
13	3 890	3 893	2,47	96,5	-	0,00
2	5 320	5 323	-0,42	96,5	-	0,00
3	4 897	4 900	0,35	96,5	-	0,00
4	3 856	3 860	2,55	96,5	-	0,00
5	4 370	4 374	1,40	96,5	-	0,00
6	3 141	3 145	4,42	96,5	-	0,00
7	3 498	3 502	3,44	96,5	-	0,00
8	2 896	2 902	5,16	96,5	-	0,00
9	3 624	3 628	3,12	96,5	-	0,00
Sum			13,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: Z Lacple š a iela 14

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 117	4 120	1,95	96,5	-	0,00
10	4 924	4 927	0,30	96,5	-	0,00
11	4 891	4 894	0,36	96,5	-	0,00
12	4 373	4 376	1,40	96,5	-	0,00
13	3 890	3 893	2,47	96,5	-	0,00
2	5 320	5 323	-0,42	96,5	-	0,00
3	4 897	4 900	0,35	96,5	-	0,00
4	3 856	3 860	2,55	96,5	-	0,00
5	4 370	4 374	1,40	96,5	-	0,00
6	3 141	3 145	4,42	96,5	-	0,00
7	3 498	3 502	3,44	96,5	-	0,00
8	2 896	2 902	5,16	96,5	-	0,00
9	3 624	3 628	3,12	96,5	-	0,00
Sum			13,49			

- Data undefined due to calculation with octave data

Noise sensitive area: AA Rigas iela 10

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 202	4 205	1,77	96,5	-	0,00
10	5 025	5 028	0,11	96,5	-	0,00
11	4 960	4 963	0,23	96,5	-	0,00
12	4 398	4 402	1,34	96,5	-	0,00
13	3 911	3 915	2,42	96,5	-	0,00
2	5 413	5 415	-0,58	96,5	-	0,00
3	4 939	4 942	0,27	96,5	-	0,00
4	3 906	3 910	2,43	96,5	-	0,00
5	4 427	4 430	1,29	96,5	-	0,00
6	3 280	3 284	4,03	96,5	-	0,00
7	3 623	3 627	3,12	96,5	-	0,00
8	2 997	3 002	4,85	96,5	-	0,00
9	3 699	3 703	2,93	96,5	-	0,00
Sum			13,29			

- Data undefined due to calculation with octave data

Noise sensitive area: AA Rigas iela 10

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 202	4 205	1,77	96,5	-	0,00
10	5 025	5 028	0,11	96,5	-	0,00
11	4 960	4 963	0,23	96,5	-	0,00
12	4 398	4 402	1,34	96,5	-	0,00
13	3 911	3 915	2,42	96,5	-	0,00
2	5 413	5 415	-0,58	96,5	-	0,00
3	4 939	4 942	0,27	96,5	-	0,00
4	3 906	3 910	2,43	96,5	-	0,00
5	4 427	4 430	1,29	96,5	-	0,00
6	3 280	3 284	4,03	96,5	-	0,00
7	3 623	3 627	3,12	96,5	-	0,00
8	2 997	3 002	4,85	96,5	-	0,00
9	3 699	3 703	2,93	96,5	-	0,00
Sum			13,29			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AB Rigas iela 12B

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 162	4 166	1,85	96,5	-	0,00
10	4 978	4 981	0,20	96,5	-	0,00
11	4 928	4 931	0,29	96,5	-	0,00
12	4 388	4 391	1,37	96,5	-	0,00
13	3 902	3 906	2,44	96,5	-	0,00
2	5 370	5 373	-0,51	96,5	-	0,00
3	4 920	4 923	0,31	96,5	-	0,00
4	3 883	3 887	2,49	96,5	-	0,00
5	4 401	4 404	1,34	96,5	-	0,00
6	3 214	3 219	4,21	96,5	-	0,00
7	3 564	3 568	3,27	96,5	-	0,00
8	2 950	2 955	4,99	96,5	-	0,00
9	3 664	3 668	3,02	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Noise sensitive area: AB Rigas iela 12B

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 162	4 166	1,85	96,5	-	0,00
10	4 978	4 981	0,20	96,5	-	0,00
11	4 928	4 931	0,29	96,5	-	0,00
12	4 388	4 391	1,37	96,5	-	0,00
13	3 902	3 906	2,44	96,5	-	0,00
2	5 370	5 373	-0,51	96,5	-	0,00
3	4 920	4 923	0,31	96,5	-	0,00
4	3 883	3 887	2,49	96,5	-	0,00
5	4 401	4 404	1,34	96,5	-	0,00
6	3 214	3 219	4,21	96,5	-	0,00
7	3 564	3 568	3,27	96,5	-	0,00
8	2 950	2 955	4,99	96,5	-	0,00
9	3 664	3 668	3,02	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Noise sensitive area: AC Rigas iela 10A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 137	4 140	1,91	96,5	-	0,00
10	4 956	4 959	0,24	96,5	-	0,00
11	4 900	4 903	0,35	96,5	-	0,00
12	4 353	4 356	1,44	96,5	-	0,00
13	3 867	3 870	2,53	96,5	-	0,00
2	5 346	5 349	-0,46	96,5	-	0,00
3	4 887	4 890	0,37	96,5	-	0,00
4	3 852	3 856	2,56	96,5	-	0,00
5	4 371	4 374	1,40	96,5	-	0,00
6	3 202	3 207	4,25	96,5	-	0,00
7	3 548	3 552	3,31	96,5	-	0,00
8	2 928	2 933	5,06	96,5	-	0,00
9	3 637	3 641	3,09	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AC Rigas iela 10A

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 137	4 140	1,91	96,5	-	0,00
10	4 956	4 959	0,24	96,5	-	0,00
11	4 900	4 903	0,35	96,5	-	0,00
12	4 353	4 356	1,44	96,5	-	0,00
13	3 867	3 870	2,53	96,5	-	0,00
2	5 346	5 349	-0,46	96,5	-	0,00
3	4 887	4 890	0,37	96,5	-	0,00
4	3 852	3 856	2,56	96,5	-	0,00
5	4 371	4 374	1,40	96,5	-	0,00
6	3 202	3 207	4,25	96,5	-	0,00
7	3 548	3 552	3,31	96,5	-	0,00
8	2 928	2 933	5,06	96,5	-	0,00
9	3 637	3 641	3,09	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Lacple š a iela 3

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 020	4 023	2,17	96,5	-	0,00
10	4 845	4 848	0,45	96,5	-	0,00
11	4 778	4 781	0,58	96,5	-	0,00
12	4 223	4 226	1,72	96,5	-	0,00
13	3 736	3 740	2,84	96,5	-	0,00
2	5 231	5 234	-0,26	96,5	-	0,00
3	4 759	4 762	0,62	96,5	-	0,00
4	3 726	3 730	2,87	96,5	-	0,00
5	4 245	4 249	1,67	96,5	-	0,00
6	3 113	3 117	4,51	96,5	-	0,00
7	3 449	3 453	3,57	96,5	-	0,00
8	2 817	2 822	5,41	96,5	-	0,00
9	3 517	3 521	3,39	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Noise sensitive area: AD Lacple š a iela 3

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 020	4 023	2,17	96,5	-	0,00
10	4 845	4 848	0,45	96,5	-	0,00
11	4 778	4 781	0,58	96,5	-	0,00
12	4 223	4 226	1,72	96,5	-	0,00
13	3 736	3 740	2,84	96,5	-	0,00
2	5 231	5 234	-0,26	96,5	-	0,00
3	4 759	4 762	0,62	96,5	-	0,00
4	3 726	3 730	2,87	96,5	-	0,00
5	4 245	4 249	1,67	96,5	-	0,00
6	3 113	3 117	4,51	96,5	-	0,00
7	3 449	3 453	3,57	96,5	-	0,00
8	2 817	2 822	5,41	96,5	-	0,00
9	3 517	3 521	3,39	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AE Daugavas iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 105	4 109	1,98	96,5	-	0,00
10	4 953	4 956	0,25	96,5	-	0,00
11	4 837	4 840	0,47	96,5	-	0,00
12	4 214	4 217	1,74	96,5	-	0,00
13	3 724	3 728	2,87	96,5	-	0,00
2	5 324	5 327	-0,43	96,5	-	0,00
3	4 774	4 777	0,59	96,5	-	0,00
4	3 758	3 763	2,79	96,5	-	0,00
5	4 285	4 288	1,59	96,5	-	0,00
6	3 289	3 294	4,00	96,5	-	0,00
7	3 600	3 604	3,18	96,5	-	0,00
8	2 933	2 939	5,04	96,5	-	0,00
9	3 588	3 592	3,21	96,5	-	0,00
Sum			13,51			

- Data undefined due to calculation with octave data

Noise sensitive area: AE Daugavas iela 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 105	4 109	1,98	96,5	-	0,00
10	4 953	4 956	0,25	96,5	-	0,00
11	4 837	4 840	0,47	96,5	-	0,00
12	4 214	4 217	1,74	96,5	-	0,00
13	3 724	3 728	2,87	96,5	-	0,00
2	5 324	5 327	-0,43	96,5	-	0,00
3	4 774	4 777	0,59	96,5	-	0,00
4	3 758	3 763	2,79	96,5	-	0,00
5	4 285	4 288	1,59	96,5	-	0,00
6	3 289	3 294	4,00	96,5	-	0,00
7	3 600	3 604	3,18	96,5	-	0,00
8	2 933	2 939	5,04	96,5	-	0,00
9	3 588	3 592	3,21	96,5	-	0,00
Sum			13,51			

- Data undefined due to calculation with octave data

Noise sensitive area: AF Saules iela 12

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 237	4 240	1,69	96,5	-	0,00
10	5 044	5 047	0,08	96,5	-	0,00
11	5 011	5 014	0,14	96,5	-	0,00
12	4 488	4 491	1,16	96,5	-	0,00
13	4 003	4 007	2,21	96,5	-	0,00
2	5 441	5 444	-0,63	96,5	-	0,00
3	5 014	5 017	0,13	96,5	-	0,00
4	3 974	3 978	2,28	96,5	-	0,00
5	4 490	4 493	1,16	96,5	-	0,00
6	3 255	3 259	4,10	96,5	-	0,00
7	3 615	3 619	3,14	96,5	-	0,00
8	3 016	3 022	4,79	96,5	-	0,00
9	3 745	3 749	2,82	96,5	-	0,00
Sum			13,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AF Saules iela 12

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 237	4 240	1,69	96,5	-	0,00
10	5 044	5 047	0,08	96,5	-	0,00
11	5 011	5 014	0,14	96,5	-	0,00
12	4 488	4 491	1,16	96,5	-	0,00
13	4 003	4 007	2,21	96,5	-	0,00
2	5 441	5 444	-0,63	96,5	-	0,00
3	5 014	5 017	0,13	96,5	-	0,00
4	3 974	3 978	2,28	96,5	-	0,00
5	4 490	4 493	1,16	96,5	-	0,00
6	3 255	3 259	4,10	96,5	-	0,00
7	3 615	3 619	3,14	96,5	-	0,00
8	3 016	3 022	4,79	96,5	-	0,00
9	3 745	3 749	2,82	96,5	-	0,00
Sum			13,21			

- Data undefined due to calculation with octave data

Noise sensitive area: AG Daugavas iela 8

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 161	4 165	1,85	96,5	-	0,00
10	5 011	5 014	0,14	96,5	-	0,00
11	4 890	4 893	0,36	96,5	-	0,00
12	4 259	4 263	1,64	96,5	-	0,00
13	3 769	3 773	2,76	96,5	-	0,00
2	5 381	5 384	-0,52	96,5	-	0,00
3	4 823	4 826	0,49	96,5	-	0,00
4	3 809	3 813	2,66	96,5	-	0,00
5	4 336	4 340	1,48	96,5	-	0,00
6	3 350	3 354	3,84	96,5	-	0,00
7	3 660	3 664	3,03	96,5	-	0,00
8	2 992	2 997	4,86	96,5	-	0,00
9	3 643	3 647	3,07	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Noise sensitive area: AG Daugavas iela 8

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 161	4 165	1,85	96,5	-	0,00
10	5 011	5 014	0,14	96,5	-	0,00
11	4 890	4 893	0,36	96,5	-	0,00
12	4 259	4 263	1,64	96,5	-	0,00
13	3 769	3 773	2,76	96,5	-	0,00
2	5 381	5 384	-0,52	96,5	-	0,00
3	4 823	4 826	0,49	96,5	-	0,00
4	3 809	3 813	2,66	96,5	-	0,00
5	4 336	4 340	1,48	96,5	-	0,00
6	3 350	3 354	3,84	96,5	-	0,00
7	3 660	3 664	3,03	96,5	-	0,00
8	2 992	2 997	4,86	96,5	-	0,00
9	3 643	3 647	3,07	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AH Rigas iela 2C

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 871	3 874	2,52	96,5	-	0,00
10	4 715	4 718	0,70	96,5	-	0,00
11	4 610	4 613	0,91	96,5	-	0,00
12	4 014	4 017	2,19	96,5	-	0,00
13	3 525	3 530	3,37	96,5	-	0,00
2	5 088	5 091	0,00	96,5	-	0,00
3	4 563	4 567	1,00	96,5	-	0,00
4	3 540	3 544	3,33	96,5	-	0,00
5	4 064	4 068	2,07	96,5	-	0,00
6	3 049	3 054	4,69	96,5	-	0,00
7	3 358	3 362	3,82	96,5	-	0,00
8	2 693	2 699	5,81	96,5	-	0,00
9	3 357	3 361	3,82	96,5	-	0,00
Sum			14,09			

- Data undefined due to calculation with octave data

Noise sensitive area: AH Rigas iela 2C

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 871	3 874	2,52	96,5	-	0,00
10	4 715	4 718	0,70	96,5	-	0,00
11	4 610	4 613	0,91	96,5	-	0,00
12	4 014	4 017	2,19	96,5	-	0,00
13	3 525	3 530	3,37	96,5	-	0,00
2	5 088	5 091	0,00	96,5	-	0,00
3	4 563	4 567	1,00	96,5	-	0,00
4	3 540	3 544	3,33	96,5	-	0,00
5	4 064	4 068	2,07	96,5	-	0,00
6	3 049	3 054	4,69	96,5	-	0,00
7	3 358	3 362	3,82	96,5	-	0,00
8	2 693	2 699	5,81	96,5	-	0,00
9	3 357	3 361	3,82	96,5	-	0,00
Sum			14,09			

- Data undefined due to calculation with octave data

Noise sensitive area: AI Lacplešа iela 5

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 050	4 054	2,10	96,5	-	0,00
10	4 870	4 873	0,40	96,5	-	0,00
11	4 814	4 817	0,51	96,5	-	0,00
12	4 270	4 273	1,62	96,5	-	0,00
13	3 784	3 788	2,73	96,5	-	0,00
2	5 260	5 262	-0,31	96,5	-	0,00
3	4 803	4 806	0,53	96,5	-	0,00
4	3 766	3 770	2,77	96,5	-	0,00
5	4 285	4 288	1,59	96,5	-	0,00
6	3 122	3 126	4,48	96,5	-	0,00
7	3 465	3 469	3,53	96,5	-	0,00
8	2 842	2 847	5,33	96,5	-	0,00
9	3 550	3 555	3,31	96,5	-	0,00
Sum			13,65			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AI Lacplešа iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 050	4 054	2,10	96,5	-	0,00
10	4 870	4 873	0,40	96,5	-	0,00
11	4 814	4 817	0,51	96,5	-	0,00
12	4 270	4 273	1,62	96,5	-	0,00
13	3 784	3 788	2,73	96,5	-	0,00
2	5 260	5 262	-0,31	96,5	-	0,00
3	4 803	4 806	0,53	96,5	-	0,00
4	3 766	3 770	2,77	96,5	-	0,00
5	4 285	4 288	1,59	96,5	-	0,00
6	3 122	3 126	4,48	96,5	-	0,00
7	3 465	3 469	3,53	96,5	-	0,00
8	2 842	2 847	5,33	96,5	-	0,00
9	3 550	3 555	3,31	96,5	-	0,00
Sum			13,65			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Grivas iela 5

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 135	4 139	1,91	96,5	-	0,00
10	5 002	5 005	0,15	96,5	-	0,00
11	4 839	4 842	0,46	96,5	-	0,00
12	4 156	4 159	1,87	96,5	-	0,00
13	3 665	3 670	3,02	96,5	-	0,00
2	5 358	5 361	-0,48	96,5	-	0,00
3	4 736	4 739	0,66	96,5	-	0,00
4	3 741	3 745	2,83	96,5	-	0,00
5	4 271	4 274	1,62	96,5	-	0,00
6	3 412	3 416	3,67	96,5	-	0,00
7	3 696	3 700	2,94	96,5	-	0,00
8	2 999	3 005	4,84	96,5	-	0,00
9	3 607	3 611	3,16	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AJ Grivas iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 135	4 139	1,91	96,5	-	0,00
10	5 002	5 005	0,15	96,5	-	0,00
11	4 839	4 842	0,46	96,5	-	0,00
12	4 156	4 159	1,87	96,5	-	0,00
13	3 665	3 670	3,02	96,5	-	0,00
2	5 358	5 361	-0,48	96,5	-	0,00
3	4 736	4 739	0,66	96,5	-	0,00
4	3 741	3 745	2,83	96,5	-	0,00
5	4 271	4 274	1,62	96,5	-	0,00
6	3 412	3 416	3,67	96,5	-	0,00
7	3 696	3 700	2,94	96,5	-	0,00
8	2 999	3 005	4,84	96,5	-	0,00
9	3 607	3 611	3,16	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AK Daugavas iela 5A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 135	4 138	1,91	96,5	-	0,00
10	4 987	4 990	0,18	96,5	-	0,00
11	4 861	4 864	0,42	96,5	-	0,00
12	4 226	4 229	1,71	96,5	-	0,00
13	3 736	3 740	2,84	96,5	-	0,00
2	5 355	5 358	-0,48	96,5	-	0,00
3	4 790	4 793	0,56	96,5	-	0,00
4	3 779	3 783	2,74	96,5	-	0,00
5	4 306	4 309	1,54	96,5	-	0,00
6	3 335	3 339	3,88	96,5	-	0,00
7	3 642	3 646	3,08	96,5	-	0,00
8	2 969	2 975	4,93	96,5	-	0,00
9	3 615	3 620	3,14	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AK Daugavas iela 5A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 135	4 138	1,91	96,5	-	0,00
10	4 987	4 990	0,18	96,5	-	0,00
11	4 861	4 864	0,42	96,5	-	0,00
12	4 226	4 229	1,71	96,5	-	0,00
13	3 736	3 740	2,84	96,5	-	0,00
2	5 355	5 358	-0,48	96,5	-	0,00
3	4 790	4 793	0,56	96,5	-	0,00
4	3 779	3 783	2,74	96,5	-	0,00
5	4 306	4 309	1,54	96,5	-	0,00
6	3 335	3 339	3,88	96,5	-	0,00
7	3 642	3 646	3,08	96,5	-	0,00
8	2 969	2 975	4,93	96,5	-	0,00
9	3 615	3 620	3,14	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AL Daugavas iela 7

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 161	4 165	1,85	96,5	-	0,00
10	5 017	5 020	0,13	96,5	-	0,00
11	4 882	4 885	0,38	96,5	-	0,00
12	4 232	4 236	1,70	96,5	-	0,00
13	3 742	3 746	2,83	96,5	-	0,00
2	5 382	5 385	-0,53	96,5	-	0,00
3	4 802	4 805	0,53	96,5	-	0,00
4	3 795	3 799	2,70	96,5	-	0,00
5	4 323	4 326	1,50	96,5	-	0,00
6	3 380	3 384	3,76	96,5	-	0,00
7	3 681	3 685	2,98	96,5	-	0,00
8	3 003	3 008	4,83	96,5	-	0,00
9	3 639	3 644	3,08	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AL Daugavas iela 7

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 161	4 165	1,85	96,5	-	0,00
10	5 017	5 020	0,13	96,5	-	0,00
11	4 882	4 885	0,38	96,5	-	0,00
12	4 232	4 236	1,70	96,5	-	0,00
13	3 742	3 746	2,83	96,5	-	0,00
2	5 382	5 385	-0,53	96,5	-	0,00
3	4 802	4 805	0,53	96,5	-	0,00
4	3 795	3 799	2,70	96,5	-	0,00
5	4 323	4 326	1,50	96,5	-	0,00
6	3 380	3 384	3,76	96,5	-	0,00
7	3 681	3 685	2,98	96,5	-	0,00
8	3 003	3 008	4,83	96,5	-	0,00
9	3 639	3 644	3,08	96,5	-	0,00
Sum			13,38			

- Data undefined due to calculation with octave data

Noise sensitive area: AM Lacple š a iela 4

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 012	4 015	2,19	96,5	-	0,00
10	4 832	4 835	0,47	96,5	-	0,00
11	4 775	4 778	0,58	96,5	-	0,00
12	4 233	4 236	1,70	96,5	-	0,00
13	3 747	3 751	2,81	96,5	-	0,00
2	5 221	5 224	-0,24	96,5	-	0,00
3	4 765	4 768	0,60	96,5	-	0,00
4	3 728	3 732	2,86	96,5	-	0,00
5	4 247	4 250	1,67	96,5	-	0,00
6	3 087	3 091	4,58	96,5	-	0,00
7	3 428	3 432	3,63	96,5	-	0,00
8	2 804	2 809	5,45	96,5	-	0,00
9	3 512	3 516	3,41	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Noise sensitive area: AM Lacple š a iela 4

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 012	4 015	2,19	96,5	-	0,00
10	4 832	4 835	0,47	96,5	-	0,00
11	4 775	4 778	0,58	96,5	-	0,00
12	4 233	4 236	1,70	96,5	-	0,00
13	3 747	3 751	2,81	96,5	-	0,00
2	5 221	5 224	-0,24	96,5	-	0,00
3	4 765	4 768	0,60	96,5	-	0,00
4	3 728	3 732	2,86	96,5	-	0,00
5	4 247	4 250	1,67	96,5	-	0,00
6	3 087	3 091	4,58	96,5	-	0,00
7	3 428	3 432	3,63	96,5	-	0,00
8	2 804	2 809	5,45	96,5	-	0,00
9	3 512	3 516	3,41	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AN Lacple š a iela 13

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 141	4 144	1,90	96,5	-	0,00
10	4 949	4 952	0,25	96,5	-	0,00
11	4 914	4 917	0,32	96,5	-	0,00
12	4 393	4 396	1,36	96,5	-	0,00
13	3 909	3 913	2,43	96,5	-	0,00
2	5 345	5 348	-0,46	96,5	-	0,00
3	4 918	4 921	0,31	96,5	-	0,00
4	3 877	3 881	2,50	96,5	-	0,00
5	4 393	4 396	1,36	96,5	-	0,00
6	3 167	3 171	4,35	96,5	-	0,00
7	3 524	3 528	3,38	96,5	-	0,00
8	2 921	2 926	5,08	96,5	-	0,00
9	3 648	3 652	3,06	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AN Lacple š a iela 13

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 141	4 144	1,90	96,5	-	0,00
10	4 949	4 952	0,25	96,5	-	0,00
11	4 914	4 917	0,32	96,5	-	0,00
12	4 393	4 396	1,36	96,5	-	0,00
13	3 909	3 913	2,43	96,5	-	0,00
2	5 345	5 348	-0,46	96,5	-	0,00
3	4 918	4 921	0,31	96,5	-	0,00
4	3 877	3 881	2,50	96,5	-	0,00
5	4 393	4 396	1,36	96,5	-	0,00
6	3 167	3 171	4,35	96,5	-	0,00
7	3 524	3 528	3,38	96,5	-	0,00
8	2 921	2 926	5,08	96,5	-	0,00
9	3 648	3 652	3,06	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: AO Rigas iela 2G

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 110	4 114	1,97	96,5	-	0,00
10	4 945	4 948	0,26	96,5	-	0,00
11	4 858	4 860	0,43	96,5	-	0,00
12	4 270	4 274	1,62	96,5	-	0,00
13	3 782	3 786	2,73	96,5	-	0,00
2	5 326	5 328	-0,43	96,5	-	0,00
3	4 819	4 822	0,50	96,5	-	0,00
4	3 793	3 797	2,70	96,5	-	0,00
5	4 316	4 319	1,52	96,5	-	0,00
6	3 238	3 243	4,15	96,5	-	0,00
7	3 565	3 569	3,27	96,5	-	0,00
8	2 919	2 925	5,08	96,5	-	0,00
9	3 601	3 605	3,18	96,5	-	0,00
Sum			13,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AO Rigas iela 2G

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 110	4 114	1,97	96,5	-	0,00
10	4 945	4 948	0,26	96,5	-	0,00
11	4 858	4 860	0,43	96,5	-	0,00
12	4 270	4 274	1,62	96,5	-	0,00
13	3 782	3 786	2,73	96,5	-	0,00
2	5 326	5 328	-0,43	96,5	-	0,00
3	4 819	4 822	0,50	96,5	-	0,00
4	3 793	3 797	2,70	96,5	-	0,00
5	4 316	4 319	1,52	96,5	-	0,00
6	3 238	3 243	4,15	96,5	-	0,00
7	3 565	3 569	3,27	96,5	-	0,00
8	2 919	2 925	5,08	96,5	-	0,00
9	3 601	3 605	3,18	96,5	-	0,00
Sum			13,50			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Rigas iela 4B

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 119	4 123	1,95	96,5	-	0,00
10	4 948	4 950	0,26	96,5	-	0,00
11	4 874	4 877	0,40	96,5	-	0,00
12	4 305	4 308	1,54	96,5	-	0,00
13	3 818	3 822	2,64	96,5	-	0,00
2	5 332	5 335	-0,44	96,5	-	0,00
3	4 847	4 850	0,45	96,5	-	0,00
4	3 817	3 821	2,65	96,5	-	0,00
5	4 338	4 341	1,47	96,5	-	0,00
6	3 219	3 223	4,20	96,5	-	0,00
7	3 554	3 558	3,30	96,5	-	0,00
8	2 920	2 925	5,08	96,5	-	0,00
9	3 614	3 618	3,15	96,5	-	0,00
Sum			13,48			

- Data undefined due to calculation with octave data

Noise sensitive area: AP Rigas iela 4B

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 119	4 123	1,95	96,5	-	0,00
10	4 948	4 950	0,26	96,5	-	0,00
11	4 874	4 877	0,40	96,5	-	0,00
12	4 305	4 308	1,54	96,5	-	0,00
13	3 818	3 822	2,64	96,5	-	0,00
2	5 332	5 335	-0,44	96,5	-	0,00
3	4 847	4 850	0,45	96,5	-	0,00
4	3 817	3 821	2,65	96,5	-	0,00
5	4 338	4 341	1,47	96,5	-	0,00
6	3 219	3 223	4,20	96,5	-	0,00
7	3 554	3 558	3,30	96,5	-	0,00
8	2 920	2 925	5,08	96,5	-	0,00
9	3 614	3 618	3,15	96,5	-	0,00
Sum			13,48			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AQ Lacple š a iela 2

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 996	4 000	2,23	96,5	-	0,00
10	4 819	4 822	0,50	96,5	-	0,00
11	4 757	4 760	0,62	96,5	-	0,00
12	4 210	4 214	1,75	96,5	-	0,00
13	3 725	3 729	2,87	96,5	-	0,00
2	5 206	5 209	-0,22	96,5	-	0,00
3	4 744	4 747	0,65	96,5	-	0,00
4	3 708	3 712	2,91	96,5	-	0,00
5	4 227	4 231	1,71	96,5	-	0,00
6	3 080	3 084	4,60	96,5	-	0,00
7	3 418	3 422	3,65	96,5	-	0,00
8	2 790	2 796	5,49	96,5	-	0,00
9	3 495	3 499	3,45	96,5	-	0,00
Sum			13,78			

- Data undefined due to calculation with octave data

Noise sensitive area: AQ Lacple š a iela 2

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 996	4 000	2,23	96,5	-	0,00
10	4 819	4 822	0,50	96,5	-	0,00
11	4 757	4 760	0,62	96,5	-	0,00
12	4 210	4 214	1,75	96,5	-	0,00
13	3 725	3 729	2,87	96,5	-	0,00
2	5 206	5 209	-0,22	96,5	-	0,00
3	4 744	4 747	0,65	96,5	-	0,00
4	3 708	3 712	2,91	96,5	-	0,00
5	4 227	4 231	1,71	96,5	-	0,00
6	3 080	3 084	4,60	96,5	-	0,00
7	3 418	3 422	3,65	96,5	-	0,00
8	2 790	2 796	5,49	96,5	-	0,00
9	3 495	3 499	3,45	96,5	-	0,00
Sum			13,78			

- Data undefined due to calculation with octave data

Noise sensitive area: AR Rigas iela 2D

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 010	4 014	2,19	96,5	-	0,00
10	4 862	4 865	0,42	96,5	-	0,00
11	4 739	4 742	0,66	96,5	-	0,00
12	4 112	4 116	1,96	96,5	-	0,00
13	3 623	3 627	3,12	96,5	-	0,00
2	5 230	5 233	-0,26	96,5	-	0,00
3	4 673	4 676	0,78	96,5	-	0,00
4	3 659	3 663	3,03	96,5	-	0,00
5	4 185	4 189	1,80	96,5	-	0,00
6	3 214	3 219	4,21	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 844	2 850	5,32	96,5	-	0,00
9	3 492	3 496	3,46	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AR Rigas iela 2D

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 010	4 014	2,19	96,5	-	0,00
10	4 862	4 865	0,42	96,5	-	0,00
11	4 739	4 742	0,66	96,5	-	0,00
12	4 112	4 116	1,96	96,5	-	0,00
13	3 623	3 627	3,12	96,5	-	0,00
2	5 230	5 233	-0,26	96,5	-	0,00
3	4 673	4 676	0,78	96,5	-	0,00
4	3 659	3 663	3,03	96,5	-	0,00
5	4 185	4 189	1,80	96,5	-	0,00
6	3 214	3 219	4,21	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 844	2 850	5,32	96,5	-	0,00
9	3 492	3 496	3,46	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Noise sensitive area: AS Grivas iela 8

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 148	4 151	1,88	96,5	-	0,00
10	5 009	5 012	0,14	96,5	-	0,00
11	4 861	4 864	0,42	96,5	-	0,00
12	4 198	4 201	1,77	96,5	-	0,00
13	3 707	3 711	2,91	96,5	-	0,00
2	5 370	5 373	-0,51	96,5	-	0,00
3	4 772	4 775	0,59	96,5	-	0,00
4	3 769	3 773	2,76	96,5	-	0,00
5	4 298	4 302	1,56	96,5	-	0,00
6	3 391	3 395	3,73	96,5	-	0,00
7	3 685	3 689	2,97	96,5	-	0,00
8	2 999	3 004	4,84	96,5	-	0,00
9	3 623	3 628	3,12	96,5	-	0,00
Sum			13,41			

- Data undefined due to calculation with octave data

Noise sensitive area: AS Grivas iela 8

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 148	4 151	1,88	96,5	-	0,00
10	5 009	5 012	0,14	96,5	-	0,00
11	4 861	4 864	0,42	96,5	-	0,00
12	4 198	4 201	1,77	96,5	-	0,00
13	3 707	3 711	2,91	96,5	-	0,00
2	5 370	5 373	-0,51	96,5	-	0,00
3	4 772	4 775	0,59	96,5	-	0,00
4	3 769	3 773	2,76	96,5	-	0,00
5	4 298	4 302	1,56	96,5	-	0,00
6	3 391	3 395	3,73	96,5	-	0,00
7	3 685	3 689	2,97	96,5	-	0,00
8	2 999	3 004	4,84	96,5	-	0,00
9	3 623	3 628	3,12	96,5	-	0,00
Sum			13,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AT Lacplešа iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 999	4 003	2,22	96,5	-	0,00
10	4 828	4 831	0,48	96,5	-	0,00
11	4 755	4 757	0,63	96,5	-	0,00
12	4 192	4 195	1,79	96,5	-	0,00
13	3 705	3 709	2,92	96,5	-	0,00
2	5 212	5 215	-0,23	96,5	-	0,00
3	4 731	4 734	0,67	96,5	-	0,00
4	3 699	3 703	2,93	96,5	-	0,00
5	4 219	4 223	1,73	96,5	-	0,00
6	3 106	3 111	4,52	96,5	-	0,00
7	3 438	3 442	3,60	96,5	-	0,00
8	2 800	2 806	5,46	96,5	-	0,00
9	3 494	3 499	3,45	96,5	-	0,00
Sum			13,77			

- Data undefined due to calculation with octave data

Noise sensitive area: AT Lacplešа iela 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 999	4 003	2,22	96,5	-	0,00
10	4 828	4 831	0,48	96,5	-	0,00
11	4 755	4 757	0,63	96,5	-	0,00
12	4 192	4 195	1,79	96,5	-	0,00
13	3 705	3 709	2,92	96,5	-	0,00
2	5 212	5 215	-0,23	96,5	-	0,00
3	4 731	4 734	0,67	96,5	-	0,00
4	3 699	3 703	2,93	96,5	-	0,00
5	4 219	4 223	1,73	96,5	-	0,00
6	3 106	3 111	4,52	96,5	-	0,00
7	3 438	3 442	3,60	96,5	-	0,00
8	2 800	2 806	5,46	96,5	-	0,00
9	3 494	3 499	3,45	96,5	-	0,00
Sum			13,77			

- Data undefined due to calculation with octave data

Noise sensitive area: AU Lacplešа iela 7

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 065	4 069	2,07	96,5	-	0,00
10	4 884	4 887	0,38	96,5	-	0,00
11	4 830	4 833	0,48	96,5	-	0,00
12	4 290	4 293	1,57	96,5	-	0,00
13	3 805	3 809	2,68	96,5	-	0,00
2	5 274	5 277	-0,34	96,5	-	0,00
3	4 822	4 825	0,50	96,5	-	0,00
4	3 785	3 789	2,72	96,5	-	0,00
5	4 303	4 306	1,55	96,5	-	0,00
6	3 130	3 134	4,46	96,5	-	0,00
7	3 475	3 479	3,51	96,5	-	0,00
8	2 855	2 860	5,29	96,5	-	0,00
9	3 567	3 571	3,27	96,5	-	0,00
Sum			13,61			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AU Lacple š a iela 7

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 065	4 069	2,07	96,5	-	0,00
10	4 884	4 887	0,38	96,5	-	0,00
11	4 830	4 833	0,48	96,5	-	0,00
12	4 290	4 293	1,57	96,5	-	0,00
13	3 805	3 809	2,68	96,5	-	0,00
2	5 274	5 277	-0,34	96,5	-	0,00
3	4 822	4 825	0,50	96,5	-	0,00
4	3 785	3 789	2,72	96,5	-	0,00
5	4 303	4 306	1,55	96,5	-	0,00
6	3 130	3 134	4,46	96,5	-	0,00
7	3 475	3 479	3,51	96,5	-	0,00
8	2 855	2 860	5,29	96,5	-	0,00
9	3 567	3 571	3,27	96,5	-	0,00
Sum			13,61			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Daugavas iela 5

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 146	4 149	1,89	96,5	-	0,00
10	4 999	5 002	0,16	96,5	-	0,00
11	4 870	4 873	0,40	96,5	-	0,00
12	4 230	4 233	1,70	96,5	-	0,00
13	3 739	3 744	2,83	96,5	-	0,00
2	5 366	5 369	-0,50	96,5	-	0,00
3	4 796	4 799	0,54	96,5	-	0,00
4	3 786	3 790	2,72	96,5	-	0,00
5	4 313	4 317	1,52	96,5	-	0,00
6	3 352	3 356	3,83	96,5	-	0,00
7	3 657	3 661	3,04	96,5	-	0,00
8	2 983	2 988	4,89	96,5	-	0,00
9	3 625	3 630	3,12	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Noise sensitive area: AV Daugavas iela 5

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 146	4 149	1,89	96,5	-	0,00
10	4 999	5 002	0,16	96,5	-	0,00
11	4 870	4 873	0,40	96,5	-	0,00
12	4 230	4 233	1,70	96,5	-	0,00
13	3 739	3 744	2,83	96,5	-	0,00
2	5 366	5 369	-0,50	96,5	-	0,00
3	4 796	4 799	0,54	96,5	-	0,00
4	3 786	3 790	2,72	96,5	-	0,00
5	4 313	4 317	1,52	96,5	-	0,00
6	3 352	3 356	3,83	96,5	-	0,00
7	3 657	3 661	3,04	96,5	-	0,00
8	2 983	2 988	4,89	96,5	-	0,00
9	3 625	3 630	3,12	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AW Rigas iela 15

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 201	4 204	1,77	96,5	-	0,00
10	5 031	5 034	0,10	96,5	-	0,00
11	4 953	4 956	0,25	96,5	-	0,00
12	4 373	4 376	1,40	96,5	-	0,00
13	3 885	3 889	2,48	96,5	-	0,00
2	5 414	5 417	-0,58	96,5	-	0,00
3	4 919	4 922	0,31	96,5	-	0,00
4	3 892	3 896	2,47	96,5	-	0,00
5	4 414	4 417	1,31	96,5	-	0,00
6	3 305	3 310	3,96	96,5	-	0,00
7	3 640	3 644	3,08	96,5	-	0,00
8	3 004	3 009	4,83	96,5	-	0,00
9	3 694	3 698	2,95	96,5	-	0,00
Sum			13,29			

- Data undefined due to calculation with octave data

Noise sensitive area: AW Rigas iela 15

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 201	4 204	1,77	96,5	-	0,00
10	5 031	5 034	0,10	96,5	-	0,00
11	4 953	4 956	0,25	96,5	-	0,00
12	4 373	4 376	1,40	96,5	-	0,00
13	3 885	3 889	2,48	96,5	-	0,00
2	5 414	5 417	-0,58	96,5	-	0,00
3	4 919	4 922	0,31	96,5	-	0,00
4	3 892	3 896	2,47	96,5	-	0,00
5	4 414	4 417	1,31	96,5	-	0,00
6	3 305	3 310	3,96	96,5	-	0,00
7	3 640	3 644	3,08	96,5	-	0,00
8	3 004	3 009	4,83	96,5	-	0,00
9	3 694	3 698	2,95	96,5	-	0,00
Sum			13,29			

- Data undefined due to calculation with octave data

Noise sensitive area: AX Rigas iela 4A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 151	4 155	1,88	96,5	-	0,00
10	4 975	4 978	0,20	96,5	-	0,00
11	4 910	4 912	0,33	96,5	-	0,00
12	4 349	4 352	1,45	96,5	-	0,00
13	3 862	3 866	2,54	96,5	-	0,00
2	5 362	5 365	-0,49	96,5	-	0,00
3	4 888	4 891	0,37	96,5	-	0,00
4	3 856	3 860	2,55	96,5	-	0,00
5	4 376	4 379	1,39	96,5	-	0,00
6	3 234	3 239	4,16	96,5	-	0,00
7	3 575	3 579	3,25	96,5	-	0,00
8	2 947	2 952	5,00	96,5	-	0,00
9	3 648	3 653	3,06	96,5	-	0,00
Sum			13,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AX Rigas iela 4A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 151	4 155	1,88	96,5	-	0,00
10	4 975	4 978	0,20	96,5	-	0,00
11	4 910	4 912	0,33	96,5	-	0,00
12	4 349	4 352	1,45	96,5	-	0,00
13	3 862	3 866	2,54	96,5	-	0,00
2	5 362	5 365	-0,49	96,5	-	0,00
3	4 888	4 891	0,37	96,5	-	0,00
4	3 856	3 860	2,55	96,5	-	0,00
5	4 376	4 379	1,39	96,5	-	0,00
6	3 234	3 239	4,16	96,5	-	0,00
7	3 575	3 579	3,25	96,5	-	0,00
8	2 947	2 952	5,00	96,5	-	0,00
9	3 648	3 653	3,06	96,5	-	0,00
Sum			13,41			

- Data undefined due to calculation with octave data

Noise sensitive area: AY Lacple š a iela 15

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 186	4 189	1,80	96,5	-	0,00
10	4 990	4 993	0,18	96,5	-	0,00
11	4 963	4 965	0,23	96,5	-	0,00
12	4 450	4 453	1,24	96,5	-	0,00
13	3 966	3 970	2,30	96,5	-	0,00
2	5 388	5 391	-0,54	96,5	-	0,00
3	4 972	4 975	0,21	96,5	-	0,00
4	3 930	3 934	2,38	96,5	-	0,00
5	4 444	4 447	1,25	96,5	-	0,00
6	3 196	3 200	4,27	96,5	-	0,00
7	3 558	3 562	3,29	96,5	-	0,00
8	2 963	2 968	4,95	96,5	-	0,00
9	3 696	3 700	2,94	96,5	-	0,00
Sum			13,33			

- Data undefined due to calculation with octave data

Noise sensitive area: AY Lacple š a iela 15

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 186	4 189	1,80	96,5	-	0,00
10	4 990	4 993	0,18	96,5	-	0,00
11	4 963	4 965	0,23	96,5	-	0,00
12	4 450	4 453	1,24	96,5	-	0,00
13	3 966	3 970	2,30	96,5	-	0,00
2	5 388	5 391	-0,54	96,5	-	0,00
3	4 972	4 975	0,21	96,5	-	0,00
4	3 930	3 934	2,38	96,5	-	0,00
5	4 444	4 447	1,25	96,5	-	0,00
6	3 196	3 200	4,27	96,5	-	0,00
7	3 558	3 562	3,29	96,5	-	0,00
8	2 963	2 968	4,95	96,5	-	0,00
9	3 696	3 700	2,94	96,5	-	0,00
Sum			13,33			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: AZ Saules iela 8

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 205	4 208	1,76	96,5	-	0,00
10	5 015	5 018	0,13	96,5	-	0,00
11	4 977	4 979	0,20	96,5	-	0,00
12	4 449	4 452	1,24	96,5	-	0,00
13	3 964	3 968	2,30	96,5	-	0,00
2	5 410	5 413	-0,57	96,5	-	0,00
3	4 977	4 980	0,20	96,5	-	0,00
4	3 938	3 942	2,36	96,5	-	0,00
5	4 454	4 457	1,23	96,5	-	0,00
6	3 233	3 237	4,16	96,5	-	0,00
7	3 590	3 594	3,21	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 711	3 715	2,90	96,5	-	0,00
Sum			13,28			

- Data undefined due to calculation with octave data

Noise sensitive area: AZ Saules iela 8

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 205	4 208	1,76	96,5	-	0,00
10	5 015	5 018	0,13	96,5	-	0,00
11	4 977	4 979	0,20	96,5	-	0,00
12	4 449	4 452	1,24	96,5	-	0,00
13	3 964	3 968	2,30	96,5	-	0,00
2	5 410	5 413	-0,57	96,5	-	0,00
3	4 977	4 980	0,20	96,5	-	0,00
4	3 938	3 942	2,36	96,5	-	0,00
5	4 454	4 457	1,23	96,5	-	0,00
6	3 233	3 237	4,16	96,5	-	0,00
7	3 590	3 594	3,21	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 711	3 715	2,90	96,5	-	0,00
Sum			13,28			

- Data undefined due to calculation with octave data

Noise sensitive area: BA Saules iela 1

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 094	4 098	2,00	96,5	-	0,00
10	4 899	4 902	0,35	96,5	-	0,00
11	4 870	4 873	0,40	96,5	-	0,00
12	4 360	4 363	1,43	96,5	-	0,00
13	3 877	3 881	2,50	96,5	-	0,00
2	5 297	5 300	-0,38	96,5	-	0,00
3	4 881	4 884	0,38	96,5	-	0,00
4	3 838	3 842	2,60	96,5	-	0,00
5	4 352	4 356	1,44	96,5	-	0,00
6	3 111	3 116	4,51	96,5	-	0,00
7	3 470	3 474	3,52	96,5	-	0,00
8	2 872	2 877	5,23	96,5	-	0,00
9	3 603	3 608	3,17	96,5	-	0,00
Sum			13,55			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BA Saules iela 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 094	4 098	2,00	96,5	-	0,00
10	4 899	4 902	0,35	96,5	-	0,00
11	4 870	4 873	0,40	96,5	-	0,00
12	4 360	4 363	1,43	96,5	-	0,00
13	3 877	3 881	2,50	96,5	-	0,00
2	5 297	5 300	-0,38	96,5	-	0,00
3	4 881	4 884	0,38	96,5	-	0,00
4	3 838	3 842	2,60	96,5	-	0,00
5	4 352	4 356	1,44	96,5	-	0,00
6	3 111	3 116	4,51	96,5	-	0,00
7	3 470	3 474	3,52	96,5	-	0,00
8	2 872	2 877	5,23	96,5	-	0,00
9	3 603	3 608	3,17	96,5	-	0,00
Sum			13,55			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Daugavas iela 7A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 158	4 161	1,86	96,5	-	0,00
10	5 012	5 015	0,14	96,5	-	0,00
11	4 880	4 883	0,38	96,5	-	0,00
12	4 236	4 239	1,69	96,5	-	0,00
13	3 745	3 749	2,82	96,5	-	0,00
2	5 379	5 381	-0,52	96,5	-	0,00
3	4 804	4 807	0,53	96,5	-	0,00
4	3 795	3 799	2,70	96,5	-	0,00
5	4 323	4 326	1,50	96,5	-	0,00
6	3 369	3 373	3,79	96,5	-	0,00
7	3 673	3 677	3,00	96,5	-	0,00
8	2 997	3 002	4,85	96,5	-	0,00
9	3 637	3 641	3,09	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Noise sensitive area: BB Daugavas iela 7A

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 158	4 161	1,86	96,5	-	0,00
10	5 012	5 015	0,14	96,5	-	0,00
11	4 880	4 883	0,38	96,5	-	0,00
12	4 236	4 239	1,69	96,5	-	0,00
13	3 745	3 749	2,82	96,5	-	0,00
2	5 379	5 381	-0,52	96,5	-	0,00
3	4 804	4 807	0,53	96,5	-	0,00
4	3 795	3 799	2,70	96,5	-	0,00
5	4 323	4 326	1,50	96,5	-	0,00
6	3 369	3 373	3,79	96,5	-	0,00
7	3 673	3 677	3,00	96,5	-	0,00
8	2 997	3 002	4,85	96,5	-	0,00
9	3 637	3 641	3,09	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BC Grivas iela 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 124	4 128	1,94	96,5	-	0,00
10	4 989	4 992	0,18	96,5	-	0,00
11	4 832	4 835	0,47	96,5	-	0,00
12	4 158	4 161	1,86	96,5	-	0,00
13	3 668	3 672	3,01	96,5	-	0,00
2	5 347	5 350	-0,47	96,5	-	0,00
3	4 735	4 738	0,66	96,5	-	0,00
4	3 737	3 741	2,84	96,5	-	0,00
5	4 266	4 270	1,63	96,5	-	0,00
6	3 388	3 392	3,73	96,5	-	0,00
7	3 676	3 680	2,99	96,5	-	0,00
8	2 983	2 989	4,89	96,5	-	0,00
9	3 598	3 602	3,19	96,5	-	0,00
Sum			13,47			

- Data undefined due to calculation with octave data

Noise sensitive area: BC Grivas iela 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 124	4 128	1,94	96,5	-	0,00
10	4 989	4 992	0,18	96,5	-	0,00
11	4 832	4 835	0,47	96,5	-	0,00
12	4 158	4 161	1,86	96,5	-	0,00
13	3 668	3 672	3,01	96,5	-	0,00
2	5 347	5 350	-0,47	96,5	-	0,00
3	4 735	4 738	0,66	96,5	-	0,00
4	3 737	3 741	2,84	96,5	-	0,00
5	4 266	4 270	1,63	96,5	-	0,00
6	3 388	3 392	3,73	96,5	-	0,00
7	3 676	3 680	2,99	96,5	-	0,00
8	2 983	2 989	4,89	96,5	-	0,00
9	3 598	3 602	3,19	96,5	-	0,00
Sum			13,47			

- Data undefined due to calculation with octave data

Noise sensitive area: BD Lacple š a iela 11

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 109	4 112	1,97	96,5	-	0,00
10	4 923	4 926	0,30	96,5	-	0,00
11	4 877	4 880	0,39	96,5	-	0,00
12	4 345	4 348	1,46	96,5	-	0,00
13	3 860	3 864	2,54	96,5	-	0,00
2	5 316	5 318	-0,41	96,5	-	0,00
3	4 874	4 877	0,39	96,5	-	0,00
4	3 836	3 840	2,60	96,5	-	0,00
5	4 352	4 356	1,44	96,5	-	0,00
6	3 155	3 160	4,38	96,5	-	0,00
7	3 506	3 510	3,42	96,5	-	0,00
8	2 894	2 899	5,16	96,5	-	0,00
9	3 612	3 617	3,15	96,5	-	0,00
Sum			13,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BD Lacple š a iela 11

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 109	4 112	1,97	96,5	-	0,00
10	4 923	4 926	0,30	96,5	-	0,00
11	4 877	4 880	0,39	96,5	-	0,00
12	4 345	4 348	1,46	96,5	-	0,00
13	3 860	3 864	2,54	96,5	-	0,00
2	5 316	5 318	-0,41	96,5	-	0,00
3	4 874	4 877	0,39	96,5	-	0,00
4	3 836	3 840	2,60	96,5	-	0,00
5	4 352	4 356	1,44	96,5	-	0,00
6	3 155	3 160	4,38	96,5	-	0,00
7	3 506	3 510	3,42	96,5	-	0,00
8	2 894	2 899	5,16	96,5	-	0,00
9	3 612	3 617	3,15	96,5	-	0,00
Sum			13,51			

- Data undefined due to calculation with octave data

Noise sensitive area: BE Lacple š a iela 1A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 068	4 072	2,06	96,5	-	0,00
10	4 901	4 904	0,34	96,5	-	0,00
11	4 818	4 821	0,50	96,5	-	0,00
12	4 240	4 243	1,68	96,5	-	0,00
13	3 752	3 756	2,80	96,5	-	0,00
2	5 282	5 285	-0,35	96,5	-	0,00
3	4 785	4 788	0,57	96,5	-	0,00
4	3 756	3 761	2,79	96,5	-	0,00
5	4 279	4 282	1,60	96,5	-	0,00
6	3 189	3 193	4,29	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 874	2 880	5,22	96,5	-	0,00
9	3 560	3 564	3,28	96,5	-	0,00
Sum			13,60			

- Data undefined due to calculation with octave data

Noise sensitive area: BE Lacple š a iela 1A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 068	4 072	2,06	96,5	-	0,00
10	4 901	4 904	0,34	96,5	-	0,00
11	4 818	4 821	0,50	96,5	-	0,00
12	4 240	4 243	1,68	96,5	-	0,00
13	3 752	3 756	2,80	96,5	-	0,00
2	5 282	5 285	-0,35	96,5	-	0,00
3	4 785	4 788	0,57	96,5	-	0,00
4	3 756	3 761	2,79	96,5	-	0,00
5	4 279	4 282	1,60	96,5	-	0,00
6	3 189	3 193	4,29	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 874	2 880	5,22	96,5	-	0,00
9	3 560	3 564	3,28	96,5	-	0,00
Sum			13,60			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BF Daugavas iela 10

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 170	4 173	1,84	96,5	-	0,00
10	5 021	5 024	0,12	96,5	-	0,00
11	4 897	4 900	0,35	96,5	-	0,00
12	4 261	4 264	1,64	96,5	-	0,00
13	3 771	3 775	2,76	96,5	-	0,00
2	5 390	5 393	-0,54	96,5	-	0,00
3	4 826	4 829	0,49	96,5	-	0,00
4	3 814	3 818	2,65	96,5	-	0,00
5	4 341	4 345	1,46	96,5	-	0,00
6	3 365	3 369	3,80	96,5	-	0,00
7	3 673	3 677	3,00	96,5	-	0,00
8	3 003	3 008	4,83	96,5	-	0,00
9	3 650	3 655	3,05	96,5	-	0,00
Sum			13,36			

- Data undefined due to calculation with octave data

Noise sensitive area: BF Daugavas iela 10

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 170	4 173	1,84	96,5	-	0,00
10	5 021	5 024	0,12	96,5	-	0,00
11	4 897	4 900	0,35	96,5	-	0,00
12	4 261	4 264	1,64	96,5	-	0,00
13	3 771	3 775	2,76	96,5	-	0,00
2	5 390	5 393	-0,54	96,5	-	0,00
3	4 826	4 829	0,49	96,5	-	0,00
4	3 814	3 818	2,65	96,5	-	0,00
5	4 341	4 345	1,46	96,5	-	0,00
6	3 365	3 369	3,80	96,5	-	0,00
7	3 673	3 677	3,00	96,5	-	0,00
8	3 003	3 008	4,83	96,5	-	0,00
9	3 650	3 655	3,05	96,5	-	0,00
Sum			13,36			

- Data undefined due to calculation with octave data

Noise sensitive area: BG Lacple š a iela 16

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 160	4 164	1,86	96,5	-	0,00
10	4 962	4 965	0,23	96,5	-	0,00
11	4 939	4 942	0,27	96,5	-	0,00
12	4 432	4 436	1,27	96,5	-	0,00
13	3 949	3 953	2,33	96,5	-	0,00
2	5 362	5 364	-0,49	96,5	-	0,00
3	4 953	4 956	0,25	96,5	-	0,00
4	3 909	3 913	2,43	96,5	-	0,00
5	4 423	4 426	1,29	96,5	-	0,00
6	3 164	3 168	4,36	96,5	-	0,00
7	3 527	3 531	3,37	96,5	-	0,00
8	2 936	2 941	5,03	96,5	-	0,00
9	3 671	3 676	3,00	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BG Lacple š a iela 16

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 160	4 164	1,86	96,5	-	0,00
10	4 962	4 965	0,23	96,5	-	0,00
11	4 939	4 942	0,27	96,5	-	0,00
12	4 432	4 436	1,27	96,5	-	0,00
13	3 949	3 953	2,33	96,5	-	0,00
2	5 362	5 364	-0,49	96,5	-	0,00
3	4 953	4 956	0,25	96,5	-	0,00
4	3 909	3 913	2,43	96,5	-	0,00
5	4 423	4 426	1,29	96,5	-	0,00
6	3 164	3 168	4,36	96,5	-	0,00
7	3 527	3 531	3,37	96,5	-	0,00
8	2 936	2 941	5,03	96,5	-	0,00
9	3 671	3 676	3,00	96,5	-	0,00
Sum			13,39			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Rigas iela 6A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 067	4 070	2,07	96,5	-	0,00
10	4 895	4 898	0,36	96,5	-	0,00
11	4 821	4 824	0,50	96,5	-	0,00
12	4 255	4 258	1,65	96,5	-	0,00
13	3 768	3 772	2,77	96,5	-	0,00
2	5 279	5 282	-0,35	96,5	-	0,00
3	4 796	4 799	0,55	96,5	-	0,00
4	3 765	3 769	2,77	96,5	-	0,00
5	4 286	4 289	1,58	96,5	-	0,00
6	3 170	3 174	4,34	96,5	-	0,00
7	3 503	3 507	3,43	96,5	-	0,00
8	2 867	2 873	5,25	96,5	-	0,00
9	3 561	3 566	3,28	96,5	-	0,00
Sum			13,61			

- Data undefined due to calculation with octave data

Noise sensitive area: BH Rigas iela 6A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 067	4 070	2,07	96,5	-	0,00
10	4 895	4 898	0,36	96,5	-	0,00
11	4 821	4 824	0,50	96,5	-	0,00
12	4 255	4 258	1,65	96,5	-	0,00
13	3 768	3 772	2,77	96,5	-	0,00
2	5 279	5 282	-0,35	96,5	-	0,00
3	4 796	4 799	0,55	96,5	-	0,00
4	3 765	3 769	2,77	96,5	-	0,00
5	4 286	4 289	1,58	96,5	-	0,00
6	3 170	3 174	4,34	96,5	-	0,00
7	3 503	3 507	3,43	96,5	-	0,00
8	2 867	2 873	5,25	96,5	-	0,00
9	3 561	3 566	3,28	96,5	-	0,00
Sum			13,61			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BI Grivas iela 4

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 133	4 137	1,92	96,5	-	0,00
10	4 991	4 994	0,18	96,5	-	0,00
11	4 852	4 855	0,44	96,5	-	0,00
12	4 200	4 203	1,77	96,5	-	0,00
13	3 709	3 713	2,91	96,5	-	0,00
2	5 355	5 358	-0,48	96,5	-	0,00
3	4 770	4 773	0,60	96,5	-	0,00
4	3 764	3 768	2,77	96,5	-	0,00
5	4 292	4 295	1,57	96,5	-	0,00
6	3 361	3 365	3,81	96,5	-	0,00
7	3 659	3 663	3,03	96,5	-	0,00
8	2 978	2 983	4,90	96,5	-	0,00
9	3 611	3 615	3,15	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: BI Grivas iela 4

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 133	4 137	1,92	96,5	-	0,00
10	4 991	4 994	0,18	96,5	-	0,00
11	4 852	4 855	0,44	96,5	-	0,00
12	4 200	4 203	1,77	96,5	-	0,00
13	3 709	3 713	2,91	96,5	-	0,00
2	5 355	5 358	-0,48	96,5	-	0,00
3	4 770	4 773	0,60	96,5	-	0,00
4	3 764	3 768	2,77	96,5	-	0,00
5	4 292	4 295	1,57	96,5	-	0,00
6	3 361	3 365	3,81	96,5	-	0,00
7	3 659	3 663	3,03	96,5	-	0,00
8	2 978	2 983	4,90	96,5	-	0,00
9	3 611	3 615	3,15	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: BJ Rigas iela 8A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 084	4 088	2,03	96,5	-	0,00
10	4 909	4 912	0,33	96,5	-	0,00
11	4 842	4 845	0,46	96,5	-	0,00
12	4 284	4 287	1,59	96,5	-	0,00
13	3 797	3 801	2,69	96,5	-	0,00
2	5 296	5 298	-0,38	96,5	-	0,00
3	4 822	4 825	0,49	96,5	-	0,00
4	3 789	3 793	2,71	96,5	-	0,00
5	4 309	4 312	1,53	96,5	-	0,00
6	3 173	3 177	4,33	96,5	-	0,00
7	3 511	3 515	3,41	96,5	-	0,00
8	2 881	2 886	5,20	96,5	-	0,00
9	3 581	3 585	3,23	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BJ Rigas iela 8A

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 084	4 088	2,03	96,5	-	0,00
10	4 909	4 912	0,33	96,5	-	0,00
11	4 842	4 845	0,46	96,5	-	0,00
12	4 284	4 287	1,59	96,5	-	0,00
13	3 797	3 801	2,69	96,5	-	0,00
2	5 296	5 298	-0,38	96,5	-	0,00
3	4 822	4 825	0,49	96,5	-	0,00
4	3 789	3 793	2,71	96,5	-	0,00
5	4 309	4 312	1,53	96,5	-	0,00
6	3 173	3 177	4,33	96,5	-	0,00
7	3 511	3 515	3,41	96,5	-	0,00
8	2 881	2 886	5,20	96,5	-	0,00
9	3 581	3 585	3,23	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Noise sensitive area: BK Lacple š a iela 6

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 031	4 035	2,15	96,5	-	0,00
10	4 849	4 852	0,44	96,5	-	0,00
11	4 796	4 799	0,54	96,5	-	0,00
12	4 258	4 262	1,64	96,5	-	0,00
13	3 773	3 777	2,75	96,5	-	0,00
2	5 240	5 242	-0,28	96,5	-	0,00
3	4 789	4 792	0,56	96,5	-	0,00
4	3 751	3 756	2,80	96,5	-	0,00
5	4 269	4 272	1,62	96,5	-	0,00
6	3 097	3 101	4,55	96,5	-	0,00
7	3 441	3 445	3,59	96,5	-	0,00
8	2 820	2 826	5,40	96,5	-	0,00
9	3 532	3 537	3,35	96,5	-	0,00
Sum			13,70			

- Data undefined due to calculation with octave data

Noise sensitive area: BK Lacple š a iela 6

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 031	4 035	2,15	96,5	-	0,00
10	4 849	4 852	0,44	96,5	-	0,00
11	4 796	4 799	0,54	96,5	-	0,00
12	4 258	4 262	1,64	96,5	-	0,00
13	3 773	3 777	2,75	96,5	-	0,00
2	5 240	5 242	-0,28	96,5	-	0,00
3	4 789	4 792	0,56	96,5	-	0,00
4	3 751	3 756	2,80	96,5	-	0,00
5	4 269	4 272	1,62	96,5	-	0,00
6	3 097	3 101	4,55	96,5	-	0,00
7	3 441	3 445	3,59	96,5	-	0,00
8	2 820	2 826	5,40	96,5	-	0,00
9	3 532	3 537	3,35	96,5	-	0,00
Sum			13,70			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BL Rigas iela 2E

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 988	3 992	2,25	96,5	-	0,00
10	4 843	4 846	0,45	96,5	-	0,00
11	4 711	4 714	0,71	96,5	-	0,00
12	4 075	4 078	2,05	96,5	-	0,00
13	3 585	3 589	3,22	96,5	-	0,00
2	5 209	5 212	-0,22	96,5	-	0,00
3	4 639	4 642	0,85	96,5	-	0,00
4	3 627	3 632	3,11	96,5	-	0,00
5	4 155	4 158	1,87	96,5	-	0,00
6	3 212	3 216	4,22	96,5	-	0,00
7	3 509	3 513	3,41	96,5	-	0,00
8	2 829	2 834	5,37	96,5	-	0,00
9	3 467	3 472	3,52	96,5	-	0,00
Sum			13,79			

- Data undefined due to calculation with octave data

Noise sensitive area: BL Rigas iela 2E

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 988	3 992	2,25	96,5	-	0,00
10	4 843	4 846	0,45	96,5	-	0,00
11	4 711	4 714	0,71	96,5	-	0,00
12	4 075	4 078	2,05	96,5	-	0,00
13	3 585	3 589	3,22	96,5	-	0,00
2	5 209	5 212	-0,22	96,5	-	0,00
3	4 639	4 642	0,85	96,5	-	0,00
4	3 627	3 632	3,11	96,5	-	0,00
5	4 155	4 158	1,87	96,5	-	0,00
6	3 212	3 216	4,22	96,5	-	0,00
7	3 509	3 513	3,41	96,5	-	0,00
8	2 829	2 834	5,37	96,5	-	0,00
9	3 467	3 472	3,52	96,5	-	0,00
Sum			13,79			

- Data undefined due to calculation with octave data

Noise sensitive area: BM Rigas iela 2A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 012	4 016	2,19	96,5	-	0,00
10	4 855	4 858	0,43	96,5	-	0,00
11	4 751	4 754	0,63	96,5	-	0,00
12	4 149	4 152	1,88	96,5	-	0,00
13	3 660	3 664	3,03	96,5	-	0,00
2	5 230	5 233	-0,26	96,5	-	0,00
3	4 702	4 705	0,73	96,5	-	0,00
4	3 680	3 684	2,98	96,5	-	0,00
5	4 205	4 208	1,76	96,5	-	0,00
6	3 179	3 183	4,31	96,5	-	0,00
7	3 493	3 498	3,46	96,5	-	0,00
8	2 833	2 838	5,36	96,5	-	0,00
9	3 499	3 503	3,44	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BM Rigas iela 2A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 012	4 016	2,19	96,5	-	0,00
10	4 855	4 858	0,43	96,5	-	0,00
11	4 751	4 754	0,63	96,5	-	0,00
12	4 149	4 152	1,88	96,5	-	0,00
13	3 660	3 664	3,03	96,5	-	0,00
2	5 230	5 233	-0,26	96,5	-	0,00
3	4 702	4 705	0,73	96,5	-	0,00
4	3 680	3 684	2,98	96,5	-	0,00
5	4 205	4 208	1,76	96,5	-	0,00
6	3 179	3 183	4,31	96,5	-	0,00
7	3 493	3 498	3,46	96,5	-	0,00
8	2 833	2 838	5,36	96,5	-	0,00
9	3 499	3 503	3,44	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Lacplešа iela 8

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 045	4 049	2,11	96,5	-	0,00
10	4 862	4 865	0,42	96,5	-	0,00
11	4 812	4 815	0,51	96,5	-	0,00
12	4 277	4 280	1,60	96,5	-	0,00
13	3 792	3 796	2,71	96,5	-	0,00
2	5 253	5 256	-0,30	96,5	-	0,00
3	4 806	4 809	0,52	96,5	-	0,00
4	3 768	3 772	2,76	96,5	-	0,00
5	4 285	4 289	1,58	96,5	-	0,00
6	3 104	3 109	4,53	96,5	-	0,00
7	3 450	3 455	3,57	96,5	-	0,00
8	2 833	2 838	5,36	96,5	-	0,00
9	3 547	3 552	3,32	96,5	-	0,00
Sum			13,66			

- Data undefined due to calculation with octave data

Noise sensitive area: BN Lacplešа iela 8

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 045	4 049	2,11	96,5	-	0,00
10	4 862	4 865	0,42	96,5	-	0,00
11	4 812	4 815	0,51	96,5	-	0,00
12	4 277	4 280	1,60	96,5	-	0,00
13	3 792	3 796	2,71	96,5	-	0,00
2	5 253	5 256	-0,30	96,5	-	0,00
3	4 806	4 809	0,52	96,5	-	0,00
4	3 768	3 772	2,76	96,5	-	0,00
5	4 285	4 289	1,58	96,5	-	0,00
6	3 104	3 109	4,53	96,5	-	0,00
7	3 450	3 455	3,57	96,5	-	0,00
8	2 833	2 838	5,36	96,5	-	0,00
9	3 547	3 552	3,32	96,5	-	0,00
Sum			13,66			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BO Maza Stirnu iela 10A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 653	2 658	5,95	96,5	-	0,00
10	3 352	3 356	3,83	96,5	-	0,00
11	3 496	3 500	3,45	96,5	-	0,00
12	3 324	3 328	3,91	96,5	-	0,00
13	2 906	2 911	5,13	96,5	-	0,00
2	3 786	3 789	2,72	96,5	-	0,00
3	3 694	3 698	2,95	96,5	-	0,00
4	2 646	2 651	5,97	96,5	-	0,00
5	3 087	3 092	4,58	96,5	-	0,00
6	1 448	1 457	11,33	96,5	-	0,00
7	1 847	1 854	9,19	96,5	-	0,00
8	1 407	1 417	11,58	96,5	-	0,00
9	2 256	2 263	7,40	96,5	-	0,00
Sum			18,24			

- Data undefined due to calculation with octave data

Noise sensitive area: BO Maza Stirnu iela 10A

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 653	2 658	5,95	96,5	-	0,00
10	3 352	3 356	3,83	96,5	-	0,00
11	3 496	3 500	3,45	96,5	-	0,00
12	3 324	3 328	3,91	96,5	-	0,00
13	2 906	2 911	5,13	96,5	-	0,00
2	3 786	3 789	2,72	96,5	-	0,00
3	3 694	3 698	2,95	96,5	-	0,00
4	2 646	2 651	5,97	96,5	-	0,00
5	3 087	3 092	4,58	96,5	-	0,00
6	1 448	1 457	11,33	96,5	-	0,00
7	1 847	1 854	9,19	96,5	-	0,00
8	1 407	1 417	11,58	96,5	-	0,00
9	2 256	2 263	7,40	96,5	-	0,00
Sum			18,24			

- Data undefined due to calculation with octave data

Noise sensitive area: BP Stirnu iela 10

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 066	3 070	4,64	96,5	-	0,00
10	3 718	3 722	2,89	96,5	-	0,00
11	3 917	3 920	2,41	96,5	-	0,00
12	3 779	3 783	2,74	96,5	-	0,00
13	3 362	3 366	3,80	96,5	-	0,00
2	4 165	4 168	1,85	96,5	-	0,00
3	4 141	4 144	1,90	96,5	-	0,00
4	3 096	3 101	4,55	96,5	-	0,00
5	3 529	3 532	3,37	96,5	-	0,00
6	1 741	1 749	9,71	96,5	-	0,00
7	2 184	2 190	7,69	96,5	-	0,00
8	1 834	1 842	9,24	96,5	-	0,00
9	2 693	2 698	5,81	96,5	-	0,00
Sum			16,67			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BP Stirnu iela 10

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 066	3 070	4,64	96,5	-	0,00
10	3 718	3 722	2,89	96,5	-	0,00
11	3 917	3 920	2,41	96,5	-	0,00
12	3 779	3 783	2,74	96,5	-	0,00
13	3 362	3 366	3,80	96,5	-	0,00
2	4 165	4 168	1,85	96,5	-	0,00
3	4 141	4 144	1,90	96,5	-	0,00
4	3 096	3 101	4,55	96,5	-	0,00
5	3 529	3 532	3,37	96,5	-	0,00
6	1 741	1 749	9,71	96,5	-	0,00
7	2 184	2 190	7,69	96,5	-	0,00
8	1 834	1 842	9,24	96,5	-	0,00
9	2 693	2 698	5,81	96,5	-	0,00
Sum			16,67			

- Data undefined due to calculation with octave data

Noise sensitive area: BQ Maza Stirnu iela 8A

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 718	2 723	5,73	96,5	-	0,00
10	3 385	3 389	3,74	96,5	-	0,00
11	3 568	3 572	3,26	96,5	-	0,00
12	3 443	3 447	3,59	96,5	-	0,00
13	3 034	3 039	4,74	96,5	-	0,00
2	3 826	3 830	2,62	96,5	-	0,00
3	3 794	3 798	2,70	96,5	-	0,00
4	2 753	2 758	5,62	96,5	-	0,00
5	3 181	3 185	4,31	96,5	-	0,00
6	1 435	1 444	11,41	96,5	-	0,00
7	1 859	1 867	9,13	96,5	-	0,00
8	1 485	1 495	11,11	96,5	-	0,00
9	2 344	2 351	7,06	96,5	-	0,00
Sum			18,03			

- Data undefined due to calculation with octave data

Noise sensitive area: BQ Maza Stirnu iela 8A

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 718	2 723	5,73	96,5	-	0,00
10	3 385	3 389	3,74	96,5	-	0,00
11	3 568	3 572	3,26	96,5	-	0,00
12	3 443	3 447	3,59	96,5	-	0,00
13	3 034	3 039	4,74	96,5	-	0,00
2	3 826	3 830	2,62	96,5	-	0,00
3	3 794	3 798	2,70	96,5	-	0,00
4	2 753	2 758	5,62	96,5	-	0,00
5	3 181	3 185	4,31	96,5	-	0,00
6	1 435	1 444	11,41	96,5	-	0,00
7	1 859	1 867	9,13	96,5	-	0,00
8	1 485	1 495	11,11	96,5	-	0,00
9	2 344	2 351	7,06	96,5	-	0,00
Sum			18,03			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BR Celtniecibas iela 7A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 448	3 452	3,58	96,5	-	0,00
10	4 192	4 195	1,79	96,5	-	0,00
11	4 268	4 271	1,62	96,5	-	0,00
12	3 935	3 938	2,37	96,5	-	0,00
13	3 477	3 481	3,50	96,5	-	0,00
2	4 614	4 617	0,90	96,5	-	0,00
3	4 383	4 386	1,38	96,5	-	0,00
4	3 323	3 328	3,91	96,5	-	0,00
5	3 806	3 810	2,67	96,5	-	0,00
6	2 311	2 316	7,19	96,5	-	0,00
7	2 705	2 710	5,77	96,5	-	0,00
8	2 196	2 203	7,64	96,5	-	0,00
9	3 003	3 008	4,83	96,5	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: BR Celtniecibas iela 7A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 448	3 452	3,58	96,5	-	0,00
10	4 192	4 195	1,79	96,5	-	0,00
11	4 268	4 271	1,62	96,5	-	0,00
12	3 935	3 938	2,37	96,5	-	0,00
13	3 477	3 481	3,50	96,5	-	0,00
2	4 614	4 617	0,90	96,5	-	0,00
3	4 383	4 386	1,38	96,5	-	0,00
4	3 323	3 328	3,91	96,5	-	0,00
5	3 806	3 810	2,67	96,5	-	0,00
6	2 311	2 316	7,19	96,5	-	0,00
7	2 705	2 710	5,77	96,5	-	0,00
8	2 196	2 203	7,64	96,5	-	0,00
9	3 003	3 008	4,83	96,5	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: BS Stacijas iela 24

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 363	4 366	1,42	96,5	-	0,00
10	4 999	5 001	0,16	96,5	-	0,00
11	5 214	5 216	-0,23	96,5	-	0,00
12	5 017	5 020	0,13	96,5	-	0,00
13	4 576	4 579	0,98	96,5	-	0,00
2	5 451	5 454	-0,65	96,5	-	0,00
3	5 416	5 419	-0,59	96,5	-	0,00
4	4 363	4 366	1,42	96,5	-	0,00
5	4 813	4 816	0,51	96,5	-	0,00
6	2 991	2 995	4,87	96,5	-	0,00
7	3 455	3 459	3,56	96,5	-	0,00
8	3 128	3 133	4,46	96,5	-	0,00
9	3 982	3 986	2,26	96,5	-	0,00
Sum			12,95			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BS Stacijas iela 24

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 363	4 366	1,42	96,5	-	0,00
10	4 999	5 001	0,16	96,5	-	0,00
11	5 214	5 216	-0,23	96,5	-	0,00
12	5 017	5 020	0,13	96,5	-	0,00
13	4 576	4 579	0,98	96,5	-	0,00
2	5 451	5 454	-0,65	96,5	-	0,00
3	5 416	5 419	-0,59	96,5	-	0,00
4	4 363	4 366	1,42	96,5	-	0,00
5	4 813	4 816	0,51	96,5	-	0,00
6	2 991	2 995	4,87	96,5	-	0,00
7	3 455	3 459	3,56	96,5	-	0,00
8	3 128	3 133	4,46	96,5	-	0,00
9	3 982	3 986	2,26	96,5	-	0,00
Sum			12,95			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Celtniecibas iela 23

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 819	2 824	5,40	96,5	-	0,00
10	3 549	3 553	3,31	96,5	-	0,00
11	3 650	3 654	3,06	96,5	-	0,00
12	3 404	3 408	3,69	96,5	-	0,00
13	2 968	2 972	4,94	96,5	-	0,00
2	3 974	3 978	2,28	96,5	-	0,00
3	3 808	3 812	2,67	96,5	-	0,00
4	2 752	2 757	5,62	96,5	-	0,00
5	3 214	3 218	4,21	96,5	-	0,00
6	1 682	1 689	10,02	96,5	-	0,00
7	2 063	2 070	8,20	96,5	-	0,00
8	1 566	1 576	10,64	96,5	-	0,00
9	2 395	2 401	6,87	96,5	-	0,00
Sum			17,48			

- Data undefined due to calculation with octave data

Noise sensitive area: BT Celtniecibas iela 23

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 819	2 824	5,40	96,5	-	0,00
10	3 549	3 553	3,31	96,5	-	0,00
11	3 650	3 654	3,06	96,5	-	0,00
12	3 404	3 408	3,69	96,5	-	0,00
13	2 968	2 972	4,94	96,5	-	0,00
2	3 974	3 978	2,28	96,5	-	0,00
3	3 808	3 812	2,67	96,5	-	0,00
4	2 752	2 757	5,62	96,5	-	0,00
5	3 214	3 218	4,21	96,5	-	0,00
6	1 682	1 689	10,02	96,5	-	0,00
7	2 063	2 070	8,20	96,5	-	0,00
8	1 566	1 576	10,64	96,5	-	0,00
9	2 395	2 401	6,87	96,5	-	0,00
Sum			17,48			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BU Me ž loki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 287	4 290	1,58	96,5	-	0,00
10	4 953	4 955	0,25	96,5	-	0,00
11	5 131	5 134	-0,08	96,5	-	0,00
12	4 888	4 891	0,37	96,5	-	0,00
13	4 438	4 442	1,26	96,5	-	0,00
2	5 399	5 401	-0,56	96,5	-	0,00
3	5 306	5 309	-0,39	96,5	-	0,00
4	4 249	4 252	1,66	96,5	-	0,00
5	4 711	4 714	0,71	96,5	-	0,00
6	2 962	2 967	4,95	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	3 042	3 047	4,71	96,5	-	0,00
9	3 886	3 890	2,48	96,5	-	0,00
Sum			13,12			

- Data undefined due to calculation with octave data

Noise sensitive area: BU Me ž loki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 287	4 290	1,58	96,5	-	0,00
10	4 953	4 955	0,25	96,5	-	0,00
11	5 131	5 134	-0,08	96,5	-	0,00
12	4 888	4 891	0,37	96,5	-	0,00
13	4 438	4 442	1,26	96,5	-	0,00
2	5 399	5 401	-0,56	96,5	-	0,00
3	5 306	5 309	-0,39	96,5	-	0,00
4	4 249	4 252	1,66	96,5	-	0,00
5	4 711	4 714	0,71	96,5	-	0,00
6	2 962	2 967	4,95	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	3 042	3 047	4,71	96,5	-	0,00
9	3 886	3 890	2,48	96,5	-	0,00
Sum			13,12			

- Data undefined due to calculation with octave data

Noise sensitive area: BV Celtniecibas iela 13A

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 238	3 242	4,15	96,5	-	0,00
10	3 987	3 991	2,25	96,5	-	0,00
11	4 057	4 061	2,09	96,5	-	0,00
12	3 732	3 736	2,85	96,5	-	0,00
13	3 277	3 281	4,04	96,5	-	0,00
2	4 407	4 410	1,33	96,5	-	0,00
3	4 174	4 178	1,83	96,5	-	0,00
4	3 115	3 120	4,50	96,5	-	0,00
5	3 596	3 600	3,19	96,5	-	0,00
6	2 125	2 131	7,94	96,5	-	0,00
7	2 509	2 514	6,45	96,5	-	0,00
8	1 987	1 995	8,53	96,5	-	0,00
9	2 792	2 798	5,49	96,5	-	0,00
Sum			15,96			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BV Celtniecibas iela 13A

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 238	3 242	4,15	96,5	-	0,00
10	3 987	3 991	2,25	96,5	-	0,00
11	4 057	4 061	2,09	96,5	-	0,00
12	3 732	3 736	2,85	96,5	-	0,00
13	3 277	3 281	4,04	96,5	-	0,00
2	4 407	4 410	1,33	96,5	-	0,00
3	4 174	4 178	1,83	96,5	-	0,00
4	3 115	3 120	4,50	96,5	-	0,00
5	3 596	3 600	3,19	96,5	-	0,00
6	2 125	2 131	7,94	96,5	-	0,00
7	2 509	2 514	6,45	96,5	-	0,00
8	1 987	1 995	8,53	96,5	-	0,00
9	2 792	2 798	5,49	96,5	-	0,00
Sum			15,96			

- Data undefined due to calculation with octave data

Noise sensitive area: BW Celtniecibas iela 13

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 281	3 285	4,03	96,5	-	0,00
10	4 039	4 042	2,13	96,5	-	0,00
11	4 095	4 098	2,00	96,5	-	0,00
12	3 747	3 751	2,82	96,5	-	0,00
13	3 288	3 293	4,01	96,5	-	0,00
2	4 456	4 459	1,23	96,5	-	0,00
3	4 199	4 203	1,77	96,5	-	0,00
4	3 140	3 145	4,43	96,5	-	0,00
5	3 626	3 630	3,12	96,5	-	0,00
6	2 191	2 198	7,66	96,5	-	0,00
7	2 569	2 574	6,24	96,5	-	0,00
8	2 032	2 039	8,33	96,5	-	0,00
9	2 828	2 833	5,37	96,5	-	0,00
Sum			15,81			

- Data undefined due to calculation with octave data

Noise sensitive area: BW Celtniecibas iela 13

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 281	3 285	4,03	96,5	-	0,00
10	4 039	4 042	2,13	96,5	-	0,00
11	4 095	4 098	2,00	96,5	-	0,00
12	3 747	3 751	2,82	96,5	-	0,00
13	3 288	3 293	4,01	96,5	-	0,00
2	4 456	4 459	1,23	96,5	-	0,00
3	4 199	4 203	1,77	96,5	-	0,00
4	3 140	3 145	4,43	96,5	-	0,00
5	3 626	3 630	3,12	96,5	-	0,00
6	2 191	2 198	7,66	96,5	-	0,00
7	2 569	2 574	6,24	96,5	-	0,00
8	2 032	2 039	8,33	96,5	-	0,00
9	2 828	2 833	5,37	96,5	-	0,00
Sum			15,81			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BX Aizezers

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 623	2 628	6,05	96,5	-	0,00
10	3 530	3 534	3,36	96,5	-	0,00
11	3 252	3 256	4,11	96,5	-	0,00
12	2 525	2 531	6,39	96,5	-	0,00
13	2 035	2 042	8,32	96,5	-	0,00
2	3 835	3 839	2,60	96,5	-	0,00
3	3 106	3 110	4,53	96,5	-	0,00
4	2 131	2 138	7,91	96,5	-	0,00
5	2 663	2 668	5,92	96,5	-	0,00
6	2 366	2 371	6,98	96,5	-	0,00
7	2 472	2 478	6,58	96,5	-	0,00
8	1 690	1 699	9,97	96,5	-	0,00
9	2 077	2 084	8,14	96,5	-	0,00
Sum			17,83			

- Data undefined due to calculation with octave data

Noise sensitive area: BX Aizezers

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 623	2 628	6,05	96,5	-	0,00
10	3 530	3 534	3,36	96,5	-	0,00
11	3 252	3 256	4,11	96,5	-	0,00
12	2 525	2 531	6,39	96,5	-	0,00
13	2 035	2 042	8,32	96,5	-	0,00
2	3 835	3 839	2,60	96,5	-	0,00
3	3 106	3 110	4,53	96,5	-	0,00
4	2 131	2 138	7,91	96,5	-	0,00
5	2 663	2 668	5,92	96,5	-	0,00
6	2 366	2 371	6,98	96,5	-	0,00
7	2 472	2 478	6,58	96,5	-	0,00
8	1 690	1 699	9,97	96,5	-	0,00
9	2 077	2 084	8,14	96,5	-	0,00
Sum			17,83			

- Data undefined due to calculation with octave data

Noise sensitive area: BY Abelite

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 487	3 491	3,47	96,5	-	0,00
10	4 404	4 407	1,33	96,5	-	0,00
11	3 947	3 951	2,34	96,5	-	0,00
12	2 948	2 953	5,00	96,5	-	0,00
13	2 499	2 505	6,49	96,5	-	0,00
2	4 633	4 637	0,86	96,5	-	0,00
3	3 603	3 606	3,18	96,5	-	0,00
4	2 826	2 831	5,38	96,5	-	0,00
5	3 322	3 327	3,91	96,5	-	0,00
6	3 496	3 500	3,45	96,5	-	0,00
7	3 552	3 556	3,30	96,5	-	0,00
8	2 769	2 775	5,56	96,5	-	0,00
9	2 952	2 957	4,98	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: BY Abelite

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 487	3 491	3,47	96,5	-	0,00
10	4 404	4 407	1,33	96,5	-	0,00
11	3 947	3 951	2,34	96,5	-	0,00
12	2 948	2 953	5,00	96,5	-	0,00
13	2 499	2 505	6,49	96,5	-	0,00
2	4 633	4 637	0,86	96,5	-	0,00
3	3 603	3 606	3,18	96,5	-	0,00
4	2 826	2 831	5,38	96,5	-	0,00
5	3 322	3 327	3,91	96,5	-	0,00
6	3 496	3 500	3,45	96,5	-	0,00
7	3 552	3 556	3,30	96,5	-	0,00
8	2 769	2 775	5,56	96,5	-	0,00
9	2 952	2 957	4,98	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Jaunlaiki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 530	3 534	3,36	96,5	-	0,00
10	4 448	4 451	1,24	96,5	-	0,00
11	4 035	4 038	2,14	96,5	-	0,00
12	3 082	3 086	4,60	96,5	-	0,00
13	2 619	2 625	6,06	96,5	-	0,00
2	4 699	4 702	0,73	96,5	-	0,00
3	3 729	3 733	2,86	96,5	-	0,00
4	2 904	2 910	5,13	96,5	-	0,00
5	3 414	3 418	3,67	96,5	-	0,00
6	3 429	3 433	3,63	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 733	2 739	5,68	96,5	-	0,00
9	2 988	2 993	4,87	96,5	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Noise sensitive area: BZ Jaunlaiki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 530	3 534	3,36	96,5	-	0,00
10	4 448	4 451	1,24	96,5	-	0,00
11	4 035	4 038	2,14	96,5	-	0,00
12	3 082	3 086	4,60	96,5	-	0,00
13	2 619	2 625	6,06	96,5	-	0,00
2	4 699	4 702	0,73	96,5	-	0,00
3	3 729	3 733	2,86	96,5	-	0,00
4	2 904	2 910	5,13	96,5	-	0,00
5	3 414	3 418	3,67	96,5	-	0,00
6	3 429	3 433	3,63	96,5	-	0,00
7	3 518	3 522	3,39	96,5	-	0,00
8	2 733	2 739	5,68	96,5	-	0,00
9	2 988	2 993	4,87	96,5	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CA Berzaji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 485	3 489	3,48	96,5	-	0,00
10	4 403	4 406	1,34	96,5	-	0,00
11	3 959	3 962	2,31	96,5	-	0,00
12	2 973	2 978	4,92	96,5	-	0,00
13	2 519	2 525	6,41	96,5	-	0,00
2	4 639	4 642	0,85	96,5	-	0,00
3	3 626	3 629	3,12	96,5	-	0,00
4	2 834	2 839	5,35	96,5	-	0,00
5	3 335	3 339	3,88	96,5	-	0,00
6	3 464	3 468	3,53	96,5	-	0,00
7	3 529	3 533	3,36	96,5	-	0,00
8	2 745	2 751	5,64	96,5	-	0,00
9	2 948	2 953	5,00	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CA Berzaji

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 485	3 489	3,48	96,5	-	0,00
10	4 403	4 406	1,34	96,5	-	0,00
11	3 959	3 962	2,31	96,5	-	0,00
12	2 973	2 978	4,92	96,5	-	0,00
13	2 519	2 525	6,41	96,5	-	0,00
2	4 639	4 642	0,85	96,5	-	0,00
3	3 626	3 629	3,12	96,5	-	0,00
4	2 834	2 839	5,35	96,5	-	0,00
5	3 335	3 339	3,88	96,5	-	0,00
6	3 464	3 468	3,53	96,5	-	0,00
7	3 529	3 533	3,36	96,5	-	0,00
8	2 745	2 751	5,64	96,5	-	0,00
9	2 948	2 953	5,00	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CB Berzaji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 485	3 489	3,48	96,5	-	0,00
10	4 402	4 406	1,34	96,5	-	0,00
11	3 954	3 958	2,32	96,5	-	0,00
12	2 964	2 969	4,95	96,5	-	0,00
13	2 512	2 518	6,44	96,5	-	0,00
2	4 636	4 639	0,86	96,5	-	0,00
3	3 618	3 621	3,14	96,5	-	0,00
4	2 831	2 836	5,36	96,5	-	0,00
5	3 330	3 334	3,89	96,5	-	0,00
6	3 474	3 478	3,51	96,5	-	0,00
7	3 536	3 540	3,35	96,5	-	0,00
8	2 753	2 758	5,61	96,5	-	0,00
9	2 949	2 954	4,99	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CB Berzaji

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 485	3 489	3,48	96,5	-	0,00
10	4 402	4 406	1,34	96,5	-	0,00
11	3 954	3 958	2,32	96,5	-	0,00
12	2 964	2 969	4,95	96,5	-	0,00
13	2 512	2 518	6,44	96,5	-	0,00
2	4 636	4 639	0,86	96,5	-	0,00
3	3 618	3 621	3,14	96,5	-	0,00
4	2 831	2 836	5,36	96,5	-	0,00
5	3 330	3 334	3,89	96,5	-	0,00
6	3 474	3 478	3,51	96,5	-	0,00
7	3 536	3 540	3,35	96,5	-	0,00
8	2 753	2 758	5,61	96,5	-	0,00
9	2 949	2 954	4,99	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CC Puduli

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 755	3 758	2,80	96,5	-	0,00
10	4 672	4 675	0,79	96,5	-	0,00
11	4 214	4 217	1,74	96,5	-	0,00
12	3 203	3 208	4,24	96,5	-	0,00
13	2 759	2 765	5,59	96,5	-	0,00
2	4 902	4 905	0,34	96,5	-	0,00
3	3 860	3 864	2,54	96,5	-	0,00
4	3 094	3 099	4,56	96,5	-	0,00
5	3 589	3 593	3,21	96,5	-	0,00
6	3 731	3 735	2,86	96,5	-	0,00
7	3 802	3 806	2,68	96,5	-	0,00
8	3 018	3 023	4,78	96,5	-	0,00
9	3 219	3 224	4,20	96,5	-	0,00
Sum			14,49			

- Data undefined due to calculation with octave data

Noise sensitive area: CC Puduli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 755	3 758	2,80	96,5	-	0,00
10	4 672	4 675	0,79	96,5	-	0,00
11	4 214	4 217	1,74	96,5	-	0,00
12	3 203	3 208	4,24	96,5	-	0,00
13	2 759	2 765	5,59	96,5	-	0,00
2	4 902	4 905	0,34	96,5	-	0,00
3	3 860	3 864	2,54	96,5	-	0,00
4	3 094	3 099	4,56	96,5	-	0,00
5	3 589	3 593	3,21	96,5	-	0,00
6	3 731	3 735	2,86	96,5	-	0,00
7	3 802	3 806	2,68	96,5	-	0,00
8	3 018	3 023	4,78	96,5	-	0,00
9	3 219	3 224	4,20	96,5	-	0,00
Sum			14,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CD Ilgas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 051	3 056	4,69	96,5	-	0,00
10	3 943	3 946	2,35	96,5	-	0,00
11	3 720	3 724	2,88	96,5	-	0,00
12	3 026	3 031	4,76	96,5	-	0,00
13	2 536	2 542	6,35	96,5	-	0,00
2	4 272	4 276	1,61	96,5	-	0,00
3	3 601	3 605	3,18	96,5	-	0,00
4	2 611	2 617	6,09	96,5	-	0,00
5	3 142	3 146	4,42	96,5	-	0,00
6	2 581	2 586	6,20	96,5	-	0,00
7	2 766	2 771	5,57	96,5	-	0,00
8	2 008	2 016	8,44	96,5	-	0,00
9	2 512	2 518	6,44	96,5	-	0,00
Sum			16,38			

- Data undefined due to calculation with octave data

Noise sensitive area: CD Ilgas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 051	3 056	4,69	96,5	-	0,00
10	3 943	3 946	2,35	96,5	-	0,00
11	3 720	3 724	2,88	96,5	-	0,00
12	3 026	3 031	4,76	96,5	-	0,00
13	2 536	2 542	6,35	96,5	-	0,00
2	4 272	4 276	1,61	96,5	-	0,00
3	3 601	3 605	3,18	96,5	-	0,00
4	2 611	2 617	6,09	96,5	-	0,00
5	3 142	3 146	4,42	96,5	-	0,00
6	2 581	2 586	6,20	96,5	-	0,00
7	2 766	2 771	5,57	96,5	-	0,00
8	2 008	2 016	8,44	96,5	-	0,00
9	2 512	2 518	6,44	96,5	-	0,00
Sum			16,38			

- Data undefined due to calculation with octave data

Noise sensitive area: CE Annas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 086	3 090	4,58	96,5	-	0,00
10	3 978	3 981	2,27	96,5	-	0,00
11	3 755	3 758	2,80	96,5	-	0,00
12	3 058	3 062	4,67	96,5	-	0,00
13	2 567	2 573	6,24	96,5	-	0,00
2	4 307	4 310	1,54	96,5	-	0,00
3	3 634	3 638	3,10	96,5	-	0,00
4	2 645	2 651	5,97	96,5	-	0,00
5	3 176	3 181	4,32	96,5	-	0,00
6	2 610	2 615	6,10	96,5	-	0,00
7	2 798	2 803	5,47	96,5	-	0,00
8	2 042	2 049	8,29	96,5	-	0,00
9	2 547	2 553	6,32	96,5	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CE Annas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 086	3 090	4,58	96,5	-	0,00
10	3 978	3 981	2,27	96,5	-	0,00
11	3 755	3 758	2,80	96,5	-	0,00
12	3 058	3 062	4,67	96,5	-	0,00
13	2 567	2 573	6,24	96,5	-	0,00
2	4 307	4 310	1,54	96,5	-	0,00
3	3 634	3 638	3,10	96,5	-	0,00
4	2 645	2 651	5,97	96,5	-	0,00
5	3 176	3 181	4,32	96,5	-	0,00
6	2 610	2 615	6,10	96,5	-	0,00
7	2 798	2 803	5,47	96,5	-	0,00
8	2 042	2 049	8,29	96,5	-	0,00
9	2 547	2 553	6,32	96,5	-	0,00
Sum			16,27			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Me ž viteni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 073	3 078	4,62	96,5	-	0,00
10	3 964	3 967	2,30	96,5	-	0,00
11	3 744	3 747	2,82	96,5	-	0,00
12	3 051	3 056	4,69	96,5	-	0,00
13	2 561	2 566	6,27	96,5	-	0,00
2	4 294	4 298	1,57	96,5	-	0,00
3	3 626	3 630	3,12	96,5	-	0,00
4	2 635	2 641	6,01	96,5	-	0,00
5	3 166	3 171	4,35	96,5	-	0,00
6	2 593	2 598	6,16	96,5	-	0,00
7	2 782	2 787	5,52	96,5	-	0,00
8	2 026	2 033	8,36	96,5	-	0,00
9	2 534	2 540	6,36	96,5	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Noise sensitive area: CF Me ž viteni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 073	3 078	4,62	96,5	-	0,00
10	3 964	3 967	2,30	96,5	-	0,00
11	3 744	3 747	2,82	96,5	-	0,00
12	3 051	3 056	4,69	96,5	-	0,00
13	2 561	2 566	6,27	96,5	-	0,00
2	4 294	4 298	1,57	96,5	-	0,00
3	3 626	3 630	3,12	96,5	-	0,00
4	2 635	2 641	6,01	96,5	-	0,00
5	3 166	3 171	4,35	96,5	-	0,00
6	2 593	2 598	6,16	96,5	-	0,00
7	2 782	2 787	5,52	96,5	-	0,00
8	2 026	2 033	8,36	96,5	-	0,00
9	2 534	2 540	6,36	96,5	-	0,00
Sum			16,31			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CG Stari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 956	2 961	4,97	96,5	-	0,00
10	3 845	3 849	2,58	96,5	-	0,00
11	3 634	3 638	3,10	96,5	-	0,00
12	2 962	2 967	4,95	96,5	-	0,00
13	2 472	2 478	6,58	96,5	-	0,00
2	4 178	4 182	1,82	96,5	-	0,00
3	3 529	3 533	3,36	96,5	-	0,00
4	2 530	2 536	6,37	96,5	-	0,00
5	3 060	3 065	4,66	96,5	-	0,00
6	2 476	2 481	6,57	96,5	-	0,00
7	2 661	2 666	5,92	96,5	-	0,00
8	1 905	1 913	8,91	96,5	-	0,00
9	2 419	2 425	6,78	96,5	-	0,00
Sum			16,69			

- Data undefined due to calculation with octave data

Noise sensitive area: CG Stari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 956	2 961	4,97	96,5	-	0,00
10	3 845	3 849	2,58	96,5	-	0,00
11	3 634	3 638	3,10	96,5	-	0,00
12	2 962	2 967	4,95	96,5	-	0,00
13	2 472	2 478	6,58	96,5	-	0,00
2	4 178	4 182	1,82	96,5	-	0,00
3	3 529	3 533	3,36	96,5	-	0,00
4	2 530	2 536	6,37	96,5	-	0,00
5	3 060	3 065	4,66	96,5	-	0,00
6	2 476	2 481	6,57	96,5	-	0,00
7	2 661	2 666	5,92	96,5	-	0,00
8	1 905	1 913	8,91	96,5	-	0,00
9	2 419	2 425	6,78	96,5	-	0,00
Sum			16,69			

- Data undefined due to calculation with octave data

Noise sensitive area: CH Inna

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 069	3 074	4,63	96,5	-	0,00
10	3 965	3 969	2,30	96,5	-	0,00
11	3 726	3 730	2,87	96,5	-	0,00
12	3 010	3 015	4,81	96,5	-	0,00
13	2 520	2 526	6,41	96,5	-	0,00
2	4 288	4 292	1,58	96,5	-	0,00
3	3 593	3 596	3,20	96,5	-	0,00
4	2 612	2 618	6,09	96,5	-	0,00
5	3 143	3 148	4,42	96,5	-	0,00
6	2 633	2 638	6,02	96,5	-	0,00
7	2 808	2 813	5,44	96,5	-	0,00
8	2 046	2 053	8,27	96,5	-	0,00
9	2 528	2 534	6,38	96,5	-	0,00
Sum			16,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CH Inna

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 069	3 074	4,63	96,5	-	0,00
10	3 965	3 969	2,30	96,5	-	0,00
11	3 726	3 730	2,87	96,5	-	0,00
12	3 010	3 015	4,81	96,5	-	0,00
13	2 520	2 526	6,41	96,5	-	0,00
2	4 288	4 292	1,58	96,5	-	0,00
3	3 593	3 596	3,20	96,5	-	0,00
4	2 612	2 618	6,09	96,5	-	0,00
5	3 143	3 148	4,42	96,5	-	0,00
6	2 633	2 638	6,02	96,5	-	0,00
7	2 808	2 813	5,44	96,5	-	0,00
8	2 046	2 053	8,27	96,5	-	0,00
9	2 528	2 534	6,38	96,5	-	0,00
Sum			16,32			

- Data undefined due to calculation with octave data

Noise sensitive area: CI Strazdi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 125	3 129	4,47	96,5	-	0,00
10	4 018	4 021	2,18	96,5	-	0,00
11	3 788	3 791	2,72	96,5	-	0,00
12	3 079	3 084	4,60	96,5	-	0,00
13	2 589	2 594	6,17	96,5	-	0,00
2	4 345	4 348	1,46	96,5	-	0,00
3	3 660	3 663	3,03	96,5	-	0,00
4	2 676	2 681	5,87	96,5	-	0,00
5	3 207	3 211	4,23	96,5	-	0,00
6	2 658	2 663	5,93	96,5	-	0,00
7	2 845	2 849	5,32	96,5	-	0,00
8	2 087	2 094	8,10	96,5	-	0,00
9	2 584	2 590	6,18	96,5	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Noise sensitive area: CI Strazdi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 125	3 129	4,47	96,5	-	0,00
10	4 018	4 021	2,18	96,5	-	0,00
11	3 788	3 791	2,72	96,5	-	0,00
12	3 079	3 084	4,60	96,5	-	0,00
13	2 589	2 594	6,17	96,5	-	0,00
2	4 345	4 348	1,46	96,5	-	0,00
3	3 660	3 663	3,03	96,5	-	0,00
4	2 676	2 681	5,87	96,5	-	0,00
5	3 207	3 211	4,23	96,5	-	0,00
6	2 658	2 663	5,93	96,5	-	0,00
7	2 845	2 849	5,32	96,5	-	0,00
8	2 087	2 094	8,10	96,5	-	0,00
9	2 584	2 590	6,18	96,5	-	0,00
Sum			16,15			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CJ Jaunvinded ž i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 722	2 727	5,72	96,5	-	0,00
10	3 640	3 644	3,08	96,5	-	0,00
11	3 215	3 219	4,21	96,5	-	0,00
12	2 294	2 300	7,25	96,5	-	0,00
13	1 819	1 827	9,32	96,5	-	0,00
2	3 881	3 885	2,49	96,5	-	0,00
3	2 930	2 935	5,05	96,5	-	0,00
4	2 084	2 091	8,11	96,5	-	0,00
5	2 594	2 600	6,15	96,5	-	0,00
6	2 795	2 800	5,48	96,5	-	0,00
7	2 811	2 816	5,43	96,5	-	0,00
8	2 036	2 043	8,32	96,5	-	0,00
9	2 185	2 192	7,69	96,5	-	0,00
Sum			17,60			

- Data undefined due to calculation with octave data

Noise sensitive area: CJ Jaunvinded ž i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 722	2 727	5,72	96,5	-	0,00
10	3 640	3 644	3,08	96,5	-	0,00
11	3 215	3 219	4,21	96,5	-	0,00
12	2 294	2 300	7,25	96,5	-	0,00
13	1 819	1 827	9,32	96,5	-	0,00
2	3 881	3 885	2,49	96,5	-	0,00
3	2 930	2 935	5,05	96,5	-	0,00
4	2 084	2 091	8,11	96,5	-	0,00
5	2 594	2 600	6,15	96,5	-	0,00
6	2 795	2 800	5,48	96,5	-	0,00
7	2 811	2 816	5,43	96,5	-	0,00
8	2 036	2 043	8,32	96,5	-	0,00
9	2 185	2 192	7,69	96,5	-	0,00
Sum			17,60			

- Data undefined due to calculation with octave data

Noise sensitive area: CK Upites

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 934	2 939	5,04	96,5	-	0,00
10	3 821	3 824	2,64	96,5	-	0,00
11	3 616	3 620	3,14	96,5	-	0,00
12	2 955	2 959	4,98	96,5	-	0,00
13	2 465	2 471	6,61	96,5	-	0,00
2	4 156	4 160	1,87	96,5	-	0,00
3	3 518	3 522	3,39	96,5	-	0,00
4	2 515	2 521	6,43	96,5	-	0,00
5	3 045	3 050	4,70	96,5	-	0,00
6	2 442	2 448	6,69	96,5	-	0,00
7	2 630	2 635	6,03	96,5	-	0,00
8	1 875	1 883	9,05	96,5	-	0,00
9	2 397	2 404	6,86	96,5	-	0,00
Sum			16,76			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CK Upites

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 934	2 939	5,04	96,5	-	0,00
10	3 821	3 824	2,64	96,5	-	0,00
11	3 616	3 620	3,14	96,5	-	0,00
12	2 955	2 959	4,98	96,5	-	0,00
13	2 465	2 471	6,61	96,5	-	0,00
2	4 156	4 160	1,87	96,5	-	0,00
3	3 518	3 522	3,39	96,5	-	0,00
4	2 515	2 521	6,43	96,5	-	0,00
5	3 045	3 050	4,70	96,5	-	0,00
6	2 442	2 448	6,69	96,5	-	0,00
7	2 630	2 635	6,03	96,5	-	0,00
8	1 875	1 883	9,05	96,5	-	0,00
9	2 397	2 404	6,86	96,5	-	0,00
Sum			16,76			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Rudzati

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 569	2 574	6,24	96,5	-	0,00
10	3 478	3 482	3,50	96,5	-	0,00
11	2 981	2 985	4,90	96,5	-	0,00
12	1 986	1 993	8,54	96,5	-	0,00
13	1 529	1 538	10,85	96,5	-	0,00
2	3 682	3 685	2,98	96,5	-	0,00
3	2 636	2 641	6,01	96,5	-	0,00
4	1 869	1 877	9,08	96,5	-	0,00
5	2 355	2 361	7,02	96,5	-	0,00
6	2 852	2 856	5,30	96,5	-	0,00
7	2 803	2 808	5,45	96,5	-	0,00
8	2 056	2 063	8,23	96,5	-	0,00
9	2 053	2 061	8,24	96,5	-	0,00
Sum			18,34			

- Data undefined due to calculation with octave data

Noise sensitive area: CL Rudzati

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 569	2 574	6,24	96,5	-	0,00
10	3 478	3 482	3,50	96,5	-	0,00
11	2 981	2 985	4,90	96,5	-	0,00
12	1 986	1 993	8,54	96,5	-	0,00
13	1 529	1 538	10,85	96,5	-	0,00
2	3 682	3 685	2,98	96,5	-	0,00
3	2 636	2 641	6,01	96,5	-	0,00
4	1 869	1 877	9,08	96,5	-	0,00
5	2 355	2 361	7,02	96,5	-	0,00
6	2 852	2 856	5,30	96,5	-	0,00
7	2 803	2 808	5,45	96,5	-	0,00
8	2 056	2 063	8,23	96,5	-	0,00
9	2 053	2 061	8,24	96,5	-	0,00
Sum			18,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CM Andrejevu Gundegas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 396	2 401	6,87	96,5	-	0,00
10	3 308	3 312	3,95	96,5	-	0,00
11	3 005	3 010	4,82	96,5	-	0,00
12	2 271	2 276	7,35	96,5	-	0,00
13	1 780	1 788	9,51	96,5	-	0,00
2	3 601	3 605	3,18	96,5	-	0,00
3	2 850	2 855	5,30	96,5	-	0,00
4	1 880	1 888	9,02	96,5	-	0,00
5	2 411	2 417	6,81	96,5	-	0,00
6	2 258	2 264	7,40	96,5	-	0,00
7	2 319	2 325	7,16	96,5	-	0,00
8	1 535	1 545	10,82	96,5	-	0,00
9	1 849	1 857	9,17	96,5	-	0,00
Sum			18,69			

- Data undefined due to calculation with octave data

Noise sensitive area: CM Andrejevu Gundegas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 396	2 401	6,87	96,5	-	0,00
10	3 308	3 312	3,95	96,5	-	0,00
11	3 005	3 010	4,82	96,5	-	0,00
12	2 271	2 276	7,35	96,5	-	0,00
13	1 780	1 788	9,51	96,5	-	0,00
2	3 601	3 605	3,18	96,5	-	0,00
3	2 850	2 855	5,30	96,5	-	0,00
4	1 880	1 888	9,02	96,5	-	0,00
5	2 411	2 417	6,81	96,5	-	0,00
6	2 258	2 264	7,40	96,5	-	0,00
7	2 319	2 325	7,16	96,5	-	0,00
8	1 535	1 545	10,82	96,5	-	0,00
9	1 849	1 857	9,17	96,5	-	0,00
Sum			18,69			

- Data undefined due to calculation with octave data

Noise sensitive area: CN Irbites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 550	3 554	3,31	96,5	-	0,00
10	4 468	4 471	1,20	96,5	-	0,00
11	4 082	4 085	2,03	96,5	-	0,00
12	3 159	3 163	4,37	96,5	-	0,00
13	2 689	2 695	5,83	96,5	-	0,00
2	4 732	4 735	0,67	96,5	-	0,00
3	3 800	3 804	2,69	96,5	-	0,00
4	2 948	2 954	4,99	96,5	-	0,00
5	3 464	3 468	3,53	96,5	-	0,00
6	3 382	3 386	3,75	96,5	-	0,00
7	3 491	3 496	3,46	96,5	-	0,00
8	2 708	2 714	5,76	96,5	-	0,00
9	3 006	3 011	4,82	96,5	-	0,00
Sum			14,98			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CN Irbites

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 550	3 554	3,31	96,5	-	0,00
10	4 468	4 471	1,20	96,5	-	0,00
11	4 082	4 085	2,03	96,5	-	0,00
12	3 159	3 163	4,37	96,5	-	0,00
13	2 689	2 695	5,83	96,5	-	0,00
2	4 732	4 735	0,67	96,5	-	0,00
3	3 800	3 804	2,69	96,5	-	0,00
4	2 948	2 954	4,99	96,5	-	0,00
5	3 464	3 468	3,53	96,5	-	0,00
6	3 382	3 386	3,75	96,5	-	0,00
7	3 491	3 496	3,46	96,5	-	0,00
8	2 708	2 714	5,76	96,5	-	0,00
9	3 006	3 011	4,82	96,5	-	0,00
Sum			14,98			

- Data undefined due to calculation with octave data

Noise sensitive area: CO Rigas iela 1

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 005	4 008	2,21	96,5	-	0,00
10	4 871	4 874	0,40	96,5	-	0,00
11	4 712	4 715	0,71	96,5	-	0,00
12	4 040	4 044	2,13	96,5	-	0,00
13	3 550	3 554	3,31	96,5	-	0,00
2	5 227	5 230	-0,26	96,5	-	0,00
3	4 616	4 619	0,90	96,5	-	0,00
4	3 616	3 621	3,14	96,5	-	0,00
5	4 146	4 149	1,89	96,5	-	0,00
6	3 283	3 287	4,02	96,5	-	0,00
7	3 565	3 569	3,27	96,5	-	0,00
8	2 868	2 873	5,25	96,5	-	0,00
9	3 478	3 482	3,50	96,5	-	0,00
Sum			13,75			

- Data undefined due to calculation with octave data

Noise sensitive area: CO Rigas iela 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 005	4 008	2,21	96,5	-	0,00
10	4 871	4 874	0,40	96,5	-	0,00
11	4 712	4 715	0,71	96,5	-	0,00
12	4 040	4 044	2,13	96,5	-	0,00
13	3 550	3 554	3,31	96,5	-	0,00
2	5 227	5 230	-0,26	96,5	-	0,00
3	4 616	4 619	0,90	96,5	-	0,00
4	3 616	3 621	3,14	96,5	-	0,00
5	4 146	4 149	1,89	96,5	-	0,00
6	3 283	3 287	4,02	96,5	-	0,00
7	3 565	3 569	3,27	96,5	-	0,00
8	2 868	2 873	5,25	96,5	-	0,00
9	3 478	3 482	3,50	96,5	-	0,00
Sum			13,75			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CP Grivas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 517	3 521	3,39	96,5	-	0,00
10	4 427	4 431	1,28	96,5	-	0,00
11	4 114	4 118	1,96	96,5	-	0,00
12	3 279	3 283	4,03	96,5	-	0,00
13	2 795	2 800	5,48	96,5	-	0,00
2	4 724	4 727	0,69	96,5	-	0,00
3	3 899	3 903	2,45	96,5	-	0,00
4	2 982	2 987	4,89	96,5	-	0,00
5	3 509	3 513	3,41	96,5	-	0,00
6	3 184	3 189	4,30	96,5	-	0,00
7	3 342	3 346	3,86	96,5	-	0,00
8	2 568	2 574	6,24	96,5	-	0,00
9	2 971	2 976	4,93	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Noise sensitive area: CP Grivas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 517	3 521	3,39	96,5	-	0,00
10	4 427	4 431	1,28	96,5	-	0,00
11	4 114	4 118	1,96	96,5	-	0,00
12	3 279	3 283	4,03	96,5	-	0,00
13	2 795	2 800	5,48	96,5	-	0,00
2	4 724	4 727	0,69	96,5	-	0,00
3	3 899	3 903	2,45	96,5	-	0,00
4	2 982	2 987	4,89	96,5	-	0,00
5	3 509	3 513	3,41	96,5	-	0,00
6	3 184	3 189	4,30	96,5	-	0,00
7	3 342	3 346	3,86	96,5	-	0,00
8	2 568	2 574	6,24	96,5	-	0,00
9	2 971	2 976	4,93	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Noise sensitive area: CQ Dainavie š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 811	3 815	2,66	96,5	-	0,00
10	4 715	4 718	0,70	96,5	-	0,00
11	4 432	4 435	1,27	96,5	-	0,00
12	3 619	3 623	3,13	96,5	-	0,00
13	3 134	3 138	4,44	96,5	-	0,00
2	5 025	5 027	0,11	96,5	-	0,00
3	4 235	4 238	1,69	96,5	-	0,00
4	3 304	3 308	3,96	96,5	-	0,00
5	3 833	3 836	2,61	96,5	-	0,00
6	3 373	3 377	3,78	96,5	-	0,00
7	3 567	3 571	3,27	96,5	-	0,00
8	2 808	2 813	5,44	96,5	-	0,00
9	3 266	3 271	4,07	96,5	-	0,00
Sum			14,24			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CQ Dainavie š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 811	3 815	2,66	96,5	-	0,00
10	4 715	4 718	0,70	96,5	-	0,00
11	4 432	4 435	1,27	96,5	-	0,00
12	3 619	3 623	3,13	96,5	-	0,00
13	3 134	3 138	4,44	96,5	-	0,00
2	5 025	5 027	0,11	96,5	-	0,00
3	4 235	4 238	1,69	96,5	-	0,00
4	3 304	3 308	3,96	96,5	-	0,00
5	3 833	3 836	2,61	96,5	-	0,00
6	3 373	3 377	3,78	96,5	-	0,00
7	3 567	3 571	3,27	96,5	-	0,00
8	2 808	2 813	5,44	96,5	-	0,00
9	3 266	3 271	4,07	96,5	-	0,00
Sum			14,24			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Berzusala

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 474	3 478	3,51	96,5	-	0,00
10	4 393	4 396	1,36	96,5	-	0,00
11	3 978	3 982	2,27	96,5	-	0,00
12	3 026	3 031	4,76	96,5	-	0,00
13	2 563	2 568	6,26	96,5	-	0,00
2	4 643	4 646	0,84	96,5	-	0,00
3	3 673	3 677	3,00	96,5	-	0,00
4	2 848	2 853	5,31	96,5	-	0,00
5	3 357	3 361	3,82	96,5	-	0,00
6	3 384	3 388	3,75	96,5	-	0,00
7	3 469	3 473	3,52	96,5	-	0,00
8	2 684	2 690	5,84	96,5	-	0,00
9	2 933	2 938	5,04	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: CR Berzusala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 474	3 478	3,51	96,5	-	0,00
10	4 393	4 396	1,36	96,5	-	0,00
11	3 978	3 982	2,27	96,5	-	0,00
12	3 026	3 031	4,76	96,5	-	0,00
13	2 563	2 568	6,26	96,5	-	0,00
2	4 643	4 646	0,84	96,5	-	0,00
3	3 673	3 677	3,00	96,5	-	0,00
4	2 848	2 853	5,31	96,5	-	0,00
5	3 357	3 361	3,82	96,5	-	0,00
6	3 384	3 388	3,75	96,5	-	0,00
7	3 469	3 473	3,52	96,5	-	0,00
8	2 684	2 690	5,84	96,5	-	0,00
9	2 933	2 938	5,04	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CS Sengravas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 400	2 406	6,85	96,5	-	0,00
10	3 303	3 307	3,97	96,5	-	0,00
11	2 786	2 791	5,51	96,5	-	0,00
12	1 781	1 788	9,51	96,5	-	0,00
13	1 325	1 336	12,10	96,5	-	0,00
2	3 495	3 499	3,45	96,5	-	0,00
3	2 431	2 437	6,73	96,5	-	0,00
4	1 682	1 691	10,01	96,5	-	0,00
5	2 160	2 167	7,79	96,5	-	0,00
6	2 776	2 781	5,54	96,5	-	0,00
7	2 696	2 701	5,80	96,5	-	0,00
8	1 969	1 977	8,61	96,5	-	0,00
9	1 895	1 904	8,95	96,5	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: CS Sengravas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 400	2 406	6,85	96,5	-	0,00
10	3 303	3 307	3,97	96,5	-	0,00
11	2 786	2 791	5,51	96,5	-	0,00
12	1 781	1 788	9,51	96,5	-	0,00
13	1 325	1 336	12,10	96,5	-	0,00
2	3 495	3 499	3,45	96,5	-	0,00
3	2 431	2 437	6,73	96,5	-	0,00
4	1 682	1 691	10,01	96,5	-	0,00
5	2 160	2 167	7,79	96,5	-	0,00
6	2 776	2 781	5,54	96,5	-	0,00
7	2 696	2 701	5,80	96,5	-	0,00
8	1 969	1 977	8,61	96,5	-	0,00
9	1 895	1 904	8,95	96,5	-	0,00
Sum			19,11			

- Data undefined due to calculation with octave data

Noise sensitive area: CT Straumeni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 382	2 388	6,92	96,5	-	0,00
10	3 278	3 283	4,03	96,5	-	0,00
11	2 740	2 746	5,66	96,5	-	0,00
12	1 712	1 720	9,86	96,5	-	0,00
13	1 265	1 277	12,50	96,5	-	0,00
2	3 459	3 463	3,55	96,5	-	0,00
3	2 366	2 372	6,98	96,5	-	0,00
4	1 648	1 658	10,19	96,5	-	0,00
5	2 115	2 122	7,98	96,5	-	0,00
6	2 813	2 818	5,42	96,5	-	0,00
7	2 717	2 723	5,73	96,5	-	0,00
8	2 002	2 010	8,46	96,5	-	0,00
9	1 887	1 895	8,99	96,5	-	0,00
Sum			19,28			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CT Straumeni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 382	2 388	6,92	96,5	-	0,00
10	3 278	3 283	4,03	96,5	-	0,00
11	2 740	2 746	5,66	96,5	-	0,00
12	1 712	1 720	9,86	96,5	-	0,00
13	1 265	1 277	12,50	96,5	-	0,00
2	3 459	3 463	3,55	96,5	-	0,00
3	2 366	2 372	6,98	96,5	-	0,00
4	1 648	1 658	10,19	96,5	-	0,00
5	2 115	2 122	7,98	96,5	-	0,00
6	2 813	2 818	5,42	96,5	-	0,00
7	2 717	2 723	5,73	96,5	-	0,00
8	2 002	2 010	8,46	96,5	-	0,00
9	1 887	1 895	8,99	96,5	-	0,00
Sum			19,28			

- Data undefined due to calculation with octave data

Noise sensitive area: CU Grinupju majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 601	2 606	6,13	96,5	-	0,00
10	3 517	3 521	3,39	96,5	-	0,00
11	3 078	3 083	4,61	96,5	-	0,00
12	2 151	2 157	7,83	96,5	-	0,00
13	1 676	1 685	10,04	96,5	-	0,00
2	3 751	3 755	2,81	96,5	-	0,00
3	2 787	2 792	5,50	96,5	-	0,00
4	1 949	1 957	8,70	96,5	-	0,00
5	2 457	2 463	6,64	96,5	-	0,00
6	2 735	2 740	5,67	96,5	-	0,00
7	2 729	2 735	5,69	96,5	-	0,00
8	1 961	1 969	8,65	96,5	-	0,00
9	2 068	2 075	8,18	96,5	-	0,00
Sum			18,07			

- Data undefined due to calculation with octave data

Noise sensitive area: CU Grinupju majas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 601	2 606	6,13	96,5	-	0,00
10	3 517	3 521	3,39	96,5	-	0,00
11	3 078	3 083	4,61	96,5	-	0,00
12	2 151	2 157	7,83	96,5	-	0,00
13	1 676	1 685	10,04	96,5	-	0,00
2	3 751	3 755	2,81	96,5	-	0,00
3	2 787	2 792	5,50	96,5	-	0,00
4	1 949	1 957	8,70	96,5	-	0,00
5	2 457	2 463	6,64	96,5	-	0,00
6	2 735	2 740	5,67	96,5	-	0,00
7	2 729	2 735	5,69	96,5	-	0,00
8	1 961	1 969	8,65	96,5	-	0,00
9	2 068	2 075	8,18	96,5	-	0,00
Sum			18,07			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CV Vilumi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 801	2 806	5,46	96,5	-	0,00
10	3 677	3 680	2,99	96,5	-	0,00
11	3 072	3 076	4,63	96,5	-	0,00
12	1 948	1 955	8,71	96,5	-	0,00
13	1 565	1 575	10,64	96,5	-	0,00
2	3 820	3 823	2,64	96,5	-	0,00
3	2 610	2 615	6,10	96,5	-	0,00
4	2 033	2 041	8,33	96,5	-	0,00
5	2 455	2 461	6,65	96,5	-	0,00
6	3 295	3 300	3,99	96,5	-	0,00
7	3 195	3 199	4,27	96,5	-	0,00
8	2 484	2 490	6,54	96,5	-	0,00
9	2 329	2 336	7,12	96,5	-	0,00
Sum			17,75			

- Data undefined due to calculation with octave data

Noise sensitive area: CV Vilumi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 801	2 806	5,46	96,5	-	0,00
10	3 677	3 680	2,99	96,5	-	0,00
11	3 072	3 076	4,63	96,5	-	0,00
12	1 948	1 955	8,71	96,5	-	0,00
13	1 565	1 575	10,64	96,5	-	0,00
2	3 820	3 823	2,64	96,5	-	0,00
3	2 610	2 615	6,10	96,5	-	0,00
4	2 033	2 041	8,33	96,5	-	0,00
5	2 455	2 461	6,65	96,5	-	0,00
6	3 295	3 300	3,99	96,5	-	0,00
7	3 195	3 199	4,27	96,5	-	0,00
8	2 484	2 490	6,54	96,5	-	0,00
9	2 329	2 336	7,12	96,5	-	0,00
Sum			17,75			

- Data undefined due to calculation with octave data

Noise sensitive area: CW Vuceni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 007	3 012	4,82	96,5	-	0,00
10	3 888	3 892	2,48	96,5	-	0,00
11	3 289	3 293	4,00	96,5	-	0,00
12	2 163	2 170	7,78	96,5	-	0,00
13	1 783	1 791	9,50	96,5	-	0,00
2	4 035	4 039	2,14	96,5	-	0,00
3	2 825	2 830	5,38	96,5	-	0,00
4	2 245	2 252	7,44	96,5	-	0,00
5	2 672	2 677	5,89	96,5	-	0,00
6	3 447	3 451	3,58	96,5	-	0,00
7	3 367	3 371	3,79	96,5	-	0,00
8	2 642	2 647	5,99	96,5	-	0,00
9	2 528	2 534	6,38	96,5	-	0,00
Sum			16,97			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CW Vuceni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 007	3 012	4,82	96,5	-	0,00
10	3 888	3 892	2,48	96,5	-	0,00
11	3 289	3 293	4,00	96,5	-	0,00
12	2 163	2 170	7,78	96,5	-	0,00
13	1 783	1 791	9,50	96,5	-	0,00
2	4 035	4 039	2,14	96,5	-	0,00
3	2 825	2 830	5,38	96,5	-	0,00
4	2 245	2 252	7,44	96,5	-	0,00
5	2 672	2 677	5,89	96,5	-	0,00
6	3 447	3 451	3,58	96,5	-	0,00
7	3 367	3 371	3,79	96,5	-	0,00
8	2 642	2 647	5,99	96,5	-	0,00
9	2 528	2 534	6,38	96,5	-	0,00
Sum			16,97			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Parslas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 766	2 771	5,57	96,5	-	0,00
10	3 681	3 685	2,98	96,5	-	0,00
11	3 217	3 222	4,21	96,5	-	0,00
12	2 248	2 254	7,44	96,5	-	0,00
13	1 785	1 793	9,49	96,5	-	0,00
2	3 904	3 907	2,44	96,5	-	0,00
3	2 894	2 899	5,16	96,5	-	0,00
4	2 095	2 102	8,06	96,5	-	0,00
5	2 593	2 599	6,15	96,5	-	0,00
6	2 922	2 927	5,08	96,5	-	0,00
7	2 916	2 921	5,09	96,5	-	0,00
8	2 149	2 156	7,84	96,5	-	0,00
9	2 238	2 245	7,47	96,5	-	0,00
Sum			17,51			

- Data undefined due to calculation with octave data

Noise sensitive area: CX Parslas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 766	2 771	5,57	96,5	-	0,00
10	3 681	3 685	2,98	96,5	-	0,00
11	3 217	3 222	4,21	96,5	-	0,00
12	2 248	2 254	7,44	96,5	-	0,00
13	1 785	1 793	9,49	96,5	-	0,00
2	3 904	3 907	2,44	96,5	-	0,00
3	2 894	2 899	5,16	96,5	-	0,00
4	2 095	2 102	8,06	96,5	-	0,00
5	2 593	2 599	6,15	96,5	-	0,00
6	2 922	2 927	5,08	96,5	-	0,00
7	2 916	2 921	5,09	96,5	-	0,00
8	2 149	2 156	7,84	96,5	-	0,00
9	2 238	2 245	7,47	96,5	-	0,00
Sum			17,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CY Irbenaji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 411	2 417	6,81	96,5	-	0,00
10	3 218	3 222	4,20	96,5	-	0,00
11	2 516	2 522	6,42	96,5	-	0,00
12	1 323	1 334	12,12	96,5	-	0,00
13	1 047	1 062	14,14	96,5	-	0,00
2	3 292	3 297	4,00	96,5	-	0,00
3	1 970	1 977	8,61	96,5	-	0,00
4	1 610	1 620	10,39	96,5	-	0,00
5	1 931	1 938	8,79	96,5	-	0,00
6	3 234	3 238	4,16	96,5	-	0,00
7	3 030	3 035	4,75	96,5	-	0,00
8	2 428	2 434	6,74	96,5	-	0,00
9	2 028	2 036	8,35	96,5	-	0,00
Sum			19,98			

- Data undefined due to calculation with octave data

Noise sensitive area: CY Irbenaji

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 411	2 417	6,81	96,5	-	0,00
10	3 218	3 222	4,20	96,5	-	0,00
11	2 516	2 522	6,42	96,5	-	0,00
12	1 323	1 334	12,12	96,5	-	0,00
13	1 047	1 062	14,14	96,5	-	0,00
2	3 292	3 297	4,00	96,5	-	0,00
3	1 970	1 977	8,61	96,5	-	0,00
4	1 610	1 620	10,39	96,5	-	0,00
5	1 931	1 938	8,79	96,5	-	0,00
6	3 234	3 238	4,16	96,5	-	0,00
7	3 030	3 035	4,75	96,5	-	0,00
8	2 428	2 434	6,74	96,5	-	0,00
9	2 028	2 036	8,35	96,5	-	0,00
Sum			19,98			

- Data undefined due to calculation with octave data

Noise sensitive area: CZ Negusi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 985	2 990	4,88	96,5	-	0,00
10	3 890	3 893	2,47	96,5	-	0,00
11	3 363	3 367	3,80	96,5	-	0,00
12	2 311	2 317	7,19	96,5	-	0,00
13	1 881	1 889	9,02	96,5	-	0,00
2	4 080	4 083	2,04	96,5	-	0,00
3	2 971	2 975	4,93	96,5	-	0,00
4	2 268	2 275	7,35	96,5	-	0,00
5	2 738	2 743	5,67	96,5	-	0,00
6	3 249	3 253	4,12	96,5	-	0,00
7	3 219	3 223	4,20	96,5	-	0,00
8	2 463	2 469	6,62	96,5	-	0,00
9	2 474	2 480	6,58	96,5	-	0,00
Sum			16,87			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: CZ Negusi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 985	2 990	4,88	96,5	-	0,00
10	3 890	3 893	2,47	96,5	-	0,00
11	3 363	3 367	3,80	96,5	-	0,00
12	2 311	2 317	7,19	96,5	-	0,00
13	1 881	1 889	9,02	96,5	-	0,00
2	4 080	4 083	2,04	96,5	-	0,00
3	2 971	2 975	4,93	96,5	-	0,00
4	2 268	2 275	7,35	96,5	-	0,00
5	2 738	2 743	5,67	96,5	-	0,00
6	3 249	3 253	4,12	96,5	-	0,00
7	3 219	3 223	4,20	96,5	-	0,00
8	2 463	2 469	6,62	96,5	-	0,00
9	2 474	2 480	6,58	96,5	-	0,00
Sum			16,87			

- Data undefined due to calculation with octave data

Noise sensitive area: DA Iesalnieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 106	3 111	4,52	96,5	-	0,00
10	4 023	4 026	2,17	96,5	-	0,00
11	3 570	3 574	3,26	96,5	-	0,00
12	2 593	2 598	6,16	96,5	-	0,00
13	2 134	2 141	7,90	96,5	-	0,00
2	4 253	4 256	1,65	96,5	-	0,00
3	3 243	3 247	4,13	96,5	-	0,00
4	2 446	2 453	6,68	96,5	-	0,00
5	2 946	2 951	5,00	96,5	-	0,00
6	3 168	3 172	4,35	96,5	-	0,00
7	3 199	3 204	4,26	96,5	-	0,00
8	2 421	2 427	6,77	96,5	-	0,00
9	2 573	2 579	6,22	96,5	-	0,00
Sum			16,34			

- Data undefined due to calculation with octave data

Noise sensitive area: DA Iesalnieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 106	3 111	4,52	96,5	-	0,00
10	4 023	4 026	2,17	96,5	-	0,00
11	3 570	3 574	3,26	96,5	-	0,00
12	2 593	2 598	6,16	96,5	-	0,00
13	2 134	2 141	7,90	96,5	-	0,00
2	4 253	4 256	1,65	96,5	-	0,00
3	3 243	3 247	4,13	96,5	-	0,00
4	2 446	2 453	6,68	96,5	-	0,00
5	2 946	2 951	5,00	96,5	-	0,00
6	3 168	3 172	4,35	96,5	-	0,00
7	3 199	3 204	4,26	96,5	-	0,00
8	2 421	2 427	6,77	96,5	-	0,00
9	2 573	2 579	6,22	96,5	-	0,00
Sum			16,34			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DB O š kalni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 939	3 943	2,36	96,5	-	0,00
10	4 836	4 839	0,47	96,5	-	0,00
11	4 579	4 582	0,97	96,5	-	0,00
12	3 789	3 793	2,71	96,5	-	0,00
13	3 303	3 307	3,97	96,5	-	0,00
2	5 157	5 160	-0,13	96,5	-	0,00
3	4 400	4 403	1,34	96,5	-	0,00
4	3 454	3 459	3,56	96,5	-	0,00
5	3 985	3 988	2,25	96,5	-	0,00
6	3 433	3 437	3,62	96,5	-	0,00
7	3 650	3 654	3,06	96,5	-	0,00
8	2 902	2 907	5,14	96,5	-	0,00
9	3 396	3 401	3,71	96,5	-	0,00
Sum			13,92			

- Data undefined due to calculation with octave data

Noise sensitive area: DB O š kalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 939	3 943	2,36	96,5	-	0,00
10	4 836	4 839	0,47	96,5	-	0,00
11	4 579	4 582	0,97	96,5	-	0,00
12	3 789	3 793	2,71	96,5	-	0,00
13	3 303	3 307	3,97	96,5	-	0,00
2	5 157	5 160	-0,13	96,5	-	0,00
3	4 400	4 403	1,34	96,5	-	0,00
4	3 454	3 459	3,56	96,5	-	0,00
5	3 985	3 988	2,25	96,5	-	0,00
6	3 433	3 437	3,62	96,5	-	0,00
7	3 650	3 654	3,06	96,5	-	0,00
8	2 902	2 907	5,14	96,5	-	0,00
9	3 396	3 401	3,71	96,5	-	0,00
Sum			13,92			

- Data undefined due to calculation with octave data

Noise sensitive area: DC Dzelzenes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 523	3 527	3,38	96,5	-	0,00
10	4 420	4 423	1,30	96,5	-	0,00
11	3 855	3 859	2,56	96,5	-	0,00
12	2 747	2 751	5,64	96,5	-	0,00
13	2 353	2 360	7,02	96,5	-	0,00
2	4 590	4 593	0,95	96,5	-	0,00
3	3 409	3 413	3,68	96,5	-	0,00
4	2 786	2 791	5,51	96,5	-	0,00
5	3 234	3 238	4,16	96,5	-	0,00
6	3 791	3 795	2,71	96,5	-	0,00
7	3 772	3 776	2,75	96,5	-	0,00
8	3 012	3 017	4,80	96,5	-	0,00
9	3 019	3 025	4,78	96,5	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DC Dzelzenes

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 523	3 527	3,38	96,5	-	0,00
10	4 420	4 423	1,30	96,5	-	0,00
11	3 855	3 859	2,56	96,5	-	0,00
12	2 747	2 751	5,64	96,5	-	0,00
13	2 353	2 360	7,02	96,5	-	0,00
2	4 590	4 593	0,95	96,5	-	0,00
3	3 409	3 413	3,68	96,5	-	0,00
4	2 786	2 791	5,51	96,5	-	0,00
5	3 234	3 238	4,16	96,5	-	0,00
6	3 791	3 795	2,71	96,5	-	0,00
7	3 772	3 776	2,75	96,5	-	0,00
8	3 012	3 017	4,80	96,5	-	0,00
9	3 019	3 025	4,78	96,5	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Me ž sargi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 453	2 458	6,65	96,5	-	0,00
10	3 364	3 368	3,80	96,5	-	0,00
11	2 886	2 891	5,19	96,5	-	0,00
12	1 924	1 931	8,82	96,5	-	0,00
13	1 456	1 466	11,28	96,5	-	0,00
2	3 577	3 581	3,24	96,5	-	0,00
3	2 567	2 572	6,25	96,5	-	0,00
4	1 766	1 775	9,58	96,5	-	0,00
5	2 262	2 268	7,38	96,5	-	0,00
6	2 719	2 724	5,73	96,5	-	0,00
7	2 671	2 676	5,89	96,5	-	0,00
8	1 923	1 931	8,83	96,5	-	0,00
9	1 932	1 940	8,78	96,5	-	0,00
Sum			18,75			

- Data undefined due to calculation with octave data

Noise sensitive area: DD Me ž sargi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 453	2 458	6,65	96,5	-	0,00
10	3 364	3 368	3,80	96,5	-	0,00
11	2 886	2 891	5,19	96,5	-	0,00
12	1 924	1 931	8,82	96,5	-	0,00
13	1 456	1 466	11,28	96,5	-	0,00
2	3 577	3 581	3,24	96,5	-	0,00
3	2 567	2 572	6,25	96,5	-	0,00
4	1 766	1 775	9,58	96,5	-	0,00
5	2 262	2 268	7,38	96,5	-	0,00
6	2 719	2 724	5,73	96,5	-	0,00
7	2 671	2 676	5,89	96,5	-	0,00
8	1 923	1 931	8,83	96,5	-	0,00
9	1 932	1 940	8,78	96,5	-	0,00
Sum			18,75			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DE Akas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 963	2 967	4,95	96,5	-	0,00
10	3 865	3 869	2,53	96,5	-	0,00
11	3 332	3 336	3,89	96,5	-	0,00
12	2 273	2 279	7,34	96,5	-	0,00
13	1 847	1 855	9,18	96,5	-	0,00
2	4 052	4 055	2,10	96,5	-	0,00
3	2 934	2 939	5,04	96,5	-	0,00
4	2 240	2 247	7,46	96,5	-	0,00
5	2 707	2 712	5,77	96,5	-	0,00
6	3 247	3 251	4,12	96,5	-	0,00
7	3 211	3 215	4,22	96,5	-	0,00
8	2 458	2 464	6,63	96,5	-	0,00
9	2 454	2 460	6,65	96,5	-	0,00
Sum			16,96			

- Data undefined due to calculation with octave data

Noise sensitive area: DE Akas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 963	2 967	4,95	96,5	-	0,00
10	3 865	3 869	2,53	96,5	-	0,00
11	3 332	3 336	3,89	96,5	-	0,00
12	2 273	2 279	7,34	96,5	-	0,00
13	1 847	1 855	9,18	96,5	-	0,00
2	4 052	4 055	2,10	96,5	-	0,00
3	2 934	2 939	5,04	96,5	-	0,00
4	2 240	2 247	7,46	96,5	-	0,00
5	2 707	2 712	5,77	96,5	-	0,00
6	3 247	3 251	4,12	96,5	-	0,00
7	3 211	3 215	4,22	96,5	-	0,00
8	2 458	2 464	6,63	96,5	-	0,00
9	2 454	2 460	6,65	96,5	-	0,00
Sum			16,96			

- Data undefined due to calculation with octave data

Noise sensitive area: DF Bernati

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 508	2 514	6,45	96,5	-	0,00
10	3 286	3 290	4,01	96,5	-	0,00
11	2 551	2 556	6,30	96,5	-	0,00
12	1 338	1 348	12,03	96,5	-	0,00
13	1 129	1 142	13,50	96,5	-	0,00
2	3 334	3 338	3,88	96,5	-	0,00
3	1 963	1 970	8,64	96,5	-	0,00
4	1 709	1 718	9,87	96,5	-	0,00
5	1 986	1 993	8,54	96,5	-	0,00
6	3 396	3 400	3,71	96,5	-	0,00
7	3 177	3 181	4,32	96,5	-	0,00
8	2 595	2 601	6,15	96,5	-	0,00
9	2 154	2 161	7,81	96,5	-	0,00
Sum			19,61			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DF Bernati

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 508	2 514	6,45	96,5	-	0,00
10	3 286	3 290	4,01	96,5	-	0,00
11	2 551	2 556	6,30	96,5	-	0,00
12	1 338	1 348	12,03	96,5	-	0,00
13	1 129	1 142	13,50	96,5	-	0,00
2	3 334	3 338	3,88	96,5	-	0,00
3	1 963	1 970	8,64	96,5	-	0,00
4	1 709	1 718	9,87	96,5	-	0,00
5	1 986	1 993	8,54	96,5	-	0,00
6	3 396	3 400	3,71	96,5	-	0,00
7	3 177	3 181	4,32	96,5	-	0,00
8	2 595	2 601	6,15	96,5	-	0,00
9	2 154	2 161	7,81	96,5	-	0,00
Sum			19,61			

- Data undefined due to calculation with octave data

Noise sensitive area: DG Akacijas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 079	3 083	4,60	96,5	-	0,00
10	3 988	3 991	2,25	96,5	-	0,00
11	3 690	3 694	2,96	96,5	-	0,00
12	2 900	2 905	5,15	96,5	-	0,00
13	2 412	2 418	6,80	96,5	-	0,00
2	4 288	4 291	1,58	96,5	-	0,00
3	3 505	3 509	3,43	96,5	-	0,00
4	2 562	2 568	6,26	96,5	-	0,00
5	3 091	3 096	4,57	96,5	-	0,00
6	2 776	2 781	5,54	96,5	-	0,00
7	2 913	2 918	5,11	96,5	-	0,00
8	2 135	2 143	7,89	96,5	-	0,00
9	2 533	2 539	6,36	96,5	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Noise sensitive area: DG Akacijas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 079	3 083	4,60	96,5	-	0,00
10	3 988	3 991	2,25	96,5	-	0,00
11	3 690	3 694	2,96	96,5	-	0,00
12	2 900	2 905	5,15	96,5	-	0,00
13	2 412	2 418	6,80	96,5	-	0,00
2	4 288	4 291	1,58	96,5	-	0,00
3	3 505	3 509	3,43	96,5	-	0,00
4	2 562	2 568	6,26	96,5	-	0,00
5	3 091	3 096	4,57	96,5	-	0,00
6	2 776	2 781	5,54	96,5	-	0,00
7	2 913	2 918	5,11	96,5	-	0,00
8	2 135	2 143	7,89	96,5	-	0,00
9	2 533	2 539	6,36	96,5	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DH Sturmani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 530	3 534	3,36	96,5	-	0,00
10	4 430	4 433	1,28	96,5	-	0,00
11	3 872	3 875	2,52	96,5	-	0,00
12	2 769	2 774	5,56	96,5	-	0,00
13	2 372	2 378	6,95	96,5	-	0,00
2	4 604	4 607	0,92	96,5	-	0,00
3	3 432	3 436	3,62	96,5	-	0,00
4	2 798	2 803	5,47	96,5	-	0,00
5	3 250	3 254	4,11	96,5	-	0,00
6	3 781	3 785	2,73	96,5	-	0,00
7	3 767	3 771	2,77	96,5	-	0,00
8	3 005	3 010	4,82	96,5	-	0,00
9	3 024	3 030	4,76	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: DH Sturmani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 530	3 534	3,36	96,5	-	0,00
10	4 430	4 433	1,28	96,5	-	0,00
11	3 872	3 875	2,52	96,5	-	0,00
12	2 769	2 774	5,56	96,5	-	0,00
13	2 372	2 378	6,95	96,5	-	0,00
2	4 604	4 607	0,92	96,5	-	0,00
3	3 432	3 436	3,62	96,5	-	0,00
4	2 798	2 803	5,47	96,5	-	0,00
5	3 250	3 254	4,11	96,5	-	0,00
6	3 781	3 785	2,73	96,5	-	0,00
7	3 767	3 771	2,77	96,5	-	0,00
8	3 005	3 010	4,82	96,5	-	0,00
9	3 024	3 030	4,76	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: DI Usari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 354	7,04	96,5	-	0,00
10	3 193	3 198	4,27	96,5	-	0,00
11	2 545	2 551	6,32	96,5	-	0,00
12	1 399	1 409	11,63	96,5	-	0,00
13	1 041	1 055	14,19	96,5	-	0,00
2	3 306	3 310	3,96	96,5	-	0,00
3	2 060	2 067	8,21	96,5	-	0,00
4	1 557	1 567	10,69	96,5	-	0,00
5	1 937	1 945	8,76	96,5	-	0,00
6	3 055	3 059	4,68	96,5	-	0,00
7	2 882	2 887	5,20	96,5	-	0,00
8	2 242	2 249	7,46	96,5	-	0,00
9	1 923	1 931	8,82	96,5	-	0,00
Sum			20,03			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DI Usari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 354	7,04	96,5	-	0,00
10	3 193	3 198	4,27	96,5	-	0,00
11	2 545	2 551	6,32	96,5	-	0,00
12	1 399	1 409	11,63	96,5	-	0,00
13	1 041	1 055	14,19	96,5	-	0,00
2	3 306	3 310	3,96	96,5	-	0,00
3	2 060	2 067	8,21	96,5	-	0,00
4	1 557	1 567	10,69	96,5	-	0,00
5	1 937	1 945	8,76	96,5	-	0,00
6	3 055	3 059	4,68	96,5	-	0,00
7	2 882	2 887	5,20	96,5	-	0,00
8	2 242	2 249	7,46	96,5	-	0,00
9	1 923	1 931	8,82	96,5	-	0,00
Sum			20,03			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Ives

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 700	3 704	2,93	96,5	-	0,00
10	4 618	4 621	0,89	96,5	-	0,00
11	4 186	4 190	1,80	96,5	-	0,00
12	3 206	3 210	4,24	96,5	-	0,00
13	2 751	2 757	5,62	96,5	-	0,00
2	4 861	4 864	0,42	96,5	-	0,00
3	3 858	3 862	2,55	96,5	-	0,00
4	3 059	3 065	4,66	96,5	-	0,00
5	3 563	3 567	3,28	96,5	-	0,00
6	3 621	3 624	3,13	96,5	-	0,00
7	3 707	3 711	2,91	96,5	-	0,00
8	2 923	2 928	5,07	96,5	-	0,00
9	3 160	3 165	4,37	96,5	-	0,00
Sum			14,61			

- Data undefined due to calculation with octave data

Noise sensitive area: DJ Ives

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 700	3 704	2,93	96,5	-	0,00
10	4 618	4 621	0,89	96,5	-	0,00
11	4 186	4 190	1,80	96,5	-	0,00
12	3 206	3 210	4,24	96,5	-	0,00
13	2 751	2 757	5,62	96,5	-	0,00
2	4 861	4 864	0,42	96,5	-	0,00
3	3 858	3 862	2,55	96,5	-	0,00
4	3 059	3 065	4,66	96,5	-	0,00
5	3 563	3 567	3,28	96,5	-	0,00
6	3 621	3 624	3,13	96,5	-	0,00
7	3 707	3 711	2,91	96,5	-	0,00
8	2 923	2 928	5,07	96,5	-	0,00
9	3 160	3 165	4,37	96,5	-	0,00
Sum			14,61			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DK Sturmani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 510	3 513	3,41	96,5	-	0,00
10	4 408	4 411	1,32	96,5	-	0,00
11	3 849	3 852	2,57	96,5	-	0,00
12	2 745	2 750	5,64	96,5	-	0,00
13	2 348	2 354	7,04	96,5	-	0,00
2	4 581	4 585	0,97	96,5	-	0,00
3	3 407	3 411	3,68	96,5	-	0,00
4	2 775	2 781	5,54	96,5	-	0,00
5	3 227	3 231	4,18	96,5	-	0,00
6	3 767	3 771	2,77	96,5	-	0,00
7	3 751	3 755	2,81	96,5	-	0,00
8	2 990	2 995	4,87	96,5	-	0,00
9	3 004	3 010	4,82	96,5	-	0,00
Sum			15,29			

- Data undefined due to calculation with octave data

Noise sensitive area: DK Sturmani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 510	3 513	3,41	96,5	-	0,00
10	4 408	4 411	1,32	96,5	-	0,00
11	3 849	3 852	2,57	96,5	-	0,00
12	2 745	2 750	5,64	96,5	-	0,00
13	2 348	2 354	7,04	96,5	-	0,00
2	4 581	4 585	0,97	96,5	-	0,00
3	3 407	3 411	3,68	96,5	-	0,00
4	2 775	2 781	5,54	96,5	-	0,00
5	3 227	3 231	4,18	96,5	-	0,00
6	3 767	3 771	2,77	96,5	-	0,00
7	3 751	3 755	2,81	96,5	-	0,00
8	2 990	2 995	4,87	96,5	-	0,00
9	3 004	3 010	4,82	96,5	-	0,00
Sum			15,29			

- Data undefined due to calculation with octave data

Noise sensitive area: DL Zitari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 972	2 977	4,92	96,5	-	0,00
10	3 880	3 884	2,50	96,5	-	0,00
11	3 587	3 591	3,21	96,5	-	0,00
12	2 810	2 815	5,43	96,5	-	0,00
13	2 321	2 327	7,15	96,5	-	0,00
2	4 182	4 185	1,81	96,5	-	0,00
3	3 410	3 414	3,68	96,5	-	0,00
4	2 460	2 466	6,63	96,5	-	0,00
5	2 990	2 995	4,87	96,5	-	0,00
6	2 678	2 683	5,86	96,5	-	0,00
7	2 809	2 814	5,43	96,5	-	0,00
8	2 030	2 038	8,34	96,5	-	0,00
9	2 426	2 432	6,75	96,5	-	0,00
Sum			16,64			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DL Zitari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 972	2 977	4,92	96,5	-	0,00
10	3 880	3 884	2,50	96,5	-	0,00
11	3 587	3 591	3,21	96,5	-	0,00
12	2 810	2 815	5,43	96,5	-	0,00
13	2 321	2 327	7,15	96,5	-	0,00
2	4 182	4 185	1,81	96,5	-	0,00
3	3 410	3 414	3,68	96,5	-	0,00
4	2 460	2 466	6,63	96,5	-	0,00
5	2 990	2 995	4,87	96,5	-	0,00
6	2 678	2 683	5,86	96,5	-	0,00
7	2 809	2 814	5,43	96,5	-	0,00
8	2 030	2 038	8,34	96,5	-	0,00
9	2 426	2 432	6,75	96,5	-	0,00
Sum			16,64			

- Data undefined due to calculation with octave data

Noise sensitive area: DM Oluti

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 516	2 522	6,42	96,5	-	0,00
10	3 432	3 436	3,62	96,5	-	0,00
11	2 985	2 989	4,89	96,5	-	0,00
12	2 054	2 061	8,24	96,5	-	0,00
13	1 579	1 589	10,56	96,5	-	0,00
2	3 661	3 665	3,03	96,5	-	0,00
3	2 690	2 695	5,82	96,5	-	0,00
4	1 857	1 865	9,13	96,5	-	0,00
5	2 363	2 369	6,99	96,5	-	0,00
6	2 693	2 698	5,82	96,5	-	0,00
7	2 672	2 677	5,88	96,5	-	0,00
8	1 909	1 918	8,89	96,5	-	0,00
9	1 986	1 994	8,54	96,5	-	0,00
Sum			18,41			

- Data undefined due to calculation with octave data

Noise sensitive area: DM Oluti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 516	2 522	6,42	96,5	-	0,00
10	3 432	3 436	3,62	96,5	-	0,00
11	2 985	2 989	4,89	96,5	-	0,00
12	2 054	2 061	8,24	96,5	-	0,00
13	1 579	1 589	10,56	96,5	-	0,00
2	3 661	3 665	3,03	96,5	-	0,00
3	2 690	2 695	5,82	96,5	-	0,00
4	1 857	1 865	9,13	96,5	-	0,00
5	2 363	2 369	6,99	96,5	-	0,00
6	2 693	2 698	5,82	96,5	-	0,00
7	2 672	2 677	5,88	96,5	-	0,00
8	1 909	1 918	8,89	96,5	-	0,00
9	1 986	1 994	8,54	96,5	-	0,00
Sum			18,41			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DN Alinas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 722	3 726	2,88	96,5	-	0,00
10	4 633	4 636	0,86	96,5	-	0,00
11	4 122	4 125	1,94	96,5	-	0,00
12	3 058	3 063	4,67	96,5	-	0,00
13	2 638	2 643	6,00	96,5	-	0,00
2	4 835	4 838	0,47	96,5	-	0,00
3	3 720	3 724	2,88	96,5	-	0,00
4	3 022	3 027	4,77	96,5	-	0,00
5	3 496	3 501	3,45	96,5	-	0,00
6	3 832	3 835	2,61	96,5	-	0,00
7	3 863	3 867	2,54	96,5	-	0,00
8	3 086	3 091	4,58	96,5	-	0,00
9	3 200	3 204	4,25	96,5	-	0,00
Sum			14,63			

- Data undefined due to calculation with octave data

Noise sensitive area: DN Alinas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 722	3 726	2,88	96,5	-	0,00
10	4 633	4 636	0,86	96,5	-	0,00
11	4 122	4 125	1,94	96,5	-	0,00
12	3 058	3 063	4,67	96,5	-	0,00
13	2 638	2 643	6,00	96,5	-	0,00
2	4 835	4 838	0,47	96,5	-	0,00
3	3 720	3 724	2,88	96,5	-	0,00
4	3 022	3 027	4,77	96,5	-	0,00
5	3 496	3 501	3,45	96,5	-	0,00
6	3 832	3 835	2,61	96,5	-	0,00
7	3 863	3 867	2,54	96,5	-	0,00
8	3 086	3 091	4,58	96,5	-	0,00
9	3 200	3 204	4,25	96,5	-	0,00
Sum			14,63			

- Data undefined due to calculation with octave data

Noise sensitive area: DO Kalna Graveri

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 649	3 653	3,06	96,5	-	0,00
10	4 561	4 564	1,01	96,5	-	0,00
11	4 235	4 238	1,69	96,5	-	0,00
12	3 377	3 381	3,76	96,5	-	0,00
13	2 897	2 902	5,15	96,5	-	0,00
2	4 852	4 855	0,44	96,5	-	0,00
3	4 004	4 008	2,21	96,5	-	0,00
4	3 102	3 107	4,54	96,5	-	0,00
5	3 627	3 631	3,11	96,5	-	0,00
6	3 329	3 333	3,90	96,5	-	0,00
7	3 485	3 490	3,48	96,5	-	0,00
8	2 711	2 717	5,75	96,5	-	0,00
9	3 103	3 108	4,53	96,5	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DO Kalna Graveri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 649	3 653	3,06	96,5	-	0,00
10	4 561	4 564	1,01	96,5	-	0,00
11	4 235	4 238	1,69	96,5	-	0,00
12	3 377	3 381	3,76	96,5	-	0,00
13	2 897	2 902	5,15	96,5	-	0,00
2	4 852	4 855	0,44	96,5	-	0,00
3	4 004	4 008	2,21	96,5	-	0,00
4	3 102	3 107	4,54	96,5	-	0,00
5	3 627	3 631	3,11	96,5	-	0,00
6	3 329	3 333	3,90	96,5	-	0,00
7	3 485	3 490	3,48	96,5	-	0,00
8	2 711	2 717	5,75	96,5	-	0,00
9	3 103	3 108	4,53	96,5	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Silagals

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 397	2 402	6,86	96,5	-	0,00
10	3 183	3 187	4,30	96,5	-	0,00
11	2 459	2 465	6,63	96,5	-	0,00
12	1 253	1 264	12,60	96,5	-	0,00
13	1 020	1 034	14,37	96,5	-	0,00
2	3 240	3 244	4,14	96,5	-	0,00
3	1 890	1 897	8,98	96,5	-	0,00
4	1 597	1 606	10,47	96,5	-	0,00
5	1 886	1 894	9,00	96,5	-	0,00
6	3 279	3 283	4,03	96,5	-	0,00
7	3 058	3 063	4,66	96,5	-	0,00
8	2 479	2 485	6,56	96,5	-	0,00
9	2 037	2 045	8,31	96,5	-	0,00
Sum			20,17			

- Data undefined due to calculation with octave data

Noise sensitive area: DP Silagals

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 397	2 402	6,86	96,5	-	0,00
10	3 183	3 187	4,30	96,5	-	0,00
11	2 459	2 465	6,63	96,5	-	0,00
12	1 253	1 264	12,60	96,5	-	0,00
13	1 020	1 034	14,37	96,5	-	0,00
2	3 240	3 244	4,14	96,5	-	0,00
3	1 890	1 897	8,98	96,5	-	0,00
4	1 597	1 606	10,47	96,5	-	0,00
5	1 886	1 894	9,00	96,5	-	0,00
6	3 279	3 283	4,03	96,5	-	0,00
7	3 058	3 063	4,66	96,5	-	0,00
8	2 479	2 485	6,56	96,5	-	0,00
9	2 037	2 045	8,31	96,5	-	0,00
Sum			20,17			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DQ Ozola majas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 508	2 513	6,46	96,5	-	0,00
10	3 408	3 412	3,68	96,5	-	0,00
11	2 880	2 885	5,21	96,5	-	0,00
12	1 854	1 861	9,15	96,5	-	0,00
13	1 408	1 418	11,57	96,5	-	0,00
2	3 595	3 599	3,19	96,5	-	0,00
3	2 509	2 514	6,45	96,5	-	0,00
4	1 783	1 792	9,49	96,5	-	0,00
5	2 255	2 261	7,41	96,5	-	0,00
6	2 881	2 886	5,21	96,5	-	0,00
7	2 806	2 811	5,44	96,5	-	0,00
8	2 075	2 083	8,15	96,5	-	0,00
9	2 005	2 013	8,45	96,5	-	0,00
Sum			18,69			

- Data undefined due to calculation with octave data

Noise sensitive area: DQ Ozola majas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 508	2 513	6,46	96,5	-	0,00
10	3 408	3 412	3,68	96,5	-	0,00
11	2 880	2 885	5,21	96,5	-	0,00
12	1 854	1 861	9,15	96,5	-	0,00
13	1 408	1 418	11,57	96,5	-	0,00
2	3 595	3 599	3,19	96,5	-	0,00
3	2 509	2 514	6,45	96,5	-	0,00
4	1 783	1 792	9,49	96,5	-	0,00
5	2 255	2 261	7,41	96,5	-	0,00
6	2 881	2 886	5,21	96,5	-	0,00
7	2 806	2 811	5,44	96,5	-	0,00
8	2 075	2 083	8,15	96,5	-	0,00
9	2 005	2 013	8,45	96,5	-	0,00
Sum			18,69			

- Data undefined due to calculation with octave data

Noise sensitive area: DR Speles

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 566	3 569	3,27	96,5	-	0,00
10	4 459	4 462	1,22	96,5	-	0,00
11	3 883	3 887	2,49	96,5	-	0,00
12	2 763	2 768	5,58	96,5	-	0,00
13	2 378	2 385	6,93	96,5	-	0,00
2	4 623	4 626	0,89	96,5	-	0,00
3	3 424	3 428	3,64	96,5	-	0,00
4	2 822	2 827	5,39	96,5	-	0,00
5	3 263	3 267	4,08	96,5	-	0,00
6	3 858	3 861	2,55	96,5	-	0,00
7	3 832	3 836	2,61	96,5	-	0,00
8	3 075	3 081	4,61	96,5	-	0,00
9	3 067	3 072	4,64	96,5	-	0,00
Sum			15,15			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DR Speles

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 566	3 569	3,27	96,5	-	0,00
10	4 459	4 462	1,22	96,5	-	0,00
11	3 883	3 887	2,49	96,5	-	0,00
12	2 763	2 768	5,58	96,5	-	0,00
13	2 378	2 385	6,93	96,5	-	0,00
2	4 623	4 626	0,89	96,5	-	0,00
3	3 424	3 428	3,64	96,5	-	0,00
4	2 822	2 827	5,39	96,5	-	0,00
5	3 263	3 267	4,08	96,5	-	0,00
6	3 858	3 861	2,55	96,5	-	0,00
7	3 832	3 836	2,61	96,5	-	0,00
8	3 075	3 081	4,61	96,5	-	0,00
9	3 067	3 072	4,64	96,5	-	0,00
Sum			15,15			

- Data undefined due to calculation with octave data

Noise sensitive area: DS Celmares

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 284	2 291	7,29	96,5	-	0,00
10	3 201	3 206	4,25	96,5	-	0,00
11	2 775	2 780	5,54	96,5	-	0,00
12	1 895	1 902	8,96	96,5	-	0,00
13	1 410	1 421	11,56	96,5	-	0,00
2	3 439	3 443	3,60	96,5	-	0,00
3	2 515	2 521	6,43	96,5	-	0,00
4	1 643	1 652	10,22	96,5	-	0,00
5	2 157	2 163	7,80	96,5	-	0,00
6	2 475	2 481	6,57	96,5	-	0,00
7	2 440	2 446	6,70	96,5	-	0,00
8	1 683	1 693	10,00	96,5	-	0,00
9	1 751	1 760	9,65	96,5	-	0,00
Sum			19,32			

- Data undefined due to calculation with octave data

Noise sensitive area: DS Celmares

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 284	2 291	7,29	96,5	-	0,00
10	3 201	3 206	4,25	96,5	-	0,00
11	2 775	2 780	5,54	96,5	-	0,00
12	1 895	1 902	8,96	96,5	-	0,00
13	1 410	1 421	11,56	96,5	-	0,00
2	3 439	3 443	3,60	96,5	-	0,00
3	2 515	2 521	6,43	96,5	-	0,00
4	1 643	1 652	10,22	96,5	-	0,00
5	2 157	2 163	7,80	96,5	-	0,00
6	2 475	2 481	6,57	96,5	-	0,00
7	2 440	2 446	6,70	96,5	-	0,00
8	1 683	1 693	10,00	96,5	-	0,00
9	1 751	1 760	9,65	96,5	-	0,00
Sum			19,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DT Sili

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 879	3 883	2,50	96,5	-	0,00
10	4 798	4 801	0,54	96,5	-	0,00
11	4 399	4 402	1,34	96,5	-	0,00
12	3 449	3 453	3,57	96,5	-	0,00
13	2 987	2 992	4,88	96,5	-	0,00
2	5 057	5 060	0,05	96,5	-	0,00
3	4 097	4 100	2,00	96,5	-	0,00
4	3 267	3 272	4,06	96,5	-	0,00
5	3 779	3 783	2,74	96,5	-	0,00
6	3 699	3 703	2,93	96,5	-	0,00
7	3 819	3 822	2,64	96,5	-	0,00
8	3 036	3 041	4,73	96,5	-	0,00
9	3 335	3 340	3,88	96,5	-	0,00
Sum			14,13			

- Data undefined due to calculation with octave data

Noise sensitive area: DT Sili

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 879	3 883	2,50	96,5	-	0,00
10	4 798	4 801	0,54	96,5	-	0,00
11	4 399	4 402	1,34	96,5	-	0,00
12	3 449	3 453	3,57	96,5	-	0,00
13	2 987	2 992	4,88	96,5	-	0,00
2	5 057	5 060	0,05	96,5	-	0,00
3	4 097	4 100	2,00	96,5	-	0,00
4	3 267	3 272	4,06	96,5	-	0,00
5	3 779	3 783	2,74	96,5	-	0,00
6	3 699	3 703	2,93	96,5	-	0,00
7	3 819	3 822	2,64	96,5	-	0,00
8	3 036	3 041	4,73	96,5	-	0,00
9	3 335	3 340	3,88	96,5	-	0,00
Sum			14,13			

- Data undefined due to calculation with octave data

Noise sensitive area: DU Kludzinas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 488	3 492	3,47	96,5	-	0,00
10	4 405	4 408	1,33	96,5	-	0,00
11	3 943	3 946	2,35	96,5	-	0,00
12	2 938	2 943	5,03	96,5	-	0,00
13	2 491	2 497	6,51	96,5	-	0,00
2	4 632	4 635	0,87	96,5	-	0,00
3	3 594	3 597	3,20	96,5	-	0,00
4	2 823	2 828	5,39	96,5	-	0,00
5	3 318	3 322	3,93	96,5	-	0,00
6	3 510	3 514	3,41	96,5	-	0,00
7	3 562	3 566	3,28	96,5	-	0,00
8	2 780	2 786	5,52	96,5	-	0,00
9	2 955	2 960	4,98	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DU Kludzinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 488	3 492	3,47	96,5	-	0,00
10	4 405	4 408	1,33	96,5	-	0,00
11	3 943	3 946	2,35	96,5	-	0,00
12	2 938	2 943	5,03	96,5	-	0,00
13	2 491	2 497	6,51	96,5	-	0,00
2	4 632	4 635	0,87	96,5	-	0,00
3	3 594	3 597	3,20	96,5	-	0,00
4	2 823	2 828	5,39	96,5	-	0,00
5	3 318	3 322	3,93	96,5	-	0,00
6	3 510	3 514	3,41	96,5	-	0,00
7	3 562	3 566	3,28	96,5	-	0,00
8	2 780	2 786	5,52	96,5	-	0,00
9	2 955	2 960	4,98	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: DV Gravinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 450	2 456	6,66	96,5	-	0,00
10	3 358	3 363	3,82	96,5	-	0,00
11	2 864	2 869	5,26	96,5	-	0,00
12	1 883	1 890	9,02	96,5	-	0,00
13	1 420	1 430	11,50	96,5	-	0,00
2	3 563	3 567	3,28	96,5	-	0,00
3	2 529	2 535	6,38	96,5	-	0,00
4	1 751	1 759	9,66	96,5	-	0,00
5	2 239	2 245	7,47	96,5	-	0,00
6	2 756	2 761	5,61	96,5	-	0,00
7	2 697	2 702	5,80	96,5	-	0,00
8	1 956	1 963	8,67	96,5	-	0,00
9	1 935	1 943	8,77	96,5	-	0,00
Sum			18,82			

- Data undefined due to calculation with octave data

Noise sensitive area: DV Gravinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 450	2 456	6,66	96,5	-	0,00
10	3 358	3 363	3,82	96,5	-	0,00
11	2 864	2 869	5,26	96,5	-	0,00
12	1 883	1 890	9,02	96,5	-	0,00
13	1 420	1 430	11,50	96,5	-	0,00
2	3 563	3 567	3,28	96,5	-	0,00
3	2 529	2 535	6,38	96,5	-	0,00
4	1 751	1 759	9,66	96,5	-	0,00
5	2 239	2 245	7,47	96,5	-	0,00
6	2 756	2 761	5,61	96,5	-	0,00
7	2 697	2 702	5,80	96,5	-	0,00
8	1 956	1 963	8,67	96,5	-	0,00
9	1 935	1 943	8,77	96,5	-	0,00
Sum			18,82			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DW Kaimini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 194	3 199	4,27	96,5	-	0,00
10	4 050	4 053	2,10	96,5	-	0,00
11	3 396	3 401	3,71	96,5	-	0,00
12	2 222	2 228	7,54	96,5	-	0,00
13	1 897	1 905	8,94	96,5	-	0,00
2	4 162	4 165	1,85	96,5	-	0,00
3	2 872	2 877	5,23	96,5	-	0,00
4	2 410	2 416	6,81	96,5	-	0,00
5	2 794	2 799	5,48	96,5	-	0,00
6	3 741	3 745	2,83	96,5	-	0,00
7	3 634	3 638	3,10	96,5	-	0,00
8	2 930	2 935	5,05	96,5	-	0,00
9	2 743	2 749	5,65	96,5	-	0,00
Sum			16,45			

- Data undefined due to calculation with octave data

Noise sensitive area: DW Kaimini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 194	3 199	4,27	96,5	-	0,00
10	4 050	4 053	2,10	96,5	-	0,00
11	3 396	3 401	3,71	96,5	-	0,00
12	2 222	2 228	7,54	96,5	-	0,00
13	1 897	1 905	8,94	96,5	-	0,00
2	4 162	4 165	1,85	96,5	-	0,00
3	2 872	2 877	5,23	96,5	-	0,00
4	2 410	2 416	6,81	96,5	-	0,00
5	2 794	2 799	5,48	96,5	-	0,00
6	3 741	3 745	2,83	96,5	-	0,00
7	3 634	3 638	3,10	96,5	-	0,00
8	2 930	2 935	5,05	96,5	-	0,00
9	2 743	2 749	5,65	96,5	-	0,00
Sum			16,45			

- Data undefined due to calculation with octave data

Noise sensitive area: DX Ro ž ares

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 441	2 447	6,70	96,5	-	0,00
10	3 347	3 351	3,85	96,5	-	0,00
11	2 844	2 848	5,32	96,5	-	0,00
12	1 851	1 859	9,16	96,5	-	0,00
13	1 392	1 402	11,68	96,5	-	0,00
2	3 547	3 551	3,32	96,5	-	0,00
3	2 500	2 505	6,48	96,5	-	0,00
4	1 734	1 743	9,74	96,5	-	0,00
5	2 218	2 224	7,56	96,5	-	0,00
6	2 773	2 778	5,55	96,5	-	0,00
7	2 706	2 712	5,77	96,5	-	0,00
8	1 970	1 977	8,61	96,5	-	0,00
9	1 930	1 938	8,79	96,5	-	0,00
Sum			18,89			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DX Ro ž ares

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 441	2 447	6,70	96,5	-	0,00
10	3 347	3 351	3,85	96,5	-	0,00
11	2 844	2 848	5,32	96,5	-	0,00
12	1 851	1 859	9,16	96,5	-	0,00
13	1 392	1 402	11,68	96,5	-	0,00
2	3 547	3 551	3,32	96,5	-	0,00
3	2 500	2 505	6,48	96,5	-	0,00
4	1 734	1 743	9,74	96,5	-	0,00
5	2 218	2 224	7,56	96,5	-	0,00
6	2 773	2 778	5,55	96,5	-	0,00
7	2 706	2 712	5,77	96,5	-	0,00
8	1 970	1 977	8,61	96,5	-	0,00
9	1 930	1 938	8,79	96,5	-	0,00
Sum			18,89			

- Data undefined due to calculation with octave data

Noise sensitive area: DY Rugaji

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 093	2 099	8,07	96,5	-	0,00
10	3 011	3 016	4,80	96,5	-	0,00
11	2 627	2 632	6,04	96,5	-	0,00
12	1 825	1 833	9,29	96,5	-	0,00
13	1 335	1 346	12,04	96,5	-	0,00
2	3 266	3 271	4,07	96,5	-	0,00
3	2 420	2 425	6,78	96,5	-	0,00
4	1 492	1 503	11,06	96,5	-	0,00
5	2 017	2 024	8,40	96,5	-	0,00
6	2 248	2 254	7,44	96,5	-	0,00
7	2 212	2 218	7,58	96,5	-	0,00
8	1 455	1 465	11,29	96,5	-	0,00
9	1 553	1 563	10,71	96,5	-	0,00
Sum			20,06			

- Data undefined due to calculation with octave data

Noise sensitive area: DY Rugaji

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 093	2 099	8,07	96,5	-	0,00
10	3 011	3 016	4,80	96,5	-	0,00
11	2 627	2 632	6,04	96,5	-	0,00
12	1 825	1 833	9,29	96,5	-	0,00
13	1 335	1 346	12,04	96,5	-	0,00
2	3 266	3 271	4,07	96,5	-	0,00
3	2 420	2 425	6,78	96,5	-	0,00
4	1 492	1 503	11,06	96,5	-	0,00
5	2 017	2 024	8,40	96,5	-	0,00
6	2 248	2 254	7,44	96,5	-	0,00
7	2 212	2 218	7,58	96,5	-	0,00
8	1 455	1 465	11,29	96,5	-	0,00
9	1 553	1 563	10,71	96,5	-	0,00
Sum			20,06			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: DZ Dabari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 489	3 493	3,47	96,5	-	0,00
10	4 393	4 396	1,36	96,5	-	0,00
11	3 854	3 858	2,56	96,5	-	0,00
12	2 771	2 776	5,56	96,5	-	0,00
13	2 361	2 367	7,00	96,5	-	0,00
2	4 578	4 582	0,97	96,5	-	0,00
3	3 433	3 437	3,62	96,5	-	0,00
4	2 768	2 774	5,56	96,5	-	0,00
5	3 230	3 235	4,17	96,5	-	0,00
6	3 699	3 702	2,94	96,5	-	0,00
7	3 696	3 700	2,94	96,5	-	0,00
8	2 929	2 934	5,05	96,5	-	0,00
9	2 977	2 982	4,91	96,5	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: DZ Dabari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 489	3 493	3,47	96,5	-	0,00
10	4 393	4 396	1,36	96,5	-	0,00
11	3 854	3 858	2,56	96,5	-	0,00
12	2 771	2 776	5,56	96,5	-	0,00
13	2 361	2 367	7,00	96,5	-	0,00
2	4 578	4 582	0,97	96,5	-	0,00
3	3 433	3 437	3,62	96,5	-	0,00
4	2 768	2 774	5,56	96,5	-	0,00
5	3 230	3 235	4,17	96,5	-	0,00
6	3 699	3 702	2,94	96,5	-	0,00
7	3 696	3 700	2,94	96,5	-	0,00
8	2 929	2 934	5,05	96,5	-	0,00
9	2 977	2 982	4,91	96,5	-	0,00
Sum			15,31			

- Data undefined due to calculation with octave data

Noise sensitive area: EA Saldes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 060	3 065	4,66	96,5	-	0,00
10	3 979	3 982	2,27	96,5	-	0,00
11	3 560	3 564	3,28	96,5	-	0,00
12	2 624	2 629	6,05	96,5	-	0,00
13	2 155	2 162	7,81	96,5	-	0,00
2	4 225	4 229	1,71	96,5	-	0,00
3	3 266	3 270	4,07	96,5	-	0,00
4	2 429	2 435	6,74	96,5	-	0,00
5	2 939	2 944	5,02	96,5	-	0,00
6	3 049	3 053	4,69	96,5	-	0,00
7	3 100	3 105	4,54	96,5	-	0,00
8	2 318	2 324	7,16	96,5	-	0,00
9	2 521	2 527	6,41	96,5	-	0,00
Sum			16,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EA Saldes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 060	3 065	4,66	96,5	-	0,00
10	3 979	3 982	2,27	96,5	-	0,00
11	3 560	3 564	3,28	96,5	-	0,00
12	2 624	2 629	6,05	96,5	-	0,00
13	2 155	2 162	7,81	96,5	-	0,00
2	4 225	4 229	1,71	96,5	-	0,00
3	3 266	3 270	4,07	96,5	-	0,00
4	2 429	2 435	6,74	96,5	-	0,00
5	2 939	2 944	5,02	96,5	-	0,00
6	3 049	3 053	4,69	96,5	-	0,00
7	3 100	3 105	4,54	96,5	-	0,00
8	2 318	2 324	7,16	96,5	-	0,00
9	2 521	2 527	6,41	96,5	-	0,00
Sum			16,44			

- Data undefined due to calculation with octave data

Noise sensitive area: EB Vucenini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 686	2 691	5,84	96,5	-	0,00
10	3 509	3 513	3,42	96,5	-	0,00
11	2 819	2 824	5,40	96,5	-	0,00
12	1 629	1 637	10,30	96,5	-	0,00
13	1 339	1 350	12,01	96,5	-	0,00
2	3 593	3 597	3,20	96,5	-	0,00
3	2 274	2 280	7,33	96,5	-	0,00
4	1 887	1 895	8,99	96,5	-	0,00
5	2 229	2 235	7,51	96,5	-	0,00
6	3 419	3 422	3,65	96,5	-	0,00
7	3 247	3 252	4,12	96,5	-	0,00
8	2 605	2 611	6,11	96,5	-	0,00
9	2 278	2 285	7,31	96,5	-	0,00
Sum			18,55			

- Data undefined due to calculation with octave data

Noise sensitive area: EB Vucenini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 686	2 691	5,84	96,5	-	0,00
10	3 509	3 513	3,42	96,5	-	0,00
11	2 819	2 824	5,40	96,5	-	0,00
12	1 629	1 637	10,30	96,5	-	0,00
13	1 339	1 350	12,01	96,5	-	0,00
2	3 593	3 597	3,20	96,5	-	0,00
3	2 274	2 280	7,33	96,5	-	0,00
4	1 887	1 895	8,99	96,5	-	0,00
5	2 229	2 235	7,51	96,5	-	0,00
6	3 419	3 422	3,65	96,5	-	0,00
7	3 247	3 252	4,12	96,5	-	0,00
8	2 605	2 611	6,11	96,5	-	0,00
9	2 278	2 285	7,31	96,5	-	0,00
Sum			18,55			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EC Kalnares

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 144	2 151	7,86	96,5	-	0,00
10	3 062	3 067	4,65	96,5	-	0,00
11	2 713	2 718	5,75	96,5	-	0,00
12	1 950	1 957	8,70	96,5	-	0,00
13	1 460	1 470	11,26	96,5	-	0,00
2	3 333	3 338	3,88	96,5	-	0,00
3	2 534	2 539	6,36	96,5	-	0,00
4	1 582	1 591	10,55	96,5	-	0,00
5	2 110	2 117	8,00	96,5	-	0,00
6	2 196	2 203	7,64	96,5	-	0,00
7	2 191	2 198	7,66	96,5	-	0,00
8	1 420	1 431	11,50	96,5	-	0,00
9	1 600	1 609	10,45	96,5	-	0,00
Sum			19,77			

- Data undefined due to calculation with octave data

Noise sensitive area: EC Kalnares

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 144	2 151	7,86	96,5	-	0,00
10	3 062	3 067	4,65	96,5	-	0,00
11	2 713	2 718	5,75	96,5	-	0,00
12	1 950	1 957	8,70	96,5	-	0,00
13	1 460	1 470	11,26	96,5	-	0,00
2	3 333	3 338	3,88	96,5	-	0,00
3	2 534	2 539	6,36	96,5	-	0,00
4	1 582	1 591	10,55	96,5	-	0,00
5	2 110	2 117	8,00	96,5	-	0,00
6	2 196	2 203	7,64	96,5	-	0,00
7	2 191	2 198	7,66	96,5	-	0,00
8	1 420	1 431	11,50	96,5	-	0,00
9	1 600	1 609	10,45	96,5	-	0,00
Sum			19,77			

- Data undefined due to calculation with octave data

Noise sensitive area: ED Berzusalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 484	3 488	3,48	96,5	-	0,00
10	4 401	4 404	1,34	96,5	-	0,00
11	4 022	4 025	2,17	96,5	-	0,00
12	3 109	3 113	4,52	96,5	-	0,00
13	2 637	2 643	6,00	96,5	-	0,00
2	4 668	4 671	0,79	96,5	-	0,00
3	3 748	3 751	2,81	96,5	-	0,00
4	2 887	2 893	5,18	96,5	-	0,00
5	3 405	3 409	3,69	96,5	-	0,00
6	3 310	3 314	3,95	96,5	-	0,00
7	3 419	3 424	3,65	96,5	-	0,00
8	2 636	2 642	6,00	96,5	-	0,00
9	2 939	2 944	5,02	96,5	-	0,00
Sum			15,15			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: ED Berzusalas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 484	3 488	3,48	96,5	-	0,00
10	4 401	4 404	1,34	96,5	-	0,00
11	4 022	4 025	2,17	96,5	-	0,00
12	3 109	3 113	4,52	96,5	-	0,00
13	2 637	2 643	6,00	96,5	-	0,00
2	4 668	4 671	0,79	96,5	-	0,00
3	3 748	3 751	2,81	96,5	-	0,00
4	2 887	2 893	5,18	96,5	-	0,00
5	3 405	3 409	3,69	96,5	-	0,00
6	3 310	3 314	3,95	96,5	-	0,00
7	3 419	3 424	3,65	96,5	-	0,00
8	2 636	2 642	6,00	96,5	-	0,00
9	2 939	2 944	5,02	96,5	-	0,00
Sum			15,15			

- Data undefined due to calculation with octave data

Noise sensitive area: EE Rozes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 026	3 031	4,76	96,5	-	0,00
10	3 916	3 920	2,41	96,5	-	0,00
11	3 699	3 703	2,93	96,5	-	0,00
12	3 015	3 019	4,80	96,5	-	0,00
13	2 525	2 530	6,39	96,5	-	0,00
2	4 248	4 251	1,67	96,5	-	0,00
3	3 587	3 590	3,22	96,5	-	0,00
4	2 593	2 599	6,15	96,5	-	0,00
5	3 123	3 128	4,47	96,5	-	0,00
6	2 546	2 552	6,32	96,5	-	0,00
7	2 734	2 739	5,68	96,5	-	0,00
8	1 977	1 985	8,58	96,5	-	0,00
9	2 488	2 494	6,53	96,5	-	0,00
Sum			16,46			

- Data undefined due to calculation with octave data

Noise sensitive area: EE Rozes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 026	3 031	4,76	96,5	-	0,00
10	3 916	3 920	2,41	96,5	-	0,00
11	3 699	3 703	2,93	96,5	-	0,00
12	3 015	3 019	4,80	96,5	-	0,00
13	2 525	2 530	6,39	96,5	-	0,00
2	4 248	4 251	1,67	96,5	-	0,00
3	3 587	3 590	3,22	96,5	-	0,00
4	2 593	2 599	6,15	96,5	-	0,00
5	3 123	3 128	4,47	96,5	-	0,00
6	2 546	2 552	6,32	96,5	-	0,00
7	2 734	2 739	5,68	96,5	-	0,00
8	1 977	1 985	8,58	96,5	-	0,00
9	2 488	2 494	6,53	96,5	-	0,00
Sum			16,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EF Graveri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 843	3 846	2,59	96,5	-	0,00
10	4 728	4 731	0,68	96,5	-	0,00
11	4 514	4 517	1,10	96,5	-	0,00
12	3 783	3 786	2,73	96,5	-	0,00
13	3 293	3 297	3,99	96,5	-	0,00
2	5 065	5 068	0,04	96,5	-	0,00
3	4 376	4 379	1,39	96,5	-	0,00
4	3 401	3 406	3,70	96,5	-	0,00
5	3 933	3 936	2,37	96,5	-	0,00
6	3 251	3 255	4,11	96,5	-	0,00
7	3 491	3 495	3,46	96,5	-	0,00
8	2 760	2 766	5,59	96,5	-	0,00
9	3 305	3 310	3,96	96,5	-	0,00
Sum			14,15			

- Data undefined due to calculation with octave data

Noise sensitive area: EF Graveri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 843	3 846	2,59	96,5	-	0,00
10	4 728	4 731	0,68	96,5	-	0,00
11	4 514	4 517	1,10	96,5	-	0,00
12	3 783	3 786	2,73	96,5	-	0,00
13	3 293	3 297	3,99	96,5	-	0,00
2	5 065	5 068	0,04	96,5	-	0,00
3	4 376	4 379	1,39	96,5	-	0,00
4	3 401	3 406	3,70	96,5	-	0,00
5	3 933	3 936	2,37	96,5	-	0,00
6	3 251	3 255	4,11	96,5	-	0,00
7	3 491	3 495	3,46	96,5	-	0,00
8	2 760	2 766	5,59	96,5	-	0,00
9	3 305	3 310	3,96	96,5	-	0,00
Sum			14,15			

- Data undefined due to calculation with octave data

Noise sensitive area: EG Saulrieti 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 546	3 550	3,32	96,5	-	0,00
10	4 449	4 452	1,24	96,5	-	0,00
11	3 903	3 906	2,44	96,5	-	0,00
12	2 811	2 815	5,43	96,5	-	0,00
13	2 406	2 412	6,83	96,5	-	0,00
2	4 630	4 633	0,87	96,5	-	0,00
3	3 473	3 477	3,51	96,5	-	0,00
4	2 821	2 826	5,39	96,5	-	0,00
5	3 279	3 284	4,03	96,5	-	0,00
6	3 766	3 769	2,77	96,5	-	0,00
7	3 761	3 765	2,78	96,5	-	0,00
8	2 995	3 000	4,85	96,5	-	0,00
9	3 036	3 041	4,73	96,5	-	0,00
Sum			15,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EG Saulrieti 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 546	3 550	3,32	96,5	-	0,00
10	4 449	4 452	1,24	96,5	-	0,00
11	3 903	3 906	2,44	96,5	-	0,00
12	2 811	2 815	5,43	96,5	-	0,00
13	2 406	2 412	6,83	96,5	-	0,00
2	4 630	4 633	0,87	96,5	-	0,00
3	3 473	3 477	3,51	96,5	-	0,00
4	2 821	2 826	5,39	96,5	-	0,00
5	3 279	3 284	4,03	96,5	-	0,00
6	3 766	3 769	2,77	96,5	-	0,00
7	3 761	3 765	2,78	96,5	-	0,00
8	2 995	3 000	4,85	96,5	-	0,00
9	3 036	3 041	4,73	96,5	-	0,00
Sum			15,16			

- Data undefined due to calculation with octave data

Noise sensitive area: EH Lejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 475	2 481	6,57	96,5	-	0,00
10	3 386	3 391	3,74	96,5	-	0,00
11	3 088	3 092	4,58	96,5	-	0,00
12	2 350	2 356	7,04	96,5	-	0,00
13	1 859	1 867	9,12	96,5	-	0,00
2	3 682	3 686	2,98	96,5	-	0,00
3	2 932	2 936	5,05	96,5	-	0,00
4	1 963	1 971	8,64	96,5	-	0,00
5	2 494	2 500	6,50	96,5	-	0,00
6	2 305	2 311	7,21	96,5	-	0,00
7	2 380	2 386	6,92	96,5	-	0,00
8	1 595	1 605	10,47	96,5	-	0,00
9	1 929	1 937	8,80	96,5	-	0,00
Sum			18,38			

- Data undefined due to calculation with octave data

Noise sensitive area: EH Lejas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 475	2 481	6,57	96,5	-	0,00
10	3 386	3 391	3,74	96,5	-	0,00
11	3 088	3 092	4,58	96,5	-	0,00
12	2 350	2 356	7,04	96,5	-	0,00
13	1 859	1 867	9,12	96,5	-	0,00
2	3 682	3 686	2,98	96,5	-	0,00
3	2 932	2 936	5,05	96,5	-	0,00
4	1 963	1 971	8,64	96,5	-	0,00
5	2 494	2 500	6,50	96,5	-	0,00
6	2 305	2 311	7,21	96,5	-	0,00
7	2 380	2 386	6,92	96,5	-	0,00
8	1 595	1 605	10,47	96,5	-	0,00
9	1 929	1 937	8,80	96,5	-	0,00
Sum			18,38			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EI Jaungraveri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 659	3 663	3,03	96,5	-	0,00
10	4 565	4 568	1,00	96,5	-	0,00
11	4 271	4 274	1,61	96,5	-	0,00
12	3 451	3 455	3,57	96,5	-	0,00
13	2 967	2 972	4,94	96,5	-	0,00
2	4 870	4 873	0,40	96,5	-	0,00
3	4 069	4 072	2,06	96,5	-	0,00
4	3 141	3 146	4,42	96,5	-	0,00
5	3 670	3 674	3,01	96,5	-	0,00
6	3 264	3 268	4,08	96,5	-	0,00
7	3 442	3 447	3,59	96,5	-	0,00
8	2 677	2 682	5,87	96,5	-	0,00
9	3 113	3 118	4,50	96,5	-	0,00
Sum			14,64			

- Data undefined due to calculation with octave data

Noise sensitive area: EI Jaungraveri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 659	3 663	3,03	96,5	-	0,00
10	4 565	4 568	1,00	96,5	-	0,00
11	4 271	4 274	1,61	96,5	-	0,00
12	3 451	3 455	3,57	96,5	-	0,00
13	2 967	2 972	4,94	96,5	-	0,00
2	4 870	4 873	0,40	96,5	-	0,00
3	4 069	4 072	2,06	96,5	-	0,00
4	3 141	3 146	4,42	96,5	-	0,00
5	3 670	3 674	3,01	96,5	-	0,00
6	3 264	3 268	4,08	96,5	-	0,00
7	3 442	3 447	3,59	96,5	-	0,00
8	2 677	2 682	5,87	96,5	-	0,00
9	3 113	3 118	4,50	96,5	-	0,00
Sum			14,64			

- Data undefined due to calculation with octave data

Noise sensitive area: EJ Rietaini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 185	2 191	7,69	96,5	-	0,00
10	3 061	3 065	4,66	96,5	-	0,00
11	2 906	2 911	5,13	96,5	-	0,00
12	2 394	2 400	6,87	96,5	-	0,00
13	1 924	1 932	8,82	96,5	-	0,00
2	3 408	3 412	3,68	96,5	-	0,00
3	2 892	2 897	5,17	96,5	-	0,00
4	1 848	1 856	9,18	96,5	-	0,00
5	2 366	2 372	6,98	96,5	-	0,00
6	1 754	1 762	9,64	96,5	-	0,00
7	1 886	1 893	9,00	96,5	-	0,00
8	1 117	1 130	13,59	96,5	-	0,00
9	1 659	1 668	10,13	96,5	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EJ Rietaini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 185	2 191	7,69	96,5	-	0,00
10	3 061	3 065	4,66	96,5	-	0,00
11	2 906	2 911	5,13	96,5	-	0,00
12	2 394	2 400	6,87	96,5	-	0,00
13	1 924	1 932	8,82	96,5	-	0,00
2	3 408	3 412	3,68	96,5	-	0,00
3	2 892	2 897	5,17	96,5	-	0,00
4	1 848	1 856	9,18	96,5	-	0,00
5	2 366	2 372	6,98	96,5	-	0,00
6	1 754	1 762	9,64	96,5	-	0,00
7	1 886	1 893	9,00	96,5	-	0,00
8	1 117	1 130	13,59	96,5	-	0,00
9	1 659	1 668	10,13	96,5	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Noise sensitive area: EK Vanadzinu majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 825	2 830	5,38	96,5	-	0,00
10	3 743	3 747	2,83	96,5	-	0,00
11	3 323	3 327	3,91	96,5	-	0,00
12	2 400	2 406	6,85	96,5	-	0,00
13	1 926	1 934	8,81	96,5	-	0,00
2	3 987	3 991	2,25	96,5	-	0,00
3	3 037	3 042	4,73	96,5	-	0,00
4	2 191	2 198	7,66	96,5	-	0,00
5	2 702	2 708	5,78	96,5	-	0,00
6	2 864	2 869	5,26	96,5	-	0,00
7	2 893	2 898	5,17	96,5	-	0,00
8	2 115	2 122	7,98	96,5	-	0,00
9	2 287	2 294	7,28	96,5	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Noise sensitive area: EK Vanadzinu majas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 825	2 830	5,38	96,5	-	0,00
10	3 743	3 747	2,83	96,5	-	0,00
11	3 323	3 327	3,91	96,5	-	0,00
12	2 400	2 406	6,85	96,5	-	0,00
13	1 926	1 934	8,81	96,5	-	0,00
2	3 987	3 991	2,25	96,5	-	0,00
3	3 037	3 042	4,73	96,5	-	0,00
4	2 191	2 198	7,66	96,5	-	0,00
5	2 702	2 708	5,78	96,5	-	0,00
6	2 864	2 869	5,26	96,5	-	0,00
7	2 893	2 898	5,17	96,5	-	0,00
8	2 115	2 122	7,98	96,5	-	0,00
9	2 287	2 294	7,28	96,5	-	0,00
Sum			17,23			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EL Senlejas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 377	2 383	6,93	96,5	-	0,00
10	3 270	3 274	4,06	96,5	-	0,00
11	2 721	2 726	5,72	96,5	-	0,00
12	1 680	1 688	10,02	96,5	-	0,00
13	1 239	1 251	12,69	96,5	-	0,00
2	3 444	3 448	3,59	96,5	-	0,00
3	2 336	2 342	7,09	96,5	-	0,00
4	1 636	1 645	10,25	96,5	-	0,00
5	2 096	2 103	8,06	96,5	-	0,00
6	2 837	2 842	5,35	96,5	-	0,00
7	2 733	2 738	5,68	96,5	-	0,00
8	2 024	2 032	8,37	96,5	-	0,00
9	1 888	1 896	8,99	96,5	-	0,00
Sum			19,35			

- Data undefined due to calculation with octave data

Noise sensitive area: EL Senlejas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 377	2 383	6,93	96,5	-	0,00
10	3 270	3 274	4,06	96,5	-	0,00
11	2 721	2 726	5,72	96,5	-	0,00
12	1 680	1 688	10,02	96,5	-	0,00
13	1 239	1 251	12,69	96,5	-	0,00
2	3 444	3 448	3,59	96,5	-	0,00
3	2 336	2 342	7,09	96,5	-	0,00
4	1 636	1 645	10,25	96,5	-	0,00
5	2 096	2 103	8,06	96,5	-	0,00
6	2 837	2 842	5,35	96,5	-	0,00
7	2 733	2 738	5,68	96,5	-	0,00
8	2 024	2 032	8,37	96,5	-	0,00
9	1 888	1 896	8,99	96,5	-	0,00
Sum			19,35			

- Data undefined due to calculation with octave data

Noise sensitive area: EM Dzeguzeni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 138	3 142	4,43	96,5	-	0,00
10	4 032	4 036	2,14	96,5	-	0,00
11	3 798	3 802	2,69	96,5	-	0,00
12	3 083	3 087	4,59	96,5	-	0,00
13	2 592	2 598	6,16	96,5	-	0,00
2	4 358	4 361	1,43	96,5	-	0,00
3	3 666	3 669	3,02	96,5	-	0,00
4	2 685	2 690	5,84	96,5	-	0,00
5	3 216	3 220	4,21	96,5	-	0,00
6	2 680	2 685	5,86	96,5	-	0,00
7	2 864	2 869	5,26	96,5	-	0,00
8	2 105	2 112	8,02	96,5	-	0,00
9	2 597	2 603	6,14	96,5	-	0,00
Sum			16,11			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EM Dzeguzeni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 138	3 142	4,43	96,5	-	0,00
10	4 032	4 036	2,14	96,5	-	0,00
11	3 798	3 802	2,69	96,5	-	0,00
12	3 083	3 087	4,59	96,5	-	0,00
13	2 592	2 598	6,16	96,5	-	0,00
2	4 358	4 361	1,43	96,5	-	0,00
3	3 666	3 669	3,02	96,5	-	0,00
4	2 685	2 690	5,84	96,5	-	0,00
5	3 216	3 220	4,21	96,5	-	0,00
6	2 680	2 685	5,86	96,5	-	0,00
7	2 864	2 869	5,26	96,5	-	0,00
8	2 105	2 112	8,02	96,5	-	0,00
9	2 597	2 603	6,14	96,5	-	0,00
Sum			16,11			

- Data undefined due to calculation with octave data

Noise sensitive area: EN Dzelzcela maja 333,1. km

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 450	3 454	3,57	96,5	-	0,00
10	4 362	4 366	1,42	96,5	-	0,00
11	4 037	4 041	2,13	96,5	-	0,00
12	3 190	3 195	4,28	96,5	-	0,00
13	2 708	2 713	5,76	96,5	-	0,00
2	4 653	4 656	0,82	96,5	-	0,00
3	3 813	3 817	2,66	96,5	-	0,00
4	2 904	2 909	5,13	96,5	-	0,00
5	3 430	3 434	3,62	96,5	-	0,00
6	3 154	3 159	4,38	96,5	-	0,00
7	3 299	3 303	3,98	96,5	-	0,00
8	2 522	2 529	6,40	96,5	-	0,00
9	2 903	2 909	5,13	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Noise sensitive area: EN Dzelzcela maja 333,1. km

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 450	3 454	3,57	96,5	-	0,00
10	4 362	4 366	1,42	96,5	-	0,00
11	4 037	4 041	2,13	96,5	-	0,00
12	3 190	3 195	4,28	96,5	-	0,00
13	2 708	2 713	5,76	96,5	-	0,00
2	4 653	4 656	0,82	96,5	-	0,00
3	3 813	3 817	2,66	96,5	-	0,00
4	2 904	2 909	5,13	96,5	-	0,00
5	3 430	3 434	3,62	96,5	-	0,00
6	3 154	3 159	4,38	96,5	-	0,00
7	3 299	3 303	3,98	96,5	-	0,00
8	2 522	2 529	6,40	96,5	-	0,00
9	2 903	2 909	5,13	96,5	-	0,00
Sum			15,22			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EO Cela posms Livani-Jersika 333,134. km

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 432	3 436	3,62	96,5	-	0,00
10	4 342	4 346	1,46	96,5	-	0,00
11	4 028	4 032	2,15	96,5	-	0,00
12	3 195	3 200	4,27	96,5	-	0,00
13	2 711	2 717	5,75	96,5	-	0,00
2	4 637	4 641	0,86	96,5	-	0,00
3	3 814	3 818	2,65	96,5	-	0,00
4	2 896	2 901	5,16	96,5	-	0,00
5	3 423	3 427	3,64	96,5	-	0,00
6	3 113	3 118	4,50	96,5	-	0,00
7	3 264	3 269	4,07	96,5	-	0,00
8	2 489	2 496	6,52	96,5	-	0,00
9	2 885	2 891	5,19	96,5	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Noise sensitive area: EO Cela posms Livani-Jersika 333,134. km

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 432	3 436	3,62	96,5	-	0,00
10	4 342	4 346	1,46	96,5	-	0,00
11	4 028	4 032	2,15	96,5	-	0,00
12	3 195	3 200	4,27	96,5	-	0,00
13	2 711	2 717	5,75	96,5	-	0,00
2	4 637	4 641	0,86	96,5	-	0,00
3	3 814	3 818	2,65	96,5	-	0,00
4	2 896	2 901	5,16	96,5	-	0,00
5	3 423	3 427	3,64	96,5	-	0,00
6	3 113	3 118	4,50	96,5	-	0,00
7	3 264	3 269	4,07	96,5	-	0,00
8	2 489	2 496	6,52	96,5	-	0,00
9	2 885	2 891	5,19	96,5	-	0,00
Sum			15,26			

- Data undefined due to calculation with octave data

Noise sensitive area: EP Valdai š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 305	2 311	7,21	96,5	-	0,00
10	3 218	3 222	4,20	96,5	-	0,00
11	2 911	2 915	5,11	96,5	-	0,00
12	2 182	2 188	7,70	96,5	-	0,00
13	1 692	1 700	9,96	96,5	-	0,00
2	3 509	3 513	3,42	96,5	-	0,00
3	2 758	2 763	5,60	96,5	-	0,00
4	1 786	1 794	9,48	96,5	-	0,00
5	2 317	2 323	7,17	96,5	-	0,00
6	2 204	2 210	7,61	96,5	-	0,00
7	2 250	2 256	7,43	96,5	-	0,00
8	1 467	1 477	11,21	96,5	-	0,00
9	1 758	1 767	9,62	96,5	-	0,00
Sum			19,06			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EP Valdai š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 305	2 311	7,21	96,5	-	0,00
10	3 218	3 222	4,20	96,5	-	0,00
11	2 911	2 915	5,11	96,5	-	0,00
12	2 182	2 188	7,70	96,5	-	0,00
13	1 692	1 700	9,96	96,5	-	0,00
2	3 509	3 513	3,42	96,5	-	0,00
3	2 758	2 763	5,60	96,5	-	0,00
4	1 786	1 794	9,48	96,5	-	0,00
5	2 317	2 323	7,17	96,5	-	0,00
6	2 204	2 210	7,61	96,5	-	0,00
7	2 250	2 256	7,43	96,5	-	0,00
8	1 467	1 477	11,21	96,5	-	0,00
9	1 758	1 767	9,62	96,5	-	0,00
Sum			19,06			

- Data undefined due to calculation with octave data

Noise sensitive area: EQ Spravnieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 358	2 364	7,01	96,5	-	0,00
10	3 241	3 245	4,14	96,5	-	0,00
11	2 666	2 671	5,90	96,5	-	0,00
12	1 597	1 606	10,47	96,5	-	0,00
13	1 171	1 184	13,18	96,5	-	0,00
2	3 400	3 404	3,70	96,5	-	0,00
3	2 257	2 263	7,40	96,5	-	0,00
4	1 600	1 610	10,45	96,5	-	0,00
5	2 043	2 050	8,29	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	2 761	2 766	5,59	96,5	-	0,00
8	2 069	2 077	8,17	96,5	-	0,00
9	1 883	1 891	9,01	96,5	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Noise sensitive area: EQ Spravnieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 358	2 364	7,01	96,5	-	0,00
10	3 241	3 245	4,14	96,5	-	0,00
11	2 666	2 671	5,90	96,5	-	0,00
12	1 597	1 606	10,47	96,5	-	0,00
13	1 171	1 184	13,18	96,5	-	0,00
2	3 400	3 404	3,70	96,5	-	0,00
3	2 257	2 263	7,40	96,5	-	0,00
4	1 600	1 610	10,45	96,5	-	0,00
5	2 043	2 050	8,29	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	2 761	2 766	5,59	96,5	-	0,00
8	2 069	2 077	8,17	96,5	-	0,00
9	1 883	1 891	9,01	96,5	-	0,00
Sum			19,57			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: ER Ezerliepas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 380	2 386	6,92	96,5	-	0,00
10	3 295	3 299	3,99	96,5	-	0,00
11	2 974	2 979	4,92	96,5	-	0,00
12	2 219	2 225	7,55	96,5	-	0,00
13	1 728	1 737	9,77	96,5	-	0,00
2	3 581	3 585	3,23	96,5	-	0,00
3	2 804	2 809	5,45	96,5	-	0,00
4	1 846	1 854	9,19	96,5	-	0,00
5	2 376	2 382	6,94	96,5	-	0,00
6	2 289	2 295	7,27	96,5	-	0,00
7	2 337	2 343	7,09	96,5	-	0,00
8	1 553	1 563	10,71	96,5	-	0,00
9	1 833	1 842	9,25	96,5	-	0,00
Sum			18,76			

- Data undefined due to calculation with octave data

Noise sensitive area: ER Ezerliepas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 380	2 386	6,92	96,5	-	0,00
10	3 295	3 299	3,99	96,5	-	0,00
11	2 974	2 979	4,92	96,5	-	0,00
12	2 219	2 225	7,55	96,5	-	0,00
13	1 728	1 737	9,77	96,5	-	0,00
2	3 581	3 585	3,23	96,5	-	0,00
3	2 804	2 809	5,45	96,5	-	0,00
4	1 846	1 854	9,19	96,5	-	0,00
5	2 376	2 382	6,94	96,5	-	0,00
6	2 289	2 295	7,27	96,5	-	0,00
7	2 337	2 343	7,09	96,5	-	0,00
8	1 553	1 563	10,71	96,5	-	0,00
9	1 833	1 842	9,25	96,5	-	0,00
Sum			18,76			

- Data undefined due to calculation with octave data

Noise sensitive area: ES Šaurites

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 354	7,05	96,5	-	0,00
10	3 172	3 176	4,34	96,5	-	0,00
11	2 493	2 499	6,51	96,5	-	0,00
12	1 320	1 330	12,14	96,5	-	0,00
13	1 004	1 018	14,51	96,5	-	0,00
2	3 263	3 267	4,08	96,5	-	0,00
3	1 976	1 983	8,59	96,5	-	0,00
4	1 549	1 559	10,73	96,5	-	0,00
5	1 897	1 904	8,95	96,5	-	0,00
6	3 129	3 133	4,46	96,5	-	0,00
7	2 936	2 940	5,04	96,5	-	0,00
8	2 320	2 327	7,15	96,5	-	0,00
9	1 948	1 956	8,71	96,5	-	0,00
Sum			20,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: ES Šaurites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 348	2 354	7,05	96,5	-	0,00
10	3 172	3 176	4,34	96,5	-	0,00
11	2 493	2 499	6,51	96,5	-	0,00
12	1 320	1 330	12,14	96,5	-	0,00
13	1 004	1 018	14,51	96,5	-	0,00
2	3 263	3 267	4,08	96,5	-	0,00
3	1 976	1 983	8,59	96,5	-	0,00
4	1 549	1 559	10,73	96,5	-	0,00
5	1 897	1 904	8,95	96,5	-	0,00
6	3 129	3 133	4,46	96,5	-	0,00
7	2 936	2 940	5,04	96,5	-	0,00
8	2 320	2 327	7,15	96,5	-	0,00
9	1 948	1 956	8,71	96,5	-	0,00
Sum			20,21			

- Data undefined due to calculation with octave data

Noise sensitive area: ET Saulespukes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 150	3 155	4,40	96,5	-	0,00
10	4 047	4 050	2,11	96,5	-	0,00
11	3 805	3 808	2,68	96,5	-	0,00
12	3 078	3 083	4,61	96,5	-	0,00
13	2 588	2 593	6,17	96,5	-	0,00
2	4 369	4 373	1,41	96,5	-	0,00
3	3 665	3 668	3,02	96,5	-	0,00
4	2 689	2 694	5,83	96,5	-	0,00
5	3 220	3 224	4,20	96,5	-	0,00
6	2 709	2 714	5,76	96,5	-	0,00
7	2 888	2 893	5,18	96,5	-	0,00
8	2 127	2 134	7,93	96,5	-	0,00
9	2 609	2 614	6,10	96,5	-	0,00
Sum			16,07			

- Data undefined due to calculation with octave data

Noise sensitive area: ET Saulespukes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 150	3 155	4,40	96,5	-	0,00
10	4 047	4 050	2,11	96,5	-	0,00
11	3 805	3 808	2,68	96,5	-	0,00
12	3 078	3 083	4,61	96,5	-	0,00
13	2 588	2 593	6,17	96,5	-	0,00
2	4 369	4 373	1,41	96,5	-	0,00
3	3 665	3 668	3,02	96,5	-	0,00
4	2 689	2 694	5,83	96,5	-	0,00
5	3 220	3 224	4,20	96,5	-	0,00
6	2 709	2 714	5,76	96,5	-	0,00
7	2 888	2 893	5,18	96,5	-	0,00
8	2 127	2 134	7,93	96,5	-	0,00
9	2 609	2 614	6,10	96,5	-	0,00
Sum			16,07			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EU Cerindarzs

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 376	3 380	3,77	96,5	-	0,00
10	4 289	4 292	1,58	96,5	-	0,00
11	3 960	3 964	2,31	96,5	-	0,00
12	3 113	3 118	4,50	96,5	-	0,00
13	2 630	2 636	6,02	96,5	-	0,00
2	4 577	4 581	0,98	96,5	-	0,00
3	3 736	3 739	2,84	96,5	-	0,00
4	2 827	2 832	5,38	96,5	-	0,00
5	3 352	3 357	3,83	96,5	-	0,00
6	3 099	3 103	4,55	96,5	-	0,00
7	3 236	3 241	4,15	96,5	-	0,00
8	2 458	2 464	6,63	96,5	-	0,00
9	2 829	2 835	5,37	96,5	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Noise sensitive area: EU Cerindarzs

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 376	3 380	3,77	96,5	-	0,00
10	4 289	4 292	1,58	96,5	-	0,00
11	3 960	3 964	2,31	96,5	-	0,00
12	3 113	3 118	4,50	96,5	-	0,00
13	2 630	2 636	6,02	96,5	-	0,00
2	4 577	4 581	0,98	96,5	-	0,00
3	3 736	3 739	2,84	96,5	-	0,00
4	2 827	2 832	5,38	96,5	-	0,00
5	3 352	3 357	3,83	96,5	-	0,00
6	3 099	3 103	4,55	96,5	-	0,00
7	3 236	3 241	4,15	96,5	-	0,00
8	2 458	2 464	6,63	96,5	-	0,00
9	2 829	2 835	5,37	96,5	-	0,00
Sum			15,43			

- Data undefined due to calculation with octave data

Noise sensitive area: EV Citronsala

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 701	2 706	5,79	96,5	-	0,00
10	3 615	3 619	3,14	96,5	-	0,00
11	3 146	3 151	4,41	96,5	-	0,00
12	2 175	2 182	7,73	96,5	-	0,00
13	1 712	1 721	9,85	96,5	-	0,00
2	3 835	3 838	2,60	96,5	-	0,00
3	2 822	2 827	5,39	96,5	-	0,00
4	2 025	2 033	8,36	96,5	-	0,00
5	2 522	2 528	6,40	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	2 868	2 873	5,24	96,5	-	0,00
8	2 104	2 112	8,02	96,5	-	0,00
9	2 175	2 182	7,73	96,5	-	0,00
Sum			17,76			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EV Citronsala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 701	2 706	5,79	96,5	-	0,00
10	3 615	3 619	3,14	96,5	-	0,00
11	3 146	3 151	4,41	96,5	-	0,00
12	2 175	2 182	7,73	96,5	-	0,00
13	1 712	1 721	9,85	96,5	-	0,00
2	3 835	3 838	2,60	96,5	-	0,00
3	2 822	2 827	5,39	96,5	-	0,00
4	2 025	2 033	8,36	96,5	-	0,00
5	2 522	2 528	6,40	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	2 868	2 873	5,24	96,5	-	0,00
8	2 104	2 112	8,02	96,5	-	0,00
9	2 175	2 182	7,73	96,5	-	0,00
Sum			17,76			

- Data undefined due to calculation with octave data

Noise sensitive area: EW Liepsalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 467	3 471	3,53	96,5	-	0,00
10	4 385	4 388	1,37	96,5	-	0,00
11	3 998	4 002	2,22	96,5	-	0,00
12	3 079	3 084	4,60	96,5	-	0,00
13	2 608	2 614	6,10	96,5	-	0,00
2	4 648	4 652	0,83	96,5	-	0,00
3	3 719	3 723	2,88	96,5	-	0,00
4	2 865	2 870	5,25	96,5	-	0,00
5	3 381	3 385	3,75	96,5	-	0,00
6	3 311	3 315	3,95	96,5	-	0,00
7	3 415	3 419	3,66	96,5	-	0,00
8	2 631	2 637	6,02	96,5	-	0,00
9	2 922	2 928	5,07	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Noise sensitive area: EW Liepsalas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 467	3 471	3,53	96,5	-	0,00
10	4 385	4 388	1,37	96,5	-	0,00
11	3 998	4 002	2,22	96,5	-	0,00
12	3 079	3 084	4,60	96,5	-	0,00
13	2 608	2 614	6,10	96,5	-	0,00
2	4 648	4 652	0,83	96,5	-	0,00
3	3 719	3 723	2,88	96,5	-	0,00
4	2 865	2 870	5,25	96,5	-	0,00
5	3 381	3 385	3,75	96,5	-	0,00
6	3 311	3 315	3,95	96,5	-	0,00
7	3 415	3 419	3,66	96,5	-	0,00
8	2 631	2 637	6,02	96,5	-	0,00
9	2 922	2 928	5,07	96,5	-	0,00
Sum			15,21			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EX Apsites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 728	3 731	2,86	96,5	-	0,00
10	4 631	4 634	0,87	96,5	-	0,00
11	4 350	4 353	1,45	96,5	-	0,00
12	3 541	3 545	3,33	96,5	-	0,00
13	3 055	3 060	4,67	96,5	-	0,00
2	4 941	4 944	0,27	96,5	-	0,00
3	4 155	4 159	1,87	96,5	-	0,00
4	3 221	3 226	4,19	96,5	-	0,00
5	3 751	3 754	2,81	96,5	-	0,00
6	3 298	3 302	3,98	96,5	-	0,00
7	3 488	3 492	3,47	96,5	-	0,00
8	2 727	2 733	5,70	96,5	-	0,00
9	3 183	3 188	4,30	96,5	-	0,00
Sum			14,46			

- Data undefined due to calculation with octave data

Noise sensitive area: EX Apsites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 728	3 731	2,86	96,5	-	0,00
10	4 631	4 634	0,87	96,5	-	0,00
11	4 350	4 353	1,45	96,5	-	0,00
12	3 541	3 545	3,33	96,5	-	0,00
13	3 055	3 060	4,67	96,5	-	0,00
2	4 941	4 944	0,27	96,5	-	0,00
3	4 155	4 159	1,87	96,5	-	0,00
4	3 221	3 226	4,19	96,5	-	0,00
5	3 751	3 754	2,81	96,5	-	0,00
6	3 298	3 302	3,98	96,5	-	0,00
7	3 488	3 492	3,47	96,5	-	0,00
8	2 727	2 733	5,70	96,5	-	0,00
9	3 183	3 188	4,30	96,5	-	0,00
Sum			14,46			

- Data undefined due to calculation with octave data

Noise sensitive area: EY Aronijas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 616	3 620	3,14	96,5	-	0,00
10	4 513	4 517	1,11	96,5	-	0,00
11	3 949	3 953	2,34	96,5	-	0,00
12	2 838	2 843	5,34	96,5	-	0,00
13	2 447	2 453	6,68	96,5	-	0,00
2	4 684	4 687	0,76	96,5	-	0,00
3	3 500	3 504	3,44	96,5	-	0,00
4	2 879	2 885	5,21	96,5	-	0,00
5	3 328	3 332	3,90	96,5	-	0,00
6	3 871	3 875	2,52	96,5	-	0,00
7	3 858	3 861	2,55	96,5	-	0,00
8	3 096	3 101	4,55	96,5	-	0,00
9	3 112	3 117	4,51	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: EY Aronijas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 616	3 620	3,14	96,5	-	0,00
10	4 513	4 517	1,11	96,5	-	0,00
11	3 949	3 953	2,34	96,5	-	0,00
12	2 838	2 843	5,34	96,5	-	0,00
13	2 447	2 453	6,68	96,5	-	0,00
2	4 684	4 687	0,76	96,5	-	0,00
3	3 500	3 504	3,44	96,5	-	0,00
4	2 879	2 885	5,21	96,5	-	0,00
5	3 328	3 332	3,90	96,5	-	0,00
6	3 871	3 875	2,52	96,5	-	0,00
7	3 858	3 861	2,55	96,5	-	0,00
8	3 096	3 101	4,55	96,5	-	0,00
9	3 112	3 117	4,51	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Noise sensitive area: EZ Me ž avoti

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 342	3 346	3,86	96,5	-	0,00
10	4 244	4 247	1,67	96,5	-	0,00
11	3 973	3 976	2,28	96,5	-	0,00
12	3 198	3 203	4,26	96,5	-	0,00
13	2 710	2 715	5,76	96,5	-	0,00
2	4 556	4 560	1,02	96,5	-	0,00
3	3 801	3 804	2,69	96,5	-	0,00
4	2 848	2 854	5,31	96,5	-	0,00
5	3 379	3 383	3,76	96,5	-	0,00
6	2 937	2 941	5,03	96,5	-	0,00
7	3 111	3 115	4,51	96,5	-	0,00
8	2 345	2 351	7,06	96,5	-	0,00
9	2 797	2 802	5,47	96,5	-	0,00
Sum			15,51			

- Data undefined due to calculation with octave data

Noise sensitive area: EZ Me ž avoti

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 342	3 346	3,86	96,5	-	0,00
10	4 244	4 247	1,67	96,5	-	0,00
11	3 973	3 976	2,28	96,5	-	0,00
12	3 198	3 203	4,26	96,5	-	0,00
13	2 710	2 715	5,76	96,5	-	0,00
2	4 556	4 560	1,02	96,5	-	0,00
3	3 801	3 804	2,69	96,5	-	0,00
4	2 848	2 854	5,31	96,5	-	0,00
5	3 379	3 383	3,76	96,5	-	0,00
6	2 937	2 941	5,03	96,5	-	0,00
7	3 111	3 115	4,51	96,5	-	0,00
8	2 345	2 351	7,06	96,5	-	0,00
9	2 797	2 802	5,47	96,5	-	0,00
Sum			15,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FA Liepusala

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 535	3 539	3,35	96,5	-	0,00
10	4 453	4 456	1,23	96,5	-	0,00
11	4 056	4 059	2,09	96,5	-	0,00
12	3 121	3 125	4,48	96,5	-	0,00
13	2 654	2 659	5,95	96,5	-	0,00
2	4 712	4 715	0,71	96,5	-	0,00
3	3 764	3 768	2,77	96,5	-	0,00
4	2 923	2 928	5,07	96,5	-	0,00
5	3 436	3 441	3,61	96,5	-	0,00
6	3 395	3 399	3,72	96,5	-	0,00
7	3 496	3 500	3,45	96,5	-	0,00
8	2 712	2 717	5,75	96,5	-	0,00
9	2 991	2 996	4,86	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Noise sensitive area: FA Liepusala

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 535	3 539	3,35	96,5	-	0,00
10	4 453	4 456	1,23	96,5	-	0,00
11	4 056	4 059	2,09	96,5	-	0,00
12	3 121	3 125	4,48	96,5	-	0,00
13	2 654	2 659	5,95	96,5	-	0,00
2	4 712	4 715	0,71	96,5	-	0,00
3	3 764	3 768	2,77	96,5	-	0,00
4	2 923	2 928	5,07	96,5	-	0,00
5	3 436	3 441	3,61	96,5	-	0,00
6	3 395	3 399	3,72	96,5	-	0,00
7	3 496	3 500	3,45	96,5	-	0,00
8	2 712	2 717	5,75	96,5	-	0,00
9	2 991	2 996	4,86	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Noise sensitive area: FB Vili š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 526	3 530	3,37	96,5	-	0,00
10	4 444	4 447	1,25	96,5	-	0,00
11	4 006	4 009	2,20	96,5	-	0,00
12	3 026	3 030	4,76	96,5	-	0,00
13	2 570	2 576	6,23	96,5	-	0,00
2	4 683	4 686	0,76	96,5	-	0,00
3	3 677	3 681	2,99	96,5	-	0,00
4	2 880	2 885	5,21	96,5	-	0,00
5	3 382	3 387	3,75	96,5	-	0,00
6	3 485	3 489	3,48	96,5	-	0,00
7	3 557	3 561	3,29	96,5	-	0,00
8	2 773	2 778	5,55	96,5	-	0,00
9	2 988	2 993	4,87	96,5	-	0,00
Sum			15,09			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FB Vilišči

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 526	3 530	3,37	96,5	-	0,00
10	4 444	4 447	1,25	96,5	-	0,00
11	4 006	4 009	2,20	96,5	-	0,00
12	3 026	3 030	4,76	96,5	-	0,00
13	2 570	2 576	6,23	96,5	-	0,00
2	4 683	4 686	0,76	96,5	-	0,00
3	3 677	3 681	2,99	96,5	-	0,00
4	2 880	2 885	5,21	96,5	-	0,00
5	3 382	3 387	3,75	96,5	-	0,00
6	3 485	3 489	3,48	96,5	-	0,00
7	3 557	3 561	3,29	96,5	-	0,00
8	2 773	2 778	5,55	96,5	-	0,00
9	2 988	2 993	4,87	96,5	-	0,00
Sum			15,09			

- Data undefined due to calculation with octave data

Noise sensitive area: FC Kalmes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 325	2 331	7,13	96,5	-	0,00
10	3 189	3 193	4,29	96,5	-	0,00
11	2 575	2 581	6,22	96,5	-	0,00
12	1 465	1 475	11,23	96,5	-	0,00
13	1 069	1 083	13,97	96,5	-	0,00
2	3 324	3 328	3,91	96,5	-	0,00
3	2 128	2 134	7,93	96,5	-	0,00
4	1 546	1 556	10,75	96,5	-	0,00
5	1 959	1 966	8,66	96,5	-	0,00
6	2 954	2 959	4,98	96,5	-	0,00
7	2 802	2 807	5,46	96,5	-	0,00
8	2 139	2 147	7,87	96,5	-	0,00
9	1 876	1 884	9,05	96,5	-	0,00
Sum			19,95			

- Data undefined due to calculation with octave data

Noise sensitive area: FC Kalmes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 325	2 331	7,13	96,5	-	0,00
10	3 189	3 193	4,29	96,5	-	0,00
11	2 575	2 581	6,22	96,5	-	0,00
12	1 465	1 475	11,23	96,5	-	0,00
13	1 069	1 083	13,97	96,5	-	0,00
2	3 324	3 328	3,91	96,5	-	0,00
3	2 128	2 134	7,93	96,5	-	0,00
4	1 546	1 556	10,75	96,5	-	0,00
5	1 959	1 966	8,66	96,5	-	0,00
6	2 954	2 959	4,98	96,5	-	0,00
7	2 802	2 807	5,46	96,5	-	0,00
8	2 139	2 147	7,87	96,5	-	0,00
9	1 876	1 884	9,05	96,5	-	0,00
Sum			19,95			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FD Vitolu iela 24

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 381	4 384	1,38	96,5	-	0,00
10	4 942	4 945	0,27	96,5	-	0,00
11	4 070	4 074	2,06	96,5	-	0,00
12	2 997	3 002	4,85	96,5	-	0,00
13	3 090	3 095	4,57	96,5	-	0,00
2	4 811	4 814	0,52	96,5	-	0,00
3	3 331	3 335	3,89	96,5	-	0,00
4	3 655	3 659	3,04	96,5	-	0,00
5	3 704	3 708	2,92	96,5	-	0,00
6	5 525	5 527	-0,77	96,5	-	0,00
7	5 245	5 248	-0,29	96,5	-	0,00
8	4 746	4 749	0,64	96,5	-	0,00
9	4 172	4 176	1,83	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Noise sensitive area: FD Vitolu iela 24

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 381	4 384	1,38	96,5	-	0,00
10	4 942	4 945	0,27	96,5	-	0,00
11	4 070	4 074	2,06	96,5	-	0,00
12	2 997	3 002	4,85	96,5	-	0,00
13	3 090	3 095	4,57	96,5	-	0,00
2	4 811	4 814	0,52	96,5	-	0,00
3	3 331	3 335	3,89	96,5	-	0,00
4	3 655	3 659	3,04	96,5	-	0,00
5	3 704	3 708	2,92	96,5	-	0,00
6	5 525	5 527	-0,77	96,5	-	0,00
7	5 245	5 248	-0,29	96,5	-	0,00
8	4 746	4 749	0,64	96,5	-	0,00
9	4 172	4 176	1,83	96,5	-	0,00
Sum			13,42			

- Data undefined due to calculation with octave data

Noise sensitive area: FE Vitolu iela 23

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 171	4 174	1,83	96,5	-	0,00
10	4 742	4 745	0,65	96,5	-	0,00
11	3 873	3 877	2,51	96,5	-	0,00
12	2 788	2 793	5,50	96,5	-	0,00
13	2 876	2 881	5,22	96,5	-	0,00
2	4 619	4 623	0,89	96,5	-	0,00
3	3 135	3 139	4,44	96,5	-	0,00
4	3 442	3 446	3,59	96,5	-	0,00
5	3 497	3 501	3,45	96,5	-	0,00
6	5 310	5 312	-0,40	96,5	-	0,00
7	5 031	5 033	0,10	96,5	-	0,00
8	4 531	4 534	1,07	96,5	-	0,00
9	3 958	3 962	2,31	96,5	-	0,00
Sum			13,94			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FE Vitolu iela 23

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 171	4 174	1,83	96,5	-	0,00
10	4 742	4 745	0,65	96,5	-	0,00
11	3 873	3 877	2,51	96,5	-	0,00
12	2 788	2 793	5,50	96,5	-	0,00
13	2 876	2 881	5,22	96,5	-	0,00
2	4 619	4 623	0,89	96,5	-	0,00
3	3 135	3 139	4,44	96,5	-	0,00
4	3 442	3 446	3,59	96,5	-	0,00
5	3 497	3 501	3,45	96,5	-	0,00
6	5 310	5 312	-0,40	96,5	-	0,00
7	5 031	5 033	0,10	96,5	-	0,00
8	4 531	4 534	1,07	96,5	-	0,00
9	3 958	3 962	2,31	96,5	-	0,00
Sum			13,94			

- Data undefined due to calculation with octave data

Noise sensitive area: FF Vecozols

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 829	3 832	2,62	96,5	-	0,00
10	4 429	4 432	1,28	96,5	-	0,00
11	3 569	3 573	3,26	96,5	-	0,00
12	2 453	2 458	6,65	96,5	-	0,00
13	2 517	2 523	6,42	96,5	-	0,00
2	4 328	4 332	1,49	96,5	-	0,00
3	2 838	2 843	5,34	96,5	-	0,00
4	3 088	3 093	4,58	96,5	-	0,00
5	3 167	3 171	4,35	96,5	-	0,00
6	4 943	4 945	0,27	96,5	-	0,00
7	4 670	4 673	0,79	96,5	-	0,00
8	4 162	4 165	1,85	96,5	-	0,00
9	3 600	3 604	3,18	96,5	-	0,00
Sum			14,86			

- Data undefined due to calculation with octave data

Noise sensitive area: FF Vecozols

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 829	3 832	2,62	96,5	-	0,00
10	4 429	4 432	1,28	96,5	-	0,00
11	3 569	3 573	3,26	96,5	-	0,00
12	2 453	2 458	6,65	96,5	-	0,00
13	2 517	2 523	6,42	96,5	-	0,00
2	4 328	4 332	1,49	96,5	-	0,00
3	2 838	2 843	5,34	96,5	-	0,00
4	3 088	3 093	4,58	96,5	-	0,00
5	3 167	3 171	4,35	96,5	-	0,00
6	4 943	4 945	0,27	96,5	-	0,00
7	4 670	4 673	0,79	96,5	-	0,00
8	4 162	4 165	1,85	96,5	-	0,00
9	3 600	3 604	3,18	96,5	-	0,00
Sum			14,86			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FG Mui ž nieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 979	3 983	2,27	96,5	-	0,00
10	4 665	4 668	0,80	96,5	-	0,00
11	3 839	3 843	2,59	96,5	-	0,00
12	2 655	2 660	5,94	96,5	-	0,00
13	2 611	2 617	6,09	96,5	-	0,00
2	4 618	4 622	0,89	96,5	-	0,00
3	3 135	3 140	4,44	96,5	-	0,00
4	3 199	3 204	4,25	96,5	-	0,00
5	3 368	3 372	3,79	96,5	-	0,00
6	4 940	4 943	0,27	96,5	-	0,00
7	4 718	4 721	0,70	96,5	-	0,00
8	4 135	4 139	1,91	96,5	-	0,00
9	3 678	3 683	2,98	96,5	-	0,00
Sum			14,40			

- Data undefined due to calculation with octave data

Noise sensitive area: FG Mui ž nieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 979	3 983	2,27	96,5	-	0,00
10	4 665	4 668	0,80	96,5	-	0,00
11	3 839	3 843	2,59	96,5	-	0,00
12	2 655	2 660	5,94	96,5	-	0,00
13	2 611	2 617	6,09	96,5	-	0,00
2	4 618	4 622	0,89	96,5	-	0,00
3	3 135	3 140	4,44	96,5	-	0,00
4	3 199	3 204	4,25	96,5	-	0,00
5	3 368	3 372	3,79	96,5	-	0,00
6	4 940	4 943	0,27	96,5	-	0,00
7	4 718	4 721	0,70	96,5	-	0,00
8	4 135	4 139	1,91	96,5	-	0,00
9	3 678	3 683	2,98	96,5	-	0,00
Sum			14,40			

- Data undefined due to calculation with octave data

Noise sensitive area: FH Ausekli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 364	4 367	1,42	96,5	-	0,00
10	4 776	4 779	0,58	96,5	-	0,00
11	3 891	3 895	2,47	96,5	-	0,00
12	3 001	3 005	4,84	96,5	-	0,00
13	3 228	3 233	4,17	96,5	-	0,00
2	4 564	4 568	1,00	96,5	-	0,00
3	3 160	3 164	4,37	96,5	-	0,00
4	3 731	3 735	2,85	96,5	-	0,00
5	3 651	3 655	3,05	96,5	-	0,00
6	5 680	5 683	-1,03	96,5	-	0,00
7	5 340	5 342	-0,45	96,5	-	0,00
8	4 953	4 955	0,25	96,5	-	0,00
9	4 265	4 268	1,63	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FH Ausekli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 364	4 367	1,42	96,5	-	0,00
10	4 776	4 779	0,58	96,5	-	0,00
11	3 891	3 895	2,47	96,5	-	0,00
12	3 001	3 005	4,84	96,5	-	0,00
13	3 228	3 233	4,17	96,5	-	0,00
2	4 564	4 568	1,00	96,5	-	0,00
3	3 160	3 164	4,37	96,5	-	0,00
4	3 731	3 735	2,85	96,5	-	0,00
5	3 651	3 655	3,05	96,5	-	0,00
6	5 680	5 683	-1,03	96,5	-	0,00
7	5 340	5 342	-0,45	96,5	-	0,00
8	4 953	4 955	0,25	96,5	-	0,00
9	4 265	4 268	1,63	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: FI Ausekli š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 318	4 321	1,52	96,5	-	0,00
10	4 729	4 732	0,67	96,5	-	0,00
11	3 845	3 848	2,58	96,5	-	0,00
12	2 955	2 960	4,98	96,5	-	0,00
13	3 184	3 189	4,30	96,5	-	0,00
2	4 518	4 521	1,10	96,5	-	0,00
3	3 113	3 117	4,50	96,5	-	0,00
4	3 686	3 690	2,97	96,5	-	0,00
5	3 605	3 608	3,17	96,5	-	0,00
6	5 635	5 638	-0,96	96,5	-	0,00
7	5 294	5 297	-0,37	96,5	-	0,00
8	4 909	4 912	0,33	96,5	-	0,00
9	4 219	4 223	1,73	96,5	-	0,00
Sum			13,56			

- Data undefined due to calculation with octave data

Noise sensitive area: FI Ausekli š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 318	4 321	1,52	96,5	-	0,00
10	4 729	4 732	0,67	96,5	-	0,00
11	3 845	3 848	2,58	96,5	-	0,00
12	2 955	2 960	4,98	96,5	-	0,00
13	3 184	3 189	4,30	96,5	-	0,00
2	4 518	4 521	1,10	96,5	-	0,00
3	3 113	3 117	4,50	96,5	-	0,00
4	3 686	3 690	2,97	96,5	-	0,00
5	3 605	3 608	3,17	96,5	-	0,00
6	5 635	5 638	-0,96	96,5	-	0,00
7	5 294	5 297	-0,37	96,5	-	0,00
8	4 909	4 912	0,33	96,5	-	0,00
9	4 219	4 223	1,73	96,5	-	0,00
Sum			13,56			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FJ Liepkalni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 345	3 350	3,85	96,5	-	0,00
10	3 921	3 924	2,40	96,5	-	0,00
11	3 057	3 062	4,67	96,5	-	0,00
12	1 961	1 969	8,65	96,5	-	0,00
13	2 071	2 078	8,16	96,5	-	0,00
2	3 813	3 817	2,66	96,5	-	0,00
3	2 323	2 329	7,14	96,5	-	0,00
4	2 626	2 632	6,04	96,5	-	0,00
5	2 670	2 675	5,89	96,5	-	0,00
6	4 522	4 525	1,09	96,5	-	0,00
7	4 225	4 228	1,71	96,5	-	0,00
8	3 759	3 764	2,78	96,5	-	0,00
9	3 148	3 153	4,40	96,5	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Noise sensitive area: FJ Liepkalni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 345	3 350	3,85	96,5	-	0,00
10	3 921	3 924	2,40	96,5	-	0,00
11	3 057	3 062	4,67	96,5	-	0,00
12	1 961	1 969	8,65	96,5	-	0,00
13	2 071	2 078	8,16	96,5	-	0,00
2	3 813	3 817	2,66	96,5	-	0,00
3	2 323	2 329	7,14	96,5	-	0,00
4	2 626	2 632	6,04	96,5	-	0,00
5	2 670	2 675	5,89	96,5	-	0,00
6	4 522	4 525	1,09	96,5	-	0,00
7	4 225	4 228	1,71	96,5	-	0,00
8	3 759	3 764	2,78	96,5	-	0,00
9	3 148	3 153	4,40	96,5	-	0,00
Sum			16,37			

- Data undefined due to calculation with octave data

Noise sensitive area: FK Berzu iela 12

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 207	4 211	1,75	96,5	-	0,00
10	4 729	4 732	0,67	96,5	-	0,00
11	3 851	3 854	2,57	96,5	-	0,00
12	2 821	2 825	5,40	96,5	-	0,00
13	2 957	2 962	4,97	96,5	-	0,00
2	4 578	4 581	0,98	96,5	-	0,00
3	3 109	3 113	4,52	96,5	-	0,00
4	3 506	3 510	3,42	96,5	-	0,00
5	3 516	3 520	3,40	96,5	-	0,00
6	5 409	5 412	-0,57	96,5	-	0,00
7	5 109	5 112	-0,04	96,5	-	0,00
8	4 646	4 649	0,84	96,5	-	0,00
9	4 031	4 035	2,15	96,5	-	0,00
Sum			13,85			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FK Berzu iela 12

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 207	4 211	1,75	96,5	-	0,00
10	4 729	4 732	0,67	96,5	-	0,00
11	3 851	3 854	2,57	96,5	-	0,00
12	2 821	2 825	5,40	96,5	-	0,00
13	2 957	2 962	4,97	96,5	-	0,00
2	4 578	4 581	0,98	96,5	-	0,00
3	3 109	3 113	4,52	96,5	-	0,00
4	3 506	3 510	3,42	96,5	-	0,00
5	3 516	3 520	3,40	96,5	-	0,00
6	5 409	5 412	-0,57	96,5	-	0,00
7	5 109	5 112	-0,04	96,5	-	0,00
8	4 646	4 649	0,84	96,5	-	0,00
9	4 031	4 035	2,15	96,5	-	0,00
Sum			13,85			

- Data undefined due to calculation with octave data

Noise sensitive area: FL Avotini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 043	4 047	2,12	96,5	-	0,00
10	4 837	4 840	0,47	96,5	-	0,00
11	4 090	4 094	2,01	96,5	-	0,00
12	2 871	2 876	5,24	96,5	-	0,00
13	2 674	2 680	5,88	96,5	-	0,00
2	4 876	4 879	0,39	96,5	-	0,00
3	3 459	3 463	3,55	96,5	-	0,00
4	3 243	3 247	4,13	96,5	-	0,00
5	3 537	3 541	3,34	96,5	-	0,00
6	4 740	4 743	0,65	96,5	-	0,00
7	4 601	4 604	0,93	96,5	-	0,00
8	3 925	3 929	2,39	96,5	-	0,00
9	3 646	3 650	3,07	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Noise sensitive area: FL Avotini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 043	4 047	2,12	96,5	-	0,00
10	4 837	4 840	0,47	96,5	-	0,00
11	4 090	4 094	2,01	96,5	-	0,00
12	2 871	2 876	5,24	96,5	-	0,00
13	2 674	2 680	5,88	96,5	-	0,00
2	4 876	4 879	0,39	96,5	-	0,00
3	3 459	3 463	3,55	96,5	-	0,00
4	3 243	3 247	4,13	96,5	-	0,00
5	3 537	3 541	3,34	96,5	-	0,00
6	4 740	4 743	0,65	96,5	-	0,00
7	4 601	4 604	0,93	96,5	-	0,00
8	3 925	3 929	2,39	96,5	-	0,00
9	3 646	3 650	3,07	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FM Saulgo ž i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 881	3 885	2,49	96,5	-	0,00
10	4 596	4 599	0,94	96,5	-	0,00
11	3 788	3 792	2,72	96,5	-	0,00
12	2 587	2 592	6,18	96,5	-	0,00
13	2 504	2 509	6,47	96,5	-	0,00
2	4 572	4 575	0,99	96,5	-	0,00
3	3 101	3 105	4,54	96,5	-	0,00
4	3 092	3 097	4,56	96,5	-	0,00
5	3 293	3 297	4,00	96,5	-	0,00
6	4 789	4 791	0,56	96,5	-	0,00
7	4 583	4 586	0,97	96,5	-	0,00
8	3 980	3 983	2,26	96,5	-	0,00
9	3 557	3 561	3,29	96,5	-	0,00
Sum			14,65			

- Data undefined due to calculation with octave data

Noise sensitive area: FM Saulgo ž i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 881	3 885	2,49	96,5	-	0,00
10	4 596	4 599	0,94	96,5	-	0,00
11	3 788	3 792	2,72	96,5	-	0,00
12	2 587	2 592	6,18	96,5	-	0,00
13	2 504	2 509	6,47	96,5	-	0,00
2	4 572	4 575	0,99	96,5	-	0,00
3	3 101	3 105	4,54	96,5	-	0,00
4	3 092	3 097	4,56	96,5	-	0,00
5	3 293	3 297	4,00	96,5	-	0,00
6	4 789	4 791	0,56	96,5	-	0,00
7	4 583	4 586	0,97	96,5	-	0,00
8	3 980	3 983	2,26	96,5	-	0,00
9	3 557	3 561	3,29	96,5	-	0,00
Sum			14,65			

- Data undefined due to calculation with octave data

Noise sensitive area: FN Laides

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 961	3 964	2,31	96,5	-	0,00
10	4 372	4 375	1,40	96,5	-	0,00
11	3 487	3 491	3,47	96,5	-	0,00
12	2 602	2 607	6,12	96,5	-	0,00
13	2 845	2 850	5,32	96,5	-	0,00
2	4 165	4 168	1,85	96,5	-	0,00
3	2 754	2 759	5,61	96,5	-	0,00
4	3 337	3 341	3,87	96,5	-	0,00
5	3 247	3 251	4,12	96,5	-	0,00
6	5 290	5 293	-0,37	96,5	-	0,00
7	4 944	4 946	0,26	96,5	-	0,00
8	4 572	4 575	0,99	96,5	-	0,00
9	3 870	3 874	2,52	96,5	-	0,00
Sum			14,48			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FN Laides

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 961	3 964	2,31	96,5	-	0,00
10	4 372	4 375	1,40	96,5	-	0,00
11	3 487	3 491	3,47	96,5	-	0,00
12	2 602	2 607	6,12	96,5	-	0,00
13	2 845	2 850	5,32	96,5	-	0,00
2	4 165	4 168	1,85	96,5	-	0,00
3	2 754	2 759	5,61	96,5	-	0,00
4	3 337	3 341	3,87	96,5	-	0,00
5	3 247	3 251	4,12	96,5	-	0,00
6	5 290	5 293	-0,37	96,5	-	0,00
7	4 944	4 946	0,26	96,5	-	0,00
8	4 572	4 575	0,99	96,5	-	0,00
9	3 870	3 874	2,52	96,5	-	0,00
Sum			14,48			

- Data undefined due to calculation with octave data

Noise sensitive area: FO Malnieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 320	4 323	1,51	96,5	-	0,00
10	5 004	5 007	0,15	96,5	-	0,00
11	4 175	4 179	1,82	96,5	-	0,00
12	2 995	2 999	4,86	96,5	-	0,00
13	2 950	2 955	4,99	96,5	-	0,00
2	4 953	4 956	0,25	96,5	-	0,00
3	3 467	3 471	3,52	96,5	-	0,00
4	3 539	3 543	3,34	96,5	-	0,00
5	3 708	3 712	2,91	96,5	-	0,00
6	5 264	5 267	-0,32	96,5	-	0,00
7	5 050	5 053	0,07	96,5	-	0,00
8	4 457	4 460	1,22	96,5	-	0,00
9	4 015	4 019	2,18	96,5	-	0,00
Sum			13,53			

- Data undefined due to calculation with octave data

Noise sensitive area: FO Malnieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 320	4 323	1,51	96,5	-	0,00
10	5 004	5 007	0,15	96,5	-	0,00
11	4 175	4 179	1,82	96,5	-	0,00
12	2 995	2 999	4,86	96,5	-	0,00
13	2 950	2 955	4,99	96,5	-	0,00
2	4 953	4 956	0,25	96,5	-	0,00
3	3 467	3 471	3,52	96,5	-	0,00
4	3 539	3 543	3,34	96,5	-	0,00
5	3 708	3 712	2,91	96,5	-	0,00
6	5 264	5 267	-0,32	96,5	-	0,00
7	5 050	5 053	0,07	96,5	-	0,00
8	4 457	4 460	1,22	96,5	-	0,00
9	4 015	4 019	2,18	96,5	-	0,00
Sum			13,53			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FP Upenes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 166	4 169	1,84	96,5	-	0,00
10	4 581	4 584	0,97	96,5	-	0,00
11	3 696	3 700	2,94	96,5	-	0,00
12	2 803	2 808	5,45	96,5	-	0,00
13	3 035	3 040	4,73	96,5	-	0,00
2	4 374	4 377	1,40	96,5	-	0,00
3	2 964	2 968	4,95	96,5	-	0,00
4	3 534	3 539	3,35	96,5	-	0,00
5	3 453	3 457	3,56	96,5	-	0,00
6	5 485	5 487	-0,70	96,5	-	0,00
7	5 143	5 146	-0,10	96,5	-	0,00
8	4 760	4 763	0,61	96,5	-	0,00
9	4 068	4 072	2,06	96,5	-	0,00
Sum			13,94			

- Data undefined due to calculation with octave data

Noise sensitive area: FP Upenes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 166	4 169	1,84	96,5	-	0,00
10	4 581	4 584	0,97	96,5	-	0,00
11	3 696	3 700	2,94	96,5	-	0,00
12	2 803	2 808	5,45	96,5	-	0,00
13	3 035	3 040	4,73	96,5	-	0,00
2	4 374	4 377	1,40	96,5	-	0,00
3	2 964	2 968	4,95	96,5	-	0,00
4	3 534	3 539	3,35	96,5	-	0,00
5	3 453	3 457	3,56	96,5	-	0,00
6	5 485	5 487	-0,70	96,5	-	0,00
7	5 143	5 146	-0,10	96,5	-	0,00
8	4 760	4 763	0,61	96,5	-	0,00
9	4 068	4 072	2,06	96,5	-	0,00
Sum			13,94			

- Data undefined due to calculation with octave data

Noise sensitive area: FQ Jaunozoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 102	4 105	1,99	96,5	-	0,00
10	4 517	4 520	1,10	96,5	-	0,00
11	3 632	3 635	3,10	96,5	-	0,00
12	2 740	2 745	5,66	96,5	-	0,00
13	2 974	2 979	4,92	96,5	-	0,00
2	4 310	4 313	1,53	96,5	-	0,00
3	2 899	2 903	5,15	96,5	-	0,00
4	3 472	3 476	3,51	96,5	-	0,00
5	3 389	3 393	3,73	96,5	-	0,00
6	5 423	5 425	-0,60	96,5	-	0,00
7	5 080	5 082	0,01	96,5	-	0,00
8	4 700	4 703	0,73	96,5	-	0,00
9	4 005	4 009	2,21	96,5	-	0,00
Sum			14,10			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FQ Jaunozoli

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 102	4 105	1,99	96,5	-	0,00
10	4 517	4 520	1,10	96,5	-	0,00
11	3 632	3 635	3,10	96,5	-	0,00
12	2 740	2 745	5,66	96,5	-	0,00
13	2 974	2 979	4,92	96,5	-	0,00
2	4 310	4 313	1,53	96,5	-	0,00
3	2 899	2 903	5,15	96,5	-	0,00
4	3 472	3 476	3,51	96,5	-	0,00
5	3 389	3 393	3,73	96,5	-	0,00
6	5 423	5 425	-0,60	96,5	-	0,00
7	5 080	5 082	0,01	96,5	-	0,00
8	4 700	4 703	0,73	96,5	-	0,00
9	4 005	4 009	2,21	96,5	-	0,00
Sum			14,10			

- Data undefined due to calculation with octave data

Noise sensitive area: FR Berzu iela 14

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 102	4 106	1,99	96,5	-	0,00
10	4 633	4 636	0,87	96,5	-	0,00
11	3 755	3 759	2,80	96,5	-	0,00
12	2 716	2 721	5,74	96,5	-	0,00
13	2 848	2 853	5,31	96,5	-	0,00
2	4 487	4 490	1,16	96,5	-	0,00
3	3 014	3 018	4,80	96,5	-	0,00
4	3 398	3 402	3,71	96,5	-	0,00
5	3 414	3 418	3,67	96,5	-	0,00
6	5 299	5 302	-0,38	96,5	-	0,00
7	5 000	5 003	0,16	96,5	-	0,00
8	4 535	4 538	1,06	96,5	-	0,00
9	3 922	3 926	2,40	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Noise sensitive area: FR Berzu iela 14

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 102	4 106	1,99	96,5	-	0,00
10	4 633	4 636	0,87	96,5	-	0,00
11	3 755	3 759	2,80	96,5	-	0,00
12	2 716	2 721	5,74	96,5	-	0,00
13	2 848	2 853	5,31	96,5	-	0,00
2	4 487	4 490	1,16	96,5	-	0,00
3	3 014	3 018	4,80	96,5	-	0,00
4	3 398	3 402	3,71	96,5	-	0,00
5	3 414	3 418	3,67	96,5	-	0,00
6	5 299	5 302	-0,38	96,5	-	0,00
7	5 000	5 003	0,16	96,5	-	0,00
8	4 535	4 538	1,06	96,5	-	0,00
9	3 922	3 926	2,40	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FS O š lejas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 356	4 359	1,43	96,5	-	0,00
10	5 041	5 044	0,08	96,5	-	0,00
11	4 212	4 216	1,74	96,5	-	0,00
12	3 031	3 036	4,75	96,5	-	0,00
13	2 986	2 991	4,88	96,5	-	0,00
2	4 990	4 993	0,18	96,5	-	0,00
3	3 504	3 508	3,43	96,5	-	0,00
4	3 574	3 578	3,25	96,5	-	0,00
5	3 745	3 749	2,82	96,5	-	0,00
6	5 296	5 299	-0,38	96,5	-	0,00
7	5 084	5 087	0,00	96,5	-	0,00
8	4 488	4 492	1,16	96,5	-	0,00
9	4 049	4 053	2,10	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: FS O š lejas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 356	4 359	1,43	96,5	-	0,00
10	5 041	5 044	0,08	96,5	-	0,00
11	4 212	4 216	1,74	96,5	-	0,00
12	3 031	3 036	4,75	96,5	-	0,00
13	2 986	2 991	4,88	96,5	-	0,00
2	4 990	4 993	0,18	96,5	-	0,00
3	3 504	3 508	3,43	96,5	-	0,00
4	3 574	3 578	3,25	96,5	-	0,00
5	3 745	3 749	2,82	96,5	-	0,00
6	5 296	5 299	-0,38	96,5	-	0,00
7	5 084	5 087	0,00	96,5	-	0,00
8	4 488	4 492	1,16	96,5	-	0,00
9	4 049	4 053	2,10	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: FT Berzu iela 11

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 309	4 313	1,53	96,5	-	0,00
10	4 836	4 839	0,47	96,5	-	0,00
11	3 957	3 961	2,32	96,5	-	0,00
12	2 923	2 927	5,08	96,5	-	0,00
13	3 053	3 057	4,68	96,5	-	0,00
2	4 685	4 688	0,76	96,5	-	0,00
3	3 216	3 220	4,21	96,5	-	0,00
4	3 604	3 608	3,17	96,5	-	0,00
5	3 620	3 624	3,13	96,5	-	0,00
6	5 502	5 505	-0,73	96,5	-	0,00
7	5 206	5 209	-0,22	96,5	-	0,00
8	4 735	4 739	0,66	96,5	-	0,00
9	4 128	4 132	1,93	96,5	-	0,00
Sum			13,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FT Berzu iela 11

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 309	4 313	1,53	96,5	-	0,00
10	4 836	4 839	0,47	96,5	-	0,00
11	3 957	3 961	2,32	96,5	-	0,00
12	2 923	2 927	5,08	96,5	-	0,00
13	3 053	3 057	4,68	96,5	-	0,00
2	4 685	4 688	0,76	96,5	-	0,00
3	3 216	3 220	4,21	96,5	-	0,00
4	3 604	3 608	3,17	96,5	-	0,00
5	3 620	3 624	3,13	96,5	-	0,00
6	5 502	5 505	-0,73	96,5	-	0,00
7	5 206	5 209	-0,22	96,5	-	0,00
8	4 735	4 739	0,66	96,5	-	0,00
9	4 128	4 132	1,93	96,5	-	0,00
Sum			13,59			

- Data undefined due to calculation with octave data

Noise sensitive area: FU Berzu iela 15

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 131	1,93	96,5	-	0,00
10	4 669	4 672	0,79	96,5	-	0,00
11	3 794	3 797	2,70	96,5	-	0,00
12	2 741	2 746	5,66	96,5	-	0,00
13	2 861	2 866	5,27	96,5	-	0,00
2	4 529	4 532	1,07	96,5	-	0,00
3	3 053	3 057	4,68	96,5	-	0,00
4	3 416	3 420	3,66	96,5	-	0,00
5	3 442	3 446	3,59	96,5	-	0,00
6	5 308	5 311	-0,40	96,5	-	0,00
7	5 015	5 018	0,13	96,5	-	0,00
8	4 540	4 543	1,05	96,5	-	0,00
9	3 938	3 942	2,36	96,5	-	0,00
Sum			14,05			

- Data undefined due to calculation with octave data

Noise sensitive area: FU Berzu iela 15

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 127	4 131	1,93	96,5	-	0,00
10	4 669	4 672	0,79	96,5	-	0,00
11	3 794	3 797	2,70	96,5	-	0,00
12	2 741	2 746	5,66	96,5	-	0,00
13	2 861	2 866	5,27	96,5	-	0,00
2	4 529	4 532	1,07	96,5	-	0,00
3	3 053	3 057	4,68	96,5	-	0,00
4	3 416	3 420	3,66	96,5	-	0,00
5	3 442	3 446	3,59	96,5	-	0,00
6	5 308	5 311	-0,40	96,5	-	0,00
7	5 015	5 018	0,13	96,5	-	0,00
8	4 540	4 543	1,05	96,5	-	0,00
9	3 938	3 942	2,36	96,5	-	0,00
Sum			14,05			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FV Lapsu Grava

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 314	4 318	1,52	96,5	-	0,00
10	5 111	5 114	-0,05	96,5	-	0,00
11	4 364	4 367	1,42	96,5	-	0,00
12	3 144	3 149	4,41	96,5	-	0,00
13	2 947	2 952	5,00	96,5	-	0,00
2	5 150	5 153	-0,12	96,5	-	0,00
3	3 729	3 733	2,86	96,5	-	0,00
4	3 514	3 518	3,40	96,5	-	0,00
5	3 811	3 815	2,66	96,5	-	0,00
6	4 985	4 988	0,19	96,5	-	0,00
7	4 857	4 860	0,43	96,5	-	0,00
8	4 172	4 175	1,83	96,5	-	0,00
9	3 912	3 916	2,42	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: FV Lapsu Grava

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 314	4 318	1,52	96,5	-	0,00
10	5 111	5 114	-0,05	96,5	-	0,00
11	4 364	4 367	1,42	96,5	-	0,00
12	3 144	3 149	4,41	96,5	-	0,00
13	2 947	2 952	5,00	96,5	-	0,00
2	5 150	5 153	-0,12	96,5	-	0,00
3	3 729	3 733	2,86	96,5	-	0,00
4	3 514	3 518	3,40	96,5	-	0,00
5	3 811	3 815	2,66	96,5	-	0,00
6	4 985	4 988	0,19	96,5	-	0,00
7	4 857	4 860	0,43	96,5	-	0,00
8	4 172	4 175	1,83	96,5	-	0,00
9	3 912	3 916	2,42	96,5	-	0,00
Sum			13,44			

- Data undefined due to calculation with octave data

Noise sensitive area: FW Monetas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 080	4 083	2,04	96,5	-	0,00
10	4 508	4 511	1,12	96,5	-	0,00
11	3 622	3 626	3,13	96,5	-	0,00
12	2 713	2 717	5,75	96,5	-	0,00
13	2 937	2 942	5,03	96,5	-	0,00
2	4 308	4 311	1,54	96,5	-	0,00
3	2 887	2 892	5,19	96,5	-	0,00
4	3 441	3 445	3,59	96,5	-	0,00
5	3 368	3 372	3,79	96,5	-	0,00
6	5 389	5 391	-0,54	96,5	-	0,00
7	5 050	5 053	0,07	96,5	-	0,00
8	4 661	4 664	0,81	96,5	-	0,00
9	3 974	3 978	2,28	96,5	-	0,00
Sum			14,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FW Monetas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 080	4 083	2,04	96,5	-	0,00
10	4 508	4 511	1,12	96,5	-	0,00
11	3 622	3 626	3,13	96,5	-	0,00
12	2 713	2 717	5,75	96,5	-	0,00
13	2 937	2 942	5,03	96,5	-	0,00
2	4 308	4 311	1,54	96,5	-	0,00
3	2 887	2 892	5,19	96,5	-	0,00
4	3 441	3 445	3,59	96,5	-	0,00
5	3 368	3 372	3,79	96,5	-	0,00
6	5 389	5 391	-0,54	96,5	-	0,00
7	5 050	5 053	0,07	96,5	-	0,00
8	4 661	4 664	0,81	96,5	-	0,00
9	3 974	3 978	2,28	96,5	-	0,00
Sum			14,16			

- Data undefined due to calculation with octave data

Noise sensitive area: FX Berzu iela 10

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 258	4 261	1,64	96,5	-	0,00
10	4 777	4 780	0,58	96,5	-	0,00
11	3 898	3 901	2,46	96,5	-	0,00
12	2 871	2 876	5,24	96,5	-	0,00
13	3 010	3 015	4,81	96,5	-	0,00
2	4 623	4 626	0,88	96,5	-	0,00
3	3 156	3 160	4,38	96,5	-	0,00
4	3 558	3 562	3,29	96,5	-	0,00
5	3 566	3 570	3,27	96,5	-	0,00
6	5 462	5 465	-0,66	96,5	-	0,00
7	5 161	5 164	-0,14	96,5	-	0,00
8	4 698	4 702	0,73	96,5	-	0,00
9	4 083	4 087	2,03	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Noise sensitive area: FX Berzu iela 10

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 258	4 261	1,64	96,5	-	0,00
10	4 777	4 780	0,58	96,5	-	0,00
11	3 898	3 901	2,46	96,5	-	0,00
12	2 871	2 876	5,24	96,5	-	0,00
13	3 010	3 015	4,81	96,5	-	0,00
2	4 623	4 626	0,88	96,5	-	0,00
3	3 156	3 160	4,38	96,5	-	0,00
4	3 558	3 562	3,29	96,5	-	0,00
5	3 566	3 570	3,27	96,5	-	0,00
6	5 462	5 465	-0,66	96,5	-	0,00
7	5 161	5 164	-0,14	96,5	-	0,00
8	4 698	4 702	0,73	96,5	-	0,00
9	4 083	4 087	2,03	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FY Vitolu iela 28

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 312	4 316	1,53	96,5	-	0,00
10	4 877	4 880	0,39	96,5	-	0,00
11	4 006	4 010	2,20	96,5	-	0,00
12	2 929	2 934	5,06	96,5	-	0,00
13	3 020	3 025	4,78	96,5	-	0,00
2	4 749	4 752	0,64	96,5	-	0,00
3	3 267	3 271	4,07	96,5	-	0,00
4	3 585	3 590	3,22	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	5 454	5 457	-0,65	96,5	-	0,00
7	5 175	5 178	-0,16	96,5	-	0,00
8	4 675	4 679	0,78	96,5	-	0,00
9	4 102	4 106	1,99	96,5	-	0,00
Sum			13,58			

- Data undefined due to calculation with octave data

Noise sensitive area: FY Vitolu iela 28

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 312	4 316	1,53	96,5	-	0,00
10	4 877	4 880	0,39	96,5	-	0,00
11	4 006	4 010	2,20	96,5	-	0,00
12	2 929	2 934	5,06	96,5	-	0,00
13	3 020	3 025	4,78	96,5	-	0,00
2	4 749	4 752	0,64	96,5	-	0,00
3	3 267	3 271	4,07	96,5	-	0,00
4	3 585	3 590	3,22	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	5 454	5 457	-0,65	96,5	-	0,00
7	5 175	5 178	-0,16	96,5	-	0,00
8	4 675	4 679	0,78	96,5	-	0,00
9	4 102	4 106	1,99	96,5	-	0,00
Sum			13,58			

- Data undefined due to calculation with octave data

Noise sensitive area: FZ Jaunzibergi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 738	3 742	2,84	96,5	-	0,00
10	4 171	4 174	1,83	96,5	-	0,00
11	3 286	3 290	4,01	96,5	-	0,00
12	2 373	2 379	6,95	96,5	-	0,00
13	2 608	2 613	6,10	96,5	-	0,00
2	3 979	3 982	2,27	96,5	-	0,00
3	2 549	2 555	6,31	96,5	-	0,00
4	3 104	3 109	4,53	96,5	-	0,00
5	3 027	3 031	4,76	96,5	-	0,00
6	5 056	5 058	0,06	96,5	-	0,00
7	4 712	4 715	0,71	96,5	-	0,00
8	4 335	4 338	1,48	96,5	-	0,00
9	3 638	3 642	3,09	96,5	-	0,00
Sum			15,11			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: FZ Jaunzibergi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 738	3 742	2,84	96,5	-	0,00
10	4 171	4 174	1,83	96,5	-	0,00
11	3 286	3 290	4,01	96,5	-	0,00
12	2 373	2 379	6,95	96,5	-	0,00
13	2 608	2 613	6,10	96,5	-	0,00
2	3 979	3 982	2,27	96,5	-	0,00
3	2 549	2 555	6,31	96,5	-	0,00
4	3 104	3 109	4,53	96,5	-	0,00
5	3 027	3 031	4,76	96,5	-	0,00
6	5 056	5 058	0,06	96,5	-	0,00
7	4 712	4 715	0,71	96,5	-	0,00
8	4 335	4 338	1,48	96,5	-	0,00
9	3 638	3 642	3,09	96,5	-	0,00
Sum			15,11			

- Data undefined due to calculation with octave data

Noise sensitive area: GA Vitolu iela 26

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 349	4 352	1,45	96,5	-	0,00
10	4 914	4 917	0,32	96,5	-	0,00
11	4 042	4 046	2,12	96,5	-	0,00
12	2 966	2 970	4,94	96,5	-	0,00
13	3 057	3 062	4,67	96,5	-	0,00
2	4 785	4 788	0,57	96,5	-	0,00
3	3 303	3 307	3,97	96,5	-	0,00
4	3 622	3 626	3,13	96,5	-	0,00
5	3 673	3 677	3,00	96,5	-	0,00
6	5 490	5 493	-0,71	96,5	-	0,00
7	5 212	5 214	-0,23	96,5	-	0,00
8	4 711	4 714	0,71	96,5	-	0,00
9	4 139	4 142	1,90	96,5	-	0,00
Sum			13,49			

- Data undefined due to calculation with octave data

Noise sensitive area: GA Vitolu iela 26

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 349	4 352	1,45	96,5	-	0,00
10	4 914	4 917	0,32	96,5	-	0,00
11	4 042	4 046	2,12	96,5	-	0,00
12	2 966	2 970	4,94	96,5	-	0,00
13	3 057	3 062	4,67	96,5	-	0,00
2	4 785	4 788	0,57	96,5	-	0,00
3	3 303	3 307	3,97	96,5	-	0,00
4	3 622	3 626	3,13	96,5	-	0,00
5	3 673	3 677	3,00	96,5	-	0,00
6	5 490	5 493	-0,71	96,5	-	0,00
7	5 212	5 214	-0,23	96,5	-	0,00
8	4 711	4 714	0,71	96,5	-	0,00
9	4 139	4 142	1,90	96,5	-	0,00
Sum			13,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GB Lu š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 894	3 897	2,46	96,5	-	0,00
10	4 362	4 366	1,42	96,5	-	0,00
11	3 478	3 483	3,50	96,5	-	0,00
12	2 515	2 521	6,43	96,5	-	0,00
13	2 712	2 718	5,75	96,5	-	0,00
2	4 186	4 189	1,80	96,5	-	0,00
3	2 738	2 743	5,66	96,5	-	0,00
4	3 231	3 236	4,16	96,5	-	0,00
5	3 188	3 193	4,29	96,5	-	0,00
6	5 169	5 172	-0,15	96,5	-	0,00
7	4 842	4 845	0,46	96,5	-	0,00
8	4 430	4 434	1,28	96,5	-	0,00
9	3 763	3 767	2,78	96,5	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Noise sensitive area: GB Lu š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 894	3 897	2,46	96,5	-	0,00
10	4 362	4 366	1,42	96,5	-	0,00
11	3 478	3 483	3,50	96,5	-	0,00
12	2 515	2 521	6,43	96,5	-	0,00
13	2 712	2 718	5,75	96,5	-	0,00
2	4 186	4 189	1,80	96,5	-	0,00
3	2 738	2 743	5,66	96,5	-	0,00
4	3 231	3 236	4,16	96,5	-	0,00
5	3 188	3 193	4,29	96,5	-	0,00
6	5 169	5 172	-0,15	96,5	-	0,00
7	4 842	4 845	0,46	96,5	-	0,00
8	4 430	4 434	1,28	96,5	-	0,00
9	3 763	3 767	2,78	96,5	-	0,00
Sum			14,68			

- Data undefined due to calculation with octave data

Noise sensitive area: GC Berzu iela 8

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 328	4 332	1,49	96,5	-	0,00
10	4 842	4 845	0,46	96,5	-	0,00
11	3 962	3 965	2,31	96,5	-	0,00
12	2 942	2 947	5,02	96,5	-	0,00
13	3 084	3 089	4,59	96,5	-	0,00
2	4 684	4 687	0,76	96,5	-	0,00
3	3 220	3 224	4,20	96,5	-	0,00
4	3 631	3 635	3,10	96,5	-	0,00
5	3 635	3 639	3,09	96,5	-	0,00
6	5 537	5 539	-0,79	96,5	-	0,00
7	5 235	5 238	-0,27	96,5	-	0,00
8	4 774	4 777	0,59	96,5	-	0,00
9	4 157	4 160	1,86	96,5	-	0,00
Sum			13,55			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GC Berzu iela 8

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 328	4 332	1,49	96,5	-	0,00
10	4 842	4 845	0,46	96,5	-	0,00
11	3 962	3 965	2,31	96,5	-	0,00
12	2 942	2 947	5,02	96,5	-	0,00
13	3 084	3 089	4,59	96,5	-	0,00
2	4 684	4 687	0,76	96,5	-	0,00
3	3 220	3 224	4,20	96,5	-	0,00
4	3 631	3 635	3,10	96,5	-	0,00
5	3 635	3 639	3,09	96,5	-	0,00
6	5 537	5 539	-0,79	96,5	-	0,00
7	5 235	5 238	-0,27	96,5	-	0,00
8	4 774	4 777	0,59	96,5	-	0,00
9	4 157	4 160	1,86	96,5	-	0,00
Sum			13,55			

- Data undefined due to calculation with octave data

Noise sensitive area: GD Auzani

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 239	4 242	1,69	96,5	-	0,00
10	4 935	4 938	0,28	96,5	-	0,00
11	4 113	4 116	1,96	96,5	-	0,00
12	2 924	2 929	5,07	96,5	-	0,00
13	2 865	2 871	5,25	96,5	-	0,00
2	4 893	4 896	0,36	96,5	-	0,00
3	3 411	3 415	3,67	96,5	-	0,00
4	3 454	3 459	3,56	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	5 164	5 167	-0,14	96,5	-	0,00
7	4 956	4 958	0,24	96,5	-	0,00
8	4 355	4 359	1,43	96,5	-	0,00
9	3 925	3 929	2,39	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Noise sensitive area: GD Auzani

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 239	4 242	1,69	96,5	-	0,00
10	4 935	4 938	0,28	96,5	-	0,00
11	4 113	4 116	1,96	96,5	-	0,00
12	2 924	2 929	5,07	96,5	-	0,00
13	2 865	2 871	5,25	96,5	-	0,00
2	4 893	4 896	0,36	96,5	-	0,00
3	3 411	3 415	3,67	96,5	-	0,00
4	3 454	3 459	3,56	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	5 164	5 167	-0,14	96,5	-	0,00
7	4 956	4 958	0,24	96,5	-	0,00
8	4 355	4 359	1,43	96,5	-	0,00
9	3 925	3 929	2,39	96,5	-	0,00
Sum			13,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GE Cirsenieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 239	4 243	1,68	96,5	-	0,00
10	5 040	5 043	0,08	96,5	-	0,00
11	4 298	4 301	1,56	96,5	-	0,00
12	3 079	3 083	4,60	96,5	-	0,00
13	2 874	2 879	5,23	96,5	-	0,00
2	5 083	5 086	0,01	96,5	-	0,00
3	3 668	3 672	3,01	96,5	-	0,00
4	3 439	3 444	3,60	96,5	-	0,00
5	3 741	3 745	2,83	96,5	-	0,00
6	4 903	4 906	0,34	96,5	-	0,00
7	4 776	4 779	0,58	96,5	-	0,00
8	4 089	4 093	2,01	96,5	-	0,00
9	3 834	3 838	2,61	96,5	-	0,00
Sum			13,62			

- Data undefined due to calculation with octave data

Noise sensitive area: GE Cirsenieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 239	4 243	1,68	96,5	-	0,00
10	5 040	5 043	0,08	96,5	-	0,00
11	4 298	4 301	1,56	96,5	-	0,00
12	3 079	3 083	4,60	96,5	-	0,00
13	2 874	2 879	5,23	96,5	-	0,00
2	5 083	5 086	0,01	96,5	-	0,00
3	3 668	3 672	3,01	96,5	-	0,00
4	3 439	3 444	3,60	96,5	-	0,00
5	3 741	3 745	2,83	96,5	-	0,00
6	4 903	4 906	0,34	96,5	-	0,00
7	4 776	4 779	0,58	96,5	-	0,00
8	4 089	4 093	2,01	96,5	-	0,00
9	3 834	3 838	2,61	96,5	-	0,00
Sum			13,62			

- Data undefined due to calculation with octave data

Noise sensitive area: GF Me ž veji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 848	2 853	5,31	96,5	-	0,00
10	3 350	3 355	3,84	96,5	-	0,00
11	2 474	2 479	6,58	96,5	-	0,00
12	1 469	1 478	11,21	96,5	-	0,00
13	1 696	1 704	9,94	96,5	-	0,00
2	3 213	3 218	4,22	96,5	-	0,00
3	1 733	1 741	9,75	96,5	-	0,00
4	2 192	2 199	7,66	96,5	-	0,00
5	2 146	2 152	7,85	96,5	-	0,00
6	4 142	4 145	1,90	96,5	-	0,00
7	3 802	3 805	2,68	96,5	-	0,00
8	3 424	3 428	3,64	96,5	-	0,00
9	2 725	2 731	5,71	96,5	-	0,00
Sum			18,25			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GF Me ž veji

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 848	2 853	5,31	96,5	-	0,00
10	3 350	3 355	3,84	96,5	-	0,00
11	2 474	2 479	6,58	96,5	-	0,00
12	1 469	1 478	11,21	96,5	-	0,00
13	1 696	1 704	9,94	96,5	-	0,00
2	3 213	3 218	4,22	96,5	-	0,00
3	1 733	1 741	9,75	96,5	-	0,00
4	2 192	2 199	7,66	96,5	-	0,00
5	2 146	2 152	7,85	96,5	-	0,00
6	4 142	4 145	1,90	96,5	-	0,00
7	3 802	3 805	2,68	96,5	-	0,00
8	3 424	3 428	3,64	96,5	-	0,00
9	2 725	2 731	5,71	96,5	-	0,00
Sum			18,25			

- Data undefined due to calculation with octave data

Noise sensitive area: GG Vec-Iztekas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 837	2 842	5,34	96,5	-	0,00
10	3 336	3 340	3,88	96,5	-	0,00
11	2 459	2 465	6,63	96,5	-	0,00
12	1 459	1 468	11,27	96,5	-	0,00
13	1 690	1 698	9,97	96,5	-	0,00
2	3 198	3 202	4,26	96,5	-	0,00
3	1 718	1 726	9,83	96,5	-	0,00
4	2 183	2 190	7,69	96,5	-	0,00
5	2 134	2 140	7,90	96,5	-	0,00
6	4 134	4 137	1,92	96,5	-	0,00
7	3 793	3 796	2,71	96,5	-	0,00
8	3 418	3 422	3,65	96,5	-	0,00
9	2 717	2 722	5,73	96,5	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Noise sensitive area: GG Vec-Iztekas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 837	2 842	5,34	96,5	-	0,00
10	3 336	3 340	3,88	96,5	-	0,00
11	2 459	2 465	6,63	96,5	-	0,00
12	1 459	1 468	11,27	96,5	-	0,00
13	1 690	1 698	9,97	96,5	-	0,00
2	3 198	3 202	4,26	96,5	-	0,00
3	1 718	1 726	9,83	96,5	-	0,00
4	2 183	2 190	7,69	96,5	-	0,00
5	2 134	2 140	7,90	96,5	-	0,00
6	4 134	4 137	1,92	96,5	-	0,00
7	3 793	3 796	2,71	96,5	-	0,00
8	3 418	3 422	3,65	96,5	-	0,00
9	2 717	2 722	5,73	96,5	-	0,00
Sum			18,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GH Adenaites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 037	4 041	2,13	96,5	-	0,00
10	4 314	4 317	1,52	96,5	-	0,00
11	3 445	3 449	3,58	96,5	-	0,00
12	2 759	2 764	5,60	96,5	-	0,00
13	3 090	3 095	4,57	96,5	-	0,00
2	4 044	4 048	2,12	96,5	-	0,00
3	2 754	2 759	5,61	96,5	-	0,00
4	3 509	3 514	3,41	96,5	-	0,00
5	3 321	3 325	3,92	96,5	-	0,00
6	5 467	5 470	-0,67	96,5	-	0,00
7	5 081	5 084	0,01	96,5	-	0,00
8	4 802	4 806	0,53	96,5	-	0,00
9	4 035	4 039	2,14	96,5	-	0,00
Sum			14,21			

- Data undefined due to calculation with octave data

Noise sensitive area: GH Adenaites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 037	4 041	2,13	96,5	-	0,00
10	4 314	4 317	1,52	96,5	-	0,00
11	3 445	3 449	3,58	96,5	-	0,00
12	2 759	2 764	5,60	96,5	-	0,00
13	3 090	3 095	4,57	96,5	-	0,00
2	4 044	4 048	2,12	96,5	-	0,00
3	2 754	2 759	5,61	96,5	-	0,00
4	3 509	3 514	3,41	96,5	-	0,00
5	3 321	3 325	3,92	96,5	-	0,00
6	5 467	5 470	-0,67	96,5	-	0,00
7	5 081	5 084	0,01	96,5	-	0,00
8	4 802	4 806	0,53	96,5	-	0,00
9	4 035	4 039	2,14	96,5	-	0,00
Sum			14,21			

- Data undefined due to calculation with octave data

Noise sensitive area: GI Birzaki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 145	3 149	4,41	96,5	-	0,00
10	2 741	2 746	5,66	96,5	-	0,00
11	2 287	2 293	7,28	96,5	-	0,00
12	2 825	2 829	5,39	96,5	-	0,00
13	3 308	3 312	3,95	96,5	-	0,00
2	2 278	2 284	7,32	96,5	-	0,00
3	2 216	2 222	7,57	96,5	-	0,00
4	3 240	3 244	4,14	96,5	-	0,00
5	2 729	2 734	5,70	96,5	-	0,00
6	4 658	4 661	0,82	96,5	-	0,00
7	4 172	4 175	1,83	96,5	-	0,00
8	4 371	4 375	1,40	96,5	-	0,00
9	3 529	3 532	3,37	96,5	-	0,00
Sum			16,17			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GI Birzaki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 145	3 149	4,41	96,5	-	0,00
10	2 741	2 746	5,66	96,5	-	0,00
11	2 287	2 293	7,28	96,5	-	0,00
12	2 825	2 829	5,39	96,5	-	0,00
13	3 308	3 312	3,95	96,5	-	0,00
2	2 278	2 284	7,32	96,5	-	0,00
3	2 216	2 222	7,57	96,5	-	0,00
4	3 240	3 244	4,14	96,5	-	0,00
5	2 729	2 734	5,70	96,5	-	0,00
6	4 658	4 661	0,82	96,5	-	0,00
7	4 172	4 175	1,83	96,5	-	0,00
8	4 371	4 375	1,40	96,5	-	0,00
9	3 529	3 532	3,37	96,5	-	0,00
Sum			16,17			

- Data undefined due to calculation with octave data

Noise sensitive area: GJ Eglukalns

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 066	4 069	2,07	96,5	-	0,00
10	4 128	4 131	1,93	96,5	-	0,00
11	3 330	3 334	3,89	96,5	-	0,00
12	2 992	2 997	4,86	96,5	-	0,00
13	3 418	3 422	3,66	96,5	-	0,00
2	3 774	3 778	2,75	96,5	-	0,00
3	2 761	2 765	5,59	96,5	-	0,00
4	3 708	3 712	2,91	96,5	-	0,00
5	3 389	3 393	3,73	96,5	-	0,00
6	5 594	5 597	-0,89	96,5	-	0,00
7	5 160	5 163	-0,13	96,5	-	0,00
8	5 028	5 031	0,11	96,5	-	0,00
9	4 194	4 197	1,78	96,5	-	0,00
Sum			14,00			

- Data undefined due to calculation with octave data

Noise sensitive area: GJ Eglukalns

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 066	4 069	2,07	96,5	-	0,00
10	4 128	4 131	1,93	96,5	-	0,00
11	3 330	3 334	3,89	96,5	-	0,00
12	2 992	2 997	4,86	96,5	-	0,00
13	3 418	3 422	3,66	96,5	-	0,00
2	3 774	3 778	2,75	96,5	-	0,00
3	2 761	2 765	5,59	96,5	-	0,00
4	3 708	3 712	2,91	96,5	-	0,00
5	3 389	3 393	3,73	96,5	-	0,00
6	5 594	5 597	-0,89	96,5	-	0,00
7	5 160	5 163	-0,13	96,5	-	0,00
8	5 028	5 031	0,11	96,5	-	0,00
9	4 194	4 197	1,78	96,5	-	0,00
Sum			14,00			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GK Ozoldruvas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 074	3 078	4,62	96,5	-	0,00
10	2 667	2 672	5,90	96,5	-	0,00
11	2 217	2 223	7,56	96,5	-	0,00
12	2 772	2 776	5,56	96,5	-	0,00
13	3 253	3 257	4,11	96,5	-	0,00
2	2 204	2 210	7,61	96,5	-	0,00
3	2 158	2 164	7,80	96,5	-	0,00
4	3 177	3 181	4,32	96,5	-	0,00
5	2 665	2 669	5,91	96,5	-	0,00
6	4 586	4 588	0,96	96,5	-	0,00
7	4 099	4 102	1,99	96,5	-	0,00
8	4 303	4 306	1,55	96,5	-	0,00
9	3 461	3 465	3,54	96,5	-	0,00
Sum			16,39			

- Data undefined due to calculation with octave data

Noise sensitive area: GK Ozoldruvas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 074	3 078	4,62	96,5	-	0,00
10	2 667	2 672	5,90	96,5	-	0,00
11	2 217	2 223	7,56	96,5	-	0,00
12	2 772	2 776	5,56	96,5	-	0,00
13	3 253	3 257	4,11	96,5	-	0,00
2	2 204	2 210	7,61	96,5	-	0,00
3	2 158	2 164	7,80	96,5	-	0,00
4	3 177	3 181	4,32	96,5	-	0,00
5	2 665	2 669	5,91	96,5	-	0,00
6	4 586	4 588	0,96	96,5	-	0,00
7	4 099	4 102	1,99	96,5	-	0,00
8	4 303	4 306	1,55	96,5	-	0,00
9	3 461	3 465	3,54	96,5	-	0,00
Sum			16,39			

- Data undefined due to calculation with octave data

Noise sensitive area: GL Ravejnica

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 090	2 097	8,09	96,5	-	0,00
10	1 908	1 915	8,90	96,5	-	0,00
11	1 239	1 250	12,69	96,5	-	0,00
12	1 706	1 713	9,89	96,5	-	0,00
13	2 181	2 187	7,71	96,5	-	0,00
2	1 521	1 530	10,90	96,5	-	0,00
3	1 079	1 091	13,90	96,5	-	0,00
4	2 104	2 111	8,02	96,5	-	0,00
5	1 603	1 611	10,44	96,5	-	0,00
6	3 644	3 648	3,07	96,5	-	0,00
7	3 167	3 172	4,35	96,5	-	0,00
8	3 278	3 282	4,04	96,5	-	0,00
9	2 422	2 428	6,77	96,5	-	0,00
Sum			20,60			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GL Ravejnica

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 090	2 097	8,09	96,5	-	0,00
10	1 908	1 915	8,90	96,5	-	0,00
11	1 239	1 250	12,69	96,5	-	0,00
12	1 706	1 713	9,89	96,5	-	0,00
13	2 181	2 187	7,71	96,5	-	0,00
2	1 521	1 530	10,90	96,5	-	0,00
3	1 079	1 091	13,90	96,5	-	0,00
4	2 104	2 111	8,02	96,5	-	0,00
5	1 603	1 611	10,44	96,5	-	0,00
6	3 644	3 648	3,07	96,5	-	0,00
7	3 167	3 172	4,35	96,5	-	0,00
8	3 278	3 282	4,04	96,5	-	0,00
9	2 422	2 428	6,77	96,5	-	0,00
Sum			20,60			

- Data undefined due to calculation with octave data

Noise sensitive area: GM Me ž ekas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 973	2 977	4,92	96,5	-	0,00
10	2 570	2 575	6,24	96,5	-	0,00
11	2 116	2 122	7,98	96,5	-	0,00
12	2 682	2 686	5,85	96,5	-	0,00
13	3 162	3 166	4,36	96,5	-	0,00
2	2 108	2 114	8,01	96,5	-	0,00
3	2 064	2 070	8,20	96,5	-	0,00
4	3 079	3 083	4,60	96,5	-	0,00
5	2 565	2 570	6,25	96,5	-	0,00
6	4 485	4 488	1,17	96,5	-	0,00
7	3 998	4 002	2,22	96,5	-	0,00
8	4 201	4 205	1,77	96,5	-	0,00
9	3 360	3 365	3,81	96,5	-	0,00
Sum			16,73			

- Data undefined due to calculation with octave data

Noise sensitive area: GM Me ž ekas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 973	2 977	4,92	96,5	-	0,00
10	2 570	2 575	6,24	96,5	-	0,00
11	2 116	2 122	7,98	96,5	-	0,00
12	2 682	2 686	5,85	96,5	-	0,00
13	3 162	3 166	4,36	96,5	-	0,00
2	2 108	2 114	8,01	96,5	-	0,00
3	2 064	2 070	8,20	96,5	-	0,00
4	3 079	3 083	4,60	96,5	-	0,00
5	2 565	2 570	6,25	96,5	-	0,00
6	4 485	4 488	1,17	96,5	-	0,00
7	3 998	4 002	2,22	96,5	-	0,00
8	4 201	4 205	1,77	96,5	-	0,00
9	3 360	3 365	3,81	96,5	-	0,00
Sum			16,73			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GN Skaras

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 194	4 197	1,78	96,5	-	0,00
10	4 448	4 451	1,24	96,5	-	0,00
11	3 584	3 588	3,22	96,5	-	0,00
12	2 930	2 934	5,06	96,5	-	0,00
13	3 267	3 272	4,06	96,5	-	0,00
2	4 166	4 169	1,85	96,5	-	0,00
3	2 903	2 908	5,14	96,5	-	0,00
4	3 679	3 683	2,98	96,5	-	0,00
5	3 480	3 484	3,49	96,5	-	0,00
6	5 635	5 638	-0,96	96,5	-	0,00
7	5 245	5 247	-0,29	96,5	-	0,00
8	4 976	4 979	0,20	96,5	-	0,00
9	4 203	4 207	1,76	96,5	-	0,00
Sum			13,80			

- Data undefined due to calculation with octave data

Noise sensitive area: GN Skaras

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 194	4 197	1,78	96,5	-	0,00
10	4 448	4 451	1,24	96,5	-	0,00
11	3 584	3 588	3,22	96,5	-	0,00
12	2 930	2 934	5,06	96,5	-	0,00
13	3 267	3 272	4,06	96,5	-	0,00
2	4 166	4 169	1,85	96,5	-	0,00
3	2 903	2 908	5,14	96,5	-	0,00
4	3 679	3 683	2,98	96,5	-	0,00
5	3 480	3 484	3,49	96,5	-	0,00
6	5 635	5 638	-0,96	96,5	-	0,00
7	5 245	5 247	-0,29	96,5	-	0,00
8	4 976	4 979	0,20	96,5	-	0,00
9	4 203	4 207	1,76	96,5	-	0,00
Sum			13,80			

- Data undefined due to calculation with octave data

Noise sensitive area: GO Aizveji

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 529	2 534	6,38	96,5	-	0,00
10	3 002	3 006	4,83	96,5	-	0,00
11	2 123	2 129	7,95	96,5	-	0,00
12	1 169	1 180	13,20	96,5	-	0,00
13	1 462	1 472	11,25	96,5	-	0,00
2	2 859	2 864	5,27	96,5	-	0,00
3	1 381	1 391	11,75	96,5	-	0,00
4	1 911	1 919	8,88	96,5	-	0,00
5	1 819	1 826	9,32	96,5	-	0,00
6	3 871	3 875	2,52	96,5	-	0,00
7	3 512	3 516	3,41	96,5	-	0,00
8	3 181	3 186	4,31	96,5	-	0,00
9	2 444	2 450	6,69	96,5	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GO Aizveji

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 529	2 534	6,38	96,5	-	0,00
10	3 002	3 006	4,83	96,5	-	0,00
11	2 123	2 129	7,95	96,5	-	0,00
12	1 169	1 180	13,20	96,5	-	0,00
13	1 462	1 472	11,25	96,5	-	0,00
2	2 859	2 864	5,27	96,5	-	0,00
3	1 381	1 391	11,75	96,5	-	0,00
4	1 911	1 919	8,88	96,5	-	0,00
5	1 819	1 826	9,32	96,5	-	0,00
6	3 871	3 875	2,52	96,5	-	0,00
7	3 512	3 516	3,41	96,5	-	0,00
8	3 181	3 186	4,31	96,5	-	0,00
9	2 444	2 450	6,69	96,5	-	0,00
Sum			19,72			

- Data undefined due to calculation with octave data

Noise sensitive area: GP Jauniztekas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 811	2 816	5,43	96,5	-	0,00
10	3 285	3 289	4,02	96,5	-	0,00
11	2 404	2 410	6,83	96,5	-	0,00
12	1 443	1 452	11,36	96,5	-	0,00
13	1 703	1 711	9,90	96,5	-	0,00
2	3 134	3 138	4,44	96,5	-	0,00
3	1 663	1 671	10,12	96,5	-	0,00
4	2 178	2 185	7,72	96,5	-	0,00
5	2 103	2 109	8,03	96,5	-	0,00
6	4 134	4 138	1,91	96,5	-	0,00
7	3 784	3 788	2,73	96,5	-	0,00
8	3 430	3 434	3,62	96,5	-	0,00
9	2 711	2 717	5,75	96,5	-	0,00
Sum			18,40			

- Data undefined due to calculation with octave data

Noise sensitive area: GP Jauniztekas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 811	2 816	5,43	96,5	-	0,00
10	3 285	3 289	4,02	96,5	-	0,00
11	2 404	2 410	6,83	96,5	-	0,00
12	1 443	1 452	11,36	96,5	-	0,00
13	1 703	1 711	9,90	96,5	-	0,00
2	3 134	3 138	4,44	96,5	-	0,00
3	1 663	1 671	10,12	96,5	-	0,00
4	2 178	2 185	7,72	96,5	-	0,00
5	2 103	2 109	8,03	96,5	-	0,00
6	4 134	4 138	1,91	96,5	-	0,00
7	3 784	3 788	2,73	96,5	-	0,00
8	3 430	3 434	3,62	96,5	-	0,00
9	2 711	2 717	5,75	96,5	-	0,00
Sum			18,40			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GQ Iztekas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 100	2 106	8,04	96,5	-	0,00
10	2 486	2 492	6,53	96,5	-	0,00
11	1 602	1 610	10,45	96,5	-	0,00
12	860	875	15,85	96,5	-	0,00
13	1 288	1 299	12,35	96,5	-	0,00
2	2 319	2 325	7,16	96,5	-	0,00
3	863	879	15,81	96,5	-	0,00
4	1 596	1 605	10,48	96,5	-	0,00
5	1 382	1 392	11,74	96,5	-	0,00
6	3 537	3 541	3,34	96,5	-	0,00
7	3 141	3 146	4,42	96,5	-	0,00
8	2 913	2 918	5,11	96,5	-	0,00
9	2 108	2 115	8,01	96,5	-	0,00
Sum			22,08			

- Data undefined due to calculation with octave data

Noise sensitive area: GQ Iztekas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 100	2 106	8,04	96,5	-	0,00
10	2 486	2 492	6,53	96,5	-	0,00
11	1 602	1 610	10,45	96,5	-	0,00
12	860	875	15,85	96,5	-	0,00
13	1 288	1 299	12,35	96,5	-	0,00
2	2 319	2 325	7,16	96,5	-	0,00
3	863	879	15,81	96,5	-	0,00
4	1 596	1 605	10,48	96,5	-	0,00
5	1 382	1 392	11,74	96,5	-	0,00
6	3 537	3 541	3,34	96,5	-	0,00
7	3 141	3 146	4,42	96,5	-	0,00
8	2 913	2 918	5,11	96,5	-	0,00
9	2 108	2 115	8,01	96,5	-	0,00
Sum			22,08			

- Data undefined due to calculation with octave data

Noise sensitive area: GR Bucini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 799	2 804	5,47	96,5	-	0,00
10	2 449	2 455	6,67	96,5	-	0,00
11	1 940	1 946	8,75	96,5	-	0,00
12	2 459	2 465	6,63	96,5	-	0,00
13	2 941	2 946	5,02	96,5	-	0,00
2	1 999	2 006	8,48	96,5	-	0,00
3	1 848	1 854	9,19	96,5	-	0,00
4	2 873	2 877	5,23	96,5	-	0,00
5	2 364	2 370	6,99	96,5	-	0,00
6	4 327	4 330	1,50	96,5	-	0,00
7	3 842	3 846	2,59	96,5	-	0,00
8	4 017	4 020	2,18	96,5	-	0,00
9	3 170	3 174	4,34	96,5	-	0,00
Sum			17,38			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GR Bucini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 799	2 804	5,47	96,5	-	0,00
10	2 449	2 455	6,67	96,5	-	0,00
11	1 940	1 946	8,75	96,5	-	0,00
12	2 459	2 465	6,63	96,5	-	0,00
13	2 941	2 946	5,02	96,5	-	0,00
2	1 999	2 006	8,48	96,5	-	0,00
3	1 848	1 854	9,19	96,5	-	0,00
4	2 873	2 877	5,23	96,5	-	0,00
5	2 364	2 370	6,99	96,5	-	0,00
6	4 327	4 330	1,50	96,5	-	0,00
7	3 842	3 846	2,59	96,5	-	0,00
8	4 017	4 020	2,18	96,5	-	0,00
9	3 170	3 174	4,34	96,5	-	0,00
Sum			17,38			

- Data undefined due to calculation with octave data

Noise sensitive area: GS Namini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 659	2 664	5,93	96,5	-	0,00
10	2 628	2 633	6,04	96,5	-	0,00
11	1 864	1 871	9,11	96,5	-	0,00
12	1 873	1 880	9,06	96,5	-	0,00
13	2 361	2 367	7,00	96,5	-	0,00
2	2 269	2 275	7,35	96,5	-	0,00
3	1 420	1 429	11,51	96,5	-	0,00
4	2 468	2 474	6,60	96,5	-	0,00
5	2 046	2 053	8,28	96,5	-	0,00
6	4 218	4 221	1,73	96,5	-	0,00
7	3 759	3 762	2,79	96,5	-	0,00
8	3 747	3 751	2,82	96,5	-	0,00
9	2 885	2 890	5,19	96,5	-	0,00
Sum			18,36			

- Data undefined due to calculation with octave data

Noise sensitive area: GS Namini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 659	2 664	5,93	96,5	-	0,00
10	2 628	2 633	6,04	96,5	-	0,00
11	1 864	1 871	9,11	96,5	-	0,00
12	1 873	1 880	9,06	96,5	-	0,00
13	2 361	2 367	7,00	96,5	-	0,00
2	2 269	2 275	7,35	96,5	-	0,00
3	1 420	1 429	11,51	96,5	-	0,00
4	2 468	2 474	6,60	96,5	-	0,00
5	2 046	2 053	8,28	96,5	-	0,00
6	4 218	4 221	1,73	96,5	-	0,00
7	3 759	3 762	2,79	96,5	-	0,00
8	3 747	3 751	2,82	96,5	-	0,00
9	2 885	2 890	5,19	96,5	-	0,00
Sum			18,36			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GT Kudras

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 299	3 303	3,98	96,5	-	0,00
10	2 945	2 950	5,00	96,5	-	0,00
11	3 795	3 799	2,70	96,5	-	0,00
12	4 686	4 689	0,76	96,5	-	0,00
13	4 620	4 623	0,89	96,5	-	0,00
2	3 304	3 309	3,96	96,5	-	0,00
3	4 495	4 498	1,14	96,5	-	0,00
4	4 036	4 040	2,13	96,5	-	0,00
5	3 997	4 000	2,23	96,5	-	0,00
6	2 499	2 505	6,49	96,5	-	0,00
7	2 550	2 556	6,30	96,5	-	0,00
8	3 274	3 279	4,04	96,5	-	0,00
9	3 548	3 552	3,31	96,5	-	0,00
Sum			14,84			

- Data undefined due to calculation with octave data

Noise sensitive area: GT Kudras

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 299	3 303	3,98	96,5	-	0,00
10	2 945	2 950	5,00	96,5	-	0,00
11	3 795	3 799	2,70	96,5	-	0,00
12	4 686	4 689	0,76	96,5	-	0,00
13	4 620	4 623	0,89	96,5	-	0,00
2	3 304	3 309	3,96	96,5	-	0,00
3	4 495	4 498	1,14	96,5	-	0,00
4	4 036	4 040	2,13	96,5	-	0,00
5	3 997	4 000	2,23	96,5	-	0,00
6	2 499	2 505	6,49	96,5	-	0,00
7	2 550	2 556	6,30	96,5	-	0,00
8	3 274	3 279	4,04	96,5	-	0,00
9	3 548	3 552	3,31	96,5	-	0,00
Sum			14,84			

- Data undefined due to calculation with octave data

Noise sensitive area: GU Vage

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 457	3 461	3,55	96,5	-	0,00
10	3 037	3 041	4,73	96,5	-	0,00
11	3 903	3 907	2,44	96,5	-	0,00
12	4 841	4 844	0,46	96,5	-	0,00
13	4 799	4 802	0,54	96,5	-	0,00
2	3 367	3 372	3,79	96,5	-	0,00
3	4 617	4 620	0,90	96,5	-	0,00
4	4 212	4 216	1,74	96,5	-	0,00
5	4 143	4 146	1,90	96,5	-	0,00
6	2 747	2 752	5,64	96,5	-	0,00
7	2 768	2 773	5,57	96,5	-	0,00
8	3 508	3 513	3,42	96,5	-	0,00
9	3 737	3 741	2,84	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GU Vage

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 457	3 461	3,55	96,5	-	0,00
10	3 037	3 041	4,73	96,5	-	0,00
11	3 903	3 907	2,44	96,5	-	0,00
12	4 841	4 844	0,46	96,5	-	0,00
13	4 799	4 802	0,54	96,5	-	0,00
2	3 367	3 372	3,79	96,5	-	0,00
3	4 617	4 620	0,90	96,5	-	0,00
4	4 212	4 216	1,74	96,5	-	0,00
5	4 143	4 146	1,90	96,5	-	0,00
6	2 747	2 752	5,64	96,5	-	0,00
7	2 768	2 773	5,57	96,5	-	0,00
8	3 508	3 513	3,42	96,5	-	0,00
9	3 737	3 741	2,84	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Noise sensitive area: GV Zalie Skrebeli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 295	3 300	3,99	96,5	-	0,00
10	2 876	2 881	5,22	96,5	-	0,00
11	3 741	3 745	2,83	96,5	-	0,00
12	4 679	4 682	0,77	96,5	-	0,00
13	4 639	4 642	0,85	96,5	-	0,00
2	3 210	3 215	4,23	96,5	-	0,00
3	4 454	4 458	1,23	96,5	-	0,00
4	4 052	4 056	2,10	96,5	-	0,00
5	3 980	3 984	2,26	96,5	-	0,00
6	2 610	2 616	6,10	96,5	-	0,00
7	2 617	2 623	6,07	96,5	-	0,00
8	3 363	3 368	3,80	96,5	-	0,00
9	3 579	3 583	3,23	96,5	-	0,00
Sum			14,78			

- Data undefined due to calculation with octave data

Noise sensitive area: GV Zalie Skrebeli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 295	3 300	3,99	96,5	-	0,00
10	2 876	2 881	5,22	96,5	-	0,00
11	3 741	3 745	2,83	96,5	-	0,00
12	4 679	4 682	0,77	96,5	-	0,00
13	4 639	4 642	0,85	96,5	-	0,00
2	3 210	3 215	4,23	96,5	-	0,00
3	4 454	4 458	1,23	96,5	-	0,00
4	4 052	4 056	2,10	96,5	-	0,00
5	3 980	3 984	2,26	96,5	-	0,00
6	2 610	2 616	6,10	96,5	-	0,00
7	2 617	2 623	6,07	96,5	-	0,00
8	3 363	3 368	3,80	96,5	-	0,00
9	3 579	3 583	3,23	96,5	-	0,00
Sum			14,78			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GW Saltupe

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 894	3 898	2,46	96,5	-	0,00
10	3 755	3 759	2,80	96,5	-	0,00
11	4 535	4 538	1,06	96,5	-	0,00
12	5 248	5 251	-0,29	96,5	-	0,00
13	5 088	5 091	0,00	96,5	-	0,00
2	4 168	4 172	1,84	96,5	-	0,00
3	5 177	5 180	-0,16	96,5	-	0,00
4	4 535	4 538	1,06	96,5	-	0,00
5	4 612	4 615	0,91	96,5	-	0,00
6	2 697	2 703	5,80	96,5	-	0,00
7	2 933	2 938	5,04	96,5	-	0,00
8	3 512	3 516	3,41	96,5	-	0,00
9	4 009	4 013	2,20	96,5	-	0,00
Sum			13,56			

- Data undefined due to calculation with octave data

Noise sensitive area: GW Saltupe

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 894	3 898	2,46	96,5	-	0,00
10	3 755	3 759	2,80	96,5	-	0,00
11	4 535	4 538	1,06	96,5	-	0,00
12	5 248	5 251	-0,29	96,5	-	0,00
13	5 088	5 091	0,00	96,5	-	0,00
2	4 168	4 172	1,84	96,5	-	0,00
3	5 177	5 180	-0,16	96,5	-	0,00
4	4 535	4 538	1,06	96,5	-	0,00
5	4 612	4 615	0,91	96,5	-	0,00
6	2 697	2 703	5,80	96,5	-	0,00
7	2 933	2 938	5,04	96,5	-	0,00
8	3 512	3 516	3,41	96,5	-	0,00
9	4 009	4 013	2,20	96,5	-	0,00
Sum			13,56			

- Data undefined due to calculation with octave data

Noise sensitive area: GX Darznieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 688	3 692	2,96	96,5	-	0,00
10	3 517	3 521	3,39	96,5	-	0,00
11	4 308	4 312	1,53	96,5	-	0,00
12	5 052	5 055	0,06	96,5	-	0,00
13	4 908	4 912	0,33	96,5	-	0,00
2	3 925	3 929	2,39	96,5	-	0,00
3	4 961	4 964	0,23	96,5	-	0,00
4	4 348	4 352	1,45	96,5	-	0,00
5	4 405	4 409	1,33	96,5	-	0,00
6	2 553	2 559	6,29	96,5	-	0,00
7	2 756	2 762	5,60	96,5	-	0,00
8	3 368	3 373	3,79	96,5	-	0,00
9	3 826	3 830	2,62	96,5	-	0,00
Sum			14,04			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GX Darznieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 688	3 692	2,96	96,5	-	0,00
10	3 517	3 521	3,39	96,5	-	0,00
11	4 308	4 312	1,53	96,5	-	0,00
12	5 052	5 055	0,06	96,5	-	0,00
13	4 908	4 912	0,33	96,5	-	0,00
2	3 925	3 929	2,39	96,5	-	0,00
3	4 961	4 964	0,23	96,5	-	0,00
4	4 348	4 352	1,45	96,5	-	0,00
5	4 405	4 409	1,33	96,5	-	0,00
6	2 553	2 559	6,29	96,5	-	0,00
7	2 756	2 762	5,60	96,5	-	0,00
8	3 368	3 373	3,79	96,5	-	0,00
9	3 826	3 830	2,62	96,5	-	0,00
Sum			14,04			

- Data undefined due to calculation with octave data

Noise sensitive area: GY Brivkalni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 818	3 822	2,64	96,5	-	0,00
10	3 675	3 679	2,99	96,5	-	0,00
11	4 456	4 459	1,22	96,5	-	0,00
12	5 173	5 176	-0,16	96,5	-	0,00
13	5 016	5 019	0,13	96,5	-	0,00
2	4 089	4 093	2,01	96,5	-	0,00
3	5 099	5 102	-0,02	96,5	-	0,00
4	4 462	4 465	1,21	96,5	-	0,00
5	4 536	4 539	1,06	96,5	-	0,00
6	2 632	2 637	6,02	96,5	-	0,00
7	2 861	2 866	5,27	96,5	-	0,00
8	3 447	3 451	3,58	96,5	-	0,00
9	3 936	3 940	2,36	96,5	-	0,00
Sum			13,75			

- Data undefined due to calculation with octave data

Noise sensitive area: GY Brivkalni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 818	3 822	2,64	96,5	-	0,00
10	3 675	3 679	2,99	96,5	-	0,00
11	4 456	4 459	1,22	96,5	-	0,00
12	5 173	5 176	-0,16	96,5	-	0,00
13	5 016	5 019	0,13	96,5	-	0,00
2	4 089	4 093	2,01	96,5	-	0,00
3	5 099	5 102	-0,02	96,5	-	0,00
4	4 462	4 465	1,21	96,5	-	0,00
5	4 536	4 539	1,06	96,5	-	0,00
6	2 632	2 637	6,02	96,5	-	0,00
7	2 861	2 866	5,27	96,5	-	0,00
8	3 447	3 451	3,58	96,5	-	0,00
9	3 936	3 940	2,36	96,5	-	0,00
Sum			13,75			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: GZ Vecupites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 108	4 112	1,97	96,5	-	0,00
10	4 026	4 029	2,16	96,5	-	0,00
11	4 782	4 785	0,57	96,5	-	0,00
12	5 441	5 444	-0,63	96,5	-	0,00
13	5 255	5 258	-0,30	96,5	-	0,00
2	4 451	4 454	1,23	96,5	-	0,00
3	5 404	5 407	-0,56	96,5	-	0,00
4	4 715	4 719	0,70	96,5	-	0,00
5	4 825	4 828	0,49	96,5	-	0,00
6	2 825	2 830	5,38	96,5	-	0,00
7	3 105	3 110	4,53	96,5	-	0,00
8	3 631	3 635	3,10	96,5	-	0,00
9	4 184	4 188	1,80	96,5	-	0,00
Sum			13,12			

- Data undefined due to calculation with octave data

Noise sensitive area: GZ Vecupites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 108	4 112	1,97	96,5	-	0,00
10	4 026	4 029	2,16	96,5	-	0,00
11	4 782	4 785	0,57	96,5	-	0,00
12	5 441	5 444	-0,63	96,5	-	0,00
13	5 255	5 258	-0,30	96,5	-	0,00
2	4 451	4 454	1,23	96,5	-	0,00
3	5 404	5 407	-0,56	96,5	-	0,00
4	4 715	4 719	0,70	96,5	-	0,00
5	4 825	4 828	0,49	96,5	-	0,00
6	2 825	2 830	5,38	96,5	-	0,00
7	3 105	3 110	4,53	96,5	-	0,00
8	3 631	3 635	3,10	96,5	-	0,00
9	4 184	4 188	1,80	96,5	-	0,00
Sum			13,12			

- Data undefined due to calculation with octave data

Noise sensitive area: HA Slokas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 431	3 435	3,62	96,5	-	0,00
10	2 929	2 934	5,06	96,5	-	0,00
11	3 809	3 812	2,67	96,5	-	0,00
12	4 803	4 806	0,53	96,5	-	0,00
13	4 796	4 799	0,55	96,5	-	0,00
2	3 224	3 228	4,19	96,5	-	0,00
3	4 536	4 539	1,06	96,5	-	0,00
4	4 207	4 210	1,75	96,5	-	0,00
5	4 095	4 098	2,00	96,5	-	0,00
6	2 873	2 878	5,23	96,5	-	0,00
7	2 838	2 843	5,34	96,5	-	0,00
8	3 602	3 606	3,18	96,5	-	0,00
9	3 754	3 758	2,80	96,5	-	0,00
Sum			14,37			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HA Slokas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 431	3 435	3,62	96,5	-	0,00
10	2 929	2 934	5,06	96,5	-	0,00
11	3 809	3 812	2,67	96,5	-	0,00
12	4 803	4 806	0,53	96,5	-	0,00
13	4 796	4 799	0,55	96,5	-	0,00
2	3 224	3 228	4,19	96,5	-	0,00
3	4 536	4 539	1,06	96,5	-	0,00
4	4 207	4 210	1,75	96,5	-	0,00
5	4 095	4 098	2,00	96,5	-	0,00
6	2 873	2 878	5,23	96,5	-	0,00
7	2 838	2 843	5,34	96,5	-	0,00
8	3 602	3 606	3,18	96,5	-	0,00
9	3 754	3 758	2,80	96,5	-	0,00
Sum			14,37			

- Data undefined due to calculation with octave data

Noise sensitive area: HB Berzites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 591	3 595	3,20	96,5	-	0,00
10	2 986	2 991	4,88	96,5	-	0,00
11	3 871	3 874	2,52	96,5	-	0,00
12	4 934	4 937	0,28	96,5	-	0,00
13	4 971	4 974	0,21	96,5	-	0,00
2	3 221	3 226	4,19	96,5	-	0,00
3	4 610	4 613	0,91	96,5	-	0,00
4	4 384	4 388	1,37	96,5	-	0,00
5	4 219	4 222	1,73	96,5	-	0,00
6	3 212	3 216	4,22	96,5	-	0,00
7	3 121	3 125	4,48	96,5	-	0,00
8	3 899	3 903	2,45	96,5	-	0,00
9	3 963	3 967	2,30	96,5	-	0,00
Sum			13,93			

- Data undefined due to calculation with octave data

Noise sensitive area: HB Berzites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 591	3 595	3,20	96,5	-	0,00
10	2 986	2 991	4,88	96,5	-	0,00
11	3 871	3 874	2,52	96,5	-	0,00
12	4 934	4 937	0,28	96,5	-	0,00
13	4 971	4 974	0,21	96,5	-	0,00
2	3 221	3 226	4,19	96,5	-	0,00
3	4 610	4 613	0,91	96,5	-	0,00
4	4 384	4 388	1,37	96,5	-	0,00
5	4 219	4 222	1,73	96,5	-	0,00
6	3 212	3 216	4,22	96,5	-	0,00
7	3 121	3 125	4,48	96,5	-	0,00
8	3 899	3 903	2,45	96,5	-	0,00
9	3 963	3 967	2,30	96,5	-	0,00
Sum			13,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HC Berzites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 603	3 607	3,17	96,5	-	0,00
10	2 995	2 999	4,86	96,5	-	0,00
11	3 879	3 883	2,50	96,5	-	0,00
12	4 945	4 948	0,26	96,5	-	0,00
13	4 983	4 986	0,19	96,5	-	0,00
2	3 228	3 233	4,17	96,5	-	0,00
3	4 619	4 622	0,89	96,5	-	0,00
4	4 397	4 400	1,35	96,5	-	0,00
5	4 229	4 233	1,71	96,5	-	0,00
6	3 228	3 233	4,17	96,5	-	0,00
7	3 136	3 141	4,44	96,5	-	0,00
8	3 915	3 919	2,41	96,5	-	0,00
9	3 976	3 980	2,27	96,5	-	0,00
Sum			13,90			

- Data undefined due to calculation with octave data

Noise sensitive area: HC Berzites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 603	3 607	3,17	96,5	-	0,00
10	2 995	2 999	4,86	96,5	-	0,00
11	3 879	3 883	2,50	96,5	-	0,00
12	4 945	4 948	0,26	96,5	-	0,00
13	4 983	4 986	0,19	96,5	-	0,00
2	3 228	3 233	4,17	96,5	-	0,00
3	4 619	4 622	0,89	96,5	-	0,00
4	4 397	4 400	1,35	96,5	-	0,00
5	4 229	4 233	1,71	96,5	-	0,00
6	3 228	3 233	4,17	96,5	-	0,00
7	3 136	3 141	4,44	96,5	-	0,00
8	3 915	3 919	2,41	96,5	-	0,00
9	3 976	3 980	2,27	96,5	-	0,00
Sum			13,90			

- Data undefined due to calculation with octave data

Noise sensitive area: HD Šceglovi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 877	1 885	9,04	96,5	-	0,00
10	1 548	1 557	10,74	96,5	-	0,00
11	2 369	2 375	6,96	96,5	-	0,00
12	3 261	3 265	4,08	96,5	-	0,00
13	3 229	3 234	4,17	96,5	-	0,00
2	1 956	1 964	8,67	96,5	-	0,00
3	3 061	3 065	4,66	96,5	-	0,00
4	2 641	2 647	5,99	96,5	-	0,00
5	2 565	2 570	6,25	96,5	-	0,00
6	1 515	1 523	10,94	96,5	-	0,00
7	1 333	1 344	12,05	96,5	-	0,00
8	2 118	2 125	7,97	96,5	-	0,00
9	2 185	2 192	7,69	96,5	-	0,00
Sum			19,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HD Šceglovi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 877	1 885	9,04	96,5	-	0,00
10	1 548	1 557	10,74	96,5	-	0,00
11	2 369	2 375	6,96	96,5	-	0,00
12	3 261	3 265	4,08	96,5	-	0,00
13	3 229	3 234	4,17	96,5	-	0,00
2	1 956	1 964	8,67	96,5	-	0,00
3	3 061	3 065	4,66	96,5	-	0,00
4	2 641	2 647	5,99	96,5	-	0,00
5	2 565	2 570	6,25	96,5	-	0,00
6	1 515	1 523	10,94	96,5	-	0,00
7	1 333	1 344	12,05	96,5	-	0,00
8	2 118	2 125	7,97	96,5	-	0,00
9	2 185	2 192	7,69	96,5	-	0,00
Sum			19,50			

- Data undefined due to calculation with octave data

Noise sensitive area: HE Jekabini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 973	3 977	2,28	96,5	-	0,00
10	4 034	4 038	2,14	96,5	-	0,00
11	4 716	4 719	0,70	96,5	-	0,00
12	5 245	5 247	-0,29	96,5	-	0,00
13	5 009	5 012	0,14	96,5	-	0,00
2	4 486	4 489	1,16	96,5	-	0,00
3	5 284	5 286	-0,35	96,5	-	0,00
4	4 502	4 505	1,13	96,5	-	0,00
5	4 677	4 680	0,78	96,5	-	0,00
6	2 551	2 556	6,30	96,5	-	0,00
7	2 907	2 912	5,12	96,5	-	0,00
8	3 320	3 325	3,92	96,5	-	0,00
9	3 968	3 972	2,29	96,5	-	0,00
Sum			13,59			

- Data undefined due to calculation with octave data

Noise sensitive area: HE Jekabini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 973	3 977	2,28	96,5	-	0,00
10	4 034	4 038	2,14	96,5	-	0,00
11	4 716	4 719	0,70	96,5	-	0,00
12	5 245	5 247	-0,29	96,5	-	0,00
13	5 009	5 012	0,14	96,5	-	0,00
2	4 486	4 489	1,16	96,5	-	0,00
3	5 284	5 286	-0,35	96,5	-	0,00
4	4 502	4 505	1,13	96,5	-	0,00
5	4 677	4 680	0,78	96,5	-	0,00
6	2 551	2 556	6,30	96,5	-	0,00
7	2 907	2 912	5,12	96,5	-	0,00
8	3 320	3 325	3,92	96,5	-	0,00
9	3 968	3 972	2,29	96,5	-	0,00
Sum			13,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HF Osipi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 495	4 498	1,14	96,5	-	0,00
10	4 653	4 656	0,83	96,5	-	0,00
11	5 280	5 282	-0,35	96,5	-	0,00
12	5 695	5 697	-1,05	96,5	-	0,00
13	5 413	5 415	-0,58	96,5	-	0,00
2	5 115	5 118	-0,05	96,5	-	0,00
3	5 800	5 802	-1,22	96,5	-	0,00
4	4 945	4 948	0,26	96,5	-	0,00
5	5 177	5 180	-0,17	96,5	-	0,00
6	2 987	2 991	4,88	96,5	-	0,00
7	3 400	3 404	3,70	96,5	-	0,00
8	3 689	3 693	2,96	96,5	-	0,00
9	4 419	4 422	1,30	96,5	-	0,00
Sum			12,46			

- Data undefined due to calculation with octave data

Noise sensitive area: HF Osipi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 495	4 498	1,14	96,5	-	0,00
10	4 653	4 656	0,83	96,5	-	0,00
11	5 280	5 282	-0,35	96,5	-	0,00
12	5 695	5 697	-1,05	96,5	-	0,00
13	5 413	5 415	-0,58	96,5	-	0,00
2	5 115	5 118	-0,05	96,5	-	0,00
3	5 800	5 802	-1,22	96,5	-	0,00
4	4 945	4 948	0,26	96,5	-	0,00
5	5 177	5 180	-0,17	96,5	-	0,00
6	2 987	2 991	4,88	96,5	-	0,00
7	3 400	3 404	3,70	96,5	-	0,00
8	3 689	3 693	2,96	96,5	-	0,00
9	4 419	4 422	1,30	96,5	-	0,00
Sum			12,46			

- Data undefined due to calculation with octave data

Noise sensitive area: HG Jasinovici

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 319	4 322	1,51	96,5	-	0,00
10	4 435	4 438	1,27	96,5	-	0,00
11	5 087	5 090	0,00	96,5	-	0,00
12	5 551	5 553	-0,81	96,5	-	0,00
13	5 287	5 290	-0,36	96,5	-	0,00
2	4 893	4 896	0,36	96,5	-	0,00
3	5 628	5 631	-0,94	96,5	-	0,00
4	4 802	4 806	0,53	96,5	-	0,00
5	5 012	5 014	0,14	96,5	-	0,00
6	2 841	2 846	5,33	96,5	-	0,00
7	3 233	3 238	4,16	96,5	-	0,00
8	3 573	3 577	3,25	96,5	-	0,00
9	4 272	4 276	1,61	96,5	-	0,00
Sum			12,82			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HG Jasinovici

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 319	4 322	1,51	96,5	-	0,00
10	4 435	4 438	1,27	96,5	-	0,00
11	5 087	5 090	0,00	96,5	-	0,00
12	5 551	5 553	-0,81	96,5	-	0,00
13	5 287	5 290	-0,36	96,5	-	0,00
2	4 893	4 896	0,36	96,5	-	0,00
3	5 628	5 631	-0,94	96,5	-	0,00
4	4 802	4 806	0,53	96,5	-	0,00
5	5 012	5 014	0,14	96,5	-	0,00
6	2 841	2 846	5,33	96,5	-	0,00
7	3 233	3 238	4,16	96,5	-	0,00
8	3 573	3 577	3,25	96,5	-	0,00
9	4 272	4 276	1,61	96,5	-	0,00
Sum			12,82			

- Data undefined due to calculation with octave data

Noise sensitive area: HH Mukti

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 326	3 331	3,90	96,5	-	0,00
10	3 200	3 205	4,25	96,5	-	0,00
11	3 970	3 973	2,29	96,5	-	0,00
12	4 683	4 686	0,77	96,5	-	0,00
13	4 531	4 535	1,07	96,5	-	0,00
2	3 623	3 627	3,12	96,5	-	0,00
3	4 609	4 612	0,91	96,5	-	0,00
4	3 974	3 978	2,28	96,5	-	0,00
5	4 044	4 048	2,12	96,5	-	0,00
6	2 171	2 178	7,75	96,5	-	0,00
7	2 378	2 384	6,93	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 450	3 455	3,57	96,5	-	0,00
Sum			15,07			

- Data undefined due to calculation with octave data

Noise sensitive area: HH Mukti

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 326	3 331	3,90	96,5	-	0,00
10	3 200	3 205	4,25	96,5	-	0,00
11	3 970	3 973	2,29	96,5	-	0,00
12	4 683	4 686	0,77	96,5	-	0,00
13	4 531	4 535	1,07	96,5	-	0,00
2	3 623	3 627	3,12	96,5	-	0,00
3	4 609	4 612	0,91	96,5	-	0,00
4	3 974	3 978	2,28	96,5	-	0,00
5	4 044	4 048	2,12	96,5	-	0,00
6	2 171	2 178	7,75	96,5	-	0,00
7	2 378	2 384	6,93	96,5	-	0,00
8	2 986	2 992	4,88	96,5	-	0,00
9	3 450	3 455	3,57	96,5	-	0,00
Sum			15,07			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HI Eglites

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 364	4 367	1,42	96,5	-	0,00
10	4 481	4 484	1,17	96,5	-	0,00
11	5 132	5 135	-0,08	96,5	-	0,00
12	5 594	5 597	-0,89	96,5	-	0,00
13	5 329	5 332	-0,43	96,5	-	0,00
2	4 939	4 942	0,27	96,5	-	0,00
3	5 673	5 675	-1,02	96,5	-	0,00
4	4 846	4 849	0,45	96,5	-	0,00
5	5 056	5 059	0,06	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	3 278	3 282	4,04	96,5	-	0,00
8	3 614	3 619	3,14	96,5	-	0,00
9	4 315	4 319	1,52	96,5	-	0,00
Sum			12,72			

- Data undefined due to calculation with octave data

Noise sensitive area: HI Eglites

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 364	4 367	1,42	96,5	-	0,00
10	4 481	4 484	1,17	96,5	-	0,00
11	5 132	5 135	-0,08	96,5	-	0,00
12	5 594	5 597	-0,89	96,5	-	0,00
13	5 329	5 332	-0,43	96,5	-	0,00
2	4 939	4 942	0,27	96,5	-	0,00
3	5 673	5 675	-1,02	96,5	-	0,00
4	4 846	4 849	0,45	96,5	-	0,00
5	5 056	5 059	0,06	96,5	-	0,00
6	2 884	2 889	5,20	96,5	-	0,00
7	3 278	3 282	4,04	96,5	-	0,00
8	3 614	3 619	3,14	96,5	-	0,00
9	4 315	4 319	1,52	96,5	-	0,00
Sum			12,72			

- Data undefined due to calculation with octave data

Noise sensitive area: HJ Edgari

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 944	3 947	2,35	96,5	-	0,00
10	3 913	3 917	2,42	96,5	-	0,00
11	4 643	4 646	0,84	96,5	-	0,00
12	5 259	5 261	-0,31	96,5	-	0,00
13	5 057	5 060	0,05	96,5	-	0,00
2	4 350	4 354	1,45	96,5	-	0,00
3	5 247	5 250	-0,29	96,5	-	0,00
4	4 526	4 530	1,08	96,5	-	0,00
5	4 657	4 661	0,82	96,5	-	0,00
6	2 613	2 618	6,09	96,5	-	0,00
7	2 917	2 922	5,09	96,5	-	0,00
8	3 411	3 416	3,67	96,5	-	0,00
9	3 994	3 998	2,23	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HJ Edgari

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 944	3 947	2,35	96,5	-	0,00
10	3 913	3 917	2,42	96,5	-	0,00
11	4 643	4 646	0,84	96,5	-	0,00
12	5 259	5 261	-0,31	96,5	-	0,00
13	5 057	5 060	0,05	96,5	-	0,00
2	4 350	4 354	1,45	96,5	-	0,00
3	5 247	5 250	-0,29	96,5	-	0,00
4	4 526	4 530	1,08	96,5	-	0,00
5	4 657	4 661	0,82	96,5	-	0,00
6	2 613	2 618	6,09	96,5	-	0,00
7	2 917	2 922	5,09	96,5	-	0,00
8	3 411	3 416	3,67	96,5	-	0,00
9	3 994	3 998	2,23	96,5	-	0,00
Sum			13,57			

- Data undefined due to calculation with octave data

Noise sensitive area: HK Kalnie š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 334	4 337	1,48	96,5	-	0,00
10	4 458	4 461	1,22	96,5	-	0,00
11	5 105	5 108	-0,03	96,5	-	0,00
12	5 561	5 563	-0,83	96,5	-	0,00
13	5 294	5 297	-0,37	96,5	-	0,00
2	4 917	4 920	0,31	96,5	-	0,00
3	5 643	5 645	-0,97	96,5	-	0,00
4	4 812	4 815	0,51	96,5	-	0,00
5	5 025	5 028	0,11	96,5	-	0,00
6	2 851	2 855	5,30	96,5	-	0,00
7	3 246	3 251	4,12	96,5	-	0,00
8	3 578	3 582	3,24	96,5	-	0,00
9	4 282	4 286	1,59	96,5	-	0,00
Sum			12,79			

- Data undefined due to calculation with octave data

Noise sensitive area: HK Kalnie š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 334	4 337	1,48	96,5	-	0,00
10	4 458	4 461	1,22	96,5	-	0,00
11	5 105	5 108	-0,03	96,5	-	0,00
12	5 561	5 563	-0,83	96,5	-	0,00
13	5 294	5 297	-0,37	96,5	-	0,00
2	4 917	4 920	0,31	96,5	-	0,00
3	5 643	5 645	-0,97	96,5	-	0,00
4	4 812	4 815	0,51	96,5	-	0,00
5	5 025	5 028	0,11	96,5	-	0,00
6	2 851	2 855	5,30	96,5	-	0,00
7	3 246	3 251	4,12	96,5	-	0,00
8	3 578	3 582	3,24	96,5	-	0,00
9	4 282	4 286	1,59	96,5	-	0,00
Sum			12,79			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HL Tirais Dikis

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 026	3 030	4,76	96,5	-	0,00
10	3 344	3 348	3,86	96,5	-	0,00
11	3 852	3 855	2,56	96,5	-	0,00
12	4 157	4 160	1,86	96,5	-	0,00
13	3 859	3 863	2,55	96,5	-	0,00
2	3 818	3 822	2,64	96,5	-	0,00
3	4 308	4 312	1,54	96,5	-	0,00
4	3 407	3 412	3,68	96,5	-	0,00
5	3 677	3 681	2,99	96,5	-	0,00
6	1 472	1 481	11,19	96,5	-	0,00
7	1 927	1 934	8,81	96,5	-	0,00
8	2 132	2 139	7,91	96,5	-	0,00
9	2 889	2 894	5,18	96,5	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Noise sensitive area: HL Tirais Dikis

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 026	3 030	4,76	96,5	-	0,00
10	3 344	3 348	3,86	96,5	-	0,00
11	3 852	3 855	2,56	96,5	-	0,00
12	4 157	4 160	1,86	96,5	-	0,00
13	3 859	3 863	2,55	96,5	-	0,00
2	3 818	3 822	2,64	96,5	-	0,00
3	4 308	4 312	1,54	96,5	-	0,00
4	3 407	3 412	3,68	96,5	-	0,00
5	3 677	3 681	2,99	96,5	-	0,00
6	1 472	1 481	11,19	96,5	-	0,00
7	1 927	1 934	8,81	96,5	-	0,00
8	2 132	2 139	7,91	96,5	-	0,00
9	2 889	2 894	5,18	96,5	-	0,00
Sum			16,85			

- Data undefined due to calculation with octave data

Noise sensitive area: HM Jani š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 472	4 475	1,19	96,5	-	0,00
10	4 626	4 630	0,88	96,5	-	0,00
11	5 255	5 258	-0,30	96,5	-	0,00
12	5 675	5 677	-1,02	96,5	-	0,00
13	5 394	5 397	-0,55	96,5	-	0,00
2	5 089	5 092	-0,01	96,5	-	0,00
3	5 777	5 780	-1,19	96,5	-	0,00
4	4 925	4 928	0,30	96,5	-	0,00
5	5 155	5 158	-0,13	96,5	-	0,00
6	2 966	2 971	4,94	96,5	-	0,00
7	3 378	3 382	3,76	96,5	-	0,00
8	3 671	3 675	3,00	96,5	-	0,00
9	4 398	4 402	1,34	96,5	-	0,00
Sum			12,51			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HM Janiš i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 472	4 475	1,19	96,5	-	0,00
10	4 626	4 630	0,88	96,5	-	0,00
11	5 255	5 258	-0,30	96,5	-	0,00
12	5 675	5 677	-1,02	96,5	-	0,00
13	5 394	5 397	-0,55	96,5	-	0,00
2	5 089	5 092	-0,01	96,5	-	0,00
3	5 777	5 780	-1,19	96,5	-	0,00
4	4 925	4 928	0,30	96,5	-	0,00
5	5 155	5 158	-0,13	96,5	-	0,00
6	2 966	2 971	4,94	96,5	-	0,00
7	3 378	3 382	3,76	96,5	-	0,00
8	3 671	3 675	3,00	96,5	-	0,00
9	4 398	4 402	1,34	96,5	-	0,00
Sum			12,51			

- Data undefined due to calculation with octave data

Noise sensitive area: HN Ligzdina

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 373	3 377	3,78	96,5	-	0,00
10	3 277	3 282	4,04	96,5	-	0,00
11	4 034	4 037	2,14	96,5	-	0,00
12	4 720	4 723	0,69	96,5	-	0,00
13	4 556	4 560	1,02	96,5	-	0,00
2	3 706	3 710	2,92	96,5	-	0,00
3	4 663	4 666	0,81	96,5	-	0,00
4	4 005	4 009	2,21	96,5	-	0,00
5	4 091	4 094	2,01	96,5	-	0,00
6	2 171	2 177	7,75	96,5	-	0,00
7	2 401	2 407	6,84	96,5	-	0,00
8	2 986	2 991	4,88	96,5	-	0,00
9	3 478	3 482	3,50	96,5	-	0,00
Sum			14,98			

- Data undefined due to calculation with octave data

Noise sensitive area: HN Ligzdina

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 373	3 377	3,78	96,5	-	0,00
10	3 277	3 282	4,04	96,5	-	0,00
11	4 034	4 037	2,14	96,5	-	0,00
12	4 720	4 723	0,69	96,5	-	0,00
13	4 556	4 560	1,02	96,5	-	0,00
2	3 706	3 710	2,92	96,5	-	0,00
3	4 663	4 666	0,81	96,5	-	0,00
4	4 005	4 009	2,21	96,5	-	0,00
5	4 091	4 094	2,01	96,5	-	0,00
6	2 171	2 177	7,75	96,5	-	0,00
7	2 401	2 407	6,84	96,5	-	0,00
8	2 986	2 991	4,88	96,5	-	0,00
9	3 478	3 482	3,50	96,5	-	0,00
Sum			14,98			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HO Pupaju Kalns

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 950	3 953	2,33	96,5	-	0,00
10	4 240	4 243	1,68	96,5	-	0,00
11	4 774	4 776	0,59	96,5	-	0,00
12	5 063	5 065	0,04	96,5	-	0,00
13	4 745	4 748	0,64	96,5	-	0,00
2	4 713	4 716	0,71	96,5	-	0,00
3	5 231	5 233	-0,26	96,5	-	0,00
4	4 315	4 318	1,52	96,5	-	0,00
5	4 599	4 602	0,93	96,5	-	0,00
6	2 395	2 400	6,87	96,5	-	0,00
7	2 850	2 855	5,30	96,5	-	0,00
8	3 019	3 024	4,78	96,5	-	0,00
9	3 802	3 806	2,68	96,5	-	0,00
Sum			13,87			

- Data undefined due to calculation with octave data

Noise sensitive area: HO Pupaju Kalns

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 950	3 953	2,33	96,5	-	0,00
10	4 240	4 243	1,68	96,5	-	0,00
11	4 774	4 776	0,59	96,5	-	0,00
12	5 063	5 065	0,04	96,5	-	0,00
13	4 745	4 748	0,64	96,5	-	0,00
2	4 713	4 716	0,71	96,5	-	0,00
3	5 231	5 233	-0,26	96,5	-	0,00
4	4 315	4 318	1,52	96,5	-	0,00
5	4 599	4 602	0,93	96,5	-	0,00
6	2 395	2 400	6,87	96,5	-	0,00
7	2 850	2 855	5,30	96,5	-	0,00
8	3 019	3 024	4,78	96,5	-	0,00
9	3 802	3 806	2,68	96,5	-	0,00
Sum			13,87			

- Data undefined due to calculation with octave data

Noise sensitive area: HP Muktini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 210	4 213	1,75	96,5	-	0,00
10	4 192	4 196	1,79	96,5	-	0,00
11	4 917	4 920	0,31	96,5	-	0,00
12	5 515	5 518	-0,75	96,5	-	0,00
13	5 303	5 306	-0,39	96,5	-	0,00
2	4 630	4 633	0,87	96,5	-	0,00
3	5 515	5 518	-0,75	96,5	-	0,00
4	4 779	4 782	0,58	96,5	-	0,00
5	4 922	4 925	0,30	96,5	-	0,00
6	2 851	2 856	5,30	96,5	-	0,00
7	3 172	3 176	4,33	96,5	-	0,00
8	3 640	3 644	3,08	96,5	-	0,00
9	4 246	4 249	1,67	96,5	-	0,00
Sum			12,95			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HP Muktini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 210	4 213	1,75	96,5	-	0,00
10	4 192	4 196	1,79	96,5	-	0,00
11	4 917	4 920	0,31	96,5	-	0,00
12	5 515	5 518	-0,75	96,5	-	0,00
13	5 303	5 306	-0,39	96,5	-	0,00
2	4 630	4 633	0,87	96,5	-	0,00
3	5 515	5 518	-0,75	96,5	-	0,00
4	4 779	4 782	0,58	96,5	-	0,00
5	4 922	4 925	0,30	96,5	-	0,00
6	2 851	2 856	5,30	96,5	-	0,00
7	3 172	3 176	4,33	96,5	-	0,00
8	3 640	3 644	3,08	96,5	-	0,00
9	4 246	4 249	1,67	96,5	-	0,00
Sum			12,95			

- Data undefined due to calculation with octave data

Noise sensitive area: HQ Ares

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 143	2 149	7,87	96,5	-	0,00
10	2 020	2 027	8,39	96,5	-	0,00
11	2 770	2 775	5,56	96,5	-	0,00
12	3 517	3 521	3,40	96,5	-	0,00
13	3 407	3 411	3,68	96,5	-	0,00
2	2 461	2 467	6,62	96,5	-	0,00
3	3 412	3 416	3,67	96,5	-	0,00
4	2 832	2 837	5,36	96,5	-	0,00
5	2 859	2 863	5,28	96,5	-	0,00
6	1 286	1 295	12,38	96,5	-	0,00
7	1 304	1 314	12,25	96,5	-	0,00
8	2 033	2 040	8,33	96,5	-	0,00
9	2 326	2 332	7,13	96,5	-	0,00
Sum			19,08			

- Data undefined due to calculation with octave data

Noise sensitive area: HQ Ares

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 143	2 149	7,87	96,5	-	0,00
10	2 020	2 027	8,39	96,5	-	0,00
11	2 770	2 775	5,56	96,5	-	0,00
12	3 517	3 521	3,40	96,5	-	0,00
13	3 407	3 411	3,68	96,5	-	0,00
2	2 461	2 467	6,62	96,5	-	0,00
3	3 412	3 416	3,67	96,5	-	0,00
4	2 832	2 837	5,36	96,5	-	0,00
5	2 859	2 863	5,28	96,5	-	0,00
6	1 286	1 295	12,38	96,5	-	0,00
7	1 304	1 314	12,25	96,5	-	0,00
8	2 033	2 040	8,33	96,5	-	0,00
9	2 326	2 332	7,13	96,5	-	0,00
Sum			19,08			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HR Petermui ž a 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 705	2 710	5,78	96,5	-	0,00
10	2 548	2 554	6,31	96,5	-	0,00
11	3 323	3 327	3,91	96,5	-	0,00
12	4 076	4 079	2,05	96,5	-	0,00
13	3 954	3 958	2,32	96,5	-	0,00
2	2 972	2 977	4,92	96,5	-	0,00
3	3 973	3 976	2,28	96,5	-	0,00
4	3 384	3 389	3,74	96,5	-	0,00
5	3 421	3 425	3,65	96,5	-	0,00
6	1 708	1 716	9,88	96,5	-	0,00
7	1 822	1 830	9,31	96,5	-	0,00
8	2 503	2 510	6,47	96,5	-	0,00
9	2 871	2 876	5,23	96,5	-	0,00
Sum			16,93			

- Data undefined due to calculation with octave data

Noise sensitive area: HR Petermui ž a 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 705	2 710	5,78	96,5	-	0,00
10	2 548	2 554	6,31	96,5	-	0,00
11	3 323	3 327	3,91	96,5	-	0,00
12	4 076	4 079	2,05	96,5	-	0,00
13	3 954	3 958	2,32	96,5	-	0,00
2	2 972	2 977	4,92	96,5	-	0,00
3	3 973	3 976	2,28	96,5	-	0,00
4	3 384	3 389	3,74	96,5	-	0,00
5	3 421	3 425	3,65	96,5	-	0,00
6	1 708	1 716	9,88	96,5	-	0,00
7	1 822	1 830	9,31	96,5	-	0,00
8	2 503	2 510	6,47	96,5	-	0,00
9	2 871	2 876	5,23	96,5	-	0,00
Sum			16,93			

- Data undefined due to calculation with octave data

Noise sensitive area: HS Denisovka

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 789	2 794	5,50	96,5	-	0,00
10	2 604	2 610	6,12	96,5	-	0,00
11	3 392	3 396	3,72	96,5	-	0,00
12	4 165	4 168	1,85	96,5	-	0,00
13	4 050	4 054	2,10	96,5	-	0,00
2	3 021	3 026	4,78	96,5	-	0,00
3	4 050	4 053	2,10	96,5	-	0,00
4	3 478	3 482	3,50	96,5	-	0,00
5	3 504	3 508	3,43	96,5	-	0,00
6	1 818	1 826	9,32	96,5	-	0,00
7	1 924	1 932	8,82	96,5	-	0,00
8	2 612	2 618	6,09	96,5	-	0,00
9	2 968	2 973	4,94	96,5	-	0,00
Sum			16,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HS Denisovka

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 789	2 794	5,50	96,5	-	0,00
10	2 604	2 610	6,12	96,5	-	0,00
11	3 392	3 396	3,72	96,5	-	0,00
12	4 165	4 168	1,85	96,5	-	0,00
13	4 050	4 054	2,10	96,5	-	0,00
2	3 021	3 026	4,78	96,5	-	0,00
3	4 050	4 053	2,10	96,5	-	0,00
4	3 478	3 482	3,50	96,5	-	0,00
5	3 504	3 508	3,43	96,5	-	0,00
6	1 818	1 826	9,32	96,5	-	0,00
7	1 924	1 932	8,82	96,5	-	0,00
8	2 612	2 618	6,09	96,5	-	0,00
9	2 968	2 973	4,94	96,5	-	0,00
Sum			16,59			

- Data undefined due to calculation with octave data

Noise sensitive area: HT Gazes sadales stacija

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 017	3 022	4,79	96,5	-	0,00
10	3 380	3 384	3,76	96,5	-	0,00
11	3 854	3 858	2,56	96,5	-	0,00
12	4 110	4 113	1,97	96,5	-	0,00
13	3 796	3 800	2,70	96,5	-	0,00
2	3 855	3 859	2,56	96,5	-	0,00
3	4 286	4 289	1,58	96,5	-	0,00
4	3 362	3 366	3,81	96,5	-	0,00
5	3 653	3 657	3,05	96,5	-	0,00
6	1 456	1 465	11,29	96,5	-	0,00
7	1 926	1 933	8,81	96,5	-	0,00
8	2 068	2 075	8,18	96,5	-	0,00
9	2 851	2 856	5,30	96,5	-	0,00
Sum			16,93			

- Data undefined due to calculation with octave data

Noise sensitive area: HT Gazes sadales stacija

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 017	3 022	4,79	96,5	-	0,00
10	3 380	3 384	3,76	96,5	-	0,00
11	3 854	3 858	2,56	96,5	-	0,00
12	4 110	4 113	1,97	96,5	-	0,00
13	3 796	3 800	2,70	96,5	-	0,00
2	3 855	3 859	2,56	96,5	-	0,00
3	4 286	4 289	1,58	96,5	-	0,00
4	3 362	3 366	3,81	96,5	-	0,00
5	3 653	3 657	3,05	96,5	-	0,00
6	1 456	1 465	11,29	96,5	-	0,00
7	1 926	1 933	8,81	96,5	-	0,00
8	2 068	2 075	8,18	96,5	-	0,00
9	2 851	2 856	5,30	96,5	-	0,00
Sum			16,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HU Cerini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 086	3 091	4,58	96,5	-	0,00
10	3 516	3 520	3,40	96,5	-	0,00
11	3 936	3 939	2,37	96,5	-	0,00
12	4 108	4 111	1,97	96,5	-	0,00
13	3 769	3 773	2,76	96,5	-	0,00
2	3 989	3 992	2,24	96,5	-	0,00
3	4 327	4 330	1,50	96,5	-	0,00
4	3 367	3 371	3,79	96,5	-	0,00
5	3 692	3 696	2,95	96,5	-	0,00
6	1 533	1 541	10,83	96,5	-	0,00
7	2 017	2 024	8,40	96,5	-	0,00
8	2 052	2 060	8,25	96,5	-	0,00
9	2 872	2 877	5,23	96,5	-	0,00
Sum			16,70			

- Data undefined due to calculation with octave data

Noise sensitive area: HU Cerini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 086	3 091	4,58	96,5	-	0,00
10	3 516	3 520	3,40	96,5	-	0,00
11	3 936	3 939	2,37	96,5	-	0,00
12	4 108	4 111	1,97	96,5	-	0,00
13	3 769	3 773	2,76	96,5	-	0,00
2	3 989	3 992	2,24	96,5	-	0,00
3	4 327	4 330	1,50	96,5	-	0,00
4	3 367	3 371	3,79	96,5	-	0,00
5	3 692	3 696	2,95	96,5	-	0,00
6	1 533	1 541	10,83	96,5	-	0,00
7	2 017	2 024	8,40	96,5	-	0,00
8	2 052	2 060	8,25	96,5	-	0,00
9	2 872	2 877	5,23	96,5	-	0,00
Sum			16,70			

- Data undefined due to calculation with octave data

Noise sensitive area: HV Purini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 657	2 662	5,94	96,5	-	0,00
10	2 885	2 890	5,19	96,5	-	0,00
11	3 453	3 457	3,56	96,5	-	0,00
12	3 876	3 879	2,51	96,5	-	0,00
13	3 624	3 628	3,12	96,5	-	0,00
2	3 358	3 362	3,82	96,5	-	0,00
3	3 962	3 965	2,31	96,5	-	0,00
4	3 128	3 133	4,46	96,5	-	0,00
5	3 340	3 344	3,87	96,5	-	0,00
6	1 168	1 179	13,21	96,5	-	0,00
7	1 562	1 571	10,67	96,5	-	0,00
8	1 934	1 942	8,77	96,5	-	0,00
9	2 597	2 602	6,14	96,5	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HV Purini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 657	2 662	5,94	96,5	-	0,00
10	2 885	2 890	5,19	96,5	-	0,00
11	3 453	3 457	3,56	96,5	-	0,00
12	3 876	3 879	2,51	96,5	-	0,00
13	3 624	3 628	3,12	96,5	-	0,00
2	3 358	3 362	3,82	96,5	-	0,00
3	3 962	3 965	2,31	96,5	-	0,00
4	3 128	3 133	4,46	96,5	-	0,00
5	3 340	3 344	3,87	96,5	-	0,00
6	1 168	1 179	13,21	96,5	-	0,00
7	1 562	1 571	10,67	96,5	-	0,00
8	1 934	1 942	8,77	96,5	-	0,00
9	2 597	2 602	6,14	96,5	-	0,00
Sum			18,26			

- Data undefined due to calculation with octave data

Noise sensitive area: HW Petru š kevici

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 838	2 842	5,34	96,5	-	0,00
10	2 940	2 944	5,02	96,5	-	0,00
11	3 588	3 592	3,21	96,5	-	0,00
12	4 119	4 123	1,95	96,5	-	0,00
13	3 904	3 907	2,44	96,5	-	0,00
2	3 403	3 407	3,70	96,5	-	0,00
3	4 148	4 151	1,88	96,5	-	0,00
4	3 381	3 385	3,75	96,5	-	0,00
5	3 542	3 546	3,33	96,5	-	0,00
6	1 456	1 465	11,29	96,5	-	0,00
7	1 777	1 785	9,53	96,5	-	0,00
8	2 258	2 264	7,40	96,5	-	0,00
9	2 847	2 853	5,31	96,5	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Noise sensitive area: HW Petru š kevici

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 838	2 842	5,34	96,5	-	0,00
10	2 940	2 944	5,02	96,5	-	0,00
11	3 588	3 592	3,21	96,5	-	0,00
12	4 119	4 123	1,95	96,5	-	0,00
13	3 904	3 907	2,44	96,5	-	0,00
2	3 403	3 407	3,70	96,5	-	0,00
3	4 148	4 151	1,88	96,5	-	0,00
4	3 381	3 385	3,75	96,5	-	0,00
5	3 542	3 546	3,33	96,5	-	0,00
6	1 456	1 465	11,29	96,5	-	0,00
7	1 777	1 785	9,53	96,5	-	0,00
8	2 258	2 264	7,40	96,5	-	0,00
9	2 847	2 853	5,31	96,5	-	0,00
Sum			17,14			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HX Mala Karjeri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 633	2 638	6,02	96,5	-	0,00
10	2 851	2 855	5,30	96,5	-	0,00
11	3 425	3 429	3,64	96,5	-	0,00
12	3 860	3 863	2,55	96,5	-	0,00
13	3 613	3 617	3,15	96,5	-	0,00
2	3 323	3 327	3,91	96,5	-	0,00
3	3 939	3 942	2,36	96,5	-	0,00
4	3 113	3 118	4,50	96,5	-	0,00
5	3 319	3 323	3,92	96,5	-	0,00
6	1 156	1 167	13,31	96,5	-	0,00
7	1 540	1 549	10,79	96,5	-	0,00
8	1 929	1 937	8,80	96,5	-	0,00
9	2 581	2 587	6,20	96,5	-	0,00
Sum			18,34			

- Data undefined due to calculation with octave data

Noise sensitive area: HX Mala Karjeri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 633	2 638	6,02	96,5	-	0,00
10	2 851	2 855	5,30	96,5	-	0,00
11	3 425	3 429	3,64	96,5	-	0,00
12	3 860	3 863	2,55	96,5	-	0,00
13	3 613	3 617	3,15	96,5	-	0,00
2	3 323	3 327	3,91	96,5	-	0,00
3	3 939	3 942	2,36	96,5	-	0,00
4	3 113	3 118	4,50	96,5	-	0,00
5	3 319	3 323	3,92	96,5	-	0,00
6	1 156	1 167	13,31	96,5	-	0,00
7	1 540	1 549	10,79	96,5	-	0,00
8	1 929	1 937	8,80	96,5	-	0,00
9	2 581	2 587	6,20	96,5	-	0,00
Sum			18,34			

- Data undefined due to calculation with octave data

Noise sensitive area: HY Anninas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 096	4 099	2,00	96,5	-	0,00
10	4 189	4 192	1,79	96,5	-	0,00
11	4 853	4 856	0,44	96,5	-	0,00
12	5 346	5 349	-0,46	96,5	-	0,00
13	5 096	5 099	-0,02	96,5	-	0,00
2	4 645	4 648	0,84	96,5	-	0,00
3	5 406	5 409	-0,57	96,5	-	0,00
4	4 600	4 604	0,93	96,5	-	0,00
5	4 794	4 797	0,55	96,5	-	0,00
6	2 642	2 647	5,99	96,5	-	0,00
7	3 018	3 023	4,79	96,5	-	0,00
8	3 393	3 398	3,72	96,5	-	0,00
9	4 068	4 072	2,06	96,5	-	0,00
Sum			13,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: HY Anninas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 096	4 099	2,00	96,5	-	0,00
10	4 189	4 192	1,79	96,5	-	0,00
11	4 853	4 856	0,44	96,5	-	0,00
12	5 346	5 349	-0,46	96,5	-	0,00
13	5 096	5 099	-0,02	96,5	-	0,00
2	4 645	4 648	0,84	96,5	-	0,00
3	5 406	5 409	-0,57	96,5	-	0,00
4	4 600	4 604	0,93	96,5	-	0,00
5	4 794	4 797	0,55	96,5	-	0,00
6	2 642	2 647	5,99	96,5	-	0,00
7	3 018	3 023	4,79	96,5	-	0,00
8	3 393	3 398	3,72	96,5	-	0,00
9	4 068	4 072	2,06	96,5	-	0,00
Sum			13,32			

- Data undefined due to calculation with octave data

Noise sensitive area: HZ Glorija

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 974	3 978	2,28	96,5	-	0,00
10	4 380	4 383	1,38	96,5	-	0,00
11	4 823	4 826	0,49	96,5	-	0,00
12	4 973	4 976	0,21	96,5	-	0,00
13	4 615	4 618	0,90	96,5	-	0,00
2	4 855	4 858	0,43	96,5	-	0,00
3	5 211	5 214	-0,23	96,5	-	0,00
4	4 238	4 241	1,69	96,5	-	0,00
5	4 577	4 580	0,98	96,5	-	0,00
6	2 419	2 424	6,78	96,5	-	0,00
7	2 901	2 906	5,14	96,5	-	0,00
8	2 918	2 923	5,09	96,5	-	0,00
9	3 751	3 756	2,80	96,5	-	0,00
Sum			13,88			

- Data undefined due to calculation with octave data

Noise sensitive area: HZ Glorija

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 974	3 978	2,28	96,5	-	0,00
10	4 380	4 383	1,38	96,5	-	0,00
11	4 823	4 826	0,49	96,5	-	0,00
12	4 973	4 976	0,21	96,5	-	0,00
13	4 615	4 618	0,90	96,5	-	0,00
2	4 855	4 858	0,43	96,5	-	0,00
3	5 211	5 214	-0,23	96,5	-	0,00
4	4 238	4 241	1,69	96,5	-	0,00
5	4 577	4 580	0,98	96,5	-	0,00
6	2 419	2 424	6,78	96,5	-	0,00
7	2 901	2 906	5,14	96,5	-	0,00
8	2 918	2 923	5,09	96,5	-	0,00
9	3 751	3 756	2,80	96,5	-	0,00
Sum			13,88			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IA Sadovski

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 373	2 379	6,95	96,5	-	0,00
10	2 098	2 105	8,05	96,5	-	0,00
11	2 913	2 918	5,11	96,5	-	0,00
12	3 759	3 763	2,79	96,5	-	0,00
13	3 690	3 694	2,96	96,5	-	0,00
2	2 502	2 508	6,47	96,5	-	0,00
3	3 593	3 597	3,20	96,5	-	0,00
4	3 106	3 111	4,52	96,5	-	0,00
5	3 076	3 081	4,61	96,5	-	0,00
6	1 676	1 684	10,04	96,5	-	0,00
7	1 648	1 657	10,19	96,5	-	0,00
8	2 402	2 408	6,84	96,5	-	0,00
9	2 620	2 626	6,06	96,5	-	0,00
Sum			17,79			

- Data undefined due to calculation with octave data

Noise sensitive area: IA Sadovski

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 373	2 379	6,95	96,5	-	0,00
10	2 098	2 105	8,05	96,5	-	0,00
11	2 913	2 918	5,11	96,5	-	0,00
12	3 759	3 763	2,79	96,5	-	0,00
13	3 690	3 694	2,96	96,5	-	0,00
2	2 502	2 508	6,47	96,5	-	0,00
3	3 593	3 597	3,20	96,5	-	0,00
4	3 106	3 111	4,52	96,5	-	0,00
5	3 076	3 081	4,61	96,5	-	0,00
6	1 676	1 684	10,04	96,5	-	0,00
7	1 648	1 657	10,19	96,5	-	0,00
8	2 402	2 408	6,84	96,5	-	0,00
9	2 620	2 626	6,06	96,5	-	0,00
Sum			17,79			

- Data undefined due to calculation with octave data

Noise sensitive area: IB Jaunlietaunieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 038	4 041	2,13	96,5	-	0,00
10	4 117	4 121	1,95	96,5	-	0,00
11	4 789	4 792	0,56	96,5	-	0,00
12	5 297	5 300	-0,38	96,5	-	0,00
13	5 053	5 056	0,06	96,5	-	0,00
2	4 572	4 575	0,99	96,5	-	0,00
3	5 348	5 351	-0,47	96,5	-	0,00
4	4 552	4 556	1,03	96,5	-	0,00
5	4 738	4 741	0,66	96,5	-	0,00
6	2 596	2 602	6,14	96,5	-	0,00
7	2 964	2 969	4,95	96,5	-	0,00
8	3 356	3 360	3,82	96,5	-	0,00
9	4 019	4 023	2,17	96,5	-	0,00
Sum			13,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IB Jaunlietaunieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 038	4 041	2,13	96,5	-	0,00
10	4 117	4 121	1,95	96,5	-	0,00
11	4 789	4 792	0,56	96,5	-	0,00
12	5 297	5 300	-0,38	96,5	-	0,00
13	5 053	5 056	0,06	96,5	-	0,00
2	4 572	4 575	0,99	96,5	-	0,00
3	5 348	5 351	-0,47	96,5	-	0,00
4	4 552	4 556	1,03	96,5	-	0,00
5	4 738	4 741	0,66	96,5	-	0,00
6	2 596	2 602	6,14	96,5	-	0,00
7	2 964	2 969	4,95	96,5	-	0,00
8	3 356	3 360	3,82	96,5	-	0,00
9	4 019	4 023	2,17	96,5	-	0,00
Sum			13,45			

- Data undefined due to calculation with octave data

Noise sensitive area: IC Lebedevi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 837	2 842	5,35	96,5	-	0,00
10	2 512	2 518	6,44	96,5	-	0,00
11	3 350	3 354	3,84	96,5	-	0,00
12	4 223	4 227	1,72	96,5	-	0,00
13	4 157	4 161	1,86	96,5	-	0,00
2	2 891	2 896	5,17	96,5	-	0,00
3	4 042	4 046	2,12	96,5	-	0,00
4	3 573	3 577	3,25	96,5	-	0,00
5	3 536	3 541	3,34	96,5	-	0,00
6	2 082	2 089	8,12	96,5	-	0,00
7	2 100	2 107	8,04	96,5	-	0,00
8	2 839	2 844	5,34	96,5	-	0,00
9	3 086	3 091	4,58	96,5	-	0,00
Sum			16,19			

- Data undefined due to calculation with octave data

Noise sensitive area: IC Lebedevi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 837	2 842	5,35	96,5	-	0,00
10	2 512	2 518	6,44	96,5	-	0,00
11	3 350	3 354	3,84	96,5	-	0,00
12	4 223	4 227	1,72	96,5	-	0,00
13	4 157	4 161	1,86	96,5	-	0,00
2	2 891	2 896	5,17	96,5	-	0,00
3	4 042	4 046	2,12	96,5	-	0,00
4	3 573	3 577	3,25	96,5	-	0,00
5	3 536	3 541	3,34	96,5	-	0,00
6	2 082	2 089	8,12	96,5	-	0,00
7	2 100	2 107	8,04	96,5	-	0,00
8	2 839	2 844	5,34	96,5	-	0,00
9	3 086	3 091	4,58	96,5	-	0,00
Sum			16,19			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: ID Lieknes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 382	4 385	1,38	96,5	-	0,00
10	4 511	4 515	1,11	96,5	-	0,00
11	5 155	5 158	-0,13	96,5	-	0,00
12	5 603	5 606	-0,90	96,5	-	0,00
13	5 333	5 336	-0,44	96,5	-	0,00
2	4 971	4 974	0,21	96,5	-	0,00
3	5 690	5 692	-1,05	96,5	-	0,00
4	4 854	4 857	0,43	96,5	-	0,00
5	5 071	5 074	0,03	96,5	-	0,00
6	2 893	2 898	5,17	96,5	-	0,00
7	3 292	3 297	3,99	96,5	-	0,00
8	3 615	3 620	3,14	96,5	-	0,00
9	4 325	4 329	1,50	96,5	-	0,00
Sum			12,69			

- Data undefined due to calculation with octave data

Noise sensitive area: ID Lieknes

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 382	4 385	1,38	96,5	-	0,00
10	4 511	4 515	1,11	96,5	-	0,00
11	5 155	5 158	-0,13	96,5	-	0,00
12	5 603	5 606	-0,90	96,5	-	0,00
13	5 333	5 336	-0,44	96,5	-	0,00
2	4 971	4 974	0,21	96,5	-	0,00
3	5 690	5 692	-1,05	96,5	-	0,00
4	4 854	4 857	0,43	96,5	-	0,00
5	5 071	5 074	0,03	96,5	-	0,00
6	2 893	2 898	5,17	96,5	-	0,00
7	3 292	3 297	3,99	96,5	-	0,00
8	3 615	3 620	3,14	96,5	-	0,00
9	4 325	4 329	1,50	96,5	-	0,00
Sum			12,69			

- Data undefined due to calculation with octave data

Noise sensitive area: IE Arai š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 420	4 424	1,30	96,5	-	0,00
10	4 564	4 567	1,00	96,5	-	0,00
11	5 199	5 202	-0,20	96,5	-	0,00
12	5 632	5 635	-0,95	96,5	-	0,00
13	5 357	5 360	-0,48	96,5	-	0,00
2	5 025	5 028	0,11	96,5	-	0,00
3	5 727	5 730	-1,11	96,5	-	0,00
4	4 883	4 886	0,38	96,5	-	0,00
5	5 107	5 110	-0,04	96,5	-	0,00
6	2 922	2 927	5,08	96,5	-	0,00
7	3 328	3 333	3,90	96,5	-	0,00
8	3 636	3 640	3,09	96,5	-	0,00
9	4 355	4 358	1,44	96,5	-	0,00
Sum			12,61			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IE Arai š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 420	4 424	1,30	96,5	-	0,00
10	4 564	4 567	1,00	96,5	-	0,00
11	5 199	5 202	-0,20	96,5	-	0,00
12	5 632	5 635	-0,95	96,5	-	0,00
13	5 357	5 360	-0,48	96,5	-	0,00
2	5 025	5 028	0,11	96,5	-	0,00
3	5 727	5 730	-1,11	96,5	-	0,00
4	4 883	4 886	0,38	96,5	-	0,00
5	5 107	5 110	-0,04	96,5	-	0,00
6	2 922	2 927	5,08	96,5	-	0,00
7	3 328	3 333	3,90	96,5	-	0,00
8	3 636	3 640	3,09	96,5	-	0,00
9	4 355	4 358	1,44	96,5	-	0,00
Sum			12,61			

- Data undefined due to calculation with octave data

Noise sensitive area: IF Tarasa

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 311	2 316	7,19	96,5	-	0,00
10	2 421	2 426	6,77	96,5	-	0,00
11	3 056	3 061	4,67	96,5	-	0,00
12	3 611	3 614	3,16	96,5	-	0,00
13	3 417	3 421	3,66	96,5	-	0,00
2	2 888	2 893	5,18	96,5	-	0,00
3	3 620	3 624	3,13	96,5	-	0,00
4	2 879	2 884	5,21	96,5	-	0,00
5	3 019	3 023	4,78	96,5	-	0,00
6	1 015	1 027	14,43	96,5	-	0,00
7	1 269	1 280	12,49	96,5	-	0,00
8	1 830	1 838	9,27	96,5	-	0,00
9	2 347	2 353	7,05	96,5	-	0,00
Sum			19,44			

- Data undefined due to calculation with octave data

Noise sensitive area: IF Tarasa

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 311	2 316	7,19	96,5	-	0,00
10	2 421	2 426	6,77	96,5	-	0,00
11	3 056	3 061	4,67	96,5	-	0,00
12	3 611	3 614	3,16	96,5	-	0,00
13	3 417	3 421	3,66	96,5	-	0,00
2	2 888	2 893	5,18	96,5	-	0,00
3	3 620	3 624	3,13	96,5	-	0,00
4	2 879	2 884	5,21	96,5	-	0,00
5	3 019	3 023	4,78	96,5	-	0,00
6	1 015	1 027	14,43	96,5	-	0,00
7	1 269	1 280	12,49	96,5	-	0,00
8	1 830	1 838	9,27	96,5	-	0,00
9	2 347	2 353	7,05	96,5	-	0,00
Sum			19,44			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IG Petermui ž a

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 219	2 225	7,55	96,5	-	0,00
10	2 127	2 133	7,93	96,5	-	0,00
11	2 865	2 870	5,26	96,5	-	0,00
12	3 586	3 590	3,22	96,5	-	0,00
13	3 463	3 467	3,54	96,5	-	0,00
2	2 572	2 577	6,23	96,5	-	0,00
3	3 498	3 502	3,45	96,5	-	0,00
4	2 893	2 898	5,17	96,5	-	0,00
5	2 937	2 941	5,03	96,5	-	0,00
6	1 276	1 286	12,44	96,5	-	0,00
7	1 338	1 348	12,03	96,5	-	0,00
8	2 046	2 053	8,28	96,5	-	0,00
9	2 380	2 386	6,92	96,5	-	0,00
Sum			18,90			

- Data undefined due to calculation with octave data

Noise sensitive area: IG Petermui ž a

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 219	2 225	7,55	96,5	-	0,00
10	2 127	2 133	7,93	96,5	-	0,00
11	2 865	2 870	5,26	96,5	-	0,00
12	3 586	3 590	3,22	96,5	-	0,00
13	3 463	3 467	3,54	96,5	-	0,00
2	2 572	2 577	6,23	96,5	-	0,00
3	3 498	3 502	3,45	96,5	-	0,00
4	2 893	2 898	5,17	96,5	-	0,00
5	2 937	2 941	5,03	96,5	-	0,00
6	1 276	1 286	12,44	96,5	-	0,00
7	1 338	1 348	12,03	96,5	-	0,00
8	2 046	2 053	8,28	96,5	-	0,00
9	2 380	2 386	6,92	96,5	-	0,00
Sum			18,90			

- Data undefined due to calculation with octave data

Noise sensitive area: IH Ap š u majas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 231	2 237	7,50	96,5	-	0,00
10	1 799	1 806	9,42	96,5	-	0,00
11	2 657	2 662	5,94	96,5	-	0,00
12	3 607	3 611	3,16	96,5	-	0,00
13	3 596	3 600	3,19	96,5	-	0,00
2	2 161	2 167	7,79	96,5	-	0,00
3	3 368	3 372	3,79	96,5	-	0,00
4	3 007	3 012	4,82	96,5	-	0,00
5	2 902	2 907	5,14	96,5	-	0,00
6	1 863	1 870	9,11	96,5	-	0,00
7	1 714	1 722	9,85	96,5	-	0,00
8	2 497	2 503	6,49	96,5	-	0,00
9	2 562	2 568	6,26	96,5	-	0,00
Sum			18,04			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IH Ap š u majas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 231	2 237	7,50	96,5	-	0,00
10	1 799	1 806	9,42	96,5	-	0,00
11	2 657	2 662	5,94	96,5	-	0,00
12	3 607	3 611	3,16	96,5	-	0,00
13	3 596	3 600	3,19	96,5	-	0,00
2	2 161	2 167	7,79	96,5	-	0,00
3	3 368	3 372	3,79	96,5	-	0,00
4	3 007	3 012	4,82	96,5	-	0,00
5	2 902	2 907	5,14	96,5	-	0,00
6	1 863	1 870	9,11	96,5	-	0,00
7	1 714	1 722	9,85	96,5	-	0,00
8	2 497	2 503	6,49	96,5	-	0,00
9	2 562	2 568	6,26	96,5	-	0,00
Sum			18,04			

- Data undefined due to calculation with octave data

Noise sensitive area: II Jelena

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 184	4 187	1,80	96,5	-	0,00
10	4 179	4 183	1,81	96,5	-	0,00
11	4 898	4 901	0,35	96,5	-	0,00
12	5 483	5 486	-0,70	96,5	-	0,00
13	5 267	5 270	-0,33	96,5	-	0,00
2	4 620	4 623	0,89	96,5	-	0,00
3	5 491	5 493	-0,71	96,5	-	0,00
4	4 746	4 749	0,64	96,5	-	0,00
5	4 895	4 898	0,36	96,5	-	0,00
6	2 813	2 818	5,42	96,5	-	0,00
7	3 140	3 145	4,42	96,5	-	0,00
8	3 599	3 603	3,18	96,5	-	0,00
9	4 213	4 216	1,74	96,5	-	0,00
Sum			13,02			

- Data undefined due to calculation with octave data

Noise sensitive area: II Jelena

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 184	4 187	1,80	96,5	-	0,00
10	4 179	4 183	1,81	96,5	-	0,00
11	4 898	4 901	0,35	96,5	-	0,00
12	5 483	5 486	-0,70	96,5	-	0,00
13	5 267	5 270	-0,33	96,5	-	0,00
2	4 620	4 623	0,89	96,5	-	0,00
3	5 491	5 493	-0,71	96,5	-	0,00
4	4 746	4 749	0,64	96,5	-	0,00
5	4 895	4 898	0,36	96,5	-	0,00
6	2 813	2 818	5,42	96,5	-	0,00
7	3 140	3 145	4,42	96,5	-	0,00
8	3 599	3 603	3,18	96,5	-	0,00
9	4 213	4 216	1,74	96,5	-	0,00
Sum			13,02			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IJ Lietaunieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 844	3 848	2,58	96,5	-	0,00
10	3 941	3 945	2,35	96,5	-	0,00
11	4 601	4 604	0,93	96,5	-	0,00
12	5 098	5 101	-0,02	96,5	-	0,00
13	4 852	4 855	0,44	96,5	-	0,00
2	4 398	4 402	1,34	96,5	-	0,00
3	5 154	5 157	-0,12	96,5	-	0,00
4	4 353	4 356	1,44	96,5	-	0,00
5	4 542	4 546	1,05	96,5	-	0,00
6	2 396	2 402	6,87	96,5	-	0,00
7	2 767	2 772	5,57	96,5	-	0,00
8	3 155	3 160	4,38	96,5	-	0,00
9	3 820	3 824	2,64	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Noise sensitive area: IJ Lietaunieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 844	3 848	2,58	96,5	-	0,00
10	3 941	3 945	2,35	96,5	-	0,00
11	4 601	4 604	0,93	96,5	-	0,00
12	5 098	5 101	-0,02	96,5	-	0,00
13	4 852	4 855	0,44	96,5	-	0,00
2	4 398	4 402	1,34	96,5	-	0,00
3	5 154	5 157	-0,12	96,5	-	0,00
4	4 353	4 356	1,44	96,5	-	0,00
5	4 542	4 546	1,05	96,5	-	0,00
6	2 396	2 402	6,87	96,5	-	0,00
7	2 767	2 772	5,57	96,5	-	0,00
8	3 155	3 160	4,38	96,5	-	0,00
9	3 820	3 824	2,64	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Noise sensitive area: IK Ezernieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 590	2 595	6,17	96,5	-	0,00
10	2 784	2 789	5,51	96,5	-	0,00
11	3 373	3 377	3,78	96,5	-	0,00
12	3 833	3 836	2,61	96,5	-	0,00
13	3 597	3 600	3,19	96,5	-	0,00
2	3 256	3 260	4,10	96,5	-	0,00
3	3 898	3 901	2,45	96,5	-	0,00
4	3 088	3 093	4,58	96,5	-	0,00
5	3 281	3 285	4,03	96,5	-	0,00
6	1 139	1 150	13,43	96,5	-	0,00
7	1 504	1 512	11,00	96,5	-	0,00
8	1 927	1 934	8,81	96,5	-	0,00
9	2 555	2 561	6,29	96,5	-	0,00
Sum			18,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IK Ezernieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 590	2 595	6,17	96,5	-	0,00
10	2 784	2 789	5,51	96,5	-	0,00
11	3 373	3 377	3,78	96,5	-	0,00
12	3 833	3 836	2,61	96,5	-	0,00
13	3 597	3 600	3,19	96,5	-	0,00
2	3 256	3 260	4,10	96,5	-	0,00
3	3 898	3 901	2,45	96,5	-	0,00
4	3 088	3 093	4,58	96,5	-	0,00
5	3 281	3 285	4,03	96,5	-	0,00
6	1 139	1 150	13,43	96,5	-	0,00
7	1 504	1 512	11,00	96,5	-	0,00
8	1 927	1 934	8,81	96,5	-	0,00
9	2 555	2 561	6,29	96,5	-	0,00
Sum			18,46			

- Data undefined due to calculation with octave data

Noise sensitive area: IL Ezernieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 582	2 587	6,19	96,5	-	0,00
10	2 772	2 777	5,55	96,5	-	0,00
11	3 364	3 367	3,80	96,5	-	0,00
12	3 828	3 831	2,62	96,5	-	0,00
13	3 593	3 597	3,20	96,5	-	0,00
2	3 243	3 247	4,13	96,5	-	0,00
3	3 890	3 894	2,47	96,5	-	0,00
4	3 084	3 088	4,59	96,5	-	0,00
5	3 274	3 278	4,05	96,5	-	0,00
6	1 136	1 147	13,45	96,5	-	0,00
7	1 497	1 505	11,04	96,5	-	0,00
8	1 926	1 934	8,81	96,5	-	0,00
9	2 551	2 556	6,30	96,5	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Noise sensitive area: IL Ezernieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 582	2 587	6,19	96,5	-	0,00
10	2 772	2 777	5,55	96,5	-	0,00
11	3 364	3 367	3,80	96,5	-	0,00
12	3 828	3 831	2,62	96,5	-	0,00
13	3 593	3 597	3,20	96,5	-	0,00
2	3 243	3 247	4,13	96,5	-	0,00
3	3 890	3 894	2,47	96,5	-	0,00
4	3 084	3 088	4,59	96,5	-	0,00
5	3 274	3 278	4,05	96,5	-	0,00
6	1 136	1 147	13,45	96,5	-	0,00
7	1 497	1 505	11,04	96,5	-	0,00
8	1 926	1 934	8,81	96,5	-	0,00
9	2 551	2 556	6,30	96,5	-	0,00
Sum			18,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IM Kalnozoli

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 953	2 958	4,98	96,5	-	0,00
10	3 304	3 308	3,96	96,5	-	0,00
11	3 787	3 790	2,72	96,5	-	0,00
12	4 060	4 063	2,08	96,5	-	0,00
13	3 754	3 757	2,80	96,5	-	0,00
2	3 779	3 783	2,74	96,5	-	0,00
3	4 227	4 230	1,71	96,5	-	0,00
4	3 312	3 316	3,94	96,5	-	0,00
5	3 595	3 598	3,20	96,5	-	0,00
6	1 393	1 402	11,67	96,5	-	0,00
7	1 859	1 866	9,13	96,5	-	0,00
8	2 026	2 033	8,36	96,5	-	0,00
9	2 797	2 802	5,47	96,5	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Noise sensitive area: IM Kalnozoli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 953	2 958	4,98	96,5	-	0,00
10	3 304	3 308	3,96	96,5	-	0,00
11	3 787	3 790	2,72	96,5	-	0,00
12	4 060	4 063	2,08	96,5	-	0,00
13	3 754	3 757	2,80	96,5	-	0,00
2	3 779	3 783	2,74	96,5	-	0,00
3	4 227	4 230	1,71	96,5	-	0,00
4	3 312	3 316	3,94	96,5	-	0,00
5	3 595	3 598	3,20	96,5	-	0,00
6	1 393	1 402	11,67	96,5	-	0,00
7	1 859	1 866	9,13	96,5	-	0,00
8	2 026	2 033	8,36	96,5	-	0,00
9	2 797	2 802	5,47	96,5	-	0,00
Sum			17,18			

- Data undefined due to calculation with octave data

Noise sensitive area: IN Salina

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 870	3 874	2,52	96,5	-	0,00
10	3 830	3 834	2,62	96,5	-	0,00
11	4 565	4 568	1,00	96,5	-	0,00
12	5 190	5 193	-0,19	96,5	-	0,00
13	4 994	4 997	0,17	96,5	-	0,00
2	4 266	4 269	1,63	96,5	-	0,00
3	5 172	5 175	-0,16	96,5	-	0,00
4	4 460	4 464	1,22	96,5	-	0,00
5	4 585	4 588	0,96	96,5	-	0,00
6	2 555	2 560	6,29	96,5	-	0,00
7	2 850	2 855	5,30	96,5	-	0,00
8	3 357	3 362	3,82	96,5	-	0,00
9	3 928	3 932	2,38	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IN Salina

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 870	3 874	2,52	96,5	-	0,00
10	3 830	3 834	2,62	96,5	-	0,00
11	4 565	4 568	1,00	96,5	-	0,00
12	5 190	5 193	-0,19	96,5	-	0,00
13	4 994	4 997	0,17	96,5	-	0,00
2	4 266	4 269	1,63	96,5	-	0,00
3	5 172	5 175	-0,16	96,5	-	0,00
4	4 460	4 464	1,22	96,5	-	0,00
5	4 585	4 588	0,96	96,5	-	0,00
6	2 555	2 560	6,29	96,5	-	0,00
7	2 850	2 855	5,30	96,5	-	0,00
8	3 357	3 362	3,82	96,5	-	0,00
9	3 928	3 932	2,38	96,5	-	0,00
Sum			13,74			

- Data undefined due to calculation with octave data

Noise sensitive area: IO Pakalnie š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 619	3 622	3,14	96,5	-	0,00
10	3 842	3 846	2,59	96,5	-	0,00
11	4 421	4 424	1,30	96,5	-	0,00
12	4 797	4 800	0,54	96,5	-	0,00
13	4 512	4 515	1,11	96,5	-	0,00
2	4 312	4 316	1,53	96,5	-	0,00
3	4 917	4 920	0,31	96,5	-	0,00
4	4 047	4 051	2,11	96,5	-	0,00
5	4 291	4 294	1,57	96,5	-	0,00
6	2 092	2 099	8,08	96,5	-	0,00
7	2 519	2 524	6,42	96,5	-	0,00
8	2 789	2 794	5,50	96,5	-	0,00
9	3 523	3 527	3,38	96,5	-	0,00
Sum			14,73			

- Data undefined due to calculation with octave data

Noise sensitive area: IO Pakalnie š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 619	3 622	3,14	96,5	-	0,00
10	3 842	3 846	2,59	96,5	-	0,00
11	4 421	4 424	1,30	96,5	-	0,00
12	4 797	4 800	0,54	96,5	-	0,00
13	4 512	4 515	1,11	96,5	-	0,00
2	4 312	4 316	1,53	96,5	-	0,00
3	4 917	4 920	0,31	96,5	-	0,00
4	4 047	4 051	2,11	96,5	-	0,00
5	4 291	4 294	1,57	96,5	-	0,00
6	2 092	2 099	8,08	96,5	-	0,00
7	2 519	2 524	6,42	96,5	-	0,00
8	2 789	2 794	5,50	96,5	-	0,00
9	3 523	3 527	3,38	96,5	-	0,00
Sum			14,73			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IP Dubnas mala

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 574	2 579	6,22	96,5	-	0,00
10	2 260	2 266	7,39	96,5	-	0,00
11	3 090	3 095	4,57	96,5	-	0,00
12	3 960	3 964	2,31	96,5	-	0,00
13	3 898	3 902	2,45	96,5	-	0,00
2	2 648	2 653	5,97	96,5	-	0,00
3	3 780	3 784	2,74	96,5	-	0,00
4	3 313	3 318	3,94	96,5	-	0,00
5	3 273	3 278	4,05	96,5	-	0,00
6	1 875	1 882	9,05	96,5	-	0,00
7	1 859	1 867	9,13	96,5	-	0,00
8	2 610	2 616	6,09	96,5	-	0,00
9	2 830	2 835	5,37	96,5	-	0,00
Sum			17,04			

- Data undefined due to calculation with octave data

Noise sensitive area: IP Dubnas mala

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 574	2 579	6,22	96,5	-	0,00
10	2 260	2 266	7,39	96,5	-	0,00
11	3 090	3 095	4,57	96,5	-	0,00
12	3 960	3 964	2,31	96,5	-	0,00
13	3 898	3 902	2,45	96,5	-	0,00
2	2 648	2 653	5,97	96,5	-	0,00
3	3 780	3 784	2,74	96,5	-	0,00
4	3 313	3 318	3,94	96,5	-	0,00
5	3 273	3 278	4,05	96,5	-	0,00
6	1 875	1 882	9,05	96,5	-	0,00
7	1 859	1 867	9,13	96,5	-	0,00
8	2 610	2 616	6,09	96,5	-	0,00
9	2 830	2 835	5,37	96,5	-	0,00
Sum			17,04			

- Data undefined due to calculation with octave data

Noise sensitive area: IQ Lietavnieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 985	3 988	2,25	96,5	-	0,00
10	4 102	4 106	1,99	96,5	-	0,00
11	4 751	4 754	0,63	96,5	-	0,00
12	5 223	5 226	-0,25	96,5	-	0,00
13	4 967	4 970	0,22	96,5	-	0,00
2	4 562	4 565	1,01	96,5	-	0,00
3	5 294	5 297	-0,37	96,5	-	0,00
4	4 476	4 479	1,18	96,5	-	0,00
5	4 679	4 682	0,77	96,5	-	0,00
6	2 515	2 521	6,43	96,5	-	0,00
7	2 901	2 906	5,14	96,5	-	0,00
8	3 259	3 264	4,09	96,5	-	0,00
9	3 945	3 949	2,34	96,5	-	0,00
Sum			13,62			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IQ Lietavnieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 985	3 988	2,25	96,5	-	0,00
10	4 102	4 106	1,99	96,5	-	0,00
11	4 751	4 754	0,63	96,5	-	0,00
12	5 223	5 226	-0,25	96,5	-	0,00
13	4 967	4 970	0,22	96,5	-	0,00
2	4 562	4 565	1,01	96,5	-	0,00
3	5 294	5 297	-0,37	96,5	-	0,00
4	4 476	4 479	1,18	96,5	-	0,00
5	4 679	4 682	0,77	96,5	-	0,00
6	2 515	2 521	6,43	96,5	-	0,00
7	2 901	2 906	5,14	96,5	-	0,00
8	3 259	3 264	4,09	96,5	-	0,00
9	3 945	3 949	2,34	96,5	-	0,00
Sum			13,62			

- Data undefined due to calculation with octave data

Noise sensitive area: IR Darzu majas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 158	2 165	7,80	96,5	-	0,00
10	1 747	1 755	9,68	96,5	-	0,00
11	2 599	2 604	6,13	96,5	-	0,00
12	3 537	3 541	3,34	96,5	-	0,00
13	3 521	3 525	3,39	96,5	-	0,00
2	2 120	2 126	7,96	96,5	-	0,00
3	3 307	3 311	3,96	96,5	-	0,00
4	2 932	2 937	5,05	96,5	-	0,00
5	2 834	2 839	5,36	96,5	-	0,00
6	1 786	1 793	9,49	96,5	-	0,00
7	1 633	1 641	10,28	96,5	-	0,00
8	2 416	2 422	6,79	96,5	-	0,00
9	2 484	2 490	6,54	96,5	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Noise sensitive area: IR Darzu majas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 158	2 165	7,80	96,5	-	0,00
10	1 747	1 755	9,68	96,5	-	0,00
11	2 599	2 604	6,13	96,5	-	0,00
12	3 537	3 541	3,34	96,5	-	0,00
13	3 521	3 525	3,39	96,5	-	0,00
2	2 120	2 126	7,96	96,5	-	0,00
3	3 307	3 311	3,96	96,5	-	0,00
4	2 932	2 937	5,05	96,5	-	0,00
5	2 834	2 839	5,36	96,5	-	0,00
6	1 786	1 793	9,49	96,5	-	0,00
7	1 633	1 641	10,28	96,5	-	0,00
8	2 416	2 422	6,79	96,5	-	0,00
9	2 484	2 490	6,54	96,5	-	0,00
Sum			18,32			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IS Darzu majas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 168	2 175	7,76	96,5	-	0,00
10	1 755	1 763	9,64	96,5	-	0,00
11	2 607	2 613	6,11	96,5	-	0,00
12	3 547	3 550	3,32	96,5	-	0,00
13	3 531	3 535	3,36	96,5	-	0,00
2	2 126	2 133	7,93	96,5	-	0,00
3	3 315	3 320	3,93	96,5	-	0,00
4	2 942	2 947	5,01	96,5	-	0,00
5	2 843	2 848	5,32	96,5	-	0,00
6	1 795	1 803	9,44	96,5	-	0,00
7	1 643	1 652	10,22	96,5	-	0,00
8	2 426	2 433	6,75	96,5	-	0,00
9	2 494	2 500	6,50	96,5	-	0,00
Sum			18,28			

- Data undefined due to calculation with octave data

Noise sensitive area: IS Darzu majas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 168	2 175	7,76	96,5	-	0,00
10	1 755	1 763	9,64	96,5	-	0,00
11	2 607	2 613	6,11	96,5	-	0,00
12	3 547	3 550	3,32	96,5	-	0,00
13	3 531	3 535	3,36	96,5	-	0,00
2	2 126	2 133	7,93	96,5	-	0,00
3	3 315	3 320	3,93	96,5	-	0,00
4	2 942	2 947	5,01	96,5	-	0,00
5	2 843	2 848	5,32	96,5	-	0,00
6	1 795	1 803	9,44	96,5	-	0,00
7	1 643	1 652	10,22	96,5	-	0,00
8	2 426	2 433	6,75	96,5	-	0,00
9	2 494	2 500	6,50	96,5	-	0,00
Sum			18,28			

- Data undefined due to calculation with octave data

Noise sensitive area: IT Kalnezeri

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 780	3 783	2,74	96,5	-	0,00
10	4 150	4 153	1,88	96,5	-	0,00
11	4 622	4 625	0,89	96,5	-	0,00
12	4 825	4 827	0,49	96,5	-	0,00
13	4 484	4 487	1,17	96,5	-	0,00
2	4 625	4 628	0,88	96,5	-	0,00
3	5 035	5 038	0,09	96,5	-	0,00
4	4 083	4 086	2,03	96,5	-	0,00
5	4 401	4 404	1,34	96,5	-	0,00
6	2 218	2 224	7,56	96,5	-	0,00
7	2 694	2 699	5,81	96,5	-	0,00
8	2 769	2 774	5,56	96,5	-	0,00
9	3 585	3 589	3,22	96,5	-	0,00
Sum			14,39			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IT Kalnezeri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 780	3 783	2,74	96,5	-	0,00
10	4 150	4 153	1,88	96,5	-	0,00
11	4 622	4 625	0,89	96,5	-	0,00
12	4 825	4 827	0,49	96,5	-	0,00
13	4 484	4 487	1,17	96,5	-	0,00
2	4 625	4 628	0,88	96,5	-	0,00
3	5 035	5 038	0,09	96,5	-	0,00
4	4 083	4 086	2,03	96,5	-	0,00
5	4 401	4 404	1,34	96,5	-	0,00
6	2 218	2 224	7,56	96,5	-	0,00
7	2 694	2 699	5,81	96,5	-	0,00
8	2 769	2 774	5,56	96,5	-	0,00
9	3 585	3 589	3,22	96,5	-	0,00
Sum			14,39			

- Data undefined due to calculation with octave data

Noise sensitive area: IU Daugavie š i

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 919	3 923	2,41	96,5	-	0,00
10	4 216	4 219	1,74	96,5	-	0,00
11	4 745	4 748	0,64	96,5	-	0,00
12	5 028	5 030	0,11	96,5	-	0,00
13	4 709	4 712	0,71	96,5	-	0,00
2	4 690	4 693	0,75	96,5	-	0,00
3	5 199	5 201	-0,20	96,5	-	0,00
4	4 280	4 284	1,60	96,5	-	0,00
5	4 567	4 569	1,00	96,5	-	0,00
6	2 363	2 369	6,99	96,5	-	0,00
7	2 821	2 825	5,40	96,5	-	0,00
8	2 983	2 988	4,89	96,5	-	0,00
9	3 769	3 772	2,76	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Noise sensitive area: IU Daugavie š i

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 919	3 923	2,41	96,5	-	0,00
10	4 216	4 219	1,74	96,5	-	0,00
11	4 745	4 748	0,64	96,5	-	0,00
12	5 028	5 030	0,11	96,5	-	0,00
13	4 709	4 712	0,71	96,5	-	0,00
2	4 690	4 693	0,75	96,5	-	0,00
3	5 199	5 201	-0,20	96,5	-	0,00
4	4 280	4 284	1,60	96,5	-	0,00
5	4 567	4 569	1,00	96,5	-	0,00
6	2 363	2 369	6,99	96,5	-	0,00
7	2 821	2 825	5,40	96,5	-	0,00
8	2 983	2 988	4,89	96,5	-	0,00
9	3 769	3 772	2,76	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IV Ganibu majas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 340	3 344	3,87	96,5	-	0,00
10	3 313	3 318	3,94	96,5	-	0,00
11	4 036	4 040	2,13	96,5	-	0,00
12	4 664	4 667	0,80	96,5	-	0,00
13	4 476	4 479	1,18	96,5	-	0,00
2	3 755	3 759	2,80	96,5	-	0,00
3	4 642	4 645	0,85	96,5	-	0,00
4	3 937	3 940	2,36	96,5	-	0,00
5	4 055	4 058	2,09	96,5	-	0,00
6	2 053	2 059	8,25	96,5	-	0,00
7	2 326	2 333	7,13	96,5	-	0,00
8	2 863	2 868	5,26	96,5	-	0,00
9	3 405	3 410	3,69	96,5	-	0,00
Sum			15,19			

- Data undefined due to calculation with octave data

Noise sensitive area: IV Ganibu majas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 340	3 344	3,87	96,5	-	0,00
10	3 313	3 318	3,94	96,5	-	0,00
11	4 036	4 040	2,13	96,5	-	0,00
12	4 664	4 667	0,80	96,5	-	0,00
13	4 476	4 479	1,18	96,5	-	0,00
2	3 755	3 759	2,80	96,5	-	0,00
3	4 642	4 645	0,85	96,5	-	0,00
4	3 937	3 940	2,36	96,5	-	0,00
5	4 055	4 058	2,09	96,5	-	0,00
6	2 053	2 059	8,25	96,5	-	0,00
7	2 326	2 333	7,13	96,5	-	0,00
8	2 863	2 868	5,26	96,5	-	0,00
9	3 405	3 410	3,69	96,5	-	0,00
Sum			15,19			

- Data undefined due to calculation with octave data

Noise sensitive area: IW Karjeri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 564	3 567	3,27	96,5	-	0,00
10	3 937	3 941	2,36	96,5	-	0,00
11	4 406	4 408	1,33	96,5	-	0,00
12	4 616	4 618	0,90	96,5	-	0,00
13	4 280	4 283	1,60	96,5	-	0,00
2	4 412	4 415	1,32	96,5	-	0,00
3	4 821	4 823	0,50	96,5	-	0,00
4	3 873	3 876	2,51	96,5	-	0,00
5	4 186	4 189	1,80	96,5	-	0,00
6	2 002	2 009	8,47	96,5	-	0,00
7	2 478	2 484	6,56	96,5	-	0,00
8	2 561	2 567	6,27	96,5	-	0,00
9	3 372	3 376	3,78	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IW Karjeri

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 564	3 567	3,27	96,5	-	0,00
10	3 937	3 941	2,36	96,5	-	0,00
11	4 406	4 408	1,33	96,5	-	0,00
12	4 616	4 618	0,90	96,5	-	0,00
13	4 280	4 283	1,60	96,5	-	0,00
2	4 412	4 415	1,32	96,5	-	0,00
3	4 821	4 823	0,50	96,5	-	0,00
4	3 873	3 876	2,51	96,5	-	0,00
5	4 186	4 189	1,80	96,5	-	0,00
6	2 002	2 009	8,47	96,5	-	0,00
7	2 478	2 484	6,56	96,5	-	0,00
8	2 561	2 567	6,27	96,5	-	0,00
9	3 372	3 376	3,78	96,5	-	0,00
Sum			15,03			

- Data undefined due to calculation with octave data

Noise sensitive area: IX Lielojuri 1

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 821	3 825	2,64	96,5	-	0,00
10	3 777	3 781	2,74	96,5	-	0,00
11	4 513	4 516	1,11	96,5	-	0,00
12	5 143	5 146	-0,10	96,5	-	0,00
13	4 949	4 952	0,25	96,5	-	0,00
2	4 212	4 216	1,74	96,5	-	0,00
3	5 122	5 125	-0,07	96,5	-	0,00
4	4 414	4 418	1,31	96,5	-	0,00
5	4 536	4 539	1,06	96,5	-	0,00
6	2 513	2 519	6,44	96,5	-	0,00
7	2 804	2 809	5,45	96,5	-	0,00
8	3 317	3 322	3,93	96,5	-	0,00
9	3 882	3 886	2,49	96,5	-	0,00
Sum			13,86			

- Data undefined due to calculation with octave data

Noise sensitive area: IX Lielojuri 1

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 821	3 825	2,64	96,5	-	0,00
10	3 777	3 781	2,74	96,5	-	0,00
11	4 513	4 516	1,11	96,5	-	0,00
12	5 143	5 146	-0,10	96,5	-	0,00
13	4 949	4 952	0,25	96,5	-	0,00
2	4 212	4 216	1,74	96,5	-	0,00
3	5 122	5 125	-0,07	96,5	-	0,00
4	4 414	4 418	1,31	96,5	-	0,00
5	4 536	4 539	1,06	96,5	-	0,00
6	2 513	2 519	6,44	96,5	-	0,00
7	2 804	2 809	5,45	96,5	-	0,00
8	3 317	3 322	3,93	96,5	-	0,00
9	3 882	3 886	2,49	96,5	-	0,00
Sum			13,86			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IY Odumi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 003	3 007	4,83	96,5	-	0,00
10	2 885	2 890	5,19	96,5	-	0,00
11	3 647	3 651	3,06	96,5	-	0,00
12	4 361	4 365	1,42	96,5	-	0,00
13	4 216	4 220	1,73	96,5	-	0,00
2	3 313	3 318	3,94	96,5	-	0,00
3	4 284	4 288	1,59	96,5	-	0,00
4	3 656	3 660	3,04	96,5	-	0,00
5	3 720	3 724	2,88	96,5	-	0,00
6	1 884	1 892	9,01	96,5	-	0,00
7	2 065	2 072	8,19	96,5	-	0,00
8	2 696	2 702	5,80	96,5	-	0,00
9	3 134	3 139	4,44	96,5	-	0,00
Sum			16,05			

- Data undefined due to calculation with octave data

Noise sensitive area: IY Odumi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 003	3 007	4,83	96,5	-	0,00
10	2 885	2 890	5,19	96,5	-	0,00
11	3 647	3 651	3,06	96,5	-	0,00
12	4 361	4 365	1,42	96,5	-	0,00
13	4 216	4 220	1,73	96,5	-	0,00
2	3 313	3 318	3,94	96,5	-	0,00
3	4 284	4 288	1,59	96,5	-	0,00
4	3 656	3 660	3,04	96,5	-	0,00
5	3 720	3 724	2,88	96,5	-	0,00
6	1 884	1 892	9,01	96,5	-	0,00
7	2 065	2 072	8,19	96,5	-	0,00
8	2 696	2 702	5,80	96,5	-	0,00
9	3 134	3 139	4,44	96,5	-	0,00
Sum			16,05			

- Data undefined due to calculation with octave data

Noise sensitive area: IZ Nade ž da

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	963	976	14,88	96,5	-	0,00
10	824	840	16,21	96,5	-	0,00
11	1 507	1 516	10,98	96,5	-	0,00
12	2 344	2 350	7,06	96,5	-	0,00
13	2 331	2 337	7,11	96,5	-	0,00
2	1 297	1 308	12,29	96,5	-	0,00
3	2 163	2 169	7,78	96,5	-	0,00
4	1 743	1 751	9,70	96,5	-	0,00
5	1 648	1 656	10,19	96,5	-	0,00
6	1 273	1 283	12,46	96,5	-	0,00
7	842	858	16,02	96,5	-	0,00
8	1 523	1 533	10,88	96,5	-	0,00
9	1 329	1 340	12,08	96,5	-	0,00
Sum			23,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: IZ Nade ž da

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	963	976	14,88	96,5	-	0,00
10	824	840	16,21	96,5	-	0,00
11	1 507	1 516	10,98	96,5	-	0,00
12	2 344	2 350	7,06	96,5	-	0,00
13	2 331	2 337	7,11	96,5	-	0,00
2	1 297	1 308	12,29	96,5	-	0,00
3	2 163	2 169	7,78	96,5	-	0,00
4	1 743	1 751	9,70	96,5	-	0,00
5	1 648	1 656	10,19	96,5	-	0,00
6	1 273	1 283	12,46	96,5	-	0,00
7	842	858	16,02	96,5	-	0,00
8	1 523	1 533	10,88	96,5	-	0,00
9	1 329	1 340	12,08	96,5	-	0,00
Sum			23,50			

- Data undefined due to calculation with octave data

Noise sensitive area: JA Pakalni

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 458	4 461	1,22	96,5	-	0,00
10	4 876	4 879	0,39	96,5	-	0,00
11	5 309	5 312	-0,40	96,5	-	0,00
12	5 423	5 425	-0,60	96,5	-	0,00
13	5 050	5 053	0,07	96,5	-	0,00
2	5 350	5 353	-0,47	96,5	-	0,00
3	5 682	5 684	-1,03	96,5	-	0,00
4	4 694	4 698	0,74	96,5	-	0,00
5	5 048	5 051	0,07	96,5	-	0,00
6	2 907	2 912	5,12	96,5	-	0,00
7	3 391	3 395	3,73	96,5	-	0,00
8	3 374	3 378	3,77	96,5	-	0,00
9	4 218	4 222	1,73	96,5	-	0,00
Sum			12,69			

- Data undefined due to calculation with octave data

Noise sensitive area: JA Pakalni

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 458	4 461	1,22	96,5	-	0,00
10	4 876	4 879	0,39	96,5	-	0,00
11	5 309	5 312	-0,40	96,5	-	0,00
12	5 423	5 425	-0,60	96,5	-	0,00
13	5 050	5 053	0,07	96,5	-	0,00
2	5 350	5 353	-0,47	96,5	-	0,00
3	5 682	5 684	-1,03	96,5	-	0,00
4	4 694	4 698	0,74	96,5	-	0,00
5	5 048	5 051	0,07	96,5	-	0,00
6	2 907	2 912	5,12	96,5	-	0,00
7	3 391	3 395	3,73	96,5	-	0,00
8	3 374	3 378	3,77	96,5	-	0,00
9	4 218	4 222	1,73	96,5	-	0,00
Sum			12,69			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JB Jasmini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 269	4 272	1,62	96,5	-	0,00
10	4 375	4 378	1,39	96,5	-	0,00
11	5 032	5 035	0,10	96,5	-	0,00
12	5 507	5 510	-0,74	96,5	-	0,00
13	5 248	5 251	-0,29	96,5	-	0,00
2	4 832	4 835	0,47	96,5	-	0,00
3	5 578	5 581	-0,86	96,5	-	0,00
4	4 760	4 763	0,61	96,5	-	0,00
5	4 963	4 966	0,23	96,5	-	0,00
6	2 799	2 804	5,47	96,5	-	0,00
7	3 185	3 190	4,30	96,5	-	0,00
8	3 537	3 542	3,34	96,5	-	0,00
9	4 229	4 232	1,71	96,5	-	0,00
Sum			12,93			

- Data undefined due to calculation with octave data

Noise sensitive area: JB Jasmini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 269	4 272	1,62	96,5	-	0,00
10	4 375	4 378	1,39	96,5	-	0,00
11	5 032	5 035	0,10	96,5	-	0,00
12	5 507	5 510	-0,74	96,5	-	0,00
13	5 248	5 251	-0,29	96,5	-	0,00
2	4 832	4 835	0,47	96,5	-	0,00
3	5 578	5 581	-0,86	96,5	-	0,00
4	4 760	4 763	0,61	96,5	-	0,00
5	4 963	4 966	0,23	96,5	-	0,00
6	2 799	2 804	5,47	96,5	-	0,00
7	3 185	3 190	4,30	96,5	-	0,00
8	3 537	3 542	3,34	96,5	-	0,00
9	4 229	4 232	1,71	96,5	-	0,00
Sum			12,93			

- Data undefined due to calculation with octave data

Noise sensitive area: JC Kapteini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 269	4 273	1,62	96,5	-	0,00
10	4 385	4 388	1,37	96,5	-	0,00
11	5 037	5 039	0,09	96,5	-	0,00
12	5 503	5 505	-0,73	96,5	-	0,00
13	5 240	5 243	-0,28	96,5	-	0,00
2	4 843	4 846	0,45	96,5	-	0,00
3	5 579	5 581	-0,86	96,5	-	0,00
4	4 755	4 758	0,62	96,5	-	0,00
5	4 962	4 965	0,23	96,5	-	0,00
6	2 793	2 798	5,48	96,5	-	0,00
7	3 184	3 189	4,30	96,5	-	0,00
8	3 527	3 532	3,37	96,5	-	0,00
9	4 224	4 228	1,72	96,5	-	0,00
Sum			12,93			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JC Kapteini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	4 269	4 273	1,62	96,5	-	0,00
10	4 385	4 388	1,37	96,5	-	0,00
11	5 037	5 039	0,09	96,5	-	0,00
12	5 503	5 505	-0,73	96,5	-	0,00
13	5 240	5 243	-0,28	96,5	-	0,00
2	4 843	4 846	0,45	96,5	-	0,00
3	5 579	5 581	-0,86	96,5	-	0,00
4	4 755	4 758	0,62	96,5	-	0,00
5	4 962	4 965	0,23	96,5	-	0,00
6	2 793	2 798	5,48	96,5	-	0,00
7	3 184	3 189	4,30	96,5	-	0,00
8	3 527	3 532	3,37	96,5	-	0,00
9	4 224	4 228	1,72	96,5	-	0,00
Sum			12,93			

- Data undefined due to calculation with octave data

Noise sensitive area: JD Lielojuri

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 755	3 759	2,80	96,5	-	0,00
10	3 785	3 788	2,72	96,5	-	0,00
11	4 482	4 485	1,17	96,5	-	0,00
12	5 047	5 050	0,07	96,5	-	0,00
13	4 828	4 831	0,48	96,5	-	0,00
2	4 233	4 236	1,70	96,5	-	0,00
3	5 064	5 067	0,04	96,5	-	0,00
4	4 308	4 312	1,53	96,5	-	0,00
5	4 464	4 467	1,21	96,5	-	0,00
6	2 373	2 379	6,95	96,5	-	0,00
7	2 704	2 710	5,78	96,5	-	0,00
8	3 161	3 166	4,36	96,5	-	0,00
9	3 775	3 779	2,75	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Noise sensitive area: JD Lielojuri

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 755	3 759	2,80	96,5	-	0,00
10	3 785	3 788	2,72	96,5	-	0,00
11	4 482	4 485	1,17	96,5	-	0,00
12	5 047	5 050	0,07	96,5	-	0,00
13	4 828	4 831	0,48	96,5	-	0,00
2	4 233	4 236	1,70	96,5	-	0,00
3	5 064	5 067	0,04	96,5	-	0,00
4	4 308	4 312	1,53	96,5	-	0,00
5	4 464	4 467	1,21	96,5	-	0,00
6	2 373	2 379	6,95	96,5	-	0,00
7	2 704	2 710	5,78	96,5	-	0,00
8	3 161	3 166	4,36	96,5	-	0,00
9	3 775	3 779	2,75	96,5	-	0,00
Sum			14,12			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JE Ausekli š i

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 648	3 652	3,06	96,5	-	0,00
10	3 884	3 888	2,49	96,5	-	0,00
11	4 455	4 458	1,23	96,5	-	0,00
12	4 817	4 819	0,51	96,5	-	0,00
13	4 526	4 530	1,08	96,5	-	0,00
2	4 355	4 359	1,44	96,5	-	0,00
3	4 945	4 947	0,26	96,5	-	0,00
4	4 066	4 070	2,07	96,5	-	0,00
5	4 317	4 320	1,52	96,5	-	0,00
6	2 116	2 122	7,98	96,5	-	0,00
7	2 548	2 553	6,31	96,5	-	0,00
8	2 801	2 806	5,46	96,5	-	0,00
9	3 544	3 548	3,33	96,5	-	0,00
Sum			14,66			

- Data undefined due to calculation with octave data

Noise sensitive area: JE Ausekli š i

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 648	3 652	3,06	96,5	-	0,00
10	3 884	3 888	2,49	96,5	-	0,00
11	4 455	4 458	1,23	96,5	-	0,00
12	4 817	4 819	0,51	96,5	-	0,00
13	4 526	4 530	1,08	96,5	-	0,00
2	4 355	4 359	1,44	96,5	-	0,00
3	4 945	4 947	0,26	96,5	-	0,00
4	4 066	4 070	2,07	96,5	-	0,00
5	4 317	4 320	1,52	96,5	-	0,00
6	2 116	2 122	7,98	96,5	-	0,00
7	2 548	2 553	6,31	96,5	-	0,00
8	2 801	2 806	5,46	96,5	-	0,00
9	3 544	3 548	3,33	96,5	-	0,00
Sum			14,66			

- Data undefined due to calculation with octave data

Noise sensitive area: JF Upenieki

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 832	3 836	2,61	96,5	-	0,00
10	4 215	4 219	1,74	96,5	-	0,00
11	4 677	4 679	0,78	96,5	-	0,00
12	4 861	4 864	0,42	96,5	-	0,00
13	4 514	4 518	1,10	96,5	-	0,00
2	4 690	4 693	0,75	96,5	-	0,00
3	5 081	5 084	0,01	96,5	-	0,00
4	4 121	4 125	1,94	96,5	-	0,00
5	4 446	4 450	1,24	96,5	-	0,00
6	2 272	2 278	7,34	96,5	-	0,00
7	2 751	2 756	5,62	96,5	-	0,00
8	2 805	2 810	5,45	96,5	-	0,00
9	3 627	3 631	3,11	96,5	-	0,00
Sum			14,25			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JF Upenieki

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 832	3 836	2,61	96,5	-	0,00
10	4 215	4 219	1,74	96,5	-	0,00
11	4 677	4 679	0,78	96,5	-	0,00
12	4 861	4 864	0,42	96,5	-	0,00
13	4 514	4 518	1,10	96,5	-	0,00
2	4 690	4 693	0,75	96,5	-	0,00
3	5 081	5 084	0,01	96,5	-	0,00
4	4 121	4 125	1,94	96,5	-	0,00
5	4 446	4 450	1,24	96,5	-	0,00
6	2 272	2 278	7,34	96,5	-	0,00
7	2 751	2 756	5,62	96,5	-	0,00
8	2 805	2 810	5,45	96,5	-	0,00
9	3 627	3 631	3,11	96,5	-	0,00
Sum			14,25			

- Data undefined due to calculation with octave data

Noise sensitive area: JG Ro ž ares

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 014	3 019	4,80	96,5	-	0,00
10	2 425	2 431	6,76	96,5	-	0,00
11	3 310	3 314	3,95	96,5	-	0,00
12	4 360	4 363	1,43	96,5	-	0,00
13	4 394	4 398	1,35	96,5	-	0,00
2	2 685	2 691	5,84	96,5	-	0,00
3	4 046	4 050	2,11	96,5	-	0,00
4	3 808	3 812	2,67	96,5	-	0,00
5	3 644	3 648	3,07	96,5	-	0,00
6	2 704	2 709	5,78	96,5	-	0,00
7	2 575	2 580	6,22	96,5	-	0,00
8	3 358	3 362	3,82	96,5	-	0,00
9	3 390	3 394	3,73	96,5	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Noise sensitive area: JG Ro ž ares

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 014	3 019	4,80	96,5	-	0,00
10	2 425	2 431	6,76	96,5	-	0,00
11	3 310	3 314	3,95	96,5	-	0,00
12	4 360	4 363	1,43	96,5	-	0,00
13	4 394	4 398	1,35	96,5	-	0,00
2	2 685	2 691	5,84	96,5	-	0,00
3	4 046	4 050	2,11	96,5	-	0,00
4	3 808	3 812	2,67	96,5	-	0,00
5	3 644	3 648	3,07	96,5	-	0,00
6	2 704	2 709	5,78	96,5	-	0,00
7	2 575	2 580	6,22	96,5	-	0,00
8	3 358	3 362	3,82	96,5	-	0,00
9	3 390	3 394	3,73	96,5	-	0,00
Sum			15,45			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JH Pureni

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 295	3 299	3,99	96,5	-	0,00
10	2 523	2 528	6,40	96,5	-	0,00
11	3 373	3 377	3,78	96,5	-	0,00
12	4 533	4 536	1,07	96,5	-	0,00
13	4 657	4 661	0,82	96,5	-	0,00
2	2 638	2 643	6,00	96,5	-	0,00
3	4 110	4 113	1,97	96,5	-	0,00
4	4 092	4 096	2,01	96,5	-	0,00
5	3 824	3 828	2,63	96,5	-	0,00
6	3 346	3 350	3,85	96,5	-	0,00
7	3 120	3 125	4,48	96,5	-	0,00
8	3 897	3 900	2,46	96,5	-	0,00
9	3 754	3 758	2,80	96,5	-	0,00
Sum			14,72			

- Data undefined due to calculation with octave data

Noise sensitive area: JH Pureni

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 295	3 299	3,99	96,5	-	0,00
10	2 523	2 528	6,40	96,5	-	0,00
11	3 373	3 377	3,78	96,5	-	0,00
12	4 533	4 536	1,07	96,5	-	0,00
13	4 657	4 661	0,82	96,5	-	0,00
2	2 638	2 643	6,00	96,5	-	0,00
3	4 110	4 113	1,97	96,5	-	0,00
4	4 092	4 096	2,01	96,5	-	0,00
5	3 824	3 828	2,63	96,5	-	0,00
6	3 346	3 350	3,85	96,5	-	0,00
7	3 120	3 125	4,48	96,5	-	0,00
8	3 897	3 900	2,46	96,5	-	0,00
9	3 754	3 758	2,80	96,5	-	0,00
Sum			14,72			

- Data undefined due to calculation with octave data

Noise sensitive area: JI Jaunie Gusevi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 341	2 347	7,07	96,5	-	0,00
10	1 752	1 760	9,65	96,5	-	0,00
11	2 636	2 641	6,01	96,5	-	0,00
12	3 679	3 683	2,98	96,5	-	0,00
13	3 722	3 726	2,88	96,5	-	0,00
2	2 041	2 048	8,30	96,5	-	0,00
3	3 370	3 373	3,79	96,5	-	0,00
4	3 138	3 143	4,43	96,5	-	0,00
5	2 964	2 968	4,95	96,5	-	0,00
6	2 213	2 219	7,58	96,5	-	0,00
7	2 002	2 009	8,47	96,5	-	0,00
8	2 784	2 790	5,51	96,5	-	0,00
9	2 737	2 742	5,67	96,5	-	0,00
Sum			17,58			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JI Jaunie Gusevi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 341	2 347	7,07	96,5	-	0,00
10	1 752	1 760	9,65	96,5	-	0,00
11	2 636	2 641	6,01	96,5	-	0,00
12	3 679	3 683	2,98	96,5	-	0,00
13	3 722	3 726	2,88	96,5	-	0,00
2	2 041	2 048	8,30	96,5	-	0,00
3	3 370	3 373	3,79	96,5	-	0,00
4	3 138	3 143	4,43	96,5	-	0,00
5	2 964	2 968	4,95	96,5	-	0,00
6	2 213	2 219	7,58	96,5	-	0,00
7	2 002	2 009	8,47	96,5	-	0,00
8	2 784	2 790	5,51	96,5	-	0,00
9	2 737	2 742	5,67	96,5	-	0,00
Sum			17,58			

- Data undefined due to calculation with octave data

Noise sensitive area: JJ Jaunsilini

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 195	3 199	4,27	96,5	-	0,00
10	2 417	2 423	6,79	96,5	-	0,00
11	3 265	3 269	4,07	96,5	-	0,00
12	4 428	4 431	1,28	96,5	-	0,00
13	4 555	4 558	1,02	96,5	-	0,00
2	2 529	2 534	6,38	96,5	-	0,00
3	4 002	4 005	2,21	96,5	-	0,00
4	3 992	3 995	2,24	96,5	-	0,00
5	3 719	3 723	2,88	96,5	-	0,00
6	3 278	3 282	4,04	96,5	-	0,00
7	3 042	3 046	4,71	96,5	-	0,00
8	3 816	3 819	2,65	96,5	-	0,00
9	3 658	3 662	3,04	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Noise sensitive area: JJ Jaunsilini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 195	3 199	4,27	96,5	-	0,00
10	2 417	2 423	6,79	96,5	-	0,00
11	3 265	3 269	4,07	96,5	-	0,00
12	4 428	4 431	1,28	96,5	-	0,00
13	4 555	4 558	1,02	96,5	-	0,00
2	2 529	2 534	6,38	96,5	-	0,00
3	4 002	4 005	2,21	96,5	-	0,00
4	3 992	3 995	2,24	96,5	-	0,00
5	3 719	3 723	2,88	96,5	-	0,00
6	3 278	3 282	4,04	96,5	-	0,00
7	3 042	3 046	4,71	96,5	-	0,00
8	3 816	3 819	2,65	96,5	-	0,00
9	3 658	3 662	3,04	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JK Brinums

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 460	3 463	3,55	96,5	-	0,00
10	2 695	2 700	5,81	96,5	-	0,00
11	3 547	3 551	3,32	96,5	-	0,00
12	4 705	4 708	0,72	96,5	-	0,00
13	4 825	4 828	0,49	96,5	-	0,00
2	2 812	2 817	5,42	96,5	-	0,00
3	4 284	4 287	1,59	96,5	-	0,00
4	4 258	4 261	1,64	96,5	-	0,00
5	3 995	3 999	2,23	96,5	-	0,00
6	3 467	3 471	3,53	96,5	-	0,00
7	3 257	3 261	4,09	96,5	-	0,00
8	4 037	4 040	2,13	96,5	-	0,00
9	3 913	3 917	2,42	96,5	-	0,00
Sum			14,28			

- Data undefined due to calculation with octave data

Noise sensitive area: JK Brinums

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 460	3 463	3,55	96,5	-	0,00
10	2 695	2 700	5,81	96,5	-	0,00
11	3 547	3 551	3,32	96,5	-	0,00
12	4 705	4 708	0,72	96,5	-	0,00
13	4 825	4 828	0,49	96,5	-	0,00
2	2 812	2 817	5,42	96,5	-	0,00
3	4 284	4 287	1,59	96,5	-	0,00
4	4 258	4 261	1,64	96,5	-	0,00
5	3 995	3 999	2,23	96,5	-	0,00
6	3 467	3 471	3,53	96,5	-	0,00
7	3 257	3 261	4,09	96,5	-	0,00
8	4 037	4 040	2,13	96,5	-	0,00
9	3 913	3 917	2,42	96,5	-	0,00
Sum			14,28			

- Data undefined due to calculation with octave data

Noise sensitive area: JL Saules

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 588	3 592	3,21	96,5	-	0,00
10	2 808	2 813	5,44	96,5	-	0,00
11	3 651	3 655	3,05	96,5	-	0,00
12	4 819	4 822	0,50	96,5	-	0,00
13	4 949	4 952	0,25	96,5	-	0,00
2	2 907	2 911	5,13	96,5	-	0,00
3	4 386	4 389	1,37	96,5	-	0,00
4	4 385	4 388	1,37	96,5	-	0,00
5	4 112	4 115	1,96	96,5	-	0,00
6	3 621	3 625	3,13	96,5	-	0,00
7	3 407	3 411	3,68	96,5	-	0,00
8	4 185	4 189	1,80	96,5	-	0,00
9	4 048	4 052	2,11	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JL Saules

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 588	3 592	3,21	96,5	-	0,00
10	2 808	2 813	5,44	96,5	-	0,00
11	3 651	3 655	3,05	96,5	-	0,00
12	4 819	4 822	0,50	96,5	-	0,00
13	4 949	4 952	0,25	96,5	-	0,00
2	2 907	2 911	5,13	96,5	-	0,00
3	4 386	4 389	1,37	96,5	-	0,00
4	4 385	4 388	1,37	96,5	-	0,00
5	4 112	4 115	1,96	96,5	-	0,00
6	3 621	3 625	3,13	96,5	-	0,00
7	3 407	3 411	3,68	96,5	-	0,00
8	4 185	4 189	1,80	96,5	-	0,00
9	4 048	4 052	2,11	96,5	-	0,00
Sum			13,96			

- Data undefined due to calculation with octave data

Noise sensitive area: JM Rasas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 334	3 337	3,88	96,5	-	0,00
10	2 554	2 560	6,29	96,5	-	0,00
11	3 401	3 405	3,70	96,5	-	0,00
12	4 565	4 568	1,00	96,5	-	0,00
13	4 694	4 697	0,74	96,5	-	0,00
2	2 661	2 666	5,92	96,5	-	0,00
3	4 137	4 140	1,91	96,5	-	0,00
4	4 130	4 133	1,92	96,5	-	0,00
5	3 857	3 861	2,55	96,5	-	0,00
6	3 397	3 401	3,71	96,5	-	0,00
7	3 169	3 174	4,34	96,5	-	0,00
8	3 945	3 948	2,34	96,5	-	0,00
9	3 795	3 799	2,70	96,5	-	0,00
Sum			14,62			

- Data undefined due to calculation with octave data

Noise sensitive area: JM Rasas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 334	3 337	3,88	96,5	-	0,00
10	2 554	2 560	6,29	96,5	-	0,00
11	3 401	3 405	3,70	96,5	-	0,00
12	4 565	4 568	1,00	96,5	-	0,00
13	4 694	4 697	0,74	96,5	-	0,00
2	2 661	2 666	5,92	96,5	-	0,00
3	4 137	4 140	1,91	96,5	-	0,00
4	4 130	4 133	1,92	96,5	-	0,00
5	3 857	3 861	2,55	96,5	-	0,00
6	3 397	3 401	3,71	96,5	-	0,00
7	3 169	3 174	4,34	96,5	-	0,00
8	3 945	3 948	2,34	96,5	-	0,00
9	3 795	3 799	2,70	96,5	-	0,00
Sum			14,62			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JN Ainava

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 430	3 434	3,62	96,5	-	0,00
10	2 659	2 664	5,93	96,5	-	0,00
11	3 508	3 512	3,42	96,5	-	0,00
12	4 669	4 672	0,79	96,5	-	0,00
13	4 794	4 796	0,55	96,5	-	0,00
2	2 770	2 775	5,56	96,5	-	0,00
3	4 244	4 248	1,67	96,5	-	0,00
4	4 228	4 231	1,71	96,5	-	0,00
5	3 960	3 964	2,31	96,5	-	0,00
6	3 460	3 464	3,54	96,5	-	0,00
7	3 243	3 248	4,13	96,5	-	0,00
8	4 021	4 025	2,17	96,5	-	0,00
9	3 887	3 891	2,48	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JN Ainava

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 430	3 434	3,62	96,5	-	0,00
10	2 659	2 664	5,93	96,5	-	0,00
11	3 508	3 512	3,42	96,5	-	0,00
12	4 669	4 672	0,79	96,5	-	0,00
13	4 794	4 796	0,55	96,5	-	0,00
2	2 770	2 775	5,56	96,5	-	0,00
3	4 244	4 248	1,67	96,5	-	0,00
4	4 228	4 231	1,71	96,5	-	0,00
5	3 960	3 964	2,31	96,5	-	0,00
6	3 460	3 464	3,54	96,5	-	0,00
7	3 243	3 248	4,13	96,5	-	0,00
8	4 021	4 025	2,17	96,5	-	0,00
9	3 887	3 891	2,48	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JO Berzini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 894	1 901	8,96	96,5	-	0,00
10	976	989	14,76	96,5	-	0,00
11	1 634	1 642	10,27	96,5	-	0,00
12	2 851	2 856	5,30	96,5	-	0,00
13	3 086	3 091	4,58	96,5	-	0,00
2	848	864	15,95	96,5	-	0,00
3	2 334	2 339	7,10	96,5	-	0,00
4	2 594	2 600	6,15	96,5	-	0,00
5	2 193	2 199	7,66	96,5	-	0,00
6	2 778	2 783	5,53	96,5	-	0,00
7	2 345	2 350	7,06	96,5	-	0,00
8	2 946	2 951	5,00	96,5	-	0,00
9	2 438	2 444	6,71	96,5	-	0,00
Sum			20,99			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JO Berzini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 894	1 901	8,96	96,5	-	0,00
10	976	989	14,76	96,5	-	0,00
11	1 634	1 642	10,27	96,5	-	0,00
12	2 851	2 856	5,30	96,5	-	0,00
13	3 086	3 091	4,58	96,5	-	0,00
2	848	864	15,95	96,5	-	0,00
3	2 334	2 339	7,10	96,5	-	0,00
4	2 594	2 600	6,15	96,5	-	0,00
5	2 193	2 199	7,66	96,5	-	0,00
6	2 778	2 783	5,53	96,5	-	0,00
7	2 345	2 350	7,06	96,5	-	0,00
8	2 946	2 951	5,00	96,5	-	0,00
9	2 438	2 444	6,71	96,5	-	0,00
Sum			20,99			

- Data undefined due to calculation with octave data

Noise sensitive area: JP Krastmali

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 542	3 546	3,33	96,5	-	0,00
10	2 780	2 785	5,53	96,5	-	0,00
11	3 632	3 636	3,10	96,5	-	0,00
12	4 790	4 793	0,56	96,5	-	0,00
13	4 908	4 911	0,33	96,5	-	0,00
2	2 898	2 903	5,15	96,5	-	0,00
3	4 370	4 373	1,41	96,5	-	0,00
4	4 341	4 344	1,47	96,5	-	0,00
5	4 080	4 083	2,04	96,5	-	0,00
6	3 531	3 535	3,36	96,5	-	0,00
7	3 328	3 332	3,90	96,5	-	0,00
8	4 109	4 112	1,97	96,5	-	0,00
9	3 993	3 997	2,23	96,5	-	0,00
Sum			14,07			

- Data undefined due to calculation with octave data

Noise sensitive area: JP Krastmali

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 542	3 546	3,33	96,5	-	0,00
10	2 780	2 785	5,53	96,5	-	0,00
11	3 632	3 636	3,10	96,5	-	0,00
12	4 790	4 793	0,56	96,5	-	0,00
13	4 908	4 911	0,33	96,5	-	0,00
2	2 898	2 903	5,15	96,5	-	0,00
3	4 370	4 373	1,41	96,5	-	0,00
4	4 341	4 344	1,47	96,5	-	0,00
5	4 080	4 083	2,04	96,5	-	0,00
6	3 531	3 535	3,36	96,5	-	0,00
7	3 328	3 332	3,90	96,5	-	0,00
8	4 109	4 112	1,97	96,5	-	0,00
9	3 993	3 997	2,23	96,5	-	0,00
Sum			14,07			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JQ Mihailovi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 751	1 758	9,66	96,5	-	0,00
10	940	953	15,09	96,5	-	0,00
11	1 803	1 810	9,40	96,5	-	0,00
12	2 950	2 954	4,99	96,5	-	0,00
13	3 087	3 091	4,58	96,5	-	0,00
2	1 123	1 135	13,55	96,5	-	0,00
3	2 544	2 549	6,33	96,5	-	0,00
4	2 534	2 539	6,36	96,5	-	0,00
5	2 242	2 247	7,46	96,5	-	0,00
6	2 275	2 281	7,33	96,5	-	0,00
7	1 892	1 899	8,97	96,5	-	0,00
8	2 585	2 591	6,18	96,5	-	0,00
9	2 251	2 257	7,42	96,5	-	0,00
Sum			20,65			

- Data undefined due to calculation with octave data

Noise sensitive area: JQ Mihailovi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 751	1 758	9,66	96,5	-	0,00
10	940	953	15,09	96,5	-	0,00
11	1 803	1 810	9,40	96,5	-	0,00
12	2 950	2 954	4,99	96,5	-	0,00
13	3 087	3 091	4,58	96,5	-	0,00
2	1 123	1 135	13,55	96,5	-	0,00
3	2 544	2 549	6,33	96,5	-	0,00
4	2 534	2 539	6,36	96,5	-	0,00
5	2 242	2 247	7,46	96,5	-	0,00
6	2 275	2 281	7,33	96,5	-	0,00
7	1 892	1 899	8,97	96,5	-	0,00
8	2 585	2 591	6,18	96,5	-	0,00
9	2 251	2 257	7,42	96,5	-	0,00
Sum			20,65			

- Data undefined due to calculation with octave data

Noise sensitive area: JR Lietavas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 002	3 007	4,83	96,5	-	0,00
10	2 423	2 429	6,76	96,5	-	0,00
11	3 308	3 312	3,95	96,5	-	0,00
12	4 351	4 354	1,44	96,5	-	0,00
13	4 381	4 385	1,38	96,5	-	0,00
2	2 690	2 696	5,82	96,5	-	0,00
3	4 043	4 047	2,12	96,5	-	0,00
4	3 794	3 798	2,70	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	2 673	2 678	5,88	96,5	-	0,00
7	2 549	2 555	6,31	96,5	-	0,00
8	3 332	3 336	3,89	96,5	-	0,00
9	3 373	3 377	3,77	96,5	-	0,00
Sum			15,49			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JR Lietavas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 002	3 007	4,83	96,5	-	0,00
10	2 423	2 429	6,76	96,5	-	0,00
11	3 308	3 312	3,95	96,5	-	0,00
12	4 351	4 354	1,44	96,5	-	0,00
13	4 381	4 385	1,38	96,5	-	0,00
2	2 690	2 696	5,82	96,5	-	0,00
3	4 043	4 047	2,12	96,5	-	0,00
4	3 794	3 798	2,70	96,5	-	0,00
5	3 636	3 640	3,09	96,5	-	0,00
6	2 673	2 678	5,88	96,5	-	0,00
7	2 549	2 555	6,31	96,5	-	0,00
8	3 332	3 336	3,89	96,5	-	0,00
9	3 373	3 377	3,77	96,5	-	0,00
Sum			15,49			

- Data undefined due to calculation with octave data

Noise sensitive area: JS Dzirkali

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 442	3 446	3,59	96,5	-	0,00
10	2 698	2 703	5,80	96,5	-	0,00
11	3 558	3 562	3,29	96,5	-	0,00
12	4 705	4 708	0,72	96,5	-	0,00
13	4 813	4 816	0,51	96,5	-	0,00
2	2 835	2 840	5,35	96,5	-	0,00
3	4 298	4 301	1,56	96,5	-	0,00
4	4 242	4 245	1,68	96,5	-	0,00
5	3 993	3 996	2,23	96,5	-	0,00
6	3 399	3 403	3,71	96,5	-	0,00
7	3 203	3 207	4,25	96,5	-	0,00
8	3 984	3 988	2,25	96,5	-	0,00
9	3 885	3 889	2,48	96,5	-	0,00
Sum			14,31			

- Data undefined due to calculation with octave data

Noise sensitive area: JS Dzirkali

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 442	3 446	3,59	96,5	-	0,00
10	2 698	2 703	5,80	96,5	-	0,00
11	3 558	3 562	3,29	96,5	-	0,00
12	4 705	4 708	0,72	96,5	-	0,00
13	4 813	4 816	0,51	96,5	-	0,00
2	2 835	2 840	5,35	96,5	-	0,00
3	4 298	4 301	1,56	96,5	-	0,00
4	4 242	4 245	1,68	96,5	-	0,00
5	3 993	3 996	2,23	96,5	-	0,00
6	3 399	3 403	3,71	96,5	-	0,00
7	3 203	3 207	4,25	96,5	-	0,00
8	3 984	3 988	2,25	96,5	-	0,00
9	3 885	3 889	2,48	96,5	-	0,00
Sum			14,31			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JT Cela Martinovi

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 625	3 629	3,12	96,5	-	0,00
10	2 841	2 846	5,33	96,5	-	0,00
11	3 681	3 685	2,98	96,5	-	0,00
12	4 852	4 854	0,44	96,5	-	0,00
13	4 984	4 987	0,19	96,5	-	0,00
2	2 934	2 939	5,04	96,5	-	0,00
3	4 415	4 418	1,31	96,5	-	0,00
4	4 421	4 424	1,30	96,5	-	0,00
5	4 145	4 148	1,89	96,5	-	0,00
6	3 664	3 667	3,02	96,5	-	0,00
7	3 449	3 453	3,57	96,5	-	0,00
8	4 226	4 230	1,71	96,5	-	0,00
9	4 086	4 090	2,02	96,5	-	0,00
Sum			13,87			

- Data undefined due to calculation with octave data

Noise sensitive area: JT Cela Martinovi

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 625	3 629	3,12	96,5	-	0,00
10	2 841	2 846	5,33	96,5	-	0,00
11	3 681	3 685	2,98	96,5	-	0,00
12	4 852	4 854	0,44	96,5	-	0,00
13	4 984	4 987	0,19	96,5	-	0,00
2	2 934	2 939	5,04	96,5	-	0,00
3	4 415	4 418	1,31	96,5	-	0,00
4	4 421	4 424	1,30	96,5	-	0,00
5	4 145	4 148	1,89	96,5	-	0,00
6	3 664	3 667	3,02	96,5	-	0,00
7	3 449	3 453	3,57	96,5	-	0,00
8	4 226	4 230	1,71	96,5	-	0,00
9	4 086	4 090	2,02	96,5	-	0,00
Sum			13,87			

- Data undefined due to calculation with octave data

Noise sensitive area: JU Vizuli

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 353	3 357	3,83	96,5	-	0,00
10	2 571	2 576	6,23	96,5	-	0,00
11	3 415	3 419	3,66	96,5	-	0,00
12	4 582	4 585	0,97	96,5	-	0,00
13	4 712	4 715	0,71	96,5	-	0,00
2	2 674	2 679	5,88	96,5	-	0,00
3	4 151	4 154	1,88	96,5	-	0,00
4	4 149	4 152	1,88	96,5	-	0,00
5	3 874	3 878	2,51	96,5	-	0,00
6	3 422	3 426	3,64	96,5	-	0,00
7	3 193	3 197	4,27	96,5	-	0,00
8	3 968	3 972	2,29	96,5	-	0,00
9	3 816	3 820	2,65	96,5	-	0,00
Sum			14,57			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JU Vizuli

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 353	3 357	3,83	96,5	-	0,00
10	2 571	2 576	6,23	96,5	-	0,00
11	3 415	3 419	3,66	96,5	-	0,00
12	4 582	4 585	0,97	96,5	-	0,00
13	4 712	4 715	0,71	96,5	-	0,00
2	2 674	2 679	5,88	96,5	-	0,00
3	4 151	4 154	1,88	96,5	-	0,00
4	4 149	4 152	1,88	96,5	-	0,00
5	3 874	3 878	2,51	96,5	-	0,00
6	3 422	3 426	3,64	96,5	-	0,00
7	3 193	3 197	4,27	96,5	-	0,00
8	3 968	3 972	2,29	96,5	-	0,00
9	3 816	3 820	2,65	96,5	-	0,00
Sum			14,57			

- Data undefined due to calculation with octave data

Noise sensitive area: JV Strautini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 390	3 394	3,73	96,5	-	0,00
10	2 602	2 607	6,12	96,5	-	0,00
11	3 443	3 447	3,59	96,5	-	0,00
12	4 613	4 616	0,91	96,5	-	0,00
13	4 747	4 750	0,64	96,5	-	0,00
2	2 698	2 703	5,80	96,5	-	0,00
3	4 177	4 180	1,82	96,5	-	0,00
4	4 185	4 189	1,80	96,5	-	0,00
5	3 907	3 910	2,43	96,5	-	0,00
6	3 471	3 475	3,51	96,5	-	0,00
7	3 240	3 244	4,14	96,5	-	0,00
8	4 014	4 018	2,18	96,5	-	0,00
9	3 856	3 860	2,55	96,5	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Noise sensitive area: JV Strautini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 390	3 394	3,73	96,5	-	0,00
10	2 602	2 607	6,12	96,5	-	0,00
11	3 443	3 447	3,59	96,5	-	0,00
12	4 613	4 616	0,91	96,5	-	0,00
13	4 747	4 750	0,64	96,5	-	0,00
2	2 698	2 703	5,80	96,5	-	0,00
3	4 177	4 180	1,82	96,5	-	0,00
4	4 185	4 189	1,80	96,5	-	0,00
5	3 907	3 910	2,43	96,5	-	0,00
6	3 471	3 475	3,51	96,5	-	0,00
7	3 240	3 244	4,14	96,5	-	0,00
8	4 014	4 018	2,18	96,5	-	0,00
9	3 856	3 860	2,55	96,5	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JW Mazie Maurini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 525	3 529	3,37	96,5	-	0,00
10	2 752	2 757	5,62	96,5	-	0,00
11	3 600	3 604	3,18	96,5	-	0,00
12	4 763	4 766	0,61	96,5	-	0,00
13	4 888	4 891	0,37	96,5	-	0,00
2	2 860	2 865	5,27	96,5	-	0,00
3	4 336	4 339	1,48	96,5	-	0,00
4	4 323	4 326	1,50	96,5	-	0,00
5	4 055	4 058	2,09	96,5	-	0,00
6	3 546	3 550	3,32	96,5	-	0,00
7	3 334	3 338	3,88	96,5	-	0,00
8	4 112	4 116	1,96	96,5	-	0,00
9	3 982	3 986	2,26	96,5	-	0,00
Sum			14,11			

- Data undefined due to calculation with octave data

Noise sensitive area: JW Mazie Maurini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 525	3 529	3,37	96,5	-	0,00
10	2 752	2 757	5,62	96,5	-	0,00
11	3 600	3 604	3,18	96,5	-	0,00
12	4 763	4 766	0,61	96,5	-	0,00
13	4 888	4 891	0,37	96,5	-	0,00
2	2 860	2 865	5,27	96,5	-	0,00
3	4 336	4 339	1,48	96,5	-	0,00
4	4 323	4 326	1,50	96,5	-	0,00
5	4 055	4 058	2,09	96,5	-	0,00
6	3 546	3 550	3,32	96,5	-	0,00
7	3 334	3 338	3,88	96,5	-	0,00
8	4 112	4 116	1,96	96,5	-	0,00
9	3 982	3 986	2,26	96,5	-	0,00
Sum			14,11			

- Data undefined due to calculation with octave data

Noise sensitive area: JX Cela vej š

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 425	3 429	3,64	96,5	-	0,00
10	2 665	2 670	5,91	96,5	-	0,00
11	3 519	3 522	3,39	96,5	-	0,00
12	4 674	4 677	0,78	96,5	-	0,00
13	4 792	4 795	0,55	96,5	-	0,00
2	2 787	2 792	5,50	96,5	-	0,00
3	4 257	4 260	1,65	96,5	-	0,00
4	4 223	4 227	1,72	96,5	-	0,00
5	3 964	3 967	2,30	96,5	-	0,00
6	3 426	3 430	3,63	96,5	-	0,00
7	3 217	3 221	4,21	96,5	-	0,00
8	3 997	4 000	2,23	96,5	-	0,00
9	3 876	3 880	2,51	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JX Cela vej š

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 425	3 429	3,64	96,5	-	0,00
10	2 665	2 670	5,91	96,5	-	0,00
11	3 519	3 522	3,39	96,5	-	0,00
12	4 674	4 677	0,78	96,5	-	0,00
13	4 792	4 795	0,55	96,5	-	0,00
2	2 787	2 792	5,50	96,5	-	0,00
3	4 257	4 260	1,65	96,5	-	0,00
4	4 223	4 227	1,72	96,5	-	0,00
5	3 964	3 967	2,30	96,5	-	0,00
6	3 426	3 430	3,63	96,5	-	0,00
7	3 217	3 221	4,21	96,5	-	0,00
8	3 997	4 000	2,23	96,5	-	0,00
9	3 876	3 880	2,51	96,5	-	0,00
Sum			14,36			

- Data undefined due to calculation with octave data

Noise sensitive area: JY Ozolzeme

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 190	3 194	4,28	96,5	-	0,00
10	2 312	2 318	7,19	96,5	-	0,00
11	2 654	2 659	5,95	96,5	-	0,00
12	3 804	3 808	2,68	96,5	-	0,00
13	4 155	4 158	1,87	96,5	-	0,00
2	1 975	1 982	8,59	96,5	-	0,00
3	3 171	3 176	4,34	96,5	-	0,00
4	3 766	3 770	2,77	96,5	-	0,00
5	3 279	3 283	4,03	96,5	-	0,00
6	4 210	4 214	1,75	96,5	-	0,00
7	3 773	3 776	2,75	96,5	-	0,00
8	4 337	4 341	1,47	96,5	-	0,00
9	3 733	3 737	2,85	96,5	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Noise sensitive area: JY Ozolzeme

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 190	3 194	4,28	96,5	-	0,00
10	2 312	2 318	7,19	96,5	-	0,00
11	2 654	2 659	5,95	96,5	-	0,00
12	3 804	3 808	2,68	96,5	-	0,00
13	4 155	4 158	1,87	96,5	-	0,00
2	1 975	1 982	8,59	96,5	-	0,00
3	3 171	3 176	4,34	96,5	-	0,00
4	3 766	3 770	2,77	96,5	-	0,00
5	3 279	3 283	4,03	96,5	-	0,00
6	4 210	4 214	1,75	96,5	-	0,00
7	3 773	3 776	2,75	96,5	-	0,00
8	4 337	4 341	1,47	96,5	-	0,00
9	3 733	3 737	2,85	96,5	-	0,00
Sum			15,60			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: JZ Kukas 1

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 203	3 207	4,25	96,5	-	0,00
10	2 407	2 412	6,82	96,5	-	0,00
11	3 245	3 249	4,13	96,5	-	0,00
12	4 417	4 420	1,31	96,5	-	0,00
13	4 556	4 559	1,02	96,5	-	0,00
2	2 499	2 505	6,49	96,5	-	0,00
3	3 979	3 982	2,27	96,5	-	0,00
4	3 996	4 000	2,23	96,5	-	0,00
5	3 712	3 715	2,90	96,5	-	0,00
6	3 334	3 338	3,88	96,5	-	0,00
7	3 085	3 090	4,59	96,5	-	0,00
8	3 855	3 859	2,56	96,5	-	0,00
9	3 675	3 679	2,99	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Noise sensitive area: JZ Kukas 1

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 203	3 207	4,25	96,5	-	0,00
10	2 407	2 412	6,82	96,5	-	0,00
11	3 245	3 249	4,13	96,5	-	0,00
12	4 417	4 420	1,31	96,5	-	0,00
13	4 556	4 559	1,02	96,5	-	0,00
2	2 499	2 505	6,49	96,5	-	0,00
3	3 979	3 982	2,27	96,5	-	0,00
4	3 996	4 000	2,23	96,5	-	0,00
5	3 712	3 715	2,90	96,5	-	0,00
6	3 334	3 338	3,88	96,5	-	0,00
7	3 085	3 090	4,59	96,5	-	0,00
8	3 855	3 859	2,56	96,5	-	0,00
9	3 675	3 679	2,99	96,5	-	0,00
Sum			14,99			

- Data undefined due to calculation with octave data

Noise sensitive area: KA Kirilovka

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 082	2 089	8,12	96,5	-	0,00
10	1 432	1 442	11,43	96,5	-	0,00
11	2 318	2 323	7,16	96,5	-	0,00
12	3 392	3 395	3,73	96,5	-	0,00
13	3 461	3 466	3,54	96,5	-	0,00
2	1 705	1 713	9,89	96,5	-	0,00
3	3 055	3 060	4,67	96,5	-	0,00
4	2 883	2 888	5,20	96,5	-	0,00
5	2 675	2 680	5,88	96,5	-	0,00
6	2 164	2 171	7,77	96,5	-	0,00
7	1 886	1 894	9,00	96,5	-	0,00
8	2 653	2 659	5,95	96,5	-	0,00
9	2 513	2 519	6,44	96,5	-	0,00
Sum			18,59			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KA Kirilovka

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 082	2 089	8,12	96,5	-	0,00
10	1 432	1 442	11,43	96,5	-	0,00
11	2 318	2 323	7,16	96,5	-	0,00
12	3 392	3 395	3,73	96,5	-	0,00
13	3 461	3 466	3,54	96,5	-	0,00
2	1 705	1 713	9,89	96,5	-	0,00
3	3 055	3 060	4,67	96,5	-	0,00
4	2 883	2 888	5,20	96,5	-	0,00
5	2 675	2 680	5,88	96,5	-	0,00
6	2 164	2 171	7,77	96,5	-	0,00
7	1 886	1 894	9,00	96,5	-	0,00
8	2 653	2 659	5,95	96,5	-	0,00
9	2 513	2 519	6,44	96,5	-	0,00
Sum			18,59			

- Data undefined due to calculation with octave data

Noise sensitive area: KB Darzi

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 282	3 286	4,03	96,5	-	0,00
10	2 432	2 438	6,73	96,5	-	0,00
11	3 225	3 229	4,18	96,5	-	0,00
12	4 425	4 428	1,29	96,5	-	0,00
13	4 602	4 605	0,93	96,5	-	0,00
2	2 453	2 459	6,65	96,5	-	0,00
3	3 944	3 947	2,35	96,5	-	0,00
4	4 060	4 064	2,08	96,5	-	0,00
5	3 734	3 738	2,85	96,5	-	0,00
6	3 568	3 572	3,26	96,5	-	0,00
7	3 282	3 286	4,02	96,5	-	0,00
8	4 035	4 038	2,14	96,5	-	0,00
9	3 779	3 783	2,74	96,5	-	0,00
Sum			14,84			

- Data undefined due to calculation with octave data

Noise sensitive area: KB Darzi

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 282	3 286	4,03	96,5	-	0,00
10	2 432	2 438	6,73	96,5	-	0,00
11	3 225	3 229	4,18	96,5	-	0,00
12	4 425	4 428	1,29	96,5	-	0,00
13	4 602	4 605	0,93	96,5	-	0,00
2	2 453	2 459	6,65	96,5	-	0,00
3	3 944	3 947	2,35	96,5	-	0,00
4	4 060	4 064	2,08	96,5	-	0,00
5	3 734	3 738	2,85	96,5	-	0,00
6	3 568	3 572	3,26	96,5	-	0,00
7	3 282	3 286	4,02	96,5	-	0,00
8	4 035	4 038	2,14	96,5	-	0,00
9	3 779	3 783	2,74	96,5	-	0,00
Sum			14,84			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KC Jurnieki

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 581	3 585	3,23	96,5	-	0,00
10	2 793	2 798	5,49	96,5	-	0,00
11	3 631	3 635	3,10	96,5	-	0,00
12	4 803	4 806	0,53	96,5	-	0,00
13	4 938	4 941	0,27	96,5	-	0,00
2	2 883	2 888	5,20	96,5	-	0,00
3	4 365	4 368	1,42	96,5	-	0,00
4	4 376	4 380	1,39	96,5	-	0,00
5	4 097	4 101	2,00	96,5	-	0,00
6	3 637	3 641	3,09	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	4 193	4 196	1,78	96,5	-	0,00
9	4 045	4 049	2,11	96,5	-	0,00
Sum			13,99			

- Data undefined due to calculation with octave data

Noise sensitive area: KC Jurnieki

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 581	3 585	3,23	96,5	-	0,00
10	2 793	2 798	5,49	96,5	-	0,00
11	3 631	3 635	3,10	96,5	-	0,00
12	4 803	4 806	0,53	96,5	-	0,00
13	4 938	4 941	0,27	96,5	-	0,00
2	2 883	2 888	5,20	96,5	-	0,00
3	4 365	4 368	1,42	96,5	-	0,00
4	4 376	4 380	1,39	96,5	-	0,00
5	4 097	4 101	2,00	96,5	-	0,00
6	3 637	3 641	3,09	96,5	-	0,00
7	3 416	3 420	3,66	96,5	-	0,00
8	4 193	4 196	1,78	96,5	-	0,00
9	4 045	4 049	2,11	96,5	-	0,00
Sum			13,99			

- Data undefined due to calculation with octave data

Noise sensitive area: KD Pastalojani 2

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 364	2 370	6,98	96,5	-	0,00
10	1 551	1 560	10,73	96,5	-	0,00
11	2 395	2 401	6,87	96,5	-	0,00
12	3 562	3 565	3,28	96,5	-	0,00
13	3 705	3 709	2,92	96,5	-	0,00
2	1 666	1 674	10,10	96,5	-	0,00
3	3 132	3 137	4,45	96,5	-	0,00
4	3 151	3 156	4,39	96,5	-	0,00
5	2 857	2 861	5,28	96,5	-	0,00
6	2 703	2 708	5,78	96,5	-	0,00
7	2 381	2 387	6,92	96,5	-	0,00
8	3 119	3 124	4,49	96,5	-	0,00
9	2 854	2 859	5,29	96,5	-	0,00
Sum			17,77			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KD Pastalojani 2

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 364	2 370	6,98	96,5	-	0,00
10	1 551	1 560	10,73	96,5	-	0,00
11	2 395	2 401	6,87	96,5	-	0,00
12	3 562	3 565	3,28	96,5	-	0,00
13	3 705	3 709	2,92	96,5	-	0,00
2	1 666	1 674	10,10	96,5	-	0,00
3	3 132	3 137	4,45	96,5	-	0,00
4	3 151	3 156	4,39	96,5	-	0,00
5	2 857	2 861	5,28	96,5	-	0,00
6	2 703	2 708	5,78	96,5	-	0,00
7	2 381	2 387	6,92	96,5	-	0,00
8	3 119	3 124	4,49	96,5	-	0,00
9	2 854	2 859	5,29	96,5	-	0,00
Sum			17,77			

- Data undefined due to calculation with octave data

Noise sensitive area: KE Jaunjaujas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 934	2 939	5,04	96,5	-	0,00
10	2 040	2 047	8,30	96,5	-	0,00
11	2 770	2 775	5,56	96,5	-	0,00
12	3 985	3 989	2,25	96,5	-	0,00
13	4 201	4 204	1,77	96,5	-	0,00
2	1 985	1 993	8,54	96,5	-	0,00
3	3 469	3 473	3,52	96,5	-	0,00
4	3 684	3 688	2,97	96,5	-	0,00
5	3 315	3 319	3,93	96,5	-	0,00
6	3 451	3 455	3,57	96,5	-	0,00
7	3 106	3 110	4,53	96,5	-	0,00
8	3 818	3 821	2,65	96,5	-	0,00
9	3 458	3 462	3,55	96,5	-	0,00
Sum			16,00			

- Data undefined due to calculation with octave data

Noise sensitive area: KE Jaunjaujas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 934	2 939	5,04	96,5	-	0,00
10	2 040	2 047	8,30	96,5	-	0,00
11	2 770	2 775	5,56	96,5	-	0,00
12	3 985	3 989	2,25	96,5	-	0,00
13	4 201	4 204	1,77	96,5	-	0,00
2	1 985	1 993	8,54	96,5	-	0,00
3	3 469	3 473	3,52	96,5	-	0,00
4	3 684	3 688	2,97	96,5	-	0,00
5	3 315	3 319	3,93	96,5	-	0,00
6	3 451	3 455	3,57	96,5	-	0,00
7	3 106	3 110	4,53	96,5	-	0,00
8	3 818	3 821	2,65	96,5	-	0,00
9	3 458	3 462	3,55	96,5	-	0,00
Sum			16,00			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KF Veca skola

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 793	2 798	5,49	96,5	-	0,00
10	2 102	2 109	8,03	96,5	-	0,00
11	2 981	2 986	4,90	96,5	-	0,00
12	4 089	4 093	2,02	96,5	-	0,00
13	4 171	4 174	1,83	96,5	-	0,00
2	2 306	2 313	7,21	96,5	-	0,00
3	3 723	3 727	2,88	96,5	-	0,00
4	3 593	3 598	3,20	96,5	-	0,00
5	3 373	3 377	3,77	96,5	-	0,00
6	2 741	2 746	5,66	96,5	-	0,00
7	2 529	2 534	6,38	96,5	-	0,00
8	3 309	3 314	3,95	96,5	-	0,00
9	3 220	3 225	4,20	96,5	-	0,00
Sum			16,12			

- Data undefined due to calculation with octave data

Noise sensitive area: KF Veca skola

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 793	2 798	5,49	96,5	-	0,00
10	2 102	2 109	8,03	96,5	-	0,00
11	2 981	2 986	4,90	96,5	-	0,00
12	4 089	4 093	2,02	96,5	-	0,00
13	4 171	4 174	1,83	96,5	-	0,00
2	2 306	2 313	7,21	96,5	-	0,00
3	3 723	3 727	2,88	96,5	-	0,00
4	3 593	3 598	3,20	96,5	-	0,00
5	3 373	3 377	3,77	96,5	-	0,00
6	2 741	2 746	5,66	96,5	-	0,00
7	2 529	2 534	6,38	96,5	-	0,00
8	3 309	3 314	3,95	96,5	-	0,00
9	3 220	3 225	4,20	96,5	-	0,00
Sum			16,12			

- Data undefined due to calculation with octave data

Noise sensitive area: KG Sili

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 946	1 953	8,72	96,5	-	0,00
10	1 273	1 284	12,46	96,5	-	0,00
11	2 159	2 165	7,80	96,5	-	0,00
12	3 242	3 246	4,14	96,5	-	0,00
13	3 322	3 326	3,91	96,5	-	0,00
2	1 544	1 553	10,77	96,5	-	0,00
3	2 897	2 902	5,16	96,5	-	0,00
4	2 747	2 752	5,64	96,5	-	0,00
5	2 525	2 531	6,39	96,5	-	0,00
6	2 127	2 133	7,93	96,5	-	0,00
7	1 819	1 827	9,32	96,5	-	0,00
8	2 573	2 579	6,22	96,5	-	0,00
9	2 391	2 397	6,88	96,5	-	0,00
Sum			19,20			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KG Sili

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 946	1 953	8,72	96,5	-	0,00
10	1 273	1 284	12,46	96,5	-	0,00
11	2 159	2 165	7,80	96,5	-	0,00
12	3 242	3 246	4,14	96,5	-	0,00
13	3 322	3 326	3,91	96,5	-	0,00
2	1 544	1 553	10,77	96,5	-	0,00
3	2 897	2 902	5,16	96,5	-	0,00
4	2 747	2 752	5,64	96,5	-	0,00
5	2 525	2 531	6,39	96,5	-	0,00
6	2 127	2 133	7,93	96,5	-	0,00
7	1 819	1 827	9,32	96,5	-	0,00
8	2 573	2 579	6,22	96,5	-	0,00
9	2 391	2 397	6,88	96,5	-	0,00
Sum			19,20			

- Data undefined due to calculation with octave data

Noise sensitive area: KH Lazdini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 522	3 526	3,38	96,5	-	0,00
10	2 605	2 610	6,11	96,5	-	0,00
11	3 133	3 137	4,45	96,5	-	0,00
12	4 334	4 337	1,48	96,5	-	0,00
13	4 636	4 639	0,86	96,5	-	0,00
2	2 378	2 384	6,93	96,5	-	0,00
3	3 734	3 738	2,85	96,5	-	0,00
4	4 188	4 191	1,80	96,5	-	0,00
5	3 741	3 745	2,83	96,5	-	0,00
6	4 299	4 302	1,55	96,5	-	0,00
7	3 908	3 912	2,43	96,5	-	0,00
8	4 560	4 563	1,01	96,5	-	0,00
9	4 067	4 071	2,06	96,5	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Noise sensitive area: KH Lazdini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 522	3 526	3,38	96,5	-	0,00
10	2 605	2 610	6,11	96,5	-	0,00
11	3 133	3 137	4,45	96,5	-	0,00
12	4 334	4 337	1,48	96,5	-	0,00
13	4 636	4 639	0,86	96,5	-	0,00
2	2 378	2 384	6,93	96,5	-	0,00
3	3 734	3 738	2,85	96,5	-	0,00
4	4 188	4 191	1,80	96,5	-	0,00
5	3 741	3 745	2,83	96,5	-	0,00
6	4 299	4 302	1,55	96,5	-	0,00
7	3 908	3 912	2,43	96,5	-	0,00
8	4 560	4 563	1,01	96,5	-	0,00
9	4 067	4 071	2,06	96,5	-	0,00
Sum			14,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KI Laucini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 606	2 612	6,11	96,5	-	0,00
10	1 794	1 802	9,44	96,5	-	0,00
11	2 633	2 638	6,02	96,5	-	0,00
12	3 804	3 808	2,68	96,5	-	0,00
13	3 949	3 953	2,33	96,5	-	0,00
2	1 895	1 902	8,96	96,5	-	0,00
3	3 369	3 373	3,79	96,5	-	0,00
4	3 395	3 399	3,72	96,5	-	0,00
5	3 100	3 105	4,54	96,5	-	0,00
6	2 888	2 892	5,18	96,5	-	0,00
7	2 586	2 592	6,18	96,5	-	0,00
8	3 335	3 340	3,88	96,5	-	0,00
9	3 092	3 097	4,56	96,5	-	0,00
Sum			16,87			

- Data undefined due to calculation with octave data

Noise sensitive area: KI Laucini

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 606	2 612	6,11	96,5	-	0,00
10	1 794	1 802	9,44	96,5	-	0,00
11	2 633	2 638	6,02	96,5	-	0,00
12	3 804	3 808	2,68	96,5	-	0,00
13	3 949	3 953	2,33	96,5	-	0,00
2	1 895	1 902	8,96	96,5	-	0,00
3	3 369	3 373	3,79	96,5	-	0,00
4	3 395	3 399	3,72	96,5	-	0,00
5	3 100	3 105	4,54	96,5	-	0,00
6	2 888	2 892	5,18	96,5	-	0,00
7	2 586	2 592	6,18	96,5	-	0,00
8	3 335	3 340	3,88	96,5	-	0,00
9	3 092	3 097	4,56	96,5	-	0,00
Sum			16,87			

- Data undefined due to calculation with octave data

Noise sensitive area: KJ Kiras Silini

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 715	1 722	9,84	96,5	-	0,00
10	825	841	16,20	96,5	-	0,00
11	1 626	1 634	10,31	96,5	-	0,00
12	2 813	2 818	5,42	96,5	-	0,00
13	2 994	2 999	4,86	96,5	-	0,00
2	889	905	15,55	96,5	-	0,00
3	2 359	2 365	7,00	96,5	-	0,00
4	2 466	2 472	6,60	96,5	-	0,00
5	2 121	2 128	7,95	96,5	-	0,00
6	2 448	2 453	6,67	96,5	-	0,00
7	2 031	2 038	8,34	96,5	-	0,00
8	2 674	2 679	5,88	96,5	-	0,00
9	2 243	2 250	7,45	96,5	-	0,00
Sum			21,50			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KJ Kiras Silini

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 715	1 722	9,84	96,5	-	0,00
10	825	841	16,20	96,5	-	0,00
11	1 626	1 634	10,31	96,5	-	0,00
12	2 813	2 818	5,42	96,5	-	0,00
13	2 994	2 999	4,86	96,5	-	0,00
2	889	905	15,55	96,5	-	0,00
3	2 359	2 365	7,00	96,5	-	0,00
4	2 466	2 472	6,60	96,5	-	0,00
5	2 121	2 128	7,95	96,5	-	0,00
6	2 448	2 453	6,67	96,5	-	0,00
7	2 031	2 038	8,34	96,5	-	0,00
8	2 674	2 679	5,88	96,5	-	0,00
9	2 243	2 250	7,45	96,5	-	0,00
Sum			21,50			

- Data undefined due to calculation with octave data

Noise sensitive area: KK Kalna Jaujas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 027	3 032	4,76	96,5	-	0,00
10	2 163	2 170	7,78	96,5	-	0,00
11	2 469	2 475	6,60	96,5	-	0,00
12	3 611	3 615	3,15	96,5	-	0,00
13	3 967	3 970	2,29	96,5	-	0,00
2	1 808	1 815	9,38	96,5	-	0,00
3	2 976	2 980	4,91	96,5	-	0,00
4	3 587	3 591	3,21	96,5	-	0,00
5	3 095	3 099	4,56	96,5	-	0,00
6	4 094	4 097	2,01	96,5	-	0,00
7	3 648	3 652	3,06	96,5	-	0,00
8	4 192	4 195	1,79	96,5	-	0,00
9	3 568	3 572	3,26	96,5	-	0,00
Sum			16,16			

- Data undefined due to calculation with octave data

Noise sensitive area: KK Kalna Jaujas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 027	3 032	4,76	96,5	-	0,00
10	2 163	2 170	7,78	96,5	-	0,00
11	2 469	2 475	6,60	96,5	-	0,00
12	3 611	3 615	3,15	96,5	-	0,00
13	3 967	3 970	2,29	96,5	-	0,00
2	1 808	1 815	9,38	96,5	-	0,00
3	2 976	2 980	4,91	96,5	-	0,00
4	3 587	3 591	3,21	96,5	-	0,00
5	3 095	3 099	4,56	96,5	-	0,00
6	4 094	4 097	2,01	96,5	-	0,00
7	3 648	3 652	3,06	96,5	-	0,00
8	4 192	4 195	1,79	96,5	-	0,00
9	3 568	3 572	3,26	96,5	-	0,00
Sum			16,16			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KL Jura

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 983	1 990	8,56	96,5	-	0,00
10	1 068	1 081	13,98	96,5	-	0,00
11	1 656	1 664	10,15	96,5	-	0,00
12	2 876	2 880	5,22	96,5	-	0,00
13	3 132	3 137	4,45	96,5	-	0,00
2	872	888	15,72	96,5	-	0,00
3	2 334	2 340	7,10	96,5	-	0,00
4	2 658	2 664	5,93	96,5	-	0,00
5	2 236	2 242	7,48	96,5	-	0,00
6	2 921	2 926	5,08	96,5	-	0,00
7	2 482	2 487	6,55	96,5	-	0,00
8	3 066	3 071	4,64	96,5	-	0,00
9	2 529	2 535	6,38	96,5	-	0,00
Sum			20,63			

- Data undefined due to calculation with octave data

Noise sensitive area: KL Jura

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 983	1 990	8,56	96,5	-	0,00
10	1 068	1 081	13,98	96,5	-	0,00
11	1 656	1 664	10,15	96,5	-	0,00
12	2 876	2 880	5,22	96,5	-	0,00
13	3 132	3 137	4,45	96,5	-	0,00
2	872	888	15,72	96,5	-	0,00
3	2 334	2 340	7,10	96,5	-	0,00
4	2 658	2 664	5,93	96,5	-	0,00
5	2 236	2 242	7,48	96,5	-	0,00
6	2 921	2 926	5,08	96,5	-	0,00
7	2 482	2 487	6,55	96,5	-	0,00
8	3 066	3 071	4,64	96,5	-	0,00
9	2 529	2 535	6,38	96,5	-	0,00
Sum			20,63			

- Data undefined due to calculation with octave data

Noise sensitive area: KM Grigorjeva

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 899	2 904	5,15	96,5	-	0,00
10	2 242	2 248	7,46	96,5	-	0,00
11	3 125	3 129	4,47	96,5	-	0,00
12	4 215	4 218	1,74	96,5	-	0,00
13	4 280	4 284	1,59	96,5	-	0,00
2	2 465	2 471	6,61	96,5	-	0,00
3	3 866	3 869	2,53	96,5	-	0,00
4	3 699	3 703	2,93	96,5	-	0,00
5	3 498	3 502	3,44	96,5	-	0,00
6	2 753	2 758	5,62	96,5	-	0,00
7	2 571	2 576	6,23	96,5	-	0,00
8	3 355	3 359	3,82	96,5	-	0,00
9	3 309	3 314	3,95	96,5	-	0,00
Sum			15,78			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KM Grigorjeva

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 899	2 904	5,15	96,5	-	0,00
10	2 242	2 248	7,46	96,5	-	0,00
11	3 125	3 129	4,47	96,5	-	0,00
12	4 215	4 218	1,74	96,5	-	0,00
13	4 280	4 284	1,59	96,5	-	0,00
2	2 465	2 471	6,61	96,5	-	0,00
3	3 866	3 869	2,53	96,5	-	0,00
4	3 699	3 703	2,93	96,5	-	0,00
5	3 498	3 502	3,44	96,5	-	0,00
6	2 753	2 758	5,62	96,5	-	0,00
7	2 571	2 576	6,23	96,5	-	0,00
8	3 355	3 359	3,82	96,5	-	0,00
9	3 309	3 314	3,95	96,5	-	0,00
Sum			15,78			

- Data undefined due to calculation with octave data

Noise sensitive area: KN Zilites

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 894	2 899	5,16	96,5	-	0,00
10	1 987	1 994	8,53	96,5	-	0,00
11	2 680	2 685	5,86	96,5	-	0,00
12	3 898	3 902	2,45	96,5	-	0,00
13	4 131	4 135	1,92	96,5	-	0,00
2	1 893	1 901	8,97	96,5	-	0,00
3	3 365	3 369	3,80	96,5	-	0,00
4	3 628	3 632	3,11	96,5	-	0,00
5	3 241	3 245	4,14	96,5	-	0,00
6	3 495	3 499	3,45	96,5	-	0,00
7	3 131	3 135	4,45	96,5	-	0,00
8	3 825	3 828	2,63	96,5	-	0,00
9	3 426	3 430	3,63	96,5	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Noise sensitive area: KN Zilites

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 894	2 899	5,16	96,5	-	0,00
10	1 987	1 994	8,53	96,5	-	0,00
11	2 680	2 685	5,86	96,5	-	0,00
12	3 898	3 902	2,45	96,5	-	0,00
13	4 131	4 135	1,92	96,5	-	0,00
2	1 893	1 901	8,97	96,5	-	0,00
3	3 365	3 369	3,80	96,5	-	0,00
4	3 628	3 632	3,11	96,5	-	0,00
5	3 241	3 245	4,14	96,5	-	0,00
6	3 495	3 499	3,45	96,5	-	0,00
7	3 131	3 135	4,45	96,5	-	0,00
8	3 825	3 828	2,63	96,5	-	0,00
9	3 426	3 430	3,63	96,5	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KO Kozireva

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 580	3 584	3,23	96,5	-	0,00
10	2 664	2 669	5,91	96,5	-	0,00
11	3 278	3 282	4,03	96,5	-	0,00
12	4 494	4 497	1,15	96,5	-	0,00
13	4 764	4 768	0,61	96,5	-	0,00
2	2 501	2 507	6,48	96,5	-	0,00
3	3 919	3 923	2,40	96,5	-	0,00
4	4 286	4 290	1,58	96,5	-	0,00
5	3 868	3 872	2,52	96,5	-	0,00
6	4 220	4 223	1,73	96,5	-	0,00
7	3 858	3 861	2,55	96,5	-	0,00
8	4 546	4 550	1,04	96,5	-	0,00
9	4 119	4 123	1,95	96,5	-	0,00
Sum			14,24			

- Data undefined due to calculation with octave data

Noise sensitive area: KO Kozireva

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 580	3 584	3,23	96,5	-	0,00
10	2 664	2 669	5,91	96,5	-	0,00
11	3 278	3 282	4,03	96,5	-	0,00
12	4 494	4 497	1,15	96,5	-	0,00
13	4 764	4 768	0,61	96,5	-	0,00
2	2 501	2 507	6,48	96,5	-	0,00
3	3 919	3 923	2,40	96,5	-	0,00
4	4 286	4 290	1,58	96,5	-	0,00
5	3 868	3 872	2,52	96,5	-	0,00
6	4 220	4 223	1,73	96,5	-	0,00
7	3 858	3 861	2,55	96,5	-	0,00
8	4 546	4 550	1,04	96,5	-	0,00
9	4 119	4 123	1,95	96,5	-	0,00
Sum			14,24			

- Data undefined due to calculation with octave data

Noise sensitive area: KP Dubna

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 777	3 781	2,74	96,5	-	0,00
10	2 970	2 975	4,93	96,5	-	0,00
11	3 794	3 797	2,70	96,5	-	0,00
12	4 978	4 980	0,20	96,5	-	0,00
13	5 126	5 129	-0,07	96,5	-	0,00
2	3 034	3 039	4,74	96,5	-	0,00
3	4 522	4 525	1,09	96,5	-	0,00
4	4 569	4 573	0,99	96,5	-	0,00
5	4 276	4 279	1,60	96,5	-	0,00
6	3 867	3 870	2,53	96,5	-	0,00
7	3 641	3 644	3,08	96,5	-	0,00
8	4 415	4 419	1,31	96,5	-	0,00
9	4 250	4 253	1,66	96,5	-	0,00
Sum			13,52			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KP Dubna

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 777	3 781	2,74	96,5	-	0,00
10	2 970	2 975	4,93	96,5	-	0,00
11	3 794	3 797	2,70	96,5	-	0,00
12	4 978	4 980	0,20	96,5	-	0,00
13	5 126	5 129	-0,07	96,5	-	0,00
2	3 034	3 039	4,74	96,5	-	0,00
3	4 522	4 525	1,09	96,5	-	0,00
4	4 569	4 573	0,99	96,5	-	0,00
5	4 276	4 279	1,60	96,5	-	0,00
6	3 867	3 870	2,53	96,5	-	0,00
7	3 641	3 644	3,08	96,5	-	0,00
8	4 415	4 419	1,31	96,5	-	0,00
9	4 250	4 253	1,66	96,5	-	0,00
Sum			13,52			

- Data undefined due to calculation with octave data

Noise sensitive area: KQ Blumes

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 734	3 738	2,85	96,5	-	0,00
10	2 924	2 928	5,07	96,5	-	0,00
11	3 746	3 749	2,82	96,5	-	0,00
12	4 931	4 934	0,29	96,5	-	0,00
13	5 081	5 084	0,01	96,5	-	0,00
2	2 985	2 990	4,88	96,5	-	0,00
3	4 473	4 476	1,19	96,5	-	0,00
4	4 525	4 529	1,08	96,5	-	0,00
5	4 230	4 233	1,70	96,5	-	0,00
6	3 837	3 840	2,60	96,5	-	0,00
7	3 606	3 610	3,17	96,5	-	0,00
8	4 380	4 383	1,38	96,5	-	0,00
9	4 208	4 212	1,75	96,5	-	0,00
Sum			13,63			

- Data undefined due to calculation with octave data

Noise sensitive area: KQ Blumes

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 734	3 738	2,85	96,5	-	0,00
10	2 924	2 928	5,07	96,5	-	0,00
11	3 746	3 749	2,82	96,5	-	0,00
12	4 931	4 934	0,29	96,5	-	0,00
13	5 081	5 084	0,01	96,5	-	0,00
2	2 985	2 990	4,88	96,5	-	0,00
3	4 473	4 476	1,19	96,5	-	0,00
4	4 525	4 529	1,08	96,5	-	0,00
5	4 230	4 233	1,70	96,5	-	0,00
6	3 837	3 840	2,60	96,5	-	0,00
7	3 606	3 610	3,17	96,5	-	0,00
8	4 380	4 383	1,38	96,5	-	0,00
9	4 208	4 212	1,75	96,5	-	0,00
Sum			13,63			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KR Kukas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 109	3 113	4,52	96,5	-	0,00
10	2 453	2 459	6,65	96,5	-	0,00
11	3 335	3 339	3,88	96,5	-	0,00
12	4 426	4 430	1,29	96,5	-	0,00
13	4 490	4 493	1,15	96,5	-	0,00
2	2 669	2 674	5,89	96,5	-	0,00
3	4 076	4 079	2,05	96,5	-	0,00
4	3 908	3 912	2,43	96,5	-	0,00
5	3 710	3 714	2,91	96,5	-	0,00
6	2 917	2 922	5,09	96,5	-	0,00
7	2 755	2 760	5,61	96,5	-	0,00
8	3 540	3 544	3,34	96,5	-	0,00
9	3 514	3 519	3,40	96,5	-	0,00
Sum			15,18			

- Data undefined due to calculation with octave data

Noise sensitive area: KR Kukas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 109	3 113	4,52	96,5	-	0,00
10	2 453	2 459	6,65	96,5	-	0,00
11	3 335	3 339	3,88	96,5	-	0,00
12	4 426	4 430	1,29	96,5	-	0,00
13	4 490	4 493	1,15	96,5	-	0,00
2	2 669	2 674	5,89	96,5	-	0,00
3	4 076	4 079	2,05	96,5	-	0,00
4	3 908	3 912	2,43	96,5	-	0,00
5	3 710	3 714	2,91	96,5	-	0,00
6	2 917	2 922	5,09	96,5	-	0,00
7	2 755	2 760	5,61	96,5	-	0,00
8	3 540	3 544	3,34	96,5	-	0,00
9	3 514	3 519	3,40	96,5	-	0,00
Sum			15,18			

- Data undefined due to calculation with octave data

Noise sensitive area: KS Brie ž u sala

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 495	3 499	3,45	96,5	-	0,00
10	2 577	2 583	6,21	96,5	-	0,00
11	3 121	3 125	4,48	96,5	-	0,00
12	4 325	4 328	1,50	96,5	-	0,00
13	4 622	4 625	0,89	96,5	-	0,00
2	2 361	2 367	7,00	96,5	-	0,00
3	3 730	3 733	2,86	96,5	-	0,00
4	4 168	4 172	1,84	96,5	-	0,00
5	3 726	3 730	2,87	96,5	-	0,00
6	4 254	4 257	1,65	96,5	-	0,00
7	3 866	3 870	2,53	96,5	-	0,00
8	4 523	4 527	1,09	96,5	-	0,00
9	4 040	4 043	2,13	96,5	-	0,00
Sum			14,53			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KS Brie ž u sala

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 495	3 499	3,45	96,5	-	0,00
10	2 577	2 583	6,21	96,5	-	0,00
11	3 121	3 125	4,48	96,5	-	0,00
12	4 325	4 328	1,50	96,5	-	0,00
13	4 622	4 625	0,89	96,5	-	0,00
2	2 361	2 367	7,00	96,5	-	0,00
3	3 730	3 733	2,86	96,5	-	0,00
4	4 168	4 172	1,84	96,5	-	0,00
5	3 726	3 730	2,87	96,5	-	0,00
6	4 254	4 257	1,65	96,5	-	0,00
7	3 866	3 870	2,53	96,5	-	0,00
8	4 523	4 527	1,09	96,5	-	0,00
9	4 040	4 043	2,13	96,5	-	0,00
Sum			14,53			

- Data undefined due to calculation with octave data

Noise sensitive area: KT Aigas

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 118	2 124	7,97	96,5	-	0,00
10	1 204	1 215	12,95	96,5	-	0,00
11	1 904	1 911	8,92	96,5	-	0,00
12	3 119	3 123	4,49	96,5	-	0,00
13	3 343	3 347	3,86	96,5	-	0,00
2	1 120	1 132	13,57	96,5	-	0,00
3	2 607	2 612	6,11	96,5	-	0,00
4	2 840	2 845	5,33	96,5	-	0,00
5	2 454	2 459	6,65	96,5	-	0,00
6	2 882	2 887	5,20	96,5	-	0,00
7	2 472	2 478	6,58	96,5	-	0,00
8	3 114	3 119	4,50	96,5	-	0,00
9	2 656	2 661	5,94	96,5	-	0,00
Sum			19,47			

- Data undefined due to calculation with octave data

Noise sensitive area: KT Aigas

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 118	2 124	7,97	96,5	-	0,00
10	1 204	1 215	12,95	96,5	-	0,00
11	1 904	1 911	8,92	96,5	-	0,00
12	3 119	3 123	4,49	96,5	-	0,00
13	3 343	3 347	3,86	96,5	-	0,00
2	1 120	1 132	13,57	96,5	-	0,00
3	2 607	2 612	6,11	96,5	-	0,00
4	2 840	2 845	5,33	96,5	-	0,00
5	2 454	2 459	6,65	96,5	-	0,00
6	2 882	2 887	5,20	96,5	-	0,00
7	2 472	2 478	6,58	96,5	-	0,00
8	3 114	3 119	4,50	96,5	-	0,00
9	2 656	2 661	5,94	96,5	-	0,00
Sum			19,47			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KU Saujinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 395	2 400	6,87	96,5	-	0,00
10	1 476	1 485	11,17	96,5	-	0,00
11	2 098	2 104	8,05	96,5	-	0,00
12	3 317	3 321	3,93	96,5	-	0,00
13	3 572	3 576	3,25	96,5	-	0,00
2	1 314	1 324	12,19	96,5	-	0,00
3	2 770	2 774	5,56	96,5	-	0,00
4	3 091	3 095	4,57	96,5	-	0,00
5	2 677	2 682	5,87	96,5	-	0,00
6	3 204	3 208	4,24	96,5	-	0,00
7	2 792	2 797	5,49	96,5	-	0,00
8	3 425	3 429	3,64	96,5	-	0,00
9	2 938	2 943	5,03	96,5	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: KU Saujinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 395	2 400	6,87	96,5	-	0,00
10	1 476	1 485	11,17	96,5	-	0,00
11	2 098	2 104	8,05	96,5	-	0,00
12	3 317	3 321	3,93	96,5	-	0,00
13	3 572	3 576	3,25	96,5	-	0,00
2	1 314	1 324	12,19	96,5	-	0,00
3	2 770	2 774	5,56	96,5	-	0,00
4	3 091	3 095	4,57	96,5	-	0,00
5	2 677	2 682	5,87	96,5	-	0,00
6	3 204	3 208	4,24	96,5	-	0,00
7	2 792	2 797	5,49	96,5	-	0,00
8	3 425	3 429	3,64	96,5	-	0,00
9	2 938	2 943	5,03	96,5	-	0,00
Sum			18,29			

- Data undefined due to calculation with octave data

Noise sensitive area: KV Martinova

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 916	2 921	5,10	96,5	-	0,00
10	2 001	2 008	8,47	96,5	-	0,00
11	2 645	2 651	5,98	96,5	-	0,00
12	3 864	3 868	2,53	96,5	-	0,00
13	4 117	4 121	1,95	96,5	-	0,00
2	1 861	1 869	9,12	96,5	-	0,00
3	3 312	3 316	3,94	96,5	-	0,00
4	3 629	3 633	3,11	96,5	-	0,00
5	3 223	3 227	4,19	96,5	-	0,00
6	3 597	3 600	3,19	96,5	-	0,00
7	3 217	3 221	4,21	96,5	-	0,00
8	3 891	3 895	2,47	96,5	-	0,00
9	3 454	3 459	3,56	96,5	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KV Martinova

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 916	2 921	5,10	96,5	-	0,00
10	2 001	2 008	8,47	96,5	-	0,00
11	2 645	2 651	5,98	96,5	-	0,00
12	3 864	3 868	2,53	96,5	-	0,00
13	4 117	4 121	1,95	96,5	-	0,00
2	1 861	1 869	9,12	96,5	-	0,00
3	3 312	3 316	3,94	96,5	-	0,00
4	3 629	3 633	3,11	96,5	-	0,00
5	3 223	3 227	4,19	96,5	-	0,00
6	3 597	3 600	3,19	96,5	-	0,00
7	3 217	3 221	4,21	96,5	-	0,00
8	3 891	3 895	2,47	96,5	-	0,00
9	3 454	3 459	3,56	96,5	-	0,00
Sum			16,20			

- Data undefined due to calculation with octave data

Noise sensitive area: KW Avotin š

Wind speed: 6,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 893	1 900	8,97	96,5	-	0,00
10	1 209	1 220	12,91	96,5	-	0,00
11	2 094	2 100	8,07	96,5	-	0,00
12	3 182	3 186	4,31	96,5	-	0,00
13	3 267	3 271	4,07	96,5	-	0,00
2	1 477	1 487	11,16	96,5	-	0,00
3	2 833	2 838	5,36	96,5	-	0,00
4	2 694	2 699	5,81	96,5	-	0,00
5	2 466	2 471	6,61	96,5	-	0,00
6	2 119	2 125	7,97	96,5	-	0,00
7	1 798	1 806	9,42	96,5	-	0,00
8	2 546	2 551	6,32	96,5	-	0,00
9	2 345	2 351	7,06	96,5	-	0,00
Sum			19,46			

- Data undefined due to calculation with octave data

Noise sensitive area: KW Avotin š

Wind speed: 8,0 m/s
WTG

No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	1 893	1 900	8,97	96,5	-	0,00
10	1 209	1 220	12,91	96,5	-	0,00
11	2 094	2 100	8,07	96,5	-	0,00
12	3 182	3 186	4,31	96,5	-	0,00
13	3 267	3 271	4,07	96,5	-	0,00
2	1 477	1 487	11,16	96,5	-	0,00
3	2 833	2 838	5,36	96,5	-	0,00
4	2 694	2 699	5,81	96,5	-	0,00
5	2 466	2 471	6,61	96,5	-	0,00
6	2 119	2 125	7,97	96,5	-	0,00
7	1 798	1 806	9,42	96,5	-	0,00
8	2 546	2 551	6,32	96,5	-	0,00
9	2 345	2 351	7,06	96,5	-	0,00
Sum			19,46			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KX Lakstigalas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 399	3 403	3,71	96,5	-	0,00
10	2 571	2 577	6,23	96,5	-	0,00
11	2 766	2 771	5,57	96,5	-	0,00
12	3 843	3 847	2,58	96,5	-	0,00
13	4 233	4 236	1,70	96,5	-	0,00
2	2 177	2 184	7,72	96,5	-	0,00
3	3 189	3 193	4,29	96,5	-	0,00
4	3 899	3 903	2,45	96,5	-	0,00
5	3 388	3 392	3,74	96,5	-	0,00
6	4 540	4 543	1,05	96,5	-	0,00
7	4 085	4 088	2,03	96,5	-	0,00
8	4 595	4 598	0,94	96,5	-	0,00
9	3 930	3 933	2,38	96,5	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Noise sensitive area: KX Lakstigalas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 399	3 403	3,71	96,5	-	0,00
10	2 571	2 577	6,23	96,5	-	0,00
11	2 766	2 771	5,57	96,5	-	0,00
12	3 843	3 847	2,58	96,5	-	0,00
13	4 233	4 236	1,70	96,5	-	0,00
2	2 177	2 184	7,72	96,5	-	0,00
3	3 189	3 193	4,29	96,5	-	0,00
4	3 899	3 903	2,45	96,5	-	0,00
5	3 388	3 392	3,74	96,5	-	0,00
6	4 540	4 543	1,05	96,5	-	0,00
7	4 085	4 088	2,03	96,5	-	0,00
8	4 595	4 598	0,94	96,5	-	0,00
9	3 930	3 933	2,38	96,5	-	0,00
Sum			15,05			

- Data undefined due to calculation with octave data

Noise sensitive area: KY Klavinas

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 511	2 516	6,44	96,5	-	0,00
10	1 934	1 942	8,77	96,5	-	0,00
11	2 818	2 823	5,41	96,5	-	0,00
12	3 856	3 860	2,55	96,5	-	0,00
13	3 891	3 895	2,47	96,5	-	0,00
2	2 222	2 228	7,54	96,5	-	0,00
3	3 551	3 555	3,31	96,5	-	0,00
4	3 306	3 310	3,96	96,5	-	0,00
5	3 141	3 145	4,42	96,5	-	0,00
6	2 304	2 309	7,22	96,5	-	0,00
7	2 123	2 130	7,94	96,5	-	0,00
8	2 908	2 913	5,12	96,5	-	0,00
9	2 895	2 900	5,16	96,5	-	0,00
Sum			17,00			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: KY Klavinas

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 511	2 516	6,44	96,5	-	0,00
10	1 934	1 942	8,77	96,5	-	0,00
11	2 818	2 823	5,41	96,5	-	0,00
12	3 856	3 860	2,55	96,5	-	0,00
13	3 891	3 895	2,47	96,5	-	0,00
2	2 222	2 228	7,54	96,5	-	0,00
3	3 551	3 555	3,31	96,5	-	0,00
4	3 306	3 310	3,96	96,5	-	0,00
5	3 141	3 145	4,42	96,5	-	0,00
6	2 304	2 309	7,22	96,5	-	0,00
7	2 123	2 130	7,94	96,5	-	0,00
8	2 908	2 913	5,12	96,5	-	0,00
9	2 895	2 900	5,16	96,5	-	0,00
Sum			17,00			

- Data undefined due to calculation with octave data

Noise sensitive area: KZ Sturakmens

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 455	3 459	3,56	96,5	-	0,00
10	2 730	2 735	5,69	96,5	-	0,00
11	3 597	3 601	3,19	96,5	-	0,00
12	4 733	4 736	0,67	96,5	-	0,00
13	4 830	4 833	0,48	96,5	-	0,00
2	2 884	2 889	5,20	96,5	-	0,00
3	4 338	4 341	1,47	96,5	-	0,00
4	4 256	4 259	1,65	96,5	-	0,00
5	4 019	4 022	2,17	96,5	-	0,00
6	3 363	3 367	3,80	96,5	-	0,00
7	3 181	3 186	4,31	96,5	-	0,00
8	3 965	3 968	2,30	96,5	-	0,00
9	3 889	3 893	2,48	96,5	-	0,00
Sum			14,27			

- Data undefined due to calculation with octave data

Noise sensitive area: KZ Sturakmens

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	3 455	3 459	3,56	96,5	-	0,00
10	2 730	2 735	5,69	96,5	-	0,00
11	3 597	3 601	3,19	96,5	-	0,00
12	4 733	4 736	0,67	96,5	-	0,00
13	4 830	4 833	0,48	96,5	-	0,00
2	2 884	2 889	5,20	96,5	-	0,00
3	4 338	4 341	1,47	96,5	-	0,00
4	4 256	4 259	1,65	96,5	-	0,00
5	4 019	4 022	2,17	96,5	-	0,00
6	3 363	3 367	3,80	96,5	-	0,00
7	3 181	3 186	4,31	96,5	-	0,00
8	3 965	3 968	2,30	96,5	-	0,00
9	3 889	3 893	2,48	96,5	-	0,00
Sum			14,27			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: LA Zalani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 319	2 325	7,16	96,5	-	0,00
10	1 472	1 481	11,19	96,5	-	0,00
11	2 291	2 297	7,26	96,5	-	0,00
12	3 475	3 479	3,51	96,5	-	0,00
13	3 639	3 643	3,08	96,5	-	0,00
2	1 544	1 553	10,77	96,5	-	0,00
3	3 023	3 028	4,77	96,5	-	0,00
4	3 095	3 100	4,55	96,5	-	0,00
5	2 777	2 782	5,54	96,5	-	0,00
6	2 763	2 768	5,58	96,5	-	0,00
7	2 417	2 423	6,79	96,5	-	0,00
8	3 136	3 141	4,44	96,5	-	0,00
9	2 823	2 829	5,39	96,5	-	0,00
Sum			18,06			

- Data undefined due to calculation with octave data

Noise sensitive area: LA Zalani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 319	2 325	7,16	96,5	-	0,00
10	1 472	1 481	11,19	96,5	-	0,00
11	2 291	2 297	7,26	96,5	-	0,00
12	3 475	3 479	3,51	96,5	-	0,00
13	3 639	3 643	3,08	96,5	-	0,00
2	1 544	1 553	10,77	96,5	-	0,00
3	3 023	3 028	4,77	96,5	-	0,00
4	3 095	3 100	4,55	96,5	-	0,00
5	2 777	2 782	5,54	96,5	-	0,00
6	2 763	2 768	5,58	96,5	-	0,00
7	2 417	2 423	6,79	96,5	-	0,00
8	3 136	3 141	4,44	96,5	-	0,00
9	2 823	2 829	5,39	96,5	-	0,00
Sum			18,06			

- Data undefined due to calculation with octave data

Noise sensitive area: LB Annes

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 727	2 732	5,70	96,5	-	0,00
10	2 101	2 107	8,04	96,5	-	0,00
11	2 986	2 990	4,88	96,5	-	0,00
12	4 055	4 059	2,09	96,5	-	0,00
13	4 109	4 112	1,97	96,5	-	0,00
2	2 350	2 356	7,04	96,5	-	0,00
3	3 724	3 728	2,87	96,5	-	0,00
4	3 525	3 530	3,37	96,5	-	0,00
5	3 339	3 343	3,87	96,5	-	0,00
6	2 558	2 563	6,28	96,5	-	0,00
7	2 376	2 382	6,94	96,5	-	0,00
8	3 160	3 165	4,37	96,5	-	0,00
9	3 127	3 132	4,46	96,5	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Licensed user:
Kajaja Acoustics OÜ
Laki põik 2
EE-12915 Tallinn
+372 5626 4614
Eteri Eha / eteri.eha@kajaja.ee

Calculated:
03.09.2026 14:51/4.2.316

DECIBEL - Detailed Results

Calculation: Low frequency - Nordex N175 (Cottage dwellings) Noise calculation model: Danish low frequency 2024

Noise sensitive area: LB Annes

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 727	2 732	5,70	96,5	-	0,00
10	2 101	2 107	8,04	96,5	-	0,00
11	2 986	2 990	4,88	96,5	-	0,00
12	4 055	4 059	2,09	96,5	-	0,00
13	4 109	4 112	1,97	96,5	-	0,00
2	2 350	2 356	7,04	96,5	-	0,00
3	3 724	3 728	2,87	96,5	-	0,00
4	3 525	3 530	3,37	96,5	-	0,00
5	3 339	3 343	3,87	96,5	-	0,00
6	2 558	2 563	6,28	96,5	-	0,00
7	2 376	2 382	6,94	96,5	-	0,00
8	3 160	3 165	4,37	96,5	-	0,00
9	3 127	3 132	4,46	96,5	-	0,00
Sum			16,30			

- Data undefined due to calculation with octave data

Noise sensitive area: LC Pastalojani

Wind speed: 6,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 690	2 695	5,82	96,5	-	0,00
10	1 884	1 891	9,01	96,5	-	0,00
11	2 724	2 729	5,71	96,5	-	0,00
12	3 894	3 898	2,46	96,5	-	0,00
13	4 036	4 040	2,13	96,5	-	0,00
2	1 986	1 993	8,54	96,5	-	0,00
3	3 460	3 464	3,54	96,5	-	0,00
4	3 480	3 485	3,49	96,5	-	0,00
5	3 189	3 194	4,28	96,5	-	0,00
6	2 939	2 944	5,02	96,5	-	0,00
7	2 648	2 653	5,97	96,5	-	0,00
8	3 402	3 406	3,70	96,5	-	0,00
9	3 173	3 177	4,33	96,5	-	0,00
Sum			16,57			

- Data undefined due to calculation with octave data

Noise sensitive area: LC Pastalojani

Wind speed: 8,0 m/s

WTG No.	Distance [m]	Sound distance [m]	Calculated [dB(A)]	LwA,ref [dB(A)]	Aatm [dB]	Agr [dB]
1	2 690	2 695	5,82	96,5	-	0,00
10	1 884	1 891	9,01	96,5	-	0,00
11	2 724	2 729	5,71	96,5	-	0,00
12	3 894	3 898	2,46	96,5	-	0,00
13	4 036	4 040	2,13	96,5	-	0,00
2	1 986	1 993	8,54	96,5	-	0,00
3	3 460	3 464	3,54	96,5	-	0,00
4	3 480	3 485	3,49	96,5	-	0,00
5	3 189	3 194	4,28	96,5	-	0,00
6	2 939	2 944	5,02	96,5	-	0,00
7	2 648	2 653	5,97	96,5	-	0,00
8	3 402	3 406	3,70	96,5	-	0,00
9	3 173	3 177	4,33	96,5	-	0,00
Sum			16,57			

- Data undefined due to calculation with octave data